Appendix A
RF Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: Sound bar, bluetooth Speaker

Trade Mark: Saiyin

Test Model: DS5101

FCC ID: 2AP93-DS5X

Environmental Conditions

Temperature:	22.7° C
Relative Humidity:	50%
ATM Pressure:	100.0 kPa
Test Engineer:	Gary Qian
Supervised by:	Eden Hu

A.1 20 dB Bandwidth

Mode	Channel.	20dB Bandwidth [MHz]	Limit(MHz)	Verdict
GFSK	LCH	0.886	Not Specified	PASS
GFSK	MCH	0.888	Not Specified	PASS
GFSK	HCH	0.862	Not Specified	PASS
π/4DQPSK	LCH	1.321	Not Specified	PASS
π/4DQPSK	MCH	1.279	Not Specified	PASS
π/4DQPSK	HCH	1.320	Not Specified	PASS

Test Graph

Graphs	
GFSK/LCH	
GFSK/MCH	

GFSK/HCH	
π/4DQPSK/LCH	

π/4DQPSK/MCH	
π/4DQPSK/HCH	

A.2 Dwell Time

Mode	Packet	Channel	Burst Width [s/hop/ch]	Total Hops[hop*ch]	Dwell Time[s]	Limit [s]	Verdict
GFSK	DH5	LCH	0.002888	106.7	0.308104	0.4	PASS
GFSK	DH5	MCH	0.002884	106.7	0.307712	0.4	PASS
GFSK	DH5	HCH	0.002884	106.7	0.307711	0.4	PASS
π/4DQPSK	2DH5	LCH	0.002892	106.7	0.308549	0.4	PASS
π/4DQPSK	2DH5	MCH	0.002889	106.7	0.308213	0.4	PASS
π/4DQPSK	2DH5	HCH	0.002890	106.7	0.308375	0.4	PASS

Test Graph

Graphs	
GFSK_DH5/LCH	

GFSK_DH5/MCH	
GFSK_DH5/HCH	

π/4DQPSK _2DH5/LCH	
π/4DQPSK _2DH5/MCH	

π/4DQPSK _2DH5/HCH	

A.3 Carrier Frequency Separation

Mode	Channel.	Carrier Frequency Separation [MHz]	Limit [MHz]	Verdict
GFSK	LCH	0.999	0.591	PASS
GFSK	MCH	1.000	0.592	PASS
GFSK	HCH	1.006	0.575	PASS
π/4DQPSK	LCH	1.004	0.881	PASS
π/4DQPSK	MCH	0.999	0.853	PASS
π/4DQPSK	HCH	0.997	0.880	PASS

Test Graph

Graphs	
GFSK/LCH	
GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH	
π/4DQPSK/MCH	
π/4DQPSK/HCH	

A.4 Hopping Channel Number

Mode	Channel.	Number of Hopping Channel[N]	Limit[N]	Verdict
GFSK	Hop	79	>=15	PASS
π/4DQPSK	Hop	79	>=15	PASS

Test Graph

Graphs	
GFSK/Hop	

π/4DQPSK/Hop	

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
CORREC
SENSE:PULSE
ALIGN OFF
07:25:03 PM Oct 31, 2019
Center Freq 2.441750000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: RMS
Avg|Hold:>10/10
TRACE 1 2 3 4 5 6
TYPE M
DET P N N N N N
10 dB/div
Log
Ref 20.00 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
Start 2.40000 GHz
#Res BW 100 kHz
#VBW 300 kHz
Stop 2.48350 GHz
Sweep 8.000 ms (2001 pts)
MSG
STATUS
Frequency
Auto Tune
Center Freq
2.441750000 GHz
Start Freq
2.400000000 GHz
Stop Freq
2.483500000 GHz
CF Step
8.350000 MHz
Auto
Man
Freq Offset
0 Hz

A.5 Conducted Peak Output Power

Mode	Channel.	Maximum Peak Output Power [dBm]	Limit [dBm]	Verdict
GFSK	LCH	-3.559	21	PASS
GFSK	MCH	-3.005	21	PASS
GFSK	HCH	-2.752	21	PASS
π/4DQPSK	LCH	-2.256	21	PASS
π/4DQPSK	MCH	-1.614	21	PASS
π/4DQPSK	HCH	-1.385	21	PASS

Test Graph

Graphs	
GFSK/LCH	

GFSK/MCH	
GFSK/HCH	

π/4DQPSK/LCH	
π/4DQPSK/MCH	

π/4DQPSK/HCH	

Agilent Spectrum Analyzer - Swept SA
RL
RF
50 Ω AC
CORREC
SENSE:PULSE
ALIGN OFF
07:15:29 PM Oct 31, 2019
Center Freq 2.480000000 GHz
PNO: Fast
IFGain:Low
Trig: Free Run
#Atten: 30 dB
#Avg Type: Log-Pwr
Avg|Hold: 100/100
TRACE 1 2 3 4 5 6
TYPE M
DET P N N N N N
Mkr1 2.479 830 GHz
-1.385 dBm
10 dB/div
Log
Ref 20.00 dBm
10.0
0.00
-10.0
-20.0
-30.0
-40.0
-50.0
-60.0
-70.0
Center 2.480000 GHz
#Res BW 2.0 MHz
#VBW 6.0 MHz
Span 10.00 MHz
Sweep 1.067 ms (2001 pts)
MSG
STATUS
Frequency
Auto Tune
Center Freq
2.480000000 GHz
Start Freq
2.475000000 GHz
Stop Freq
2.485000000 GHz
CF Step
1.000000 MHz
Auto
Man
Freq Offset
0 Hz

A.6 Band-edge for RF Conducted Emissions

Type	Carrier Frequency(MHz)	Frequency(MHz)	Carrier Frequency Power [dBm]	Bandedge Peak(dBm)	Upper limit(dBm)	Conclusion
1DH5	2402	2398.077	-3.843	-39.372	-23.843	Pass
1DH5	2480	2483.553	-2.778	-51.653	-22.778	Pass
2DH5	2402	2398.124	-6.358	-42.636	-26.358	Pass
2DH5	2480	2397.703	-6.112	-41.514	-26.112	Pass
1DH5-Hopping	2402	2484.413	-3.027	-52.783	-23.027	Pass
1DH5-Hopping	2480	2398.98	-2.579	-38.348	-22.579	Pass
2DH5-Hopping	2402	2483.98	-2.104	-50.293	-22.104	Pass
2DH5-Hopping	2480	2399.82	-2.601	-38.540	-22.601	Pass

Test Graph

Graphs	
GFSK/LCH/No Hop	
GFSK/HCH/No Hop	

π/4DQPSK/LCH/No Hop	
π/4DQPSK/HCH/No Hop	

GFSK/LCH/Hop	
GFSK/HCH/Hop	

π/4DQPSK/LCH/Hop	
π /4DQPSK/HCH/Hop	

A.7 RF Conducted Spurious Emissions

Test Graph

GFSK_LCH_Graphs	
Pref	
Puw	

GFSK_MCH_Graphs	
Pref	
Puw	

GFSK_HCH_Graphs	
Pref	
Puw	

π/4DQPSK_LCH_Graphs	
Pref	
Puw	

π/4DQPSK_MCH_Graphs	
Pref	
Puw	

π/4DQPSK_HCH_Graphs	
Pref	
Puw	

A.8 Restrict-band band-edge measurements

Type	Carrier Frequency (MHz)	Frequency(MHz)	Gain (dBi)	Ground Factor(dB)	Peak Value(dBm)	E [dBuV/m]	Limit [dBuV/m]	Conclusion
1DH5	2402	2310	2.00	0.00	-53.53	43.67	74	Pass
1DH5	2480	2483.5	2.00	0.00	-46.00	51.20	74	Pass
2DH5	2402	2390	2.00	0.00	-51.83	45.37	74	Pass
2DH5	2480	2483.5	2.00	0.00	-46.01	51.19	74	Pass

Type	Carrier Frequency (MHz)	Frequency(MHz)	Gain (dBi)	Ground Factor(dB)	Average Value(dBm)	E [dBuV/m]	Limit [dBuV/m]	Conclusion
1DH5	2402	2310	2.00	0.00	-59.63	37.57	54	Pass
1DH5	2480	2483.5	2.00	0.00	-51.86	45.34	54	Pass
2DH5	2402	2390	2.00	0.00	-59.08	38.12	54	Pass
2DH5	2480	2483.5	2.00	0.00	-52.74	44.46	54	Pass

Restrict-band band-edge measurements_2402_PEAK_DH5



Restrict-band band-edge measurements_2402_AV_DH5



Restrict-band band-edge measurements_2480_PEAK_DH5



Restrict-band band-edge measurements_2480_AV_DH5

Restrict-band band-edge measurements_2402_PEAK_2DH5



Restrict-band band-edge measurements_2402_AV_2DH5



Restrict-band band-edge measurements_2480_PEAK_2DH5



Restrict-band band-edge measurements_2480_AV_2DH5