

# RF Exposure Evaluation Report

**Product** : Mi Home Security Camera 360° 1080P  
**Trade mark** : MI  
**Model/Type reference** : MJSXJ02CM  
**Serial Number** : N/A  
**Report Number** : EED32K00027002  
**FCC ID** : 2APA9-IPC009A  
**Date of Issue** : Jul. 31, 2018  
47 CFR Part 1.1307  
**Test Standards** : 47 CFR Part 1.1310  
KDB447498D01v06  
**Test result** : PASS

Prepared for:

**Shanghai Imlab Technology Co., Ltd.**  
**F5, Building 3, No. 401, Caobao Rd, Xuhui Dist, Shanghai, P.R. China**

Prepared by:

**Centre Testing International Group Co., Ltd.**  
**Hongwei Industrial Zone, Bao'an 70 District,**  
**Shenzhen, Guangdong, China**  
**TEL: +86-755-3368 3668**  
**FAX: +86-755-3368 3385**

Tested by:

*Tom chen*

Tom chen (Test Project)

Compiled by:

*Max Liang*

Max Liang (Project Engineer)

Reviewed by:

*Kevin Yang*

Kevin yang (Reviewer)

Approved by:

*Sheek Luo*

Sheek Luo (Lab supervisor)

Date:

Jul. 31, 2018

Check No.:3319522918



## 2 Version

Version No.	Date	Description
00	Jul. 31, 2018	Original

### 3 Contents

	Page
<b>1 COVER PAGE</b> .....	<b>1</b>
<b>2 VERSION</b> .....	<b>2</b>
<b>3 CONTENTS</b> .....	<b>3</b>
<b>4 GENERAL INFORMATION</b> .....	<b>4</b>
4.1 CLIENT INFORMATION.....	4
4.2 GENERAL DESCRIPTION OF EUT.....	4
4.3 PRODUCT SPECIFICATION SUBJECTIVE TO THIS STANDARD.....	4
4.4 TEST LOCATION.....	5
4.5 DEVIATION FROM STANDARDS.....	5
4.6 ABNORMALITIES FROM STANDARD CONDITIONS.....	5
4.7 OTHER INFORMATION REQUESTED BY THE CUSTOMER.....	5
<b>5 RF EXPOSURE EVALUATION</b> .....	<b>6</b>
5.1 RF EXPOSURE COMPLIANCE REQUIREMENT.....	6
5.1.1 Limits.....	6
5.1.2 Test Procedure.....	6
5.1.3 EUT RF Exposure Evaluation.....	7
<b>PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS</b> .....	<b>8</b>

## 4 General Information

### 4.1 Client Information

Applicant:	Shanghai Imilab Technology Co., Ltd.
Address of Applicant:	F5, Building 3, No. 401, Caobao Rd, Xuhui Dist, Shanghai, P.R. China
Manufacturer:	Shanghai Imilab Technology Co., Ltd.
Address of Manufacturer:	F5, Building 3, No. 401, Caobao Rd, Xuhui Dist, Shanghai, P.R. China
Factory:	Dongguan Sharetronic Data Technology Co., Ltd.
Address of Factory:	Weiqiang Science and Technology Park, Galaxy Industrial Zone, Qingxi, Dongguan, Guangdong province, China

### 4.2 General Description of EUT

Product Name:	Mi Home Security Camera 360° 1080P
Model No.(EUT):	MJSXJ02CM
Trade Mark:	MI
EUT Supports Radios application	IEEE 802.11b/g/n(HT20): 2412MHz to 2462MHz IEEE 802.11n(HT40): 2422MHz to 2452MHz

### 4.3 Product Specification subjective to this standard

Frequency Range:	IEEE 802.11b/g/n(HT20): 2412MHz to 2462MHz IEEE 802.11n(HT40): 2422MHz to 2452MHz	
Antenna Type:	PIFA	
Antenna Gain:	-2dBi	
Hardware Version:	V1.0(manufacturer declare)	
Firmware Version:	V1.0(manufacturer declare)	
Power Supply:	Adapter	Model: MDY-08-EZ Input: 100-240V, 50/60Hz, 0.35A Output: 5.0V---2A
Conducted Peak Output Power:	19.97dBm The Conducted Peak Output Power data refer to the report EED32K00027001.	
Test Voltage:	AC 120V, 60Hz	
USB cable:	200cm(Unshielded)	
Sample Received Date:	Feb. 02, 2018	
Sample tested Date:	Feb. 02, 2018 to Jul. 27, 2018	
The tested sample(s) and the sample information are provided by the client.		

Report No. : EED32K00027002

Page 5 of 8

#### **4.4 Test Location**

All tests were performed at:

Centre Testing International Group Co., Ltd

Building C, Hongwei Industrial Park Block 70, Bao'an District, Shenzhen, China

Telephone: +86 (0) 755 3368 3668 Fax:+86 (0) 755 3368 3385

No tests were sub-contracted.

FCC Designation No.: CN1164

#### **4.5 Deviation from Standards**

None.

#### **4.6 Abnormalities from Standard Conditions**

None.

#### **4.7 Other Information Requested by the Customer**

None.



## 5 RF Exposure Evaluation

### 5.1 RF Exposure Compliance Requirement

#### 5.1.1 Limits

According to FCC Part1.1310: The criteria listed in the following table shall be used to evaluate the environment impact of human exposure to radio frequency (RF) radiation as specified in part1.1307(b)

TABLE 1—LIMITS FOR MAXIMUM PERMISSIBLE EXPOSURE (MPE)

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm <sup>2</sup> )	Averaging time (minutes)
<b>(A) Limits for Occupational/Controlled Exposures</b>				
0.3–3.0 .....	614	1.63	*(100)	6
3.0–30 .....	1842/f	4.89/f	*(900/f <sup>2</sup> )	6
30–300 .....	61.4	0.163	1.0	6
300–1500 .....	.....	.....	f/300	6
1500–100,000 .....	.....	.....	5	6
<b>(B) Limits for General Population/Uncontrolled Exposure</b>				
0.3–1.34 .....	614	1.63	*(100)	30
1.34–30 .....	824/f	2.19/f	*(180/f <sup>2</sup> )	30
30–300 .....	27.5	0.073	0.2	30
300–1500 .....	.....	.....	f/1500	30
1500–100,000 .....	.....	.....	1.0	30

A rough estimation of the expected exposure in power flux density on a given point can be made with the following equation:

$$S = \frac{P \times G}{4 \times \pi \times R^2}$$

Where:

S = power density

P = power input to the antenna

G = numeric gain of the antenna in the direction of interest relative to an isotropic radiator

R= distance to the centre of radiation of the antenna

EIRP = P\*G

The antenna of the product, under normal use condition is at least 20 cm away from the body of the user.

Warning statement to the user for keeping at least 20cm separation distance and the prohibition of operating to a person has been printed on the user's manual. Therefore, the S of the device is calculated with R=20cm, and if it is below the limit S, then we can conclude the device complies with the rules.

#### 5.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually.

### 5.1.3 EUT RF Exposure Evaluation

**Antenna Gain:** -2dBi

Output Power Into Antenna & RF Exposure Evaluation Distance:

Channel	Frequency (MHz)	Max Conducted Peak Output Power(dBm)	Gain (dBi)	EIRP* (dBm)	EIRP (mW)	R (cm)	S (mW/cm <sup>2</sup> )	Limit (mW/cm <sup>2</sup> )	Result
Highest	2412	19.97	-2	17.97	62.66	20	0.012	1.0	Pass

**Note:** Refer to report No. EED32K00027001 for EUT test Max Conducted Peak Output Power value.

## PHOTOGRAPHS OF EUT Constructional Details

Refer to Report No. EED32K00027001 for EUT external and internal photos.

\*\*\* End of Report \*\*\*

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.