



# Appendix B

## E-UTRA Band 13



## CONTENT

	Page
<b>1 EFFECTIVE (ISOTROPIC) RADIATED POWER OUTPUT DATA.....</b>	<b>3</b>
<b>2 PEAK-TO-AVERAGE RATIO .....</b>	<b>6</b>
2.1 FOR LTE .....	6
2.1.1 Test Band = LTE band13.....	6
<b>3 MODULATION CHARACTERISTICS .....</b>	<b>7</b>
3.1 FOR LTE .....	7
3.1.1 Test Band = LTE band13.....	7
<b>4 BANDWIDTH .....</b>	<b>8</b>
4.1 FOR LTE .....	8
4.1.1 Test Band = LTE band13.....	8
<b>5 BAND EDGES COMPLIANCE .....</b>	<b>15</b>
5.1 FOR LTE .....	15
5.1.1 Test Band = LTE band13.....	15
<b>6 SPURIOUS EMISSION AT ANTENNA TERMINAL.....</b>	<b>27</b>
6.1 FOR LTE .....	27
6.1.1 Test Band = LTE band13.....	27
<b>7 FIELD STRENGTH OF SPURIOUS RADIATION .....</b>	<b>33</b>
7.1 FOR LTE .....	33
7.1.1 Test Band = LTE band13.....	33
<b>8 FREQUENCY STABILITY .....</b>	<b>34</b>
8.1 FREQUENCY ERROR VS. VOLTAGE .....	34
8.2 FREQUENCY ERROR VS. TEMPERATURE .....	34



# 1 Effective (Isotropic) Radiated Power Output Data

**Effective Radiated Power of Transmitter (ERP) for LTE BAND 13**

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND13	LTE/TM1	5M	LCH	RB1#0	21.65	22.5	34.77	PASS
				RB1#13	21.65	22.5	34.77	PASS
				RB1#24	21.55	22.4	34.77	PASS
				RB12#0	22.37	23.22	34.77	PASS
				RB12#6	22.64	23.49	34.77	PASS
				RB12#13	22.74	23.59	34.77	PASS
				RB25#0	21.63	22.48	34.77	PASS
			MCH	RB1#0	21.62	22.47	34.77	PASS
				RB1#13	21.68	22.53	34.77	PASS
				RB1#24	21.61	22.46	34.77	PASS
				RB12#0	22.49	23.34	34.77	PASS
				RB12#6	22.96	23.81	34.77	PASS
				RB12#13	22.54	23.39	34.77	PASS
				RB25#0	21.60	22.45	34.77	PASS
			HCH	RB1#0	21.57	22.42	34.77	PASS
				RB1#13	21.51	22.36	34.77	PASS
				RB1#24	21.49	22.34	34.77	PASS
				RB12#0	22.81	23.66	34.77	PASS
				RB12#6	22.64	23.49	34.77	PASS
				RB12#13	22.39	23.24	34.77	PASS
				RB25#0	21.48	22.33	34.77	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch**

Report No.: SZEM180400306503

Page: 4 of 34

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND13	LTE/TM2	5M	LCH	RB1#0	20.65	21.5	34.77	PASS
				RB1#13	20.69	21.54	34.77	PASS
				RB1#24	20.65	21.5	34.77	PASS
				RB12#0	21.55	22.4	34.77	PASS
				RB12#6	21.60	22.45	34.77	PASS
				RB12#13	21.87	22.72	34.77	PASS
				RB25#0	20.59	21.44	34.77	PASS
			MCH	RB1#0	20.53	21.38	34.77	PASS
				RB1#13	20.56	21.41	34.77	PASS
				RB1#24	20.44	21.29	34.77	PASS
				RB12#0	21.53	22.38	34.77	PASS
				RB12#6	21.69	22.54	34.77	PASS
				RB12#13	21.47	22.32	34.77	PASS
				RB25#0	20.71	21.56	34.77	PASS
			HCH	RB1#0	20.54	21.39	34.77	PASS
				RB1#13	20.50	21.35	34.77	PASS
				RB1#24	20.61	21.46	34.77	PASS
				RB12#0	21.45	22.3	34.77	PASS
				RB12#6	21.69	22.54	34.77	PASS
				RB12#13	21.68	22.53	34.77	PASS
				RB25#0	20.56	21.41	34.77	PASS



**SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch**

Report No.: SZEM180400306503  
Page: 5 of 34

Test Band(LTE)	Test Mode	Test Bandwidth	Test channel	Test RB	Measured (dBm)	ERP (dBm)	limit (dBm)	Verdict
BAND13	LTE/TM1	10M	MCH	RB1#0			34.77	PASS
				RB1#25			34.77	PASS
				RB1#49			34.77	PASS
				RB25#0			34.77	PASS
				RB25#13			34.77	PASS
				RB25#25			34.77	PASS
				RB50#0			34.77	PASS
	LTE/TM2	10M	MCH	RB1#0			34.77	PASS
				RB1#25			34.77	PASS
				RB1#49			34.77	PASS
				RB25#0			34.77	PASS
				RB25#13			34.77	PASS
				RB25#25			34.77	PASS
				RB50#0			34.77	PASS

Note:

a: For getting the EIRP (Efficient Isotropic Radiated Power) in substitution method, the following formula should be taken to calculate it,

$$\text{EIRP [dBm]} = \text{SGP [dBm]} - \text{Cable Loss [dB]} + \text{Gain [dBi]}$$

b: SGP=Signal Generator Level



## 2 Peak-to-Average Ratio

### Part I - Test Results

Test Band	Test Mode	Test Channel	Measured[dB]	Limit [dB]	Verdict
Band 13	TM1/10M	MCH	4.64	13	PASS


### Part II - Test Plots

#### 2.1 For LTE

##### 2.1.1 Test Band = LTE band13

##### 2.1.1.1 Test Mode = LTE/TM1.Bandwidth=10MHz

##### 2.1.1.1.1 Test Channel = MCH



Date: 22 MAR 2018 09:53:44

### 3 Modulation Characteristics


Part I - Test Plots

#### 3.1 For LTE

##### 3.1.1 Test Band = LTE band13

##### 3.1.1.1 Test Mode = LTE /TM1 10MHz

##### 3.1.1.1.1 Test Channel = MCH



## 4 Bandwidth

### Part I - Test Results


Test Band	Test Mode	Test Channel	Occupied Bandwidth [MHz]	Emission Bandwidth [MHz]	Verdict
Band 13	TM1/ 5MHz	LCH	4.456	4.740	PASS
		MCH	4.476	4.720	PASS
		HCH	4.466	4.710	PASS
	TM2/ 5MHz	LCH	4.466	4.700	PASS
		MCH	4.476	4.760	PASS
		HCH	4.476	4.690	PASS
	TM1/10MHz	MCH	8.891	9.280	PASS

### 4.1 For LTE

#### 4.1.1 Test Band = LTE band13

##### 4.1.1.1 Test Mode = LTE/TM1 5MHz


##### 4.1.1.1.1 Test Channel = LCH



Date: 21 MAR 2018 07:40:44




**4.1.1.1.2 Test Channel = MCH**



Date: 21 MAR 2018 07:41:21


**4.1.1.1.3 Test Channel = HCH**



Date: 21 MAR 2018 07:41:57


**4.1.1.2 Test Mode = LTE/TM2 5MHz**

**4.1.1.2.1 Test Channel = LCH**




Date: 21 MAR 2018 07:41:01

**4.1.1.2.2 Test Channel = MCH**



Date: 21 MAR 2018 07:41:38


**4.1.1.2.3 Test Channel = HCH**



Date: 21 MAR.2018 07:42:14

**4.1.1.3 Test Mode = LTE/TM1 10MHz**

**4.1.1.3.1 Test Channel = MCH**



Date: 22 MAR 2018 09:48:12

## 5 Band Edges Compliance

Part I –


### 5.1 For LTE

#### 5.1.1 Test Band = LTE band13

##### 5.1.1.1 Test Mode = LTE/TM1 5MHz


##### 5.1.1.1.1 Test Channel = LCH

##### 5.1.1.1.1.1 Test RB=1RB



Date: 21 MAR 2018 07:42:29

**5.1.1.1.2 Test RB=25RB**




Date: 21 MAR 2018 07:43:07




**5.1.1.1.2 Test Channel = HCH**

**5.1.1.1.2.1 Test RB=1RB**



Date: 21 MAR 2018 07:43:49

**5.1.1.1.2.2 Test RB=25RB**




Date: 21 MAR 2018 07:44:08

**5.1.1.2 Test Mode = LTE/TM2 5MHz**


**5.1.1.2.1 Test Channel = LCH**

**5.1.1.2.1.1 Test RB=1RB**



Date: 21 MAR 2018 07:42:38


**5.1.1.2.1.2 Test RB=25RB**



Date: 21 MAR 2018 07:43:16


**5.1.1.2.2 Test Channel = HCH**

**5.1.1.2.2.1 Test RB=1RB**



Date: 21 MAR 2018 07:43:58

**5.1.1.2.2.2 Test RB=25RB**




Date: 21 MAR 2018 07:44:17



5.1.1.3 Test Mode = LTE/TM1 10MHz  
5.1.1.3.1 Test Channel = LCH


5.1.1.3.1.1 Test RB=1RB



Date: 12.APR.2018 09:29:54



5.1.1.3.1.2 Test RB=50RB




Date: 12.APR.2018 09:29:18



**5.1.1.3.2 Test Channel = HCH**


**5.1.1.3.2.1 Test RB=1RB**



Date: 12.APR.2018 09:32:22



5.1.1.3.2.2 Test RB=50RB



Date: 12.APR.2018 09:32:01

## 6 Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of  $< RBW/2$  so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points =  $k * (Span / RBW)$ " with  $k$  between 4 and 5, which results in an acceptable level error of less than 0.5 dB.


Part I - Test Plots

### 6.1 For LTE


#### 6.1.1 Test Band = LTE band13

##### 6.1.1.1 Test Mode = LTE / TM1 10MHz RB1#0


##### 6.1.1.1.1 Test Channel = MCH




Date: 22 MAR 2018 09:51:38




Date: 22 MAR 2018 09:51:44




Date: 22 MAR 2018 09:51:49



Date: 2.MAY.2018 09:10:08



Date: 2.MAY.2018 09:07:42



Date: 2.MAY.2018 09:11:01





## 7 Field Strength of Spurious Radiation

### 7.1 For LTE

#### 7.1.1 Test Band = LTE band13

##### 7.1.1.1 Test Mode =LTE/TM1 10MHz RB1#0

##### 7.1.1.1.1 Test Channel = MCH

Frequency (MHz)	Level (dBm)	Limit Line (dBm)	Over Limit (dB)	Polarization
89.126667	-73.68	-13.00	60.68	Vertical
345.606667	-73.33	-13.00	60.33	Vertical
1555.000000	-46.81	-13.00	33.81	Vertical
2332.500000	-52.00	-13.00	39.00	Vertical
3110.175000	-66.74	-13.00	53.74	Vertical
6519.425000	-65.65	-13.00	52.65	Vertical
88.613333	-72.31	-13.00	59.31	Horizontal
300.386667	-68.43	-13.00	55.43	Horizontal
1555.000000	-45.05	-13.00	32.05	Horizontal
2332.500000	-52.29	-13.00	39.29	Horizontal
4665.300000	-66.81	-13.00	53.81	Horizontal
7990.375000	-64.52	-13.00	51.52	Horizontal

NOTE:

- 1) The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.
- 2) We have tested all modulation and all Bandwidth, but only the worst case data presented in this report.

## 8 Frequency Stability

### 8.1 Frequency Error VS. Voltage

Test Band	Test Mode	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband13	LTE/TM1 10MHz	LCH	TN	VL	-4.93	-0.00630	PASS
				VN	2.06	0.00263	PASS
				VH	-3.79	-0.00485	PASS
		MCH	TN	VL	2.05	0.00262	PASS
				VN	-2.38	-0.00304	PASS
				VH	2.63	0.00336	PASS
		HCH	TN	VL	-5.46	-0.00698	PASS
				VN	-5.99	-0.00766	PASS
				VH	-0.04	-0.00005	PASS

### 8.2 Frequency Error VS. Temperature

Test Band	Test Mode	Test Channel	Test Volt.	Test Temp.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
LTEband13	LTE/TM1 10MHz	MCH	VN	-30	-0.39	-0.00050	PASS
				-20	-1.94	-0.00248	PASS
				-10	2.76	0.00353	PASS
				0	1.78	0.00228	PASS
				10	1.65	0.00211	PASS
				20	6.71	0.00858	PASS
				30	-3.32	-0.00425	PASS
				40	-2.84	-0.00363	PASS
				50	3.69	0.00472	PASS

The End