



Date: 11.DEC.2023 09:48:58

11N40SISO_Ant1_5230_1000~40000




Date: 11.DEC.2023 09:49:23

11N40SISO_Ant1_5755_30~1000




Date: 11.DEC.2023 13:39:33

11N40SISO_Ant1_5755_1000~40000




Date: 11.DEC.2023 13:39:46

11N40SISO_Ant1_5795_30~1000




Date: 11.DEC.2023 13:48:28

11N40SISO_Ant1_5795_1000~40000




Date: 11.DEC.2023 13:48:42

11AC20SISO_Ant1_5180_30~1000




Date: 11.DEC.2023 09:56:01

11AC20SISO_Ant1_5180_1000~40000




Date: 11.DEC.2023 09:56:26

11AC20SISO_Ant1_5200_30~1000




Date: 11.DEC.2023 10:06:39

11AC20SISO_Ant1_5200_1000~40000




Date: 11.DEC.2023 10:07:04

11AC20SISO_Ant1_5240_30~1000




Date: 11.DEC.2023 10:13:22

11AC20SISO_Ant1_5240_1000~40000




Date: 11.DEC.2023 10:13:47

11AC20SISO_Ant1_5745_30~1000




Date: 11.DEC.2023 14:01:05

11AC20SISO_Ant1_5745_1000~4000




Date: 11.DEC.2023 14:01:18

11AC20SISO_Ant1_5785_30~1000




Date: 11.DEC.2023 14:08:19

11AC20SISO_Ant1_5785_1000~4000




Date: 11.DEC.2023 14:08:32

11AC20SISO_Ant1_5825_30~1000




Date: 11.DEC.2023 14:28:49

11AC20SISO_Ant1_5825_1000~40000




Date: 11.DEC.2023 14:29:01

11AC40SISO_Ant1_5190_30~1000




Date: 11.DEC.2023 10:22:00

11AC40SISO_Ant1_5190_1000~40000




Date: 11.DEC.2023 10:22:25

11AC40SISO_Ant1_5230_30~1000




Date: 11.DEC.2023 10:28:42

11AC40SISO_Ant1_5230_1000~40000




Date: 11.DEC.2023 10:29:07

11AC40SISO_Ant1_5755_30~1000




Date: 11.DEC.2023 14:35:25

11AC40SISO_Ant1_5755_1000~40000




Date: 11.DEC.2023 14:35:38

11AC40SISO_Ant1_5795_30~1000



11AC40SISO_Ant1_5795_1000~40000



9. Frequency Stability

9.1. Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-60000.00	-11.583012	20	PASS
		5200	NV	NT	-40000.00	-7.692308	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	-40000.00	-7.692308	20	PASS
		5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-40000.00	-7.633588	20	PASS
		5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11N20SISO	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.846154	20	PASS
		5240	NV	NT	-40000.00	-7.633588	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
		5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
		5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
		5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.433476	20	PASS
11N40SISO	Ant1	5190	NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	0.00	0.000000	20	PASS

		5230	HV	NT	-40000.00	-7.707129	20	PASS		
			NV	NT	-40000.00	-7.648184	20	PASS		
			LV	NT	0.00	0.000000	20	PASS		
		5755	HV	NT	0.00	0.000000	20	PASS		
			NV	NT	-80000.00	-13.900956	20	PASS		
			LV	NT	-40000.00	-6.950478	20	PASS		
		5795	HV	NT	-40000.00	-6.950478	20	PASS		
			NV	NT	-40000.00	-6.902502	20	PASS		
			LV	NT	-40000.00	-6.902502	20	PASS		
		11AC20SIS O	Ant1	5180	HV	NT	0.00	0.000000	20	PASS
					NV	NT	-40000.00	-7.722008	20	PASS
					LV	NT	-20000.00	-3.861004	20	PASS
5200	HV			NT	-20000.00	-3.861004	20	PASS		
	NV			NT	-40000.00	-7.692308	20	PASS		
	LV			NT	-20000.00	-3.846154	20	PASS		
5240	HV			NT	-20000.00	-3.846154	20	PASS		
	NV			NT	-40000.00	-7.633588	20	PASS		
	LV			NT	-20000.00	-3.816794	20	PASS		
5745	HV			NT	-40000.00	-7.633588	20	PASS		
	NV			NT	-40000.00	-6.962576	20	PASS		
	LV			NT	-40000.00	-6.962576	20	PASS		
5785	HV	NT	-40000.00	-6.962576	20	PASS				
	NV	NT	0.00	0.000000	20	PASS				
	LV	NT	0.00	0.000000	20	PASS				
5825	HV	NT	0.00	0.000000	20	PASS				
	NV	NT	0.00	0.000000	20	PASS				
	LV	NT	-20000.00	-3.433476	20	PASS				
11AC40SIS O	Ant1	5190	HV	NT	0.00	0.000000	20	PASS		
			NV	NT	-40000.00	-7.707129	20	PASS		
			LV	NT	-40000.00	-7.707129	20	PASS		
		5230	HV	NT	-40000.00	-7.707129	20	PASS		
			NV	NT	-40000.00	-7.648184	20	PASS		
			LV	NT	-40000.00	-7.648184	20	PASS		
		5755	HV	NT	-80000.00	-15.296367	20	PASS		
			NV	NT	0.00	0.000000	20	PASS		
			LV	NT	-40000.00	-6.950478	20	PASS		
		5795	HV	NT	-80000.00	-13.900956	20	PASS		
			NV	NT	-40000.00	-6.902502	20	PASS		
			LV	NT	0.00	0.000000	20	PASS		
			HV	NT	-40000.00	-6.902502	20	PASS		

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-60000.00	-11.583012	20	PASS

		NV	-20	0.00	0.000000	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-20000.00	-3.861004	20	PASS
		NV	10	-20000.00	-3.861004	20	PASS
		NV	20	-40000.00	-7.722008	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	-20000.00	-3.861004	20	PASS
		NV	50	-40000.00	-7.722008	20	PASS
	5200	NV	-30	-40000.00	-7.692308	20	PASS
		NV	-20	-20000.00	-3.846154	20	PASS
		NV	-10	-40000.00	-7.692308	20	PASS
		NV	0	-20000.00	-3.846154	20	PASS
		NV	10	-20000.00	-3.846154	20	PASS
		NV	20	-20000.00	-3.846154	20	PASS
		NV	30	-20000.00	-3.846154	20	PASS
		NV	40	-20000.00	-3.846154	20	PASS
	5240	NV	50	0.00	0.000000	20	PASS
		NV	-30	-40000.00	-7.633588	20	PASS
		NV	-20	-20000.00	-3.816794	20	PASS
		NV	-10	-20000.00	-3.816794	20	PASS
		NV	0	-20000.00	-3.816794	20	PASS
		NV	10	-20000.00	-3.816794	20	PASS
		NV	20	-40000.00	-7.633588	20	PASS
		NV	30	-20000.00	-3.816794	20	PASS
	5745	NV	40	-20000.00	-3.816794	20	PASS
		NV	50	0.00	0.000000	20	PASS
		NV	-30	0.00	0.000000	20	PASS
		NV	-20	20000.00	3.481288	20	PASS
		NV	-10	-20000.00	-3.481288	20	PASS
		NV	0	-20000.00	-3.481288	20	PASS
		NV	10	-20000.00	-3.481288	20	PASS
		NV	20	20000.00	3.481288	20	PASS
		NV	30	-20000.00	-3.481288	20	PASS
	5785	NV	40	-20000.00	-3.481288	20	PASS
		NV	50	-20000.00	-3.481288	20	PASS
		NV	-30	-20000.00	-3.457217	20	PASS
		NV	-20	-20000.00	-3.457217	20	PASS
		NV	-10	-20000.00	-3.457217	20	PASS
		NV	0	-20000.00	-3.457217	20	PASS
		NV	10	-20000.00	-3.457217	20	PASS
		NV	20	-20000.00	-3.457217	20	PASS
		NV	30	-20000.00	-3.457217	20	PASS
	5825	NV	40	-20000.00	-3.457217	20	PASS
		NV	50	-20000.00	-3.457217	20	PASS
		NV	-30	-20000.00	-3.433476	20	PASS

11N20SISO	Ant1	5180	NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-40000.00	-6.866953	20	PASS
	5200	NV	-30	20000.00	3.861004	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
		NV	0	-20000.00	-3.861004	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	0.00	0.000000	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	0.00	0.000000	20	PASS	
		NV	-30	-20000.00	-3.846154	20	PASS	
		NV	-20	0.00	0.000000	20	PASS	
		NV	-10	0.00	0.000000	20	PASS	
	5240	NV	0	0.00	0.000000	20	PASS	
		NV	10	0.00	0.000000	20	PASS	
		NV	20	-20000.00	-3.846154	20	PASS	
		NV	30	0.00	0.000000	20	PASS	
		NV	40	0.00	0.000000	20	PASS	
		NV	50	-20000.00	-3.846154	20	PASS	
		NV	-30	-20000.00	-3.816794	20	PASS	
		NV	-20	-20000.00	-3.816794	20	PASS	
5745	NV	-10	-20000.00	-3.816794	20	PASS		
	NV	0	-20000.00	-3.816794	20	PASS		
	NV	10	-40000.00	-7.633588	20	PASS		
	NV	20	-20000.00	-3.816794	20	PASS		
	NV	30	-20000.00	-3.816794	20	PASS		
	NV	40	-40000.00	-7.633588	20	PASS		
	NV	50	-40000.00	-7.633588	20	PASS		
	NV	-30	-20000.00	-3.481288	20	PASS		
5785	NV	-20	0.00	0.000000	20	PASS		
	NV	-10	0.00	0.000000	20	PASS		
	NV	0	0.00	0.000000	20	PASS		
	NV	10	0.00	0.000000	20	PASS		
5785	NV	20	0.00	0.000000	20	PASS		
	NV	30	-20000.00	-3.481288	20	PASS		
	NV	40	0.00	0.000000	20	PASS		
	NV	50	0.00	0.000000	20	PASS		
5785	NV	-30	0.00	0.000000	20	PASS		

			NV	-20	-20000.00	-3.457217	20	PASS		
			NV	-10	-20000.00	-3.457217	20	PASS		
			NV	0	-20000.00	-3.457217	20	PASS		
			NV	10	-20000.00	-3.457217	20	PASS		
			NV	20	-20000.00	-3.457217	20	PASS		
			NV	30	-20000.00	-3.457217	20	PASS		
			NV	40	-40000.00	-6.914434	20	PASS		
			NV	50	-20000.00	-3.457217	20	PASS		
		5825	NV	-30	0.00	0.000000	20	PASS		
			NV	-20	-40000.00	-6.866953	20	PASS		
			NV	-10	-20000.00	-3.433476	20	PASS		
			NV	0	-20000.00	-3.433476	20	PASS		
			NV	10	-40000.00	-6.866953	20	PASS		
			NV	20	-20000.00	-3.433476	20	PASS		
			NV	30	-20000.00	-3.433476	20	PASS		
			NV	40	-20000.00	-3.433476	20	PASS		
		11N40SISO	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
					NV	-20	-40000.00	-7.707129	20	PASS
NV	-10				-40000.00	-7.707129	20	PASS		
NV	0				40000.00	7.707129	20	PASS		
NV	10				0.00	0.000000	20	PASS		
NV	20				-40000.00	-7.707129	20	PASS		
NV	30				-40000.00	-7.707129	20	PASS		
NV	40				0.00	0.000000	20	PASS		
5230	NV			50	0.00	0.000000	20	PASS		
	NV			-30	0.00	0.000000	20	PASS		
	NV			-20	-40000.00	-7.648184	20	PASS		
	NV			-10	0.00	0.000000	20	PASS		
	NV			0	0.00	0.000000	20	PASS		
	NV			10	-40000.00	-7.648184	20	PASS		
	NV			20	0.00	0.000000	20	PASS		
	NV			30	-40000.00	-7.648184	20	PASS		
5755	NV			40	0.00	0.000000	20	PASS		
	NV			50	-40000.00	-7.648184	20	PASS		
	NV	-30	-40000.00	-6.950478	20	PASS				
	NV	-20	-40000.00	-6.950478	20	PASS				
	NV	-10	0.00	0.000000	20	PASS				
	NV	0	-40000.00	-6.950478	20	PASS				
	NV	10	0.00	0.000000	20	PASS				
	NV	20	-40000.00	-6.950478	20	PASS				
5795	NV	30	-40000.00	-6.950478	20	PASS				
	NV	40	0.00	0.000000	20	PASS				
	NV	50	0.00	0.000000	20	PASS				
		5795	NV	-30	-40000.00	-6.902502	20	PASS		

			NV	-20	-40000.00	-6.902502	20	PASS
			NV	-10	-40000.00	-6.902502	20	PASS
			NV	0	-40000.00	-6.902502	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	-40000.00	-6.902502	20	PASS
			NV	40	-40000.00	-6.902502	20	PASS
			NV	50	-40000.00	-6.902502	20	PASS
11AC20SIS O	Ant1	5180	NV	-30	-20000.00	-3.861004	20	PASS
			NV	-20	-20000.00	-3.861004	20	PASS
			NV	-10	-40000.00	-7.722008	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-40000.00	-7.722008	20	PASS
			NV	20	-20000.00	-3.861004	20	PASS
			NV	30	-60000.00	-11.583012	20	PASS
			NV	40	-20000.00	-3.861004	20	PASS
			NV	50	-20000.00	-3.861004	20	PASS
		5200	NV	-30	-40000.00	-7.692308	20	PASS
			NV	-20	-20000.00	-3.846154	20	PASS
			NV	-10	-40000.00	-7.692308	20	PASS
			NV	0	-20000.00	-3.846154	20	PASS
			NV	10	-40000.00	-7.692308	20	PASS
			NV	20	-40000.00	-7.692308	20	PASS
			NV	30	-20000.00	-3.846154	20	PASS
			NV	40	-40000.00	-7.692308	20	PASS
			NV	50	-20000.00	-3.846154	20	PASS
		5240	NV	-30	-40000.00	-7.633588	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-40000.00	-7.633588	20	PASS
			NV	0	-20000.00	-3.816794	20	PASS
			NV	10	-40000.00	-7.633588	20	PASS
			NV	20	-40000.00	-7.633588	20	PASS
			NV	30	-40000.00	-7.633588	20	PASS
			NV	40	-20000.00	-3.816794	20	PASS
			NV	50	-20000.00	-3.816794	20	PASS
		5745	NV	-30	-40000.00	-6.962576	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-40000.00	-6.962576	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-40000.00	-6.962576	20	PASS
			NV	50	-40000.00	-6.962576	20	PASS
5785	NV	-30	-20000.00	-3.457217	20	PASS		

		5825	NV	-20	0.00	0.000000	20	PASS		
			NV	-10	0.00	0.000000	20	PASS		
			NV	0	-20000.00	-3.457217	20	PASS		
			NV	10	-20000.00	-3.457217	20	PASS		
			NV	20	0.00	0.000000	20	PASS		
			NV	30	0.00	0.000000	20	PASS		
			NV	40	0.00	0.000000	20	PASS		
			NV	50	-20000.00	-3.457217	20	PASS		
			NV	-30	0.00	0.000000	20	PASS		
			NV	-20	-20000.00	-3.433476	20	PASS		
			NV	-10	-20000.00	-3.433476	20	PASS		
			NV	0	0.00	0.000000	20	PASS		
			NV	10	0.00	0.000000	20	PASS		
			NV	20	-20000.00	-3.433476	20	PASS		
		NV	30	0.00	0.000000	20	PASS			
		NV	40	0.00	0.000000	20	PASS			
		NV	50	-20000.00	-3.433476	20	PASS			
		11AC40SIS O	Ant1	5190	NV	-30	-40000.00	-7.707129	20	PASS
					NV	-20	-40000.00	-7.707129	20	PASS
					NV	-10	0.00	0.000000	20	PASS
					NV	0	0.00	0.000000	20	PASS
					NV	10	-40000.00	-7.707129	20	PASS
					NV	20	-40000.00	-7.707129	20	PASS
					NV	30	-40000.00	-7.707129	20	PASS
					NV	40	40000.00	7.707129	20	PASS
					NV	50	0.00	0.000000	20	PASS
				5230	NV	-30	-40000.00	-7.648184	20	PASS
					NV	-20	-80000.00	-15.296367	20	PASS
NV	-10				-40000.00	-7.648184	20	PASS		
NV	0				-40000.00	-7.648184	20	PASS		
NV	10				-80000.00	-15.296367	20	PASS		
NV	20				-40000.00	-7.648184	20	PASS		
NV	30				0.00	0.000000	20	PASS		
NV	40				0.00	0.000000	20	PASS		
NV	50				0.00	0.000000	20	PASS		
5755	NV			-30	0.00	0.000000	20	PASS		
	NV			-20	-80000.00	-13.900956	20	PASS		
	NV			-10	0.00	0.000000	20	PASS		
	NV			0	0.00	0.000000	20	PASS		
	NV			10	-40000.00	-6.950478	20	PASS		
	NV			20	0.00	0.000000	20	PASS		
	NV			30	-40000.00	-6.950478	20	PASS		
	NV			40	0.00	0.000000	20	PASS		
	NV			50	40000.00	6.950478	20	PASS		
5795	NV			-30	0.00	0.000000	20	PASS		

		NV	-20	0.00	0.000000	20	PASS
		NV	-10	0.00	0.000000	20	PASS
		NV	0	-40000.00	-6.902502	20	PASS
		NV	10	-40000.00	-6.902502	20	PASS
		NV	20	0.00	0.000000	20	PASS
		NV	30	-40000.00	-6.902502	20	PASS
		NV	40	-40000.00	-6.902502	20	PASS
		NV	50	-40000.00	-6.902502	20	PASS


10. Duty Cycle


10.1. Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T [KHz]	Limit	Verdict
11A	Ant1	5180	1.40	1.44	97.22	0.71	---	---
		5200	1.39	1.43	97.20	0.72	---	---
		5240	1.39	1.44	96.53	0.72	---	---
		5745	1.40	1.44	97.22	0.71	---	---
		5785	1.39	1.44	96.53	0.72	---	---
		5825	1.39	1.43	97.20	0.72	---	---
11N20SISO	Ant1	5180	1.30	1.34	97.01	0.77	---	---
		5200	1.30	1.35	96.30	0.77	---	---
		5240	1.30	1.35	96.30	0.77	---	---
		5745	1.30	1.35	96.30	0.77	---	---
		5785	1.30	1.34	97.01	0.77	---	---
		5825	1.30	1.35	96.30	0.77	---	---
11N40SISO	Ant1	5190	0.64	0.69	92.75	1.56	---	---
		5230	0.64	0.69	92.75	1.56	---	---
		5755	0.65	0.70	92.86	1.54	---	---
		5795	0.65	0.70	92.86	1.54	---	---
11AC20SISO	Ant1	5180	1.31	1.36	96.32	0.76	---	---
		5200	1.31	1.36	96.32	0.76	---	---
		5240	1.31	1.35	97.04	0.76	---	---
		5745	1.31	1.35	97.04	0.76	---	---
		5785	1.31	1.36	96.32	0.76	---	---
		5825	1.31	1.36	96.32	0.76	---	---
11AC40SISO	Ant1	5190	0.65	0.69	94.20	1.54	---	---
		5230	0.66	0.70	94.29	1.52	---	---
		5755	0.65	0.70	92.86	1.54	---	---
		5795	0.65	0.69	94.20	1.54	---	---

Note: 1/T=1/ Transmission Duration


10.2. Test Graphs






Date: 11.DEC.2023 09:03:19

11A_Ant1_5745




Date: 11.DEC.2023 10:56:59

11A_Ant1_5785




Date: 11.DEC.2023 11:15:02

11A_Ant1_5825




Date: 11.DEC.2023 11:23:33

11N20SISO_Ant1_5180




Date: 11.DEC.2023 09:10:09

11N20SISO_Ant1_5200




Date: 11.DEC.2023 09:27:34

11N20SISO_Ant1_5240




Date: 11.DEC.2023 09:33:37

11N20SISO_Ant1_5745




Date: 11.DEC.2023 11:30:16

11N20SISO_Ant1_5785




Date: 11.DEC.2023 11:58:45

11N20SISO_Ant1_5825




Date: 11.DEC.2023 13:31:02

11N40SISO_Ant1_5190




Date: 11.DEC.2023 09:40:18

11N40SISO_Ant1_5230




Date: 11.DEC.2023 09:46:54

11N40SISO_Ant1_5755




Date: 11.DEC.2023 13:37:40

11N40SISO_Ant1_5795




Date: 11.DEC.2023 13:44:40

11AC20SISO_Ant1_5180




Date: 11.DEC.2023 09:53:56

11AC20SISO_Ant1_5200




Date: 11.DEC.2023 10:05:57

11AC20SISO_Ant1_5240




Date: 11.DEC.2023 10:11:17

11AC20SISO_Ant1_5745




Date: 11.DEC.2023 13:56:58


11AC20SISO_Ant1_5785






11AC20SISO_Ant1_5825



11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



-----End of the report-----