


## **A.5 Spurious Emission at Antenna Terminals**

# 1. CDMA


## 1.1. CDMA BC10\_CH476 Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.96	-13	Pass	401
0.15	30	0.01	Peak	0.18	-53.36	-13	Pass	2985
30	500	0.1	Peak	484.897	-43.98	-13	Pass	4700
500	1000	0.1	Peak	817.964	23.3	-13	N/A	5000
1000	10000	1	Peak	9225.041	-19.85	-13	Pass	9000




## 1.2. CDMA BC10\_CH580 Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-55.71	-13	Pass	401
0.15	30	0.01	Peak	0.2	-53.19	-13	Pass	2985
30	500	0.1	Peak	416.382	-44.11	-13	Pass	4700
500	1000	0.1	Peak	820.464	23.64	-13	N/A	5000
1000	10000	1	Peak	9201.011	-20.1	-13	Pass	9000



### 1.3. CDMA BC10\_CH684 Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.37	-13	Pass	401
0.15	30	0.01	Peak	0.18	-52.73	-13	Pass	2985
30	500	0.1	Peak	481.296	-43.9	-13	Pass	4700
500	1000	0.1	Peak	823.065	23.25	-13	N/A	5000
1000	10000	1	Peak	9898.875	-19.72	-13	Pass	9000



## 2. EVDO


### 2.1. EVDO BC10\_CH476 Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-31.35	-13	Pass	401
0.15	30	0.01	Peak	0.18	-52.67	-13	Pass	2985
30	500	0.1	Peak	490.798	-42.78	-13	Pass	4700
500	1000	0.1	Peak	818.164	23.96	-13	N/A	5000
1000	10000	1	Peak	9246.067	-19.88	-13	Pass	9000




## 2.2. EVDO BC10\_CH580 Spurious Emission at Antenna Terminals(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.023	-31.34	-13	Pass	401
0.15	30	0.01	Peak	0.24	-52.93	-13	Pass	2985
30	500	0.1	Peak	362.171	-43.2	-13	Pass	4700
500	1000	0.1	Peak	820.264	23.28	-13	N/A	5000
1000	10000	1	Peak	9902.88	-19.27	-13	Pass	9000



### 2.3. EVDO BC10\_CH684 Spurious Emission at Antenna Terminals(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-42.44	-13	Pass	401
0.15	30	0.01	Peak	0.17	-53.46	-13	Pass	2985
30	500	0.1	Peak	465.193	-43.54	-13	Pass	4700
500	1000	0.1	Peak	822.765	24.05	-13	N/A	5000
1000	10000	1	Peak	9894.87	-19.74	-13	Pass	9000



### 3. LTE\_Band26

#### 3.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.014	-48.66	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.09	-13	Pass	2985
30	809	0.1	Peak	808.7	-52.64	-13	Pass	7790
809	829	0.1	Peak	814.2	26.05	60	Pass	401
829	1000	0.1	Peak	846.01	-53.07	-13	Pass	1710
1000	3000	1	Peak	1628.314	-36.53	-13	Pass	2000
3000	10000	1	Peak	9154.879	-29.64	-13	Pass	7000






**3.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,  
Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.042	-56.71	-13	Pass	401
0.15	30	0.01	Peak	1.15	-59.5	-13	Pass	2985
30	809	0.1	Peak	458.955	-53.72	-13	Pass	7790
809	829	0.1	Peak	814.3	26.78	60	Pass	401
829	1000	0.1	Peak	888.335	-51.8	-13	Pass	1710
1000	3000	1	Peak	1628.314	-37.38	-13	Pass	2000
3000	10000	1	Peak	9225.889	-29.88	-13	Pass	7000




**3.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,  
Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-66.08	-13	Pass	401
0.15	30	0.01	Peak	0.16	-61.68	-13	Pass	2985
30	809	0.1	Peak	758.894	-53.66	-13	Pass	7790
809	829	0.1	Peak	818.55	25.84	60	Pass	401
829	1000	0.1	Peak	895.039	-53.07	-13	Pass	1710
1000	3000	1	Peak	2860.93	-37.77	-13	Pass	2000
3000	10000	1	Peak	9149.879	-29.78	-13	Pass	7000




**3.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,  
Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.97	-13	Pass	401
0.15	30	0.01	Peak	0.25	-63.26	-13	Pass	2985
30	809	0.1	Peak	768.795	-52.48	-13	Pass	7790
809	829	0.1	Peak	818.55	26.02	60	Pass	401
829	1000	0.1	Peak	917.852	-53.33	-13	Pass	1710
1000	3000	1	Peak	1637.319	-37.67	-13	Pass	2000
3000	10000	1	Peak	9101.872	-29.33	-13	Pass	7000




**3.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,  
Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.26	-13	Pass	401
0.15	30	0.01	Peak	0.18	-63.35	-13	Pass	2985
30	809	0.1	Peak	786.997	-52.67	-13	Pass	7790
809	829	0.1	Peak	822.9	25.48	60	Pass	401
829	1000	0.1	Peak	832.402	-42.63	-13	Pass	1710
1000	3000	1	Peak	2847.924	-38.01	-13	Pass	2000
3000	10000	1	Peak	9242.892	-29.75	-13	Pass	7000




**3.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,  
Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.75	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.77	-13	Pass	2985
30	809	0.1	Peak	473.557	-53.63	-13	Pass	7790
809	829	0.1	Peak	822.85	25.65	60	Pass	401
829	1000	0.1	Peak	829.3	-52.87	-13	Pass	1710
1000	3000	1	Peak	2824.912	-37.83	-13	Pass	2000
3000	10000	1	Peak	9910.987	-29.65	-13	Pass	7000




**3.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7,  
Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.035	-49.56	-13	Pass	401
0.15	30	0.01	Peak	0.16	-62.65	-13	Pass	2985
30	809	0.1	Peak	809	-48.92	-13	Pass	7790
809	829	0.1	Peak	814.2	26.08	60	Pass	401
829	1000	0.1	Peak	881.231	-52.97	-13	Pass	1710
1000	3000	1	Peak	1628.314	-35.92	-13	Pass	2000
3000	10000	1	Peak	9186.884	-29.35	-13	Pass	7000




**3.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,  
Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-65.23	-13	Pass	401
0.15	30	0.01	Peak	0.15	-61.95	-13	Pass	2985
30	809	0.1	Peak	808.8	-42.05	-13	Pass	7790
809	829	0.1	Peak	814.2	26.68	60	Pass	401
829	1000	0.1	Peak	834.403	-50.09	-13	Pass	1710
1000	3000	1	Peak	1628.314	-37.9	-13	Pass	2000
3000	10000	1	Peak	9104.872	-30.17	-13	Pass	7000



**3.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9,  
Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-63.04	-13	Pass	401
0.15	30	0.01	Peak	0.15	-63.04	-13	Pass	2985
30	809	0.1	Peak	720.489	-53.75	-13	Pass	7790
809	829	0.1	Peak	817.75	25.96	60	Pass	401
829	1000	0.1	Peak	951.972	-53.03	-13	Pass	1710
1000	3000	1	Peak	1635.318	-37.51	-13	Pass	2000
3000	10000	1	Peak	9501.929	-29.93	-13	Pass	7000






**3.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,  
Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-39.02	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.63	-13	Pass	2985
30	809	0.1	Peak	763.194	-53.5	-13	Pass	7790
809	829	0.1	Peak	817.75	26.24	60	Pass	401
829	1000	0.1	Peak	882.531	-53.43	-13	Pass	1710
1000	3000	1	Peak	1635.318	-37.3	-13	Pass	2000
3000	10000	1	Peak	9582.94	-29.63	-13	Pass	7000




**3.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11,  
Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-43.78	-13	Pass	401
0.15	30	0.01	Peak	1.761	-47.42	-13	Pass	2985
30	809	0.1	Peak	706.787	-53.51	-13	Pass	7790
809	829	0.1	Peak	821.25	25.88	60	Pass	401
829	1000	0.1	Peak	838.806	-47.35	-13	Pass	1710
1000	3000	1	Peak	2842.921	-37.53	-13	Pass	2000
3000	10000	1	Peak	9270.896	-29.89	-13	Pass	7000




**3.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,  
Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-50.21	-13	Pass	401
0.15	30	0.01	Peak	0.22	-63.77	-13	Pass	2985
30	809	0.1	Peak	571.57	-53.63	-13	Pass	7790
809	829	0.1	Peak	821.25	25.45	60	Pass	401
829	1000	0.1	Peak	996.898	-51.53	-13	Pass	1710
1000	3000	1	Peak	2853.927	-36.83	-13	Pass	2000
3000	10000	1	Peak	9211.887	-29.53	-13	Pass	7000




**3.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13,  
Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.58	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.46	-13	Pass	2985
30	809	0.1	Peak	808.7	-52.7	-13	Pass	7790
809	829	0.1	Peak	814.35	26.33	60	Pass	401
829	1000	0.1	Peak	897.54	-53.29	-13	Pass	1710
1000	3000	1	Peak	1629.315	-36.74	-13	Pass	2000
3000	10000	1	Peak	9915.988	-29.75	-13	Pass	7000




**3.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,  
Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.022	-50.3	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.15	-13	Pass	2985
30	809	0.1	Peak	805.7	-53.76	-13	Pass	7790
809	829	0.1	Peak	814.3	26.58	60	Pass	401
829	1000	0.1	Peak	902.243	-53.08	-13	Pass	1710
1000	3000	1	Peak	1629.315	-37.7	-13	Pass	2000
3000	10000	1	Peak	9142.878	-29.87	-13	Pass	7000




**3.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15,  
Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.028	-43.96	-13	Pass	401
0.15	30	0.01	Peak	0.19	-63.16	-13	Pass	2985
30	809	0.1	Peak	808.2	-51.06	-13	Pass	7790
809	829	0.1	Peak	816.9	25.84	60	Pass	401
829	1000	0.1	Peak	877.628	-53.45	-13	Pass	1710
1000	3000	1	Peak	1634.317	-37.18	-13	Pass	2000
3000	10000	1	Peak	9255.894	-29.36	-13	Pass	7000




**3.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,  
Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-44.61	-13	Pass	401
0.15	30	0.01	Peak	0.34	-64.28	-13	Pass	2985
30	809	0.1	Peak	808.2	-47.71	-13	Pass	7790
809	829	0.1	Peak	816.8	26.06	60	Pass	401
829	1000	0.1	Peak	913.249	-52.92	-13	Pass	1710
1000	3000	1	Peak	2850.925	-38.03	-13	Pass	2000
3000	10000	1	Peak	9193.885	-29.61	-13	Pass	7000



**3.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17,  
Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.051	-47.14	-13	Pass	401
0.15	30	0.01	Peak	0.26	-45.43	-13	Pass	2985
30	809	0.1	Peak	754.793	-53.56	-13	Pass	7790
809	829	0.1	Peak	819.3	25.52	60	Pass	401
829	1000	0.1	Peak	878.429	-52.76	-13	Pass	1710
1000	3000	1	Peak	2877.939	-38.16	-13	Pass	2000
3000	10000	1	Peak	9181.883	-29.98	-13	Pass	7000






**3.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,  
Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-65.41	-13	Pass	401
0.15	30	0.01	Peak	0.21	-63.19	-13	Pass	2985
30	809	0.1	Peak	474.757	-53.88	-13	Pass	7790
809	829	0.1	Peak	819.3	25.62	60	Pass	401
829	1000	0.1	Peak	896.539	-53.26	-13	Pass	1710
1000	3000	1	Peak	1638.319	-38.23	-13	Pass	2000
3000	10000	1	Peak	9175.882	-29.66	-13	Pass	7000




**3.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19,  
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-46.39	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.61	-13	Pass	2985
30	809	0.1	Peak	808.3	-40.62	-13	Pass	7790
809	829	0.1	Peak	814.6	26.26	60	Pass	401
829	1000	0.1	Peak	832.202	-38.02	-13	Pass	1710
1000	3000	1	Peak	1629.315	-36.48	-13	Pass	2000
3000	10000	1	Peak	9174.882	-30.1	-13	Pass	7000




**3.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,  
Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.1	-13	Pass	401
0.15	30	0.01	Peak	0.15	-62.24	-13	Pass	2985
30	809	0.1	Peak	808.3	-41.79	-13	Pass	7790
809	829	0.1	Peak	814.55	26.31	60	Pass	401
829	1000	0.1	Peak	832.202	-38.45	-13	Pass	1710
1000	3000	1	Peak	1629.315	-37.33	-13	Pass	2000
3000	10000	1	Peak	9911.987	-29.56	-13	Pass	7000



**3.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25,  
Channel:26765, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB  
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-65.55	-13	Pass	401
0.15	30	0.01	Peak	0.16	-63.58	-13	Pass	2985
30	809	0.1	Peak	808.2	-39.99	-13	Pass	7790
809	829	0.1	Peak	814.9	26.08	60	Pass	401
829	1000	0.1	Peak	829.1	-35.62	-13	Pass	1710
1000	3000	1	Peak	1629.315	-37.24	-13	Pass	2000
3000	10000	1	Peak	9272.896	-29.91	-13	Pass	7000



**3.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,  
Channel:26765, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.04	-46.43	-13	Pass	401
0.15	30	0.01	Peak	0.17	-63.56	-13	Pass	2985
30	809	0.1	Peak	808.2	-39.68	-13	Pass	7790
809	829	0.1	Peak	814.85	25.56	60	Pass	401
829	1000	0.1	Peak	829	-34.78	-13	Pass	1710
1000	3000	1	Peak	1629.315	-37.94	-13	Pass	2000
3000	10000	1	Peak	9889.984	-30.1	-13	Pass	7000

