



(GSM 850MHz \_ High Channel \_ 1GHz to 10GHz \_ Horizontal)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1697.500000	-51.88	-13.00	38.88	H	-110.1
2546.593750	-33.30	-13.00	20.30	H	-106.6
3395.406250	-54.89	-13.00	41.89	H	-102.3
4244.218750	-48.50	-13.00	35.50	H	-99.3
6093.437500	-52.87	-13.00	39.87	H	-97.1
9786.531250	-49.65	-13.00	36.65	H	-93.8




(GSM 850MHz \_ High Channel \_ 30MHz to 1GHz \_ Vertical)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
30.436500	-67.18	-13.00	54.18	V	-87.2
59.633500	-62.97	-13.00	49.97	V	-82.4
116.039000	-57.19	-13.00	44.19	V	-75.4
243.836500	-61.96	-13.00	48.96	V	-81.1
492.544500	-53.14	-13.00	40.14	V	-74.2
729.515500	-47.37	-13.00	34.37	V	-69.4



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1697.500000	-59.66	-13.00	46.66	V	-111.0
2546.031250	-41.61	-13.00	28.61	V	-107.6
3430.000000	-57.05	-13.00	44.05	V	-103.8
4244.218750	-54.52	-13.00	41.52	V	-101.5
7026.625000	-52.57	-13.00	39.57	V	-97.9
9146.125000	-50.13	-13.00	37.13	V	-95.1




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
59.342500	-60.06	-13.00	47.06	H	-77.7
242.430000	-57.96	-13.00	44.96	H	-77.5
600.699500	-49.22	-13.00	36.22	H	-70.2
1052.000000	-39.85	-13.00	26.85	H	-65.6
1851.000000	-33.90	-13.00	20.90	H	-58.7
2613.500000	-24.96	-13.00	11.96	H	-52.5




(GSM 1900MHz \_ Low Channel \_ 3GHz to 18GHz \_ Horizontal)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3700.312500	-38.18	-13.00	25.18	H	-99.3
5550.937500	-47.51	-13.00	34.51	H	-96.9
8083.593750	-49.24	-13.00	36.24	H	-94.9
9635.625000	-48.51	-13.00	35.51	H	-92.9
12787.031250	-48.17	-13.00	35.17	H	-90.0
15842.812500	-43.47	-13.00	30.47	H	-85.6




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
106.581500	-55.51	-13.00	42.51	V	-74.8
340.982000	-56.19	-13.00	43.19	V	-76.4
591.339000	-51.24	-13.00	38.24	V	-71.5
1012.000000	-41.77	-13.00	28.77	V	-67.1
1768.000000	-33.69	-13.00	20.69	V	-59.3
2982.000000	-24.37	-13.00	11.37	V	-50.3




(GSM 1900MHz \_ Low Channel \_ 3GHz to 18GHz \_ Vertical)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3700.781250	-44.12	-13.00	31.12	V	-101.5
4531.875000	-53.90	-13.00	40.90	V	-100.0
5882.812500	-52.00	-13.00	39.00	V	-98.8
7648.593750	-52.15	-13.00	39.15	V	-95.6
9559.687500	-49.53	-13.00	36.53	V	-93.1
14969.531250	-46.66	-13.00	33.66	V	-87.6




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
59.294000	-59.21	-13.00	46.21	H	-77.7
261.878500	-55.92	-13.00	42.92	H	-77.0
603.367000	-49.69	-13.00	36.70	H	-70.3
1183.000000	-40.59	-13.00	27.59	H	-64.9
1881.000000	-33.27	-13.00	20.27	H	-58.4
2966.000000	-24.60	-13.00	11.60	H	-50.7







Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3759.843750	-34.59	-13.00	21.59	H	-99.0
4432.500000	-51.13	-13.00	38.13	H	-97.7
5640.468750	-45.40	-13.00	32.40	H	-96.8
9456.562500	-47.19	-13.00	34.19	H	-92.7
11937.187500	-49.14	-13.00	36.14	H	-91.9
15254.531250	-44.47	-13.00	31.47	H	-86.0



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
116.039000	-55.74	-13.00	42.74	V	-75.5
280.842000	-59.31	-13.00	46.31	V	-79.1
593.133500	-51.00	-13.00	38.00	V	-71.5
1002.500000	-41.68	-13.00	28.68	V	-66.5
1760.000000	-33.66	-13.00	20.66	V	-59.1
2996.500000	-23.83	-13.00	10.83	V	-50.3




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3759.843750	-41.15	-13.00	28.15	V	-101.0
5025.937500	-53.93	-13.00	40.93	V	-99.2
6002.812500	-52.43	-13.00	39.43	V	-98.4
7792.500000	-52.04	-13.00	39.04	V	-96.3
11921.250000	-49.65	-13.00	36.65	V	-93.1
15003.281250	-47.20	-13.00	34.20	V	-87.0




(GSM 1900MHz \_ High Channel \_ 30MHz to 3GHz \_ Horizontal)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
53.910500	-58.59	-13.00	45.59	H	-76.9
241.848000	-57.89	-13.00	44.89	H	-77.6
602.203000	-50.33	-13.00	37.33	H	-70.3
1184.500000	-41.10	-13.00	28.10	H	-64.9
1889.000000	-33.09	-13.00	20.09	H	-58.3
2990.500000	-23.83	-13.00	10.83	H	-50.3




(GSM 1900MHz \_ High Channel \_ 3GHz to 18GHz \_ Horizontal)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3819.375000	-36.96	-13.00	23.96	H	-99.3
4896.562500	-51.89	-13.00	38.89	H	-97.3
7089.375000	-51.32	-13.00	38.32	H	-95.7
9470.156250	-48.38	-13.00	35.38	H	-92.8
12281.718750	-49.77	-13.00	36.77	H	-91.3
14961.562500	-45.03	-13.00	32.03	H	-86.8



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
113.856500	-56.90	-13.00	43.90	V	-75.5
304.073500	-59.72	-13.00	46.72	V	-78.5
729.661000	-47.27	-13.00	34.27	V	-69.8
1057.000000	-41.56	-13.00	28.56	V	-65.8
1854.500000	-33.63	-13.00	20.63	V	-58.7
2933.500000	-24.69	-13.00	11.69	V	-50.8




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3819.375000	-52.50	-13.00	39.50	V	-101.2
5037.187500	-52.87	-13.00	39.87	V	-99.2
6137.343750	-51.63	-13.00	38.63	V	-98.1
8785.781250	-48.91	-13.00	35.91	V	-94.0
11749.218750	-50.74	-13.00	37.74	V	-93.0
14583.281250	-46.89	-13.00	33.89	V	-88.2



(EDGE 850MHz \_ Low Channel \_ 30MHz to 1GHz \_ Horizontal)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
44.162000	-57.55	-13.00	44.55	H	-77.3
81.895000	-65.73	-13.00	52.73	H	-84.9
145.236000	-67.48	-13.00	54.48	H	-86.4
303.491500	-58.14	-13.00	45.14	H	-78.4
602.348500	-49.11	-13.00	36.11	H	-70.0
965.177000	-44.73	-13.00	31.73	H	-66.6






(EDGE 850MHz \_ Low Channel \_ 1GHz to 10GHz \_ Horizontal)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1648.281250	-46.05	-13.00	33.05	H	-110.3
2472.625000	-41.57	-13.00	28.57	H	-106.7
3296.687500	-51.03	-13.00	38.03	H	-101.7
4121.593750	-46.89	-13.00	33.89	H	-100.1
6489.437500	-51.42	-13.00	38.42	H	-96.8
8739.437500	-49.77	-13.00	36.77	H	-94.5




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
49.497000	-64.13	-13.00	51.13	V	-84.3
109.297500	-57.58	-13.00	44.58	V	-75.2
196.015500	-61.96	-13.00	48.96	V	-81.5
330.942500	-56.74	-13.00	43.74	V	-76.4
583.482000	-50.73	-13.00	37.73	V	-71.5
893.785000	-40.46	-13.00	27.46	V	-67.4



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1648.281250	-49.67	-13.00	36.67	V	-111.4
2472.906250	-42.95	-13.00	29.95	V	-107.7
3297.250000	-53.99	-13.00	40.99	V	-103.8
4121.031250	-54.25	-13.00	41.25	V	-102.1
6108.343750	-53.53	-13.00	40.53	V	-99.3
8874.437500	-50.73	-13.00	37.73	V	-95.0




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
31.261000	-60.49	-13.00	47.49	H	-79.3
61.816000	-60.56	-13.00	47.56	H	-79.2
117.639500	-67.14	-13.00	54.14	H	-85.7
285.352500	-57.72	-13.00	44.72	H	-77.5
556.613000	-50.14	-13.00	37.14	H	-72.4
916.240500	-45.73	-13.00	32.73	H	-67.0




(EDGE 850MHz \_ Middle Channel \_ 1GHz to 10GHz \_ Horizontal)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1673.031250	-44.03	-13.00	31.03	H	-109.8
2510.312500	-34.29	-13.00	21.29	H	-106.5
3522.250000	-55.42	-13.00	42.42	H	-101.9
4232.406250	-52.81	-13.00	39.81	H	-99.3
6516.437500	-51.74	-13.00	38.74	H	-96.7
9235.562500	-49.73	-13.00	36.73	H	-94.1



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
59.827500	-63.15	-13.00	50.15	V	-82.3
118.658000	-57.14	-13.00	44.14	V	-75.8
225.406500	-60.60	-13.00	47.60	V	-82.2
333.610000	-56.85	-13.00	43.85	V	-76.5
589.544500	-48.66	-13.00	35.66	V	-71.3
893.882000	-40.32	-13.00	27.32	V	-67.4




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1673.593750	-53.52	-13.00	40.52	V	-110.8
2510.312500	-41.47	-13.00	28.47	V	-107.6
3346.187500	-52.45	-13.00	39.45	V	-103.8
4183.468750	-52.92	-13.00	39.92	V	-101.4
6013.281250	-53.84	-13.00	40.84	V	-99.3
9284.218750	-50.08	-13.00	37.08	V	-94.5




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
53.716500	-58.13	-13.00	45.13	H	-76.7
117.785000	-67.26	-13.00	54.26	H	-85.7
240.296000	-57.91	-13.00	44.91	H	-77.6
381.091500	-55.88	-13.00	42.88	H	-76.6
605.840500	-49.71	-13.00	36.71	H	-70.0
999.612000	-44.86	-13.00	31.86	H	-66.0






Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1697.781250	-51.88	-13.00	38.88	H	-110.1
2546.593750	-33.18	-13.00	20.18	H	-106.6
3145.656250	-56.46	-13.00	43.46	H	-101.9
4244.500000	-50.80	-13.00	37.80	H	-99.3
6661.000000	-52.25	-13.00	39.25	H	-97.2
8921.687500	-49.95	-13.00	36.95	H	-93.9




(EDGE 850MHz \_ High Channel \_ 30MHz to 1GHz \_ Vertical)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
52.455500	-64.10	-13.00	51.10	V	-83.2
101.780000	-57.12	-13.00	44.12	V	-75.4
194.172500	-62.27	-13.00	49.27	V	-81.6
336.035000	-56.55	-13.00	43.55	V	-76.2
593.182000	-50.71	-13.00	37.71	V	-71.3
893.882000	-42.65	-13.00	29.65	V	-67.4




(EDGE 850MHz \_ High Channel \_ 1GHz to 10GHz \_ Vertical)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1697.500000	-56.86	-13.00	43.86	V	-111.0
2546.875000	-42.80	-13.00	29.80	V	-107.6
3521.968750	-57.40	-13.00	44.40	V	-103.9
4546.000000	-54.96	-13.00	41.96	V	-101.3
5992.750000	-54.72	-13.00	41.72	V	-99.5
9402.343750	-50.71	-13.00	37.71	V	-94.6




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
54.298500	-57.36	-13.00	44.36	H	-77.2
245.243000	-58.07	-13.00	45.07	H	-77.2
613.115500	-49.85	-13.00	36.85	H	-70.4
1190.500000	-40.93	-13.00	27.93	H	-64.9
1874.500000	-33.61	-13.00	20.62	H	-58.5
2957.500000	-24.79	-13.00	11.79	H	-50.9



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3700.312500	-36.88	-13.00	23.88	H	-99.3
5550.937500	-40.41	-13.00	27.41	H	-96.9
7103.437500	-50.92	-13.00	37.92	H	-95.6
9250.781250	-47.58	-13.00	34.58	H	-92.4
12409.687500	-47.75	-13.00	34.75	H	-91.0
16353.281250	-43.55	-13.00	30.55	H	-84.3




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
101.198000	-54.81	-13.00	41.81	V	-75.7
332.737000	-56.64	-13.00	43.64	V	-76.7
728.885000	-46.56	-13.00	33.56	V	-69.8
1149.500000	-40.75	-13.00	27.75	V	-65.2
1892.500000	-32.85	-13.00	19.85	V	-58.4
2995.500000	-24.01	-13.00	11.01	V	-50.3



(EDGE 1900MHz \_ Low Channel \_ 3GHz to 18GHz \_ Vertical)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3700.312500	-42.66	-13.00	29.66	V	-101.5
5550.937500	-50.07	-13.00	37.07	V	-99.0
7715.156250	-51.81	-13.00	38.81	V	-96.5
9755.625000	-48.54	-13.00	35.54	V	-93.5
13316.718750	-48.07	-13.00	35.07	V	-90.8
16686.093750	-45.15	-13.00	32.15	V	-85.2



(EDGE 1900MHz \_ Middle Channel \_ 30MHz to 3GHz \_ Horizontal)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
58.421000	-59.43	-13.00	46.43	H	-78.3
244.273000	-56.79	-13.00	43.79	H	-77.2
584.452000	-50.02	-13.00	37.02	H	-71.0
1001.000000	-41.49	-13.00	28.49	H	-66.6
1850.500000	-33.07	-13.00	20.07	H	-58.7
2970.500000	-24.44	-13.00	11.44	H	-50.6






(EDGE 1900MHz \_ Middle Channel \_ 3GHz to 18GHz \_ Horizontal)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3760.312500	-37.60	-13.00	24.60	H	-99.0
5640.000000	-45.84	-13.00	32.84	H	-96.8
7520.156250	-51.33	-13.00	38.33	H	-95.5
9365.156250	-48.14	-13.00	35.14	H	-92.7
10964.062500	-49.00	-13.00	36.00	H	-92.9
16756.406250	-42.67	-13.00	29.67	H	-83.8




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
116.087500	-56.20	-13.00	43.20	V	-75.5
320.951500	-57.18	-13.00	44.18	V	-77.9
586.925500	-50.04	-13.00	37.04	V	-71.5
1005.500000	-39.99	-13.00	26.99	V	-66.7
1862.000000	-33.78	-13.00	20.78	V	-58.7
2969.000000	-24.42	-13.00	11.42	V	-50.5




(EDGE 1900MHz \_ Middle Channel \_ 3GHz to 18GHz \_ Vertical)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3759.843750	-44.76	-13.00	31.76	V	-101.0
4875.937500	-54.27	-13.00	41.27	V	-99.5
6604.218750	-52.05	-13.00	39.05	V	-97.4
8936.718750	-49.37	-13.00	36.37	V	-93.5
10636.406250	-49.70	-13.00	36.70	V	-93.3
15033.750000	-46.45	-13.00	33.45	V	-86.9




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
52.407000	-58.18	-13.00	45.18	H	-76.7
244.709500	-55.99	-13.00	42.99	H	-77.2
577.468000	-50.71	-13.00	37.71	H	-72.1
1015.000000	-40.09	-13.00	27.09	H	-66.8
1810.000000	-33.76	-13.00	20.76	H	-59.2
2977.000000	-24.47	-13.00	11.47	H	-50.5



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3819.375000	-38.60	-13.00	25.60	H	-99.3
4708.593750	-52.74	-13.00	39.74	H	-97.6
5729.062500	-49.90	-13.00	36.90	H	-97.1
7650.000000	-51.07	-13.00	38.07	H	-94.5
10621.875000	-49.21	-13.00	36.21	H	-92.6
15441.093750	-43.47	-13.00	30.47	H	-85.5




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
106.484500	-55.46	-13.00	42.46	V	-74.8
350.488000	-56.65	-13.00	43.65	V	-76.1
750.176500	-48.19	-13.00	35.19	V	-69.5
1190.000000	-41.43	-13.00	28.43	V	-65.2
1887.500000	-33.55	-13.00	20.55	V	-58.4
2970.500000	-23.82	-13.00	10.82	V	-50.4




(EDGE 1900MHz \_ High Channel \_ 3GHz to 18GHz \_ Vertical)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3819.375000	-48.72	-13.00	35.72	V	-101.2
5729.062500	-53.09	-13.00	40.09	V	-99.1
7186.875000	-51.99	-13.00	38.99	V	-96.5
9317.343750	-48.97	-13.00	35.97	V	-93.6
13043.437500	-48.51	-13.00	35.51	V	-90.6
16329.843750	-45.86	-13.00	32.86	V	-85.3




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
50.806500	-58.23	-13.00	45.23	H	-77.7
261.587500	-57.16	-13.00	44.16	H	-77.0
599.050500	-49.78	-13.00	36.78	H	-70.2
1082.500000	-40.66	-13.00	27.66	H	-65.8
1838.000000	-33.73	-13.00	20.73	H	-58.9
2830.000000	-24.81	-13.00	11.81	H	-51.5






(WCDMA Band II \_ Low Channel \_ 3GHz to 18GHz \_ Horizontal)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3705.937500	-52.17	-13.00	39.17	H	-99.3
4920.000000	-52.05	-13.00	39.05	H	-97.4
6528.281250	-50.48	-13.00	37.48	H	-95.1
8940.000000	-48.62	-13.00	35.62	H	-92.5
111918.906250	-49.41	-13.00	36.41	H	-92.0
15251.718750	-44.60	-13.00	31.60	H	-86.0




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
106.921000	-55.64	-13.00	42.64	V	-74.7
341.321500	-55.58	-13.00	42.58	V	-76.4
728.545500	-47.55	-13.00	34.55	V	-69.8
1010.500000	-40.03	-13.00	27.03	V	-67.1
1886.500000	-33.33	-13.00	20.33	V	-58.4
2963.500000	-23.27	-13.00	10.27	V	-50.5



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
4323.750000	-53.99	-13.00	40.99	V	-99.9
5989.687500	-52.94	-13.00	39.94	V	-98.5
6805.781250	-52.45	-13.00	39.45	V	-97.3
8424.375000	-50.42	-13.00	37.42	V	-95.1
12240.468750	-49.64	-13.00	36.64	V	-92.4
16676.250000	-42.73	-13.00	29.73	V	-85.2




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
47.654000	-57.97	-13.00	44.97	H	-77.2
248.007500	-57.73	-13.00	44.73	H	-76.9
596.674000	-50.24	-13.00	37.24	H	-70.4
1178.500000	-40.59	-13.00	27.59	H	-65.0
1859.500000	-33.40	-13.00	20.40	H	-58.6
2996.500000	-24.59	-13.00	11.59	H	-50.3




(WCDMA Band II \_ Middle Channel \_ 3GHz to 18GHz \_ Horizontal)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3812.343750	-53.53	-13.00	40.53	H	-99.3
5187.656250	-52.45	-13.00	39.45	H	-97.4
6976.875000	-50.97	-13.00	37.97	H	-95.7
9698.906250	-48.19	-13.00	35.19	H	-92.8
12771.562500	-48.84	-13.00	35.84	H	-90.0
15277.031250	-43.80	-13.00	30.80	H	-86.1




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
107.018000	-56.74	-13.00	43.74	V	-74.7
371.488500	-55.50	-13.00	42.50	V	-76.5
862.696500	-46.85	-13.00	33.85	V	-68.5
1166.000000	-40.79	-13.00	27.79	V	-65.3
1850.500000	-33.61	-13.00	20.61	V	-58.8
2977.000000	-23.52	-13.00	10.52	V	-50.4



(WCDMA Band II \_ Middle Channel \_ 3GHz to 18GHz \_ Vertical)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3761.718750	-55.20	-13.00	42.20	V	-101.0
5103.281250	-53.82	-13.00	40.82	V	-99.3
6528.750000	-52.08	-13.00	39.08	V	-97.2
9740.625000	-48.90	-13.00	35.90	V	-93.4
13650.468750	-48.83	-13.00	35.83	V	-89.8
16912.500000	-42.50	-13.00	29.50	V	-85.0



(WCDMA Band II \_ High Channel \_ 30MHz to 3GHz \_ Horizontal)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
59.391000	-60.48	-13.00	47.48	H	-77.6
241.266000	-57.58	-13.00	44.58	H	-77.6
616.801500	-50.57	-13.00	37.57	H	-70.5
1108.500000	-40.40	-13.00	27.40	H	-65.4
1882.500000	-34.22	-13.00	21.22	H	-58.4
2958.500000	-24.47	-13.00	11.47	H	-50.9






(WCDMA Band II \_ High Channel \_ 3GHz to 18GHz \_ Horizontal)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3635.625000	-53.90	-13.00	40.90	H	-100.0
4379.531250	-52.00	-13.00	39.00	H	-97.5
5449.218750	-51.77	-13.00	38.77	H	-96.9
6933.750000	-50.75	-13.00	37.75	H	-95.8
9365.625000	-47.59	-13.00	34.59	H	-92.7
15229.218750	-43.82	-13.00	30.82	H	-86.2




(WCDMA Band II \_ High Channel \_ 30MHz to 3GHz \_ Vertical)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
44.016500	-67.64	-13.00	54.64	V	-84.4
108.958000	-56.25	-13.00	43.25	V	-75.0
341.176000	-56.96	-13.00	43.96	V	-76.4
1051.500000	-40.49	-13.00	27.49	V	-65.4
1774.000000	-33.85	-13.00	20.85	V	-59.6
2980.000000	-24.69	-13.00	11.69	V	-50.4




(WCDMA Band II \_ High Channel \_ 3GHz to 18GHz \_ Vertical)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3873.750000	-55.68	-13.00	42.68	V	-100.7
5149.218750	-54.21	-13.00	41.21	V	-99.6
6160.312500	-52.94	-13.00	39.94	V	-97.9
7957.968750	-51.83	-13.00	38.83	V	-95.3
11438.437500	-47.53	-13.00	34.53	V	-93.4
16288.125000	-45.46	-13.00	32.46	V	-85.7




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
47.945000	-58.59	-13.00	45.59	H	-77.3
243.012000	-57.23	-13.00	44.23	H	-77.4
561.608500	-51.46	-13.00	38.46	H	-72.6
1011.000000	-40.57	-13.00	27.57	H	-66.7
1886.000000	-33.42	-13.00	20.42	H	-58.7
2854.500000	-24.19	-13.00	11.19	H	-51.2




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3422.812500	-42.68	-13.00	29.68	H	-100.2
5086.875000	-52.27	-13.00	39.27	H	-97.2
6820.781250	-51.19	-13.00	38.19	H	-96.2
9698.437500	-48.82	-13.00	35.82	H	-92.8
12838.593750	-47.90	-13.00	34.90	H	-90.3
17103.750000	-43.36	-13.00	30.36	H	-83.6



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
118.512500	-56.84	-13.00	43.84	V	-75.5
334.046500	-57.67	-13.00	44.67	V	-76.6
721.755500	-48.54	-13.00	35.54	V	-70.0
1149.000000	-40.88	-13.00	27.88	V	-65.0
1762.000000	-34.29	-13.00	21.29	V	-60.1
2972.500000	-24.50	-13.00	11.50	V	-50.4




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3423.281250	-49.99	-13.00	36.99	V	-102.3
4470.937500	-54.28	-13.00	41.28	V	-100.0
5784.843750	-53.64	-13.00	40.64	V	-99.2
7517.812500	-51.60	-13.00	38.60	V	-96.5
10647.656250	-49.28	-13.00	36.28	V	-93.3
16301.718750	-45.68	-13.00	32.68	V	-85.6




(WCDMA Band IV \_ Middle Channel \_ 30MHz to 3GHz \_ Horizontal)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
52.116000	-58.43	-13.00	45.43	H	-76.8
257.465000	-57.81	-13.00	44.81	H	-77.1
604.337000	-49.83	-13.00	36.83	H	-70.4
1137.500000	-41.03	-13.00	28.03	H	-65.2
1853.500000	-34.14	-13.00	21.14	H	-59.2
2931.000000	-24.66	-13.00	11.66	H	-51.0






Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3481.406250	-41.18	-13.00	28.18	H	-100.3
4979.062500	-52.12	-13.00	39.12	H	-97.2
6405.468750	-51.64	-13.00	38.64	H	-95.9
7875.000000	-50.94	-13.00	37.94	H	-95.4
11554.218750	-49.98	-13.00	36.98	H	-92.5
16339.218750	-43.96	-13.00	30.96	H	-84.1




(WCDMA Band IV \_ Middle Channel \_ 30MHz to 3GHz \_ Vertical)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
107.648500	-55.78	-13.00	42.78	V	-74.8
337.247500	-57.35	-13.00	44.35	V	-76.3
611.418000	-50.38	-13.00	37.38	V	-71.5
1110.500000	-41.41	-13.00	28.41	V	-65.9
1892.000000	-32.67	-13.00	19.67	V	-58.7
1892.000000	-32.67	-13.00	19.67	V	-58.7




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3481.406250	-44.74	-13.00	31.74	V	-102.3
5003.906250	-53.77	-13.00	40.77	V	-99.1
7660.312500	-51.04	-13.00	38.04	V	-95.5
10705.781250	-49.01	-13.00	36.01	V	-93.3
15228.281250	-45.68	-13.00	32.68	V	-87.1
17713.593750	-43.98	-13.00	30.98	V	-83.7




(WCDMA Band IV \_ High Channel \_ 30MHz to 3GHz \_ Horizontal)


Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
47.848000	-56.62	-13.00	43.62	H	-77.2
244.273000	-57.27	-13.00	44.27	H	-77.3
593.521500	-50.17	-13.00	37.17	H	-70.6
1018.000000	-40.20	-13.00	27.20	H	-66.8
1809.000000	-34.56	-13.00	21.56	H	-59.8
2807.000000	-24.38	-13.00	11.38	H	-51.5




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3502.031250	-44.89	-13.00	31.89	H	-100.7
4711.406250	-51.60	-13.00	38.60	H	-97.6
7007.343750	-51.03	-13.00	38.03	H	-95.8
9649.218750	-49.07	-13.00	36.07	H	-93.0
12412.968750	-48.61	-13.00	35.61	H	-91.0
15220.312500	-44.15	-13.00	31.15	H	-86.3



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
118.076000	-56.14	-13.00	43.14	V	-75.4
306.692500	-58.29	-13.00	45.29	V	-78.6
587.216500	-50.69	-13.00	37.69	V	-71.5
1148.500000	-41.04	-13.00	28.04	V	-65.0
1851.000000	-33.96	-13.00	20.96	V	-59.3
2964.500000	-24.29	-13.00	11.29	V	-50.5




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
3502.031250	-49.16	-13.00	36.16	V	-102.6
4524.375000	-53.77	-13.00	40.77	V	-100.0
6020.625000	-53.70	-13.00	40.70	V	-98.1
8942.343750	-49.97	-13.00	36.97	V	-93.4
12430.781250	-50.11	-13.00	37.11	V	-92.1
16333.125000	-45.01	-13.00	32.01	V	-85.3




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
52.067500	-55.65	-13.00	42.65	H	-76.8
101.974000	-65.77	-13.00	52.77	H	-84.1
190.486500	-61.60	-13.00	48.60	H	-82.1
261.393500	-57.56	-13.00	44.56	H	-76.8
574.267000	-49.94	-13.00	36.95	H	-71.7
984.334500	-45.58	-13.00	32.58	H	-66.0






(WCDMA Band V \_ Low Channel \_ 1GHz to 10GHz \_ Horizontal)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1651.312500	-56.26	-13.00	43.26	H	-110.2
2476.343750	-58.70	-13.00	45.70	H	-106.7
3767.281250	-53.25	-13.00	40.25	H	-100.2
6025.093750	-52.15	-13.00	39.15	H	-97.2
9825.125000	-49.45	-13.00	36.45	H	-94.0
16740.937500	-43.64	-13.00	30.64	H	-84.0




(WCDMA Band V \_ Low Channel \_ 30MHz to 1GHz \_ Vertical)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
37.905500	-67.38	-13.00	54.38	V	-85.3
110.558500	-56.51	-13.00	43.51	V	-75.4
199.798500	-63.61	-13.00	50.61	V	-82.4
392.974000	-54.26	-13.00	41.26	V	-75.9
592.600000	-50.36	-13.00	37.36	V	-71.3
825.836500	-44.69	-13.00	31.69	V	-68.2




(WCDMA Band V \_ Low Channel \_ 1GHz to 10GHz \_ Vertical)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1651.312500	-60.67	-13.00	47.67	V	-111.4
3052.218750	-57.99	-13.00	44.99	V	-104.8
4805.343750	-55.98	-13.00	42.98	V	-100.3
7090.250000	-53.49	-13.00	40.49	V	-97.9
10642.718750	-49.87	-13.00	36.87	V	-94.6
13311.718750	-50.05	-13.00	37.05	V	-91.8




(WCDMA Band V \_ Middle Channel \_ 30MHz to 1GHz \_ Horizontal)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
38.681500	-58.97	-13.00	45.97	H	-76.9
63.368000	-60.97	-13.00	47.97	H	-80.9
130.249500	-67.86	-13.00	54.86	H	-87.6
283.218500	-56.54	-13.00	43.54	H	-77.1
588.914000	-49.40	-13.00	36.40	H	-70.6
983.655500	-45.24	-13.00	32.24	H	-66.1




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1670.437500	-56.86	-13.00	43.86	H	-109.8
2182.562500	-61.24	-13.00	48.24	H	-108.0
3172.812500	-54.85	-13.00	41.85	H	-101.7
5729.718750	-53.23	-13.00	40.23	H	-97.7
9047.906250	-50.45	-13.00	37.45	H	-94.1
15289.031250	-45.66	-13.00	32.66	H	-86.8




(WCDMA Band V \_ Middle Channel \_ 30MHz to 1GHz \_ Vertical)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
41.106500	-65.95	-13.00	52.95	V	-85.6
71.564500	-63.77	-13.00	50.77	V	-84.2
111.577000	-57.06	-13.00	44.06	V	-75.6
248.007500	-60.50	-13.00	47.50	V	-80.8
505.833500	-52.82	-13.00	39.82	V	-73.8
892.378500	-42.55	-13.00	29.55	V	-67.4




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1052.062500	-62.44	-13.00	49.44	V	-112.6
1671.500000	-61.54	-13.00	48.54	V	-110.8
2719.125000	-60.35	-13.00	47.35	V	-107.0
4809.062500	-54.15	-13.00	41.15	V	-100.3
8044.375000	-51.42	-13.00	38.42	V	-97.0
15746.968750	-46.18	-13.00	33.18	V	-87.2




Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
44.210500	-58.73	-13.00	45.73	H	-77.3
80.149000	-66.79	-13.00	53.79	H	-85.1
150.474000	-67.70	-13.00	54.70	H	-86.3
309.505500	-58.11	-13.00	45.11	H	-78.7
614.716000	-49.05	-13.00	36.05	H	-70.0
989.136000	-44.57	-13.00	31.57	H	-66.0






Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1634.843750	-61.17	-13.00	48.17	H	-110.2
3019.812500	-56.66	-13.00	43.66	H	-102.9
4176.343750	-53.30	-13.00	40.30	H	-99.5
6302.406250	-50.98	-13.00	37.98	H	-97.2
9923.937500	-50.99	-13.00	37.99	H	-93.6
15263.531250	-44.48	-13.00	31.48	H	-86.4



(WCDMA Band V \_ High Channel \_ 30MHz to 1GHz \_ Vertical)

Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
38.827000	-66.49	-13.00	53.49	V	-84.9
60.700500	-63.74	-13.00	50.74	V	-82.4
107.163500	-54.78	-13.00	41.78	V	-74.7
263.285000	-60.99	-13.00	47.99	V	-80.1
436.236000	-53.63	-13.00	40.63	V	-75.7
892.281500	-44.75	-13.00	31.75	V	-67.4



Frequency (MHz)	MaxPeak (dBm)	Limit (dBm)	Margin (dB)	Pol	Corr. (dB)
1607.750000	-63.67	-13.00	50.67	V	-111.5
2945.968750	-59.12	-13.00	46.12	V	-106.1
4588.593750	-54.70	-13.00	41.70	V	-101.4
6611.593750	-53.17	-13.00	40.17	V	-98.4
8803.531250	-50.65	-13.00	37.65	V	-95.0
12918.593750	-50.74	-13.00	37.74	V	-92.1



## Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Output Power	$\pm 2.22\text{dB}$
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	$\pm 2.77\text{ dB}$
Radiated Spurious Emission	$\pm 2.95\text{dB}$

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$



## Annex B Testing Laboratory Information

### 1. Identification of the Responsible Testing Laboratory

<b>Laboratory Name:</b>	Kehu-Morlab Test Laboratory
<b>Laboratory Address:</b>	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian), P.R. China
<b>Telephone:</b>	+86 592 5612050
<b>Facsimile:</b>	+86 592 5612095

### 2. Identification of the Responsible Testing Location

<b>Name:</b>	Kehu-Morlab Test Laboratory
<b>Address:</b>	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian), P.R. China

### 3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian), P.R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1249, the test firm registration number is 586030.

### 4. Test Equipments Utilized

#### 4.1 Conducted Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal. Due
Power Splitter	1723	WA1506A	Weinschel	2019.01.08	2020.01.07
Power Sensor	MY56410006	U2021XA	Keysight	2019.01.03	2020.01.02
Attenuator 1	N/A	10dB	Woken	2019.01.04	2020.01.03
MXA Signal Analyzer	MY53421845	N9020A	Keysight	2019.01.04	2020.01.03
Wideband Radio Communication Tester	102592	CMW500	R&S	2019.01.08	2020.01.07
RF cable (30MHz-26.5GHz)	RF01	N/A	Morlab	2019.01.04	2020.01.03
Coaxial cable	RF02	N/A	Morlab	2019.01.04	2020.01.03
SMA connector	RF03	N/A	Xingbo	N/A	N/A
Temperature Chamber	MZ9371	MZ-PRHT80	Mingzhi	2019.01.05	2020.01.04



Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal. Due
DC power source	170329048	RPS6003D-2	REK	2019.01.22	2020.01.21

NOTE: RF cable (30MHz-26.5GHz), Annual internal calibration.

#### 4.2 List of Software Used

No.	Model	Version Number	Producer	Test Item
1	EMC32	V10.00.00	Rode&Schwarz	RSE

#### 4.3 Radiated Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal. Due
Anechoic Chamber	N/A	9m*6m*6m	ETS-Lindgren	2017.07.21	2020.07.20
Signal Analyzer	101294	FSV40	R&S	2019.01.04	2020.01.03
Active Ring Antenna	FMZB 1513 #269	FMZB 1513	Schwarzbeck	2019.01.12	2020.01.11
Linear Log Periodic Broad Band Antenna	949	VULB 9163	Schwarzbeck	2018.09.25	2019.09.24
Ultra-Wideband Horn Antenna	102615	HF907	R&S	2019.01.19	2020.01.18
Steatite Antennas	17868	QSH-SL-18-2 6-S-20	Seibersdorf	2019.01.12	2020.01.11
RF Switch and Control Platform	N/A	RSC	CDSI	N/A	N/A
Coaxial cable (N male) (9kHz -3GHz)	EMC02	N/A	Morlab	2019.01.04	2020.01.03
Coaxial cable (N male) (9kHz -3GHz)	EMC03	N/A	Morlab	2019.01.04	2020.01.03
Coaxial cable (N male) (1GHz-26.5GHz)	EMC04	N/A	Morlab	2019.01.04	2020.01.03
Coaxial cable (N male) (1GHz-26.5GHz)	EMC05	N/A	Morlab	2019.01.04	2020.01.03
Pre-amplifier	8810011	PAP-1G18	CDSI	2019.01.04	2020.01.03



(1GHz-18GHz)					
Pre-amplifier (18GHz-40GHz)	17021-17024	PAP-1840	CDSI	2018.07.05	2019.07.04
Band stop Filter	EMC11	BJF814/849- 60	CDSI	2019.01.04	2020.01.03
Band stop Filter	EMC12	BJF1710/178 5-60	CDSI	2019.01.04	2020.01.03
Band stop Filter	EMC13	BJF1847.5/1 922.5-60	CDSI	2019.01.04	2020.01.03
High Pass Filter	EMC21	HFP-1.0/18G -60	CDSI	2019.01.04	2020.01.03
High Pass Filter	EMC22	HFP-3.0/18G -60	CDSI	2019.01.04	2020.01.03
NOTE: Coaxial cable and Filter, annual internal calibration.					

————— END OF REPORT —————