

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.90	67.74	16.05	0.00	150.0	± 9.6 %
		Y	2.93	67.82	16.05		150.0	
		Z	2.88	67.91	15.95		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.90	69.54	16.01	0.00	150.0	± 9.6 %
		Y	1.92	69.57	16.06		150.0	
		Z	1.86	69.51	15.97		150.0	
10277-CAA	PHS (QPSK)	X	7.21	74.23	15.72	9.03	50.0	± 9.6 %
		Y	6.90	74.03	15.33		50.0	
		Z	8.00	75.14	16.78		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	11.25	84.68	22.46	9.03	50.0	± 9.6 %
		Y	12.28	86.98	23.21		50.0	
		Z	10.31	81.81	21.64		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	11.53	85.01	22.60	9.03	50.0	± 9.6 %
		Y	12.61	87.32	23.35		50.0	
		Z	10.51	82.08	21.76		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	1.76	69.39	14.62	0.00	150.0	± 9.6 %
		Y	1.80	69.61	14.85		150.0	
		Z	1.68	69.47	14.23		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	1.11	67.96	13.54	0.00	150.0	± 9.6 %
		Y	1.15	68.18	13.85		150.0	
		Z	1.04	67.65	13.06		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	1.17	69.38	14.54	0.00	150.0	± 9.6 %
		Y	1.20	69.63	14.88		150.0	
		Z	1.11	69.22	14.16		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	1.30	70.91	15.69	0.00	150.0	± 9.6 %
		Y	1.34	71.11	15.99		150.0	
		Z	1.25	70.98	15.43		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	1106.95	177.54	49.09	9.03	50.0	± 9.6 %
		Y	1189.13	179.47	49.48		50.0	
		Z	100.00	128.52	37.93		50.0	
10297-AAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	3.20	71.00	16.88	0.00	150.0	± 9.6 %
		Y	3.22	71.08	16.90		150.0	
		Z	3.11	71.05	16.96		150.0	
10298-AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	2.05	69.73	15.41	0.00	150.0	± 9.6 %
		Y	2.08	69.83	15.53		150.0	
		Z	1.92	69.47	14.90		150.0	
10299-AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	4.10	75.71	19.01	0.00	150.0	± 9.6 %
		Y	3.69	73.46	17.43		150.0	
		Z	3.88	74.39	17.42		150.0	
10300-AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	3.77	73.40	17.35	0.00	150.0	± 9.6 %
		Y	3.44	71.56	15.95		150.0	
		Z	3.46	71.78	15.58		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	5.90	68.69	19.44	4.17	80.0	± 9.6 %
		Y	5.73	68.06	19.03		80.0	
		Z	6.16	69.89	19.70		80.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	6.69	70.52	20.89	4.96	80.0	± 9.6 %
		Y	6.56	70.10	20.62		80.0	
		Z	7.06	72.08	21.34		80.0	

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	6.51	70.54	20.94	4.96	80.0	± 9.6 %
		Y	6.36	70.06	20.64		80.0	
		Z	6.94	72.33	21.47		80.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	6.14	69.75	20.00	4.17	80.0	± 9.6 %
		Y	6.03	69.37	19.76		80.0	
		Z	6.46	71.21	20.41		80.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	7.41	78.10	25.43	6.02	50.0	± 9.6 %
		Y	6.77	76.00	24.47		50.0	
		Z	7.82	77.81	24.17		50.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	7.10	75.05	24.22	6.02	50.0	± 9.6 %
		Y	6.68	73.57	23.45		50.0	
		Z	7.46	75.35	23.47		50.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	7.12	75.54	24.22	6.02	50.0	± 9.6 %
		Y	6.67	74.00	23.45		50.0	
		Z	7.49	75.75	23.42		50.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	7.12	75.85	24.37	6.02	50.0	± 9.6 %
		Y	6.65	74.24	23.57		50.0	
		Z	7.50	76.00	23.53		50.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	7.21	75.28	24.33	6.02	50.0	± 9.6 %
		Y	6.79	73.82	23.57		50.0	
		Z	7.58	75.67	23.64		50.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	7.05	75.11	24.14	6.02	50.0	± 9.6 %
		Y	6.63	73.61	23.36		50.0	
		Z	7.42	75.39	23.38		50.0	
10311-AAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	3.50	69.95	16.40	0.00	150.0	± 9.6 %
		Y	3.53	70.06	16.43		150.0	
		Z	3.43	69.98	16.47		150.0	
10313-AAA	iDEN 1:3	X	8.74	81.15	19.34	6.99	70.0	± 9.6 %
		Y	9.45	82.91	19.96		70.0	
		Z	8.77	80.72	19.70		70.0	
10314-AAA	iDEN 1:6	X	12.55	89.46	24.65	10.00	30.0	± 9.6 %
		Y	15.92	94.58	26.40		30.0	
		Z	10.65	85.55	23.75		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.30	66.98	16.56	0.17	150.0	± 9.6 %
		Y	1.31	66.85	16.47		150.0	
		Z	1.33	66.99	16.49		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	5.34	69.22	17.89	0.17	150.0	± 9.6 %
		Y	5.35	69.24	17.81		150.0	
		Z	5.28	69.32	17.81		150.0	
10317-AAC	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	5.34	69.22	17.89	0.17	150.0	± 9.6 %
		Y	5.35	69.24	17.81		150.0	
		Z	5.28	69.32	17.81		150.0	
10400-AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	5.04	67.45	16.57	0.00	150.0	± 9.6 %
		Y	5.05	67.50	16.51		150.0	
		Z	4.92	67.44	16.48		150.0	
10401-AAD	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.67	67.60	16.74	0.00	150.0	± 9.6 %
		Y	5.67	67.61	16.66		150.0	
		Z	5.68	67.93	16.85		150.0	

10402-AAD	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	6.01	68.19	16.85	0.00	150.0	± 9.6 %
		Y	6.01	68.23	16.78		150.0	
		Z	5.89	68.09	16.74		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	1.76	69.39	14.62	0.00	115.0	± 9.6 %
		Y	1.80	69.61	14.85		115.0	
		Z	1.68	69.47	14.23		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	1.76	69.39	14.62	0.00	115.0	± 9.6 %
		Y	1.80	69.61	14.85		115.0	
		Z	1.68	69.47	14.23		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	11.31	95.76	26.58	0.00	100.0	± 9.6 %
		Y	7.13	86.37	22.60		100.0	
		Z	8.40	87.80	22.97		100.0	
10410-AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conf=4)	X	96.75	125.81	33.76	3.23	80.0	± 9.6 %
		Y	35.42	107.53	28.24		80.0	
		Z	33.25	106.55	28.29		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.10	64.88	15.39	0.00	150.0	± 9.6 %
		Y	1.13	64.90	15.36		150.0	
		Z	1.11	64.85	15.33		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	5.20	68.87	17.61	0.00	150.0	± 9.6 %
		Y	5.21	68.93	17.55		150.0	
		Z	5.11	68.92	17.51		150.0	
10417-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	5.20	68.87	17.61	0.00	150.0	± 9.6 %
		Y	5.21	68.93	17.55		150.0	
		Z	5.11	68.92	17.51		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	5.16	68.90	17.53	0.00	150.0	± 9.6 %
		Y	5.18	68.96	17.48		150.0	
		Z	5.08	68.97	17.46		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	5.20	68.91	17.58	0.00	150.0	± 9.6 %
		Y	5.22	68.97	17.52		150.0	
		Z	5.11	68.97	17.50		150.0	
10422-AAB	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	5.35	69.00	17.65	0.00	150.0	± 9.6 %
		Y	5.37	69.06	17.59		150.0	
		Z	5.26	69.05	17.56		150.0	
10423-AAB	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	5.63	69.53	17.86	0.00	150.0	± 9.6 %
		Y	5.64	69.58	17.80		150.0	
		Z	5.50	69.53	17.76		150.0	
10424-AAB	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	5.51	69.41	17.79	0.00	150.0	± 9.6 %
		Y	5.53	69.46	17.73		150.0	
		Z	5.39	69.41	17.68		150.0	
10425-AAB	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.83	68.45	17.16	0.00	150.0	± 9.6 %
		Y	5.79	68.33	17.01		150.0	
		Z	5.68	68.27	16.99		150.0	
10426-AAB	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.83	68.44	17.15	0.00	150.0	± 9.6 %
		Y	5.79	68.33	17.00		150.0	
		Z	5.71	68.36	17.04		150.0	

10427-AAB	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.79	68.23	17.02	0.00	150.0	± 9.6 %
		Y	5.77	68.19	16.91		150.0	
		Z	5.68	68.16	16.93		150.0	
10430-AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.62	70.75	18.36	0.00	150.0	± 9.6 %
		Y	4.65	70.82	18.34		150.0	
		Z	4.49	71.02	18.27		150.0	
10431-AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.98	69.52	17.66	0.00	150.0	± 9.6 %
		Y	5.00	69.56	17.61		150.0	
		Z	4.84	69.52	17.50		150.0	
10432-AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	5.29	69.46	17.74	0.00	150.0	± 9.6 %
		Y	5.30	69.51	17.68		150.0	
		Z	5.15	69.45	17.61		150.0	
10433-AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	5.54	69.50	17.83	0.00	150.0	± 9.6 %
		Y	5.56	69.55	17.77		150.0	
		Z	5.41	69.46	17.71		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.62	70.96	18.09	0.00	150.0	± 9.6 %
		Y	4.64	71.04	18.09		150.0	
		Z	4.48	71.29	17.99		150.0	
10435-AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	91.80	124.81	33.49	3.23	80.0	± 9.6 %
		Y	34.50	107.01	28.07		80.0	
		Z	32.03	105.86	28.08		80.0	
10447-AAD	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	4.24	69.37	17.02	0.00	150.0	± 9.6 %
		Y	4.26	69.41	16.98		150.0	
		Z	4.08	69.37	16.73		150.0	
10448-AAD	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	4.74	69.15	17.43	0.00	150.0	± 9.6 %
		Y	4.76	69.20	17.38		150.0	
		Z	4.63	69.19	17.30		150.0	
10449-AAC	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	5.00	69.10	17.52	0.00	150.0	± 9.6 %
		Y	5.02	69.15	17.47		150.0	
		Z	4.90	69.13	17.42		150.0	
10450-AAC	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	5.18	69.03	17.55	0.00	150.0	± 9.6 %
		Y	5.20	69.09	17.50		150.0	
		Z	5.09	69.05	17.46		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	4.16	69.50	16.67	0.00	150.0	± 9.6 %
		Y	4.18	69.56	16.66		150.0	
		Z	3.99	69.52	16.35		150.0	
10456-AAB	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	16.60	90.55	27.78	0.00	150.0	± 9.6 %
		Y	13.55	85.78	25.69		150.0	
		Z	19.20	93.51	28.66		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	4.24	67.48	17.36	0.00	150.0	± 9.6 %
		Y	4.26	67.54	17.30		150.0	
		Z	4.20	67.45	17.21		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	4.08	69.44	17.28	0.00	150.0	± 9.6 %
		Y	4.11	69.54	17.30		150.0	
		Z	4.02	70.12	17.24		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	5.10	66.62	17.51	0.00	150.0	± 9.6 %
		Y	5.10	66.64	17.44		150.0	
		Z	5.05	67.39	17.67		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	1.06	70.01	16.09	0.00	150.0	± 9.6 %
		Y	1.09	69.88	16.17		150.0	
		Z	1.06	69.85	16.12		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	127.49	34.51	3.29	80.0	± 9.6 %
		Y	100.00	124.61	32.89		80.0	
		Z	100.00	124.74	33.20		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	60.64	109.97	27.65	3.23	80.0	± 9.6 %
		Y	15.77	89.90	21.38		80.0	
		Z	16.82	90.84	22.09		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	29.54	98.50	24.17	3.23	80.0	± 9.6 %
		Y	10.92	84.04	19.13		80.0	
		Z	12.44	85.76	20.10		80.0	
10464-AAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126.01	33.67	3.23	80.0	± 9.6 %
		Y	100.00	123.03	32.00		80.0	
		Z	100.00	123.31	32.39		80.0	
10465-AAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	49.60	107.00	26.83	3.23	80.0	± 9.6 %
		Y	14.17	88.39	20.86		80.0	
		Z	15.23	89.38	21.59		80.0	
10466-AAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	25.35	96.29	23.50	3.23	80.0	± 9.6 %
		Y	10.05	82.88	18.70		80.0	
		Z	11.46	84.57	19.66		80.0	
10467-AAE	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126.13	33.72	3.23	80.0	± 9.6 %
		Y	100.00	123.15	32.05		80.0	
		Z	100.00	123.43	32.44		80.0	
10468-AAE	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	52.57	107.88	27.07	3.23	80.0	± 9.6 %
		Y	14.55	88.79	21.00		80.0	
		Z	15.62	89.78	21.73		80.0	
10469-AAE	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	25.79	96.53	23.56	3.23	80.0	± 9.6 %
		Y	10.10	82.96	18.72		80.0	
		Z	11.55	84.68	19.69		80.0	
10470-AAE	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126.15	33.72	3.23	80.0	± 9.6 %
		Y	100.00	123.15	32.05		80.0	
		Z	100.00	123.43	32.44		80.0	
10471-AAE	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	53.30	108.03	27.10	3.23	80.0	± 9.6 %
		Y	14.61	88.82	20.99		80.0	
		Z	15.68	89.81	21.73		80.0	
10472-AAE	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	25.99	96.61	23.57	3.23	80.0	± 9.6 %
		Y	10.11	82.96	18.71		80.0	
		Z	11.56	84.69	19.68		80.0	
10473-AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	126.13	33.71	3.23	80.0	± 9.6 %
		Y	100.00	123.14	32.04		80.0	
		Z	100.00	123.42	32.43		80.0	
10474-AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	52.71	107.90	27.07	3.23	80.0	± 9.6 %
		Y	14.51	88.75	20.97		80.0	
		Z	15.59	89.76	21.71		80.0	
10475-AAE	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	25.81	96.54	23.55	3.23	80.0	± 9.6 %
		Y	10.07	82.92	18.70		80.0	
		Z	11.52	84.65	19.68		80.0	

10477-AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	51.51	107.48	26.93	3.23	80.0	± 9.6 %
		Y	14.32	88.51	20.88		80.0	
		Z	15.39	89.52	21.62		80.0	
10478-AAF	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	25.73	96.47	23.53	3.23	80.0	± 9.6 %
		Y	10.06	82.88	18.68		80.0	
		Z	11.49	84.60	19.65		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	11.71	92.57	26.94	3.23	80.0	± 9.6 %
		Y	8.97	87.08	24.45		80.0	
		Z	10.71	89.11	24.83		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	10.84	86.44	23.42	3.23	80.0	± 9.6 %
		Y	8.79	82.42	21.47		80.0	
		Z	9.73	83.13	21.41		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	10.39	85.15	22.70	3.23	80.0	± 9.6 %
		Y	8.48	81.32	20.81		80.0	
		Z	9.18	81.72	20.64		80.0	
10482-AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.64	78.17	19.57	2.23	80.0	± 9.6 %
		Y	5.72	78.72	19.86		80.0	
		Z	5.41	77.04	18.79		80.0	
10483-AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	8.17	81.99	22.03	2.23	80.0	± 9.6 %
		Y	7.02	79.09	20.43		80.0	
		Z	7.40	79.11	20.03		80.0	
10484-AAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	8.15	81.69	21.92	2.23	80.0	± 9.6 %
		Y	7.05	78.91	20.37		80.0	
		Z	7.34	78.76	19.90		80.0	
10485-AAE	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.29	79.90	20.81	2.23	80.0	± 9.6 %
		Y	6.33	80.32	21.02		80.0	
		Z	6.09	79.00	20.26		80.0	
10486-AAE	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.38	74.82	18.84	2.23	80.0	± 9.6 %
		Y	5.37	75.04	18.96		80.0	
		Z	5.31	74.25	18.23		80.0	
10487-AAE	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.45	74.71	18.82	2.23	80.0	± 9.6 %
		Y	5.44	74.90	18.93		80.0	
		Z	5.35	74.08	18.17		80.0	
10488-AAE	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.44	78.91	20.90	2.23	80.0	± 9.6 %
		Y	6.45	79.19	21.04		80.0	
		Z	6.38	78.52	20.69		80.0	
10489-AAE	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.83	75.31	19.96	2.23	80.0	± 9.6 %
		Y	5.78	75.37	19.99		80.0	
		Z	5.80	74.92	19.59		80.0	
10490-AAE	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.91	75.03	19.92	2.23	80.0	± 9.6 %
		Y	5.86	75.08	19.93		80.0	
		Z	5.89	74.71	19.55		80.0	
10491-AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.26	76.66	20.24	2.23	80.0	± 9.6 %
		Y	6.24	76.86	20.32		80.0	
		Z	6.27	76.50	20.13		80.0	
10492-AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.12	74.44	19.94	2.23	80.0	± 9.6 %
		Y	6.06	74.47	19.93		80.0	
		Z	6.11	74.19	19.67		80.0	

10493-AAE	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	6.21	74.35	19.96	2.23	80.0	± 9.6 %
		Y	6.15	74.36	19.94		80.0	
		Z	6.20	74.09	19.67		80.0	
10494-AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.56	77.38	20.24	2.23	80.0	± 9.6 %
		Y	6.58	77.69	20.38		80.0	
		Z	6.55	77.20	20.19		80.0	
10495-AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.25	75.02	20.11	2.23	80.0	± 9.6 %
		Y	6.20	75.06	20.11		80.0	
		Z	6.21	74.66	19.84		80.0	
10496-AAF	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	6.31	74.70	20.07	2.23	80.0	± 9.6 %
		Y	6.25	74.73	20.06		80.0	
		Z	6.28	74.40	19.80		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.72	75.65	18.04	2.23	80.0	± 9.6 %
		Y	4.79	76.24	18.36		80.0	
		Z	4.36	73.84	16.84		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.19	71.29	15.63	2.23	80.0	± 9.6 %
		Y	4.22	71.69	15.86		80.0	
		Z	3.90	69.82	14.39		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.22	71.05	15.42	2.23	80.0	± 9.6 %
		Y	4.25	71.44	15.65		80.0	
		Z	3.91	69.55	14.15		80.0	
10500-AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.25	79.20	20.78	2.23	80.0	± 9.6 %
		Y	6.25	79.52	20.95		80.0	
		Z	6.12	78.56	20.37		80.0	
10501-AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.56	74.93	19.25	2.23	80.0	± 9.6 %
		Y	5.53	75.08	19.33		80.0	
		Z	5.51	74.48	18.74		80.0	
10502-AAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.58	74.60	19.10	2.23	80.0	± 9.6 %
		Y	5.55	74.74	19.17		80.0	
		Z	5.55	74.22	18.60		80.0	
10503-AAE	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.40	78.81	20.86	2.23	80.0	± 9.6 %
		Y	6.40	79.09	20.99		80.0	
		Z	6.34	78.41	20.63		80.0	
10504-AAE	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	5.82	75.28	19.94	2.23	80.0	± 9.6 %
		Y	5.77	75.34	19.97		80.0	
		Z	5.79	74.89	19.56		80.0	
10505-AAE	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	5.90	74.99	19.89	2.23	80.0	± 9.6 %
		Y	5.84	75.04	19.90		80.0	
		Z	5.87	74.65	19.52		80.0	
10506-AAE	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.53	77.32	20.21	2.23	80.0	± 9.6 %
		Y	6.55	77.62	20.34		80.0	
		Z	6.52	77.13	20.15		80.0	
10507-AAE	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.23	74.98	20.09	2.23	80.0	± 9.6 %
		Y	6.18	75.02	20.09		80.0	
		Z	6.20	74.62	19.81		80.0	