

10508-AAE	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	6.30	74.67	20.05	2.23	80.0	± 9.6 %
		Y	6.25	74.70	20.04		80.0	
		Z	6.27	74.36	19.78		80.0	
10509-AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.49	75.29	19.53	2.23	80.0	± 9.6 %
		Y	6.49	75.53	19.62		80.0	
		Z	6.52	75.23	19.51		80.0	
10510-AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.64	74.23	19.91	2.23	80.0	± 9.6 %
		Y	6.59	74.28	19.90		80.0	
		Z	6.62	73.98	19.71		80.0	
10511-AAE	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	6.66	73.95	19.89	2.23	80.0	± 9.6 %
		Y	6.61	73.99	19.87		80.0	
		Z	6.65	73.72	19.69		80.0	
10512-AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	6.61	76.16	19.62	2.23	80.0	± 9.6 %
		Y	6.64	76.50	19.76		80.0	
		Z	6.63	76.05	19.62		80.0	
10513-AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	6.60	74.77	20.06	2.23	80.0	± 9.6 %
		Y	6.56	74.84	20.06		80.0	
		Z	6.56	74.40	19.83		80.0	
10514-AAF	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	6.55	74.32	20.00	2.23	80.0	± 9.6 %
		Y	6.50	74.36	19.98		80.0	
		Z	6.53	74.00	19.77		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	1.06	65.13	15.43	0.00	150.0	± 9.6 %
		Y	1.09	65.14	15.40		150.0	
		Z	1.08	65.09	15.37		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	0.80	72.98	16.39	0.00	150.0	± 9.6 %
		Y	0.81	72.64	16.67		150.0	
		Z	0.80	72.90	16.78		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.96	67.72	15.96	0.00	150.0	± 9.6 %
		Y	0.99	67.58	15.94		150.0	
		Z	0.96	67.49	15.91		150.0	
10518-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	5.21	68.99	17.61	0.00	150.0	± 9.6 %
		Y	5.22	69.05	17.55		150.0	
		Z	5.11	69.01	17.50		150.0	
10519-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	5.50	69.44	17.83	0.00	150.0	± 9.6 %
		Y	5.51	69.49	17.77		150.0	
		Z	5.37	69.44	17.72		150.0	
10520-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	5.31	69.32	17.67	0.00	150.0	± 9.6 %
		Y	5.33	69.37	17.62		150.0	
		Z	5.20	69.35	17.59		150.0	
10521-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	5.23	69.27	17.62	0.00	150.0	± 9.6 %
		Y	5.24	69.32	17.57		150.0	
		Z	5.12	69.30	17.55		150.0	
10522-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	5.27	69.23	17.66	0.00	150.0	± 9.6 %
		Y	5.28	69.28	17.60		150.0	
		Z	5.16	69.27	17.57		150.0	

10523-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	5.13	69.11	17.49	0.00	150.0	± 9.6 %
		Y	5.14	69.16	17.44		150.0	
		Z	5.02	69.12	17.40		150.0	
10524-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	5.22	69.18	17.64	0.00	150.0	± 9.6 %
		Y	5.23	69.23	17.59		150.0	
		Z	5.11	69.25	17.57		150.0	
10525-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	5.16	68.14	17.19	0.00	150.0	± 9.6 %
		Y	5.17	68.20	17.13		150.0	
		Z	5.07	68.17	17.09		150.0	
10526-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	5.41	68.61	17.35	0.00	150.0	± 9.6 %
		Y	5.43	68.67	17.30		150.0	
		Z	5.30	68.63	17.27		150.0	
10527-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	5.32	68.59	17.30	0.00	150.0	± 9.6 %
		Y	5.34	68.64	17.24		150.0	
		Z	5.21	68.58	17.20		150.0	
10528-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	5.35	68.62	17.34	0.00	150.0	± 9.6 %
		Y	5.36	68.67	17.28		150.0	
		Z	5.23	68.62	17.24		150.0	
10529-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	5.35	68.62	17.34	0.00	150.0	± 9.6 %
		Y	5.36	68.67	17.28		150.0	
		Z	5.23	68.62	17.24		150.0	
10531-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	5.37	68.77	17.35	0.00	150.0	± 9.6 %
		Y	5.38	68.82	17.29		150.0	
		Z	5.25	68.81	17.28		150.0	
10532-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	5.23	68.77	17.36	0.00	150.0	± 9.6 %
		Y	5.24	68.81	17.30		150.0	
		Z	5.09	68.67	17.22		150.0	
10533-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	5.36	68.64	17.32	0.00	150.0	± 9.6 %
		Y	5.38	68.69	17.26		150.0	
		Z	5.24	68.65	17.22		150.0	
10534-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	6.68	71.66	19.02	0.00	150.0	± 9.6 %
		Y	6.57	71.28	18.72		150.0	
		Z	6.52	71.38	18.77		150.0	
10535-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	6.67	71.44	18.86	0.00	150.0	± 9.6 %
		Y	6.57	71.09	18.58		150.0	
		Z	6.66	71.73	18.93		150.0	
10536-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	6.77	72.26	19.27	0.00	150.0	± 9.6 %
		Y	6.62	71.75	18.90		150.0	
		Z	6.38	71.25	18.64		150.0	
10537-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	6.76	71.97	19.14	0.00	150.0	± 9.6 %
		Y	6.61	71.47	18.77		150.0	
		Z	6.60	71.72	18.90		150.0	
10538-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	6.50	70.67	18.48	0.00	150.0	± 9.6 %
		Y	6.49	70.65	18.37		150.0	
		Z	6.37	70.59	18.35		150.0	
10540-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	6.77	71.96	19.18	0.00	150.0	± 9.6 %
		Y	6.62	71.45	18.82		150.0	
		Z	6.37	70.91	18.53		150.0	

10541-AAB	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	6.69	71.72	19.07	0.00	150.0	± 9.6 %
		Y	6.55	71.23	18.71		150.0	
		Z	6.20	70.34	18.24		150.0	
10542-AAB	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	6.93	71.99	19.25	0.00	150.0	± 9.6 %
		Y	6.79	71.49	18.89		150.0	
		Z	6.78	71.77	19.03		150.0	
10543-AAB	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	7.01	71.94	19.26	0.00	150.0	± 9.6 %
		Y	6.85	71.39	18.86		150.0	
		Z	6.55	70.70	18.47		150.0	
10544-AAB	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	6.36	69.56	17.82	0.00	150.0	± 9.6 %
		Y	6.33	69.48	17.67		150.0	
		Z	6.35	69.76	17.86		150.0	
10545-AAB	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	7.73	73.46	19.80	0.00	150.0	± 9.6 %
		Y	7.90	73.96	19.97		150.0	
		Z	8.06	74.55	20.24		150.0	
10546-AAB	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	6.68	70.52	18.26	0.00	150.0	± 9.6 %
		Y	6.63	70.37	18.09		150.0	
		Z	6.59	70.45	18.16		150.0	
10547-AAB	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	7.35	72.41	19.28	0.00	150.0	± 9.6 %
		Y	7.22	72.00	18.96		150.0	
		Z	7.02	71.63	18.79		150.0	
10548-AAB	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	64.82	118.33	36.20	0.00	150.0	± 9.6 %
		Y	58.12	115.70	35.27		150.0	
		Z	46.82	110.73	33.58		150.0	
10550-AAB	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	7.53	73.13	19.68	0.00	150.0	± 9.6 %
		Y	7.32	72.50	19.26		150.0	
		Z	7.87	74.27	20.15		150.0	
10551-AAB	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	7.92	74.19	20.16	0.00	150.0	± 9.6 %
		Y	7.66	73.46	19.69		150.0	
		Z	6.94	71.51	18.70		150.0	
10552-AAB	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	6.82	71.04	18.55	0.00	150.0	± 9.6 %
		Y	6.74	70.77	18.31		150.0	
		Z	6.98	71.84	18.91		150.0	
10553-AAB	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	6.48	69.58	17.78	0.00	150.0	± 9.6 %
		Y	6.47	69.57	17.68		150.0	
		Z	6.45	69.78	17.83		150.0	
10554-AAC	IEEE 802.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	7.56	72.36	19.24	0.00	150.0	± 9.6 %
		Y	7.39	71.85	18.87		150.0	
		Z	7.42	72.05	18.99		150.0	
10555-AAC	IEEE 802.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	9.57	77.35	21.69	0.00	150.0	± 9.6 %
		Y	8.90	75.74	20.80		150.0	
		Z	8.52	74.86	20.36		150.0	
10556-AAC	IEEE 802.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	8.40	74.43	20.25	0.00	150.0	± 9.6 %
		Y	8.13	73.68	19.76		150.0	
		Z	8.41	74.54	20.19		150.0	
10557-AAC	IEEE 802.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	7.84	72.90	19.48	0.00	150.0	± 9.6 %
		Y	7.66	72.39	19.11		150.0	
		Z	7.50	72.08	18.97		150.0	

10558-AAC	IEEE 802.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	X	7.35	71.28	18.57	0.00	150.0	± 9.6 %
		Y	7.47	71.70	18.72		150.0	
		Z	8.49	74.77	20.33		150.0	
10560-AAC	IEEE 802.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	7.52	71.81	18.97	0.00	150.0	± 9.6 %
		Y	7.41	71.49	18.69		150.0	
		Z	7.74	72.68	19.35		150.0	
10561-AAC	IEEE 802.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	7.57	72.24	19.22	0.00	150.0	± 9.6 %
		Y	7.52	72.11	19.06		150.0	
		Z	7.33	71.68	18.85		150.0	
10562-AAC	IEEE 802.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	12.27	82.78	24.20	0.00	150.0	± 9.6 %
		Y	11.29	80.91	23.27		150.0	
		Z	9.08	76.27	21.11		150.0	
10563-AAC	IEEE 802.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	10.95	79.75	22.82	0.00	150.0	± 9.6 %
		Y	10.21	78.20	21.99		150.0	
		Z	8.45	73.93	19.83		150.0	
10564-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	X	5.61	69.31	17.94	0.46	150.0	± 9.6 %
		Y	5.62	69.36	17.88		150.0	
		Z	5.51	69.31	17.82		150.0	
10565-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	X	5.92	69.86	18.28	0.46	150.0	± 9.6 %
		Y	5.93	69.90	18.22		150.0	
		Z	5.80	69.84	18.16		150.0	
10566-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	X	5.73	69.67	18.06	0.46	150.0	± 9.6 %
		Y	5.74	69.71	18.00		150.0	
		Z	5.62	69.69	17.97		150.0	
10567-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	X	5.71	69.83	18.24	0.46	150.0	± 9.6 %
		Y	5.72	69.88	18.18		150.0	
		Z	5.61	69.89	18.18		150.0	
10568-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	X	5.65	69.52	17.92	0.46	150.0	± 9.6 %
		Y	5.66	69.55	17.84		150.0	
		Z	5.55	69.54	17.80		150.0	
10569-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	X	5.63	69.79	18.22	0.46	150.0	± 9.6 %
		Y	5.64	69.83	18.16		150.0	
		Z	5.53	69.84	18.16		150.0	
10570-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	X	5.69	69.69	18.22	0.46	150.0	± 9.6 %
		Y	5.70	69.74	18.16		150.0	
		Z	5.59	69.78	18.16		150.0	
10571-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.56	69.17	17.63	0.46	130.0	± 9.6 %
		Y	1.56	68.93	17.51		130.0	
		Z	1.60	69.03	17.46		130.0	
10572-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.59	69.76	17.92	0.46	130.0	± 9.6 %
		Y	1.59	69.51	17.79		130.0	
		Z	1.63	69.59	17.74		130.0	
10573-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	3.62	88.47	22.16	0.46	130.0	± 9.6 %
		Y	3.57	88.83	22.66		130.0	
		Z	3.16	86.49	21.89		130.0	
10574-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.91	75.84	20.21	0.46	130.0	± 9.6 %
		Y	1.87	75.33	20.07		130.0	
		Z	1.90	75.28	19.98		130.0	

10575-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	X	5.40	69.20	18.06	0.46	130.0	± 9.6 %
		Y	5.40	69.22	17.98		130.0	
		Z	5.33	69.29	17.97		130.0	
10576-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	X	5.43	69.34	18.09	0.46	130.0	± 9.6 %
		Y	5.43	69.35	18.01		130.0	
		Z	5.36	69.40	17.99		130.0	
10577-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	X	5.72	69.79	18.34	0.46	130.0	± 9.6 %
		Y	5.73	69.80	18.25		130.0	
		Z	5.62	69.83	18.23		130.0	
10578-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	X	5.59	69.84	18.33	0.46	130.0	± 9.6 %
		Y	5.59	69.85	18.25		130.0	
		Z	5.50	69.91	18.25		130.0	
10579-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	X	5.42	69.53	17.91	0.46	130.0	± 9.6 %
		Y	5.42	69.54	17.83		130.0	
		Z	5.32	69.55	17.79		130.0	
10580-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	X	5.50	69.65	18.01	0.46	130.0	± 9.6 %
		Y	5.50	69.64	17.92		130.0	
		Z	5.39	69.62	17.85		130.0	
10581-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	X	5.53	70.07	18.34	0.46	130.0	± 9.6 %
		Y	5.53	70.07	18.26		130.0	
		Z	5.42	70.06	18.24		130.0	
10582-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	X	5.42	69.51	17.87	0.46	130.0	± 9.6 %
		Y	5.42	69.50	17.77		130.0	
		Z	5.30	69.49	17.71		130.0	
10583-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	5.40	69.20	18.06	0.46	130.0	± 9.6 %
		Y	5.40	69.22	17.98		130.0	
		Z	5.33	69.29	17.97		130.0	
10584-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	5.43	69.34	18.09	0.46	130.0	± 9.6 %
		Y	5.43	69.35	18.01		130.0	
		Z	5.36	69.40	17.99		130.0	
10585-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	X	5.72	69.79	18.34	0.46	130.0	± 9.6 %
		Y	5.73	69.80	18.25		130.0	
		Z	5.62	69.83	18.23		130.0	
10586-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	5.59	69.84	18.33	0.46	130.0	± 9.6 %
		Y	5.59	69.85	18.25		130.0	
		Z	5.50	69.91	18.25		130.0	
10587-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	5.42	69.53	17.91	0.46	130.0	± 9.6 %
		Y	5.42	69.54	17.83		130.0	
		Z	5.32	69.55	17.79		130.0	
10588-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	5.50	69.65	18.01	0.46	130.0	± 9.6 %
		Y	5.50	69.64	17.92		130.0	
		Z	5.39	69.62	17.85		130.0	
10589-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	5.53	70.07	18.34	0.46	130.0	± 9.6 %
		Y	5.53	70.07	18.26		130.0	
		Z	5.42	70.06	18.24		130.0	
10590-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	5.42	69.51	17.87	0.46	130.0	± 9.6 %
		Y	5.42	69.50	17.77		130.0	
		Z	5.30	69.49	17.71		130.0	

10591-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	X	5.55	69.25	18.16	0.46	130.0	± 9.6 %
		Y	5.56	69.27	18.08		130.0	
		Z	5.48	69.31	18.06		130.0	
10592-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	X	5.77	69.61	18.27	0.46	130.0	± 9.6 %
		Y	5.77	69.63	18.19		130.0	
		Z	5.68	69.69	18.19		130.0	
10593-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	X	5.72	69.66	18.23	0.46	130.0	± 9.6 %
		Y	5.72	69.67	18.15		130.0	
		Z	5.62	69.70	18.13		130.0	
10594-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	5.74	69.69	18.30	0.46	130.0	± 9.6 %
		Y	5.75	69.71	18.21		130.0	
		Z	5.66	69.77	18.22		130.0	
10595-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	X	5.76	69.82	18.29	0.46	130.0	± 9.6 %
		Y	5.77	69.83	18.21		130.0	
		Z	5.66	69.84	18.18		130.0	
10596-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	X	5.69	69.79	18.27	0.46	130.0	± 9.6 %
		Y	5.69	69.80	18.18		130.0	
		Z	5.59	69.83	18.17		130.0	
10597-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	X	5.65	69.79	18.21	0.46	130.0	± 9.6 %
		Y	5.65	69.79	18.13		130.0	
		Z	5.55	69.80	18.09		130.0	
10598-AAB	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	X	5.61	69.96	18.40	0.46	130.0	± 9.6 %
		Y	5.61	69.97	18.32		130.0	
		Z	5.51	69.96	18.29		130.0	
10599-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	X	8.36	76.77	22.08	0.46	130.0	± 9.6 %
		Y	7.86	75.28	21.23		130.0	
		Z	7.93	75.71	21.40		130.0	
10600-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	X	83.88	129.05	40.58	0.46	130.0	± 9.6 %
		Y	54.99	119.04	37.53		130.0	
		Z	39.58	111.11	34.82		130.0	
10601-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	X	10.19	81.27	24.14	0.46	130.0	± 9.6 %
		Y	9.85	80.45	23.66		130.0	
		Z	9.91	80.72	23.70		130.0	
10602-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	9.81	80.00	23.48	0.46	130.0	± 9.6 %
		Y	9.57	79.38	23.09		130.0	
		Z	10.11	80.86	23.71		130.0	
10603-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	8.50	76.68	22.00	0.46	130.0	± 9.6 %
		Y	8.12	75.55	21.33		130.0	
		Z	9.96	80.61	23.72		130.0	
10604-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	7.42	73.87	20.62	0.46	130.0	± 9.6 %
		Y	7.24	73.25	20.19		130.0	
		Z	7.56	74.54	20.84		130.0	
10605-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	11.57	84.21	25.56	0.46	130.0	± 9.6 %
		Y	10.38	81.61	24.28		130.0	
		Z	9.96	80.71	23.76		130.0	
10606-AAB	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	X	6.85	72.21	19.64	0.46	130.0	± 9.6 %
		Y	6.80	72.05	19.45		130.0	
		Z	7.22	73.71	20.30		130.0	

10607-AAB	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	X	5.37	68.39	17.63	0.46	130.0	± 9.6 %
		Y	5.37	68.42	17.56		130.0	
		Z	5.30	68.47	17.55		130.0	
10608-AAB	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	5.63	68.86	17.80	0.46	130.0	± 9.6 %
		Y	5.64	68.88	17.72		130.0	
		Z	5.54	68.93	17.72		130.0	
10609-AAB	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	X	5.52	68.79	17.69	0.46	130.0	± 9.6 %
		Y	5.53	68.82	17.61		130.0	
		Z	5.43	68.84	17.59		130.0	
10610-AAB	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	X	5.57	68.90	17.81	0.46	130.0	± 9.6 %
		Y	5.57	68.92	17.73		130.0	
		Z	5.48	68.96	17.73		130.0	
10611-AAB	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	X	5.54	68.95	17.79	0.46	130.0	± 9.6 %
		Y	5.54	68.96	17.71		130.0	
		Z	5.43	68.95	17.68		130.0	
10612-AAB	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	X	5.55	69.02	17.78	0.46	130.0	± 9.6 %
		Y	5.55	69.04	17.70		130.0	
		Z	5.45	69.07	17.70		130.0	
10613-AAB	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	X	5.58	69.01	17.73	0.46	130.0	± 9.6 %
		Y	5.58	69.02	17.65		130.0	
		Z	5.47	69.04	17.63		130.0	
10614-AAB	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	X	5.49	69.16	17.91	0.46	130.0	± 9.6 %
		Y	5.49	69.17	17.83		130.0	
		Z	5.37	69.09	17.77		130.0	
10615-AAB	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	X	5.55	68.78	17.60	0.46	130.0	± 9.6 %
		Y	5.55	68.79	17.52		130.0	
		Z	5.44	68.80	17.49		130.0	
10616-AAB	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	X	7.15	72.74	19.92	0.46	130.0	± 9.6 %
		Y	6.99	72.21	19.54		130.0	
		Z	7.08	72.72	19.79		130.0	
10617-AAB	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	X	7.24	72.82	19.91	0.46	130.0	± 9.6 %
		Y	7.07	72.27	19.52		130.0	
		Z	7.33	73.38	20.08		130.0	
10618-AAB	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	7.53	74.21	20.62	0.46	130.0	± 9.6 %
		Y	7.27	73.39	20.09		130.0	
		Z	6.97	72.69	19.71		130.0	
10619-AAB	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	X	7.52	73.93	20.45	0.46	130.0	± 9.6 %
		Y	7.21	72.96	19.85		130.0	
		Z	7.25	73.31	20.00		130.0	
10620-AAB	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	X	6.85	71.39	19.15	0.46	130.0	± 9.6 %
		Y	6.73	70.99	18.83		130.0	
		Z	6.82	71.63	19.18		130.0	
10621-AAB	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	X	6.66	70.99	19.04	0.46	130.0	± 9.6 %
		Y	6.58	70.72	18.79		130.0	
		Z	6.59	71.05	18.98		130.0	
10622-AAB	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	X	7.65	74.28	20.75	0.46	130.0	± 9.6 %
		Y	7.36	73.37	20.18		130.0	
		Z	6.91	72.18	19.54		130.0	