






(802.11b _2467MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1110.009	43.35	---	74.00	30.65	H	30.21
1114.898	---	33.10	54.00	20.90	H	30.27
1307.427	---	30.95	54.00	23.05	H	32.07
1317.521	43.76	---	74.00	30.24	H	32.08
1565.545	45.74	---	74.00	28.26	H	34.54
1577.631	---	33.63	54.00	20.37	H	34.79
1995.764	---	37.54	54.00	16.46	H	38.14
1997.958	50.01	---	74.00	23.99	H	38.17
2342.982	53.96	---	74.00	20.04	H	41.69
2392.403	---	42.70	54.00	11.30	H	43.14
2649.760	---	45.73	54.00	8.27	H	45.45
2652.673	57.95	---	74.00	16.05	H	45.31




(802.11b _2467MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3795.000	---	29.78	54.00	24.22	H	-4.99
3825.000	42.28	---	74.00	31.72	H	-4.99
5385.000	43.88	---	74.00	30.12	H	-2.34
5520.000	---	31.82	54.00	22.18	H	-2.88
7950.000	---	32.66	54.00	21.34	H	1.29
7965.000	44.69	---	74.00	29.31	H	1.16
10485.000	45.78	---	74.00	28.22	H	2.69
10515.000	---	33.79	54.00	20.21	H	2.60
13890.000	47.69	---	74.00	26.31	H	7.56
14085.000	---	34.90	54.00	19.10	H	8.29
16980.000	50.52	---	74.00	23.48	H	11.18
16995.000	---	38.46	54.00	15.54	H	11.15




(802.11b_2467MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.1054	35.55	40.00	4.45	V	13.71
39.2991	28.01	40.00	11.99	V	14.64
71.8320	29.95	40.00	10.05	V	10.69
174.4241	22.47	43.50	21.03	V	11.54
400.4319	19.26	46.00	26.74	V	19.66
755.3873	27.00	46.00	19.00	V	26.07




(802.11b _2467MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1096.676	---	31.33	54.00	22.67	V	30.17
1107.573	42.33	---	74.00	31.67	V	30.19
1332.075	---	30.71	54.00	23.29	V	32.15
1342.358	43.09	---	74.00	30.91	V	32.12
1595.058	---	33.90	54.00	20.10	V	35.21
1612.678	46.19	---	74.00	27.81	V	35.05
1799.948	48.73	---	74.00	25.27	V	37.96
1801.926	---	37.02	54.00	16.98	V	37.82
2220.189	51.86	---	74.00	22.14	V	40.09
2239.789	---	39.80	54.00	14.20	V	40.25
2635.245	58.02	---	74.00	15.98	V	44.76
2652.673	---	45.67	54.00	8.33	V	45.31




(802.11b _2467MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	---	30.96	54.00	23.04	V	-4.48
3510.000	44.20	---	74.00	29.80	V	-4.71
6000.000	45.11	---	74.00	28.89	V	-1.40
6030.000	---	32.48	54.00	21.52	V	-1.06
8670.000	45.24	---	74.00	28.76	V	1.29
8715.000	---	33.21	54.00	20.79	V	1.37
10500.000	---	33.97	54.00	20.03	V	3.45
10530.000	46.42	---	74.00	27.58	V	3.24
13035.000	47.11	---	74.00	26.89	V	6.18
13035.000	---	34.20	54.00	19.80	V	6.18
15495.000	49.62	---	74.00	24.38	V	10.36
15735.000	---	37.25	54.00	16.75	V	11.26




(802.11b _2472MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
43.9658	14.91	40.00	25.09	H	15.27
71.8320	19.82	40.00	20.18	H	10.69
104.9033	25.51	43.50	17.99	H	14.14
183.2005	21.75	43.50	21.75	H	12.40
362.9845	18.18	46.00	27.82	H	18.27
768.7482	27.68	46.00	18.32	H	26.17




(802.11b _2472MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1112.451	---	33.38	54	20.62	H	30.25
1116.123	43.39	---	74	30.61	H	30.27
1398.048	44.73	---	74	29.27	H	33.46
1401.123	---	32.15	54	21.85	H	33.46
1593.307	47.24	---	74	26.76	H	35.14
1609.139	---	33.95	54	20.05	H	35.22
1797.971	---	36.87	54	17.13	H	37.82
1809.862	49.01	---	74	24.99	H	37.24
2279.507	53.18	---	74	20.82	H	40.53
2322.480	---	40.77	54	13.23	H	41.24
2597.876	57.76	---	74	16.24	H	45.12
2638.141	---	45.25	54	8.75	H	44.96




(802.11b _2472MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	42.57	---	74	31.43	H	-7.09
3495.000	---	30.92	54	23.08	H	-7.09
6000.000	---	32.05	54	21.95	H	-2.9
6180.000	44.88	---	74	29.12	H	-1.55
9465.000	---	33.07	54	20.93	H	1.77
9495.000	45.6	---	74	28.4	H	1.53
13035.000	---	33.83	54	20.17	H	6.35
13050.000	45.84	---	74	28.16	H	6.55
15555.000	49.19	---	74	24.81	H	10.95
15750.000	---	36.98	54	17.02	H	10.94
17910.000	---	39.7	54	14.3	H	14.4
17925.000	51.35	---	74	22.65	H	14.21




(802.11b_2472MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	35.98	40.00	4.02	V	13.33
39.0245	28.88	40.00	11.12	V	14.23
72.5917	29.57	40.00	10.43	V	10.42
183.8440	22.75	43.50	20.75	V	12.29
465.5994	23.01	46.00	22.99	V	20.25
906.4824	30.03	46.00	15.97	V	28.07



(802.11b_2472MHz, Antenna Vertical , 1GHz to 3GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1102.716	---	31.29	54	22.71	V	30.15
1108.790	42.23	---	74	31.77	V	30.2
1326.234	---	30.99	54	23.01	V	32.11
1339.412	43.3	---	74	30.7	V	32.13
1700.003	46.2	---	74	27.8	V	35.17
1718.782	---	34.15	54	19.85	V	35.31
1989.197	49.4	---	74	24.6	V	38.04
1993.573	---	37.65	54	16.35	V	38.11
2325.033	52.65	---	74	21.35	V	41.34
2366.263	---	41.73	54	12.27	V	42.08
2649.760	---	45.79	54	8.21	V	45.45
2652.673	58.01	---	74	15.99	V	45.31



(802.11b _2472MHz, Antenna Vertical, 3GHz to 18GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	---	31.33	54	22.67	V	-4.48
3510.000	43.31	---	74	30.69	V	-4.71
6015.000	---	32.32	54	21.68	V	-1.23
6150.000	45.38	---	74	28.62	V	-1.52
8835.000	---	32.78	54	21.22	V	1.33
9135.000	45.2	---	74	28.8	V	1.39
12075.000	---	33.85	54	20.15	V	4.62
12090.000	45.76	---	74	28.24	V	4.43
14400.000	48.96	---	74	25.04	V	9.41
14430.000	---	36.66	54	17.34	V	9.48
16935.000	51.01	---	74	22.99	V	12.44
16995.000	---	38.59	54	15.41	V	12.91

802.11g Test mode




(802.11g _2412MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.1054	35.23	40.00	4.77	H	13.71
36.3814	28.34	40.00	11.66	H	13.26
71.3300	28.61	40.00	11.39	H	11.08
183.2005	20.51	43.50	22.99	H	12.40
381.2487	19.26	46.00	26.74	H	19.06
734.4913	26.63	46.00	19.37	H	25.66




(802.11g _2412MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1114.898	42.78	---	74.00	31.22	H	30.27
1114.898	---	33.29	54.00	20.71	H	30.27
1311.744	42.99	---	74.00	31.01	H	32.08
1326.234	---	30.74	54.00	23.26	H	32.11
1562.109	45.97	---	74.00	28.03	H	34.49
1584.579	---	33.61	54.00	20.39	H	34.90
1797.971	---	37.10	54.00	16.90	H	37.82
1803.907	48.72	---	74.00	25.28	H	37.68
2210.454	52.29	---	74.00	21.71	H	39.94
2239.789	---	39.66	54.00	14.34	H	40.25
2652.673	57.86	---	74.00	16.14	H	45.31
2652.673	---	45.73	54.00	8.27	H	45.31




(802.11g _2412MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3480.000	---	31.04	54.00	22.96	H	-6.59
3930.000	43.38	---	74.00	30.62	H	-5.06
6765.000	44.85	---	74.00	29.15	H	-1.20
6930.000	---	32.34	54.00	21.66	H	-0.67
9450.000	45.24	---	74.00	28.76	H	1.88
9465.000	---	33.16	54.00	20.84	H	1.77
12090.000	---	33.53	54.00	20.47	H	4.05
12135.000	45.67	---	74.00	28.33	H	3.91
14415.000	48.39	---	74.00	25.61	H	9.30
14430.000	---	36.45	54.00	17.55	H	9.12
16980.000	---	38.35	54.00	15.65	H	11.18
16995.000	51.03	---	74.00	22.97	H	11.15




(802.11g _2412MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.0000	35.24	40.00	4.76	V	13.90
71.5806	28.38	40.00	11.62	V	10.89
98.1419	23.05	43.50	20.45	V	13.66
140.3421	18.71	43.50	24.79	V	11.95
383.9318	19.44	46.00	26.56	V	18.74
755.3873	26.52	46.00	19.48	V	26.07




(802.11g _2412MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1074.021	42.01	---	74.00	31.99	V	30.09
1096.676	---	31.86	54.00	22.14	V	30.17
1280.419	42.34	---	74.00	31.66	V	31.87
1301.695	---	30.86	54.00	23.14	V	32.07
1496.592	44.91	---	74.00	29.09	V	33.67
1524.806	---	32.94	54.00	21.06	V	34.20
1776.374	49.10	---	74.00	24.90	V	36.25
1776.374	---	39.09	54.00	14.91	V	36.25
2167.172	50.65	---	74.00	23.35	V	39.15
2203.181	---	39.13	54.00	14.87	V	39.85
2589.328	58.23	---	74.00	15.77	V	44.58
2589.328	---	45.22	54.00	8.78	V	44.58




(802.11g _2412MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
4020.000	42.98	---	74.00	31.02	V	-3.65
4275.000	---	30.78	54.00	23.22	V	-3.39
6540.000	---	32.31	54.00	21.69	V	-0.56
6720.000	44.00	---	74.00	30.00	V	-1.01
8715.000	---	32.81	54.00	21.19	V	1.37
8760.000	45.36	---	74.00	28.64	V	1.46
11025.000	---	33.22	54.00	20.78	V	3.27
11040.000	45.08	---	74.00	28.92	V	3.28
13020.000	---	33.80	54.00	20.20	V	5.97
13035.000	46.22	---	74.00	27.78	V	6.18
15450.000	---	36.63	54.00	17.37	V	10.46
15465.000	48.72	---	74.00	25.28	V	10.42




(802.11g _2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.1054	23.01	40.00	16.99	H	13.71
36.5092	21.29	40.00	18.71	H	13.33
72.3376	20.38	40.00	19.62	H	10.48
104.5361	23.14	43.50	20.36	H	14.22
183.2005	23.85	43.50	19.65	H	12.40
444.8514	20.68	46.00	25.32	H	19.88




(802.11g _2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1112.451	42.70	---	74.00	31.30	H	30.25
1112.451	---	33.52	54.00	20.48	H	30.25
1360.172	42.52	---	74.00	31.48	H	32.19
1387.338	---	31.80	54.00	22.20	H	33.17
1539.957	45.55	---	74.00	28.45	H	34.42
1543.345	---	33.27	54.00	20.73	H	34.42
1795.997	---	36.99	54.00	17.01	H	37.68
1831.867	48.98	---	74.00	25.02	H	37.16
2215.316	---	39.33	54.00	14.67	H	40.01
2217.752	51.80	---	74.00	22.20	H	40.05
2583.644	57.77	---	74.00	16.23	H	44.20
2652.673	---	45.75	54.00	8.25	H	45.31




(802.11g _2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
4230.000	43.76	---	74.00	30.24	H	-3.97
4230.000	---	31.19	54.00	22.81	H	-3.97
6915.000	---	32.26	54.00	21.74	H	-0.82
6930.000	44.23	---	74.00	29.77	H	-0.67
9450.000	---	33.06	54.00	20.94	H	1.88
9540.000	45.53	---	74.00	28.47	H	2.11
12075.000	---	33.71	54.00	20.29	H	4.18
12180.000	45.38	---	74.00	28.62	H	3.98
14430.000	---	36.30	54.00	17.70	H	9.12
14730.000	48.24	---	74.00	25.76	H	9.37
16965.000	---	38.52	54.00	15.48	H	11.21
16980.000	50.79	---	74.00	23.21	H	11.18




(802.11g _2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.2111	36.23	40.00	3.77	V	13.52
37.5479	27.81	40.00	12.19	V	13.82
71.8320	28.04	40.00	11.96	V	10.69
183.2005	19.35	43.50	24.15	V	12.40
340.7817	19.12	46.00	26.88	V	18.25
642.8613	25.72	46.00	20.28	V	24.25




(802.11g _2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1078.751	---	30.80	54.00	23.20	V	30.15
1085.886	41.97	---	74.00	32.03	V	30.16
1314.629	43.30	---	74.00	30.70	V	32.08
1321.870	---	30.84	54.00	23.16	V	32.10
1600.324	46.16	---	74.00	27.84	V	35.47
1612.678	---	33.96	54.00	20.04	V	35.05
1795.997	49.30	---	74.00	24.70	V	37.68
1797.971	---	37.01	54.00	16.99	V	37.82
1991.384	---	37.57	54.00	16.43	V	38.07
2000.154	50.53	---	74.00	23.47	V	38.19
2646.851	57.97	---	74.00	16.03	V	45.49
2652.673	---	45.79	54.00	8.21	V	45.31




(802.11g _2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
4155.000	43.14	---	74.00	30.86	V	-4.24
4275.000	---	30.63	54.00	23.37	V	-3.39
6900.000	44.27	---	74.00	29.73	V	-0.92
6930.000	---	32.07	54.00	21.93	V	-0.61
9540.000	---	32.74	54.00	21.26	V	2.35
9720.000	44.70	---	74.00	29.30	V	1.97
12660.000	44.96	---	74.00	29.04	V	4.81
12660.000	---	32.87	54.00	21.13	V	4.81
15075.000	48.06	---	74.00	25.94	V	9.81
15270.000	---	36.38	54.00	17.62	V	9.91
16950.000	50.13	---	74.00	23.87	V	12.56
16980.000	---	38.13	54.00	15.87	V	12.81




(802.11g _2462MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
43.5057	15.00	40.00	25.00	H	15.26
72.0843	14.81	40.00	25.19	H	10.55
103.4421	22.40	43.50	21.10	H	14.37
180.0165	18.90	43.50	24.60	H	12.80
317.7011	18.38	46.00	27.62	H	17.61
580.7026	24.46	46.00	21.54	H	23.06




(802.11g _2462MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1099.088	---	32.10	54.00	21.90	H	30.17
1105.142	42.51	---	74.00	31.49	H	30.17
1327.692	42.45	---	74.00	31.55	H	32.12
1335.005	---	30.73	54.00	23.27	H	32.14
1545.041	45.94	---	74.00	28.06	H	34.41
1575.898	---	33.32	54.00	20.68	H	34.75
1795.997	48.99	---	74.00	25.01	H	37.68
1797.971	---	36.92	54.00	17.08	H	37.82
2212.884	50.96	---	74.00	23.04	H	39.97
2247.183	---	39.80	54.00	14.20	H	40.31
2649.760	---	45.75	54.00	8.25	H	45.45
2661.430	---	57.29	74.00	16.71	H	44.87




(802.11g _2462MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
4245.000	43.26	---	74.00	30.74	H	-3.76
4245.000	---	31.29	54.00	22.71	H	-3.76
6735.000	44.35	---	74.00	29.65	H	-1.07
6930.000	---	32.21	54.00	21.79	H	-0.67
9285.000	44.60	---	74.00	29.40	H	2.12
9360.000	---	32.88	54.00	21.12	H	1.84
11925.000	---	33.37	54.00	20.63	H	3.80
12105.000	45.52	---	74.00	28.48	H	3.91
14415.000	47.69	---	74.00	26.31	H	9.30
14430.000	---	36.25	54.00	17.75	H	9.12
16920.000	49.63	---	74.00	24.37	H	11.24
16950.000	---	38.36	54.00	15.64	H	11.21




(802.11g _2462MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.2111	35.31	40.00	4.69	V	13.52
37.2855	28.17	40.00	11.83	V	13.72
71.8320	28.32	40.00	11.68	V	10.69
168.4138	18.39	43.50	25.11	V	12.07
383.9318	22.53	46.00	23.47	V	18.74
729.3583	27.21	46.00	18.79	V	25.36




(802.11g _2462MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1097.881	---	31.19	54.00	22.81	V	30.17
1111.229	42.53	---	74.00	31.47	V	30.24
1297.411	42.70	---	74.00	31.30	V	32.06
1297.411	---	30.73	54.00	23.27	V	32.06
1609.139	46.58	---	74.00	27.42	V	35.22
1609.139	---	34.04	54.00	19.96	V	35.22
1989.197	50.36	---	74.00	23.64	V	38.04
1993.573	---	37.52	54.00	16.48	V	38.11
2297.105	52.24	---	74.00	21.76	V	40.58
2366.263	---	41.69	54.00	12.31	V	42.08
2638.141	58.11	---	74.00	15.89	V	44.96
2652.673	---	45.92	54.00	8.08	V	45.31




(802.11g _2462MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
4275.000	43.41	---	74.00	30.59	V	-3.39
4305.000	---	30.91	54.00	23.09	V	-3.37
6945.000	44.64	---	74.00	29.36	V	-0.45
6960.000	---	32.05	54.00	21.95	V	-0.53
9345.000	44.90	---	74.00	29.10	V	1.75
9465.000	---	33.03	54.00	20.97	V	2.03
12060.000	44.88	---	74.00	29.12	V	4.80
12075.000	---	33.53	54.00	20.47	V	4.62
14385.000	47.65	---	74.00	26.35	V	9.38
14430.000	---	36.27	54.00	17.73	V	9.48
16980.000	---	38.28	54.00	15.72	V	12.81
17040.000	50.25	---	74.00	23.75	V	12.91




(802.11g _2467MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
42.1542	15.73	40.00	24.27	H	15.11
71.3300	18.69	40.00	21.31	H	11.08
104.5361	22.48	43.50	21.02	H	14.22
183.2005	21.61	43.50	21.89	H	12.40
348.0274	18.19	46.00	27.81	H	17.90
580.7026	25.09	46.00	20.91	H	23.06




(802.11g _2467MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1103.928	---	33.26	54.00	20.74	H	30.15
1113.674	43.43	---	74.00	30.57	H	30.26
1388.862	43.41	---	74.00	30.59	H	33.21
1399.584	---	32.24	54.00	21.76	H	33.50
1600.324	46.05	---	74.00	27.95	H	35.47
1609.139	---	33.99	54.00	20.01	H	35.22
1797.971	---	36.81	54.00	17.19	H	37.82
1801.926	49.02	---	74.00	24.98	H	37.82
2210.454	51.86	---	74.00	22.14	H	39.94
2252.126	---	39.59	54.00	14.41	H	40.36
2643.944	57.80	---	74.00	16.20	H	45.31
2646.851	---	45.74	54.00	8.26	H	45.49




(802.11g _2467MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	---	30.83	54.00	23.17	H	-7.09
3975.000	42.32	---	74.00	31.68	H	-5.56
6915.000	43.94	---	74.00	30.06	H	-0.82
6930.000	---	32.30	54.00	21.70	H	-0.67
10485.000	---	33.71	54.00	20.29	H	2.69
10515.000	46.79	---	74.00	27.21	H	2.60
13005.000	45.28	---	74.00	28.72	H	5.95
13050.000	---	33.79	54.00	20.21	H	6.55
15300.000	48.66	---	74.00	25.34	H	9.90
15450.000	---	36.72	54.00	17.28	H	10.91
17535.000	51.27	---	74.00	22.73	H	13.72
17715.000	---	39.36	54.00	14.64	H	14.60




(802.11g _2467MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.1054	35.29	40.00	4.71	V	13.71
37.4165	28.49	40.00	11.51	V	13.78
71.5806	29.05	40.00	10.95	V	10.89
167.8243	21.76	43.50	21.74	V	11.88
422.0577	22.11	46.00	23.89	V	20.03
704.2261	27.50	46.00	-18.50	V	24.90




(802.11g _2467MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1105.142	---	31.31	54.00	22.69	V	30.17
1121.039	43.20	---	74.00	30.80	V	30.28
1401.123	44.56	---	74.00	29.44	V	33.46
1401.123	---	32.11	54.00	21.89	V	33.46
1672.217	46.62	---	74.00	27.38	V	35.00
1675.896	---	34.11	54.00	19.89	V	35.05
1987.013	49.48	---	74.00	24.52	V	38.01
1995.764	---	37.54	54.00	16.46	V	38.14
2314.838	52.40	---	74.00	21.60	V	40.98
2337.840	---	40.98	54.00	13.02	V	41.59
2655.589	58.57	---	74.00	15.43	V	45.17
2658.508	---	45.67	54.00	8.33	V	45.02




(802.11g _2467MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	42.80	---	74.00	31.20	V	-4.48
3495.000	---	30.84	54.00	23.16	V	-4.48
6015.000	44.61	---	74.00	29.39	V	-1.23
6015.000	---	32.17	54.00	21.83	V	-1.23
8715.000	---	32.78	54.00	21.22	V	1.37
8745.000	45.24	---	74.00	28.76	V	1.43
12045.000	45.21	---	74.00	28.79	V	4.86
12090.000	---	33.47	54.00	20.53	V	4.43
14760.000	47.92	---	74.00	26.08	V	8.93
14880.000	---	35.73	54.00	18.27	V	9.13
16995.000	50.74	---	74.00	23.26	V	12.91
16995.000	---	38.16	54.00	15.84	V	12.91




(802.11g _2472MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
39.5757	14.73	40.00	25.27	H	15.06
71.8320	19.08	40.00	20.92	H	10.69
104.1701	25.00	43.50	18.50	H	14.28
183.2005	22.62	43.50	20.88	H	12.40
360.4477	18.46	46.00	27.54	H	18.55
750.1083	26.86	46.00	19.14	H	26.00




(802.11g _2472MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1112.451	---	33.47	54.00	20.53	H	30.25
1117.350	43.22	---	74.00	30.78	H	30.27
1294.564	43.18	---	74.00	30.82	H	32.04
1300.265	---	30.65	54.00	23.35	H	32.07
1534.890	---	33.20	54.00	20.80	H	34.39
1541.650	45.35	---	74.00	28.65	H	34.42
1799.948	---	37.07	54.00	16.93	H	37.96
1864.351	49.37	---	74.00	24.63	H	36.92
2225.073	52.57	---	74.00	21.43	H	40.13
2254.601	---	39.78	54.00	14.22	H	40.38
2643.944	58.10	---	74.00	15.90	H	45.31
2649.760	---	45.70	54.00	8.30	H	45.45




(802.11g _2472MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3480.000	42.85	---	74.00	31.15	H	-6.59
3480.000	---	30.64	54.00	23.36	H	-6.59
6270.000	44.59	---	74.00	29.41	H	-1.67
6450.000	---	32.04	54.00	21.96	H	-1.87
9465.000	46.52	---	74.00	27.48	H	1.77
9465.000	---	33.01	54.00	20.99	H	1.77
12060.000	---	33.28	54.00	20.72	H	4.30
12090.000	45.77	---	74.00	28.23	H	4.05
14415.000	---	36.25	54.00	17.75	H	9.30
14430.000	48.24	---	74.00	25.76	H	9.12
16095.000	50.41	---	74.00	23.59	H	11.16
16335.000	---	37.41	54.00	16.59	H	11.70




(802.11g _2472MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.4238	34.98	40.00	5.02	V	13.14
37.5479	26.92	40.00	13.08	V	13.82
72.0843	27.37	40.00	12.63	V	10.55
97.7983	20.22	43.50	23.28	V	13.51
183.2005	18.93	43.50	24.57	V	12.40
462.3455	20.60	46.00	25.40	V	20.80



(802.11g _2472MHz, Antenna Vertical , 1GHz to 3GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1132.178	---	30.70	54.00	23.30	V	30.45
1139.666	42.27	---	74.00	31.73	V	30.53
1401.123	---	32.05	54.00	21.95	V	33.46
1404.205	45.04	---	74.00	28.96	V	33.34
1588.064	46.83	---	74.00	27.17	V	35.00
1603.844	---	34.11	54.00	19.89	V	35.36
1799.948	---	36.95	54.00	17.05	V	37.96
1819.831	48.93	---	74.00	25.07	V	36.72
2220.189	52.35	---	74.00	21.65	V	40.09
2225.073	---	39.70	54.00	14.30	V	40.13
2635.245	58.19	---	74.00	15.81	V	44.76
2652.673	---	45.76	54.00	8.24	V	45.31



(802.11g _2472MHz, Antenna Vertical, 3GHz to 18GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	---	30.53	54.00	23.47	V	-4.48
3510.000	42.32	---	74.00	31.68	V	-4.71
6030.000	---	32.08	54.00	21.92	V	-1.06
6135.000	44.28	---	74.00	29.72	V	-1.61
8700.000	---	32.70	54.00	21.30	V	1.35
8715.000	45.07	---	74.00	28.93	V	1.37
11685.000	45.22	---	74.00	28.78	V	3.90
11925.000	---	33.16	54.00	20.84	V	4.24
14430.000	48.11	---	74.00	25.89	V	9.48
14430.000	---	36.14	54.00	17.86	V	9.48
16335.000	---	37.27	54.00	16.73	V	11.70
16500.000	49.22	---	74.00	24.78	V	11.09

802.11n-20MHz Test mode




(802.11n_20M_2412MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.4238	14.84	40.00	25.16	H	13.14
72.0843	19.29	40.00	20.71	H	10.55
103.4421	26.91	43.50	16.59	H	14.37
183.8440	24.08	43.50	19.42	H	12.29
357.9287	19.33	46.00	26.67	H	18.42
670.4893	25.92	46.00	20.08	H	24.55




(802.11n_20M_2412MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1105.142	---	32.98	54.00	21.02	H	-1.8
1116.123	43.31	---	74.00	30.69	H	-1.8
1342.358	43.96	---	74.00	30.04	H	1.5
1355.697	---	30.87	54.00	23.13	H	1.5
1609.139	---	34.13	54.00	19.87	H	3.4
1623.344	46.07	---	74.00	27.93	H	3.4
1943.830	49.44	---	74.00	24.56	H	5.9
1987.013	---	37.21	54.00	16.79	H	5.9
2325.033	52.80	---	74.00	21.20	H	12.3
2361.070	---	41.73	54.00	12.27	H	12.3
2592.174	57.58	---	74.00	16.42	H	16.5
2652.673	---	45.97	54.00	8.03	H	16.5




(802.11n_20M_2412MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3855.000	43.06	---	74.00	30.94	H	-4.69
4005.000	---	30.25	54.00	23.75	H	-5.77
7935.000	44.85	---	74.00	29.15	H	1.00
7965.000	---	32.61	54.00	21.39	H	1.16
10500.000	---	33.51	54.00	20.49	H	2.65
10515.000	45.52	---	74.00	28.48	H	2.60
13005.000	45.46	---	74.00	28.54	H	5.95
13020.000	---	33.77	54.00	20.23	H	6.15
14415.000	---	36.11	54.00	17.89	H	9.30
14430.000	48.13	---	74.00	25.87	H	9.12
16320.000	49.57	---	74.00	24.43	H	11.74
16320.000	---	37.29	54.00	16.71	H	11.74




(802.11n_20M_2412MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.1054	35.48	40.00	4.52	V	13.71
36.8953	29.23	40.00	10.77	V	13.54
71.8320	30.14	40.00	9.86	V	10.69
168.4138	23.17	43.50	20.33	V	12.07
397.6334	19.12	46.00	26.88	V	19.43
699.3046	25.48	46.00	20.52	V	24.89




(802.11n_20M_2412MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1094.269	42.93	---	74.00	31.07	V	30.17
1106.357	---	31.03	54.00	22.97	V	30.18
1402.663	---	32.15	54.00	21.85	V	33.40
1404.205	45.04	---	74.00	28.96	V	33.34
1588.064	46.83	---	74.00	27.17	V	35.00
1603.844	---	34.11	54.00	19.89	V	35.36
1795.997	---	36.99	54.00	17.01	V	37.68
1835.896	49.37	---	74.00	24.63	V	37.07
2220.189	52.35	---	74.00	21.65	V	40.09
2225.073	---	39.70	54.00	14.30	V	40.13
2817.898	58.82	---	74.00	15.18	V	44.62
2817.898	---	45.56	54.00	8.44	V	44.62




(802.11n_20M_2412MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	---	30.48	54.00	23.52	V	-4.48
3510.000	43.17	---	74.00	30.83	V	-4.71
5505.000	---	31.54	54.00	22.46	V	-1.77
5520.000	44.62	---	74.00	29.38	V	-1.98
8700.000	---	32.70	54.00	21.30	V	1.35
8940.000	45.74	---	74.00	28.26	V	1.42
11700.000	45.04	---	74.00	28.96	V	4.01
11730.000	---	33.21	54.00	20.79	V	3.95
14430.000	---	36.24	54.00	17.76	V	9.48
14445.000	47.73	---	74.00	26.27	V	9.27
16980.000	---	38.13	54.00	15.87	V	12.81
16995.000	50.21	---	74.00	23.79	V	12.91




(802.11n_20M_2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
39.7147	14.38	40.00	25.62	H	15.27
71.5806	18.03	40.00	21.97	H	10.89
103.8055	25.39	43.50	18.11	H	14.33
183.8440	24.67	43.50	18.83	H	12.29
234.1684	18.95	46.00	27.05	H	14.49
441.7426	21.38	46.00	24.62	H	20.34




(802.11n_20M_2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1099.088	---	33.23	54.00	20.77	H	30.17
1112.451	43.54	---	74.00	30.46	H	30.25
1399.584	---	32.32	54.00	21.68	H	33.50
1410.389	44.06	---	74.00	29.94	H	33.12
1602.083	46.60	---	74.00	27.40	H	35.41
1603.844	---	34.10	54.00	19.90	H	35.36
1799.948	49.40	---	74.00	24.60	H	37.96
1801.926	---	36.93	54.00	17.07	H	37.82
2145.850	50.37	---	74.00	23.63	H	38.87
2181.504	---	38.49	54.00	15.51	H	39.52
2649.760	57.60	---	74.00	16.40	H	45.45
2649.760	---	45.69	54.00	8.31	H	45.45




(802.11n_20M_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3465.000	42.77	---	74.00	31.23	H	-6.14
3510.000	---	30.96	54.00	23.04	H	-7.03
6765.000	---	32.13	54.00	21.87	H	-1.20
6960.000	45.06	---	74.00	28.94	H	-0.61
10485.000	45.52	---	74.00	28.48	H	2.69
10500.000	---	33.73	54.00	20.27	H	2.65
13365.000	46.41	---	74.00	27.59	H	6.50
13365.000	---	33.63	54.00	20.37	H	6.50
15240.000	48.47	---	74.00	25.53	H	9.81
15270.000	---	36.24	54.00	17.76	H	9.91
17715.000	51.26	---	74.00	22.74	H	14.60
17730.000	---	39.22	54.00	14.78	H	14.93




(802.11n_20M_2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	36.40	40.00	3.60	V	13.33
36.8953	29.54	40.00	10.46	V	13.54
72.3376	28.94	40.00	11.06	V	10.48
168.4138	22.43	43.50	21.07	V	12.07
345.5952	19.43	46.00	26.57	V	18.09
701.7610	26.46	46.00	19.54	V	24.90




(802.11n_20M_2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1090.668	42.61	---	74.00	31.39	V	30.17
1100.296	---	31.38	54.00	22.62	V	30.17
1277.609	42.73	---	74.00	31.27	V	31.86
1284.647	---	30.59	54.00	23.41	V	31.92
1605.607	---	34.25	54.00	19.75	V	35.31
1607.372	45.98	---	74.00	28.02	V	35.27
1827.846	---	36.43	54.00	17.57	V	37.00
1862.304	49.13	---	74.00	24.87	V	36.90
2312.296	53.16	---	74.00	20.84	V	40.89
2366.263	---	41.91	54.00	12.09	V	42.08
2643.944	58.53	---	74.00	15.47	V	45.31
2652.673	---	45.84	54.00	8.16	V	45.31




(802.11n_20M_2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	42.13	---	74.00	31.87	V	-4.48
3495.000	---	30.52	54.00	23.48	V	-4.48
6015.000	---	32.06	54.00	21.94	V	-1.23
6180.000	44.20	---	74.00	29.80	V	-1.40
8715.000	---	32.50	54.00	21.50	V	1.37
8745.000	45.73	---	74.00	28.27	V	1.43
12075.000	46.00	---	74.00	28.00	V	4.62
12075.000	---	33.45	54.00	20.55	V	4.62
14415.000	48.53	---	74.00	25.47	V	9.48
14430.000	---	36.04	54.00	17.96	V	9.48
16335.000	49.37	---	74.00	24.63	V	11.70
16335.000	---	37.05	54.00	16.95	V	11.70




(802.11n_20M_2462MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
43.9658	15.74	40.00	24.26	H	15.27
71.5806	19.47	40.00	20.53	H	10.89
103.0800	25.86	43.50	17.64	H	14.43
183.8440	26.64	43.50	16.86	H	12.29
230.0985	19.37	46.00	26.63	H	14.40
530.1014	23.88	46.00	22.12	H	22.20




(802.11n_20M_2462MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1105.142	---	33.34	54.00	20.66	H	30.17
1117.350	43.60	---	74.00	30.40	H	30.27
1367.664	43.61	---	74.00	30.39	H	32.32
1394.979	---	32.17	54.00	21.83	H	33.37
1603.844	---	34.06	54.00	19.94	H	35.36
1609.139	46.54	---	74.00	27.46	H	35.22
1811.851	---	36.60	54.00	17.40	H	37.10
1833.880	48.80	---	74.00	25.20	H	37.13
2229.967	51.77	---	74.00	22.23	H	40.17
2264.531	---	39.82	54.00	14.18	H	40.45
2641.041	---	45.75	54.00	8.25	H	45.14
2652.673	58.05	---	74.00	15.95	H	45.31




(802.11n_20M_2462MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3480.000	42.31	---	74.00	31.69	H	-6.59
3495.000	---	30.61	54.00	23.39	H	-7.09
6930.000	---	31.95	54.00	22.05	H	-0.67
6960.000	44.33	---	74.00	29.67	H	-0.61
9480.000	---	32.88	54.00	21.12	H	1.65
9540.000	45.58	---	74.00	28.42	H	2.11
12420.000	45.98	---	74.00	28.02	H	4.48
12465.000	---	32.72	54.00	21.28	H	4.79
14415.000	---	35.95	54.00	18.05	H	9.30
14535.000	47.87	---	74.00	26.13	H	8.44
16335.000	---	37.25	54.00	16.75	H	11.70
16560.000	49.64	---	74.00	24.36	H	11.31




(802.11n_20M_2462MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.3173	35.89	40.00	4.11	V	13.33
37.5479	29.60	40.00	10.40	V	13.82
72.0843	29.52	40.00	10.48	V	10.55
183.2005	21.00	43.50	22.50	V	12.40
400.4319	20.01	46.00	25.99	V	19.66
704.2261	28.34	46.00	17.66	V	24.90




(802.11n_20M_2462MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1074.021	41.12	---	74.00	32.88	V	30.09
1090.668	---	30.50	54.00	23.50	V	30.17
1259.492	42.22	---	74.00	31.78	V	31.75
1286.059	---	30.42	54.00	23.58	V	31.94
1501.533	44.27	---	74.00	29.73	V	33.81
1524.806	---	32.63	54.00	21.37	V	34.20
1790.088	---	36.00	54.00	18.00	V	37.13
1799.948	48.23	---	74.00	25.77	V	37.96
2203.181	51.70	---	74.00	22.30	V	39.85
2212.884	---	39.16	54.00	14.84	V	39.97
2649.760	57.55	---	74.00	16.45	V	45.45
2655.589	---	45.56	54.00	8.44	V	45.17




(802.11n_20M_2462MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	---	30.46	54.00	23.54	V	-4.48
3510.000	42.10	---	74.00	31.90	V	-4.71
6015.000	---	32.05	54.00	21.95	V	-1.23
6060.000	44.32	---	74.00	29.68	V	-0.93
8790.000	---	32.40	54.00	21.60	V	1.51
8865.000	44.75	---	74.00	29.25	V	1.27
10500.000	46.50	---	74.00	27.50	V	3.45
10500.000	---	33.60	54.00	20.40	V	3.45
13605.000	45.65	---	74.00	28.35	V	6.50
13695.000	---	34.00	54.00	20.00	V	7.11
15960.000	48.30	---	74.00	25.70	V	11.19
16065.000	---	36.62	54.00	17.38	V	11.38




(802.11n_20M_2467MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
40.2757	14.37	40.00	25.63	H	15.43
71.0803	15.14	40.00	24.86	H	11.28
101.6443	21.64	43.50	21.86	H	14.80
180.0165	18.96	43.50	24.54	H	12.80
365.5391	18.43	46.00	27.57	H	17.98
572.6144	24.90	46.00	21.10	H	22.85




(802.11n_20M_2467MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1001.099	---	32.20	54.00	21.80	H	30.18
1008.828	43.45	---	74.00	30.55	H	29.59
1102.716	---	33.74	54.00	20.26	H	30.15
1128.453	43.52	---	74.00	30.48	H	30.36
1355.697	43.36	---	74.00	30.64	H	32.16
1376.709	---	31.04	54.00	22.96	H	32.52
1607.372	46.06	---	74.00	27.94	H	35.27
1607.372	---	33.89	54.00	20.11	H	35.27
1943.830	49.30	---	74.00	24.70	H	37.72
1945.967	---	36.89	54.00	17.11	H	37.75
2652.673	---	45.67	54.00	8.33	H	45.31
2655.589	57.81	---	74.00	16.19	H	45.17




(802.11n_20M_2467MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3480.000	41.67	---	74.00	32.33	H	-6.59
3495.000	---	30.45	54.00	23.55	H	-7.09
6600.000	44.15	---	74.00	29.85	H	-1.03
6630.000	---	32.16	54.00	21.84	H	-0.60
9435.000	---	32.93	54.00	21.07	H	1.98
9480.000	45.00	---	74.00	29.00	H	1.65
13035.000	46.15	---	74.00	27.85	H	6.35
13065.000	---	33.40	54.00	20.60	H	6.59
14430.000	---	36.13	54.00	17.87	H	9.12
14460.000	48.06	---	74.00	25.94	H	8.34
16335.000	---	37.01	54.00	16.99	H	11.70
16350.000	48.85	---	74.00	25.15	H	11.52




(802.11n_20M_2467MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.0000	36.09	40.00	3.91	V	13.90
37.6798	29.07	40.00	10.93	V	13.87
71.8320	29.35	40.00	10.65	V	10.69
169.5990	20.55	43.50	22.95	V	12.39
383.9318	23.19	46.00	22.81	V	18.74
701.7610	28.22	46.00	17.78	V	24.90




(802.11n_20M_2467MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1103.928	---	31.48	54.00	22.52	V	30.15
1127.214	42.35	---	74.00	31.65	V	30.34
1298.838	43.88	---	74.00	30.12	V	32.06
1317.521	---	30.90	54.00	23.10	V	32.08
1605.607	---	34.00	54.00	20.00	V	35.31
1614.451	46.62	---	74.00	27.38	V	34.96
1991.384	---	37.46	54.00	16.54	V	38.07
1995.764	50.27	---	74.00	23.73	V	38.14
2325.033	52.77	---	74.00	21.23	V	41.34
2345.558	---	41.37	54.00	12.63	V	41.74
2652.673	---	45.88	54.00	8.12	V	45.31
2658.508	58.19	---	74.00	15.81	V	45.02




(802.11n_20M_2467MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	41.71	---	74.00	32.29	V	-4.48
3495.000	---	30.50	54.00	23.50	V	-4.48
6525.000	---	32.04	54.00	21.96	V	-0.47
6615.000	44.29	---	74.00	29.71	V	-0.81
8655.000	45.42	---	74.00	28.58	V	1.24
8700.000	---	32.72	54.00	21.28	V	1.35
10980.000	---	32.97	54.00	21.03	V	3.14
11025.000	46.39	---	74.00	27.61	V	3.27
13455.000	45.87	---	74.00	28.13	V	6.52
13665.000	---	34.08	54.00	19.92	V	7.20
16335.000	49.27	---	74.00	24.73	V	11.70
16335.000	---	37.19	54.00	16.81	V	11.70




(802.11n_20M_2472MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
47.3255	15.42	40.00	24.58	H	15.49
70.5836	13.24	40.00	26.76	H	11.65
104.9033	20.90	43.50	22.60	H	14.14
183.2005	21.36	43.50	22.14	H	12.40
325.5958	17.84	46.00	28.16	H	17.51
570.6100	24.09	46.00	21.91	H	22.86




(802.11n_20M_2472MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1099.088	43.64	---	74.00	30.36	H	30.17
1103.928	---	33.17	54.00	20.83	H	30.15
1326.234	43.74	---	74.00	30.26	H	32.11
1343.834	---	30.86	54.00	23.14	H	32.12
1589.810	46.76	---	74.00	27.24	H	35.04
1605.607	---	33.93	54.00	20.07	H	35.31
1797.971	49.85	---	74.00	24.15	H	37.82
1799.948	---	36.91	54.00	17.09	H	37.96
2215.316	51.21	---	74.00	22.79	H	40.01
2244.715	---	39.81	54.00	14.19	H	40.29
2646.851	58.07	---	74.00	15.93	H	45.49
2652.673	---	45.82	54.00	8.18	H	45.31




(802.11n_20M_2472MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3480.000	43.86	---	74.00	30.14	H	-6.59
3495.000	---	30.44	54.00	23.56	H	-7.09
5955.000	44.78	---	74.00	29.22	H	-1.97
6015.000	---	31.88	54.00	22.12	H	-2.62
8700.000	---	32.53	54.00	21.47	H	1.35
8715.000	44.58	---	74.00	29.42	H	1.37
10485.000	45.86	---	74.00	28.14	H	2.69
10500.000	---	33.55	54.00	20.45	H	2.65
14385.000	49.17	---	74.00	24.83	H	9.38
14415.000	---	35.87	54.00	18.13	H	9.30
16755.000	49.93	---	74.00	24.07	H	11.72
16950.000	---	37.66	54.00	16.34	H	11.21




(802.11n_20M_2472MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.2111	34.89	40.00	5.11	V	13.52
37.4165	28.38	40.00	11.62	V	13.78
71.8320	29.78	40.00	10.22	V	10.69
168.4138	22.64	43.50	20.86	V	12.07
348.0274	18.17	46.00	27.83	V	17.90
601.4265	24.11	46.00	21.89	V	23.41



(802.11n_20M_2472MHz, Antenna Vertical , 1GHz to 3GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1002.200	43.43	---	74.00	30.57	V	30.09
1003.301	---	30.89	54.00	23.11	V	30.01
1253.969	42.69	---	74.00	31.31	V	31.66
1260.877	---	30.44	54.00	23.56	V	31.77
1538.266	45.73	---	74.00	28.27	V	34.41
1538.266	---	33.28	54.00	20.72	V	34.41
1797.971	---	37.04	54.00	16.96	V	37.82
1819.831	48.82	---	74.00	25.18	V	36.72
2217.752	51.95	---	74.00	22.05	V	40.05
2252.126	---	39.87	54.00	14.13	V	40.36
2652.673	---	45.73	54.00	8.27	V	45.31
2658.508	58.68	---	74.00	15.32	V	45.02



(802.11n_20M_2472MHz, Antenna Vertical, 3GHz to 18GHz)


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3480.000	41.76	---	74.00	32.24	V	-4.85
3495.000	---	30.79	54.00	23.21	V	-4.48
6015.000	---	32.02	54.00	21.98	V	-1.23
6030.000	43.58	---	74.00	30.42	V	-1.06
8730.000	---	32.55	54.00	21.45	V	1.40
8955.000	44.55	---	74.00	29.45	V	1.49
10995.000	45.20	---	74.00	28.80	V	3.22
11010.000	---	32.96	54.00	21.04	V	3.26
14415.000	---	35.94	54.00	18.06	V	9.48
14430.000	48.47	---	74.00	25.53	V	9.48
16935.000	50.69	---	74.00	23.31	V	12.44
16995.000	---	37.97	54.00	16.03	V	12.91

802.11n-40MHz Test mode




(802.11n_40M_2422MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
51.1209	14.47	40.00	25.53	H	15.83
71.5806	14.17	40.00	25.83	H	10.89
104.9033	22.17	43.50	21.33	H	14.14
183.2005	22.11	43.50	21.39	H	12.40
321.0608	17.79	46.00	28.21	H	17.88
564.6389	24.55	46.00	21.45	H	22.89




(802.11n_40M_2422MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1100.296	---	33.12	54.00	20.88	H	30.17
1101.505	42.94	---	74.00	31.06	H	30.16
1311.744	---	30.94	54.00	23.06	H	32.08
1313.186	42.97	---	74.00	31.03	H	32.08
1584.579	46.92	---	74.00	27.08	H	34.90
1596.812	---	34.05	54.00	19.95	H	35.30
1801.926	---	36.87	54.00	17.13	H	37.82
1848.037	48.78	---	74.00	25.22	H	36.70
2208.027	51.44	---	74.00	22.56	H	39.91
2234.872	---	39.75	54.00	14.25	H	40.23
2649.760	57.68	---	74.00	16.32	H	45.45
2655.589	---	45.78	54.00	8.22	H	45.17




(802.11n_40M_2422MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3855.000	43.48	---	74.00	30.52	H	-4.69
3855.000	---	31.19	54.00	22.81	H	-4.69
7950.000	45.02	---	74.00	28.98	H	1.29
7950.000	---	32.43	54.00	21.57	H	1.29
10485.000	---	33.61	54.00	20.39	H	2.69
10500.000	45.89	---	74.00	28.11	H	2.65
13035.000	45.31	---	74.00	28.69	H	6.35
13350.000	---	33.58	54.00	20.42	H	6.43
14415.000	48.00	---	74.00	26.00	H	9.30
14430.000	---	36.14	54.00	17.86	H	9.12
16995.000	49.92	---	74.00	24.08	H	11.15
17010.000	---	38.00	54.00	16.00	H	11.22




(802.11n_40M_2422MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.1054	35.12	40.00	4.88	V	13.71
36.5092	28.13	40.00	11.87	V	13.33
72.3376	28.95	40.00	11.05	V	10.48
170.1948	18.43	43.50	25.07	V	12.44
344.3855	18.22	46.00	27.78	V	18.19
597.2234	24.93	46.00	21.07	V	23.54




(802.11n_40M_2422MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1099.088	---	31.51	54.00	22.49	V	30.17
1103.928	42.20	---	74.00	31.80	V	30.15
1283.236	43.01	---	74.00	30.99	V	31.91
1300.265	---	30.80	54.00	23.20	V	32.07
1605.607	---	34.07	54.00	19.93	V	35.31
1614.451	46.38	---	74.00	27.62	V	34.96
1987.013	49.51	---	74.00	24.49	V	38.01
1995.764	---	37.71	54.00	16.29	V	38.14
2342.982	53.73	---	74.00	20.27	V	41.69
2379.297	---	41.96	54.00	12.04	V	42.22
2652.673	---	45.85	54.00	8.15	V	45.31
2658.508	58.54	---	74.00	15.46	V	45.02




(802.11n_40M_2422MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	---	30.67	54.00	23.33	V	-4.48
3900.000	42.34	---	74.00	31.66	V	-4.75
6000.000	---	31.95	54.00	22.05	V	-1.40
6015.000	44.77	---	74.00	29.23	V	-1.23
8565.000	44.42	---	74.00	29.58	V	1.22
8700.000	---	32.55	54.00	21.45	V	1.35
10965.000	44.83	---	74.00	29.17	V	3.16
10980.000	---	32.76	54.00	21.24	V	3.14
14415.000	47.83	---	74.00	26.17	V	9.48
14415.000	---	35.77	54.00	18.23	V	9.48
16965.000	---	37.68	54.00	16.32	V	12.69
17100.000	49.76	---	74.00	24.24	V	12.64




(802.11n_40M_2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
48.3318	14.16	40.00	25.84	H	15.53
72.3376	14.81	40.00	25.19	H	10.48
104.1701	21.62	43.50	21.88	H	14.28
183.2005	17.54	43.50	25.96	H	12.40
321.0608	17.07	46.00	28.93	H	17.88
590.9737	23.58	46.00	22.42	H	23.30




(802.11n_40M_2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1099.088	43.40	---	74.00	30.60	H	30.17
1103.928	---	33.55	54.00	20.45	H	30.15
1401.123	---	32.20	54.00	21.80	H	33.46
1407.294	44.70	---	74.00	29.30	H	33.23
1681.428	46.62	---	74.00	27.38	H	35.07
1681.428	---	34.18	54.00	19.82	H	35.07
1937.434	49.61	---	74.00	24.39	H	37.48
1948.106	---	36.91	54.00	17.09	H	37.68
2282.013	52.38	---	74.00	21.62	H	40.54
2292.063	---	39.95	54.00	14.05	H	40.56
2652.673	58.04	---	74.00	15.96	H	45.31
2652.673	---	45.72	54.00	8.28	H	45.31




(802.11n_40M_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol	Corr. (dB/m)
3480.000	44.39	---	74.00	29.61	H	-6.59
3495.000	---	30.59	54.00	23.41	H	-7.09
6525.000	44.34	---	74.00	29.66	H	-1.37
6630.000	---	31.99	54.00	22.01	H	-0.60
9465.000	45.29	---	74.00	28.71	H	1.77
9465.000	---	32.78	54.00	21.22	H	1.77
12075.000	---	33.01	54.00	20.99	H	4.18
12210.000	44.53	---	74.00	29.47	H	4.02
14430.000	---	35.82	54.00	18.18	H	9.12
14520.000	47.46	---	74.00	26.54	H	8.15
16320.000	48.58	---	74.00	25.42	H	11.74
16335.000	---	36.99	54.00	17.01	H	11.70




(802.11n_40M_2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.0000	35.20	40.00	4.80	V	13.90
37.0249	28.16	40.00	11.84	V	13.61
71.3300	28.72	40.00	11.28	V	11.08
167.2368	20.00	43.50	23.50	V	11.68
361.7139	18.11	46.00	27.89	V	18.41
739.6605	27.48	46.00	18.52	V	25.79




(802.11n_40M_2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1077.567	42.13	---	74.00	31.87	V	30.13
1084.693	---	31.33	54.00	22.67	V	30.16
1301.695	44.19	---	74.00	29.81	V	32.07
1301.695	---	30.89	54.00	23.11	V	32.07
1605.607	---	34.07	54.00	19.93	V	35.31
1609.139	47.01	---	74.00	26.99	V	35.22
1905.769	50.42	---	74.00	23.58	V	37.21
1907.863	---	36.59	54.00	17.41	V	37.20
2314.838	53.22	---	74.00	20.78	V	40.98
2337.840	---	41.15	54.00	12.85	V	41.59
2652.673	---	45.94	54.00	8.06	V	45.31
2658.508	58.54	---	74.00	15.46	V	45.02




(802.11n_40M_2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	---	30.64	54.00	23.36	V	-4.48
3510.000	42.85	---	74.00	31.15	V	-4.71
5505.000	44.05	---	74.00	29.95	V	-1.77
5520.000	---	31.23	54.00	22.77	V	-1.98
8655.000	44.85	---	74.00	29.15	V	1.24
8700.000	---	32.41	54.00	21.59	V	1.35
12090.000	45.36	---	74.00	28.64	V	4.43
12090.000	---	33.01	54.00	20.99	V	4.43
14415.000	---	35.69	54.00	18.31	V	9.48
14550.000	47.29	---	74.00	26.71	V	9.22
16995.000	---	37.84	54.00	16.16	V	12.91
17040.000	48.85	---	74.00	25.15	V	12.91




(802.11n_40M_2452MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
42.7496	15.53	40.00	24.47	H	15.20
70.8315	15.13	40.00	24.87	H	11.46
104.1701	21.38	43.50	22.12	H	14.28
180.0165	16.39	43.50	27.11	H	12.80
322.1886	18.07	46.00	27.93	H	17.81
607.7867	24.31	46.00	21.69	H	23.54




(802.11n_40M_2452MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1110.009	---	31.46	54.00	22.54	H	30.21
1117.350	42.25	---	74.00	31.75	H	30.27
1396.513	44.02	---	74.00	29.98	H	33.42
1398.048	---	32.11	54.00	21.89	H	33.46
1686.979	46.38	---	74.00	27.62	H	35.10
1716.895	---	34.02	54.00	19.98	H	35.30
1993.573	---	37.44	54.00	16.56	H	38.11
2022.249	49.91	---	74.00	24.09	H	37.32
2361.070	53.32	---	74.00	20.68	H	42.00
2371.468	---	41.94	54.00	12.06	H	42.15
2646.851	57.30	---	74.00	16.70	H	45.49
2652.673	---	45.65	54.00	8.35	H	45.31




(802.11n_40M_2452MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3495.000	42.95	---	74.00	31.05	H	-7.09
3495.000	---	30.95	54.00	23.05	H	-7.09
6000.000	---	31.80	54.00	22.20	H	-2.90
6075.000	44.08	---	74.00	29.92	H	-2.08
9150.000	44.41	---	74.00	29.59	H	1.51
9330.000	---	32.63	54.00	21.37	H	1.65
12090.000	---	33.18	54.00	20.82	H	4.05
12135.000	45.32	---	74.00	28.68	H	3.91
14430.000	47.39	---	74.00	26.61	H	9.12
14430.000	---	35.80	54.00	18.20	H	9.12
17520.000	50.96	---	74.00	23.04	H	13.97
17535.000	---	38.62	54.00	15.38	H	13.72




(802.11n_40M_2452MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
30.0000	35.60	40.00	4.40	V	13.90
37.1550	27.44	40.00	12.56	V	13.66
72.0843	29.89	40.00	10.11	V	10.55
183.2005	18.31	43.50	25.19	V	12.40
386.6338	19.70	46.00	26.30	V	18.43
766.0572	26.62	46.00	19.38	V	26.21



(802.11n_40M_2452MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
1099.088	42.19	---	74.00	31.81	V	30.17
1100.296	---	31.38	54.00	22.62	V	30.17
1267.822	43.17	---	74.00	30.83	V	31.84
1274.805	---	30.57	54.00	23.43	V	31.87
1499.884	45.17	---	74.00	28.83	V	33.77
1519.789	---	32.98	54.00	21.02	V	34.07
1790.088	48.79	---	74.00	25.21	V	37.13
1801.926	---	36.94	54.00	17.06	V	37.82
2143.493	50.94	---	74.00	23.06	V	38.88
2188.706	---	38.76	54.00	15.24	V	39.68
2655.589	---	45.73	54.00	8.27	V	45.17
2696.749	57.62	---	74.00	16.38	V	44.32



(802.11n_40M_2452MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Pol	Corr. (dB/m)
3510.000	---	29.95	54.00	24.05	V	-4.71
3735.000	41.70	---	74.00	32.30	V	-5.17
6930.000	---	31.98	54.00	22.02	V	-0.61
6990.000	43.69	---	74.00	30.31	V	-0.71
9465.000	44.52	---	74.00	29.48	V	2.03
9465.000	---	32.88	54.00	21.12	V	2.03
12090.000	---	33.09	54.00	20.91	V	4.43
12120.000	44.72	---	74.00	29.28	V	4.17
14430.000	---	35.74	54.00	18.26	V	9.48
14550.000	46.86	---	74.00	27.14	V	9.22
17010.000	---	37.85	54.00	16.15	V	12.93
17040.000	49.48	---	74.00	24.52	V	12.91



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Peak Output Power	$\pm 2.22\text{dB}$
Power spectral density (PSD)	$\pm 2.22\text{dB}$
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	$\pm 2.77\text{ dB}$
Restricted Frequency Bands	$\pm 5\%$
Radiated Emission	$\pm 3.1\text{dB}$
Conducted Emission	$\pm 1.8\text{dB}$

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Kehu-Morlab Test Laboratory
Laboratory Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) P.R. China
Telephone:	+86 592 5612050
Facsimile:	+86 592 5612095

2. Identification of the Responsible Testing Location

Name:	Kehu-Morlab Test Laboratory
Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) P.R. China

3. Accreditation Certificate

Accredited Testing Laboratory:	The FCC designation number is CN1249. (Kehu-Morlab Test Laboratory)
---------------------------------------	--

4. Test Equipments Utilized

4.1 Conducted Test Equipments

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Date	Cal.Due Date
1	MXA Signal Analyzer	MY53421845	N9020A	Keysight	2020.01.04	2021.01.03
2	RF cable (30MHz-26.5GHz)	RF01	N/A	Morlab	2020.01.04	2021.01.03
3	Coaxial cable	RF02	N/A	Morlab	2020.01.04	2021.01.03
4	SMA connector	RF03	N/A	Xingbo	2020.01.04	2021.01.03
5	USB Power Sensor	MY56410006	U2021XA	Keysight	2020.01.02	2021.01.01

Software Version: MW 2.0.0.0

4.2 Conducted Emission Test Equipments

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Date	Cal.Due Date
1	EMI Receiver	102174	ESR3	ESR3	2019.01.08	2020.01.07
2	LISN	101338	ENV432	ENV432	2019.01.14	2020.01.13
3	Pulse Limiter (10dB)	317	VTSD 9561 F	VTSD 9561 F	2019.01.14	2020.01.13



4	Coaxial cable(BNC) (30MHz-3GHz)	EMC01	N/A	Morlab	2019.01.14	2020.01.13
---	------------------------------------	-------	-----	--------	------------	------------

4.4 List of Software Used

No.	Model	Version Number	Producer	Test Item
1	EMC32	V10.00.00	Rode&Schwarz	RE
2	EMC32	V10.20.01	Rode&Schwarz	CE

4.5 Radiated Test Equipments

RSE Test System						
No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal. Date	Cal.Due Date
1	Anechoic Chamber	N/A	9m*6m*6m	ETS-Lindgren	2017.07.21	2020.07.20
2	Signal Analyzer	101294	FSV40	R&S	2019.01.04	2020.01.03
3	Active Ring Antenna	FMZB 1513 #269	FMZB 1513	Schwarzbeck	2019.01.12	2020.01.11
4	Linear Log Periodic Broad Band Antenna	949	VULB 9163	Schwarzbeck	2018.09.25	2020.09.24
5	Ultra-Wideband Horn Antenna	102615	HF907	R&S	2019.01.19	2020.01.18
6	Steatite Antennas	17868	QSH-SL-1 8-26-S-20	Seibersdorf	2019.01.12	2020.01.11
7	RF Switch and Control Platform	N/A	RSC	CDSI	N/A	N/A
8	Coaxial cable (N male) (9kHz -3GHz)	EMC02	N/A	Morlab	2019.01.04	2020.01.03
9	Coaxial cable (N male) (9kHz -3GHz)	EMC03	N/A	Morlab	2019.01.04	2020.01.03
10	Coaxial cable (N male) (1GHz-26.5GHz)	EMC04	N/A	Morlab	2019.01.04	2020.01.03
11	Coaxial cable (N male) (1GHz-26.5GHz)	EMC05	N/A	Morlab	2019.01.04	2020.01.03



REPORT No. : XM19070036W03

12	Pre-amplifier (1GHz-18GHz)	8810011	PAP-1G18	CDSI	2019.01.04	2020.01.03
13	Pre-amplifier (18GHz-40GHz)	17021-17024	PAP-1840	CDSI	2019.01.29	2020.01.28
14	Band stop Filter	EMC19	BJF2400/2 485-60	CDSI	2019.01.04	2020.01.03
15	High Pass Filter	EMC22	HFP-3.0/1 8G-60	CDSI	2019.01.04	2020.01.03

_____ END OF REPORT _____