



Test mode:	802.11g 2462MHz	Test channel:	Highest
------------	-----------------	---------------	---------

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2462.000	61.03	26.44	87.47	74.00	13.47	peak
2	2462.000	48.12	26.44	74.56	54.00	20.56	AVG
3	2483.500	41.91	26.47	68.38	74.00	-5.62	peak
4	2483.500	12.18	26.47	38.65	54.00	-15.35	AVG


Vertical



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2462.000	61.03	26.44	87.47	74.00	13.47	peak
2	2462.000	47.91	26.44	74.35	54.00	20.35	AVG
3	2483.500	40.77	26.47	67.24	74.00	-6.76	peak
4	2483.500	10.85	26.47	37.32	54.00	-16.68	AVG


Test mode:	802.11n(HT20) 2412MHz	Test channel:	Lowest
------------	-----------------------	---------------	--------

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	31.79	26.32	58.11	74.00	-15.89	peak
2	2390.000	18.20	26.32	44.52	54.00	-9.48	AVG
3	2412.000	61.11	26.36	87.47	74.00	13.47	peak
4	2412.000	48.68	26.36	75.04	54.00	21.04	AVG


Vertical



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2390.000	34.33	26.32	60.65	74.00	-13.35	peak
2	2390.000	10.66	26.32	36.98	54.00	-17.02	AVG
3	2412.000	61.11	26.36	87.47	74.00	13.47	peak
4	2412.000	48.20	26.36	74.56	54.00	20.56	AVG


Test mode:	802.11n(HT20 2462MHz)	Test channel:	Highest
------------	-----------------------	---------------	---------

Horizontal



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2462.000	61.00	26.44	87.44	74.00	13.44	peak
2	2462.000	47.25	26.44	73.69	54.00	19.69	AVG
3	2483.500	44.33	26.47	70.80	74.00	-3.20	peak
4	2483.500	11.42	26.47	37.89	54.00	-16.11	AVG

Vertical




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	2462.000	61.00	26.44	87.44	74.00	13.44	peak
2	2462.000	49.25	26.44	75.69	54.00	21.69	AVG
3	2483.500	42.75	26.47	69.22	74.00	-4.78	peak
4	2483.500	10.12	26.47	36.59	54.00	-17.41	AVG

Remarks:

1. Only the worst case Main Antenna test data.
2. The pre-test were performed on lowest, middle and highest frequencies, only the worst case's (lowest and highest frequencies) data was showed.
3. Final Level = Receiver Read level + Antenna Factor
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

7.7 Spurious Emission

7.7.1 Conducted Emission Method



Test Requirement:	FCC Part15 C Section 15.247 (d)
Test Method:	KDB558074 D01 15.247 Meas Guidance v05r02
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test setup:	 <p>The diagram illustrates the test setup. A Spectrum Analyzer is connected to an E.U.T. (Equipment Under Test) via a red cable. Both are placed on a Non-Conducted Table, which sits on a Ground Reference Plane.</p>
Test Instruments:	Refer to section 6.0 for details
Test mode:	Refer to section 5.2 for details
Test results:	Pass

Test plot as follows:

802.11b

802.11g



Lowest channel



30MHz~25GHz
Middle channel



30MHz~25GHz
Highest channel




30MHz~25GHz

802.11n(HT20)


Lowest channel



30MHz~25GHz Middle channel






30MHz~25GHz Highest channel



30MHz~25GHz

7.7.2 Radiated Emission Method

Test Requirement:	FCC Part15 C Section 15.209				
Test Method:	ANSI C63.10: 2013				
Test Frequency Range:	9kHz to 25GHz				
Test site:	Measurement Distance: 3m				
Receiver setup:	Frequency	Detector	RBW	VBW	Value
	9KHz-150KHz	Quasi-peak	200Hz	600Hz	Quasi-peak
	150KHz-30MHz	Quasi-peak	9KHz	30KHz	Quasi-peak
	30MHz-1GHz	Quasi-peak	120KHz	300KHz	Quasi-peak
	Above 1GHz	Peak	1MHz	3MHz	Peak
Peak		1MHz	10Hz	Average	
Limit:	Frequency	Limit (uV/m)	Value	Measurement Distance	
	0.009MHz-0.490MHz	2400/F(KHz)	QP	300m	
	0.490MHz-1.705MHz	24000/F(KHz)	QP	300m	
	1.705MHz-30MHz	30	QP	30m	
	30MHz-88MHz	100	QP	3m	
	88MHz-216MHz	150	QP		
	216MHz-960MHz	200	QP		
	960MHz-1GHz	500	QP		
	Above 1GHz	500	Average		
5000		Peak			
Test setup:	For radiated emissions from 9kHz to 30MHz				
					
Test setup:	For radiated emissions from 30MHz to 1GHz				
					

	<p>For radiated emissions above 1GHz</p> 						
<p>Test Procedure:</p>	<ol style="list-style-type: none"> 1. The EUT was placed on the top of a rotating table (0.8m for below 1G and 1.5m for above 1G) above the ground at a 3 meter camber. The table was rotated 360 degrees to determine the position of the highest radiation. 2. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. 3. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. 4. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rota table was turned from 0 degrees to 360 degrees to find the maximum reading. 5. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. 6. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet. 						
<p>Test Instruments:</p>	<p>Refer to section 6.0 for details</p>						
<p>Test mode:</p>	<p>Refer to section 5.2 for details</p>						
<p>Test voltage:</p>	<p>AC120V 60Hz</p>						
<p>Test environment:</p>	<table border="1"> <tr> <td>Temp.:</td> <td>26.3 °C</td> <td>Humid.:</td> <td>46%</td> <td>Press.:</td> <td>1010mbar</td> </tr> </table>	Temp.:	26.3 °C	Humid.:	46%	Press.:	1010mbar
Temp.:	26.3 °C	Humid.:	46%	Press.:	1010mbar		
<p>Test voltage:</p>	<p>5Vdc 1A</p>						
<p>Test results:</p>	<p>Pass</p>						

Remarks:

1. Only the worst case Main Antenna test data.
2. Pre-scan all kind of the place mode (X-axis, Y-axis, Z-axis), and found the Y-axis which it is worse case.

Measurement data:

■ **9kHz~30MHz**


The emission from 9 kHz to 30MHz was pre-tested and found the result was 20dB lower than the limit, and according to 15.31(o) & RSS-Gen 6.13, the test result no need to reported.

■ **Above 18GHz**

The emission from Above 18GHz was pre-tested and found the result was 20dB lower than the limit, the test result no need to reported.


Below 1GHz

Ant. Pol.	Horizontal
Test Mode:	802.11b 2412MHz
Remark:	Only worse case is reported



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	92.3462	39.50	-10.66	28.84	43.50	-14.66	QP
2	134.9645	39.58	-6.06	33.52	43.50	-9.98	QP
3	159.7586	41.62	-7.38	34.24	43.50	-9.26	QP
4	200.0432	33.57	-1.75	31.82	43.50	-11.68	QP
5	284.2606	47.90	-5.11	42.79	46.00	-3.21	QP
6	324.8645	47.92	-4.30	43.62	46.00	-2.38	QP

Ant. Pol.	Vertical
Test Mode:	802.11b 2412MHz
Remark:	Only worse case is reported




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	36.7811	39.49	-2.86	36.63	40.00	-3.37	QP
2	40.2995	38.55	-4.05	34.50	40.00	-5.50	QP
3	91.0574	42.70	-11.16	31.54	43.50	-11.96	QP
4	136.8747	40.34	-6.12	34.22	43.50	-9.28	QP
5	286.2653	43.62	-4.76	38.86	46.00	-7.14	QP
6	329.4625	46.90	-4.25	42.65	46.00	-3.35	QP

Above 1GHz


Test mode:	802.11b 2412MHz	Test channel:	Lowest
------------	-----------------	---------------	--------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	33.74	23.64	57.38	74.00	-16.62	peak
2	1047.429	12.01	23.64	35.65	54.00	-18.35	AVG
3	1109.891	28.29	23.83	52.12	74.00	-21.88	peak
4	1109.891	12.62	23.83	36.45	54.00	-17.55	AVG
5	1196.693	28.81	24.09	52.90	74.00	-21.10	peak
6	1196.693	10.13	24.09	34.22	54.00	-19.78	AVG
7	2412.000	65.61	26.36	91.97	74.00	17.97	peak
8	2412.000	47.09	26.36	73.45	54.00	19.45	AVG
9	3203.545	18.50	27.77	46.27	74.00	-27.73	peak
10	3203.545	5.53	27.77	33.30	54.00	-20.70	AVG
11	7002.185	13.97	35.80	49.77	74.00	-24.23	peak
12	7002.185	-1.24	35.80	34.56	54.00	-19.44	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	33.38	23.64	57.02	74.00	-16.98	peak
2	1047.429	11.92	23.64	35.56	54.00	-18.44	AVG
3	1674.504	27.89	24.72	52.61	74.00	-21.39	peak
4	1674.504	11.87	24.72	36.59	54.00	-17.41	AVG
5	2412.000	61.24	26.36	87.60	74.00	13.60	peak
6	2412.000	47.09	26.36	73.45	54.00	19.45	AVG
7	3240.873	18.46	27.83	46.29	74.00	-27.71	peak
8	3240.873	5.42	27.83	33.25	54.00	-20.75	AVG
9	4133.483	17.14	29.03	46.17	74.00	-27.83	peak
10	4133.483	4.86	29.03	33.89	54.00	-20.11	AVG
11	7002.185	14.38	35.80	50.18	74.00	-23.82	peak
12	7002.185	0.62	35.80	36.42	54.00	-17.58	AVG


Test mode:	802.11b 2437MHz	Test channel:	Middle
------------	-----------------	---------------	--------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	33.13	23.64	56.77	74.00	-17.23	peak
2	1047.429	11.62	23.64	35.26	54.00	-18.74	AVG
3	1109.891	30.21	23.83	54.04	74.00	-19.96	peak
4	1109.891	10.38	23.83	34.21	54.00	-19.79	AVG
5	1189.782	30.74	24.07	54.81	74.00	-19.19	peak
6	1189.782	9.05	24.07	33.12	54.00	-20.88	AVG
7	2437.000	61.08	26.40	87.48	74.00	13.48	peak
8	2437.000	45.81	26.40	72.21	54.00	18.21	AVG
9	7002.185	14.37	35.80	50.17	74.00	-23.83	peak
10	7002.185	0.41	35.80	36.21	54.00	-17.79	AVG
11	8331.072	9.99	36.73	46.72	74.00	-27.28	peak
12	8331.072	-3.48	36.73	33.25	54.00	-20.75	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	30.16	23.64	53.80	74.00	-20.20	peak
2	1047.429	11.59	23.64	35.23	54.00	-18.77	AVG
3	1182.910	23.68	24.05	47.73	74.00	-26.27	peak
4	1182.910	9.16	24.05	33.21	54.00	-20.79	AVG
5	1508.710	22.36	24.41	46.77	74.00	-27.23	peak
6	1508.710	9.15	24.41	33.56	54.00	-20.44	AVG
7	1913.130	22.33	25.44	47.77	74.00	-26.23	peak
8	1913.130	7.07	25.44	32.51	54.00	-21.49	AVG
9	2437.000	61.57	26.40	87.97	74.00	13.97	peak
10	2437.000	47.05	26.40	73.45	54.00	19.45	AVG
11	7002.185	14.34	35.80	50.14	74.00	-23.86	peak
12	7002.185	0.79	35.80	36.59	54.00	-17.41	AVG


Test mode:	802.11b 2462MHz	Test channel:	Highest
------------	-----------------	---------------	---------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1189.782	27.64	24.07	51.71	74.00	-22.29	peak
2	1189.782	9.49	24.07	33.56	54.00	-20.44	AVG
3	1517.475	22.65	24.42	47.07	74.00	-26.93	peak
4	1517.475	9.79	24.42	34.21	54.00	-19.79	AVG
5	2462.000	61.14	26.44	87.58	74.00	13.58	peak
6	2462.000	47.77	26.44	74.21	54.00	20.21	AVG
7	4917.942	16.83	30.32	47.15	74.00	-26.85	peak
8	4917.942	6.13	30.32	36.45	54.00	-17.55	AVG
9	7002.185	14.10	35.80	49.90	74.00	-24.10	peak
10	7002.185	-2.59	35.80	33.21	54.00	-20.79	AVG
11	8282.955	10.43	36.73	47.16	74.00	-26.84	peak
12	8282.955	-1.04	36.73	35.69	54.00	-18.31	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1023.440	46.95	1.76	48.71	74.00	-25.29	peak
2	1023.440	33.45	1.76	35.21	54.00	-18.79	AVG
3	1196.693	24.19	24.09	48.28	74.00	-25.72	peak
4	1196.693	9.60	24.09	33.69	54.00	-20.31	AVG
5	1359.332	23.27	24.26	47.53	74.00	-26.47	peak
6	1359.332	11.99	24.26	36.25	54.00	-17.75	AVG
7	2074.735	21.53	25.82	47.35	74.00	-26.65	peak
8	2074.735	7.37	25.82	33.19	54.00	-20.81	AVG
9	2462.000	61.03	26.44	87.47	74.00	13.47	peak
10	2462.000	44.82	26.44	71.26	54.00	17.26	AVG
11	7002.185	13.21	35.80	49.01	74.00	-24.99	peak
12	7002.185	-2.35	35.80	33.45	54.00	-20.55	AVG


Test mode:	802.11g 2412MHz	Test channel:	lowest
------------	-----------------	---------------	--------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1109.891	31.01	23.83	54.84	74.00	-19.16	peak
2	1109.891	9.43	23.83	33.26	54.00	-20.74	AVG
3	1182.910	29.00	24.05	53.05	74.00	-20.95	peak
4	1182.910	11.64	24.05	35.69	54.00	-18.31	AVG
5	2412.000	61.30	26.36	87.66	74.00	13.66	peak
6	2412.000	46.85	26.36	73.21	54.00	19.21	AVG
7	3058.484	18.00	27.51	45.51	74.00	-28.49	peak
8	3058.484	6.70	27.51	34.21	54.00	-19.79	AVG
9	7002.185	13.84	35.80	49.64	74.00	-24.36	peak
10	7002.185	0.72	35.80	36.52	54.00	-17.48	AVG
11	8282.955	9.79	36.73	46.52	74.00	-27.48	peak
12	8282.955	-2.48	36.73	34.25	54.00	-19.75	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	32.42	23.64	56.06	74.00	-17.94	peak
2	1047.429	10.67	23.64	34.31	54.00	-19.69	AVG
3	1109.891	27.48	23.83	51.31	74.00	-22.69	peak
4	1109.891	9.73	23.83	33.56	54.00	-20.44	AVG
5	1805.464	21.73	25.12	46.85	74.00	-27.15	peak
6	1805.464	9.09	25.12	34.21	54.00	-19.79	AVG
7	2412.000	68.73	26.36	95.09	74.00	21.09	peak
8	2412.000	44.89	26.36	71.25	54.00	17.25	AVG
9	7002.185	14.49	35.80	50.29	74.00	-23.71	peak
10	7002.185	-3.45	35.80	32.35	54.00	-21.65	AVG
11	10382.281	6.48	39.47	45.95	74.00	-28.05	peak
12	10382.281	-6.02	39.47	33.45	54.00	-20.55	AVG


Test mode:	802.11g 2437MHz	Test channel:	Middle
------------	-----------------	---------------	--------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	28.09	23.64	51.73	74.00	-22.27	peak
2	1047.429	10.92	23.64	34.56	54.00	-19.44	AVG
3	1109.891	31.15	23.83	54.98	74.00	-19.02	peak
4	1109.891	9.38	23.83	33.21	54.00	-20.79	AVG
5	1182.910	32.72	24.05	56.77	74.00	-17.23	peak
6	1182.910	10.01	24.05	34.06	54.00	-19.94	AVG
7	1858.517	22.52	25.28	47.80	74.00	-26.20	peak
8	1858.517	7.84	25.28	33.12	54.00	-20.88	AVG
9	2437.000	61.30	26.40	87.70	74.00	13.70	peak
10	2437.000	44.85	26.40	71.25	54.00	17.25	AVG
11	7002.185	13.97	35.80	49.77	74.00	-24.23	peak
12	7002.185	-2.35	35.80	33.45	54.00	-20.55	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1035.365	47.39	1.95	49.34	74.00	-24.66	peak
2	1035.365	33.31	1.95	35.26	54.00	-18.74	AVG
3	1196.693	31.34	24.09	55.43	74.00	-18.57	peak
4	1196.693	10.12	24.09	34.21	54.00	-19.79	AVG
5	2437.000	64.57	26.40	90.97	74.00	16.97	peak
6	2437.000	44.66	26.40	71.06	54.00	17.06	AVG
7	3355.486	17.30	28.04	45.34	74.00	-28.66	peak
8	3355.486	7.19	28.04	35.23	54.00	-18.77	AVG
9	7002.185	14.04	35.80	49.84	74.00	-24.16	peak
10	7002.185	-2.54	35.80	33.26	54.00	-20.74	AVG
11	8930.747	9.02	36.79	45.81	74.00	-28.19	peak
12	8930.747	-2.22	36.79	34.57	54.00	-19.43	AVG


Test mode:	802.11g 2462MHz	Test channel:	Highest
------------	-----------------	---------------	---------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	32.39	23.64	56.03	74.00	-17.97	peak
2	1047.429	12.57	23.64	36.21	54.00	-17.79	AVG
3	1109.891	29.70	23.83	53.53	74.00	-20.47	peak
4	1109.891	9.42	23.83	33.25	54.00	-20.75	AVG
5	1196.693	29.01	24.09	53.10	74.00	-20.90	peak
6	1196.693	10.03	24.09	34.12	54.00	-19.88	AVG
7	2462.000	64.66	26.44	91.10	74.00	17.10	peak
8	2462.000	44.80	26.44	71.24	54.00	17.24	AVG
9	7002.185	14.32	35.80	50.12	74.00	-23.88	peak
10	7002.185	0.76	35.80	36.56	54.00	-17.44	AVG
11	9573.587	8.15	38.18	46.33	74.00	-27.67	peak
12	9573.587	-3.97	38.18	34.21	54.00	-19.79	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	30.84	23.64	54.48	74.00	-19.52	peak
2	1047.429	10.67	23.64	34.31	54.00	-19.69	AVG
3	1109.891	27.29	23.83	51.12	74.00	-22.88	peak
4	1109.891	9.29	23.83	33.12	54.00	-20.88	AVG
5	1626.703	22.80	24.58	47.38	74.00	-26.62	peak
6	1626.703	9.67	24.58	34.25	54.00	-19.75	AVG
7	2462.000	62.13	26.44	88.57	74.00	14.57	peak
8	2462.000	45.69	26.44	72.13	54.00	18.13	AVG
9	7002.185	14.46	35.80	50.26	74.00	-23.74	peak
10	7002.185	-1.19	35.80	34.61	54.00	-19.39	AVG
11	8331.072	9.87	36.73	46.60	74.00	-27.40	peak
12	8331.072	-2.22	36.73	34.51	54.00	-19.49	AVG


Test mode:	802.11n(HT20) 2412MHz	Test channel:	Lowest
------------	-----------------------	---------------	--------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1189.782	32.02	24.07	56.09	74.00	-17.91	peak
2	1189.782	8.08	24.07	32.15	54.00	-21.85	AVG
3	1674.504	24.41	24.72	49.13	74.00	-24.87	peak
4	1674.504	8.87	24.72	33.59	54.00	-20.41	AVG
5	1837.111	22.46	25.21	47.67	74.00	-26.33	peak
6	1837.111	9.35	25.21	34.56	54.00	-19.44	AVG
7	2412.000	64.72	26.36	91.08	74.00	17.08	peak
8	2412.000	45.10	26.36	71.46	54.00	17.46	AVG
9	7002.185	14.17	35.80	49.97	74.00	-24.03	peak
10	7002.185	0.71	35.80	36.51	54.00	-17.49	AVG
11	8379.468	9.73	36.74	46.47	74.00	-27.53	peak
12	8379.468	-1.10	36.74	35.64	54.00	-18.36	AVG


Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	28.79	23.64	52.43	74.00	-21.57	peak
2	1047.429	11.57	23.64	35.21	54.00	-18.79	AVG
3	1196.693	25.24	24.09	49.33	74.00	-24.67	peak
4	1196.693	9.17	24.09	33.26	54.00	-20.74	AVG
5	2412.000	61.24	26.36	87.60	74.00	13.60	peak
6	2412.000	45.75	26.36	72.11	54.00	18.11	AVG
7	4668.133	16.07	29.77	45.84	74.00	-28.16	peak
8	4668.133	4.49	29.77	34.26	54.00	-19.74	AVG
9	7002.185	14.12	35.80	49.92	74.00	-24.08	peak
10	7002.185	-2.12	35.80	33.68	54.00	-20.32	AVG
11	8282.955	9.99	36.73	46.72	74.00	-27.28	peak
12	8282.955	-3.21	36.73	33.52	54.00	-20.48	AVG


Test mode:	802.11n(HT20 2437MHz)	Test channel:	Middle
------------	-----------------------	---------------	--------

Horizontal:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	34.79	23.64	58.43	74.00	-15.57	peak
2	1047.429	10.68	23.64	34.32	54.00	-19.68	AVG
3	1109.891	31.09	23.83	54.92	74.00	-19.08	peak
4	1109.891	10.38	23.83	34.21	54.00	-19.79	AVG
5	1196.693	27.68	24.09	51.77	74.00	-22.23	peak
6	1196.693	11.60	24.09	35.69	54.00	-18.31	AVG
7	1753.924	29.96	24.96	54.92	74.00	-19.08	peak
8	1753.924	8.33	24.96	33.29	54.00	-20.71	AVG
9	2437.000	61.20	26.40	87.60	74.00	13.60	peak
10	2437.000	45.75	26.40	72.15	54.00	18.15	AVG
11	7002.185	14.55	35.80	50.35	74.00	-23.65	peak
12	7002.185	-1.54	35.80	34.26	54.00	-19.74	AVG

Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1047.429	26.68	23.64	50.32	74.00	-23.68	peak
2	1047.429	9.92	23.64	33.56	54.00	-20.44	AVG
3	1743.794	31.24	24.93	56.17	74.00	-17.83	peak
4	1743.795	9.32	24.93	34.25	54.00	-19.75	AVG
5	2437.000	61.20	26.40	87.60	74.00	13.60	peak
6	2437.000	45.05	26.40	71.45	54.00	17.45	AVG
7	4534.876	15.88	29.48	45.36	74.00	-28.64	peak
8	4534.876	4.78	29.48	34.26	54.00	-19.74	AVG
9	7002.185	14.56	35.80	50.36	74.00	-23.64	peak
10	7002.185	-2.31	35.80	33.49	54.00	-20.51	AVG
11	8282.955	9.47	36.73	46.20	74.00	-27.80	peak
12	8282.955	-1.24	36.73	35.49	54.00	-18.51	AVG