


Report No.: GTSL2023050532F01

Test mode: 802.11n(HT20 2462MHz Test channel: Highest

### Horizontal:




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1109.891	29.60	23.83	53.43	74.00	-20.57	peak
2	1109.891	10.73	23.83	34.56	54.00	-19.44	AVG
3	1203.645	33.08	24.10	57.18	74.00	-16.82	peak
4	1203.645	9.57	24.10	33.67	54.00	-20.33	AVG
5	2462.000	61.16	26.44	87.60	74.00	13.60	peak
6	2462.000	44.60	26.44	71.04	54.00	17.04	AVG
7	4157.495	17.15	29.06	46.21	74.00	-27.79	peak
8	4157.495	4.79	29.06	33.85	54.00	-20.15	AVG
9	7002.185	14.40	35.80	50.20	74.00	-23.80	peak
10	7002.185	-2.06	35.80	33.74	54.00	-20.26	AVG
11	12281.304	5.11	40.25	45.36	74.00	-28.64	peak
12	12281.304	-6.04	40.25	34.21	54.00	-19.79	AVG



Report No.: GTSL2023050532F01

#### Vertical:



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	1017.529	46.85	1.67	48.52	74.00	-25.48	peak
2	1017.529	31.53	1.67	33.20	54.00	-20.80	AVG
3	1203.645	23.62	24.10	47.72	74.00	-26.28	peak
4	1203.645	10.16	24.10	34.26	54.00	-19.74	AVG
5	2462.000	61.02	26.44	87.46	74.00	13.46	peak
6	2462.000	44.62	26.44	71.06	54.00	17.06	AVG
7	3374.978	18.75	28.07	46.82	74.00	-27.18	peak
8	3374.978	5.62	28.07	33.69	54.00	-20.31	AVG
9	5458.381	14.23	31.14	45.37	74.00	-28.63	peak
10	5458.381	4.32	31.14	35.46	54.00	-18.54	AVG
11	7002.185	13.95	35.80	49.75	74.00	-24.25	peak
12	7002.185	-1.59	35.80	34.21	54.00	-19.79	AVG

#### Remark:

- 1 Final Level =Receiver Read level + Antenna Factor
- 2 "\*", means this data is the too weak instrument of signal is unable to test.



Report No.: GTSL2023050532F01

# 8 Test Setup Photo

Reference to the appendix I for details.

## 9 EUT Constructional Details

Reference to the appendix II and appendix III for details.

-----End-----