


ShenZhen Lenodell Technology Co.,Ltd


Add: 5th Floor, Building B, Wentao Industrial Park, Yongxin Street,
Yingrenshi Community, Shiyan Street, Baoan District, Shenzhen

1, mechanical dimension

a, antenna dimension



b. antenna final figure




ShenZhen Lenodell Technology Co.,Ltd

Add: 5th Floor, Building B, Wentao Industrial Park, Yongxin Street,
Yingrenshi Community, Shiyan Street, Baoan District, Shenzhen

1. 2D Radiation Pattern


Phi=0°



ShenZhen Lenodell Technology Co.,Ltd

Add: 5th Floor, Building B, Wentao Industrial Park, Yongxin Street,
Yingrenshi Community, Shiyan Street, Baoan District, Shenzhen


Phi=90°



ShenZhen Lenodell Technology Co.,Ltd

Add: 5th Floor, Building B, Wentao Industrial Park, Yongxin Street,
Yingrenshi Community, Shiyan Street, Baoan District, Shenzhen

Theta=90°



d. antenna model: L-003-F2

ShenZhen Lenodell Technology Co.,Ltd

Add: 5th Floor, Building B, Wentao Industrial Park, Yongxin Street,
Yingrenshi Community, Shiyao Street, Baoan District, Shenzhen

2, antenna specification

Bluetooth mechanical specification

2400-2500MHZ

Electrical specifications	
Frequency range (MHz)	2400-2500
Polarization	Linear
Gain (dBi)	-2.41
Impedance (Ω)	50
Directivity	Omni-directional
VSWR	≤ 2.0 (Center frequency)

Mechanical specifications	
Texture of material	
Immersion tin length	
Operation Temperature ($^{\circ}\text{C}$)	-30~60
Humidity (%)	5~95

3.Gain

Frequency	E Total. dB(dB)	Efficiency()
2400MHz	-3.86886	16.23%
2410MHz	-3.80462	17.25%
2420MHz	-3.58124	17.64%
2430MHz	-3.50624	18.48%
2440MHz	-3.41955	17.65%
2450MHz	-3.26336	17.72%
2460MHz	-2.9754	17.49%
2470MHz	-2.67499	17.49%
2480MHz	-2.41254	17.15%

ShenZhen Lenodell Technology Co.,Ltd

Add: 5th Floor, Building B, Wentao Industrial Park, Yongxin Street,
Yingrenshi Community, Shiyan Street, Baoan District, Shenzhen


4. INSERTION LOSS/RETURN LOSS/VSWR

Frequency	Input impedance(Ω)	Return loss(dB)	VSWR
2400MHz	38.886	-6.354	2.512
2402MHz	37.336	-6.412	2.543
2440MHz	22.254	-6.753	2.501
2480MHz	18.320	-6.613	2.522
2500MHz	18.715	-6.702	2.518

ShenZhen Lenodell Technology Co.,Ltd

Add: 5th Floor, Building B, Wentao Industrial Park, Yongxin Street,
Yingrenshi Community, Shiyan Street, Baoan District, Shenzhen


5. 3D Pattern



ShenZhen Lenodell Technology Co.,Ltd

Add: 5th Floor, Building B, Wentao Industrial Park, Yongxin Street,
Yingrenshi Community, Shiyan Street, Baoan District, Shenzhen

2440MHZ



ShenZhen Lenodell Technology Co.,Ltd

Add: 5th Floor, Building B, Wentao Industrial Park, Yongxin Street,
Yingrenshi Community, Shiyan Street, Baoan District, Shenzhen

2450MHZ

