

Reference No: C3881

Mr E Bryant
Pathtrack Ltd
Unit 3
Chevin Mill
Leeds Road
Otley
LS21 1BT

Unit 5 Speedwell road
Castleford
West Yorkshire
WF10 5PY
Tel: 01977 731173

14th May 2018:

Dear Mr Bryant,

This report contains calculation of maximum Possible Exposure for UHF Base Station.

Part number: #50342

FCC ID: 2APEJ-PTRX92401

Mobile devices are defined by the FCC as transmitters designed to be used in other than fixed locations and generally to be used in such a way that a separation distance of 20cm is normally maintained between radiating structures and the body of the user or nearby persons. These devices are normally evaluated for exposure potential with relation to the MPE limit. As the 20cm separation may not be achievable under normal operating conditions, an RF exposure calculation is used to demonstrate the minimum distance required to be less than the power density limit, as required under FCC rules.

FCC rule part:47CFR2.1091(3)

Power density (S) relates to Equivalent Isotropic Radiated power (EIRP) according to the following:

$$S = \frac{EIRP}{4\pi R^2}$$

Where,

R is the distance to the centre of radiation of the antenna (cm)

EIRP is in mW

Rearranging,

$$R = \sqrt{\frac{EIRP}{S4\pi}}$$



1574



INVESTORS
IN PEOPLE

Accredited
Until 2019

A BEIS designated Notified Body No 2636



Registered Address: Eurofins York
i54 Business Park, Valiant Way, Wolverhampton, WV9 5GB, UK

Registered in England and Wales
Company Reg No. 6048589 | VAT Reg No. 887 1276 83

MPE Calculation for Pathtrack Ltd

The output power of the transmitter was = 0.03W (calculated from field strength). This was the same for both the top and bottom channels. Using the value for S from 47CFR1.1310 Table 1 and the measured EIRP the distance R from the apparatus to a person where S is at the defined limit is calculated.

From 47CFR1.1310 Table 1 Part (B) limits limits for general population /uncontrolled exposures:

Between 300MHz and 1500MHz the limit is :

$$\text{Power density (mW/cm}^2\text{)} = \text{frequency (MHz)}/1500$$

At 924.1MHz limit is: $924.1/1500 = 0.62\text{mWcm}^2$

At 927.1MHz limit is $927.1/1500 = 0.62\text{mWcm}^2$

The distance R is calculated as:

Frequency (MHz)	Maximum EIRP (mW)	Power density limit (S) (mW/cm ²) 47CFR1.1310 Table 1	Distance (R) cm required to be less than 0.62 (mW/cm ²)
924.1	30	0.62	1.99
927.1	30	0.62	1.99

In conclusion the distance from the apparatus at which the power density limit from 47CFR1.1310 Table 1 Part (B) is met is 1.99cm which is less than 20cm.

Yours sincerely



Mark Render
Senior Engineer
York EMC Services Ltd