

Appendix B

RF Test Data for BT V4.0(BLE) (Conducted Measurement)

Product Name: **Driveraid**

Trade Mark: 


Test Model: **DA-P1**

Environmental Conditions

Temperature:	23.3° C
Relative Humidity:	51.3%
ATM Pressure:	100.0 kPa
Test Engineer:	WangChuang
Supervised by:	Jayden.Zhuo


B.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS




B.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.109	30	PASS
BT LE	MCH	-0.283	30	PASS
BT LE	HCH	-0.251	30	PASS





HCH




B.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-15.478	8	PASS
BT LE	MCH	-15.998	8	PASS
BT LE	HCH	-15.815	8	PASS

Test Graphs





HCH



B.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6494	≥0.5	PASS
BT LE	MCH	0.6606	≥0.5	PASS
BT LE	HCH	0.6650	≥0.5	PASS

Test Graphs																			
LCH	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: small; margin: 0;">RL RF 50 Ω AC SENSE:PULSE ALIGN:AUTO 03:27:34 PM Apr 10, 2018</p> <p style="margin: 0;">Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None</p> <p style="margin: 0;">Trig: Free Run AvgHold: 1/1 Radio Device: BTS</p> <p style="margin: 0;">#IFGain:Low #Atten: 30 dB</p> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> <p style="font-size: x-small; margin: 0;">10 dB/div Ref Offset 7.01 dB Mkr1 2.4019869 GHz</p> <p style="font-size: x-small; margin: 0;">Log Ref 20.00 dBm -0.25942 dBm</p>  </div> <p style="font-size: x-small; margin: 0;">Center 2.402 GHz Span 3 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: x-small; border-collapse: collapse;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">6.28 dBm</td> </tr> <tr> <td style="text-align: center;">1.0542 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-11.706 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>649.4 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td>99.00 %</td> </tr> <tr> <td></td> <td></td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div>	Occupied Bandwidth	Total Power	6.28 dBm	1.0542 MHz			Transmit Freq Error	-11.706 kHz	OBW Power	x dB Bandwidth	649.4 kHz	x dB			99.00 %			-6.00 dB
Occupied Bandwidth	Total Power	6.28 dBm																	
1.0542 MHz																			
Transmit Freq Error	-11.706 kHz	OBW Power																	
x dB Bandwidth	649.4 kHz	x dB																	
		99.00 %																	
		-6.00 dB																	
MCH	<div style="border: 1px solid black; padding: 5px;"> <p style="text-align: center; margin: 0;">Agilent Spectrum Analyzer - Occupied BW</p> <p style="font-size: small; margin: 0;">RL RF 50 Ω AC SENSE:PULSE ALIGN:AUTO 03:30:40 PM Apr 10, 2018</p> <p style="margin: 0;">Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None</p> <p style="margin: 0;">Trig: Free Run AvgHold: 1/1 Radio Device: BTS</p> <p style="margin: 0;">#IFGain:Low #Atten: 30 dB</p> <div style="border: 1px solid black; padding: 2px; margin: 5px 0;"> <p style="font-size: x-small; margin: 0;">10 dB/div Ref Offset 7.01 dB Mkr1 2.4399696 GHz</p> <p style="font-size: x-small; margin: 0;">Log Ref 20.00 dBm -0.58199 dBm</p>  </div> <p style="font-size: x-small; margin: 0;">Center 2.44 GHz Span 3 MHz</p> <p style="font-size: x-small; margin: 0;">#Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms</p> <table style="width: 100%; font-size: x-small; border-collapse: collapse;"> <tr> <td style="width: 33%;">Occupied Bandwidth</td> <td style="width: 33%;">Total Power</td> <td style="width: 33%;">6.06 dBm</td> </tr> <tr> <td style="text-align: center;">1.0530 MHz</td> <td></td> <td></td> </tr> <tr> <td>Transmit Freq Error</td> <td>-10.070 kHz</td> <td>OBW Power</td> </tr> <tr> <td>x dB Bandwidth</td> <td>660.6 kHz</td> <td>x dB</td> </tr> <tr> <td></td> <td></td> <td>99.00 %</td> </tr> <tr> <td></td> <td></td> <td>-6.00 dB</td> </tr> </table> <p style="font-size: x-small; margin: 0;">MSG STATUS</p> </div>	Occupied Bandwidth	Total Power	6.06 dBm	1.0530 MHz			Transmit Freq Error	-10.070 kHz	OBW Power	x dB Bandwidth	660.6 kHz	x dB			99.00 %			-6.00 dB
Occupied Bandwidth	Total Power	6.06 dBm																	
1.0530 MHz																			
Transmit Freq Error	-10.070 kHz	OBW Power																	
x dB Bandwidth	660.6 kHz	x dB																	
		99.00 %																	
		-6.00 dB																	

HCH

Agilent Spectrum Analyzer - Occupied BW

RL	RF	50 Ω	AC	SENSE:PULSE	ALIGN:AUTO	03:32:23 PM Apr 10, 2018
Center Freq 2.480000000 GHz			Center Freq: 2.480000000 GHz		Radio Std: None	
			Trig: Free Run		AvgHold: 1/1	
#IFGain:Low			#Atten: 30 dB		Radio Device: BTS	

10 dB/div	Ref Offset 7.01 dB	Mkr1 2.4799865 GHz
Log	Ref 20.00 dBm	-0.43308 dBm

Center 2.48 GHz	#VBW 300 kHz	Span 3 MHz
#Res BW 100 kHz		Sweep 1.067 ms


Occupied Bandwidth	Total Power	6.16 dBm
1.0515 MHz		
Transmit Freq Error	-11.251 kHz	OBW Power
x dB Bandwidth	665.0 kHz	x dB
		99.00 %
		-6.00 dB

Frequency
Center Freq 2.480000000 GHz
CF Step 300.000 kHz Auto Man
Freq Offset 0 Hz

MSG
STATUS


B.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.216	-45.403	-20.216	PASS
BT LE	MCH	-0.422	-44.605	-20.422	PASS
BT LE	HCH	-0.408	-45.192	-20.408	PASS




BT LE_MCH_Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE_HCH_Graphs

Pref/BT LE/HCH





Puw/BT LE/HCH



B.6 Band-edge for RF Conducted Emissions

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-0.137	-50.849	-20.14	PASS
BT LE	HCH	-0.244	-43.475	-20.24	PASS


Test Graphs

LCH		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.35700000 GHz</p> <p>Start Freq 2.31000000 GHz</p> <p>Stop Freq 2.40400000 GHz</p> <p>CF Step 9.400000 MHz</p> <p>Freq Offset 0 Hz</p>
HCH		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.48900000 GHz</p> <p>Start Freq 2.47800000 GHz</p> <p>Stop Freq 2.50000000 GHz</p> <p>CF Step 2.200000 MHz</p> <p>Freq Offset 0 Hz</p>


B.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-45.45	2.0	0	51.81	PEAK	74	PASS
		Ant1	2310.0	-55.03	2.0	0	42.23	AV	54	PASS
		Ant1	2390.0	-42.62	2.0	0	54.64	PEAK	74	PASS
		Ant1	2390.0	-54.91	2.0	0	42.35	AV	54	PASS
	2480	Ant1	2483.5	-44.46	2.0	0	52.80	PEAK	74	PASS
		Ant1	2483.5	-54.45	2.0	0	42.81	AV	54	PASS
		Ant1	2500.0	-44.04	2.0	0	53.22	PEAK	74	PASS
		Ant1	2500.0	-53.72	2.0	0	43.54	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

