












5MHz Channel Bandwidth







10MHz Channel Bandwidth



15MHz Channel Bandwidth



20MHz Channel Bandwidth




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/05/26 ~ 2022/05/28	Test Band	Cat M Band 5/26


Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
824.7	1.4	30 ~ 9000	-42.08	≤ -13.00	Pass
836.5	1.4	30 ~ 9000	-38.71	≤ -13.00	Pass
848.3	1.4	30 ~ 9000	-40.93	≤ -13.00	Pass
825.5	3	30 ~ 9000	-41.98	≤ -13.00	Pass
836.5	3	30 ~ 9000	-38.68	≤ -13.00	Pass
847.5	3	30 ~ 9000	-41.24	≤ -13.00	Pass
826.5	5	30 ~ 9000	-41.95	≤ -13.00	Pass
836.5	5	30 ~ 9000	-38.68	≤ -13.00	Pass
846.5	5	30 ~ 9000	-40.61	≤ -13.00	Pass
829.0	10	30 ~ 9000	-42.12	≤ -13.00	Pass
836.5	10	30 ~ 9000	-38.70	≤ -13.00	Pass
844.0	10	30 ~ 9000	-41.44	≤ -13.00	Pass
831.5	15	30 ~ 9000	-41.02	≤ -13.00	Pass
836.5	15	30 ~ 9000	-38.58	≤ -13.00	Pass
841.5	15	30 ~ 9000	-41.81	≤ -13.00	Pass

1.4MHz Channel Bandwidth


Channel 26697 (824.7MHz)



Channel 26915 (836.5MHz)




Channel 27033 (848.3MHz)




3MHz Channel Bandwidth


Channel 26915 (825.5MHz)






Channel 26915 (836.5MHz)






Channel 27025 (847.5MHz)



5MHz Channel Bandwidth




10MHz Channel Bandwidth




15MHz Channel Bandwidth


Channel 26840 (831.5MHz)



Channel 26915 (836.5MHz)



Channel 26965 (841.5MHz)




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/05/27 ~ 2022/05/28	Test Band	Cat M Band 12


Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
699.7	1.4	30 ~ 9000	-35.31	≤ -13.00	Pass
707.5	1.4	30 ~ 9000	-38.38	≤ -13.00	Pass
715.3	1.4	30 ~ 9000	-41.59	≤ -13.00	Pass
700.5	3	30 ~ 9000	-42.25	≤ -13.00	Pass
707.5	3	30 ~ 9000	-37.75	≤ -13.00	Pass
714.5	3	30 ~ 9000	-38.97	≤ -13.00	Pass
701.5	5	30 ~ 9000	-41.55	≤ -13.00	Pass
707.5	5	30 ~ 9000	-38.25	≤ -13.00	Pass
713.5	5	30 ~ 9000	-41.08	≤ -13.00	Pass
704.0	10	30 ~ 9000	-41.46	≤ -13.00	Pass
707.5	10	30 ~ 9000	-38.22	≤ -13.00	Pass
711.0	10	30 ~ 9000	-40.24	≤ -13.00	Pass

1.4MHz Channel Bandwidth


Channel 23017 (699.7MHz)



Channel 23095 (707.5MHz)




Channel 23173 (715.3MHz)




3MHz Channel Bandwidth


Channel 23025 (700.5MHz)



Channel 23095 (707.5MHz)




Channel 23165 (714.5MHz)




5MHz Channel Bandwidth


Channel 23035 (701.5MHz)



Channel 23095 (707.5MHz)




Channel 23165 (714.5MHz)




10MHz Channel Bandwidth


Channel 23060 (704.0MHz)



Channel 23095 (707.5MHz)



Channel 23130 (711.0MHz)




Test Site	WZ-SR6	Test Engineer	Cloud Guo
Test Date	2022/05/27	Test Band	Cat M Band 13


Frequency (MHz)	Channel Bandwidth (MHz)	Frequency Range (MHz)	Max Spurious Emissions (dBm)	Limit (dBm)	Result
779.5	5	30 ~ 8000	-41.07	≤ -13.00	Pass
782.0	5	30 ~ 8000	-42.09	≤ -13.00	Pass
784.5	5	30 ~ 8000	-42.92	≤ -13.00	Pass
782.0	10	30 ~ 8000	-41.94	≤ -13.00	Pass

5MHz Channel Bandwidth


Channel 23205 (779.5MHz)




1559-1610MHz




Channel 23230 (782MHz)




1559-1610MHz



Channel 23255 (784.5MHz)




1559-1610MHz




10MHz Channel Bandwidth

Channel 23230 (782.0MHz)



1559-1610MHz



A.7 Radiated Spurious Emissions Test Result

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2022/06/12~2022/06/23	Test Band	Cat M Band 2/25

Frequency (MHz)	Reading Level (dBμV)	Factor (dB)	Measure Level(dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
38.7	8.2	19.1	27.3	82.3	-55.0	Peak	Horizontal
935.0	3.2	31.1	34.3	82.3	-48.0	Peak	Horizontal
55.7	14.2	20.2	34.4	82.3	-47.9	Peak	Vertical
890.4	3.0	31.1	34.1	82.3	-48.2	Peak	Vertical
6916.0	33.6	9.5	43.1	82.3	-39.2	Peak	Horizontal
14421.5	32.0	19.4	51.4	82.3	-30.9	Peak	Horizontal
11064.0	33.2	16.9	50.1	82.3	-32.2	Peak	Vertical
14804.0	31.5	19.8	51.3	82.3	-31.0	Peak	Vertical
Middle Channel							
420.9	1.7	23.9	25.6	82.3	-56.7	Peak	Horizontal
758.0	2.7	29.5	32.2	82.3	-50.1	Peak	Horizontal
36.3	20.0	18.5	38.5	82.3	-43.8	Peak	Vertical
739.6	2.3	29.2	31.5	82.3	-50.8	Peak	Vertical
10613.5	33.4	15.9	49.3	82.3	-33.0	Peak	Horizontal
14243.0	31.0	20.0	51.0	82.3	-31.3	Peak	Horizontal
9219.5	32.6	14.1	46.7	82.3	-35.6	Peak	Vertical
14923.0	30.8	20.3	51.1	82.3	-31.2	Peak	Vertical
High Channel							
384.1	6.4	23.1	29.5	82.3	-52.8	Peak	Horizontal
911.7	2.8	31.3	34.1	82.3	-48.2	Peak	Horizontal
37.8	13.1	18.9	32.0	82.3	-50.3	Peak	Vertical
56.7	14.6	20.1	34.7	82.3	-47.6	Peak	Vertical
10605.0	33.3	15.7	49.0	82.3	-33.3	Peak	Horizontal
14787.0	31.2	20.0	51.2	82.3	-31.1	Peak	Horizontal
7273.0	32.9	11.4	44.3	82.3	-38.0	Peak	Vertical
14914.5	31.2	20.0	51.2	82.3	-31.1	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2022/06/12~2022/06/23	Test Band	Cat M Band 4/66

Frequency (MHz)	Reading Level (dBμV)	Factor (dB)	Measure Level(dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
384.1	5.2	23.1	28.3	82.3	-54.0	Peak	Horizontal
962.2	3.6	31.4	35.0	82.3	-47.3	Peak	Horizontal
57.6	13.1	20.0	33.1	82.3	-49.2	Peak	Vertical
890.4	3.0	31.1	34.1	82.3	-48.2	Peak	Vertical
11047.0	33.1	16.5	49.6	82.3	-32.7	Peak	Horizontal
14855.0	31.1	20.4	51.5	82.3	-30.8	Peak	Horizontal
9891.0	33.8	14.0	47.8	82.3	-34.5	Peak	Vertical
14838.0	30.8	20.2	51.0	82.3	-31.3	Peak	Vertical
Middle Channel							
384.1	4.6	23.1	27.7	82.3	-54.6	Peak	Horizontal
865.2	2.4	31.1	33.5	82.3	-48.8	Peak	Horizontal
56.7	13.6	20.1	33.7	82.3	-48.6	Peak	Vertical
693.5	2.5	28.6	31.1	82.3	-51.2	Peak	Vertical
9848.5	33.0	13.7	46.7	82.3	-35.6	Peak	Horizontal
14642.5	31.0	19.5	50.5	82.3	-31.8	Peak	Horizontal
10613.5	33.3	15.9	49.2	82.3	-33.1	Peak	Vertical
14447.0	31.6	19.4	51.0	82.3	-31.3	Peak	Vertical
High Channel							
384.1	5.3	23.1	28.4	82.3	-53.9	Peak	Horizontal
882.1	2.8	31.1	33.9	82.3	-48.4	Peak	Horizontal
56.2	13.0	20.2	33.2	82.3	-49.1	Peak	Vertical
864.7	3.4	31.1	34.5	82.3	-47.8	Peak	Vertical
11217.0	31.4	17.2	48.6	82.3	-33.7	Peak	Horizontal
14566.0	31.0	19.7	50.7	82.3	-31.6	Peak	Horizontal
9712.5	34.0	13.7	47.7	82.3	-34.6	Peak	Vertical
14846.5	31.1	20.3	51.4	82.3	-30.9	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2022/06/12~2022/06/23	Test Band	Cat M Band 5/26

Frequency (MHz)	Reading Level (dBμV)	Factor (dB)	Measure Level(dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
555.7	18.4	26.2	44.6	82.3	-37.7	Peak	Horizontal
959.3	13.2	31.4	44.6	82.3	-37.7	Peak	Horizontal
555.3	16.0	26.2	42.2	82.3	-40.1	Peak	Vertical
917.6	13.7	31.4	45.1	82.3	-37.2	Peak	Vertical
7791.5	33.6	11.1	44.7	82.3	-37.6	Peak	Horizontal
14396.0	32.2	19.4	51.6	82.3	-30.7	Peak	Horizontal
8599.0	33.2	12.6	45.8	82.3	-36.5	Peak	Vertical
14498.0	31.9	19.3	51.2	82.3	-31.1	Peak	Vertical
Middle Channel							
567.4	15.5	26.3	41.8	82.3	-40.5	Peak	Horizontal
999.0	13.1	32.0	45.1	82.3	-37.2	Peak	Horizontal
548.0	12.6	26.0	38.6	82.3	-43.7	Peak	Vertical
934.5	14.5	31.1	45.6	82.3	-36.7	Peak	Vertical
9321.5	32.6	14.0	46.6	82.3	-35.7	Peak	Horizontal
14855.0	31.4	20.4	51.8	82.3	-30.5	Peak	Horizontal
9721.0	31.5	13.7	45.2	82.3	-37.1	Peak	Vertical
14549.0	31.8	19.6	51.4	82.3	-30.9	Peak	Vertical
High Channel							
541.7	17.2	25.8	43.0	82.3	-39.3	Peak	Horizontal
971.4	14.1	31.6	45.7	82.3	-36.6	Peak	Horizontal
736.2	13.6	29.0	42.6	82.3	-39.7	Peak	Vertical
941.8	13.7	31.2	44.9	82.3	-37.4	Peak	Vertical
9576.5	33.0	13.9	46.9	82.3	-35.4	Peak	Horizontal
14328.0	31.1	19.7	50.8	82.3	-31.5	Peak	Horizontal
8667.0	33.1	12.7	45.8	82.3	-36.5	Peak	Vertical
14872.0	32.0	20.0	52.0	82.3	-30.3	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2022/06/12~2022/06/23	Test Band	Cat M Band 12

Frequency (MHz)	Reading Level (dBμV)	Factor (dB)	Measure Level(dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
474.3	13.0	24.7	37.7	82.3	-44.6	Peak	Horizontal
911.7	13.1	31.3	44.4	82.3	-37.9	Peak	Horizontal
636.3	13.5	27.2	40.7	82.3	-41.6	Peak	Vertical
920.0	13.6	31.3	44.9	82.3	-37.4	Peak	Vertical
9440.5	34.2	13.8	48.0	82.3	-34.3	Peak	Horizontal
14795.5	31.2	19.9	51.1	82.3	-31.2	Peak	Horizontal
9389.5	33.5	14.0	47.5	82.3	-34.8	Peak	Vertical
14855.0	31.5	20.4	51.9	82.3	-30.4	Peak	Vertical
Middle Channel							
614.4	12.7	27.3	40.0	82.3	-42.3	Peak	Horizontal
928.2	14.8	31.3	46.1	82.3	-36.2	Peak	Horizontal
593.1	12.5	27.3	39.8	82.3	-42.5	Peak	Vertical
888.5	14.0	31.1	45.1	82.3	-37.2	Peak	Vertical
9925.0	33.5	13.8	47.3	82.3	-35.0	Peak	Horizontal
14787.0	30.8	20.0	50.8	82.3	-31.5	Peak	Horizontal
7358.0	32.1	11.7	43.8	82.3	-38.5	Peak	Vertical
14863.5	32.1	20.2	52.3	82.3	-30.0	Peak	Vertical
High Channel							
490.8	12.2	25.3	37.5	82.3	-44.8	Peak	Horizontal
912.7	13.2	31.3	44.5	82.3	-37.8	Peak	Horizontal
485.4	15.4	25.1	40.5	82.3	-41.8	Peak	Vertical
911.7	14.5	31.3	45.8	82.3	-36.5	Peak	Vertical
10877.0	29.4	16.4	45.8	82.3	-36.5	Peak	Horizontal
14489.5	31.7	19.5	51.2	82.3	-31.1	Peak	Horizontal
8582.0	30.6	12.5	43.1	82.3	-39.2	Peak	Vertical
14268.5	31.4	19.5	50.9	82.3	-31.4	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB).

Test Site	WZ-AC2	Test Engineer	Bob Zhang
Test Date	2022/06/12~2022/06/23	Test Band	Cat M Band 13

Frequency (MHz)	Reading Level (dBμV)	Factor (dB)	Measure Level(dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector	Polarization
Low Channel							
547.0	13.4	26.0	39.4	82.3	-42.9	Peak	Horizontal
962.7	13.2	31.4	44.6	82.3	-37.7	Peak	Horizontal
469.9	16.1	24.6	40.7	82.3	-41.6	Peak	Vertical
930.2	14.4	31.2	45.6	82.3	-36.7	Peak	Vertical
1586.5	36.4	-5.7	30.7	55.3	-24.6	Peak	Horizontal
4825.0	35.2	4.0	39.2	82.3	-43.1	Peak	Horizontal
1578.0	34.9	-5.7	29.2	55.3	-26.1	Peak	Vertical
14940.0	30.5	19.9	50.4	82.3	-31.9	Peak	Vertical
Middle Channel							
473.8	15.0	24.7	39.7	82.3	-42.6	Peak	Horizontal
971.9	14.1	31.6	45.7	82.3	-36.6	Peak	Horizontal
550.4	14.2	26.1	40.3	82.3	-42.0	Peak	Vertical
919.5	14.2	31.4	45.6	82.3	-36.7	Peak	Vertical
1578.0	35.5	-5.7	29.8	55.3	-25.5	Peak	Horizontal
14838.0	30.6	20.2	50.8	82.3	-31.5	Peak	Horizontal
1569.5	34.2	-5.7	28.5	55.3	-26.8	Peak	Vertical
14838.0	30.9	20.2	51.1	82.3	-31.2	Peak	Vertical
High Channel							
479.6	16.7	24.8	41.5	82.3	-40.8	Peak	Horizontal
864.2	14.5	31.1	45.6	82.3	-36.7	Peak	Horizontal
676.5	12.8	28.2	41.0	82.3	-41.3	Peak	Vertical
901.5	13.6	31.3	44.9	82.3	-37.4	Peak	Vertical
1578.0	35.5	-5.7	29.8	55.3	-25.5	Peak	Horizontal
14013.5	31.5	19.2	50.7	82.3	-31.6	Peak	Horizontal
1603.5	37.0	-5.8	31.2	55.3	-24.1	Peak	Vertical
14838.0	31.1	20.2	51.3	82.3	-31.0	Peak	Vertical

Note: Measure Level (dBμV/m) = Reading Level (dBμV) + Factor (dB).

Appendix B - Test Setup Photograph

Refer to "2205RSU044-UT" file.

Appendix C - EUT Photograph

Refer to "2205RSU044-UE" file.