


Annex 3. Occupied Bandwidth

1. GSM_GSM850


1.1. GSM Occupied Bandwidth(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.247	0.306	0.3	Pass



1.2. GSM Occupied Bandwidth(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.246	0.304	0.3	Pass



1.3. GSM Occupied Bandwidth(NTNV)(Channel:251)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.244	0.306	0.3	Pass

Agilent

Ch Freq 848.8 MHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 8.76 dB

Center 848.800 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
244.2351 kHz	x dB	-26.00 dB
Transmit Freq Error	404.892 Hz	
x dB Bandwidth	306.125 kHz	

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More
1 of 2

2. GSM_PCS


2.1. GSM Occupied Bandwidth(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.244	0.293	0.3	Pass




2.2. GSM Occupied Bandwidth(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.244	0.307	0.3	Pass



2.3. GSM Occupied Bandwidth(NTNV)(Channel:810)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.245	0.299	0.3	Pass



3. GPRS_GSM850


3.1. GPRS Occupied Bandwidth(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.245	0.315	0.3	Pass



3.2. GPRS Occupied Bandwidth(NTNV)(Channel:190)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.243	0.309	0.3	Pass



3.3. GPRS Occupied Bandwidth(NTNV)(Channel:251)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.244	0.313	0.3	Pass

Agilent

Ch Freq 848.8 MHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 8.76 dB

Center 848.800 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
243.8758 kHz	x dB	-26.00 dB
Transmit Freq Error	-7.331 Hz	
x dB Bandwidth	313.083 kHz	

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More 1 of 2

4. GPRS_PCS

4.1. GPRS Occupied Bandwidth(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.244	0.311	0.3	Pass



4.2. GPRS Occupied Bandwidth(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.247	0.315	0.3	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/Offst 10.3 dB

Center 1.880 000 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
246.5344 kHz	x dB	-26.00 dB
Transmit Freq Error	-647.937 Hz	
x dB Bandwidth	315.211 kHz	

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

4.3. GPRS Occupied Bandwidth(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.248	0.315	0.3	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.9098 GHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/ Offst 10.4 dB

Center 1.909 800 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)


Occupied Bandwidth	Occ BW % Pwr 99.00 %
248.2113 kHz	x dB -26.00 dB
Transmit Freq Error -303.681 Hz	
x dB Bandwidth 315.205 kHz	

Copyright 2000-2012 Agilent Technologies

5. EGPRS_GSM850

5.1. EGPRS Occupied Bandwidth(NTNV)(Channel:128)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
824.2	99	26	0.004	Peak	0.24	0.3	0.3	Pass



5.2. EGPRS Occupied Bandwidth(NTNV)(Channel:190)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.6	99	26	0.004	Peak	0.239	0.309	0.3	Pass

Agilent

Ch Freq 836.6 MHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB



Center 836.600 0 MHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF


More 1 of 2

Occupied Bandwidth	Occ BW % Pwr 99.00 %
239.1560 kHz	x dB -26.00 dB
Transmit Freq Error -1.140 kHz	
x dB Bandwidth 309.369 kHz	

Copyright 2000-2012 Agilent Technologies

5.3. EGPRS Occupied Bandwidth(NTNV)(Channel:251)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
848.8	99	26	0.004	Peak	0.239	0.303	0.3	Pass



6. EGPRS_PCS


6.1. EGPRS Occupied Bandwidth(NTNV)(Channel:512)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.2	99	26	0.004	Peak	0.241	0.304	0.3	Pass



6.2. EGPRS Occupied Bandwidth(NTNV)(Channel:661)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.004	Peak	0.242	0.308	0.3	Pass



6.3. EGPRS Occupied Bandwidth(NTNV)(Channel:810)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.8	99	26	0.004	Peak	0.242	0.306	0.3	Pass

Agilent

Ch Freq 1.9098 GHz Trig Free

Occupied Bandwidth Averages: 8

Ref 30 dBm #Atten 40 dB

#Peak Log 10 dB/Offst 10.4 dB

Center 1.909 800 0 GHz Span 2 MHz

#Res BW 3.9 kHz #VBW 12 kHz #Sweep 10 s (2564 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
242.0776 kHz	x dB	-26.00 dB
Transmit Freq Error	249.270 Hz	
x dB Bandwidth	305.584 kHz	

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More
1 of 2

7. WCDMA_Band2

7.1. WCDMA Occupied Bandwidth(NTNV)(Channel:9262)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.4	99	26	0.1	Peak	4.136	4.686	5	Pass



7.2. WCDMA Occupied Bandwidth(NTNV)(Channel:9400)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.137	4.677	5	Pass

Agilent

Ch Freq 1.88 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 10.3 dB

Center 1.880 000 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1370 MHz	x dB	-26.00 dB
Transmit Freq Error	2.152 kHz	
x dB Bandwidth	4.677 MHz	

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

7.3. WCDMA Occupied Bandwidth(NTNV)(Channel:9538)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.6	99	26	0.1	Peak	4.122	4.678	5	Pass

Agilent

Ch Freq 1.9076 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.4 dB

Center 1.907 600 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1222 MHz	x dB	-26.00 dB
Transmit Freq Error	1.032 kHz	
x dB Bandwidth	4.678 MHz	

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More
1 of 2

8. WCDMA_Band4

8.1. WCDMA Occupied Bandwidth(NTNV)(Channel:1312)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.4	99	26	0.1	Peak	4.136	4.679	5	Pass



8.2. WCDMA Occupied Bandwidth(NTNV)(Channel:1412)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.4	99	26	0.1	Peak	4.135	4.665	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.7324 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.732 400 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1355 MHz	x dB	-26.00 dB
Transmit Freq Error	-544.595 Hz	
x dB Bandwidth	4.665 MHz	

Copyright 2000-2012 Agilent Technologies

8.3. WCDMA Occupied Bandwidth(NTNV)(Channel:1513)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.6	99	26	0.1	Peak	4.137	4.672	5	Pass

Agilent

Ch Freq 1.7526 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.752 600 GHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1367 MHz	x dB	-26.00 dB
Transmit Freq Error	-761.885 Hz	
x dB Bandwidth	4.672 MHz	

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power


Power Stat CCDF

More
1 of 2

9. WCDMA_Band5

9.1. WCDMA Occupied Bandwidth(NTNV)(Channel:4132)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.4	99	26	0.1	Peak	4.145	4.692	5	Pass



9.2. WCDMA Occupied Bandwidth(NTNV)(Channel:4182)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.4	99	26	0.1	Peak	4.141	4.693	5	Pass

Agilent

Ch Freq 836.4 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.73 dBm #Atten 30 dB

Center 836.400 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

4.1413 MHz x dB -26.00 dB

Transmit Freq Error 3.554 kHz

x dB Bandwidth 4.693 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More 1 of 2

9.3. WCDMA Occupied Bandwidth(NTNV)(Channel:4233)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.6	99	26	0.1	Peak	4.143	4.694	5	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 846.6 MHz Trig Free

Occupied Bandwidth Averages: 2

Ref 28.76 dBm #Atten 30 dB

#Peak Log 10 dB/ Offst 8.76 dB

Center 846.600 MHz Span 10 MHz

#Res BW 100 kHz #VBW 300 kHz #Sweep 10 s (500 pts)


Occupied Bandwidth	Occ BW % Pwr	99.00 %
4.1427 MHz	x dB	-26.00 dB
Transmit Freq Error	-2.411 kHz	
x dB Bandwidth	4.694 MHz	

Copyright 2000-2012 Agilent Technologies

10. LTE_Band2


10.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.089	1.262	1.4	Pass




10.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1850.7	99	26	0.027	Peak	1.099	1.263	1.4	Pass




10.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.09	1.282	1.4	Pass




10.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.027	Peak	1.097	1.262	1.4	Pass




10.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.087	1.268	1.4	Pass




10.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1909.3	99	26	0.027	Peak	1.097	1.268	1.4	Pass




10.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.713	3.069	3	Pass




10.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1851.5	99	26	0.062	Peak	2.719	3.054	3	Pass




10.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.71	3.08	3	Pass




10.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.062	Peak	2.712	3.162	3	Pass




10.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.708	3.065	3	Pass




10.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1908.5	99	26	0.062	Peak	2.711	3.141	3	Pass




10.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.522	5.26	5	Pass




10.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.519	5.22	5	Pass




10.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.508	5.291	5	Pass




10.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.517	5.402	5	Pass




10.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.499	5.396	5	Pass




10.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.513	5.339	5	Pass




10.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.976	10.191	10	Pass




10.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.2	Peak	8.975	10.094	10	Pass



10.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.974	10.04	10	Pass



10.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.2	Peak	8.982	10.171	10	Pass


Agilent
Measure

Ch Freq 1.88 GHz **Trig** Free

Occupied Bandwidth Averages: 2

Meas Off

Ref 30 dBm #Atten 30 dB



Center 1.880 00 GHz Span 20 MHz

#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

8.9825 MHz **x dB** -26.00 dB


Transmit Freq Error 8.796 kHz

x dB Bandwidth 10.171 MHz

Copyright 2000-2012 Agilent Technologies


10.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	9.003	10.185	10	Pass




10.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.2	Peak	8.998	10.375	10	Pass




10.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.494	15.417	15	Pass




10.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.3	Peak	13.464	14.995	15	Pass




10.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.451	15.508	15	Pass




10.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.3	Peak	13.487	15.305	15	Pass




10.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.506	15.857	15	Pass




10.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.3	Peak	13.52	14.944	15	Pass




10.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.951	19.999	20	Pass




10.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	17.962	20.305	20	Pass




10.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	17.993	20.186	20	Pass




10.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	18.003	20.213	20	Pass




10.35. LTE Occupied Bandwidth(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	18.035	20.264	20	Pass




10.36. LTE Occupied Bandwidth(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	18.023	20.102	20	Pass




11. LTE_Band4

11.1. LTE Occupied Bandwidth(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



11.2. LTE Occupied Bandwidth(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.098	1.27	1.4	Pass



11.3. LTE Occupied Bandwidth(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.095	1.288	1.4	Pass

Agilent

Ch Freq 1.7325 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Peak Log 10 dB/Offst 10.2 dB #Atten 30 dB

Center 1.732 500 GHz Span 2.8 MHz

#Res BW 27 kHz #VBW 100 kHz #Sweep 1 s (518 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %
1.0947 MHz x dB -26.00 dB

Transmit Freq Error -1.095 kHz
x dB Bandwidth 1.288 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF


More 1 of 2

11.4. LTE Occupied Bandwidth(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.027	Peak	1.098	1.265	1.4	Pass




11.5. LTE Occupied Bandwidth(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)



11.6. LTE Occupied Bandwidth(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1754.3	99	26	0.027	Peak	1.09	1.281	1.4	Pass




11.7. LTE Occupied Bandwidth(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.713	3.071	3	Pass




11.8. LTE Occupied Bandwidth(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.713	3.047	3	Pass




11.9. LTE Occupied Bandwidth(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.706	3.059	3	Pass




11.10. LTE Occupied Bandwidth(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.062	Peak	2.713	3.172	3	Pass



11.11. LTE Occupied Bandwidth(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.712	3.082	3	Pass



11.12. LTE Occupied Bandwidth(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1753.5	99	26	0.062	Peak	2.717	3.169	3	Pass

Agilent
Measure

Ch Freq 1.7535 GHz **Trig** Free

Occupied Bandwidth Averages: 2

Meas Off

Ref 30 dBm #Atten 30 dB

Center 1.753 500 GHz Span 6 MHz

#Res BW 62 kHz #VBW 200 kHz #Sweep 1 s (483 pts)

Channel Power

Occupied BW

ACP

Multi Carrier Power

Power Stat CCDF

More
1 of 2

Occupied Bandwidth **Occ BW % Pwr** 99.00 %

2.7167 MHz **x dB** -26.00 dB


Transmit Freq Error -272.403 Hz

x dB Bandwidth 3.169 MHz

Copyright 2000-2012 Agilent Technologies


11.13. LTE Occupied Bandwidth(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.527	5.277	5	Pass




11.14. LTE Occupied Bandwidth(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.514	5.15	5	Pass




11.15. LTE Occupied Bandwidth(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.506	5.296	5	Pass




11.16. LTE Occupied Bandwidth(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.1	Peak	4.525	5.401	5	Pass




11.17. LTE Occupied Bandwidth(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.51	5.392	5	Pass




11.18. LTE Occupied Bandwidth(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1752.5	99	26	0.1	Peak	4.529	5.428	5	Pass



11.19. LTE Occupied Bandwidth(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.991	10.189	10	Pass



11.20. LTE Occupied Bandwidth(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.976	10.099	10	Pass

Agilent

Measure
 Meas Off
 Channel Power
 Occupied BW
 ACP
 Multi Carrier Power
 Power Stat CCDF
 More
 1 of 2

Ch Freq 1.715 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

Center 1.715 00 GHz Span 20 MHz


#Res BW 200 kHz #VBW 620 kHz #Sweep 1 s (500 pts)

Occupied Bandwidth	Occ BW % Pwr	99.00 %
8.9762 MHz	x dB	-26.00 dB
Transmit Freq Error	14.081 kHz	
x dB Bandwidth	10.099 MHz	

Copyright 2000-2012 Agilent Technologies


11.21. LTE Occupied Bandwidth(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.964	10.028	10	Pass




11.22. LTE Occupied Bandwidth(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.2	Peak	8.978	10.08	10	Pass




11.23. LTE Occupied Bandwidth(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	8.996	10.202	10	Pass




11.24. LTE Occupied Bandwidth(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1750	99	26	0.2	Peak	9	10.646	10	Pass




11.25. LTE Occupied Bandwidth(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.491	15.282	15	Pass




11.26. LTE Occupied Bandwidth(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.491	15.168	15	Pass




11.27. LTE Occupied Bandwidth(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.433	15.43	15	Pass




11.28. LTE Occupied Bandwidth(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.3	Peak	13.483	15.255	15	Pass




11.29. LTE Occupied Bandwidth(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.502	15.95	15	Pass



11.30. LTE Occupied Bandwidth(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1747.5	99	26	0.3	Peak	13.479	14.993	15	Pass



11.31. LTE Occupied Bandwidth(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.967	20.07	20	Pass

Agilent

Ch Freq 1.72 GHz Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm #Atten 30 dB

#Peak Log 10 dB/Offst 10.1 dB

Center 1.720 00 GHz Span 40 MHz

#Res BW 390 kHz #VBW 1.2 MHz #Sweep 1 s (512 pts)

Occupied Bandwidth Occ BW % Pwr 99.00 %

17.9673 MHz x dB -26.00 dB

Transmit Freq Error 37.280 kHz

x dB Bandwidth 20.070 MHz

Copyright 2000-2012 Agilent Technologies

Measure

Meas Off

Channel Power

Occupied BW

ACP


Multi Carrier Power

Power Stat CCDF

More 1 of 2


11.32. LTE Occupied Bandwidth(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.991	20.306	20	Pass



11.33. LTE Occupied Bandwidth(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.949	20.16	20	Pass



11.34. LTE Occupied Bandwidth(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1732.5	99	26	0.39	Peak	17.96	19.985	20	Pass

Agilent

Measure

Ch Freq 1.7325 GHz

Trig Free

Occupied Bandwidth Averages: 2

Ref 30 dBm

#Atten 30 dB

#Peak Log 10 dB/Offst 10.2 dB

Center 1.732 50 GHz

Span 40 MHz

#Res BW 390 kHz

#VBW 1.2 MHz

#Sweep 1 s (512 pts)

Occupied Bandwidth

Occ BW % Pwr 99.00 %

17.9604 MHz

x dB -26.00 dB

Transmit Freq Error -5.121 kHz

x dB Bandwidth 19.985 MHz

Power Stat CCDF

More 1 of 2

Copyright 2000-2012 Agilent Technologies