




LTE Band 25 5MHz QPSK 1RB CH-Low



LTE Band 25 5MHz QPSK 1RB CH-High




LTE Band 25 5MHz QPSK 100%RB CH-Low




LTE Band 25 5MHz QPSK 100%RB CH-High



LTE Band 25 10MHz QPSK 1RB CH-Low



LTE Band 25 10MHz QPSK 1RB CH-High




LTE Band 25 10MHz QPSK 100%RB CH-Low




LTE Band 25 10MHz QPSK 100%RB CH-High




LTE Band 25 15MHz QPSK 1RB CH-Low



LTE Band 25 15MHz QPSK 1RB CH-High




LTE Band 25 15MHz QPSK 100%RB CH-Low




LTE Band 25 15MHz QPSK 100%RB CH-High




LTE Band 25 20MHz QPSK 1RB CH-Low



LTE Band 25 20MHz QPSK 1RB CH-High




LTE Band 25 20MHz QPSK 100%RB CH-Low




LTE Band 25 20MHz QPSK 100%RB CH-High



LTE Band 25 1.4MHz 16QAM 1RB CH-Low




LTE Band 25 1.4MHz 16QAM 1RB CH-High







LTE Band 25 1.4MHz 16QAM 100%RB CH-Low




LTE Band 25 1.4MHz 16QAM 100%RB CH-High



LTE Band 25 3MHz 16QAM 1RB CH-Low




LTE Band 25 3MHz 16QAM 1RB CH-High




LTE Band 25 3MHz 16QAM 100%RB CH-Low




LTE Band 25 3MHz 16QAM 100%RB CH-High




LTE Band 25 5MHz 16QAM 1RB CH-Low



LTE Band 25 5MHz 16QAM 1RB CH-High




LTE Band 25 5MHz 16QAM 100%RB CH-Low




LTE Band 25 5MHz 16QAM 100%RB CH-High



LTE Band 25 10MHz 16QAM 1RB CH-Low




LTE Band 25 10MHz 16QAM 1RB CH-High






LTE Band 25 10MHz 16QAM 100%RB CH-Low




LTE Band 25 10MHz 16QAM 100%RB CH-High




LTE Band 25 15MHz 16QAM 1RB CH-Low



LTE Band 25 15MHz 16QAM 1RB CH-High




LTE Band 25 15MHz 16QAM 100%RB CH-Low




LTE Band 25 15MHz 16QAM 100%RB CH-High




LTE Band 25 20MHz 16QAM 1RB CH-Low



LTE Band 25 20MHz 16QAM 1RB CH-High



LTE Band 25 20MHz 16QAM 100%RB CH-Low



LTE Band 25 20MHz 16QAM 100%RB CH-High



5.5. Peak-to-Average Power Ratio (PAPR)

Ambient condition


Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

Methods of Measurement

Measure the total peak power and record as PPk. And measure the total average power and record as PAvg. Both the peak and average power levels must be expressed in the same logarithmic units (e.g., dBm). Determine the PAPR from:

$$PAPR (dB) = PPk (dBm) - PAvg (dBm).$$

Test Setup



Limits

In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB in 24.232(d).

Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor $k = 2$, $U = 0.4$ dB.

**Test Results**

Mode	Channel	Frequency (MHz)	Peak(dBm)	Avg(dBm)	PAPR(dB)	Limit(dB)	Conclusion
GSM 1900 (GSM)	512	1850.2	31.18	29.07	2.11	≤13	PASS
	661	1880	31.23	29.15	2.08	≤13	PASS
	810	1909.8	31.33	29.2	2.13	≤13	PASS
GPRS 1900 (GMSK)	512	1850.2	31.23	29.07	2.16	≤13	PASS
	661	1880	31.45	29.22	2.23	≤13	PASS
	810	1909.8	31.37	29.2	2.17	≤13	PASS
EGPRS 1900 (8-PSK)	512	1850.2	27.79	24.9	2.89	≤13	PASS
	661	1880	27.78	25.02	2.76	≤13	PASS
	810	1909.8	27.86	24.92	2.94	≤13	PASS
WCDMA Band II (RMC)	9262	1852.4	24.83	21.89	2.94	≤13	PASS
	9400	1880	25.34	22.21	3.13	≤13	PASS
	9538	1907.6	24.91	21.91	3.00	≤13	PASS
CDMA BC1	1851.25	245	26.54	23.32	3.22	≤13	PASS
	1880	600	26.99	23.30	3.69	≤13	PASS
	1908.75	1175	26.27	22.77	3.50	≤13	PASS



LTE Band 2								
Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	Peak (dBm)	Avg (dBm)	PAPR (dB)	Limit (dB)	Conclusion
QPSK	1.4	18607	1850.7	26.20	22.44	3.76	≤13	PASS
		18900	1880.0	26.43	21.96	4.47	≤13	PASS
		19193	1909.3	26.20	22.03	4.17	≤13	PASS
	3	18615	1851.5	25.99	22.12	3.87	≤13	PASS
		18900	1880	26.45	21.99	4.46	≤13	PASS
		19185	1908.5	26.19	22.01	4.18	≤13	PASS
	5	18625	1852.5	25.94	21.86	4.08	≤13	PASS
		18900	1880	26.31	21.86	4.45	≤13	PASS
		19175	1907.5	26.03	21.91	4.12	≤13	PASS
	10	18650	1855	25.82	21.90	3.92	≤13	PASS
		18900	1880	26.32	21.97	4.35	≤13	PASS
		19150	1905	25.95	21.90	4.05	≤13	PASS
	15	18675	1857.5	25.93	22.01	3.92	≤13	PASS
		18900	1880	26.07	21.75	4.32	≤13	PASS
		19125	1902.5	25.92	21.71	4.21	≤13	PASS
	20	18700	1860	25.73	21.67	4.06	≤13	PASS
		18900	1880	26.08	21.87	4.21	≤13	PASS
		19100	1900	26.24	21.94	4.30	≤13	PASS
16QAM	1.4	18607	1850.7	26.19	21.54	4.65	≤13	PASS
		18900	1880.0	26.62	21.29	5.33	≤13	PASS
		19193	1909.3	26.04	20.83	5.21	≤13	PASS
	3	18615	1851.5	25.69	20.80	4.89	≤13	PASS
		18900	1880	26.68	21.39	5.29	≤13	PASS
		19185	1908.5	26.08	20.96	5.12	≤13	PASS
	5	18625	1852.5	25.64	20.63	5.01	≤13	PASS
		18900	1880	26.36	21.13	5.23	≤13	PASS
		19175	1907.5	25.77	20.67	5.10	≤13	PASS
	10	18650	1855	25.73	21.82	3.91	≤13	PASS
		18900	1880	26.65	21.50	5.15	≤13	PASS
		19150	1905	26.04	21.15	4.89	≤13	PASS
	15	18675	1857.5	25.63	20.66	4.97	≤13	PASS
		18900	1880	26.58	21.56	5.02	≤13	PASS
		19125	1902.5	25.72	20.52	5.20	≤13	PASS
	20	18700	1860	25.87	21.05	4.82	≤13	PASS
		18900	1880	25.93	20.74	5.19	≤13	PASS
		19100	1900	26.38	21.21	5.17	≤13	PASS



LTE Band 25								
Modulation	Bandwidth (MHz)	Channel	Frequency (MHz)	Peak (dBm)	Avg (dBm)	PAPR (dB)	Limit (dB)	Conclusion
QPSK	1.4	26047	1850.7	25.72	21.65	4.07	≤13	PASS
		26365	1882.5	26.54	22.05	4.49	≤13	PASS
		26683	1914.3	24.82	22.18	2.64	≤13	PASS
	3	26055	1851.5	25.95	21.99	3.96	≤13	PASS
		26365	1882.5	26.80	22.41	4.39	≤13	PASS
		26675	1913.5	25.68	22.24	3.44	≤13	PASS
	5	26065	1852.5	25.73	21.66	4.07	≤13	PASS
		26365	1882.5	26.40	21.89	4.51	≤13	PASS
		26665	1912.5	26.29	22.22	4.07	≤13	PASS
	10	26090	1855	25.99	22.03	3.96	≤13	PASS
		26365	1882.5	26.52	22.11	4.41	≤13	PASS
		26640	1910	26.26	22.25	4.01	≤13	PASS
	15	26115	1857.5	25.95	21.98	3.97	≤13	PASS
		26365	1882.5	26.48	22.05	4.43	≤13	PASS
		26615	1907.5	26.14	22.09	4.05	≤13	PASS
	20	26140	1860	25.82	21.74	4.08	≤13	PASS
		26365	1882.5	26.30	21.94	4.36	≤13	PASS
		26590	1905	26.24	22.13	4.11	≤13	PASS
16QAM	1.4	26047	1850.7	26.00	21.15	4.85	≤13	PASS
		26365	1882.5	26.43	20.98	5.45	≤13	PASS
		26683	1914.3	25.00	21.40	3.60	≤13	PASS
	3	26055	1851.5	25.68	20.74	4.94	≤13	PASS
		26365	1882.5	26.93	21.66	5.27	≤13	PASS
		26675	1913.5	25.63	21.09	4.54	≤13	PASS
	5	26065	1852.5	25.66	20.63	5.03	≤13	PASS
		26365	1882.5	26.48	21.21	5.27	≤13	PASS
		26665	1912.5	25.98	20.94	5.04	≤13	PASS
	10	26090	1855	25.73	20.80	4.93	≤13	PASS
		26365	1882.5	26.65	21.39	5.26	≤13	PASS
		26640	1910	26.21	21.17	5.04	≤13	PASS
	15	26115	1857.5	25.75	20.74	5.01	≤13	PASS
		26365	1882.5	26.54	21.30	5.24	≤13	PASS
		26615	1907.5	25.89	20.95	4.94	≤13	PASS
	20	26140	1860	25.81	20.97	4.84	≤13	PASS
		26365	1882.5	26.04	20.77	5.27	≤13	PASS
		26590	1905	26.45	21.55	4.90	≤13	PASS

5.6. Frequency Stability

Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

Method of Measurement


Frequency Stability (Temperature Variation)

- The temperature inside the climate chamber is varied from -40°C to +85°C step size,
- (1) With all power removed, the temperature was decreased to 0°C and permitted to stabilize for three hours.
 - (2) Measure the carrier frequency with the test equipment in a “call mode”. These measurements should be made within 1 minute of powering up the mobile station, to prevent significant self warming.
 - (3) Repeat the above measurements at 10°C increments from -40°C to +85°C. Allow at least 1.5 hours at each temperature, un-powered, before making measurements.

Frequency Stability (Voltage Variation)

- The frequency stability shall be measured with variation of primary supply voltage as follows:
- (1) Vary primary supply voltage from 85 to 115 percent of the nominal value for other than hand carried battery equipment.
 - (2) For hand carried, battery powered equipment, reduce primary supply voltage to the battery-operating end point which shall be specified by the manufacturer.
- This transceiver is specified to operate with an input voltage of between 3.3 V and 4.2 V, with a nominal voltage of 3.8V

Test setup



**Limits**

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block

Measurement Uncertainty

The assessed measurement uncertainty to ensure 99.75% confidence level for the normal distribution is with the coverage factor $k = 3$, $U = 0.01\text{ppm}$.

Test Result

GSM1900						
Condition		Freq.Error (Hz)	Freq.Error (Hz)	Frequency Stability (ppm)	Frequency Stability (ppm)	Verdict
Temperature	Voltage	GMSK	8PSK	GMSK	8PSK	
Normal (25°C)	Normal	7.90	7.18	0.00420	0.00382	PASS
Extreme (90°C)		9.82	5.58	0.00522	0.00297	PASS
Extreme (80°C)		12.06	7.30	0.00641	0.00388	PASS
Extreme (70°C)		6.90	11.27	0.00367	0.00600	PASS
Extreme (60°C)		6.03	16.50	0.00321	0.00878	PASS
Extreme (50°C)		8.62	6.95	0.00459	0.00370	PASS
Extreme (40°C)		15.92	3.81	0.00847	0.00203	PASS
Extreme (30°C)		10.47	14.10	0.00557	0.00750	PASS
Extreme (20°C)		12.01	1.91	0.00639	0.00101	PASS
Extreme (10°C)		15.96	11.82	0.00849	0.00629	PASS
Extreme (0°C)		4.14	17.14	0.00220	0.00912	PASS
Extreme (-10°C)		7.42	14.55	0.00394	0.00774	PASS
Extreme (-20°C)		15.61	11.72	0.00830	0.00623	PASS
Extreme (-30°C)		10.38	6.25	0.00552	0.00332	PASS
Extreme (-40°C)		15.38	9.13	0.00818	0.00486	PASS
25°C	LV	8.27	6.34	0.00440	0.00337	PASS
	HV	15.98	1.95	0.00850	0.00104	PASS

WCDMA Band 2						
Condition		Freq.Error (Hz)	Freq.Error (Hz)	Frequency Stability (ppm)	Frequency Stability (ppm)	Verdict
Temperature	Voltage	BPSK	QPSK	BPSK	QPSK	
Normal (25°C)	Normal	2.54	5.85	0.00135	0.00311	PASS
Extreme (90°C)		3.08	15.72	0.00164	0.00836	PASS
Extreme (80°C)		17.19	8.59	0.00914	0.00457	PASS
Extreme (70°C)		4.01	3.73	0.00214	0.00198	PASS
Extreme (60°C)		14.99	15.66	0.00798	0.00833	PASS
Extreme (50°C)		9.28	7.91	0.00494	0.00420	PASS
Extreme (40°C)		8.90	10.41	0.00474	0.00554	PASS
Extreme (30°C)		16.52	14.20	0.00879	0.00755	PASS
Extreme (20°C)		16.55	16.63	0.00880	0.00884	PASS



Extreme (10°C)		4.98	4.12	0.00265	0.00219	PASS
Extreme (0°C)		9.53	10.01	0.00507	0.00532	PASS
Extreme (-10°C)		12.84	9.42	0.00683	0.00501	PASS
Extreme (-20°C)		15.74	12.39	0.00837	0.00659	PASS
Extreme (-30°C)		8.96	10.76	0.00477	0.00572	PASS
Extreme (-40°C)		10.41	8.92	0.00554	0.00474	PASS
25°C	LV	2.59	11.22	0.00138	0.00597	PASS
	HV	15.19	15.03	0.00808	0.00799	PASS

CDMA BC1						
Condition		Freq.Error (Hz)	Freq.Error (Hz)	Frequency Stability (ppm)	Frequency Stability (ppm)	Verdict
Temperature	Voltage	BPSK	QPSK	BPSK	QPSK	
Normal (25°C)	Normal	11.48	10.80	0.00610	0.00575	PASS
Extreme (90°C)		12.08	12.83	0.00643	0.00683	PASS
Extreme (80°C)		11.16	8.22	0.00594	0.00437	PASS
Extreme (70°C)		13.44	1.45	0.00715	0.00077	PASS
Extreme (60°C)		9.11	3.19	0.00485	0.00170	PASS
Extreme (50°C)		1.77	14.16	0.00094	0.00753	PASS
Extreme (40°C)		14.13	2.26	0.00752	0.00120	PASS
Extreme (30°C)		7.86	2.25	0.00418	0.00119	PASS
Extreme (20°C)		6.43	1.62	0.00342	0.00086	PASS
Extreme (10°C)		13.37	10.50	0.00711	0.00559	PASS
Extreme (0°C)		1.00	9.02	0.00053	0.00480	PASS
Extreme (-10°C)		8.80	7.99	0.00468	0.00425	PASS
Extreme (-20°C)		10.28	11.80	0.00547	0.00628	PASS
Extreme (-30°C)		1.24	1.15	0.00066	0.00061	PASS
Extreme (-40°C)		9.84	11.75	0.00523	0.00625	PASS
25°C	LV	12.83	13.03	0.00682	0.00693	PASS
	HV	13.65	14.45	0.00726	0.00769	PASS

LTE Band 2						
Condition		Freq.Error (Hz)	Freq.Error (Hz)	Frequency Stability (ppm)	Frequency Stability (ppm)	Verdict
BANDWIDTH	10MHz					
Temperature	Voltage	16QAM	QPSK	16QAM	QPSK	
Normal (25°C)	Normal	13.83	8.58	0.00735	0.00457	PASS
Extreme (90°C)		3.00	13.45	0.00159	0.00715	PASS
Extreme (80°C)		8.81	1.51	0.00469	0.00081	PASS
Extreme (70°C)		8.50	17.44	0.00452	0.00928	PASS
Extreme (60°C)		4.47	16.74	0.00238	0.00890	PASS
Extreme (50°C)		17.22	8.52	0.00916	0.00453	PASS
Extreme (40°C)		10.40	13.42	0.00553	0.00714	PASS
Extreme (30°C)		8.01	15.09	0.00426	0.00803	PASS
Extreme (20°C)		14.59	1.98	0.00776	0.00105	PASS
Extreme (10°C)		2.43	8.04	0.00129	0.00428	PASS
Extreme (0°C)		8.58	17.35	0.00456	0.00923	PASS
Extreme (-10°C)		8.42	4.46	0.00448	0.00237	PASS
Extreme (-20°C)		13.89	11.77	0.00739	0.00626	PASS
Extreme (-30°C)		3.72	12.22	0.00198	0.00650	PASS
Extreme (-40°C)		13.29	2.41	0.00707	0.00128	PASS
25°C	LV	6.03	7.50	0.00321	0.00399	PASS
	HV	8.60	14.63	0.00457	0.00778	PASS

LTE Band 25						
Condition		Freq.Error (Hz)	Freq.Error (Hz)	Frequency Stability (ppm)	Frequency Stability (ppm)	Verdict
BANDWIDTH	10MHz					
Temperature	Voltage	16QAM	QPSK	16QAM	QPSK	
Normal (25°C)	Normal	6.55	9.17	0.00348	0.00488	PASS
Extreme (90°C)		7.32	3.81	0.00389	0.00203	PASS
Extreme (80°C)		9.35	7.90	0.00498	0.00420	PASS
Extreme (70°C)		8.85	1.44	0.00471	0.00077	PASS
Extreme (60°C)		3.40	10.35	0.00181	0.00550	PASS
Extreme (50°C)		8.87	14.27	0.00472	0.00759	PASS
Extreme (40°C)		14.54	10.84	0.00774	0.00577	PASS
Extreme (30°C)		14.58	14.20	0.00776	0.00755	PASS
Extreme (20°C)		4.76	9.14	0.00253	0.00486	PASS



Extreme (10°C)		7.29	12.06	0.00388	0.00642	PASS
Extreme (0°C)		3.43	6.63	0.00183	0.00353	PASS
Extreme (-10°C)		14.69	14.69	0.00781	0.00781	PASS
Extreme (-20°C)		13.51	6.19	0.00719	0.00329	PASS
Extreme (-30°C)		11.93	7.61	0.00635	0.00405	PASS
Extreme (-40°C)		2.87	3.80	0.00153	0.00202	PASS
25°C	LV	4.29	15.37	0.00228	0.00817	PASS
	HV	1.98	7.58	0.00106	0.00403	PASS

5.7. Spurious Emissions at Antenna Terminals

Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

Method of Measurement


The EUT was connected to Spectrum Analyzer and Base Station Simulator via power Splitter. The measurement is carried out using a spectrum analyzer. The spectrum analyzer scans from 9kHz to the 10th harmonic of the carrier. The peak detector is used.

RBW is set to 100kHz, VBW is set to 300kHz for 30MHz~1GHz

RBW is set to 1MHz, VBW is set to 3MHz for above 1GHz, Sweep is set to ATUO.

The modulation mode and RB allocation refer to section 5.1, using the maximum output power configuration.

Test setup



Limits

Rule Part 24.238(a) specifies that “on any frequency outside a licensee’s frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10} (P)$ dB.”

Limit	-13 dBm

Measurement Uncertainty


The assessed measurement uncertainty to ensure 99.75% confidence level for the normal distribution is with the coverage factor $k = 1.96$.

Frequency	Uncertainty
9kHz-1GHz	0.684 dB
1GHz-20GHz	1.407 dB

Test Result


Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier, the emissions more than 20 dB below the limit are not reported.

The signal beyond the limit is carrier.






WCDMA Band II CH-Low 30MHz~1GHz




Date: 6.SEP.2019 13:31:41

WCDMA BAND II CH-Low 3GHz~20GHz




Date: 6.SEP.2019 13:23:15

WCDMA Band II CH- Middle 30MHz~1GHz




Date: 6.SEP.2019 13:32:03

WCDMA BAND II CH-Middle 1GHz~20GHz




Date: 6.SEP.2019 13:23:38

WCDMA Band II CH- High 30MHz~1GHz



Date: 6.SEP.2019 13:32:24


WCDMA BAND II CH-High 1GHz~20GHz



Date: 6.SEP.2019 13:24:03




CDMA BC1 CH-Low 30MHz~1GHz




Date: 19_SEP.2019 12:10:03

CDMA BC1 CH-Low 1GHz~20GHz




Date: 19_SEP.2019 12:11:47

CDMA BC1 CH- Middle 30MHz~1GHz




Date: 19_SEP.2019 12:10:24

CDMA BC1 CH-Middle 3GHz~20GHz




Date: 19_SEP.2019 12:11:58

CDMA BC1 CH- High 30MHz~1GHz



Date: 19_SEP.2019 12:10:39


CDMA BC1 CH-High 1GHz~20GHz



Date: 19_SEP.2019 12:12:10




LTE Band 2 1.4MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 18:51:57

LTE Band 2 1.4MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 19:05:14

LTE Band 2 1.4MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 18:52:17

LTE Band 2 1.4MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 19:05:32

LTE Band 2 1.4MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 18:52:23


LTE Band 2 1.4MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 19:05:53




LTE Band 2 3MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 18:52:50

LTE Band 2 3MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 19:06:15

LTE Band 2 3MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 18:53:01

LTE Band 2 3MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 19:06:35

LTE Band 2 3MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 18:53:09


LTE Band 23MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 19:06:53




LTE Band 2 5MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 18:53:26

LTE Band 2 5MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 19:07:11

LTE Band 2 5MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 18:53:34

LTE Band 2 5MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 19:07:29

LTE Band 2 5MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 18:53:39


LTE Band 2 5MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 19:07:42




LTE Band 2 10MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 18:53:56

LTE Band 2 10MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 19:08:02

LTE Band 2 10MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 18:54:03

LTE Band 2 10MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 19:08:19

LTE Band 2 10MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 18:54:19


LTE Band 2 10MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 19:08:34




LTE Band 2 15MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 18:54:51

LTE Band 2 15MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 19:08:58

LTE Band 2 15MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 18:54:59

LTE Band 2 15MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 19:09:15

LTE Band 2 15MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 18:55:16


LTE Band 2 15MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 19:10:09




LTE Band 2 20MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 18:55:29

LTE Band 2 20MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 19:10:28

LTE Band 2 20MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 18:55:36

LTE Band 2 20MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 19:10:43

LTE Band 2 20MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 18:55:41


LTE Band 2 20MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 19:10:53




LTE Band 25 1.4MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 20:21:33

LTE Band 25 1.4MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 20:42:24

LTE Band 25 1.4MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 20:21:56

LTE Band 25 1.4MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 20:42:44

LTE Band 25 1.4MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 20:22:29


LTE Band 25 1.4MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 20:43:00




LTE Band 25 3MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 20:22:51

LTE Band 25 3MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 20:43:17

LTE Band 25 3MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 20:23:15

LTE Band 25 3MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 20:43:44

LTE Band 25 3MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 20:23:29


LTE Band25 3MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 20:43:59




LTE Band 25 5MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 20:24:41

LTE Band 25 5MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 20:44:16

LTE Band 25 5MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 20:24:56

LTE Band 25 5MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 20:44:36

LTE Band 25 5MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 20:25:14


LTE Band 25 5MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 20:44:51




LTE Band 25 10MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 20:26:15

LTE Band 25 10MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 20:45:08

LTE Band 25 10MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 20:26:29

LTE Band 25 10MHz CH-Middle 1GHz~20GHz




Date: 17.SEP.2019 11:38:22

LTE Band 25 10MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 20:26:43


LTE Band 25 10MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 20:45:42




LTE Band 25 15MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 20:27:13

LTE Band 25 15MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 20:46:02

LTE Band 25 15MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 20:27:34

LTE Band 25 15MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 20:46:21

LTE Band 25 15MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 20:27:46


LTE Band 25 15MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 20:46:34




LTE Band 25 20MHz CH-Low 30MHz~1GHz




Date: 9.SEP.2019 20:28:02

LTE Band 25 20MHz CH-Low 1GHz~20GHz




Date: 9.SEP.2019 20:46:52

LTE Band 25 20MHz CH-Middle 30MHz~1GHz




Date: 9.SEP.2019 20:28:17

LTE Band 25 20MHz CH-Middle 1GHz~20GHz




Date: 9.SEP.2019 20:47:11

LTE Band 25 20MHz CH-High 30MHz~1GHz



Date: 9.SEP.2019 20:28:27

LTE Band 25 20MHz CH-High 1GHz~20GHz



Date: 9.SEP.2019 20:47:23

5.8. Radiates Spurious Emission

Ambient condition

Temperature	Relative humidity	Pressure
23°C ~25°C	45%~50%	101.5kPa

Method of Measurement

1. The testing follows FCC KDB 971168 v03r01 Section 5.8 and ANSI C63.26 (2015).
2. Below 1GHz: The EUT is placed on a turntable 0.8 meters above the ground in the chamber, 3 meter away from the antenna. The maximal emission value is acquired by adjusting the antenna height, polarisation and turntable azimuth. Normally, the height range of antenna is 1 m to 4 m, the azimuth range of turntable is 0° to 360°, and the receive antenna has two polarizations Vertical (V) and Horizontal (H). Above 1GHz: (Note: the FCC's permission to use 1.5m as an alternative per TCBC Conf call of Dec. 2, 2014.) The EUT is placed on a turntable 1.5 meters above the ground in the chamber, 3 meter away from the antenna. The maximal emission value is acquired by adjusting the antenna height, polarisation and turntable azimuth. Normally, the height range of antenna is 1 m to 4 m, the azimuth range of turntable is 0° to 360°, and the receive antenna has two polarizations Vertical (V) and Horizontal (H).
3. A loop antenna, A log-periodic antenna or horn antenna shall be substituted in place of the EUT. The log-periodic antenna will be driven by a signal generator and the level will be adjusted till the same power value on the spectrum analyzer or receiver. The level of the spurious emissions can be calculated through the level of the signal generator, cable loss, the gain of the substitution antenna and the reading of the spectrum analyzer or receiver.
4. The EUT is then put into continuously transmitting mode at its maximum power level during the test. Set Test Receiver or Spectrum RBW=200Hz,VBW=600Hz for 9kHz150kHz , RBW=10kHz, VBW=30kHz 150kHz-30MHz , RBW=100kHz,VBW=300kHz for 30MHz to 1GHz and RBW=1MHz, VBW=3MHz for above 1GHz, And the maximum value of the receiver should be recorded as (Pr).
5. The EUT shall be replaced by a substitution antenna. In the chamber, an substitution antenna for the frequency band of interest is placed at the reference point of the chamber. An RF Signal source for the frequency band of interest is connected to the substitution antenna with a cable that has been constructed to not interfere with the radiation pattern of the antenna. A power (PMea) is applied to the input of the substitution antenna, and adjust the level of the signal generator output until the value of the receiver reach the previously recorded (Pr). The power of signal source (PMea) is recorded. The test should be performed by rotating the test item and adjusting the receiving antenna polarization.
6. A amplifier should be connected to the Signal Source output port. And the cable should be connect between the Amplifier and the Substitution Antenna. The cable loss (Pcl) ,the Substitution Antenna Gain (Ga) and the Amplifier Gain (PAg) should be recorded after test.
7. The measurement results are obtained as described below:
$$\text{Power(EIRP)} = \text{PMea} - \text{PAg} - \text{Pcl} + \text{Ga}$$


The measurement results are amend as described below:
$$\text{Power(EIRP)} = \text{PMea} - \text{Pcl} + \text{Ga}$$
8. This value is EIRP since the measurement is calibrated using an antenna of known gain (2.15 dBi)

and known input power. ERP can be calculated from EIRP by subtracting the gain of the dipole, $ERP = EIRP - 2.15\text{dBi}$.


The modulation mode and RB allocation refer to section 5.1, using the maximum output power configuration.

Test setup


9KHz ~ 30MHz



30MHz ~ 1GHz



Above 1GHz





Note: Area side: 2.4mX3.6m

Limits

Rule Part 24.238(a) specifies that “on any frequency outside a licensee's frequency block, the power of any emission shall be attenuated below the transmitter power (P) by at least $43 + 10 \log_{10}(P)$ dB.”

Limit	-13 dBm
-------	---------

Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor $k = 1.96$, $U = 3.55$ dB.

Test Result

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier, the emissions below the noise floor will not be recorded in the report.

GSM 1900 CH-Middle

Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	EIRP Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
2	3759.9	-48.35	5.10	11.05	Horizontal	-42.40	-13.00	29.40	135
3	5640.2	-56.43	5.42	12.65	Horizontal	-49.20	-13.00	36.20	45
4	7519.5	-53.75	6.70	13.85	Horizontal	-46.60	-13.00	33.60	0
5	9402.8	-53.04	7.01	14.75	Horizontal	-45.30	-13.00	32.30	90
6	11279.3	-51.57	7.48	15.95	Horizontal	-43.10	-13.00	30.10	180
7	13159.1	-50.14	7.51	16.55	Horizontal	-41.10	-13.00	28.10	225
8	15041.3	-48.71	8.24	15.35	Horizontal	-41.60	-13.00	28.60	315
9	16922.3	-43.34	8.41	14.95	Horizontal	-36.80	-13.00	23.80	135
10	18800.0	-	-	-	-	-	-	-	-

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.
 2. The worst emission was found in the antenna is Horizontal position.

CDMA BC1 CH-Middle

Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	EIRP Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
2	3760.0	-55.05	5.10	11.05	Horizontal	-49.10	-13.00	36.10	45
3	5640.0	-46.73	5.42	12.65	Horizontal	-39.50	-13.00	26.50	90
4	7520.0	-56.95	6.70	13.85	Horizontal	-49.80	-13.00	36.80	0
5	9400.0	-55.84	7.01	14.75	Horizontal	-48.10	-13.00	35.10	135
6	11280.0	-54.07	7.48	15.95	Horizontal	-45.60	-13.00	32.60	45
7	13160.0	-53.44	7.51	16.55	Horizontal	-44.40	-13.00	31.40	225
8	15040.0	-52.11	8.24	15.35	Horizontal	-45.00	-13.00	32.00	270
9	16920.0	-50.64	8.41	14.95	Horizontal	-44.10	-13.00	31.10	180
10	18800.0	-	-	-	-	-	-	-	-

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.
 2. The worst emission was found in the antenna is Horizontal position.



WCDMA Band II CH-Middle

Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	EIRP Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
2	3760.0	-57.45	5.10	11.05	Horizontal	-51.50	-13.00	38.50	45
3	5640.0	-61.37	5.42	12.65	Horizontal	-54.14	-13.00	41.14	90
4	7520.0	-58.04	6.70	13.85	Horizontal	-50.89	-13.00	37.89	0
5	9400.0	-56.42	7.01	14.75	Horizontal	-48.68	-13.00	35.68	180
6	11280.0	-54.58	7.48	15.95	Horizontal	-46.11	-13.00	33.11	225
7	13160.0	-55.24	7.51	16.55	Horizontal	-46.20	-13.00	33.20	315
8	15040.0	-52.98	8.24	15.35	Horizontal	-45.87	-13.00	32.87	270
9	16920.0	-48.95	8.41	14.95	Horizontal	-42.41	-13.00	29.41	0
10	18800.0	-	-	-	-	-	-	-	-

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 2 1.4MHz CH-Middle

Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	EIRP Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
2	3759.0	-56.18	5.10	11.05	Horizontal	-50.23	-13.00	37.23	45
3	5638.9	-58.56	5.42	12.65	Horizontal	-51.33	-13.00	38.33	315
4	7520.0	-55.63	6.70	13.85	Horizontal	-48.48	-13.00	35.48	225
5	9400.0	-54.14	7.01	14.75	Horizontal	-46.40	-13.00	33.40	90
6	11280.0	-54.78	7.48	15.95	Horizontal	-46.31	-13.00	33.31	0
7	13160.0	-55.88	7.51	16.55	Horizontal	-46.84	-13.00	33.84	135
8	15040.0	-52.56	8.24	15.35	Horizontal	-45.45	-13.00	32.45	45
9	16920.0	-56.77	8.41	14.95	Horizontal	-50.23	-13.00	37.23	45
10	18800.0	-	-	-	-	-	-	-	-

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 2 5MHz CH-Middle

Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	EIRP Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
2	3760.0	-53.49	5.10	11.05	Horizontal	-47.54	-13.00	34.54	225
3	5640.0	-58.17	5.42	12.65	Horizontal	-50.94	-13.00	37.94	45
4	7520.0	-59.57	6.70	13.85	Horizontal	-52.42	-13.00	39.42	315
5	9400.0	-56.49	7.01	14.75	Horizontal	-48.75	-13.00	35.75	90
6	11280.0	-55.25	7.48	15.95	Horizontal	-46.78	-13.00	33.78	45
7	13160.0	-54.08	7.51	16.55	Horizontal	-45.04	-13.00	32.04	180
8	15040.0	-53.08	8.24	15.35	Horizontal	-45.97	-13.00	32.97	45
9	16920.0	-51.11	8.41	14.95	Horizontal	-44.57	-13.00	31.57	135
10	18800.0	-	-	-	-	-	-	-	-

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.
 2. The worst emission was found in the antenna is Horizontal position.

LTE Band 2 20MHz CH-Middle

Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	EIRP Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
2	3760.0	-55.17	5.10	11.05	Horizontal	-49.22	-13.00	36.22	45
3	5640.0	-56.99	5.42	12.65	Horizontal	-49.76	-13.00	36.76	225
4	7520.0	-58.65	6.70	13.85	Horizontal	-51.50	-13.00	38.50	315
5	9400.0	-57.31	7.01	14.75	Horizontal	-49.57	-13.00	36.57	45
6	11280.0	-55.73	7.48	15.95	Horizontal	-47.26	-13.00	34.26	45
7	13160.0	-55.37	7.51	16.55	Horizontal	-46.33	-13.00	33.33	90
8	15040.0	-53.57	8.24	15.35	Horizontal	-46.46	-13.00	33.46	45
9	16920.0	-49.95	8.41	14.95	Horizontal	-43.41	-13.00	30.41	135
10	18800.0	-	-	-	-	-	-	-	-

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.
 2. The worst emission was found in the antenna is Horizontal position.



LTE Band 25 1.4MHz CH-Middle

Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	EIRP Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
2	3759.0	-55.72	5.10	11.05	Horizontal	-49.77	-13.00	36.77	135
3	5638.9	-57.25	5.42	12.65	Horizontal	-50.02	-13.00	37.02	45
4	7520.0	-59.36	6.70	13.85	Horizontal	-52.21	-13.00	39.21	90
5	9400.0	-57.05	7.01	14.75	Horizontal	-49.31	-13.00	36.31	225
6	11280.0	-54.94	7.48	15.95	Horizontal	-46.47	-13.00	33.47	135
7	13160.0	-54.85	7.51	16.55	Horizontal	-45.81	-13.00	32.81	315
8	15040.0	-52.86	8.24	15.35	Horizontal	-45.75	-13.00	32.75	225
9	16920.0	-51.45	8.41	14.95	Horizontal	-44.91	-13.00	31.91	180
10	18800.0	-	-	-	-	-	-	-	-

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

LTE Band 25 5MHz CH-Middle

Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	EIRP Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
2	3760.0	-55.68	5.10	11.05	Horizontal	-49.73	-13.00	36.73	45
3	5640.0	-57.65	5.42	12.65	Horizontal	-50.42	-13.00	37.42	225
4	7520.0	-58.60	6.70	13.85	Horizontal	-51.45	-13.00	38.45	135
5	9400.0	-58.33	7.01	14.75	Horizontal	-50.59	-13.00	37.59	90
6	11280.0	-56.21	7.48	15.95	Horizontal	-47.74	-13.00	34.74	225
7	13160.0	-55.65	7.51	16.55	Horizontal	-46.61	-13.00	33.61	135
8	15040.0	-53.66	8.24	15.35	Horizontal	-46.55	-13.00	33.55	45
9	16920.0	-51.27	8.41	14.95	Horizontal	-44.73	-13.00	31.73	90
10	18800.0	-	-	-	-	-	-	-	-

Note: 1.The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.



LTE Band 25 20MHz CH-Middle

Harmonic	Frequency (MHz)	SG (dBm)	Cable Loss (dB)	Gain (dBi)	Antenna Polarization	EIRP Level (dBm)	Limit (dBm)	Margin (dB)	Azimuth (deg)
2	3760.0	-56.54	5.10	11.05	Horizontal	-50.59	-13.00	37.59	0
3	5640.0	-58.38	5.42	12.65	Horizontal	-51.15	-13.00	38.15	180
4	7520.0	-59.50	6.70	13.85	Horizontal	-52.35	-13.00	39.35	135
5	9400.0	-57.05	7.01	14.75	Horizontal	-49.31	-13.00	36.31	45
6	11280.0	-56.43	7.48	15.95	Horizontal	-47.96	-13.00	34.96	225
7	13160.0	-56.33	7.51	16.55	Horizontal	-47.29	-13.00	34.29	315
8	15040.0	-53.07	8.24	15.35	Horizontal	-45.96	-13.00	32.96	45
9	16920.0	-51.39	8.41	14.95	Horizontal	-44.85	-13.00	31.85	90
10	18800.0	-	-	-	-	-	-	-	-

Note: 1. The other Spurious RF Radiated emissions level is no more than noise floor.

2. The worst emission was found in the antenna is Horizontal position.

6. Main Test Instruments

Name	Manufacturer	Type	Serial Number	Calibration Date	Expiration Date
Base Station Simulator	R&S	CMU200	118133	2019-05-19	2020-05-18
Base Station Simulator	R&S	CMW500	113824	2019-05-19	2020-05-18
Power Splitter	Hua Xiang	SHX-GF2-2-13	10120101	/	/
Spectrum Analyzer	Key sight	N9010A	MY50210259	2019-05-19	2020-05-18
Universal Radio Communication Tester	Key sight	E5515C	MY48367192	2019-05-19	2020-05-18
Signal Analyzer	R&S	FSV30	100815	2018-12-16	2019-12-15
Loop Antenna	SCHWARZBECK	FMZB1519	1519-047	2017-09-26	2019-09-25
Trilog Antenna	SCHWARZBECK	VUBL 9163	9163-201	2017-11-18	2019-11-17
Horn Antenna	R&S	HF907	100126	2018-07-07	2020-07-06
Horn Antenna	ETS-Lindgren	3160-09	00102643	2018-06-20	2020-06-19
Signal generator	R&S	SMB 100A	102594	2019-05-19	2020-05-18
Climatic Chamber	ESPEC	SU-242	93000506	2017-12-17	2020-12-16
Preamplifier	R&S	SCU18	102327	2019-05-19	2020-05-18
MOB COMMS DC SUPPLY	Keysight	66319D	MY43004105	2019-05-19	2020-05-18
RF Cable	Agilent	SMA 15cm	0001	2019-06-14	2019-09-13
Software	R&S	EMC32	9.26.0	/	/

*****END OF REPORT *****