

## &lt;MeiG Smart Technology Co., Ltd &gt;

**Modular Transmitter Approval Request**

Federal Communications Commission  
 Equipment Authorization Branch  
 7435 Oakland Mills Road  
 Columbia, MD 21046

**Company name: MeiG Smart Technology Co., Ltd**  
**FCC ID: 2APJ4-SNM900**

Gentlemen,

In accordance with 47CFR 15.212 Modular Transmitters and KDB 996369 D01 'Module Certification Guide v02'. FCC ID 2APJ4-SNM900 has been examined against the following requirements.

Items to be covered by Single modular transmitters.

| <b>Requirement per 15.212 and KDB 996369 D01<br/>'Modular Certification Guide v02'</b>   | <b>Explanation from Grantee</b><br>(do not write yes/no, but explain why product complies/how it is achieved)         |
|--|---|
| 1. The radio elements must have the radio frequency circuitry shielded. Physical components and tuning capacitor(s) may be located external to the shield, but must be on the module assembly                                | Yes. Radio frequency circuitry is shielded.   |
| 2. The module must have buffered modulation/data inputs to ensure that the device will comply with Part 15 requirements with any type of input signal  | Yes. The core board of slm900 series adopts sdm660 of Qualcomm snapdragon 600 series. The main control chip is sdm660 |
| 3. The module must contain power supply regulation on the module   | Yes. It is a DC step down converter.  |
| 4. The module must contain a permanently attached antenna, or contain a unique antenna connector, and be marketed and operated only with specific antenna(s), per Sections 15.203, 15.204(b), 15.204(c), 15.212(a), 2.929(b) | Yes, The module contain a unique antenna connector, and be marketed and operated only with specific antenna.          |
| 5. The module must demonstrate compliance in a stand-alone configuration   | Yes, Please see the test setup photos.  |
| 6. The module must be labelled with its permanently affixed FCC ID label, or use an electronic display (See KDB Publication 784748 about labelling requirements)   | Yes, Please see the label photos.   |
| 7. The module must comply with all specific rules applicable to the transmitter including all the conditions provided in the integration instructions by the grantee   | Yes. Please see test report.  |
| 8. The module must comply with RF exposure requirements  | Yes. The modular comply with applicable RF exposure requirements. Please see MPE Report.                              |

Items to be covered by Split modular transmitters.

| Requirement per 15.212 and KDB 996369 D01<br>'Modular Certification Guide v02   | Explanation from Grantee<br>(do not write yes/no, but explain why product complies/how it is achieved) |
|---|--|
| 9. Split modular transmitters must meet all the requirements of a single modular in above item1 and 5 for single modular approval requirements.   | NO   |
| 10. Only the radio front end must be shielded. The physical crystal and tuning capacitors may be located external to the shielded radio elements. The interface between the split sections of the modular system must be digital with a minimum signaling amplitude of 150 mV peak-to-peak.   | No   |
| 11. Control information and other data may be exchanged between the transmitter control elements and radio front end.   | No   |
| 12. The sections of a split modular transmitter must be tested installed in a host device(s) similar to that which is representative of the platform(s) intended for use.   | No   |
| 13. Manufacturers must ensure that only transmitter control elements and radio front end components that have been approved together are capable of operating together. The transmitter module must not operate unless it has verified that the installed transmitter control elements and radio front end have been authorized together. Manufacturers may use means including, but not limited to, coding in hardware and electronic signatures in software to meet these requirements, and must describe the methods in their application for equipment authorization. | No   |

**A limited modular approval (LMA) may be granted for single or split modular transmitters that comply partially with requirements above.**

Name: louxinwei

Date: 12/09/2021

Title: Product manager

Signature of applicant: *lou Xin wei*