


Appendix A: Transmitter Radiated Spurious Emissions

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.


Above 1GHz, The emission level with margin less than 20db is recorded.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

30MHz-1GHz



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	37.7600	26.83	-16.09	40.00	13.17	100	26	Vertical	PASS
2	114.390	13.20	-18.20	43.50	30.30	100	323	Vertical	PASS
3	167.740	26.00	-17.08	43.50	17.50	100	131	Vertical	PASS
4	216.240	29.93	-18.44	46.00	16.07	100	62	Vertical	PASS
5	327.790	34.39	-15.33	46.00	11.61	100	195	Vertical	PASS
6	492.690	38.39	-11.08	46.00	7.61	100	151	Vertical	PASS



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	38.7300	22.27	-15.92	40.00	17.73	100	0	Horizontal	PASS
2	167.740	20.87	-17.08	43.50	22.63	100	268	Horizontal	PASS
3	216.240	23.66	-18.44	46.00	22.34	100	348	Horizontal	PASS
4	293.840	23.13	-16.16	46.00	22.87	100	112	Horizontal	PASS
5	491.720	29.13	-11.10	46.00	16.87	100	98	Horizontal	PASS
6	882.630	30.77	-2.72	46.00	15.23	100	120	Horizontal	PASS

Mode:	11A-5180
-------	----------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1392.30	43.29	1.87	74.00	30.71	150	162	Horizontal
2	2756.62	45.98	7.93	74.00	28.02	150	27	Horizontal
3	6905.32	47.31	-12.15	68.23	20.92	150	342	Horizontal
4	9135.64	44.76	-9.26	74.00	29.24	150	254	Horizontal
5	10502.6	46.75	-6.55	68.23	21.48	150	314	Horizontal
6	11599.8	48.19	-4.87	74.00	25.81	150	251	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1342.32	41.92	2.02	74.00	32.08	150	103	Vertical
2	2354.32	45.53	6.62	74.00	28.47	150	220	Vertical
3	3728.63	47.43	10.46	74.00	26.57	150	252	Vertical
4	6905.32	52.10	-12.15	68.23	16.13	150	356	Vertical
5	11240.0	47.86	-5.52	74.00	26.14	150	19	Vertical
6	15397.9	49.93	0.58	74.00	24.07	150	174	Vertical

Mode: 11A-5200

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1229.88	41.51	2.10	74.00	32.49	150	172	Horizontal
2	2041.97	44.76	5.78	68.23	23.47	150	125	Horizontal
3	6932.30	47.34	-12.09	68.23	20.89	150	342	Horizontal
4	8281.28	44.86	-10.80	74.00	29.14	150	9	Horizontal
5	10439.6	46.30	-6.61	68.23	21.93	150	348	Horizontal
6	11779.6	48.36	-4.58	74.00	25.64	150	0	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2131.93	45.02	6.06	68.23	23.21	150	214	Vertical
2	3286.35	48.11	9.39	68.23	20.12	150	130	Vertical
3	6932.30	51.47	-12.09	68.23	16.76	150	0	Vertical
4	9090.68	45.41	-9.60	74.00	28.59	150	305	Vertical
5	10571.5	47.43	-6.68	68.23	20.80	150	247	Vertical
6	11797.6	47.53	-4.70	74.00	26.47	150	161	Vertical

Mode:

11A-5240

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1844.57	44.29	5.18	68.23	23.94	150	242	Horizontal
2	2816.59	46.17	8.18	74.00	27.83	150	19	Horizontal
3	3758.62	47.55	10.42	74.00	26.45	150	360	Horizontal
4	6986.26	48.29	-11.26	68.23	19.94	150	316	Horizontal
5	9453.40	45.80	-8.10	74.00	28.20	150	183	Horizontal
6	11318.0	47.55	-5.39	74.00	26.45	150	236	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1824.58	44.04	5.03	68.23	24.19	150	47	Vertical
2	2941.52	46.62	8.51	68.23	21.61	150	66	Vertical
3	6986.26	53.37	-11.26	68.23	14.86	150	356	Vertical
4	10148.8	46.39	-7.15	68.23	21.84	150	212	Vertical
5	13353.4	49.54	-2.88	74.00	24.46	150	298	Vertical
6	15538.8	51.20	-0.17	74.00	22.80	150	265	Vertical

Mode:

11A-5260

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1957.02	44.91	5.55	68.23	23.32	150	228	Horizontal
2	2631.68	46.06	7.66	68.23	22.17	150	302	Horizontal
3	4123.43	49.85	11.49	74.00	24.15	150	327	Horizontal
4	7013.24	49.29	-11.18	68.23	18.94	150	301	Horizontal
5	9090.68	44.87	-9.60	74.00	29.13	150	261	Horizontal
6	10943.2	46.73	-5.99	74.00	27.27	150	112	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1932.03	44.59	5.53	68.23	23.64	150	14	Vertical
2	2339.33	45.44	6.57	74.00	28.56	150	306	Vertical
3	3756.12	47.77	10.43	74.00	26.23	150	341	Vertical
4	7013.24	52.51	-11.18	68.23	15.72	150	0	Vertical
5	10184.8	46.78	-7.40	68.23	21.45	150	9	Vertical
6	12921.8	47.93	-3.00	68.23	20.30	150	284	Vertical

Mode: 11A-5280

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2424.28	46.41	7.09	68.23	21.82	150	250	Horizontal
2	3753.62	47.60	10.43	74.00	26.40	150	334	Horizontal
3	7040.21	48.53	-11.63	68.23	19.70	150	329	Horizontal
4	10160.8	47.44	-7.24	68.23	20.79	150	134	Horizontal
5	12094.4	47.41	-4.46	74.00	26.59	150	19	Horizontal
6	13293.5	48.53	-2.50	74.00	25.47	150	93	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2064.46	44.70	5.78	68.23	23.53	150	214	Vertical
2	2924.03	47.00	8.41	68.23	21.23	150	211	Vertical
3	7040.21	52.63	-11.63	68.23	15.60	150	0	Vertical
4	9597.30	45.90	-8.05	68.23	22.33	150	16	Vertical
5	10970.2	47.07	-5.90	74.00	26.93	150	304	Vertical
6	13101.6	47.89	-2.77	68.23	20.34	150	16	Vertical

Mode:

11A-5320

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1967.01	44.28	5.66	68.23	23.95	150	355	Horizontal
2	2544.22	46.20	7.44	68.23	22.03	150	52	Horizontal
3	3596.20	46.72	10.03	68.23	21.51	150	315	Horizontal
4	7094.17	49.44	-11.54	68.23	18.79	150	315	Horizontal
5	9825.13	46.01	-7.47	68.23	22.22	150	297	Horizontal
6	11671.7	47.99	-4.53	74.00	26.01	150	40	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2534.23	46.61	7.50	68.23	21.62	150	151	Vertical
2	4218.39	48.81	11.78	74.00	25.19	150	19	Vertical
3	7094.17	53.73	-11.54	68.23	14.50	150	2	Vertical
4	9582.31	46.46	-7.92	68.23	21.77	150	285	Vertical
5	12622.0	48.38	-3.97	74.00	25.62	150	39	Vertical
6	15592.8	50.06	-0.01	74.00	23.94	150	322	Vertical

Mode:

11A-5500

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2084.45	45.25	5.72	68.23	22.98	150	84	Horizontal
2	3236.38	47.83	8.92	68.23	20.40	150	65	Horizontal
3	7333.99	47.72	-11.63	74.00	26.28	150	280	Horizontal
4	8892.83	45.12	-9.62	68.23	23.11	150	280	Horizontal
5	9957.03	46.58	-7.27	68.23	21.65	150	143	Horizontal
6	12481.1	49.22	-3.70	74.00	24.78	150	280	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1762.11	43.15	3.92	68.23	25.08	150	291	Vertical
2	2804.09	45.81	7.92	74.00	28.19	150	81	Vertical
3	7333.99	47.23	-11.63	74.00	26.77	150	3	Vertical
4	9153.63	45.10	-9.12	74.00	28.90	150	268	Vertical
5	10262.8	46.28	-7.30	68.23	21.95	150	84	Vertical
6	11030.2	47.65	-5.69	74.00	26.35	150	356	Vertical

Mode:

11A-5580

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2276.86	45.80	6.33	74.00	28.20	150	252	Horizontal
2	3091.45	46.44	8.73	68.23	21.79	150	88	Horizontal
3	7438.92	48.03	-11.38	74.00	25.97	150	29	Horizontal
4	8949.78	45.08	-9.49	68.23	23.15	150	249	Horizontal
5	10196.8	46.37	-7.49	68.23	21.86	150	126	Horizontal
6	11015.2	47.51	-5.72	74.00	26.49	150	96	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2029.48	45.53	5.63	68.23	22.70	150	358	Vertical
2	3568.71	47.03	9.76	68.23	21.20	150	114	Vertical
3	7438.92	48.44	-11.38	74.00	25.56	150	330	Vertical
4	9696.22	46.05	-7.88	68.23	22.18	150	14	Vertical
5	11090.1	46.83	-5.50	74.00	27.17	150	241	Vertical
6	13311.5	48.50	-2.54	74.00	25.50	150	243	Vertical

Mode: 11A-5720

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1944.52	45.01	5.35	68.23	23.22	150	14	Horizontal
2	2206.89	44.90	6.17	74.00	29.10	150	31	Horizontal
3	2754.12	45.93	7.81	74.00	28.07	150	209	Horizontal
4	3841.07	47.73	10.33	74.00	26.27	150	146	Horizontal
5	7627.77	46.81	-11.39	74.00	27.19	150	30	Horizontal
6	10163.8	46.29	-7.26	68.23	21.94	150	72	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1989.50	44.10	5.68	68.23	24.13	150	94	Vertical
2	2904.04	46.76	8.18	68.23	21.47	150	32	Vertical
3	3413.79	47.04	9.31	68.23	21.19	150	32	Vertical
4	6575.56	48.11	-11.73	68.23	20.12	150	110	Vertical
5	7627.77	50.69	-11.39	74.00	23.31	150	350	Vertical
6	11443.9	50.20	-4.94	74.00	23.80	150	90	Vertical

Mode:

11A-5745

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2471.46	45.92	7.43	68.23	22.31	150	116	Horizontal
2	2753.52	47.27	7.96	74.00	26.73	150	356	Horizontal
3	9421.51	45.85	-8.90	74.00	28.15	150	217	Horizontal
4	10574.6	46.52	-6.87	68.23	21.71	150	90	Horizontal
5	11249.2	47.61	-5.80	74.00	26.39	150	114	Horizontal
6	12646.7	47.44	-3.68	74.00	26.56	150	217	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2400.09	45.63	6.95	68.23	22.60	150	168	Vertical
2	3011.79	47.05	8.66	68.23	21.18	150	245	Vertical
3	4102.64	49.43	11.50	74.00	24.57	150	168	Vertical
4	8227.65	44.98	-10.45	74.00	29.02	150	55	Vertical
5	10075.7	45.92	-7.53	68.23	22.31	150	85	Vertical
6	11111.7	46.77	-5.66	74.00	27.23	150	152	Vertical

Mode:

11A-5785

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1319.44	41.99	2.09	74.00	32.01	150	129	Horizontal
2	2240.37	46.09	6.35	74.00	27.91	150	132	Horizontal
3	3307.44	48.27	9.37	68.23	19.96	150	29	Horizontal
4	9230.59	45.06	-8.94	68.23	23.17	150	244	Horizontal
5	10238.6	46.88	-7.66	68.23	21.35	150	98	Horizontal
6	11880.5	47.80	-4.45	74.00	26.20	150	118	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1944.72	45.43	5.51	68.23	22.80	150	0	Vertical
2	2617.59	46.39	7.64	68.23	21.84	150	206	Vertical
3	3983.70	48.76	11.25	74.00	25.24	150	242	Vertical
4	9151.68	45.11	-9.62	74.00	28.89	150	343	Vertical
5	10559.3	45.69	-6.86	68.23	22.54	150	154	Vertical
6	12929.2	48.11	-3.28	68.23	20.12	150	152	Vertical

Mode: 11A-5825

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2080.65	45.51	5.79	68.23	22.72	150	179	Horizontal
2	2875.86	46.89	8.29	74.00	27.11	150	16	Horizontal
3	3990.50	49.07	11.26	74.00	24.93	150	21	Horizontal
4	9322.23	45.68	-9.08	74.00	28.32	150	248	Horizontal
5	11399.4	47.84	-5.55	74.00	26.16	150	233	Horizontal
6	11877.9	47.52	-4.46	74.00	26.48	150	92	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1907.34	45.45	5.68	68.23	22.78	150	210	Vertical
2	3025.38	46.37	8.76	68.23	21.86	150	215	Vertical
3	3762.81	48.14	10.45	74.00	25.86	150	260	Vertical
4	9828.79	45.14	-7.96	68.23	23.09	150	145	Vertical
5	11292.4	47.27	-5.57	74.00	26.73	150	30	Vertical
6	13252.5	48.40	-2.20	74.00	25.60	150	27	Vertical

Mode:

11N20-5180

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1984.50	45.50	5.86	68.23	22.73	150	149	Horizontal
2	2421.78	46.28	7.07	68.23	21.95	150	336	Horizontal
3	3133.93	46.50	8.83	68.23	21.73	150	98	Horizontal
4	6908.31	48.24	-12.14	68.23	19.99	150	352	Horizontal
5	8233.32	44.61	-10.67	74.00	29.39	150	150	Horizontal
6	10040.9	46.39	-7.38	68.23	21.84	150	235	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1949.52	45.79	5.47	68.23	22.44	150	291	Vertical
2	2491.75	46.51	7.61	74.00	27.49	150	129	Vertical
3	3323.83	46.79	9.46	68.23	21.44	150	303	Vertical
4	6905.32	52.56	-12.15	68.23	15.67	150	357	Vertical
5	8083.43	45.10	-11.29	74.00	28.90	150	284	Vertical
6	10964.2	46.92	-5.93	74.00	27.08	150	248	Vertical

Mode:

11N20-5200

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1987.00	44.71	5.89	68.23	23.52	150	156	Horizontal
2	2469.26	46.18	7.41	68.23	22.05	150	356	Horizontal
3	6932.30	47.20	-12.09	68.23	21.03	150	341	Horizontal
4	7936.54	44.62	-10.79	68.23	23.61	150	318	Horizontal
5	9204.59	45.87	-9.23	68.23	22.36	150	188	Horizontal
6	9996.00	46.40	-7.21	68.23	21.83	150	283	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2529.23	46.12	7.52	68.23	22.11	150	114	Vertical
2	3333.83	48.17	9.45	74.00	25.83	150	200	Vertical
3	4270.86	48.79	11.81	74.00	25.21	150	202	Vertical
4	6932.30	52.47	-12.09	68.23	15.76	150	359	Vertical
5	8656.00	44.41	-10.45	68.23	23.82	150	316	Vertical
6	10253.8	46.32	-7.21	68.23	21.91	150	246	Vertical

Mode:

11N20-5240

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2551.72	46.49	7.42	68.23	21.74	150	24	Horizontal
2	2944.02	47.48	8.53	68.23	20.75	150	341	Horizontal
3	3993.50	48.57	11.06	74.00	25.43	150	223	Horizontal
4	6986.26	49.24	-11.26	68.23	18.99	150	334	Horizontal
5	9012.74	45.31	-9.22	74.00	28.69	150	309	Horizontal
6	10763.4	46.25	-6.55	74.00	27.75	150	294	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2234.38	45.27	6.30	74.00	28.73	150	5	Vertical
2	3126.43	47.91	8.85	68.23	20.32	150	0	Vertical
3	4118.44	47.98	11.49	74.00	26.02	150	275	Vertical
4	6986.26	52.78	-11.26	68.23	15.45	150	359	Vertical
5	7999.50	45.16	-11.15	68.23	23.07	150	170	Vertical
6	10919.3	47.19	-5.98	74.00	26.81	150	210	Vertical

Mode:	11N20-5260
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2181.90	45.72	6.21	68.23	22.51	150	211	Horizontal
2	2424.28	45.86	7.09	68.23	22.37	150	313	Horizontal
3	3308.84	46.99	9.47	68.23	21.24	150	72	Horizontal
4	7013.24	49.49	-11.18	68.23	18.74	150	328	Horizontal
5	9087.68	46.00	-9.58	74.00	28.00	150	247	Horizontal
6	10961.2	46.99	-5.94	74.00	27.01	150	300	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2051.97	44.27	5.73	68.23	23.96	150	68	Vertical
2	2441.77	45.64	7.19	68.23	22.59	150	286	Vertical
3	3703.64	47.53	10.47	74.00	26.47	150	32	Vertical
4	7013.24	52.86	-11.18	68.23	15.37	150	360	Vertical
5	7993.50	45.46	-11.10	68.23	22.77	150	157	Vertical
6	11389.9	47.35	-5.40	74.00	26.65	150	104	Vertical

Mode:	11N20-5280
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1969.51	45.14	5.69	68.23	23.09	150	302	Horizontal
2	2549.22	46.85	7.41	68.23	21.38	150	128	Horizontal
3	4205.89	49.69	11.77	74.00	24.31	150	45	Horizontal
4	7040.21	50.09	-11.63	68.23	18.14	150	315	Horizontal
5	9021.73	45.29	-9.27	74.00	28.71	150	112	Horizontal
6	11893.5	48.06	-4.50	74.00	25.94	150	157	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1912.04	44.15	5.60	68.23	24.08	150	90	Vertical
2	2921.53	47.87	8.38	68.23	20.36	150	92	Vertical
3	4103.44	49.46	11.48	74.00	24.54	150	289	Vertical
4	7040.21	53.16	-11.63	68.23	15.07	150	344	Vertical
5	8970.77	45.09	-9.35	68.23	23.14	150	170	Vertical
6	11893.5	48.17	-4.50	74.00	25.83	150	156	Vertical

Mode:

11N20-5320

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1864.56	44.94	5.35	68.23	23.29	150	53	Horizontal
2	2944.02	47.08	8.53	68.23	21.15	150	286	Horizontal
3	4228.38	50.01	11.79	74.00	23.99	150	320	Horizontal
4	7094.17	49.90	-11.54	68.23	18.33	150	330	Horizontal
5	8931.80	45.87	-9.52	68.23	22.36	150	137	Horizontal
6	11057.2	46.71	-5.62	74.00	27.29	150	137	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1909.54	44.37	5.62	68.23	23.86	150	54	Vertical
2	2766.61	46.98	7.98	74.00	27.02	150	302	Vertical
3	3588.70	47.55	9.99	68.23	20.68	150	24	Vertical
4	7094.17	54.09	-11.54	68.23	14.14	150	4	Vertical
5	9981.01	45.75	-7.23	68.23	22.48	150	158	Vertical
6	11081.1	47.02	-5.54	74.00	26.98	150	307	Vertical

Mode: 11N20-5500

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2346.82	46.63	6.46	74.00	27.37	150	316	Horizontal
2	3068.96	46.36	8.71	68.23	21.87	150	4	Horizontal
3	4163.41	48.68	11.36	74.00	25.32	150	324	Horizontal
4	7333.99	46.14	-11.63	74.00	27.86	150	323	Horizontal
5	9111.66	45.22	-9.52	74.00	28.78	150	63	Horizontal
6	11327.0	48.71	-5.43	74.00	25.29	150	298	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1864.56	44.82	5.21	68.23	23.41	150	285	Vertical
2	2784.10	47.06	7.88	74.00	26.94	150	84	Vertical
3	3163.91	47.50	8.73	68.23	20.73	150	238	Vertical
4	7333.99	47.80	-11.63	74.00	26.20	150	10	Vertical
5	8931.80	45.54	-9.52	68.23	22.69	150	31	Vertical
6	11446.9	47.46	-4.91	74.00	26.54	150	274	Vertical

Mode:	11N20-5580
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1932.03	45.10	5.38	68.23	23.13	150	231	Horizontal
2	2541.72	46.43	7.31	68.23	21.80	150	90	Horizontal
3	3163.91	47.14	8.73	68.23	21.09	150	252	Horizontal
4	7438.92	47.50	-11.38	74.00	26.50	150	315	Horizontal
5	9462.40	45.61	-8.17	74.00	28.39	150	0	Horizontal
6	11249.0	47.33	-5.53	74.00	26.67	150	120	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2259.37	45.80	6.25	74.00	28.20	150	121	Vertical
2	2566.71	46.76	7.38	68.23	21.47	150	320	Vertical
3	4208.39	48.63	11.52	74.00	25.37	150	26	Vertical
4	7438.92	47.36	-11.38	74.00	26.64	150	2	Vertical
5	10238.8	46.24	-7.25	68.23	21.99	150	51	Vertical
6	11410.9	47.82	-5.25	74.00	26.18	150	164	Vertical

Mode:

11N20-5720

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2474.26	46.28	7.25	68.23	21.95	150	49	Horizontal
2	3256.37	47.34	9.00	68.23	20.89	150	44	Horizontal
3	4223.38	48.64	11.56	74.00	25.36	150	56	Horizontal
4	7627.77	45.50	-11.39	74.00	28.50	150	55	Horizontal
5	9090.68	46.00	-9.60	74.00	28.00	150	224	Horizontal
6	11512.8	47.52	-5.09	74.00	26.48	150	167	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1902.04	44.42	5.47	68.23	23.81	150	275	Vertical
2	2551.72	45.80	7.29	68.23	22.43	150	130	Vertical
3	4200.89	48.12	11.50	74.00	25.88	150	258	Vertical
4	7627.77	49.57	-11.39	74.00	24.43	150	342	Vertical
5	10397.7	46.14	-6.72	68.23	22.09	150	178	Vertical
6	12418.1	48.17	-3.88	74.00	25.83	150	88	Vertical

Mode:

11N40-5190

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2461.76	46.21	7.34	68.23	22.02	150	176	Horizontal
2	2949.02	46.79	8.57	68.23	21.44	150	106	Horizontal
3	3741.12	48.02	10.44	74.00	25.98	150	106	Horizontal
4	6920.30	47.89	-12.11	68.23	20.34	150	319	Horizontal
5	9006.74	45.16	-9.19	74.00	28.84	150	286	Horizontal
6	10991.2	47.45	-5.80	74.00	26.55	150	95	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1979.51	44.81	5.81	68.23	23.42	150	28	Vertical
2	2459.27	46.58	7.32	68.23	21.65	150	104	Vertical
3	3356.32	47.35	9.45	74.00	26.65	150	178	Vertical
4	6920.30	52.22	-12.11	68.23	16.01	150	356	Vertical
5	7720.70	44.74	-11.21	74.00	29.26	150	308	Vertical
6	9891.08	46.07	-7.87	68.23	22.16	150	177	Vertical

Mode:

11N40-5230

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2449.27	46.12	7.23	68.23	22.11	150	0	Horizontal
2	3331.33	47.20	9.45	68.23	21.03	150	67	Horizontal
3	4940.52	50.62	13.69	74.00	23.38	150	161	Horizontal
4	6974.26	47.81	-11.52	68.23	20.42	150	326	Horizontal
5	9717.21	45.82	-7.95	68.23	22.41	150	224	Horizontal
6	11389.9	46.84	-5.40	74.00	27.16	150	90	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2331.83	46.20	6.55	74.00	27.80	150	103	Vertical
2	2944.02	46.85	8.53	68.23	21.38	150	162	Vertical
3	3603.69	47.38	10.04	74.00	26.62	150	297	Vertical
4	6974.26	52.59	-11.52	68.23	15.64	150	360	Vertical
5	8886.83	44.69	-9.67	68.23	23.54	150	129	Vertical
6	11485.8	47.93	-4.99	74.00	26.07	150	45	Vertical

Mode:

11N40-5270

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2299.35	45.60	6.48	74.00	28.40	150	283	Horizontal
2	2944.02	46.92	8.53	68.23	21.31	150	0	Horizontal
3	3728.63	47.40	10.46	74.00	26.60	150	172	Horizontal
4	7025.23	48.58	-11.38	68.23	19.65	150	324	Horizontal
5	7900.57	44.74	-10.89	68.23	23.49	150	50	Horizontal
6	9969.02	45.84	-7.25	68.23	22.39	150	30	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2271.86	44.55	6.39	74.00	29.45	150	336	Vertical
2	3368.81	47.14	9.46	68.23	21.09	150	74	Vertical
3	7028.22	53.21	-11.43	68.23	15.02	150	4	Vertical
4	9051.71	45.94	-9.42	74.00	28.06	150	68	Vertical
5	11120.1	47.01	-5.48	74.00	26.99	150	318	Vertical
6	12112.4	47.87	-4.50	74.00	26.13	150	167	Vertical

Mode:	11N40-5310
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2499.25	45.45	7.68	74.00	28.55	150	44	Horizontal
2	3338.83	47.84	9.45	74.00	26.16	150	222	Horizontal
3	3913.54	50.34	10.90	74.00	23.66	150	293	Horizontal
4	7079.19	49.37	-11.63	68.23	18.86	150	327	Horizontal
5	9438.42	45.80	-8.30	74.00	28.20	150	135	Horizontal
6	11662.7	47.50	-4.49	74.00	26.50	150	327	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2431.78	46.12	7.13	68.23	22.11	150	311	Vertical
2	2759.12	46.63	7.95	74.00	27.37	150	150	Vertical
3	3328.83	47.24	9.46	68.23	20.99	150	45	Vertical
4	7079.19	53.15	-11.63	68.23	15.08	150	4	Vertical
5	9588.30	46.64	-7.96	68.23	21.59	150	119	Vertical
6	11530.8	47.63	-5.18	74.00	26.37	150	128	Vertical

Mode:	11N40-5510
-------	------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2106.94	44.64	5.83	68.23	23.59	150	65	Horizontal
2	2836.58	45.86	8.02	74.00	28.14	150	44	Horizontal
3	4255.87	49.09	11.62	74.00	24.91	150	199	Horizontal
4	7345.99	46.40	-11.52	74.00	27.60	150	307	Horizontal
5	9555.33	45.50	-7.68	68.23	22.73	150	242	Horizontal
6	11234.0	48.12	-5.52	74.00	25.88	150	288	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2494.25	46.51	7.40	74.00	27.49	150	136	Vertical
2	3276.36	46.97	9.11	68.23	21.26	150	68	Vertical
3	3948.52	48.65	10.85	74.00	25.35	150	319	Vertical
4	6584.56	47.95	-11.60	68.23	20.28	150	73	Vertical
5	7345.99	46.69	-11.52	74.00	27.31	150	147	Vertical
6	10040.9	46.47	-7.38	68.23	21.76	150	333	Vertical

Mode:	11N40-5590
-------	------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2146.92	44.52	6.01	68.23	23.71	150	232	Horizontal
2	2799.10	46.97	7.91	74.00	27.03	150	23	Horizontal
3	4140.92	48.61	11.30	74.00	25.39	150	179	Horizontal
4	7453.90	47.00	-11.54	74.00	27.00	150	324	Horizontal
5	9591.30	46.19	-8.00	68.23	22.04	150	257	Horizontal
6	11258.0	47.51	-5.49	74.00	26.49	150	232	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2226.88	44.63	6.19	74.00	29.37	150	279	Vertical
2	2691.65	46.49	7.60	74.00	27.51	150	111	Vertical
3	3723.63	47.71	10.22	74.00	26.29	150	106	Vertical
4	7453.90	48.30	-11.54	74.00	25.70	150	334	Vertical
5	9807.14	45.69	-7.56	68.23	22.54	150	7	Vertical
6	11725.7	47.58	-4.51	74.00	26.42	150	261	Vertical

Mode:	11N40-5710
-------	------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2471.76	45.70	7.23	68.23	22.53	150	326	Horizontal
2	3188.90	48.08	8.77	68.23	20.15	150	52	Horizontal
3	3881.05	48.30	10.56	74.00	25.70	150	234	Horizontal
4	7612.79	47.95	-11.46	74.00	26.05	150	59	Horizontal
5	9618.28	45.50	-8.09	68.23	22.73	150	37	Horizontal
6	11893.5	48.11	-4.50	74.00	25.89	150	105	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2166.91	45.61	6.07	68.23	22.62	150	291	Vertical
2	2924.03	46.92	8.29	68.23	21.31	150	129	Vertical
3	3841.07	48.20	10.33	74.00	25.80	150	291	Vertical
4	7612.79	52.97	-11.46	74.00	21.03	150	352	Vertical
5	9054.70	45.04	-9.43	74.00	28.96	150	60	Vertical
6	11413.9	48.56	-5.23	74.00	25.44	150	96	Vertical

Mode:

11N40-5755

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2189.40	45.49	6.29	68.23	22.74	150	189	Horizontal
2	2913.24	47.12	8.37	68.23	21.11	150	319	Horizontal
3	3688.05	47.88	10.29	74.00	26.12	150	105	Horizontal
4	9469.87	44.95	-8.86	74.00	29.05	150	79	Horizontal
5	10623.0	46.26	-6.90	74.00	27.74	150	140	Horizontal
6	11300.1	47.10	-5.53	74.00	26.90	150	339	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2362.71	46.42	6.66	74.00	27.58	150	42	Vertical
2	3185.10	47.02	8.86	68.23	21.21	150	343	Vertical
3	3976.91	48.66	11.24	74.00	25.34	150	50	Vertical
4	10040.0	45.73	-7.76	68.23	22.50	150	143	Vertical
5	11200.8	47.00	-5.33	74.00	27.00	150	36	Vertical
6	13830.3	48.54	-2.37	68.23	19.69	150	200	Vertical

Mode: 11N40-5795

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2434.08	46.43	7.17	68.23	21.80	150	320	Horizontal
2	3120.53	47.69	8.87	68.23	20.54	150	209	Horizontal
3	4214.79	48.92	11.72	74.00	25.08	150	36	Horizontal
4	9355.32	45.30	-8.95	74.00	28.70	150	274	Horizontal
5	10666.2	46.04	-6.97	74.00	27.96	150	204	Horizontal
6	13858.3	48.55	-2.43	68.23	19.68	150	238	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2481.65	46.11	7.51	68.23	22.12	150	189	Vertical
2	3307.44	47.52	9.37	68.23	20.71	150	107	Vertical
3	3993.90	49.11	11.26	74.00	24.89	150	49	Vertical
4	8945.49	45.09	-9.36	68.23	23.14	150	258	Vertical
5	11844.8	47.63	-4.57	74.00	26.37	150	184	Vertical
6	13290.7	48.57	-2.69	74.00	25.43	150	238	Vertical

Mode:

11AC20-5180

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2166.91	45.58	6.17	68.23	22.65	150	11	Horizontal
2	3193.90	46.43	8.90	68.23	21.80	150	290	Horizontal
3	3801.09	47.69	10.33	74.00	26.31	150	182	Horizontal
4	6908.31	49.51	-12.14	68.23	18.72	150	339	Horizontal
5	9582.31	46.67	-7.92	68.23	21.56	150	243	Horizontal
6	12666.9	48.22	-3.60	74.00	25.78	150	291	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1972.01	44.71	5.72	68.23	23.52	150	125	Vertical
2	2509.24	46.39	7.63	68.23	21.84	150	187	Vertical
3	3348.82	46.81	9.44	74.00	27.19	150	88	Vertical
4	6905.32	53.28	-12.15	68.23	14.95	150	336	Vertical
5	8410.19	46.02	-10.52	74.00	27.98	150	149	Vertical
6	11171.1	47.45	-5.49	74.00	26.55	150	280	Vertical

Mode:	11AC20-5200
-------	-------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2321.83	45.54	6.52	74.00	28.46	150	186	Horizontal
2	2856.57	46.64	8.29	74.00	27.36	150	111	Horizontal
3	3343.82	47.04	9.45	68.23	21.19	150	51	Horizontal
4	6932.30	48.54	-12.09	68.23	19.69	150	336	Horizontal
5	9132.65	44.92	-9.29	74.00	29.08	150	164	Horizontal
6	11833.6	48.32	-4.58	74.00	25.68	150	241	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2441.77	47.38	7.19	68.23	20.85	150	43	Vertical
2	3211.39	46.64	8.96	68.23	21.59	150	132	Vertical
3	3791.10	48.15	10.35	74.00	25.85	150	336	Vertical
4	6932.30	50.86	-12.09	68.23	17.37	150	179	Vertical
5	9330.50	46.32	-8.95	74.00	27.68	150	282	Vertical
6	11590.8	48.65	-4.94	74.00	25.35	150	352	Vertical

Mode:

11AC20-5240

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2771.61	47.25	8.00	74.00	26.75	150	109	Horizontal
2	3403.79	47.24	9.49	68.23	20.99	150	332	Horizontal
3	4453.27	50.77	12.37	68.23	17.46	150	251	Horizontal
4	6986.26	49.85	-11.26	68.23	18.38	150	344	Horizontal
5	8907.81	45.67	-9.57	68.23	22.56	150	18	Horizontal
6	13140.6	48.69	-2.16	68.23	19.54	150	66	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2546.72	46.09	7.43	68.23	22.14	150	278	Vertical
2	3343.82	47.56	9.45	68.23	20.67	150	63	Vertical
3	4205.89	48.87	11.77	74.00	25.13	150	139	Vertical
4	6986.26	53.18	-11.26	68.23	15.05	150	16	Vertical
5	9819.13	46.17	-7.50	68.23	22.06	150	64	Vertical
6	11138.1	47.51	-5.48	74.00	26.49	150	84	Vertical

Mode:

11AC20-5260

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2401.79	45.71	6.96	68.23	22.52	150	231	Horizontal
2	2761.61	46.48	7.96	74.00	27.52	150	46	Horizontal
3	4205.89	49.54	11.77	74.00	24.46	150	46	Horizontal
4	7013.24	50.20	-11.18	68.23	18.03	150	332	Horizontal
5	9039.72	45.96	-9.36	74.00	28.04	150	112	Horizontal
6	11458.9	47.62	-4.91	74.00	26.38	150	330	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2284.35	45.21	6.43	74.00	28.79	150	212	Vertical
2	3001.49	47.10	8.59	68.23	21.13	150	234	Vertical
3	3803.59	47.66	10.34	74.00	26.34	150	242	Vertical
4	7013.24	53.01	-11.18	68.23	15.22	150	14	Vertical
5	10163.8	46.60	-7.26	68.23	21.63	150	240	Vertical
6	11186.1	48.34	-5.48	74.00	25.66	150	138	Vertical

Mode:

11AC20-5280

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2459.27	46.02	7.32	68.23	22.21	150	71	Horizontal
2	3198.90	47.33	8.91	68.23	20.90	150	348	Horizontal
3	3808.59	48.42	10.36	74.00	25.58	150	211	Horizontal
4	7040.21	48.71	-11.63	68.23	19.52	150	319	Horizontal
5	8413.19	45.53	-10.51	74.00	28.47	150	172	Horizontal
6	11674.7	48.43	-4.54	74.00	25.57	150	222	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2444.27	45.65	7.20	68.23	22.58	150	290	Vertical
2	3078.96	46.81	8.87	68.23	21.42	150	272	Vertical
3	3833.58	49.06	10.46	74.00	24.94	150	43	Vertical
4	7040.21	53.52	-11.63	68.23	14.71	150	11	Vertical
5	9144.64	45.81	-9.17	74.00	28.19	150	50	Vertical
6	11440.9	47.87	-4.97	74.00	26.13	150	63	Vertical

Mode:

11AC20-5320

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2481.75	45.72	7.52	68.23	22.51	150	77	Horizontal
2	3343.82	48.11	9.45	68.23	20.12	150	190	Horizontal
3	4225.88	48.89	11.79	74.00	25.11	150	170	Horizontal
4	7094.17	48.55	-11.54	68.23	19.68	150	90	Horizontal
5	9570.32	45.89	-7.81	68.23	22.34	150	249	Horizontal
6	11231.0	48.75	-5.51	74.00	25.25	150	52	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1744.62	44.38	3.65	68.23	23.85	150	294	Vertical
2	3201.39	47.20	8.91	68.23	21.03	150	353	Vertical
3	7094.17	54.27	-11.54	68.23	13.96	150	14	Vertical
4	8443.16	44.90	-10.43	74.00	29.10	150	96	Vertical
5	9546.34	45.88	-7.69	68.23	22.35	150	265	Vertical
6	11488.8	47.76	-5.00	74.00	26.24	150	45	Vertical

Mode:

11AC20-5500

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2246.87	45.19	6.20	74.00	28.81	150	181	Horizontal
2	2744.12	46.72	7.78	74.00	27.28	150	260	Horizontal
3	4245.87	49.35	11.61	74.00	24.65	150	319	Horizontal
4	7333.99	46.85	-11.63	74.00	27.15	150	327	Horizontal
5	9675.24	46.77	-8.00	68.23	21.46	150	291	Horizontal
6	13149.6	48.62	-2.02	68.23	19.61	150	56	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2326.83	45.16	6.45	74.00	28.84	150	335	Vertical
2	2549.22	46.14	7.28	68.23	22.09	150	162	Vertical
3	3358.82	47.72	9.34	68.23	20.51	150	335	Vertical
4	7333.99	48.36	-11.63	74.00	25.64	150	13	Vertical
5	11282.0	48.40	-5.38	74.00	25.60	150	307	Vertical
6	12918.8	48.89	-3.00	68.23	19.34	150	185	Vertical

Mode:	11AC20-5580
-------	-------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2154.42	45.42	6.04	68.23	22.81	150	228	Horizontal
2	3126.43	46.52	8.72	68.23	21.71	150	81	Horizontal
3	3886.05	48.12	10.59	74.00	25.88	150	310	Horizontal
4	7438.92	48.59	-11.38	74.00	25.41	150	101	Horizontal
5	8691.98	45.88	-10.35	68.23	22.35	150	277	Horizontal
6	12037.4	48.69	-4.65	74.00	25.31	150	0	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2411.79	45.32	6.86	68.23	22.91	150	290	Vertical
2	3368.81	47.63	9.33	68.23	20.60	150	50	Vertical
3	4248.37	48.88	11.62	74.00	25.12	150	352	Vertical
4	7438.92	48.55	-11.38	74.00	25.45	150	131	Vertical
5	9903.07	47.68	-7.94	68.23	20.55	150	71	Vertical
6	11761.6	48.30	-4.46	74.00	25.70	150	262	Vertical

Mode:	11AC20-5720
-------	-------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2104.44	46.49	5.91	68.23	21.74	150	163	Horizontal
2	3086.55	47.27	8.91	68.23	20.96	150	158	Horizontal
3	4272.56	49.61	11.79	74.00	24.39	150	209	Horizontal
4	9836.43	46.84	-8.00	68.23	21.39	150	313	Horizontal
5	12710.3	48.30	-3.71	68.23	19.93	150	269	Horizontal
6	14250.4	49.25	-0.40	68.23	18.98	150	327	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2420.48	46.51	7.08	68.23	21.72	150	137	Vertical
2	3270.06	47.43	9.24	68.23	20.80	150	150	Vertical
3	4948.82	50.79	13.72	74.00	23.21	150	165	Vertical
4	9426.60	45.70	-8.87	74.00	28.30	150	62	Vertical
5	11198.3	48.66	-5.33	74.00	25.34	150	31	Vertical
6	14237.6	49.41	-0.84	68.23	18.82	150	320	Vertical

Mode:

11AC20-5745

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2226.78	45.23	6.34	74.00	28.77	150	333	Horizontal
2	2753.52	46.47	7.96	74.00	27.53	150	262	Horizontal
3	4778.91	49.89	13.06	74.00	24.11	150	288	Horizontal
4	9716.79	45.97	-8.22	68.23	22.26	150	350	Horizontal
5	11228.8	47.86	-5.60	74.00	26.14	150	232	Horizontal
6	14306.4	50.01	-0.32	68.23	18.22	150	296	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2175.81	45.69	6.26	68.23	22.54	150	303	Vertical
2	2801.09	47.26	8.09	74.00	26.74	150	191	Vertical
3	4204.59	48.93	11.70	74.00	25.07	150	136	Vertical
4	9177.14	45.21	-9.10	74.00	28.79	150	342	Vertical
5	11241.5	47.30	-5.73	74.00	26.70	150	223	Vertical
6	11491.0	48.19	-5.73	74.00	25.81	150	6	Vertical

Mode:

11AC20-5785

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2400.09	45.97	6.95	68.23	22.26	150	254	Horizontal
2	2923.43	46.14	8.43	68.23	22.09	150	159	Horizontal
3	3895.35	48.38	10.80	74.00	25.62	150	96	Horizontal
4	9958.62	45.96	-8.27	68.23	22.27	150	91	Horizontal
5	11778.6	47.80	-4.79	74.00	26.20	150	211	Horizontal
6	13532.5	49.24	-2.38	68.23	18.99	150	206	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2077.26	46.74	5.78	68.23	21.49	150	19	Vertical
2	2790.90	46.76	8.06	74.00	27.24	150	143	Vertical
3	3606.49	48.25	9.99	74.00	25.75	150	145	Vertical
4	8930.22	45.35	-9.54	68.23	22.88	150	285	Vertical
5	11396.8	47.93	-5.57	74.00	26.07	150	157	Vertical
6	13252.5	48.77	-2.20	74.00	25.23	150	132	Vertical

Mode: 11AC20-5825

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2226.78	45.31	6.34	74.00	28.69	150	224	Horizontal
2	2678.76	48.31	7.73	68.23	19.92	150	224	Horizontal
3	3575.91	47.02	9.87	68.23	21.21	150	9	Horizontal
4	9284.05	45.26	-9.17	68.23	22.97	150	325	Horizontal
5	10241.1	46.27	-7.64	68.23	21.96	150	331	Horizontal
6	12707.8	48.19	-3.74	68.23	20.04	150	205	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2199.60	45.50	6.31	68.23	22.73	150	77	Vertical
2	2705.94	46.84	7.77	74.00	27.16	150	283	Vertical
3	3072.96	47.45	8.93	68.23	20.78	150	7	Vertical
4	9642.97	46.11	-8.20	68.23	22.12	150	173	Vertical
5	11381.5	47.91	-5.65	74.00	26.09	150	79	Vertical
6	13196.5	48.68	-2.14	68.23	19.55	150	117	Vertical

Mode: 11AC40-5190

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2134.43	45.23	6.07	68.23	23.00	150	117	Horizontal
2	2726.63	46.54	7.84	74.00	27.46	150	50	Horizontal
3	3218.89	47.52	9.01	68.23	20.71	150	275	Horizontal
4	6512.61	44.34	-12.16	68.23	23.89	150	109	Horizontal
5	8488.13	44.96	-10.54	74.00	29.04	150	2	Horizontal
6	9945.04	46.63	-7.35	68.23	21.60	150	299	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1902.04	44.24	5.64	68.23	23.99	150	329	Vertical
2	2769.11	47.15	7.99	74.00	26.85	150	62	Vertical
3	3333.83	47.64	9.45	74.00	26.36	150	228	Vertical
4	6587.55	47.16	-11.55	68.23	21.07	150	75	Vertical
5	8973.76	45.84	-9.33	68.23	22.39	150	205	Vertical
6	10997.2	47.54	-5.77	74.00	26.46	150	216	Vertical

Mode: 11AC40-5230

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2236.88	46.28	6.30	74.00	27.72	150	246	Horizontal
2	3163.91	47.44	8.82	68.23	20.79	150	230	Horizontal
3	3813.59	48.04	10.38	74.00	25.96	150	306	Horizontal
4	8323.25	46.40	-10.73	74.00	27.60	150	292	Horizontal
5	10781.4	46.57	-6.52	74.00	27.43	150	81	Horizontal
6	11827.6	48.10	-4.60	74.00	25.90	150	56	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1967.01	44.81	5.66	68.23	23.42	150	68	Vertical
2	3023.98	46.98	8.70	68.23	21.25	150	7	Vertical
3	3403.79	47.96	9.49	68.23	20.27	150	346	Vertical
4	7094.17	46.86	-11.54	68.23	21.37	150	83	Vertical
5	9129.65	45.21	-9.33	74.00	28.79	150	121	Vertical
6	11147.1	48.98	-5.49	74.00	25.02	150	231	Vertical

Mode:

11AC40-5270

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1947.02	44.91	5.48	68.23	23.32	150	352	Horizontal
2	2529.23	47.11	7.52	68.23	21.12	150	277	Horizontal
3	3346.32	46.89	9.44	74.00	27.11	150	258	Horizontal
4	3923.53	49.22	10.90	74.00	24.78	150	279	Horizontal
5	8155.38	45.07	-11.09	74.00	28.93	150	327	Horizontal
6	11285.0	49.18	-5.36	74.00	24.82	150	314	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2061.96	45.69	5.77	68.23	22.54	150	120	Vertical
2	2736.63	46.36	7.87	74.00	27.64	150	62	Vertical
3	3343.82	47.57	9.45	68.23	20.66	150	168	Vertical
4	7744.69	45.19	-11.30	74.00	28.81	150	204	Vertical
5	10391.7	46.70	-6.79	68.23	21.53	150	352	Vertical
6	13344.4	48.92	-2.84	74.00	25.08	150	172	Vertical

Mode:

11AC40-5310

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2309.34	45.03	6.50	68.23	23.20	150	274	Horizontal
2	2829.08	46.37	8.23	74.00	27.63	150	104	Horizontal
3	3126.43	48.02	8.85	68.23	20.21	150	282	Horizontal
4	6848.36	44.70	-11.68	68.23	23.53	150	68	Horizontal
5	8344.24	44.98	-10.69	74.00	29.02	150	333	Horizontal
6	11153.1	47.81	-5.49	74.00	26.19	150	182	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1992.00	45.24	5.94	68.23	22.99	150	281	Vertical
2	3248.87	46.99	9.16	68.23	21.24	150	176	Vertical
3	3946.02	48.01	10.89	74.00	25.99	150	4	Vertical
4	7115.16	47.52	-11.53	68.23	20.71	150	71	Vertical
5	10907.3	46.91	-5.97	74.00	27.09	150	117	Vertical
6	12487.1	48.17	-3.66	74.00	25.83	150	131	Vertical

Mode:	11AC40-5510
-------	-------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2216.89	45.19	6.18	74.00	28.81	150	91	Horizontal
2	2694.15	46.04	7.60	74.00	27.96	150	55	Horizontal
3	3248.87	47.00	8.97	68.23	21.23	150	271	Horizontal
4	7867.59	45.90	-11.30	68.23	22.33	150	279	Horizontal
5	8790.90	45.77	-9.98	68.23	22.46	150	257	Horizontal
6	11165.1	47.93	-5.48	74.00	26.07	150	259	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2039.48	45.21	5.59	68.23	23.02	150	119	Vertical
2	2496.75	46.25	7.42	74.00	27.75	150	335	Vertical
3	3683.65	47.88	10.09	74.00	26.12	150	148	Vertical
4	6566.57	47.67	-11.86	68.23	20.56	150	80	Vertical
5	8533.10	44.98	-10.52	68.23	23.25	150	210	Vertical
6	12376.2	47.90	-4.15	74.00	26.10	150	41	Vertical

Mode:

11AC40-5590

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2061.96	45.27	5.60	68.23	22.96	150	130	Horizontal
2	2801.59	47.12	7.91	74.00	26.88	150	33	Horizontal
3	3813.59	48.64	10.31	74.00	25.36	150	282	Horizontal
4	7684.73	45.01	-11.18	74.00	28.99	150	253	Horizontal
5	10004.9	46.48	-7.22	68.23	21.75	150	264	Horizontal
6	12765.9	48.39	-3.41	68.23	19.84	150	356	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2059.47	44.83	5.59	68.23	23.40	150	100	Vertical
2	3123.93	47.21	8.73	68.23	21.02	150	285	Vertical
3	3803.59	47.58	10.30	74.00	26.42	150	95	Vertical
4	7118.16	46.95	-11.53	68.23	21.28	150	82	Vertical
5	9030.72	46.24	-9.31	74.00	27.76	150	206	Vertical
6	11162.1	48.15	-5.49	74.00	25.85	150	184	Vertical

Mode:

11AC40-5710

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2250.57	46.12	6.36	74.00	27.88	150	95	Horizontal
2	3021.98	46.83	8.73	68.23	21.40	150	105	Horizontal
3	3871.56	48.64	10.66	74.00	25.36	150	281	Horizontal
4	9294.23	46.47	-9.18	68.23	21.76	150	86	Horizontal
5	11440.1	48.32	-5.37	74.00	25.68	150	294	Horizontal
6	11824.5	47.42	-4.59	74.00	26.58	150	35	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2420.48	46.28	7.08	68.23	21.95	150	124	Vertical
2	3089.95	47.36	8.91	68.23	20.87	150	181	Vertical
3	4741.52	49.00	13.19	74.00	25.00	150	290	Vertical
4	8981.13	45.57	-9.58	68.23	22.66	150	95	Vertical
5	10589.9	46.07	-6.88	68.23	22.16	150	98	Vertical
6	11417.2	48.10	-5.47	74.00	25.90	150	301	Vertical

Mode:	11AC40-5755
-------	-------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2179.21	45.53	6.27	68.23	22.70	150	298	Horizontal
2	3113.74	47.56	8.88	68.23	20.67	150	239	Horizontal
3	4102.64	48.44	11.50	74.00	25.56	150	165	Horizontal
4	9286.59	45.56	-9.18	68.23	22.67	150	148	Horizontal
5	10215.7	47.01	-7.89	68.23	21.22	150	314	Horizontal
6	11587.7	48.68	-5.13	74.00	25.32	150	226	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2141.82	45.58	6.14	68.23	22.65	150	281	Vertical
2	3331.23	49.14	9.43	68.23	19.09	150	243	Vertical
3	4452.67	48.97	12.27	68.23	19.26	150	129	Vertical
4	9182.23	45.19	-8.99	74.00	28.81	150	41	Vertical
5	11124.4	46.50	-5.71	74.00	27.50	150	257	Vertical
6	13491.8	48.82	-2.55	68.23	19.41	150	283	Vertical

Mode:	11AC40-5795
-------	-------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2077.26	45.54	5.78	68.23	22.69	150	7	Horizontal
2	2532.63	46.27	7.54	68.23	21.96	150	44	Horizontal
3	3086.55	47.19	8.91	68.23	21.04	150	86	Horizontal
4	8935.31	45.61	-9.48	68.23	22.62	150	161	Horizontal
5	10648.4	46.41	-6.92	74.00	27.59	150	144	Horizontal
6	12835.0	48.72	-3.67	68.23	19.51	150	92	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2192.80	45.80	6.30	68.23	22.43	150	351	Vertical
2	2705.94	48.12	7.77	74.00	25.88	150	360	Vertical
3	3844.37	48.46	10.52	74.00	25.54	150	335	Vertical
4	9233.14	45.14	-8.96	68.23	23.09	150	228	Vertical
5	13527.4	49.41	-2.39	68.23	18.82	150	150	Vertical
6	15563.9	50.51	0.14	74.00	23.49	150	150	Vertical

Mode:	11AC80-5210
-------	-------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2436.78	45.59	7.16	68.23	22.64	150	50	Horizontal
2	3246.37	46.85	9.14	68.23	21.38	150	219	Horizontal
3	4963.01	51.41	13.81	74.00	22.59	150	260	Horizontal
4	7420.93	44.97	-11.14	74.00	29.03	150	283	Horizontal
5	8922.80	44.50	-9.54	68.23	23.73	150	261	Horizontal
6	10004.9	47.07	-7.22	68.23	21.16	150	234	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2041.97	44.75	5.78	68.23	23.48	150	102	Vertical
2	2921.53	47.15	8.38	68.23	21.08	150	327	Vertical
3	3868.56	49.60	10.66	74.00	24.40	150	147	Vertical
4	6584.56	48.37	-11.60	68.23	19.86	150	96	Vertical
5	9462.40	46.06	-8.17	74.00	27.94	150	11	Vertical
6	11473.8	49.25	-4.96	74.00	24.75	150	222	Vertical

Mode:	11AC80-5290
-------	-------------

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2159.42	44.84	6.16	68.23	23.39	150	339	Horizontal
2	2811.59	46.61	8.16	74.00	27.39	150	278	Horizontal
3	3823.58	48.42	10.42	74.00	25.58	150	48	Horizontal
4	7112.16	44.51	-11.52	68.23	23.72	150	222	Horizontal
5	8970.77	46.09	-9.35	68.23	22.14	150	356	Horizontal
6	10616.5	46.51	-6.82	74.00	27.49	150	344	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2654.17	47.36	7.68	68.23	20.87	150	118	Vertical
2	3351.32	47.32	9.44	74.00	26.68	150	4	Vertical
3	3766.11	48.49	10.40	74.00	25.51	150	207	Vertical
4	6959.28	43.82	-11.84	68.23	24.41	150	64	Vertical
5	8260.30	44.66	-10.83	74.00	29.34	150	110	Vertical
6	10409.6	47.66	-6.67	68.23	20.57	150	303	Vertical

Mode: 11AC80-5530

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2151.92	44.40	6.03	68.23	23.83	150	155	Horizontal
2	3263.86	46.92	9.04	74.00	27.08	150	109	Horizontal
3	3841.07	48.52	10.33	74.00	25.48	150	164	Horizontal
4	7025.23	44.81	-11.38	68.23	23.42	150	326	Horizontal
5	8323.25	44.78	-10.73	74.00	29.22	150	164	Horizontal
6	11141.1	47.73	-5.49	74.00	26.27	150	326	Horizontal

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2541.72	45.96	7.31	68.23	22.27	150	87	Vertical
2	2956.52	46.70	8.45	68.23	21.53	150	31	Vertical
3	3728.63	47.48	10.24	74.00	26.52	150	48	Vertical
4	7118.16	45.06	-11.53	68.23	23.17	150	86	Vertical
5	9018.73	45.19	-9.25	74.00	28.81	150	298	Vertical
6	10160.8	47.21	-7.24	68.23	21.02	150	19	Vertical

Mode:	11AC80-5610
-------	-------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2661.66	46.12	7.61	68.23	22.11	150	360	Horizontal
2	3391.30	47.12	9.30	68.23	21.11	150	175	Horizontal
3	3876.06	48.03	10.52	74.00	25.97	150	324	Horizontal
4	7304.02	44.38	-11.91	74.00	29.62	150	96	Horizontal
5	8946.78	45.70	-9.50	68.23	22.53	150	228	Horizontal
6	11033.2	47.73	-5.68	74.00	26.27	150	154	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2306.84	44.98	6.45	68.23	23.25	150	202	Vertical
2	2949.02	46.64	8.43	68.23	21.59	150	28	Vertical
3	3768.61	47.42	10.31	74.00	26.58	150	209	Vertical
4	7417.93	45.05	-11.10	74.00	28.95	150	355	Vertical
5	9855.10	46.39	-7.41	68.23	21.84	150	197	Vertical
6	11584.8	48.38	-4.99	74.00	25.62	150	174	Vertical

Mode:	11AC80-5690
-------	-------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2199.40	44.50	6.17	68.23	23.73	150	4	Horizontal
2	2756.62	46.04	7.81	74.00	27.96	150	332	Horizontal
3	3641.17	46.80	9.98	74.00	27.20	150	103	Horizontal
4	7711.71	45.13	-11.17	74.00	28.87	150	202	Horizontal
5	9405.44	46.10	-8.98	74.00	27.90	150	0	Horizontal
6	11174.1	47.59	-5.49	74.00	26.41	150	138	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2049.47	45.01	5.54	68.23	23.22	150	232	Vertical
2	2671.66	45.86	7.61	68.23	22.37	150	82	Vertical
3	3128.93	46.45	8.72	68.23	21.78	150	305	Vertical
4	7115.16	46.13	-11.53	68.23	22.10	150	87	Vertical
5	9996.00	46.05	-7.21	68.23	22.18	150	236	Vertical
6	11938.5	48.27	-4.70	74.00	25.73	150	128	Vertical


Mode:	11AC80-5775
-------	-------------

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1785.00	44.24	4.50	68.23	23.99	150	242	Horizontal
2	3307.44	48.12	9.37	68.23	20.11	150	153	Horizontal
3	4116.24	49.10	11.51	74.00	24.90	150	344	Horizontal
4	8293.83	45.61	-10.61	74.00	28.39	150	270	Horizontal
5	10635.7	46.46	-6.91	74.00	27.54	150	251	Horizontal
6	11796.5	48.44	-4.63	74.00	25.56	150	122	Horizontal

NO.	Freq. [MHz]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2726.33	47.55	7.86	74.00	26.45	150	269	Vertical
2	3993.90	48.62	11.26	74.00	25.38	150	43	Vertical
3	9416.42	45.41	-8.94	74.00	28.59	150	355	Vertical
4	9823.70	45.73	-7.93	68.23	22.50	150	105	Vertical
5	11261.9	47.89	-5.75	74.00	26.11	150	2	Vertical
6	13812.5	48.94	-2.45	68.23	19.29	150	311	Vertical

Out of Band


Mode:	11A-5180
-------	----------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	12.21	47.52	74.00	26.48	44.20	54.00	9.80	150	35	Horizontal	PASS
2	4940.7	13.69	52.97	74.00	21.03	49.49	54.00	4.51	150	310	Horizontal	PASS
3	4995.95	13.50	52.05	74.00	21.95	48.55	54.00	5.45	150	255	Horizontal	PASS
4	5049.25	13.70	51.71	74.00	22.29	48.99	54.00	5.01	150	131	Horizontal	PASS
5	5112.95	13.92	52.34	74.00	21.66	48.21	54.00	5.79	150	16	Horizontal	PASS
6	5150	16.01	51.85	74.00	22.15	48.34	54.00	5.66	150	52	Horizontal	PASS


Mode: 11A-5180



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	12.21	49.03	74.00	24.97	44.46	54.00	9.54	150	1	Vertical	PASS
2	4948.5	13.89	52.55	74.00	21.45	47.53	54.00	6.47	150	286	Vertical	PASS
3	4982.95	13.62	53.11	74.00	20.89	48.14	54.00	5.86	150	102	Vertical	PASS
4	5044.7	13.67	53.48	74.00	20.52	49.99	54.00	4.01	150	337	Vertical	PASS
5	5085	13.78	52.50	74.00	21.50	49.66	54.00	4.34	150	315	Vertical	PASS
6	5150	16.01	54.08	74.00	19.92	48.55	54.00	5.45	150	246	Vertical	PASS


Mode: 11A-5320



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	13.33	48.68	74.00	25.32	46.12	54.00	7.88	150	266	Horizontal	PASS
2	5368.15	13.38	50.10	74.00	23.90	46.80	54.00	7.20	150	111	Horizontal	PASS
3	5435.58	13.84	50.07	74.00	23.93	46.71	54.00	7.29	150	329	Horizontal	PASS
4	5443.83	13.92	49.78	74.00	24.22	47.24	54.00	6.76	150	336	Horizontal	PASS
5	5458.13	13.98	50.19	74.00	23.81	47.84	54.00	6.16	150	213	Horizontal	PASS
6	5460	13.98	47.95	74.00	26.05	46.33	54.00	7.67	150	283	Horizontal	PASS


Mode: 11A-5320



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	13.33	46.15	74.00	27.85	44.26	54.00	9.74	150	96	Vertical	PASS
2	5354.4	13.34	51.16	74.00	22.84	46.99	54.00	7.01	150	101	Vertical	PASS
3	5366.06	13.37	50.13	74.00	23.87	45.31	54.00	8.69	150	45	Vertical	PASS
4	5373.54	13.39	50.67	74.00	23.33	46.97	54.00	7.03	150	89	Vertical	PASS
5	5442.84	13.91	50.93	74.00	23.07	48.02	54.00	5.98	150	292	Vertical	PASS
6	5460	13.98	47.77	74.00	26.23	45.36	54.00	8.64	150	228	Vertical	PASS


Mode: 11A-5500



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	14.08	47.89	74.00	26.11	45.09	54.00	8.91	150	292	Horizontal	PASS
2	5378.6	14.45	51.64	74.00	22.36	48.97	54.00	5.03	150	237	Horizontal	PASS
3	5384.87	14.53	51.65	74.00	22.35	48.66	54.00	5.34	150	227	Horizontal	PASS
4	5426.12	15.26	52.35	74.00	21.65	48.99	54.00	5.01	150	292	Horizontal	PASS
5	5441.3	15.42	52.19	74.00	21.81	48.47	54.00	5.53	150	265	Horizontal	PASS
6	5460	15.72	49.19	74.00	24.81	46.84	54.00	7.16	150	136	Horizontal	PASS


Mode: 11A-5500



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	14.08	48.39	74.00	25.61	44.39	54.00	9.61	150	166	Vertical	PASS
2	5420.62	14.97	52.39	74.00	21.61	47.02	54.00	6.98	150	223	Vertical	PASS
3	5425.24	15.22	51.94	74.00	22.06	47.30	54.00	6.70	150	112	Vertical	PASS
4	5434.15	15.33	52.18	74.00	21.82	49.68	54.00	4.32	150	259	Vertical	PASS
5	5439.54	15.46	52.00	74.00	22.00	49.44	54.00	4.56	150	238	Vertical	PASS
6	5460	15.72	51.05	74.00	22.95	46.88	54.00	7.12	150	100	Vertical	PASS


Mode:	11A-5825
-------	----------



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5652.87	54.16	14.43	70.36	16.20	150	55	Horizontal
2	5685.87	52.95	14.20	94.79	41.84	150	32	Horizontal
3	5735	53.26	14.00	122.20	68.94	150	172	Horizontal
4	5861	54.71	14.04	109.12	54.41	150	115	Horizontal
5	5888.37	54.35	14.36	95.28	40.93	150	202	Horizontal
6	5924.75	55.39	14.59	68.41	13.02	150	28	Horizontal


Mode: 11A-5825



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5660	53.71	14.37	75.65	21.94	150	18	Vertical
2	5672.75	54.62	14.29	85.09	30.47	150	279	Vertical
3	5711.75	53.70	14.07	108.49	54.79	150	145	Vertical
4	5862.5	57.46	14.06	108.70	51.24	150	90	Vertical
5	5885.75	55.90	14.33	97.22	41.32	150	86	Vertical
6	5905.62	55.37	14.52	82.52	27.15	150	327	Vertical


Mode: 11A-5745



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672	53.74	14.29	84.54	30.80	150	349	Horizontal
2	5706.5	53.25	14.09	107.02	53.77	150	43	Horizontal
3	5792	54.66	13.76	122.20	67.54	150	132	Horizontal
4	5826.87	53.45	13.82	122.20	68.75	150	229	Horizontal
5	5856.5	54.24	14.00	110.38	56.14	150	50	Horizontal
6	5889.5	54.71	14.38	94.45	39.74	150	70	Horizontal


Mode: 11A-5745



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5671.62	54.31	14.29	84.26	29.95	150	330	Vertical
2	5697.87	56.70	14.13	103.64	46.94	150	54	Vertical
3	5776.62	55.14	13.83	122.20	67.06	150	81	Vertical
4	5801.75	54.35	13.72	122.20	67.85	150	360	Vertical
5	5840.75	53.80	13.88	122.20	68.40	150	188	Vertical
6	5885	55.14	14.33	97.78	42.64	150	248	Vertical


Mode: 11A-5785



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5685.12	53.41	14.21	94.24	40.83	150	256	Horizontal
2	5705.37	53.22	14.09	106.71	53.49	150	303	Horizontal
3	5821.62	53.19	13.80	122.20	69.01	150	339	Horizontal
4	5845.25	54.34	13.90	122.20	67.86	150	328	Horizontal
5	5856.87	55.00	14.00	110.27	55.27	150	27	Horizontal
6	5887.25	54.47	14.35	96.11	41.64	150	346	Horizontal


Mode: 11A-5785



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5664.12	53.07	14.35	78.71	25.64	150	353	Vertical
2	5691.12	52.99	14.17	98.66	45.67	150	246	Vertical
3	5753	54.06	13.95	122.20	68.14	150	78	Vertical
4	5826.5	53.72	13.82	122.20	68.48	150	151	Vertical
5	5871.87	54.24	14.18	106.07	51.83	150	160	Vertical
6	5910.12	54.43	14.54	79.20	24.77	150	332	Vertical


Mode:	11N20-5180
-------	------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.53	68.23	23.70	43.52	54.00	10.48	150	4	Horizontal	PASS
2	4547.4121	14.16	48.27	74.00	25.73	44.89	54.00	9.11	150	19	Horizontal	PASS
3	4951.9085	15.91	50.78	74.00	23.22	49.27	54.00	4.73	150	95	Horizontal	PASS
4	5060.1119	15.72	49.78	74.00	24.22	49.44	54.00	4.56	150	139	Horizontal	PASS
5	5093.3653	15.80	49.71	74.00	24.29	48.94	54.00	5.06	150	163	Horizontal	PASS
6	5150	18.01	49.01	74.00	24.99	48.42	54.00	5.58	150	352	Horizontal	PASS


Mode: 11N20-5180



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	43.94	68.23	24.29	43.04	54.00	10.96	150	324	Vertical	PASS
2	4624.3106	14.47	48.22	74.00	25.78	45.13	54.00	8.87	150	92	Vertical	PASS
3	4760.4416	15.39	49.94	74.00	24.06	49.72	54.00	4.28	150	326	Vertical	PASS
4	4936.5807	15.59	50.83	74.00	23.17	50.37	54.00	3.63	150	50	Vertical	PASS
5	5149.6103	17.91	51.40	74.00	22.60	50.58	54.00	3.42	150	41	Vertical	PASS
6	5150	18.01	47.74	74.00	26.26	47.17	54.00	6.83	150	119	Vertical	PASS


Mode: 11N20-5320



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	47.58	68.23	20.65	46.01	54.00	7.99	150	224	Horizontal	PASS
2	5351.2	17.93	50.98	74.00	23.02	46.92	54.00	7.08	150	53	Horizontal	PASS
3	5357.56	17.30	51.66	74.00	22.34	47.57	54.00	6.43	150	53	Horizontal	PASS
4	5369.8	16.93	49.64	74.00	24.36	46.54	54.00	7.46	150	165	Horizontal	PASS
5	5400.52	16.86	50.15	74.00	23.85	46.34	54.00	7.66	150	224	Horizontal	PASS
6	5460	16.74	45.86	74.00	28.14	43.66	54.00	10.34	150	87	Horizontal	PASS


Mode:	11N20-5320
-------	------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	48.88	68.23	19.35	44.40	54.00	9.60	150	301	Vertical	PASS
2	5351.68	17.89	52.64	74.00	21.36	45.64	54.00	8.36	150	177	Vertical	PASS
3	5356.96	17.35	55.19	74.00	18.81	46.22	54.00	7.78	150	92	Vertical	PASS
4	5359.6	17.13	51.70	74.00	22.30	47.52	54.00	6.48	150	133	Vertical	PASS
5	5362.96	17.14	51.16	74.00	22.84	45.62	54.00	8.38	150	160	Vertical	PASS
6	5460	16.74	47.11	74.00	26.89	45.13	54.00	8.87	150	182	Vertical	PASS


Mode: 11N20-5500



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.29	68.23	22.94	43.14	54.00	10.86	150	280	Horizontal	PASS
2	5354.32	16.14	48.12	74.00	25.88	43.51	54.00	10.49	150	272	Horizontal	PASS
3	5359	16.20	49.11	74.00	24.89	43.94	54.00	10.06	150	157	Horizontal	PASS
4	5390.56	16.61	49.37	74.00	24.63	43.87	54.00	10.13	150	322	Horizontal	PASS
5	5440.36	17.46	49.89	74.00	24.11	45.67	54.00	8.33	150	337	Horizontal	PASS
6	5460	17.72	49.03	74.00	24.97	45.04	54.00	8.96	150	153	Horizontal	PASS


Mode: 11N20-5500



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.37	68.23	22.86	42.37	54.00	11.63	150	308	Vertical	PASS
2	5380.72	16.48	48.55	74.00	25.45	45.91	54.00	8.09	150	337	Vertical	PASS
3	5390.2	16.60	49.59	74.00	24.41	43.26	54.00	10.74	150	142	Vertical	PASS
4	5412.28	17.00	48.83	74.00	25.17	47.08	54.00	6.92	150	263	Vertical	PASS
5	5439.76	17.47	50.30	74.00	23.70	46.75	54.00	7.25	150	87	Vertical	PASS
6	5460	17.72	49.40	74.00	24.60	46.63	54.00	7.37	150	258	Vertical	PASS


Mode: 11N20-5745



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5678.75	53.32	14.25	89.53	36.21	150	314	Horizontal
2	5705	53.04	14.09	106.60	53.56	150	9	Horizontal
3	5781.12	53.11	13.81	122.20	69.09	150	20	Horizontal
4	5816.37	53.44	13.78	122.20	68.76	150	66	Horizontal
5	5859.12	53.39	14.03	109.64	56.25	150	200	Horizontal
6	5865.87	53.68	14.10	107.75	54.07	150	317	Horizontal

Mode: 11N20-5745




Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5658.87	52.73	14.38	74.82	22.09	150	337	Vertical
2	5708.37	56.49	14.08	107.55	51.06	150	49	Vertical
3	5786.37	52.53	13.79	122.20	69.67	150	181	Vertical
4	5831.37	53.29	13.84	122.20	68.91	150	355	Vertical
5	5875.62	53.84	14.21	104.74	50.90	150	305	Vertical
6	5901.5	54.31	14.50	85.57	31.26	150	261	Vertical

Mode:

11N20-5785



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.87	53.71	14.30	83.70	29.99	150	193	Horizontal
2	5700.87	53.22	14.11	105.45	52.23	150	145	Horizontal
3	5747.75	52.35	13.97	122.20	69.85	150	353	Horizontal
4	5835.5	53.64	13.86	122.20	68.56	150	52	Horizontal
5	5857.25	53.60	14.01	110.17	56.57	150	152	Horizontal
6	5896.62	54.33	14.46	89.17	34.84	150	203	Horizontal