



Mode: 11N20-5785



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5661.87	53.15	14.36	77.04	23.89	150	210	Vertical
2	5692.62	52.76	14.16	99.77	47.01	150	116	Vertical
3	5739.87	55.43	13.99	122.20	66.77	150	159	Vertical
4	5828	56.39	13.84	122.20	65.81	150	166	Vertical
5	5850.87	54.80	13.93	120.20	65.40	150	5	Vertical
6	5901.5	54.18	14.50	85.57	31.39	150	56	Vertical


Mode: 11N20-5825



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5687.75	54.59	14.20	96.17	41.58	150	350	Horizontal
2	5715.12	52.63	14.06	109.44	56.81	150	171	Horizontal
3	5777.75	54.50	13.83	122.20	67.70	150	187	Horizontal
4	5860.62	54.64	14.04	109.22	54.58	150	137	Horizontal
5	5882.75	54.79	14.30	99.45	44.66	150	160	Horizontal
6	5910.12	55.15	14.54	79.20	24.05	150	18	Horizontal


Mode: 11N20-5825



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5684	53.83	14.22	93.41	39.58	150	337	Vertical
2	5706.12	52.79	14.09	106.92	54.13	150	187	Vertical
3	5762	53.53	13.90	122.20	68.67	150	171	Vertical
4	5856.87	54.85	14.00	110.27	55.42	150	210	Vertical
5	5880.87	54.62	14.27	100.84	46.22	150	146	Vertical
6	5910.5	54.75	14.54	78.92	24.17	150	215	Vertical


Mode: 11N40-5190



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.29	68.23	23.94	43.96	54.00	10.04	150	326	Horizontal	PASS
2	4949.7002	15.92	50.57	74.00	23.43	49.33	54.00	4.67	150	104	Horizontal	PASS
3	4962.56	15.81	51.42	74.00	22.58	49.82	54.00	4.18	150	138	Horizontal	PASS
4	4975.9392	15.69	50.17	74.00	23.83	49.33	54.00	4.67	150	230	Horizontal	PASS
5	5147.9217	17.48	53.84	74.00	20.16	51.98	54.00	2.02	150	174	Horizontal	PASS
6	5150	18.01	50.02	74.00	23.98	49.77	54.00	4.23	150	194	Horizontal	PASS


Mode:	11N40-5190
-------	------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.98	68.23	23.25	44.49	54.00	9.51	150	340	Vertical	PASS
2	4620.024	14.42	47.36	74.00	26.64	45.04	54.00	8.96	150	0	Vertical	PASS
3	4739.0088	15.32	48.00	74.00	26.00	44.04	54.00	9.96	150	85	Vertical	PASS
4	4974.7702	15.70	50.35	74.00	23.65	49.11	54.00	4.89	150	123	Vertical	PASS
5	5146.6227	17.26	51.90	74.00	22.10	52.01	54.00	1.99	150	67	Vertical	PASS
6	5150	18.01	50.10	74.00	23.90	48.57	54.00	5.43	150	53	Vertical	PASS


Mode: 11N40-5310



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.29	68.23	22.94	44.36	54.00	9.64	150	126	Horizontal	PASS
2	4613.0096	14.35	47.06	74.00	26.94	43.87	54.00	10.13	150	299	Horizontal	PASS
3	4747.1922	15.48	47.65	74.00	26.35	47.59	54.00	6.41	150	301	Horizontal	PASS
4	4949.96	15.93	50.79	74.00	23.21	50.44	54.00	3.56	150	145	Horizontal	PASS
5	5059.3325	15.72	49.19	74.00	24.81	48.53	54.00	5.47	150	351	Horizontal	PASS
6	5150	18.01	47.98	74.00	26.02	46.69	54.00	7.31	150	42	Horizontal	PASS


Mode:	11N40-5310
-------	------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	43.70	68.23	24.53	42.87	54.00	11.13	150	138	Vertical	PASS
2	4653.2774	14.74	47.81	74.00	26.19	46.10	54.00	7.90	150	55	Vertical	PASS
3	4724.98	15.03	52.03	74.00	21.97	51.58	54.00	2.42	150	265	Vertical	PASS
4	4735.7614	15.25	52.20	74.00	21.80	48.98	54.00	5.02	150	265	Vertical	PASS
5	4959.1827	15.84	49.94	74.00	24.06	49.01	54.00	4.99	150	109	Vertical	PASS
6	5150	18.01	46.57	74.00	27.43	46.17	54.00	7.83	150	253	Vertical	PASS


Mode: 11N40-5510



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.24	68.23	22.99	43.74	54.00	10.26	150	269	Horizontal	PASS
2	5393.44	16.65	49.25	74.00	24.75	46.64	54.00	7.36	150	286	Horizontal	PASS
3	5417.92	17.05	48.74	74.00	25.26	45.96	54.00	8.04	150	85	Horizontal	PASS
4	5433.16	17.33	49.58	74.00	24.42	43.00	54.00	11.00	150	218	Horizontal	PASS
5	5458.24	17.56	50.38	74.00	23.62	48.40	54.00	5.60	150	136	Horizontal	PASS
6	5460	17.72	47.10	74.00	26.90	44.93	54.00	9.07	150	162	Horizontal	PASS


Mode: 11N40-5510



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.46	68.23	22.77	44.37	54.00	9.63	150	158	Vertical	PASS
2	5374.12	16.40	47.77	74.00	26.23	44.79	54.00	9.21	150	19	Vertical	PASS
3	5391.88	16.62	48.19	74.00	25.81	43.84	54.00	10.16	150	55	Vertical	PASS
4	5446.72	17.03	50.62	74.00	23.38	45.56	54.00	8.44	150	116	Vertical	PASS
5	5459.2	17.65	53.21	74.00	20.79	48.96	54.00	5.04	150	60	Vertical	PASS
6	5460	17.72	50.30	74.00	23.70	45.81	54.00	8.19	150	182	Vertical	PASS


Mode: 11N40-5755



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5657	52.67	14.39	73.43	20.76	150	210	Horizontal
2	5690.75	54.19	14.17	98.39	44.20	150	49	Horizontal
3	5784.87	55.55	13.79	122.20	66.65	150	136	Horizontal
4	5812.62	53.72	13.78	122.20	68.48	150	138	Horizontal
5	5842.25	53.37	13.88	122.20	68.83	150	352	Horizontal
6	5882.37	54.03	14.30	99.73	45.70	150	187	Horizontal


Mode: 11N40-5755



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5663.75	52.81	14.35	78.43	25.62	150	35	Vertical
2	5696	55.65	14.13	102.25	46.60	150	60	Vertical
3	5804	55.37	13.74	122.20	66.83	150	47	Vertical
4	5828.37	53.86	13.84	122.20	68.34	150	122	Vertical
5	5849.37	54.08	13.92	122.20	68.12	150	0	Vertical
6	5882.37	53.58	14.30	99.73	46.15	150	40	Vertical


Mode: 11N40-5795



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5669	53.41	14.32	82.32	28.91	150	259	Horizontal
2	5708.75	52.79	14.08	107.65	54.86	150	198	Horizontal
3	5729	53.44	14.02	122.20	68.76	150	228	Horizontal
4	5838.12	54.62	13.88	122.20	67.58	150	193	Horizontal
5	5877.87	54.41	14.24	103.07	48.66	150	4	Horizontal
6	5900	54.61	14.50	86.68	32.07	150	193	Horizontal


Mode: 11N40-5795



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5671.25	53.73	14.30	83.98	30.25	150	194	Vertical
2	5693.37	53.03	14.16	100.32	47.29	150	166	Vertical
3	5744.37	56.04	13.98	122.20	66.16	150	72	Vertical
4	5854.25	55.30	13.97	112.51	57.21	150	63	Vertical
5	5877.87	54.47	14.24	103.07	48.60	150	0	Vertical
6	5902.25	54.00	14.50	85.01	31.01	150	123	Vertical

Mode:	11AC20-5180
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.63	68.23	23.60	44.08	54.00	9.92	150	199	Horizontal	PASS
2	4552.2182	14.16	48.40	74.00	25.60	47.62	54.00	6.38	150	272	Horizontal	PASS
3	4938.6591	15.64	49.31	74.00	24.69	48.03	54.00	5.97	150	181	Horizontal	PASS
4	5088.1695	15.79	50.57	74.00	23.43	47.97	54.00	6.03	150	66	Horizontal	PASS
5	5144.8042	16.99	50.02	74.00	23.98	47.58	54.00	6.42	150	50	Horizontal	PASS
6	5150	18.01	48.24	74.00	25.76	47.30	54.00	6.70	150	145	Horizontal	PASS


Mode:	11AC20-5180
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	43.95	68.23	24.28	43.70	54.00	10.30	150	205	Vertical	PASS
2	4527.7978	14.18	48.05	74.00	25.95	46.97	54.00	7.03	150	330	Vertical	PASS
3	4736.6707	15.26	49.98	74.00	24.02	47.88	54.00	6.12	150	264	Vertical	PASS
4	4948.2714	15.89	49.94	74.00	24.06	48.44	54.00	5.56	150	270	Vertical	PASS
5	5138.5691	16.52	51.70	74.00	22.30	50.55	54.00	3.45	150	62	Vertical	PASS
6	5150	18.01	49.37	74.00	24.63	48.82	54.00	5.18	150	351	Vertical	PASS


Mode:	11AC20-5320
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	47.73	68.23	20.50	45.59	54.00	8.41	150	357	Horizontal	PASS
2	5351.44	17.91	51.40	74.00	22.60	47.62	54.00	6.38	150	182	Horizontal	PASS
3	5364.64	17.11	50.42	74.00	23.58	45.54	54.00	8.46	150	201	Horizontal	PASS
4	5379.64	16.83	50.98	74.00	23.02	48.46	54.00	5.54	150	357	Horizontal	PASS
5	5448.76	16.83	50.22	74.00	23.78	46.33	54.00	7.67	150	74	Horizontal	PASS
6	5460	16.74	46.21	74.00	27.79	45.64	54.00	8.36	150	4	Horizontal	PASS


Mode:	11AC20-5320
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	49.24	68.23	18.99	45.94	54.00	8.06	150	161	Vertical	PASS
2	5359.24	17.16	53.27	74.00	20.73	44.92	54.00	9.08	150	84	Vertical	PASS
3	5365.24	17.08	52.57	74.00	21.43	48.85	54.00	5.15	150	86	Vertical	PASS
4	5381.2	16.87	48.84	74.00	25.16	47.27	54.00	6.73	150	72	Vertical	PASS
5	5398.24	16.80	50.30	74.00	23.70	48.34	54.00	5.66	150	62	Vertical	PASS
6	5460	16.74	47.43	74.00	26.57	44.20	54.00	9.80	150	161	Vertical	PASS


Mode:	11AC20-5500
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	47.31	68.23	20.92	43.24	54.00	10.76	150	306	Horizontal	PASS
2	5379.64	16.47	49.13	74.00	24.87	46.24	54.00	7.76	150	342	Horizontal	PASS
3	5417.8	17.06	48.63	74.00	25.37	44.94	54.00	9.06	150	159	Horizontal	PASS
4	5439.4	17.46	50.13	74.00	23.87	46.25	54.00	7.75	150	81	Horizontal	PASS
5	5452.6	17.21	51.49	74.00	22.51	44.19	54.00	9.81	150	204	Horizontal	PASS
6	5460	17.72	48.47	74.00	25.53	45.39	54.00	8.61	150	64	Horizontal	PASS


Mode:	11AC20-5500
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	46.98	68.23	21.25	45.20	54.00	8.80	150	331	Vertical	PASS
2	5422.72	17.06	50.78	74.00	23.22	45.45	54.00	8.55	150	71	Vertical	PASS
3	5446.72	17.03	50.90	74.00	23.10	47.96	54.00	6.04	150	76	Vertical	PASS
4	5452.36	17.20	50.59	74.00	23.41	43.73	54.00	10.27	150	162	Vertical	PASS
5	5457.4	17.45	51.68	74.00	22.32	48.49	54.00	5.51	150	78	Vertical	PASS
6	5460	17.72	48.80	74.00	25.20	45.13	54.00	8.87	150	295	Vertical	PASS

Mode: 11AC20-5745




Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5681.37	54.05	14.23	91.47	37.42	150	296	Horizontal
2	5700.12	53.93	14.11	105.24	51.31	150	109	Horizontal
3	5775.5	53.96	13.84	122.20	68.24	150	68	Horizontal
4	5828.37	53.42	13.84	122.20	68.78	150	275	Horizontal
5	5852	53.65	13.95	117.64	63.99	150	134	Horizontal
6	5882	54.81	14.29	100.01	45.20	150	311	Horizontal

Mode:

11AC20-5745




Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5673.5	54.93	14.29	85.65	30.72	150	1	Vertical
2	5696.75	53.89	14.13	102.81	48.92	150	124	Vertical
3	5792.37	56.85	13.76	122.20	65.35	150	51	Vertical
4	5810.75	53.86	13.76	122.20	68.34	150	192	Vertical
5	5862.5	54.78	14.06	108.70	53.92	150	249	Vertical
6	5877.5	55.25	14.24	103.34	48.09	150	156	Vertical

Mode:


11AC20-5785



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5676.12	53.85	14.27	87.59	33.74	150	20	Horizontal
2	5707.62	54.44	14.09	107.34	52.90	150	285	Horizontal
3	5746.25	53.82	13.97	122.20	68.38	150	203	Horizontal
4	5821.62	53.44	13.80	122.20	68.76	150	139	Horizontal
5	5849	54.30	13.92	122.20	67.90	150	134	Horizontal
6	5872.25	55.00	14.18	105.97	50.97	150	216	Horizontal


Mode: 11AC20-5785



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5672	53.82	14.29	84.54	30.72	150	337	Vertical
2	5703.5	53.88	14.10	106.18	52.30	150	326	Vertical
3	5731.62	54.27	14.02	122.20	67.93	150	75	Vertical
4	5827.62	56.01	13.84	122.20	66.19	150	180	Vertical
5	5854.62	55.70	13.98	111.65	55.95	150	208	Vertical
6	5872.62	54.32	14.18	105.86	51.54	150	219	Vertical


Mode: 11AC20-5825



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5674.62	54.53	14.28	86.48	31.95	150	109	Horizontal
2	5739.87	53.83	13.99	122.20	68.37	150	145	Horizontal
3	5784.12	52.94	13.80	122.20	69.26	150	111	Horizontal
4	5871.12	54.80	14.16	106.28	51.48	150	24	Horizontal
5	5884.62	55.55	14.32	98.06	42.51	150	104	Horizontal
6	5917.25	54.91	14.56	73.94	19.03	150	346	Horizontal


Mode: 11AC20-5825



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5682.12	53.98	14.22	92.02	38.04	150	232	Vertical
2	5697.5	54.53	14.13	103.36	48.83	150	22	Vertical
3	5738.75	53.94	13.99	122.20	68.26	150	90	Vertical
4	5866.25	56.00	14.11	107.65	51.65	150	355	Vertical
5	5881.62	54.70	14.29	100.28	45.58	150	192	Vertical
6	5916.87	54.98	14.56	74.22	19.24	150	141	Vertical


Mode:	11AC40-5190
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	46.70	68.23	21.53	46.17	54.00	7.83	150	264	Horizontal	PASS
2	4926.3189	15.32	49.68	74.00	24.32	49.82	54.00	4.18	150	329	Horizontal	PASS
3	4962.4301	15.81	49.71	74.00	24.29	46.74	54.00	7.26	150	205	Horizontal	PASS
4	5138.9588	16.54	51.62	74.00	22.38	51.31	54.00	2.69	150	131	Horizontal	PASS
5	5149.6103	17.91	52.03	74.00	21.97	50.87	54.00	3.13	150	179	Horizontal	PASS
6	5150	18.01	49.19	74.00	24.81	48.37	54.00	5.63	150	200	Horizontal	PASS


Mode:	11AC40-5190
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.06	68.23	23.17	44.23	54.00	9.77	150	6	Vertical	PASS
2	4945.2838	15.81	50.21	74.00	23.79	47.88	54.00	6.12	150	249	Vertical	PASS
3	4963.8589	15.80	50.51	74.00	23.49	49.40	54.00	4.60	150	31	Vertical	PASS
4	5119.6043	16.08	52.29	74.00	21.71	51.43	54.00	2.57	150	95	Vertical	PASS
5	5149.0907	17.78	52.75	74.00	21.25	51.90	54.00	2.10	150	109	Vertical	PASS
6	5150	18.01	50.53	74.00	23.47	49.27	54.00	4.73	150	217	Vertical	PASS


Mode: 11AC40-5310



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	48.65	68.23	19.58	46.64	54.00	7.36	150	196	Horizontal	PASS
2	5353.24	17.72	51.30	74.00	22.70	49.31	54.00	4.69	150	174	Horizontal	PASS
3	5360.08	17.10	51.41	74.00	22.59	44.78	54.00	9.22	150	179	Horizontal	PASS
4	5362.12	17.13	52.00	74.00	22.00	47.49	54.00	6.51	150	21	Horizontal	PASS
5	5367.52	16.95	51.22	74.00	22.78	48.07	54.00	5.93	150	157	Horizontal	PASS
6	5460	16.74	47.71	74.00	26.29	45.38	54.00	8.62	150	256	Horizontal	PASS


Mode:	11AC40-5310
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	50.38	68.23	17.85	47.91	54.00	6.09	150	60	Vertical	PASS
2	5352.16	17.85	53.54	74.00	20.46	50.61	54.00	3.39	150	112	Vertical	PASS
3	5358.76	17.20	53.63	74.00	20.37	46.39	54.00	7.61	150	129	Vertical	PASS
4	5359.72	17.12	54.10	74.00	19.90	51.36	54.00	2.64	150	69	Vertical	PASS
5	5370.88	16.93	54.90	74.00	19.10	48.43	54.00	5.57	150	120	Vertical	PASS
6	5460	16.74	47.72	74.00	26.28	46.24	54.00	7.76	150	165	Vertical	PASS


Mode: 11AC40-5510



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.98	68.23	22.25	44.31	54.00	9.69	150	170	Horizontal	PASS
2	5384.08	16.52	48.78	74.00	25.22	45.39	54.00	8.61	150	76	Horizontal	PASS
3	5414.56	17.02	49.24	74.00	24.76	44.42	54.00	9.58	150	18	Horizontal	PASS
4	5428.6	17.49	50.18	74.00	23.82	47.95	54.00	6.05	150	323	Horizontal	PASS
5	5443	17.31	50.23	74.00	23.77	44.96	54.00	9.04	150	254	Horizontal	PASS
6	5460	17.72	49.60	74.00	24.40	47.39	54.00	6.61	150	292	Horizontal	PASS


Mode:	11AC40-5510
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.56	68.23	22.67	42.80	54.00	11.20	150	341	Vertical	PASS
2	5418.4	17.03	49.68	74.00	24.32	44.01	54.00	9.99	150	48	Vertical	PASS
3	5428.84	17.50	50.75	74.00	23.25	45.92	54.00	8.08	150	188	Vertical	PASS
4	5446.48	17.03	51.50	74.00	22.50	46.33	54.00	7.67	150	174	Vertical	PASS
5	5458.6	17.59	50.79	74.00	23.21	45.70	54.00	8.30	150	98	Vertical	PASS
6	5460	17.72	49.99	74.00	24.01	48.35	54.00	5.65	150	76	Vertical	PASS

Mode: 11AC40-5755




Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5665.62	54.02	14.34	79.82	25.80	150	298	Horizontal
2	5687.37	53.17	14.19	95.90	42.73	150	132	Horizontal
3	5808.12	54.60	13.76	122.20	67.60	150	310	Horizontal
4	5834.75	53.10	13.86	122.20	69.10	150	68	Horizontal
5	5851.62	54.70	13.94	118.49	63.79	150	349	Horizontal
6	5892.12	54.00	14.41	92.50	38.50	150	45	Horizontal

Mode:


11AC40-5755



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5651.37	54.71	14.43	69.25	14.54	150	217	Vertical
2	5693.75	53.77	14.15	100.60	46.83	150	160	Vertical
3	5708.37	57.04	14.08	107.55	50.51	150	160	Vertical
4	5800.25	53.63	13.72	122.20	68.57	150	233	Vertical
5	5837	53.44	13.86	122.20	68.76	150	133	Vertical
6	5874.5	54.48	14.21	105.34	50.86	150	355	Vertical

Mode: 11AC40-5795




Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5678.37	53.05	14.26	89.25	36.20	150	227	Horizontal
2	5698.62	52.94	14.12	104.19	51.25	150	111	Horizontal
3	5736.12	52.87	14.00	122.20	69.33	150	331	Horizontal
4	5852.75	53.64	13.95	115.93	62.29	150	206	Horizontal
5	5864	54.54	14.09	108.28	53.74	150	34	Horizontal
6	5897	53.85	14.47	88.89	35.04	150	342	Horizontal

Mode:


11AC40-5795



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5677.62	53.05	14.26	88.70	35.65	150	130	Vertical
2	5714.37	53.01	14.07	109.23	56.22	150	342	Vertical
3	5733.87	53.52	14.01	122.20	68.68	150	40	Vertical
4	5832.5	56.26	13.85	122.20	65.94	150	40	Vertical
5	5851.62	55.69	13.94	118.49	62.80	150	40	Vertical
6	5896.62	54.54	14.46	89.17	34.63	150	40	Vertical


Mode:	11AC80-5210
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.68	68.23	23.55	43.78	54.00	10.22	150	67	Horizontal	PASS
2	4959.8321	15.84	50.27	74.00	23.73	49.92	54.00	4.08	150	78	Horizontal	PASS
3	5049.4604	15.70	49.90	74.00	24.10	49.28	54.00	4.72	150	309	Horizontal	PASS
4	5138.3094	16.51	51.01	74.00	22.99	49.84	54.00	4.16	150	161	Horizontal	PASS
5	5147.7918	17.45	53.12	74.00	20.88	50.70	54.00	3.30	150	161	Horizontal	PASS
6	5150	18.01	48.40	74.00	25.60	47.75	54.00	6.25	150	166	Horizontal	PASS


Mode: 11AC80-5210



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	43.95	68.23	24.28	43.64	54.00	10.36	150	329	Vertical	PASS
2	4962.0404	15.82	50.80	74.00	23.20	49.43	54.00	4.57	150	334	Vertical	PASS
3	5022.8317	15.57	50.75	74.00	23.25	49.46	54.00	4.54	150	305	Vertical	PASS
4	5133.8929	16.26	51.63	74.00	22.37	48.78	54.00	5.22	150	76	Vertical	PASS
5	5148.5711	17.64	53.47	74.00	20.53	53.21	54.00	0.79	150	100	Vertical	PASS
6	5150	18.01	49.97	74.00	24.03	49.48	54.00	4.52	150	110	Vertical	PASS


Mode: 11AC80-5290



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	50.77	68.23	17.46	46.67	54.00	7.33	150	44	Horizontal	PASS
2	5351.56	17.90	52.38	74.00	21.62	49.46	54.00	4.54	150	20	Horizontal	PASS
3	5355.76	17.46	51.97	74.00	22.03	46.78	54.00	7.22	150	234	Horizontal	PASS
4	5357.08	17.34	51.35	74.00	22.65	46.89	54.00	7.11	150	181	Horizontal	PASS
5	5372.32	16.91	52.33	74.00	21.67	49.22	54.00	4.78	150	162	Horizontal	PASS
6	5460	16.74	45.80	74.00	28.20	43.04	54.00	10.96	150	80	Horizontal	PASS


Mode:	11AC80-5290
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	53.07	68.23	15.16	47.48	54.00	6.52	150	78	Vertical	PASS
2	5350.96	17.95	54.98	74.00	19.02	52.10	54.00	1.90	150	78	Vertical	PASS
3	5361.04	17.12	52.95	74.00	21.05	48.52	54.00	5.48	150	78	Vertical	PASS
4	5364.88	17.10	53.53	74.00	20.47	48.83	54.00	5.17	150	78	Vertical	PASS
5	5372.08	16.93	52.09	74.00	21.91	47.99	54.00	6.01	150	118	Vertical	PASS
6	5460	16.74	47.63	74.00	26.37	44.27	54.00	9.73	150	94	Vertical	PASS


Mode: 11AC80-5530



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	44.70	68.23	23.53	42.88	54.00	11.12	150	101	Horizontal	PASS
2	5367.76	16.32	48.11	74.00	25.89	46.32	54.00	7.68	150	356	Horizontal	PASS
3	5379.52	16.46	48.35	74.00	25.65	46.30	54.00	7.70	150	47	Horizontal	PASS
4	5440.48	17.45	49.89	74.00	24.11	45.40	54.00	8.60	150	120	Horizontal	PASS
5	5455	17.25	50.94	74.00	23.06	45.18	54.00	8.82	150	342	Horizontal	PASS
6	5460	17.72	49.62	74.00	24.38	48.52	54.00	5.48	150	134	Horizontal	PASS


Mode:	11AC80-5530
-------	-------------



Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	44.92	68.23	23.31	42.23	54.00	11.77	150	317	Vertical	PASS
2	5401.12	16.75	49.31	74.00	24.69	45.20	54.00	8.80	150	341	Vertical	PASS
3	5440	17.47	49.96	74.00	24.04	45.96	54.00	8.04	150	113	Vertical	PASS
4	5451.28	17.14	51.44	74.00	22.56	48.92	54.00	5.08	150	88	Vertical	PASS
5	5453.32	17.24	52.31	74.00	21.69	49.77	54.00	4.23	150	88	Vertical	PASS
6	5460	17.72	50.07	74.00	23.93	46.33	54.00	7.67	150	54	Vertical	PASS

Mode: 11AC80-5775




Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.5	53.93	14.30	83.43	29.50	150	79	Horizontal
2	5694.87	54.19	14.14	101.43	47.24	150	262	Horizontal
3	5837.75	54.89	13.88	122.20	67.31	150	354	Horizontal
4	5856.5	53.92	14.00	110.38	56.46	150	278	Horizontal
5	5873.75	55.56	14.20	105.55	49.99	150	338	Horizontal
6	5906.75	55.00	14.52	81.69	26.69	150	76	Horizontal

Mode:

11AC80-5775



Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5670.12	54.04	14.31	83.15	29.11	150	227	Vertical
2	5684.37	54.67	14.21	93.68	39.01	150	44	Vertical
3	5707.25	55.93	14.09	107.23	51.30	150	82	Vertical
4	5836.25	56.88	13.86	122.20	65.32	150	161	Vertical
5	5847.12	56.25	13.90	122.20	65.95	150	173	Vertical
6	5873.75	54.84	14.20	105.55	50.71	150	195	Vertical
7	5893.62	54.62	14.42	91.39	36.77	150	289	Vertical