

1 GHz to 18 GHz, ANT H 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.100	39.65	-17.21	74.0	34.35	Peak	9.00	200	Horizontal	Pass
1**	1327.100	29.40	-17.21	54.0	24.60	AV	9.00	200	Horizontal	Pass
2	2414.100	104.52	-11.50	74.0	-30.52	Peak	204.00	200	Horizontal	N/A
2**	2414.100	97.20	-11.50	54.0	-43.20	AV	204.00	200	Horizontal	N/A
3	4789.800	51.45	-1.78	74.0	22.55	Peak	225.00	150	Horizontal	Pass
3**	4789.800	41.55	-1.78	54.0	12.45	AV	225.00	150	Horizontal	Pass
4	6168.600	54.32	0.23	74.0	19.68	Peak	102.00	200	Horizontal	Pass
4**	6168.600	43.98	0.23	54.0	10.02	AV	102.00	200	Horizontal	Pass
5	10915.174	51.81	0.20	74.0	22.19	Peak	348.00	400	Horizontal	Pass
5**	10915.174	41.93	0.20	54.0	12.07	AV	348.00	400	Horizontal	Pass
6	17182.839	51.85	2.59	74.0	22.15	Peak	126.00	200	Horizontal	Pass
6**	17182.839	44.22	2.59	54.0	9.78	AV	126.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.100	40.05	-17.89	74.0	33.95	Peak	168.00	100	Vertical	Pass
1**	1000.100	31.10	-17.89	54.0	22.90	AV	168.00	100	Vertical	Pass
2	2414.700	107.71	-11.53	74.0	-33.71	Peak	221.00	200	Vertical	N/A
2**	2414.700	101.43	-11.53	54.0	-47.43	AV	221.00	200	Vertical	N/A
3	4818.000	51.05	-3.04	74.0	22.95	Peak	246.00	100	Vertical	Pass
3**	4818.000	42.27	-3.04	54.0	11.73	AV	246.00	100	Vertical	Pass
4	6601.000	54.88	1.17	74.0	19.12	Peak	80.00	300	Vertical	Pass
4**	6601.000	45.46	1.17	54.0	8.54	AV	80.00	300	Vertical	Pass
5	10167.388	51.22	-0.27	74.0	22.78	Peak	92.00	100	Vertical	Pass
5**	10167.388	41.95	-0.27	54.0	12.05	AV	92.00	100	Vertical	Pass
6	17185.989	51.82	2.49	74.0	22.18	Peak	165.00	200	Vertical	Pass
6**	17185.989	43.79	2.49	54.0	10.21	AV	165.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1313.800	39.15	-16.78	74.0	34.85	Peak	125.00	200	Horizontal	Pass
1**	1313.800	30.25	-16.78	54.0	23.75	AV	125.00	200	Horizontal	Pass
2	2434.200	103.05	-12.48	74.0	-29.05	Peak	240.00	200	Horizontal	N/A
2**	2434.200	96.25	-12.48	54.0	-42.25	AV	240.00	200	Horizontal	N/A
3	4990.000	51.02	-1.81	74.0	22.98	Peak	267.00	100	Horizontal	Pass
3**	4990.000	42.06	-1.81	54.0	11.94	AV	267.00	100	Horizontal	Pass
4	6450.200	53.95	1.88	74.0	20.05	Peak	303.00	400	Horizontal	Pass
4**	6450.200	45.24	1.88	54.0	8.76	AV	303.00	400	Horizontal	Pass
5	12696.237	51.59	0.83	74.0	22.41	Peak	170.00	100	Horizontal	Pass
5**	12696.237	41.30	0.83	54.0	12.70	AV	170.00	100	Horizontal	Pass
6	15827.550	51.36	1.57	74.0	22.64	Peak	43.00	300	Horizontal	Pass
6**	15827.550	42.42	1.57	54.0	11.58	AV	43.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.700	40.74	-17.69	74.0	33.26	Peak	93.00	200	Vertical	Pass
1**	1162.700	27.81	-17.69	54.0	26.19	AV	93.00	200	Vertical	Pass
2	2439.800	107.21	-12.27	74.0	-33.21	Peak	100.00	100	Vertical	N/A
2**	2439.800	100.28	-12.27	54.0	-46.28	AV	100.00	100	Vertical	N/A
3	5000.800	51.19	-2.23	74.0	22.81	Peak	0.00	100	Vertical	Pass
3**	5000.800	42.07	-2.23	54.0	11.93	AV	0.00	100	Vertical	Pass
4	6736.000	55.04	2.38	74.0	18.96	Peak	313.00	200	Vertical	Pass
4**	6736.000	45.06	2.38	54.0	8.94	AV	313.00	200	Vertical	Pass
5	10903.675	51.13	0.16	74.0	22.87	Peak	9.00	300	Vertical	Pass
5**	10903.675	41.79	0.16	54.0	12.21	AV	9.00	300	Vertical	Pass
6	17196.489	51.19	2.10	74.0	22.81	Peak	292.00	300	Vertical	Pass
6**	17196.489	43.37	2.10	54.0	10.63	AV	292.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1419.000	39.08	-17.28	74.0	34.92	Peak	191.00	100	Horizontal	Pass
1**	1419.000	29.31	-17.28	54.0	24.69	AV	191.00	100	Horizontal	Pass
2	2464.200	103.71	-12.55	74.0	-29.71	Peak	245.00	150	Horizontal	N/A
2**	2464.200	96.18	-12.55	54.0	-42.18	AV	245.00	150	Horizontal	N/A
3	4800.000	51.64	-2.03	74.0	22.36	Peak	7.00	100	Horizontal	Pass
3**	4800.000	43.05	-2.03	54.0	10.95	AV	7.00	100	Horizontal	Pass
4	6456.600	54.17	1.54	74.0	19.83	Peak	259.00	300	Horizontal	Pass
4**	6456.600	44.12	1.54	54.0	9.88	AV	259.00	300	Horizontal	Pass
5	10326.088	51.19	-0.05	74.0	22.81	Peak	122.00	300	Horizontal	Pass
5**	10326.088	42.23	-0.05	54.0	11.77	AV	122.00	300	Horizontal	Pass
6	17188.088	51.57	2.41	74.0	22.43	Peak	272.00	100	Horizontal	Pass
6**	17188.088	44.10	2.41	54.0	9.90	AV	272.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.800	40.21	-17.15	74.0	33.79	Peak	97.00	200	Vertical	Pass
1**	1328.800	31.10	-17.15	54.0	22.90	AV	97.00	200	Vertical	Pass
2	2467.700	106.53	-12.43	74.0	-32.53	Peak	15.00	150	Vertical	N/A
2**	2467.700	99.09	-12.43	54.0	-45.09	AV	15.00	150	Vertical	N/A
3	4043.400	48.90	-4.38	74.0	25.10	Peak	268.00	100	Vertical	Pass
3**	4043.400	38.81	-4.38	54.0	15.19	AV	268.00	100	Vertical	Pass
4	5324.200	54.89	-2.24	74.0	19.11	Peak	110.00	100	Vertical	Pass
4**	5324.200	41.11	-2.24	54.0	12.89	AV	110.00	100	Vertical	Pass
5	12210.362	51.47	1.03	74.0	22.53	Peak	20.00	100	Vertical	Pass
5**	12210.362	41.52	1.03	54.0	12.48	AV	20.00	100	Vertical	Pass
6	17186.775	51.18	2.46	74.0	22.82	Peak	73.00	200	Vertical	Pass
6**	17186.775	43.10	2.46	54.0	10.90	AV	73.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1385.600	39.04	-17.27	74.0	34.96	Peak	336.00	300	Horizontal	Pass
1**	1385.600	29.22	-17.27	54.0	24.78	AV	336.00	300	Horizontal	Pass
2	2416.200	103.44	-11.69	74.0	-29.44	Peak	231.00	200	Horizontal	N/A
2**	2416.200	96.03	-11.69	54.0	-42.03	AV	231.00	200	Horizontal	N/A
3	4980.600	51.20	-1.80	74.0	22.80	Peak	216.00	200	Horizontal	Pass
3**	4980.600	42.18	-1.80	54.0	11.82	AV	216.00	200	Horizontal	Pass
4	6610.000	54.87	2.04	74.0	19.13	Peak	83.00	400	Horizontal	Pass
4**	6610.000	46.11	2.04	54.0	7.89	AV	83.00	400	Horizontal	Pass
5	10919.775	51.34	0.24	74.0	22.66	Peak	24.00	100	Horizontal	Pass
5**	10919.775	42.06	0.24	54.0	11.94	AV	24.00	100	Horizontal	Pass
6	17178.900	51.59	2.64	74.0	22.41	Peak	209.00	300	Horizontal	Pass
6**	17178.900	43.70	2.64	54.0	10.30	AV	209.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	39.90	-17.13	74.0	34.10	Peak	139.00	200	Vertical	Pass
1**	1328.700	31.17	-17.13	54.0	22.83	AV	139.00	200	Vertical	Pass
2	2408.300	106.90	-12.00	74.0	-32.90	Peak	29.00	200	Vertical	N/A
2**	2408.300	99.68	-12.00	54.0	-45.68	AV	29.00	200	Vertical	N/A
3	4983.400	50.87	-1.57	74.0	23.13	Peak	178.00	100	Vertical	Pass
3**	4983.400	41.49	-1.57	54.0	12.51	AV	178.00	100	Vertical	Pass
4	6666.400	54.53	0.65	74.0	19.47	Peak	190.00	200	Vertical	Pass
4**	6666.400	45.50	0.65	54.0	8.50	AV	190.00	200	Vertical	Pass
5	10318.900	51.45	-0.21	74.0	22.55	Peak	139.00	200	Vertical	Pass
5**	10318.900	42.22	-0.21	54.0	11.78	AV	139.00	200	Vertical	Pass
6	17185.724	51.58	2.50	74.0	22.42	Peak	257.00	400	Vertical	Pass
6**	17185.724	43.34	2.50	54.0	10.66	AV	257.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.200	40.33	-17.90	74.0	33.67	Peak	72.00	300	Horizontal	Pass
1**	1000.200	29.20	-17.90	54.0	24.80	AV	72.00	300	Horizontal	Pass
2	2431.100	102.41	-12.53	74.0	-28.41	Peak	236.00	100	Horizontal	N/A
2**	2431.100	95.07	-12.53	54.0	-41.07	AV	236.00	100	Horizontal	N/A
3	4881.200	51.47	-2.62	74.0	22.53	Peak	213.00	200	Horizontal	Pass
3**	4881.200	42.08	-2.62	54.0	11.92	AV	213.00	200	Horizontal	Pass
4	6611.800	54.52	2.14	74.0	19.48	Peak	165.00	300	Horizontal	Pass
4**	6611.800	46.27	2.14	54.0	7.73	AV	165.00	300	Horizontal	Pass
5	10434.475	51.17	-0.17	74.0	22.83	Peak	286.00	300	Horizontal	Pass
5**	10434.475	42.35	-0.17	54.0	11.65	AV	286.00	300	Horizontal	Pass
6	17183.363	51.45	2.58	74.0	22.55	Peak	192.00	300	Horizontal	Pass
6**	17183.363	43.09	2.58	54.0	10.91	AV	192.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.200	40.38	-17.29	74.0	33.62	Peak	97.00	400	Vertical	Pass
1**	1331.200	32.44	-17.29	54.0	21.56	AV	97.00	400	Vertical	Pass
2	2433.500	106.70	-12.49	74.0	-32.70	Peak	269.00	150	Vertical	N/A
2**	2433.500	99.40	-12.49	54.0	-45.40	AV	269.00	150	Vertical	N/A
3	4767.200	51.20	-2.13	74.0	22.80	Peak	142.00	150	Vertical	Pass
3**	4767.200	41.39	-2.13	54.0	12.61	AV	142.00	150	Vertical	Pass
4	5314.600	54.74	-2.01	74.0	19.26	Peak	118.00	300	Vertical	Pass
4**	5314.600	41.42	-2.01	54.0	12.58	AV	118.00	300	Vertical	Pass
5	10331.837	51.48	0.03	74.0	22.52	Peak	212.00	400	Vertical	Pass
5**	10331.837	42.10	0.03	54.0	11.90	AV	212.00	400	Vertical	Pass
6	17197.011	52.08	2.07	74.0	21.92	Peak	40.00	100	Vertical	Pass
6**	17197.011	44.50	2.07	54.0	9.50	AV	40.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	38.98	-17.19	74.0	35.02	Peak	8.00	400	Horizontal	Pass
1**	1500.300	31.35	-17.19	54.0	22.65	AV	8.00	400	Horizontal	Pass
2	2466.000	102.70	-12.52	74.0	-28.70	Peak	232.00	100	Horizontal	N/A
2**	2466.000	95.71	-12.52	54.0	-41.71	AV	232.00	100	Horizontal	N/A
3	4808.400	51.04	-2.02	74.0	22.96	Peak	46.00	200	Horizontal	Pass
3**	4808.400	42.29	-2.02	54.0	11.71	AV	46.00	200	Horizontal	Pass
4	6606.400	55.77	1.88	74.0	18.23	Peak	262.00	300	Horizontal	Pass
4**	6606.400	45.63	1.88	54.0	8.37	AV	262.00	300	Horizontal	Pass
5	10933.000	51.21	0.03	74.0	22.79	Peak	105.00	100	Horizontal	Pass
5**	10933.000	42.14	0.03	54.0	11.86	AV	105.00	100	Horizontal	Pass
6	17188.874	51.08	2.38	74.0	22.92	Peak	279.00	100	Horizontal	Pass
6**	17188.874	42.86	2.38	54.0	11.14	AV	279.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.700	40.70	-17.08	74.0	33.30	Peak	102.00	300	Vertical	Pass
1**	1332.700	31.22	-17.08	54.0	22.78	AV	102.00	300	Vertical	Pass
2	2463.600	106.09	-12.51	74.0	-32.09	Peak	3.00	200	Vertical	N/A
2**	2463.600	99.49	-12.51	54.0	-45.49	AV	3.00	200	Vertical	N/A
3	4292.000	48.78	-3.92	74.0	25.22	Peak	106.00	100	Vertical	Pass
3**	4292.000	38.45	-3.92	54.0	15.55	AV	106.00	100	Vertical	Pass
4	5313.400	56.20	-2.02	74.0	17.80	Peak	117.00	200	Vertical	Pass
4**	5313.400	42.18	-2.02	54.0	11.82	AV	117.00	200	Vertical	Pass
5	12213.238	52.27	1.13	74.0	21.73	Peak	0.00	100	Vertical	Pass
5**	12213.238	42.00	1.13	54.0	12.00	AV	0.00	100	Vertical	Pass
6	17192.813	51.48	2.25	74.0	22.52	Peak	41.00	300	Vertical	Pass
6**	17192.813	43.80	2.25	54.0	10.20	AV	41.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.500	39.31	-17.28	74.0	34.69	Peak	337.00	300	Horizontal	Pass
1**	1571.500	29.46	-17.28	54.0	24.54	AV	337.00	300	Horizontal	Pass
2	2417.000	101.22	-11.74	74.0	-27.22	Peak	199.00	200	Horizontal	N/A
2**	2417.000	93.56	-11.74	54.0	-39.56	AV	199.00	200	Horizontal	N/A
3	4784.400	50.83	-1.70	74.0	23.17	Peak	360.00	200	Horizontal	Pass
3**	4784.400	42.56	-1.70	54.0	11.44	AV	360.00	200	Horizontal	Pass
4	6737.600	54.83	2.29	74.0	19.17	Peak	360.00	300	Horizontal	Pass
4**	6737.600	46.49	2.29	54.0	7.51	AV	360.00	300	Horizontal	Pass
5	10324.076	51.74	-0.09	74.0	22.26	Peak	8.00	200	Horizontal	Pass
5**	10324.076	41.85	-0.09	54.0	12.15	AV	8.00	200	Horizontal	Pass
6	17185.200	51.80	2.52	74.0	22.20	Peak	318.00	400	Horizontal	Pass
6**	17185.200	43.66	2.52	54.0	10.34	AV	318.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.400	41.66	-17.26	74.0	32.34	Peak	139.00	200	Vertical	Pass
1**	1331.400	31.67	-17.26	54.0	22.33	AV	139.00	200	Vertical	Pass
2	2418.600	105.22	-11.83	74.0	-31.22	Peak	246.00	150	Vertical	N/A
2**	2418.600	98.77	-11.83	54.0	-44.77	AV	246.00	150	Vertical	N/A
3	4822.800	51.20	-2.92	74.0	22.80	Peak	95.00	100	Vertical	Pass
3**	4822.800	41.76	-2.92	54.0	12.24	AV	95.00	100	Vertical	Pass
4	6292.800	54.70	1.07	74.0	19.30	Peak	144.00	100	Vertical	Pass
4**	6292.800	45.01	1.07	54.0	8.99	AV	144.00	100	Vertical	Pass
5	10929.838	51.10	0.09	74.0	22.90	Peak	43.00	300	Vertical	Pass
5**	10929.838	43.24	0.09	54.0	10.76	AV	43.00	300	Vertical	Pass
6	17188.614	51.52	2.39	74.0	22.48	Peak	281.00	200	Vertical	Pass
6**	17188.614	43.28	2.39	54.0	10.72	AV	281.00	200	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1266.900	39.71	-17.49	74.0	34.29	Peak	183.00	200	Horizontal	Pass
1**	1266.900	29.95	-17.49	54.0	24.05	AV	183.00	200	Horizontal	Pass
2	2422.600	100.57	-11.95	74.0	-26.57	Peak	235.00	150	Horizontal	N/A
2**	2422.600	91.98	-11.95	54.0	-37.98	AV	235.00	150	Horizontal	N/A
3	4881.400	50.98	-2.62	74.0	23.02	Peak	262.00	200	Horizontal	Pass
3**	4881.400	41.63	-2.62	54.0	12.37	AV	262.00	200	Horizontal	Pass
4	5890.400	54.22	-0.01	74.0	19.78	Peak	360.00	100	Horizontal	Pass
4**	5890.400	43.79	-0.01	54.0	10.21	AV	360.00	100	Horizontal	Pass
5	10919.200	51.17	0.23	74.0	22.83	Peak	288.00	400	Horizontal	Pass
5**	10919.200	42.12	0.23	54.0	11.88	AV	288.00	400	Horizontal	Pass
6	17197.801	51.97	2.02	74.0	22.03	Peak	350.00	200	Horizontal	Pass
6**	17197.801	43.55	2.02	54.0	10.45	AV	350.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	41.70	-17.26	74.0	32.30	Peak	136.00	200	Vertical	Pass
1**	1329.600	31.34	-17.26	54.0	22.66	AV	136.00	200	Vertical	Pass
2	2433.600	104.43	-12.49	74.0	-30.43	Peak	277.00	200	Vertical	N/A
2**	2433.600	96.36	-12.49	54.0	-42.36	AV	277.00	200	Vertical	N/A
3	5327.600	53.58	-2.50	74.0	20.42	Peak	119.00	100	Vertical	Pass
3**	5327.600	41.14	-2.50	54.0	12.86	AV	119.00	100	Vertical	Pass
4	6295.200	54.19	0.73	74.0	19.81	Peak	334.00	300	Vertical	Pass
4**	6295.200	44.40	0.73	54.0	9.60	AV	334.00	300	Vertical	Pass
5	11208.713	51.73	-0.23	74.0	22.27	Peak	63.00	200	Vertical	Pass
5**	11208.713	41.78	-0.23	54.0	12.22	AV	63.00	200	Vertical	Pass
6	17204.099	51.30	1.69	74.0	22.70	Peak	131.00	100	Vertical	Pass
6**	17204.099	44.98	1.69	54.0	9.02	AV	131.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1414.900	38.83	-17.17	74.0	35.17	Peak	183.00	400	Horizontal	Pass
1**	1414.900	29.90	-17.17	54.0	24.10	AV	183.00	400	Horizontal	Pass
2	2466.100	99.42	-12.51	74.0	-25.42	Peak	232.00	100	Horizontal	N/A
2**	2466.100	91.91	-12.51	54.0	-37.91	AV	232.00	100	Horizontal	N/A
3	4771.800	50.86	-1.68	74.0	23.14	Peak	134.00	100	Horizontal	Pass
3**	4771.800	41.64	-1.68	54.0	12.36	AV	134.00	100	Horizontal	Pass
4	6654.600	54.85	0.71	74.0	19.15	Peak	81.00	400	Horizontal	Pass
4**	6654.600	44.40	0.71	54.0	9.60	AV	81.00	400	Horizontal	Pass
5	9730.388	51.20	-0.50	74.0	22.80	Peak	153.00	100	Horizontal	Pass
5**	9730.388	40.29	-0.50	54.0	13.71	AV	153.00	100	Horizontal	Pass
6	17179.688	51.16	2.67	74.0	22.84	Peak	110.00	200	Horizontal	Pass
6**	17179.688	44.11	2.67	54.0	9.89	AV	110.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n40 High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.900	39.96	-17.16	74.0	34.04	Peak	83.00	100	Vertical	Pass
1**	1328.900	32.92	-17.16	54.0	21.08	AV	83.00	100	Vertical	Pass
2	2462.300	103.78	-12.62	74.0	-29.78	Peak	0.00	200	Vertical	N/A
2**	2462.300	96.65	-12.62	54.0	-42.65	AV	0.00	200	Vertical	N/A
3	4809.400	51.41	-2.08	74.0	22.59	Peak	273.00	100	Vertical	Pass
3**	4809.400	42.35	-2.08	54.0	11.65	AV	273.00	100	Vertical	Pass
4	6665.000	54.85	0.78	74.0	19.15	Peak	315.00	100	Vertical	Pass
4**	6665.000	45.92	0.78	54.0	8.08	AV	315.00	100	Vertical	Pass
5	10330.687	51.02	0.01	74.0	22.98	Peak	35.00	100	Vertical	Pass
5**	10330.687	42.07	0.01	54.0	11.93	AV	35.00	100	Vertical	Pass
6	17197.801	51.25	2.02	74.0	22.75	Peak	109.00	100	Vertical	Pass
6**	17197.801	43.30	2.02	54.0	10.70	AV	109.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1397.200	39.31	-17.20	74.0	34.69	Peak	206.00	200	Horizontal	Pass
1**	1397.200	29.76	-17.20	54.0	24.24	AV	206.00	200	Horizontal	Pass
2	2407.900	106.20	-12.01	74.0	-32.20	Peak	206.00	200	Horizontal	N/A
2**	2407.900	95.62	-12.01	54.0	-41.62	AV	206.00	200	Horizontal	N/A
3	4750.600	51.49	-2.82	74.0	22.51	Peak	10.00	150	Horizontal	Pass
3**	4750.600	40.78	-2.82	54.0	13.22	AV	10.00	150	Horizontal	Pass
4	6958.400	54.88	1.51	74.0	19.12	Peak	278.00	100	Horizontal	Pass
4**	6958.400	44.15	1.51	54.0	9.85	AV	278.00	100	Horizontal	Pass
5	10917.763	51.39	0.22	74.0	22.61	Peak	0.00	100	Horizontal	Pass
5**	10917.763	41.56	0.22	54.0	12.44	AV	0.00	100	Horizontal	Pass
6	17196.489	50.90	2.10	74.0	23.10	Peak	218.00	300	Horizontal	Pass
6**	17196.489	43.43	2.10	54.0	10.57	AV	218.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V802.11ax20(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.700	40.90	-17.28	74.0	33.10	Peak	89.00	400	Vertical	Pass
1**	1329.700	30.88	-17.28	54.0	23.12	AV	89.00	400	Vertical	Pass
2	2406.800	109.25	-11.88	74.0	-35.25	Peak	32.00	150	Vertical	N/A
2**	2406.800	98.98	-11.88	54.0	-44.98	AV	32.00	150	Vertical	N/A
3	5318.600	52.99	-2.09	74.0	21.01	Peak	115.00	100	Vertical	Pass
3**	5318.600	42.38	-2.09	54.0	11.62	AV	115.00	100	Vertical	Pass
4	6939.600	55.02	2.51	74.0	18.98	Peak	349.00	300	Vertical	Pass
4**	6939.600	44.79	2.51	54.0	9.21	AV	349.00	300	Vertical	Pass
5	10922.362	51.27	0.20	74.0	22.73	Peak	50.00	400	Vertical	Pass
5**	10922.362	42.91	0.20	54.0	11.09	AV	50.00	400	Vertical	Pass
6	17193.863	51.87	2.22	74.0	22.13	Peak	126.00	100	Vertical	Pass
6**	17193.863	43.87	2.22	54.0	10.13	AV	126.00	100	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.000	39.68	-17.22	74.0	34.32	Peak	0.00	100	Horizontal	Pass
1**	1327.000	29.34	-17.22	54.0	24.66	AV	0.00	100	Horizontal	Pass
2	2431.100	104.91	-12.53	74.0	-30.91	Peak	229.00	100	Horizontal	N/A
2**	2431.100	94.37	-12.53	54.0	-40.37	AV	229.00	100	Horizontal	N/A
3	4874.800	52.21	-2.86	74.0	21.79	Peak	241.00	150	Horizontal	Pass
3**	4874.800	41.34	-2.86	54.0	12.66	AV	241.00	150	Horizontal	Pass
4	6739.200	54.65	2.21	74.0	19.35	Peak	72.00	300	Horizontal	Pass
4**	6739.200	45.85	2.21	54.0	8.15	AV	72.00	300	Horizontal	Pass
5	10439.650	51.85	-0.27	74.0	22.15	Peak	118.00	100	Horizontal	Pass
5**	10439.650	41.95	-0.27	54.0	12.05	AV	118.00	100	Horizontal	Pass
6	17191.500	51.99	2.29	74.0	22.01	Peak	20.00	100	Horizontal	Pass
6**	17191.500	43.12	2.29	54.0	10.88	AV	20.00	100	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	41.61	-17.12	74.0	32.39	Peak	131.00	300	Vertical	Pass
1**	1328.600	31.60	-17.12	54.0	22.40	AV	131.00	300	Vertical	Pass
2	2438.300	108.53	-12.30	74.0	-34.53	Peak	16.00	150	Vertical	N/A
2**	2438.300	99.54	-12.30	54.0	-45.54	AV	16.00	150	Vertical	N/A
3	4800.000	50.94	-2.03	74.0	23.06	Peak	360.00	100	Vertical	Pass
3**	4800.000	42.43	-2.03	54.0	11.57	AV	360.00	100	Vertical	Pass
4	6517.200	54.81	1.15	74.0	19.19	Peak	39.00	400	Vertical	Pass
4**	6517.200	44.99	1.15	54.0	9.01	AV	39.00	400	Vertical	Pass
5	10916.612	51.26	0.21	74.0	22.74	Peak	0.00	200	Vertical	Pass
5**	10916.612	42.33	0.21	54.0	11.67	AV	0.00	200	Vertical	Pass
6	17180.738	51.20	2.66	74.0	22.80	Peak	128.00	300	Vertical	Pass
6**	17180.738	43.70	2.66	54.0	10.30	AV	128.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1313.500	39.39	-16.73	74.0	34.61	Peak	215.00	200	Horizontal	Pass
1**	1313.500	29.84	-16.73	54.0	24.16	AV	215.00	200	Horizontal	Pass
2	2467.000	104.41	-12.42	74.0	-30.41	Peak	228.00	150	Horizontal	N/A
2**	2467.000	94.59	-12.42	54.0	-40.59	AV	228.00	150	Horizontal	N/A
3	4990.600	51.75	-1.84	74.0	22.25	Peak	317.00	100	Horizontal	Pass
3**	4990.600	41.85	-1.84	54.0	12.15	AV	317.00	100	Horizontal	Pass
4	6272.600	54.60	0.79	74.0	19.40	Peak	267.00	400	Horizontal	Pass
4**	6272.600	44.78	0.79	54.0	9.22	AV	267.00	400	Horizontal	Pass
5	11420.599	51.50	-0.08	74.0	22.50	Peak	343.00	100	Horizontal	Pass
5**	11420.599	40.86	-0.08	54.0	13.14	AV	343.00	100	Horizontal	Pass
6	17186.511	50.87	2.47	74.0	23.13	Peak	0.00	300	Horizontal	Pass
6**	17186.511	43.96	2.47	54.0	10.04	AV	0.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax20(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.500	39.89	-17.10	74.0	34.11	Peak	102.00	400	Vertical	Pass
1**	1332.500	31.75	-17.10	54.0	22.25	AV	102.00	400	Vertical	Pass
2	2463.400	108.25	-12.50	74.0	-34.25	Peak	0.00	150	Vertical	N/A
2**	2463.400	99.45	-12.50	54.0	-45.45	AV	0.00	150	Vertical	N/A
3	4805.000	51.60	-2.12	74.0	22.40	Peak	71.00	100	Vertical	Pass
3**	4805.000	42.63	-2.12	54.0	11.37	AV	71.00	100	Vertical	Pass
4	6452.400	54.91	1.75	74.0	19.09	Peak	0.00	400	Vertical	Pass
4**	6452.400	44.82	1.75	54.0	9.18	AV	0.00	400	Vertical	Pass
5	10337.299	51.40	0.07	74.0	22.60	Peak	360.00	400	Vertical	Pass
5**	10337.299	42.39	0.07	54.0	11.61	AV	360.00	400	Vertical	Pass
6	17191.762	50.67	2.28	74.0	23.33	Peak	195.00	400	Vertical	Pass
6**	17191.762	43.81	2.28	54.0	10.19	AV	195.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	40.00	-17.19	74.0	34.00	Peak	272.00	100	Horizontal	Pass
1**	1500.100	32.08	-17.19	54.0	21.92	AV	272.00	100	Horizontal	Pass
2	2417.100	101.22	-11.75	74.0	-27.22	Peak	228.00	150	Horizontal	N/A
2**	2417.100	93.28	-11.75	54.0	-39.28	AV	228.00	150	Horizontal	N/A
3	4807.800	51.40	-2.09	74.0	22.60	Peak	302.00	150	Horizontal	Pass
3**	4807.800	42.14	-2.09	54.0	11.86	AV	302.00	150	Horizontal	Pass
4	6623.800	54.57	1.96	74.0	19.43	Peak	348.00	400	Horizontal	Pass
4**	6623.800	45.71	1.96	54.0	8.29	AV	348.00	400	Horizontal	Pass
5	10336.725	51.81	0.07	74.0	22.19	Peak	42.00	400	Horizontal	Pass
5**	10336.725	42.34	0.07	54.0	11.66	AV	42.00	400	Horizontal	Pass
6	16090.838	51.72	1.42	74.0	22.28	Peak	62.00	300	Horizontal	Pass
6**	16090.838	42.55	1.42	54.0	11.45	AV	62.00	300	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Low Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.600	40.41	-17.26	74.0	33.59	Peak	94.00	400	Vertical	Pass
1**	1329.600	33.93	-17.26	54.0	20.07	AV	94.00	400	Vertical	Pass
2	2419.300	107.46	-11.78	74.0	-33.46	Peak	276.00	100	Vertical	N/A
2**	2419.300	97.23	-11.78	54.0	-43.23	AV	276.00	100	Vertical	N/A
3	5318.400	52.51	-2.11	74.0	21.49	Peak	115.00	100	Vertical	Pass
3**	5318.400	42.50	-2.11	54.0	11.50	AV	115.00	100	Vertical	Pass
4	6602.200	54.88	1.37	74.0	19.12	Peak	315.00	300	Vertical	Pass
4**	6602.200	45.86	1.37	54.0	8.14	AV	315.00	300	Vertical	Pass
5	10183.487	52.00	0.12	74.0	22.00	Peak	176.00	100	Vertical	Pass
5**	10183.487	42.20	0.12	54.0	11.80	AV	176.00	100	Vertical	Pass
6	17180.213	51.71	2.68	74.0	22.29	Peak	360.00	400	Vertical	Pass
6**	17180.213	43.63	2.68	54.0	10.37	AV	360.00	400	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.000	39.91	-17.88	74.0	34.09	Peak	174.00	100	Horizontal	Pass
1**	1000.000	31.40	-17.88	54.0	22.60	AV	174.00	100	Horizontal	Pass
2	2421.500	101.41	-11.82	74.0	-27.41	Peak	205.00	100	Horizontal	N/A
2**	2421.500	93.55	-11.82	54.0	-39.55	AV	205.00	100	Horizontal	N/A
3	4820.600	51.00	-2.77	74.0	23.00	Peak	83.00	100	Horizontal	Pass
3**	4820.600	41.28	-2.77	54.0	12.72	AV	83.00	100	Horizontal	Pass
4	6989.600	54.30	1.11	74.0	19.70	Peak	0.00	100	Horizontal	Pass
4**	6989.600	44.18	1.11	54.0	9.82	AV	0.00	100	Horizontal	Pass
5	10194.125	51.57	0.40	74.0	22.43	Peak	61.00	300	Horizontal	Pass
5**	10194.125	41.87	0.40	54.0	12.13	AV	61.00	300	Horizontal	Pass
6	17189.925	51.06	2.34	74.0	22.94	Peak	129.00	200	Horizontal	Pass
6**	17189.925	43.79	2.34	54.0	10.21	AV	129.00	200	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) Middle Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.400	42.12	-17.09	74.0	31.88	Peak	107.00	100	Vertical	Pass
1**	1328.400	31.07	-17.09	54.0	22.93	AV	107.00	100	Vertical	Pass
2	2442.800	105.56	-12.25	74.0	-31.56	Peak	55.00	200	Vertical	N/A
2**	2442.800	96.03	-12.25	54.0	-42.03	AV	55.00	200	Vertical	N/A
3	4526.000	50.03	-3.09	74.0	23.97	Peak	33.00	100	Vertical	Pass
3**	4526.000	40.72	-3.09	54.0	13.28	AV	33.00	100	Vertical	Pass
4	5316.200	55.62	-2.17	74.0	18.38	Peak	110.00	300	Vertical	Pass
4**	5316.200	44.70	-2.17	54.0	9.30	AV	110.00	300	Vertical	Pass
5	10333.563	51.41	0.05	74.0	22.59	Peak	97.00	100	Vertical	Pass
5**	10333.563	42.09	0.05	54.0	11.91	AV	97.00	100	Vertical	Pass
6	17199.374	51.33	1.93	74.0	22.67	Peak	115.00	300	Vertical	Pass
6**	17199.374	43.36	1.93	54.0	10.64	AV	115.00	300	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1000.000	41.61	-17.88	74.0	32.39	Peak	114.00	400	Horizontal	Pass
1**	1000.000	33.73	-17.88	54.0	20.27	AV	114.00	400	Horizontal	Pass
2	2456.700	100.46	-12.97	74.0	-26.46	Peak	226.00	150	Horizontal	N/A
2**	2456.700	91.36	-12.97	54.0	-37.36	AV	226.00	150	Horizontal	N/A
3	5163.800	51.44	-1.84	74.0	22.56	Peak	21.00	100	Horizontal	Pass
3**	5163.800	41.79	-1.84	54.0	12.21	AV	21.00	100	Horizontal	Pass
4	6748.600	54.30	1.38	74.0	19.70	Peak	181.00	100	Horizontal	Pass
4**	6748.600	45.07	1.38	54.0	8.93	AV	181.00	100	Horizontal	Pass
5	10922.075	51.61	0.20	74.0	22.39	Peak	149.00	100	Horizontal	Pass
5**	10922.075	42.05	0.20	54.0	11.95	AV	149.00	100	Horizontal	Pass
6	17189.136	52.43	2.37	74.0	21.57	Peak	0.00	400	Horizontal	Pass
6**	17189.136	42.71	2.37	54.0	11.29	AV	0.00	400	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11ax40(SU) High Channel

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.500	40.67	-17.25	74.0	33.33	Peak	139.00	400	Vertical	Pass
1**	1329.500	29.09	-17.25	54.0	24.91	AV	139.00	400	Vertical	Pass
2	2465.100	105.07	-12.60	74.0	-31.07	Peak	188.00	200	Vertical	N/A
2**	2465.100	95.24	-12.60	54.0	-41.24	AV	188.00	200	Vertical	N/A
3	4773.000	51.26	-1.37	74.0	22.74	Peak	35.00	100	Vertical	Pass
3**	4773.000	41.99	-1.37	54.0	12.01	AV	35.00	100	Vertical	Pass
4	6266.200	54.93	0.84	74.0	19.07	Peak	35.00	200	Vertical	Pass
4**	6266.200	45.30	0.84	54.0	8.70	AV	35.00	200	Vertical	Pass
5	10436.775	51.49	-0.21	74.0	22.51	Peak	305.00	200	Vertical	Pass
5**	10436.775	42.20	-0.21	54.0	11.80	AV	305.00	200	Vertical	Pass
6	17180.475	51.65	2.67	74.0	22.35	Peak	360.00	100	Vertical	Pass
6**	17180.475	43.87	2.67	54.0	10.13	AV	360.00	100	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note ¹: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.


Note ²: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note ³: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Test Data and Plots


Main Antenna

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.950	55.87	-0.52	74.0	18.13	Peak	279.00	150	Vertical	Pass
1**	2386.950	44.39	-0.52	54.0	9.61	AV	279.00	150	Vertical	Pass
2	2389.950	54.33	-0.59	74.0	19.67	Peak	110.00	150	Vertical	Pass
2**	2389.950	44.86	-0.59	54.0	9.14	AV	110.00	150	Vertical	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	55.14	-0.20	74.0	18.86	Peak	0.00	100	Vertical	Pass
1**	2483.515	44.89	-0.20	54.0	9.11	AV	0.00	100	Vertical	Pass
2	2487.595	56.44	0.03	74.0	17.56	Peak	229.00	150	Vertical	Pass
2**	2487.595	44.99	0.03	54.0	9.01	AV	229.00	150	Vertical	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.300	56.45	-0.59	74.0	17.55	Peak	30.00	150	Vertical	Pass
1**	2387.300	44.45	-0.59	54.0	9.55	AV	30.00	150	Vertical	Pass
2	2389.950	55.02	-0.59	74.0	18.98	Peak	72.00	150	Vertical	Pass
2**	2389.950	45.38	-0.59	54.0	8.62	AV	72.00	150	Vertical	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	60.66	-0.20	74.0	13.34	Peak	42.00	200	Vertical	Pass
1**	2483.515	46.84	-0.20	54.0	7.16	AV	42.00	200	Vertical	Pass
2	2483.995	60.11	-0.17	74.0	13.89	Peak	39.00	100	Vertical	Pass
2**	2483.995	46.43	-0.17	54.0	7.57	AV	39.00	100	Vertical	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2323.200	56.28	-0.17	74.0	17.72	Peak	25.00	150	Vertical	Pass
1**	2323.200	44.59	-0.17	54.0	9.41	AV	25.00	150	Vertical	Pass
2	2389.950	56.19	-0.59	74.0	17.81	Peak	4.00	200	Vertical	Pass
2**	2389.950	45.50	-0.59	54.0	8.50	AV	4.00	200	Vertical	Pass

802.11n20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.23	-0.21	74.0	14.77	Peak	22.00	150	Vertical	Pass
1**	2483.500	47.68	-0.21	54.0	6.32	AV	22.00	150	Vertical	Pass
2	2484.100	59.19	-0.17	74.0	14.81	Peak	31.00	200	Vertical	Pass
2**	2484.100	47.16	-0.17	54.0	6.84	AV	31.00	200	Vertical	Pass

802.11n40 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.750	57.89	-0.68	74.0	16.11	Peak	47.00	150	Vertical	Pass
1**	2387.750	46.29	-0.68	54.0	7.71	AV	47.00	150	Vertical	Pass
2	2389.950	55.60	-0.59	74.0	18.40	Peak	85.00	200	Vertical	Pass
2**	2389.950	47.00	-0.59	54.0	7.00	AV	85.00	200	Vertical	Pass

802.11n40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	61.34	-0.20	74.0	12.66	Peak	0.00	150	Vertical	Pass
1**	2483.530	50.32	-0.20	54.0	3.68	AV	0.00	150	Vertical	Pass
2	2487.685	63.09	0.02	74.0	10.91	Peak	29.00	150	Vertical	Pass
2**	2487.685	50.30	0.02	54.0	3.70	AV	29.00	150	Vertical	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.100	57.49	-0.79	74.0	16.51	Peak	33.00	200	Vertical	Pass
1**	2389.100	45.68	-0.79	54.0	8.32	AV	33.00	200	Vertical	Pass
2	2389.950	56.52	-0.59	74.0	17.48	Peak	117.00	200	Vertical	Pass
2**	2389.950	46.34	-0.59	54.0	7.66	AV	117.00	200	Vertical	Pass

802.11 ax20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	63.89	-0.20	74.0	10.11	Peak	37.00	200	Vertical	Pass
1**	2483.575	50.00	-0.20	54.0	4.00	AV	37.00	200	Vertical	Pass
2	2485.555	63.30	0.01	74.0	10.70	Peak	18.00	150	Vertical	Pass
2**	2485.555	48.09	0.01	54.0	5.91	AV	18.00	150	Vertical	Pass

802.11ax40(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.750	57.71	-0.87	74.0	16.29	Peak	315.00	100	Vertical	Pass
1**	2388.750	46.62	-0.87	54.0	7.38	AV	315.00	100	Vertical	Pass
2	2389.950	57.14	-0.59	74.0	16.86	Peak	355.00	150	Vertical	Pass
2**	2389.950	47.18	-0.59	54.0	6.82	AV	355.00	150	Vertical	Pass

802.11 ax40(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.99	-0.21	74.0	11.01	Peak	19.00	200	Vertical	Pass
1**	2483.500	47.61	-0.21	54.0	6.39	AV	19.00	200	Vertical	Pass
2	2486.635	66.18	0.12	74.0	7.82	Peak	124.00	100	Vertical	Pass
2**	2486.635	48.33	0.12	54.0	5.67	AV	124.00	100	Vertical	Pass
3	2484.715	58.26	-0.10	74.0	15.74	Peak	21.00	100	Vertical	Pass
3**	2484.715	49.47	-0.10	54.0	4.53	AV	21.00	100	Vertical	Pass

802.11ax20(RU26) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2386.550	60.35	-0.45	74.0	13.65	Peak	114.00	200	Vertical	Pass
1**	2386.550	44.59	-0.45	54.0	9.41	AV	114.00	200	Vertical	Pass
2	2389.950	57.65	-0.59	74.0	16.35	Peak	156.00	100	Vertical	Pass
2**	2389.950	44.86	-0.59	54.0	9.14	AV	156.00	100	Vertical	Pass

802.11 ax20(RU26) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	66.85	-0.20	74.0	7.15	Peak	95.00	200	Vertical	Pass
1**	2483.560	47.52	-0.20	54.0	6.48	AV	95.00	200	Vertical	Pass
2	2484.400	66.54	-0.14	74.0	7.46	Peak	92.00	100	Vertical	Pass
2**	2484.400	46.37	-0.14	54.0	7.63	AV	92.00	100	Vertical	Pass

802.11ax40(RU26) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.750	65.55	-0.64	74.0	8.45	Peak	131.00	200	Vertical	Pass
1**	2389.750	46.28	-0.64	54.0	7.72	AV	131.00	200	Vertical	Pass
2	2389.950	63.59	-0.59	74.0	10.41	Peak	96.00	200	Vertical	Pass
2**	2389.950	46.63	-0.59	54.0	7.37	AV	96.00	200	Vertical	Pass


802.11 ax40(RU26) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	62.95	-0.20	74.0	11.05	Peak	118.00	200	Vertical	Pass
1**	2483.575	45.71	-0.20	54.0	8.29	AV	118.00	200	Vertical	Pass
2	2484.490	64.33	-0.13	74.0	9.67	Peak	132.00	100	Vertical	Pass
2**	2484.490	46.14	-0.13	54.0	7.86	AV	132.00	100	Vertical	Pass
3	2484.685	62.86	-0.10	74.0	11.14	Peak	96.00	100	Vertical	Pass
3**	2484.685	49.70	-0.10	54.0	4.30	AV	96.00	100	Vertical	Pass


Aux. Antenna

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2315.100	56.25	-0.38	74.0	17.75	Peak	304.00	100	Vertical	Pass
1**	2315.100	44.37	-0.38	54.0	9.63	AV	304.00	100	Vertical	Pass
2	2389.950	54.42	-0.59	74.0	19.58	Peak	0.00	100	Vertical	Pass
2**	2389.950	43.90	-0.59	54.0	10.10	AV	0.00	100	Vertical	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	55.25	-0.20	74.0	18.75	Peak	56.00	100	Vertical	Pass
1**	2483.515	44.30	-0.20	54.0	9.70	AV	56.00	100	Vertical	Pass
2	2486.515	55.97	0.13	74.0	18.03	Peak	133.00	150	Vertical	Pass
2**	2486.515	44.91	0.13	54.0	9.09	AV	133.00	150	Vertical	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.700	56.73	-0.87	74.0	17.27	Peak	360.00	100	Vertical	Pass
1**	2388.700	44.46	-0.87	54.0	9.54	AV	360.00	100	Vertical	Pass
2	2389.950	55.97	-0.59	74.0	18.03	Peak	340.00	150	Vertical	Pass
2**	2389.950	45.44	-0.59	54.0	8.56	AV	340.00	150	Vertical	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	58.94	-0.20	74.0	15.06	Peak	142.00	100	Vertical	Pass
1**	2483.530	46.78	-0.20	54.0	7.22	AV	142.00	100	Vertical	Pass
2	2483.800	58.45	-0.19	74.0	15.55	Peak	142.00	100	Vertical	Pass
2**	2483.800	46.77	-0.19	54.0	7.23	AV	142.00	100	Vertical	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.600	56.93	-0.65	74.0	17.07	Peak	215.00	100	Vertical	Pass
1**	2387.600	44.62	-0.65	54.0	9.38	AV	215.00	100	Vertical	Pass
2	2389.950	55.52	-0.59	74.0	18.48	Peak	5.00	100	Vertical	Pass
2**	2389.950	45.13	-0.59	54.0	8.87	AV	5.00	100	Vertical	Pass

802.11n20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.590	56.11	-0.20	74.0	17.89	Peak	42.00	100	Vertical	Pass
1**	2483.590	45.59	-0.20	54.0	8.41	AV	42.00	100	Vertical	Pass
2	2483.920	57.08	-0.18	74.0	16.92	Peak	45.00	200	Vertical	Pass
2**	2483.920	45.44	-0.18	54.0	8.56	AV	45.00	200	Vertical	Pass

802.11n40 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2383.550	58.05	-0.42	74.0	15.95	Peak	29.00	100	Vertical	Pass
1**	2383.550	45.90	-0.42	54.0	8.10	AV	29.00	100	Vertical	Pass
2	2389.950	56.21	-0.59	74.0	17.79	Peak	87.00	150	Vertical	Pass
2**	2389.950	46.68	-0.59	54.0	7.32	AV	87.00	150	Vertical	Pass

802.11n40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	59.52	-0.20	74.0	14.48	Peak	128.00	100	Vertical	Pass
1**	2483.560	48.62	-0.20	54.0	5.38	AV	128.00	100	Vertical	Pass
2	2488.180	61.17	-0.03	74.0	12.83	Peak	98.00	200	Vertical	Pass
2**	2488.180	47.59	-0.03	54.0	6.41	AV	98.00	200	Vertical	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.550	58.27	-0.68	74.0	15.73	Peak	9.00	150	Vertical	Pass
1**	2389.550	46.04	-0.68	54.0	7.96	AV	9.00	150	Vertical	Pass
2	2389.950	56.42	-0.59	74.0	17.58	Peak	38.00	150	Vertical	Pass
2**	2389.950	45.91	-0.59	54.0	8.09	AV	38.00	150	Vertical	Pass

802.11 ax20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	57.30	-0.20	74.0	16.70	Peak	14.00	200	Vertical	Pass
1**	2483.545	45.98	-0.20	54.0	8.02	AV	14.00	200	Vertical	Pass
2	2485.135	58.50	-0.05	74.0	15.50	Peak	101.00	150	Vertical	Pass
2**	2485.135	45.53	-0.05	54.0	8.47	AV	101.00	150	Vertical	Pass

802.11ax40(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.550	57.75	-0.68	74.0	16.25	Peak	260.00	200	Vertical	Pass
1**	2389.550	46.91	-0.68	54.0	7.09	AV	260.00	200	Vertical	Pass
2	2389.950	57.33	-0.59	74.0	16.67	Peak	360.00	200	Vertical	Pass
2**	2389.950	46.40	-0.59	54.0	7.60	AV	360.00	200	Vertical	Pass

802.11 ax40(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	60.36	-0.20	74.0	13.64	Peak	125.00	100	Vertical	Pass
1**	2483.530	48.37	-0.20	54.0	5.63	AV	125.00	100	Vertical	Pass
2	2487.055	63.73	0.08	74.0	10.27	Peak	123.00	200	Vertical	Pass
2**	2487.055	48.27	0.08	54.0	5.73	AV	123.00	200	Vertical	Pass

802.11ax20(RU26) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.450	65.22	-0.71	74.0	8.78	Peak	43.00	100	Vertical	Pass
1**	2389.450	44.63	-0.71	54.0	9.37	AV	43.00	100	Vertical	Pass
2	2389.950	62.05	-0.59	74.0	11.95	Peak	22.00	200	Vertical	Pass
2**	2389.950	45.97	-0.59	54.0	8.03	AV	22.00	200	Vertical	Pass

802.11 ax20(RU26) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	66.79	-0.20	74.0	7.21	Peak	41.00	200	Vertical	Pass
1**	2483.545	47.25	-0.20	54.0	6.75	AV	41.00	200	Vertical	Pass
2	2483.710	67.80	-0.19	74.0	6.20	Peak	42.00	150	Vertical	Pass
2**	2483.710	47.60	-0.19	54.0	6.40	AV	42.00	150	Vertical	Pass

802.11ax40(RU26) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.600	66.65	-0.67	74.0	7.35	Peak	27.00	100	Vertical	Pass
1**	2389.600	48.12	-0.67	54.0	5.88	AV	27.00	100	Vertical	Pass
2	2389.950	58.44	-0.59	74.0	15.56	Peak	360.00	100	Vertical	Pass
2**	2389.950	47.91	-0.59	54.0	6.09	AV	360.00	100	Vertical	Pass


802.11 ax40(RU26) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	64.39	-0.20	74.0	9.61	Peak	70.00	200	Vertical	Pass
1**	2483.545	49.93	-0.20	54.0	4.07	AV	70.00	200	Vertical	Pass
2	2484.535	67.33	-0.12	74.0	6.67	Peak	30.00	150	Vertical	Pass
2**	2484.535	50.59	-0.12	54.0	3.41	AV	30.00	150	Vertical	Pass


MIMO

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2325.050	55.92	-0.35	74.0	18.08	Peak	0.00	100	Vertical	Pass
1**	2325.050	44.39	-0.35	54.0	9.61	AV	0.00	100	Vertical	Pass
2	2389.950	53.93	-0.59	74.0	20.07	Peak	32.00	200	Vertical	Pass
2**	2389.950	44.11	-0.59	54.0	9.89	AV	32.00	200	Vertical	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	55.30	-0.20	74.0	18.70	Peak	289.00	100	Vertical	Pass
1**	2483.545	44.82	-0.20	54.0	9.18	AV	289.00	100	Vertical	Pass
2	2489.455	55.95	-0.13	74.0	18.05	Peak	97.00	200	Vertical	Pass
2**	2489.455	44.37	-0.13	54.0	9.63	AV	97.00	200	Vertical	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.700	57.72	-0.65	74.0	16.28	Peak	86.00	100	Vertical	Pass
1**	2389.700	45.74	-0.65	54.0	8.26	AV	86.00	100	Vertical	Pass
2	2389.950	55.99	-0.59	74.0	18.01	Peak	86.00	150	Vertical	Pass
2**	2389.950	45.79	-0.59	54.0	8.21	AV	86.00	150	Vertical	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	56.15	-0.20	74.0	17.85	Peak	22.00	150	Vertical	Pass
1**	2483.530	46.01	-0.20	54.0	7.99	AV	22.00	150	Vertical	Pass
2	2487.460	56.37	0.04	74.0	17.63	Peak	158.00	150	Vertical	Pass
2**	2487.460	44.75	0.04	54.0	9.25	AV	158.00	150	Vertical	Pass

802.11n20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.500	58.27	-0.70	74.0	15.73	Peak	273.00	100	Vertical	Pass
1**	2389.500	45.47	-0.70	54.0	8.53	AV	273.00	100	Vertical	Pass
2	2389.950	57.03	-0.59	74.0	16.97	Peak	306.00	150	Vertical	Pass
2**	2389.950	46.16	-0.59	54.0	7.84	AV	306.00	150	Vertical	Pass

802.11n20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	55.31	-0.20	74.0	18.69	Peak	46.00	150	Vertical	Pass
1**	2483.530	44.91	-0.20	54.0	9.09	AV	46.00	150	Vertical	Pass
2	2493.385	56.21	0.03	74.0	17.79	Peak	165.00	100	Vertical	Pass
2**	2493.385	44.35	0.03	54.0	9.65	AV	165.00	100	Vertical	Pass

802.11n40 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.450	58.20	-0.82	74.0	15.80	Peak	91.00	200	Vertical	Pass
1**	2388.450	46.95	-0.82	54.0	7.05	AV	91.00	200	Vertical	Pass
2	2389.950	56.10	-0.59	74.0	17.90	Peak	295.00	100	Vertical	Pass
2**	2389.950	47.41	-0.59	54.0	6.59	AV	295.00	100	Vertical	Pass

802.11n40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.515	58.85	-0.20	74.0	15.15	Peak	17.00	200	Vertical	Pass
1**	2483.515	45.88	-0.20	54.0	8.12	AV	17.00	200	Vertical	Pass
2	2484.355	59.10	-0.15	74.0	14.90	Peak	12.00	150	Vertical	Pass
2**	2484.355	46.17	-0.15	54.0	7.83	AV	12.00	150	Vertical	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2388.600	61.37	-0.85	74.0	12.63	Peak	93.00	100	Vertical	Pass
1**	2388.600	46.87	-0.85	54.0	7.13	AV	93.00	100	Vertical	Pass
2	2389.950	58.19	-0.59	74.0	15.81	Peak	295.00	200	Vertical	Pass
2**	2389.950	47.38	-0.59	54.0	6.62	AV	295.00	200	Vertical	Pass

802.11 ax20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.545	56.60	-0.20	74.0	17.40	Peak	53.00	200	Vertical	Pass
1**	2483.545	45.26	-0.20	54.0	8.74	AV	53.00	200	Vertical	Pass
2	2483.980	57.05	-0.17	74.0	16.95	Peak	45.00	150	Vertical	Pass
2**	2483.980	45.33	-0.17	54.0	8.67	AV	45.00	150	Vertical	Pass

802.11ax40(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2384.900	59.40	-0.56	74.0	14.60	Peak	92.00	100	Vertical	Pass
1**	2384.900	45.70	-0.56	54.0	8.30	AV	92.00	100	Vertical	Pass
2	2389.950	56.27	-0.59	74.0	17.73	Peak	181.00	100	Vertical	Pass
2**	2389.950	47.37	-0.59	54.0	6.63	AV	181.00	100	Vertical	Pass

802.11 ax40(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.530	56.21	-0.20	74.0	17.79	Peak	42.00	100	Vertical	Pass
1**	2483.530	46.02	-0.20	54.0	7.98	AV	42.00	100	Vertical	Pass
2	2486.680	60.68	0.11	74.0	13.32	Peak	360.00	100	Vertical	Pass
2**	2486.680	46.14	0.11	54.0	7.86	AV	360.00	100	Vertical	Pass

802.11ax20(RU26) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2389.050	58.20	-0.80	74.0	15.80	Peak	49.00	100	Vertical	Pass
1**	2389.050	44.48	-0.80	54.0	9.52	AV	49.00	100	Vertical	Pass
2	2389.950	54.95	-0.59	74.0	19.05	Peak	29.00	100	Vertical	Pass
2**	2389.950	44.82	-0.59	54.0	9.18	AV	29.00	100	Vertical	Pass

802.11 ax20(RU26) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.575	60.93	-0.20	74.0	13.07	Peak	111.00	200	Vertical	Pass
1**	2483.575	45.19	-0.20	54.0	8.81	AV	111.00	200	Vertical	Pass
2	2484.730	61.68	-0.10	74.0	12.32	Peak	96.00	100	Vertical	Pass
2**	2484.730	45.13	-0.10	54.0	8.87	AV	96.00	100	Vertical	Pass

802.11ax40(RU26) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2387.600	58.90	-0.65	74.0	15.10	Peak	66.00	200	Vertical	Pass
1**	2387.600	45.10	-0.65	54.0	8.90	AV	66.00	200	Vertical	Pass
2	2389.950	58.14	-0.59	74.0	15.86	Peak	354.00	150	Vertical	Pass
2**	2389.950	45.51	-0.59	54.0	8.49	AV	354.00	150	Vertical	Pass

802.11 ax40(RU26) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.560	63.91	-0.20	74.0	10.09	Peak	94.00	150	Vertical	Pass
1**	2483.560	49.92	-0.20	54.0	4.08	AV	94.00	150	Vertical	Pass
2	2484.640	66.70	-0.11	74.0	7.30	Peak	91.00	150	Vertical	Pass
2**	2484.640	50.83	-0.11	54.0	3.17	AV	91.00	150	Vertical	Pass

A.8 Power Spectral Density (PSD)

Test Data

Main Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.99	8
Middle	-11.27	8
High	-12.85	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-19.42	8
Middle	-19.48	8
High	-19.37	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-19.86	8
Middle	-20.52	8
High	-19.57	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-22.30	8
Middle	-23.33	8
High	-22.41	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-21.14	8
Middle	-22.03	8
High	-20.84	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-23.66	8
Middle	-24.76	8
High	-23.56	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-12.10	8
Middle	-11.66	8
High	-12.60	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.76	8
Middle	-15.15	8
High	-15.38	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-17.46	8
Middle	-17.65	8
High	-17.41	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.49	8
Middle	-11.15	8
High	-13.83	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.15	8
Middle	-14.10	8
High	-16.66	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-16.43	8
Middle	-17.09	8
High	-17.64	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-20.09	8
Middle	-20.62	8
High	-20.96	8

Aux. Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.66	8
Middle	-15.07	8
High	-14.79	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-18.46	8
Middle	-20.16	8
High	-18.56	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-19.71	8
Middle	-20.46	8
High	-19.76	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-22.70	8
Middle	-23.47	8
High	-22.90	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-21.03	8
Middle	-21.69	8
High	-21.10	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-24.13	8
Middle	-25.07	8
High	-24.45	8

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.75	8
Middle	-11.10	8
High	-12.67	8

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.99	8
Middle	-14.57	8
High	-15.03	8

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-17.60	8
Middle	-17.43	8
High	-17.82	8

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.95	8
Middle	-11.06	8
High	-12.79	8

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.62	8
Middle	-13.99	8
High	-15.21	8

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-17.14	8
Middle	-17.23	8
High	-18.00	8

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-20.85	8
Middle	-20.89	8
High	-21.23	8

MIMO-Main Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-17.00	7.04
Middle	-17.47	7.04
High	-17.15	7.04

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-20.36	7.04
Middle	-20.52	7.04
High	-20.11	7.04

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-22.11	7.04
Middle	-21.74	7.04
High	-21.53	7.04

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-24.78	7.04
Middle	-24.15	7.04
High	-24.36	7.04

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-23.53	7.04
Middle	-23.20	7.04
High	-23.08	7.04

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-26.37	7.04
Middle	-25.60	7.04
High	-25.88	7.04

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.32	7.04
Middle	-12.57	7.04
High	-14.73	7.04

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-17.09	7.04
Middle	-15.96	7.04
High	-17.21	7.04

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-18.87	7.04
Middle	-18.84	7.04
High	-19.50	7.04

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.08	7.04
Middle	-12.31	7.04
High	-14.38	7.04

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-16.60	7.04
Middle	-15.01	7.04
High	-16.89	7.04

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-19.01	7.04
Middle	-18.80	7.04
High	-19.74	7.04

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-22.40	7.04
Middle	-22.41	7.04
High	-23.19	7.04

MIMO-Aux. Antenna

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-16.74	7.04
Middle	-17.47	7.04
High	-17.06	7.04

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-21.42	7.04
Middle	-21.89	7.04
High	-21.44	7.04

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-22.58	7.04
Middle	-22.99	7.04
High	-22.51	7.04

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-25.82	7.04
Middle	-26.12	7.04
High	-25.90	7.04

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-23.53	7.04
Middle	-24.61	7.04
High	-23.81	7.04

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-27.11	7.04
Middle	-27.31	7.04
High	-27.27	7.04

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-15.10	7.04
Middle	-15.15	7.04
High	-15.47	7.04

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-18.14	7.04
Middle	-18.07	7.04
High	-18.37	7.04

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-20.03	7.04
Middle	-21.15	7.04
High	-21.09	7.04

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-15.30	7.04
Middle	-14.68	7.04
High	-15.67	7.04

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-18.20	7.04
Middle	-17.80	7.04
High	-18.08	7.04

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-20.17	7.04
Middle	-21.22	7.04
High	-21.49	7.04

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-23.63	7.04
Middle	-24.71	7.04
High	-24.20	7.04

MIMO**802.11b Mode:**

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.85	7.04
Middle	-14.46	7.04
High	-14.09	7.04

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-17.85	7.04
Middle	-18.14	7.04
High	-17.71	7.04

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-19.33	7.04
Middle	-19.31	7.04
High	-18.99	7.04

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-22.26	7.04
Middle	-22.01	7.04
High	-22.05	7.04

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-20.52	7.04
Middle	-20.84	7.04
High	-20.42	7.04

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-23.71	7.04
Middle	-23.36	7.04
High	-23.51	7.04

802.11ax-20 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.68	7.04
Middle	-10.66	7.04
High	-12.07	7.04

802.11ax-20 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.57	7.04
Middle	-13.88	7.04
High	-14.74	7.04

802.11ax-20 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-16.40	7.04
Middle	-16.83	7.04
High	-17.21	7.04

802.11ax-40 MHz(RU26) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.64	7.04
Middle	-10.32	7.04
High	-11.97	7.04

802.11ax-40 MHz(RU52) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.31	7.04
Middle	-13.18	7.04
High	-14.43	7.04

802.11ax-40 MHz(RU106) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-16.54	7.04
Middle	-16.83	7.04
High	-17.52	7.04

802.11ax-40 MHz(RU242) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-19.96	7.04
Middle	-20.40	7.04
High	-20.66	7.04

Test Plots

Main Antenna

802.11b LOW CHANNEL



802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL



802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL



802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL



802.11n-40 MHz HIGH CHANNEL



802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL



802.11ax-20 MHz(SU) HIGH CHANNEL



802.11ax-40 MHz(SU) LOW CHANNEL




802.11ax-40 MHz(SU) MIDDLE CHANNEL

802.11ax-40 MHz(SU) HIGH CHANNEL




802.11ax-20 MHz(RU26) LOW CHANNEL

802.11ax-20 MHz(RU26) MIDDLE CHANNEL



802.11ax-20 MHz(RU26) HIGH CHANNEL




802.11ax-20 MHz(RU52) LOW CHANNEL




802.11ax-20 MHz(RU52) MIDDLE CHANNEL



802.11ax-20 MHz(RU52) HIGH CHANNEL



802.11ax-20 MHz(RU106) LOW CHANNEL




802.11ax-20 MHz(RU106) MIDDLE CHANNEL



802.11ax-20 MHz(RU106) HIGH CHANNEL




802.11ax-40 MHz(RU26) LOW CHANNEL




802.11ax-40 MHz(RU26) MIDDLE CHANNEL

802.11ax-40 MHz(RU26) HIGH CHANNEL



802.11ax-40 MHz(RU52) LOW CHANNEL


802.11ax-40 MHz(RU52) MIDDLE CHANNEL




802.11ax-40 MHz(RU52) HIGH CHANNEL




802.11ax-40 MHz(RU106) LOW CHANNEL



802.11ax-40 MHz(RU106) MIDDLE CHANNEL




802.11ax-40 MHz(RU106) HIGH CHANNEL




802.11ax-40 MHz(RU242) LOW CHANNEL

802.11ax-40 MHz(RU242) MIDDLE CHANNEL



802.11ax-40 MHz(RU242) HIGH CHANNEL



Aux. Antenna

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL



802.11g LOW CHANNEL



802.11g MIDDLE CHANNEL



802.11g HIGH CHANNEL



802.11n-20 MHz LOW CHANNEL




802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL




802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL



802.11n-40 MHz HIGH CHANNEL



802.11ax-20 MHz(SU) LOW CHANNEL




802.11ax-20 MHz(SU) MIDDLE CHANNEL



802.11ax-20 MHz(SU) HIGH CHANNEL



802.11ax-40 MHz(SU) LOW CHANNEL




802.11ax-40 MHz(SU) MIDDLE CHANNEL

802.11ax-40 MHz(SU) HIGH CHANNEL




802.11ax-20 MHz(RU26) LOW CHANNEL

802.11ax-20 MHz(RU26) MIDDLE CHANNEL




802.11ax-20 MHz(RU26) HIGH CHANNEL




802.11ax-20 MHz(RU52) LOW CHANNEL



802.11ax-20 MHz(RU52) MIDDLE CHANNEL



802.11ax-20 MHz(RU52) HIGH CHANNEL



802.11ax-20 MHz(RU106) LOW CHANNEL




802.11ax-20 MHz(RU106) MIDDLE CHANNEL



802.11ax-20 MHz(RU106) HIGH CHANNEL



802.11ax-40 MHz(RU26) LOW CHANNEL



802.11ax-40 MHz(RU26) MIDDLE CHANNEL

802.11ax-40 MHz(RU26) HIGH CHANNEL



802.11ax-40 MHz(RU52) LOW CHANNEL

802.11ax-40 MHz(RU52) MIDDLE CHANNEL




802.11ax-40 MHz(RU52) HIGH CHANNEL



802.11ax-40 MHz(RU106) LOW CHANNEL



802.11ax-40 MHz(RU106) MIDDLE CHANNEL




802.11ax-40 MHz(RU106) HIGH CHANNEL



802.11ax-40 MHz(RU242) LOW CHANNEL

802.11ax-40 MHz(RU242) MIDDLE CHANNEL



802.11ax-40 MHz(RU242) HIGH CHANNEL



MIMO-Main Antenna

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL



802.11b HIGH CHANNEL




802.11g LOW CHANNEL



802.11g MIDDLE CHANNEL

802.11g HIGH CHANNEL



802.11n-20 MHz LOW CHANNEL


802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL



802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL



802.11n-40 MHz HIGH CHANNEL

