

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.200	37.70	-18.36	74.0	36.30	Peak	298.00	100	Horizontal	Pass
1**	1100.200	32.51	-18.36	54.0	21.49	AV	298.00	100	Horizontal	Pass
2	4360.800	49.95	-2.64	74.0	24.05	Peak	92.00	100	Horizontal	Pass
2**	4360.800	40.95	-2.64	54.0	13.05	AV	92.00	100	Horizontal	Pass
3	5696.600	105.01	-0.87	--	--	Peak	209.00	150	Horizontal	N/A
3**	5696.600	96.81	-0.87	--	--	AV	209.00	150	Horizontal	N/A
4	7628.475	48.71	-3.36	74.0	25.29	Peak	24.00	400	Horizontal	Pass
4**	7628.475	38.48	-3.36	54.0	15.52	AV	24.00	400	Horizontal	Pass
5	11597.125	51.77	-0.12	74.0	22.23	Peak	0.00	200	Horizontal	Pass
5**	11597.125	40.77	-0.12	54.0	13.23	AV	0.00	200	Horizontal	Pass
6	15838.050	53.69	1.45	74.0	20.31	Peak	127.00	400	Horizontal	Pass
6**	15838.050	45.55	1.45	54.0	8.45	AV	127.00	400	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.900	43.79	-17.91	74.0	30.21	Peak	89.00	100	Vertical	Pass
1**	1166.900	28.93	-17.91	54.0	25.07	AV	89.00	100	Vertical	Pass
2	4378.200	49.91	-2.90	74.0	24.09	Peak	185.00	100	Vertical	Pass
2**	4378.200	41.37	-2.90	54.0	12.63	AV	185.00	100	Vertical	Pass
3	5696.400	105.04	-0.90	--	--	Peak	246.00	150	Vertical	N/A
3**	5696.400	97.75	-0.90	--	--	AV	246.00	150	Vertical	N/A
4	7370.013	50.20	-4.05	74.0	23.80	Peak	342.00	100	Vertical	Pass
4**	7370.013	40.03	-4.05	54.0	13.97	AV	342.00	100	Vertical	Pass
5	10931.276	51.81	0.06	74.0	22.19	Peak	0.00	200	Vertical	Pass
5**	10931.276	42.84	0.06	54.0	11.16	AV	0.00	200	Vertical	Pass
6	16106.849	53.63	0.90	74.0	20.37	Peak	178.00	300	Vertical	Pass
6**	16106.849	43.98	0.90	54.0	10.02	AV	178.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.900	38.57	-17.83	74.0	35.43	Peak	152.00	100	Horizontal	Pass
1**	1163.900	28.12	-17.83	54.0	25.88	AV	152.00	100	Horizontal	Pass
2	4365.800	50.14	-2.91	74.0	23.86	Peak	18.00	100	Horizontal	Pass
2**	4365.800	40.62	-2.91	54.0	13.38	AV	18.00	100	Horizontal	Pass
3	5502.800	102.24	-1.47	--	--	Peak	225.00	200	Horizontal	N/A
3**	5502.800	94.00	-1.47	--	--	AV	225.00	200	Horizontal	N/A
4	7354.200	49.54	-3.94	74.0	24.46	Peak	332.00	300	Horizontal	Pass
4**	7354.200	40.29	-3.94	54.0	13.71	AV	332.00	300	Horizontal	Pass
5	12693.363	50.99	0.83	74.0	23.01	Peak	332.00	100	Horizontal	Pass
5**	12693.363	41.50	0.83	54.0	12.50	AV	332.00	100	Horizontal	Pass
6	15829.387	53.71	1.51	74.0	20.29	Peak	89.00	300	Horizontal	Pass
6**	15829.387	45.95	1.51	54.0	8.05	AV	89.00	300	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.900	39.82	-17.83	74.0	34.18	Peak	113.00	100	Vertical	Pass
1**	1163.900	28.09	-17.83	54.0	25.91	AV	113.00	100	Vertical	Pass
2	4285.800	50.39	-3.39	74.0	23.61	Peak	270.00	200	Vertical	Pass
2**	4285.800	40.51	-3.39	54.0	13.49	AV	270.00	200	Vertical	Pass
3	5511.600	103.03	-1.85	--	--	Peak	282.00	200	Vertical	N/A
3**	5511.600	95.40	-1.85	--	--	AV	282.00	200	Vertical	N/A
4	7365.987	49.27	-4.02	74.0	24.73	Peak	0.00	200	Vertical	Pass
4**	7365.987	40.11	-4.02	54.0	13.89	AV	0.00	200	Vertical	Pass
5	11217.338	51.44	-0.20	74.0	22.56	Peak	233.00	100	Vertical	Pass
5**	11217.338	42.62	-0.20	54.0	11.38	AV	233.00	100	Vertical	Pass
6	16103.437	54.46	1.05	74.0	19.54	Peak	41.00	300	Vertical	Pass
6**	16103.437	45.63	1.05	54.0	8.37	AV	41.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.900	39.99	-18.33	74.0	34.01	Peak	198.00	100	Horizontal	Pass
1**	1099.900	34.33	-18.33	54.0	19.67	AV	198.00	100	Horizontal	Pass
2	4359.200	50.53	-2.68	74.0	23.47	Peak	115.00	300	Horizontal	Pass
2**	4359.200	41.58	-2.68	54.0	12.42	AV	115.00	300	Horizontal	Pass
3	5586.400	102.13	-0.86	--	--	Peak	215.00	200	Horizontal	N/A
3**	5586.400	94.65	-0.86	--	--	AV	215.00	200	Horizontal	N/A
4	7556.313	48.90	-2.76	74.0	25.10	Peak	44.00	100	Horizontal	Pass
4**	7556.313	38.85	-2.76	54.0	15.15	AV	44.00	100	Horizontal	Pass
5	11602.588	51.50	-0.03	74.0	22.50	Peak	250.00	200	Horizontal	Pass
5**	11602.588	41.48	-0.03	54.0	12.52	AV	250.00	200	Horizontal	Pass
6	16081.388	53.70	1.61	74.0	20.30	Peak	29.00	100	Horizontal	Pass
6**	16081.388	44.33	1.61	54.0	9.67	AV	29.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.200	40.19	-17.92	74.0	33.81	Peak	83.00	100	Vertical	Pass
1**	1165.200	29.73	-17.92	54.0	24.27	AV	83.00	100	Vertical	Pass
2	4363.000	49.77	-2.65	74.0	24.23	Peak	356.00	200	Vertical	Pass
2**	4363.000	41.19	-2.65	54.0	12.81	AV	356.00	200	Vertical	Pass
3	5584.000	102.21	-1.07	--	--	Peak	291.00	200	Vertical	N/A
3**	5584.000	94.52	-1.07	--	--	AV	291.00	200	Vertical	N/A
4	7344.425	48.31	-3.59	74.0	25.69	Peak	23.00	100	Vertical	Pass
4**	7344.425	39.98	-3.59	54.0	14.02	AV	23.00	100	Vertical	Pass
5	11218.487	51.03	-0.20	74.0	22.97	Peak	23.00	100	Vertical	Pass
5**	11218.487	42.20	-0.20	54.0	11.80	AV	23.00	100	Vertical	Pass
6	15820.724	53.42	1.84	74.0	20.58	Peak	329.00	300	Vertical	Pass
6**	15820.724	44.11	1.84	54.0	9.89	AV	329.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.500	38.74	-18.28	74.0	35.26	Peak	59.00	100	Horizontal	Pass
1**	1099.500	31.15	-18.28	54.0	22.85	AV	59.00	100	Horizontal	Pass
2	4374.400	49.91	-3.12	74.0	24.09	Peak	0.00	400	Horizontal	Pass
2**	4374.400	41.06	-3.12	54.0	12.94	AV	0.00	400	Horizontal	Pass
3	5668.200	100.67	-1.03	--	--	Peak	217.00	150	Horizontal	N/A
3**	5668.200	93.10	-1.03	--	--	AV	217.00	150	Horizontal	N/A
4	7338.387	49.09	-3.53	74.0	24.91	Peak	282.00	400	Horizontal	Pass
4**	7338.387	39.77	-3.53	54.0	14.23	AV	282.00	400	Horizontal	Pass
5	12215.250	51.44	1.19	74.0	22.56	Peak	152.00	150	Horizontal	Pass
5**	12215.250	42.25	1.19	54.0	11.75	AV	152.00	150	Horizontal	Pass
6	15831.487	53.78	1.48	74.0	20.22	Peak	53.00	100	Horizontal	Pass
6**	15831.487	44.29	1.48	54.0	9.71	AV	53.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.100	41.76	-17.92	74.0	32.24	Peak	89.00	100	Vertical	Pass
1**	1165.100	28.10	-17.92	54.0	25.90	AV	89.00	100	Vertical	Pass
2	4385.000	50.67	-2.95	74.0	23.33	Peak	308.00	300	Vertical	Pass
2**	4385.000	40.94	-2.95	54.0	13.06	AV	308.00	300	Vertical	Pass
3	5664.800	101.88	-1.09	--	--	Peak	256.00	200	Vertical	N/A
3**	5664.800	93.60	-1.09	--	--	AV	256.00	200	Vertical	N/A
4	7358.513	48.74	-4.09	74.0	25.26	Peak	123.00	200	Vertical	Pass
4**	7358.513	40.22	-4.09	54.0	13.78	AV	123.00	200	Vertical	Pass
5	10916.037	52.19	0.21	74.0	21.81	Peak	250.00	100	Vertical	Pass
5**	10916.037	43.09	0.21	54.0	10.91	AV	250.00	100	Vertical	Pass
6	16097.925	53.80	1.25	74.0	20.20	Peak	276.00	100	Vertical	Pass
6**	16097.925	45.48	1.25	54.0	8.52	AV	276.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.100	39.30	-18.35	74.0	34.70	Peak	147.00	100	Horizontal	Pass
1**	1100.100	34.28	-18.35	54.0	19.72	AV	147.00	100	Horizontal	Pass
2	4371.000	50.66	-2.94	74.0	23.34	Peak	145.00	400	Horizontal	Pass
2**	4371.000	41.60	-2.94	54.0	12.40	AV	145.00	400	Horizontal	Pass
3	5503.400	102.92	-1.52	--	--	Peak	222.00	200	Horizontal	N/A
3**	5503.400	95.67	-1.52	--	--	AV	222.00	200	Horizontal	N/A
4	7624.163	48.82	-3.02	74.0	25.18	Peak	44.00	400	Horizontal	Pass
4**	7624.163	39.00	-3.02	54.0	15.00	AV	44.00	400	Horizontal	Pass
5	11206.125	51.83	-0.26	74.0	22.17	Peak	0.00	200	Horizontal	Pass
5**	11206.125	41.98	-0.26	54.0	12.02	AV	0.00	200	Horizontal	Pass
6	15846.450	53.88	1.36	74.0	20.12	Peak	76.00	100	Horizontal	Pass
6**	15846.450	44.81	1.36	54.0	9.19	AV	76.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1013.500	40.50	-18.07	74.0	33.50	Peak	58.00	100	Vertical	Pass
1**	1013.500	29.19	-18.07	54.0	24.81	AV	58.00	100	Vertical	Pass
2	4362.000	50.01	-2.63	74.0	23.99	Peak	203.00	200	Vertical	Pass
2**	4362.000	41.32	-2.63	54.0	12.68	AV	203.00	200	Vertical	Pass
3	5495.800	103.71	-1.60	--	--	Peak	245.00	100	Vertical	N/A
3**	5495.800	95.21	-1.60	--	--	AV	245.00	100	Vertical	N/A
4	7355.062	48.87	-4.00	74.0	25.13	Peak	313.00	100	Vertical	Pass
4**	7355.062	39.39	-4.00	54.0	14.61	AV	313.00	100	Vertical	Pass
5	10932.712	51.13	0.03	74.0	22.87	Peak	346.00	150	Vertical	Pass
5**	10932.712	42.49	0.03	54.0	11.51	AV	346.00	150	Vertical	Pass
6	15814.162	54.31	2.08	74.0	19.69	Peak	231.00	400	Vertical	Pass
6**	15814.162	44.69	2.08	54.0	9.31	AV	231.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.200	38.34	-18.36	74.0	35.66	Peak	278.00	100	Horizontal	Pass
1**	1100.200	32.59	-18.36	54.0	21.41	AV	278.00	100	Horizontal	Pass
2	4379.800	49.89	-3.03	74.0	24.11	Peak	196.00	100	Horizontal	Pass
2**	4379.800	41.81	-3.03	54.0	12.19	AV	196.00	100	Horizontal	Pass
3	5576.400	103.54	-0.69	--	--	Peak	218.00	200	Horizontal	N/A
3**	5576.400	95.50	-0.69	--	--	AV	218.00	200	Horizontal	N/A
4	7340.975	49.56	-3.60	74.0	24.44	Peak	210.00	400	Horizontal	Pass
4**	7340.975	40.12	-3.60	54.0	13.88	AV	210.00	400	Horizontal	Pass
5	11305.312	51.47	0.29	74.0	22.53	Peak	110.00	150	Horizontal	Pass
5**	11305.312	41.30	0.29	54.0	12.70	AV	110.00	150	Horizontal	Pass
6	16100.550	54.65	1.18	74.0	19.35	Peak	360.00	100	Horizontal	Pass
6**	16100.550	44.22	1.18	54.0	9.78	AV	360.00	100	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.400	42.57	-17.63	74.0	31.43	Peak	86.00	100	Vertical	Pass
1**	1161.400	29.28	-17.63	54.0	24.72	AV	86.00	100	Vertical	Pass
2	4355.400	50.63	-2.69	74.0	23.37	Peak	75.00	400	Vertical	Pass
2**	4355.400	41.95	-2.69	54.0	12.05	AV	75.00	400	Vertical	Pass
3	5582.200	102.96	-1.15	--	--	Peak	282.00	200	Vertical	N/A
3**	5582.200	95.35	-1.15	--	--	AV	282.00	200	Vertical	N/A
4	7380.938	48.76	-3.68	74.0	25.24	Peak	309.00	300	Vertical	Pass
4**	7380.938	40.37	-3.68	54.0	13.63	AV	309.00	300	Vertical	Pass
5	11338.087	51.15	0.30	74.0	22.85	Peak	135.00	100	Vertical	Pass
5**	11338.087	41.80	0.30	54.0	12.20	AV	135.00	100	Vertical	Pass
6	15826.500	53.58	1.60	74.0	20.42	Peak	270.00	300	Vertical	Pass
6**	15826.500	44.44	1.60	54.0	9.56	AV	270.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1094.000	38.27	-18.44	74.0	35.73	Peak	159.00	100	Horizontal	Pass
1**	1094.000	29.51	-18.44	54.0	24.49	AV	159.00	100	Horizontal	Pass
2	4361.600	50.28	-2.63	74.0	23.72	Peak	161.00	100	Horizontal	Pass
2**	4361.600	41.84	-2.63	54.0	12.16	AV	161.00	100	Horizontal	Pass
3	5698.000	101.84	-0.83	--	--	Peak	225.00	200	Horizontal	N/A
3**	5698.000	94.35	-0.83	--	--	AV	225.00	200	Horizontal	N/A
4	7365.125	49.63	-4.02	74.0	24.37	Peak	178.00	300	Horizontal	Pass
4**	7365.125	39.91	-4.02	54.0	14.09	AV	178.00	300	Horizontal	Pass
5	10921.500	51.59	0.21	74.0	22.41	Peak	161.00	200	Horizontal	Pass
5**	10921.500	42.38	0.21	54.0	11.62	AV	161.00	200	Horizontal	Pass
6	16092.937	53.77	1.37	74.0	20.23	Peak	54.00	200	Horizontal	Pass
6**	16092.937	44.64	1.37	54.0	9.36	AV	54.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1162.000	40.27	-17.66	74.0	33.73	Peak	85.00	100	Vertical	Pass
1**	1162.000	29.45	-17.66	54.0	24.55	AV	85.00	100	Vertical	Pass
2	4365.000	49.77	-2.83	74.0	24.23	Peak	313.00	200	Vertical	Pass
2**	4365.000	40.86	-2.83	54.0	13.14	AV	313.00	200	Vertical	Pass
3	5701.800	103.06	-0.90	--	--	Peak	271.00	200	Vertical	N/A
3**	5701.800	94.70	-0.90	--	--	AV	271.00	200	Vertical	N/A
4	7369.150	48.56	-4.09	74.0	25.44	Peak	199.00	400	Vertical	Pass
4**	7369.150	40.05	-4.09	54.0	13.95	AV	199.00	400	Vertical	Pass
5	12217.550	51.16	1.20	74.0	22.84	Peak	276.00	200	Vertical	Pass
5**	12217.550	42.84	1.20	54.0	11.16	AV	276.00	200	Vertical	Pass
6	16093.200	53.90	1.36	74.0	20.10	Peak	17.00	300	Vertical	Pass
6**	16093.200	44.69	1.36	54.0	9.31	AV	17.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.200	38.34	-18.36	74.0	35.66	Peak	156.00	100	Horizontal	Pass
1**	1100.200	31.03	-18.36	54.0	22.97	AV	156.00	100	Horizontal	Pass
2	4385.000	50.34	-2.95	74.0	23.66	Peak	187.00	200	Horizontal	Pass
2**	4385.000	40.95	-2.95	54.0	13.05	AV	187.00	200	Horizontal	Pass
3	5504.200	100.01	-1.60	--	--	Peak	220.00	100	Horizontal	N/A
3**	5504.200	92.23	-1.60	--	--	AV	220.00	100	Horizontal	N/A
4	7606.913	49.07	-3.70	74.0	24.93	Peak	319.00	400	Horizontal	Pass
4**	7606.913	38.91	-3.70	54.0	15.09	AV	319.00	400	Horizontal	Pass
5	10926.099	51.18	0.14	74.0	22.82	Peak	38.00	150	Horizontal	Pass
5**	10926.099	42.47	0.14	54.0	11.53	AV	38.00	150	Horizontal	Pass
6	15845.137	53.71	1.37	74.0	20.29	Peak	287.00	200	Horizontal	Pass
6**	15845.137	44.32	1.37	54.0	9.68	AV	287.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.000	41.07	-17.84	74.0	32.93	Peak	118.00	100	Vertical	Pass
1**	1164.000	28.42	-17.84	54.0	25.58	AV	118.00	100	Vertical	Pass
2	4356.600	49.79	-2.39	74.0	24.21	Peak	135.00	400	Vertical	Pass
2**	4356.600	41.80	-2.39	54.0	12.20	AV	135.00	400	Vertical	Pass
3	5515.800	100.44	-2.12	--	--	Peak	283.00	200	Vertical	N/A
3**	5515.800	93.01	-2.12	--	--	AV	283.00	200	Vertical	N/A
4	7352.187	48.88	-3.84	74.0	25.12	Peak	0.00	300	Vertical	Pass
4**	7352.187	40.01	-3.84	54.0	13.99	AV	0.00	300	Vertical	Pass
5	10930.125	51.45	0.09	74.0	22.55	Peak	63.00	200	Vertical	Pass
5**	10930.125	42.82	0.09	54.0	11.18	AV	63.00	200	Vertical	Pass
6	16092.937	54.23	1.37	74.0	19.77	Peak	321.00	100	Vertical	Pass
6**	16092.937	44.84	1.37	54.0	9.16	AV	321.00	100	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.200	37.94	-18.24	74.0	36.06	Peak	27.00	100	Horizontal	Pass
1**	1099.200	29.65	-18.24	54.0	24.35	AV	27.00	100	Horizontal	Pass
2	4359.400	49.99	-2.67	74.0	24.01	Peak	306.00	200	Horizontal	Pass
2**	4359.400	41.09	-2.67	54.0	12.91	AV	306.00	200	Horizontal	Pass
3	5582.800	100.35	-1.15	--	--	Peak	212.00	100	Horizontal	N/A
3**	5582.800	93.17	-1.15	--	--	AV	212.00	100	Horizontal	N/A
4	7344.425	48.98	-3.59	74.0	25.02	Peak	345.00	200	Horizontal	Pass
4**	7344.425	39.73	-3.59	54.0	14.27	AV	345.00	200	Horizontal	Pass
5	12231.638	51.49	1.26	74.0	22.51	Peak	51.00	100	Horizontal	Pass
5**	12231.638	41.83	1.26	54.0	12.17	AV	51.00	100	Horizontal	Pass
6	16087.162	53.82	1.49	74.0	20.18	Peak	251.00	200	Horizontal	Pass
6**	16087.162	44.28	1.49	54.0	9.72	AV	251.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.700	40.74	-17.13	74.0	33.26	Peak	76.00	100	Vertical	Pass
1**	1328.700	32.68	-17.13	54.0	21.32	AV	76.00	100	Vertical	Pass
2	4300.800	49.93	-4.24	74.0	24.07	Peak	0.00	200	Vertical	Pass
2**	4300.800	40.93	-4.24	54.0	13.07	AV	0.00	200	Vertical	Pass
3	5586.800	100.36	-0.83	--	--	Peak	288.00	150	Vertical	N/A
3**	5586.800	92.57	-0.83	--	--	AV	288.00	150	Vertical	N/A
4	7374.325	49.10	-3.75	74.0	24.90	Peak	125.00	300	Vertical	Pass
4**	7374.325	40.55	-3.75	54.0	13.45	AV	125.00	300	Vertical	Pass
5	10923.800	51.36	0.18	74.0	22.64	Peak	16.00	200	Vertical	Pass
5**	10923.800	42.13	0.18	54.0	11.87	AV	16.00	200	Vertical	Pass
6	15819.412	53.89	1.90	74.0	20.11	Peak	172.00	400	Vertical	Pass
6**	15819.412	44.20	1.90	54.0	9.80	AV	172.00	400	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.700	40.12	-18.30	74.0	33.88	Peak	113.00	100	Horizontal	Pass
1**	1099.700	33.84	-18.30	54.0	20.16	AV	113.00	100	Horizontal	Pass
2	4376.000	50.33	-2.95	74.0	23.67	Peak	246.00	100	Horizontal	Pass
2**	4376.000	40.55	-2.95	54.0	13.45	AV	246.00	100	Horizontal	Pass
3	5662.800	98.86	-1.21	--	--	Peak	224.00	200	Horizontal	N/A
3**	5662.800	91.31	-1.21	--	--	AV	224.00	200	Horizontal	N/A
4	7373.175	48.80	-3.78	74.0	25.20	Peak	128.00	200	Horizontal	Pass
4**	7373.175	40.34	-3.78	54.0	13.66	AV	128.00	200	Horizontal	Pass
5	10918.625	51.69	0.23	74.0	22.31	Peak	0.00	150	Horizontal	Pass
5**	10918.625	42.39	0.23	54.0	11.61	AV	0.00	150	Horizontal	Pass
6	16097.138	53.99	1.27	74.0	20.01	Peak	151.00	400	Horizontal	Pass
6**	16097.138	44.67	1.27	54.0	9.33	AV	151.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1165.100	40.81	-17.92	74.0	33.19	Peak	115.00	100	Vertical	Pass
1**	1165.100	31.98	-17.92	54.0	22.02	AV	115.00	100	Vertical	Pass
2	4366.600	50.08	-2.99	74.0	23.92	Peak	172.00	400	Vertical	Pass
2**	4366.600	41.67	-2.99	54.0	12.33	AV	172.00	400	Vertical	Pass
3	5665.400	100.80	-1.04	--	--	Peak	250.00	200	Vertical	N/A
3**	5665.400	91.93	-1.04	--	--	AV	250.00	200	Vertical	N/A
4	7625.888	48.93	-3.15	74.0	25.07	Peak	312.00	400	Vertical	Pass
4**	7625.888	39.54	-3.15	54.0	14.46	AV	312.00	400	Vertical	Pass
5	10930.413	51.48	0.08	74.0	22.52	Peak	329.00	200	Vertical	Pass
5**	10930.413	42.80	0.08	54.0	11.20	AV	329.00	200	Vertical	Pass
6	15816.787	53.94	1.99	74.0	20.06	Peak	0.00	200	Vertical	Pass
6**	15816.787	44.50	1.99	54.0	9.50	AV	0.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.200	38.53	-18.36	74.0	35.47	Peak	174.00	100	Horizontal	Pass
1**	1100.200	33.22	-18.36	54.0	20.78	AV	174.00	100	Horizontal	Pass
2	4363.200	50.04	-2.67	74.0	23.96	Peak	84.00	300	Horizontal	Pass
2**	4363.200	41.06	-2.67	54.0	12.94	AV	84.00	300	Horizontal	Pass
3	5547.800	97.37	-1.07	--	--	Peak	223.00	150	Horizontal	N/A
3**	5547.800	89.69	-1.07	--	--	AV	223.00	150	Horizontal	N/A
4	7349.887	48.97	-3.87	74.0	25.03	Peak	144.00	200	Horizontal	Pass
4**	7349.887	39.11	-3.87	54.0	14.89	AV	144.00	200	Horizontal	Pass
5	10933.576	51.80	0.02	74.0	22.20	Peak	178.00	150	Horizontal	Pass
5**	10933.576	42.24	0.02	54.0	11.76	AV	178.00	150	Horizontal	Pass
6	15454.800	54.23	1.50	74.0	19.77	Peak	245.00	400	Horizontal	Pass
6**	15454.800	43.16	1.50	54.0	10.84	AV	245.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1164.700	40.34	-17.91	74.0	33.66	Peak	93.00	100	Vertical	Pass
1**	1164.700	30.80	-17.91	54.0	23.20	AV	93.00	100	Vertical	Pass
2	4350.200	50.39	-3.06	74.0	23.61	Peak	263.00	200	Vertical	Pass
2**	4350.200	41.63	-3.06	54.0	12.37	AV	263.00	200	Vertical	Pass
3	5539.200	97.60	-1.20	--	--	Peak	287.00	100	Vertical	N/A
3**	5539.200	89.22	-1.20	--	--	AV	287.00	100	Vertical	N/A
4	7362.250	48.45	-4.01	74.0	25.55	Peak	126.00	100	Vertical	Pass
4**	7362.250	39.75	-4.01	54.0	14.25	AV	126.00	100	Vertical	Pass
5	12223.013	51.19	1.27	74.0	22.81	Peak	40.00	200	Vertical	Pass
5**	12223.013	41.83	1.27	54.0	12.17	AV	40.00	200	Vertical	Pass
6	15827.550	53.82	1.57	74.0	20.18	Peak	153.00	300	Vertical	Pass
6**	15827.550	44.36	1.57	54.0	9.64	AV	153.00	300	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.000	38.98	-18.34	74.0	35.02	Peak	360.00	100	Horizontal	Pass
1**	1100.000	33.95	-18.34	54.0	20.05	AV	360.00	100	Horizontal	Pass
2	4355.000	50.57	-2.82	74.0	23.43	Peak	339.00	400	Horizontal	Pass
2**	4355.000	41.60	-2.82	54.0	12.40	AV	339.00	400	Horizontal	Pass
3	5584.400	96.60	-1.04	--	--	Peak	214.00	150	Horizontal	N/A
3**	5584.400	87.86	-1.04	--	--	AV	214.00	150	Horizontal	N/A
4	7656.937	48.41	-3.03	74.0	25.59	Peak	331.00	400	Horizontal	Pass
4**	7656.937	40.51	-3.03	54.0	13.49	AV	331.00	400	Horizontal	Pass
5	11213.887	51.39	-0.19	74.0	22.61	Peak	90.00	200	Horizontal	Pass
5**	11213.887	43.05	-0.19	54.0	10.95	AV	90.00	200	Horizontal	Pass
6	15851.175	53.74	1.30	74.0	20.26	Peak	316.00	300	Horizontal	Pass
6**	15851.175	45.08	1.30	54.0	8.92	AV	316.00	300	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.000	42.41	-17.73	74.0	31.59	Peak	77.00	100	Vertical	Pass
1**	1163.000	30.67	-17.73	54.0	23.33	AV	77.00	100	Vertical	Pass
2	4359.200	50.04	-2.68	74.0	23.96	Peak	52.00	400	Vertical	Pass
2**	4359.200	40.96	-2.68	54.0	13.04	AV	52.00	400	Vertical	Pass
3	5604.600	96.79	-1.80	--	--	Peak	247.00	150	Vertical	N/A
3**	5604.600	89.06	-1.80	--	--	AV	247.00	150	Vertical	N/A
4	7346.438	48.95	-3.82	74.0	25.05	Peak	282.00	200	Vertical	Pass
4**	7346.438	39.54	-3.82	54.0	14.46	AV	282.00	200	Vertical	Pass
5	10931.849	50.90	0.05	74.0	23.10	Peak	282.00	100	Vertical	Pass
5**	10931.849	42.87	0.05	54.0	11.13	AV	282.00	100	Vertical	Pass
6	15825.713	53.58	1.62	74.0	20.42	Peak	360.00	100	Vertical	Pass
6**	15825.713	44.62	1.62	54.0	9.38	AV	360.00	100	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.700	37.95	-18.30	74.0	36.05	Peak	187.00	100	Horizontal	Pass
1**	1099.700	31.47	-18.30	54.0	22.53	AV	187.00	100	Horizontal	Pass
2	4355.200	50.05	-2.76	74.0	23.95	Peak	121.00	200	Horizontal	Pass
2**	4355.200	41.84	-2.76	54.0	12.16	AV	121.00	200	Horizontal	Pass
3	5557.000	95.01	-0.99	--	--	Peak	214.00	200	Horizontal	N/A
3**	5557.000	87.00	-0.99	--	--	AV	214.00	200	Horizontal	N/A
4	7673.325	48.62	-2.48	74.0	25.38	Peak	188.00	200	Horizontal	Pass
4**	7673.325	40.45	-2.48	54.0	13.55	AV	188.00	200	Horizontal	Pass
5	10933.287	51.81	0.02	74.0	22.19	Peak	188.00	150	Horizontal	Pass
5**	10933.287	42.45	0.02	54.0	11.55	AV	188.00	150	Horizontal	Pass
6	16089.787	53.96	1.44	74.0	20.04	Peak	360.00	100	Horizontal	Pass
6**	16089.787	44.80	1.44	54.0	9.20	AV	360.00	100	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.400	40.26	-17.24	74.0	33.74	Peak	116.00	100	Vertical	Pass
1**	1329.400	31.00	-17.24	54.0	23.00	AV	116.00	100	Vertical	Pass
2	4370.000	50.65	-2.80	74.0	23.35	Peak	259.00	300	Vertical	Pass
2**	4370.000	41.47	-2.80	54.0	12.53	AV	259.00	300	Vertical	Pass
3	5544.600	94.72	-1.17	--	--	Peak	290.00	150	Vertical	N/A
3**	5544.600	86.50	-1.17	--	--	AV	290.00	150	Vertical	N/A
4	7376.912	49.75	-3.73	74.0	24.25	Peak	294.00	200	Vertical	Pass
4**	7376.912	40.73	-3.73	54.0	13.27	AV	294.00	200	Vertical	Pass
5	10929.549	53.05	0.09	74.0	20.95	Peak	211.00	150	Vertical	Pass
5**	10929.549	43.08	0.09	54.0	10.92	AV	211.00	150	Vertical	Pass
6	15820.463	53.56	1.85	74.0	20.44	Peak	282.00	300	Vertical	Pass
6**	15820.463	45.14	1.85	54.0	8.86	AV	282.00	300	Vertical	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.400	39.48	-18.27	74.0	34.52	Peak	259.00	100	Horizontal	Pass
1**	1099.400	32.93	-18.27	54.0	21.07	AV	259.00	100	Horizontal	Pass
2	4358.200	49.84	-2.64	74.0	24.16	Peak	256.00	300	Horizontal	Pass
2**	4358.200	40.88	-2.64	54.0	13.12	AV	256.00	300	Horizontal	Pass
3	5497.800	103.67	-1.33	--	--	Peak	214.00	100	Horizontal	N/A
3**	5497.800	94.31	-1.33	--	--	AV	214.00	100	Horizontal	N/A
4	7377.200	49.58	-3.72	74.0	24.42	Peak	47.00	300	Horizontal	Pass
4**	7377.200	39.72	-3.72	54.0	14.28	AV	47.00	300	Horizontal	Pass
5	10917.474	51.52	0.22	74.0	22.48	Peak	205.00	200	Horizontal	Pass
5**	10917.474	42.92	0.22	54.0	11.08	AV	205.00	200	Horizontal	Pass
6	16101.338	53.99	1.14	74.0	20.01	Peak	257.00	300	Horizontal	Pass
6**	16101.338	45.05	1.14	54.0	8.95	AV	257.00	300	Horizontal	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1166.400	43.14	-17.91	74.0	30.86	Peak	93.00	100	Vertical	Pass
1**	1166.400	35.22	-17.91	54.0	18.78	AV	93.00	100	Vertical	Pass
2	4345.000	50.48	-3.13	74.0	23.52	Peak	101.00	200	Vertical	Pass
2**	4345.000	41.43	-3.13	54.0	12.57	AV	101.00	200	Vertical	Pass
3	5500.800	103.94	-1.38	--	--	Peak	256.00	100	Vertical	N/A
3**	5500.800	95.07	-1.38	--	--	AV	256.00	100	Vertical	N/A
4	7616.975	49.25	-2.89	74.0	24.75	Peak	141.00	400	Vertical	Pass
4**	7616.975	39.43	-2.89	54.0	14.57	AV	141.00	400	Vertical	Pass
5	11211.013	51.81	-0.21	74.0	22.19	Peak	221.00	200	Vertical	Pass
5**	11211.013	42.10	-0.21	54.0	11.90	AV	221.00	200	Vertical	Pass
6	15851.700	53.86	1.28	74.0	20.14	Peak	182.00	400	Vertical	Pass
6**	15851.700	44.87	1.28	54.0	9.13	AV	182.00	400	Vertical	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.000	39.72	-18.34	74.0	34.28	Peak	110.00	100	Horizontal	Pass
1**	1100.000	34.04	-18.34	54.0	19.96	AV	110.00	100	Horizontal	Pass
2	4381.200	50.41	-3.01	74.0	23.59	Peak	92.00	400	Horizontal	Pass
2**	4381.200	40.56	-3.01	54.0	13.44	AV	92.00	400	Horizontal	Pass
3	5573.000	103.64	-0.64	--	--	Peak	0.00	150	Horizontal	N/A
3**	5573.000	93.68	-0.64	--	--	AV	0.00	150	Horizontal	N/A
4	7341.837	49.16	-3.67	74.0	24.84	Peak	43.00	200	Horizontal	Pass
4**	7341.837	39.69	-3.67	54.0	14.31	AV	43.00	200	Horizontal	Pass
5	10948.525	51.32	-0.22	74.0	22.68	Peak	250.00	150	Horizontal	Pass
5**	10948.525	42.22	-0.22	54.0	11.78	AV	250.00	150	Horizontal	Pass
6	15826.500	53.67	1.60	74.0	20.33	Peak	145.00	400	Horizontal	Pass
6**	15826.500	44.64	1.60	54.0	9.36	AV	145.00	400	Horizontal	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.500	40.77	-17.64	74.0	33.23	Peak	280.00	100	Vertical	Pass
1**	1161.500	28.18	-17.64	54.0	25.82	AV	280.00	100	Vertical	Pass
2	4361.200	51.51	-2.64	74.0	22.49	Peak	89.00	400	Vertical	Pass
2**	4361.200	41.92	-2.64	54.0	12.08	AV	89.00	400	Vertical	Pass
3	5582.600	103.38	-1.16	--	--	Peak	295.00	100	Vertical	N/A
3**	5582.600	93.45	-1.16	--	--	AV	295.00	100	Vertical	N/A
4	7354.200	49.81	-3.94	74.0	24.19	Peak	331.00	100	Vertical	Pass
4**	7354.200	39.74	-3.94	54.0	14.26	AV	331.00	100	Vertical	Pass
5	10931.849	51.06	0.05	74.0	22.94	Peak	219.00	100	Vertical	Pass
5**	10931.849	42.03	0.05	54.0	11.97	AV	219.00	100	Vertical	Pass
6	15843.826	54.02	1.39	74.0	19.98	Peak	0.00	300	Vertical	Pass
6**	15843.826	45.78	1.39	54.0	8.22	AV	0.00	300	Vertical	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1100.100	39.59	-18.35	74.0	34.41	Peak	194.00	100	Horizontal	Pass
1**	1100.100	34.66	-18.35	54.0	19.34	AV	194.00	100	Horizontal	Pass
2	4359.600	50.07	-2.67	74.0	23.93	Peak	44.00	200	Horizontal	Pass
2**	4359.600	40.96	-2.67	54.0	13.04	AV	44.00	200	Horizontal	Pass
3	5702.000	102.28	-0.93	--	--	Peak	215.00	150	Horizontal	N/A
3**	5702.000	93.15	-0.93	--	--	AV	215.00	150	Horizontal	N/A
4	7362.537	50.08	-4.01	74.0	23.92	Peak	330.00	200	Horizontal	Pass
4**	7362.537	39.88	-4.01	54.0	14.12	AV	330.00	200	Horizontal	Pass
5	12218.412	51.73	1.21	74.0	22.27	Peak	314.00	200	Horizontal	Pass
5**	12218.412	41.69	1.21	54.0	12.31	AV	314.00	200	Horizontal	Pass
6	16099.237	54.19	1.22	74.0	19.81	Peak	282.00	400	Horizontal	Pass
6**	16099.237	45.41	1.22	54.0	8.59	AV	282.00	400	Horizontal	Pass

11ax20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.800	41.60	-17.35	74.0	32.40	Peak	100.00	100	Vertical	Pass
1**	1330.800	29.74	-17.35	54.0	24.26	AV	100.00	100	Vertical	Pass
2	4363.000	50.40	-2.65	74.0	23.60	Peak	255.00	200	Vertical	Pass
2**	4363.000	41.25	-2.65	54.0	12.75	AV	255.00	200	Vertical	Pass
3	5701.400	103.35	-0.85	--	--	Peak	244.00	100	Vertical	N/A
3**	5701.400	93.48	-0.85	--	--	AV	244.00	100	Vertical	N/A
4	7372.600	48.47	-3.82	74.0	25.53	Peak	217.00	100	Vertical	Pass
4**	7372.600	40.25	-3.82	54.0	13.75	AV	217.00	100	Vertical	Pass
5	10926.963	51.19	0.13	74.0	22.81	Peak	58.00	100	Vertical	Pass
5**	10926.963	43.01	0.13	54.0	10.99	AV	58.00	100	Vertical	Pass
6	15851.963	53.82	1.28	74.0	20.18	Peak	15.00	100	Vertical	Pass
6**	15851.963	45.08	1.28	54.0	8.92	AV	15.00	100	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.800	39.03	-18.31	74.0	34.97	Peak	130.00	100	Horizontal	Pass
1**	1099.800	33.29	-18.31	54.0	20.71	AV	130.00	100	Horizontal	Pass
2	4363.400	50.02	-2.68	74.0	23.98	Peak	19.00	100	Horizontal	Pass
2**	4363.400	41.17	-2.68	54.0	12.83	AV	19.00	100	Horizontal	Pass
3	5508.200	99.91	-1.85	--	--	Peak	217.00	200	Horizontal	N/A
3**	5508.200	90.49	-1.85	--	--	AV	217.00	200	Horizontal	N/A
4	7371.450	48.76	-3.89	74.0	25.24	Peak	12.00	400	Horizontal	Pass
4**	7371.450	40.31	-3.89	54.0	13.69	AV	12.00	400	Horizontal	Pass
5	10932.425	51.37	0.04	74.0	22.63	Peak	204.00	200	Horizontal	Pass
5**	10932.425	43.15	0.04	54.0	10.85	AV	204.00	200	Horizontal	Pass
6	16097.138	53.68	1.27	74.0	20.32	Peak	220.00	300	Horizontal	Pass
6**	16097.138	45.42	1.27	54.0	8.58	AV	220.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.600	40.10	-17.23	74.0	33.90	Peak	74.00	100	Vertical	Pass
1**	1331.600	33.18	-17.23	54.0	20.82	AV	74.00	100	Vertical	Pass
2	4358.600	50.08	-2.69	74.0	23.92	Peak	100.00	200	Vertical	Pass
2**	4358.600	42.00	-2.69	54.0	12.00	AV	100.00	200	Vertical	Pass
3	5500.000	101.03	-1.38	--	--	Peak	274.00	150	Vertical	N/A
3**	5500.000	92.16	-1.38	--	--	AV	274.00	150	Vertical	N/A
4	7341.263	49.77	-3.62	74.0	24.23	Peak	267.00	300	Vertical	Pass
4**	7341.263	39.63	-3.62	54.0	14.37	AV	267.00	300	Vertical	Pass
5	11215.901	51.27	-0.19	74.0	22.73	Peak	317.00	200	Vertical	Pass
5**	11215.901	42.62	-0.19	54.0	11.38	AV	317.00	200	Vertical	Pass
6	15835.950	54.78	1.45	74.0	19.22	Peak	360.00	400	Vertical	Pass
6**	15835.950	44.86	1.45	54.0	9.14	AV	360.00	400	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.300	38.84	-18.25	74.0	35.16	Peak	112.00	100	Horizontal	Pass
1**	1099.300	31.23	-18.25	54.0	22.77	AV	112.00	100	Horizontal	Pass
2	4352.200	50.18	-3.14	74.0	23.82	Peak	244.00	300	Horizontal	Pass
2**	4352.200	40.45	-3.14	54.0	13.55	AV	244.00	300	Horizontal	Pass
3	5588.200	99.82	-0.91	--	--	Peak	360.00	150	Horizontal	N/A
3**	5588.200	90.90	-0.91	--	--	AV	360.00	150	Horizontal	N/A
4	7358.225	49.03	-4.10	74.0	24.97	Peak	173.00	100	Horizontal	Pass
4**	7358.225	39.70	-4.10	54.0	14.30	AV	173.00	100	Horizontal	Pass
5	10933.000	52.17	0.03	74.0	21.83	Peak	253.00	200	Horizontal	Pass
5**	10933.000	42.56	0.03	54.0	11.44	AV	253.00	200	Horizontal	Pass
6	16083.225	53.63	1.57	74.0	20.37	Peak	328.00	300	Horizontal	Pass
6**	16083.225	44.67	1.57	54.0	9.33	AV	328.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.200	40.63	-17.07	74.0	33.37	Peak	82.00	100	Vertical	Pass
1**	1333.200	31.55	-17.07	54.0	22.45	AV	82.00	100	Vertical	Pass
2	4353.600	49.85	-3.09	74.0	24.15	Peak	172.00	100	Vertical	Pass
2**	4353.600	40.36	-3.09	54.0	13.64	AV	172.00	100	Vertical	Pass
3	5582.800	100.20	-1.15	--	--	Peak	286.00	150	Vertical	N/A
3**	5582.800	92.33	-1.15	--	--	AV	286.00	150	Vertical	N/A
4	7380.362	48.70	-3.61	74.0	25.30	Peak	156.00	100	Vertical	Pass
4**	7380.362	39.78	-3.61	54.0	14.22	AV	156.00	100	Vertical	Pass
5	11217.050	51.85	-0.19	74.0	22.15	Peak	156.00	100	Vertical	Pass
5**	11217.050	42.31	-0.19	54.0	11.69	AV	156.00	100	Vertical	Pass
6	16095.300	54.40	1.32	74.0	19.60	Peak	360.00	300	Vertical	Pass
6**	16095.300	46.21	1.32	54.0	7.79	AV	360.00	300	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.900	38.65	-18.33	74.0	35.35	Peak	323.00	100	Horizontal	Pass
1**	1099.900	33.03	-18.33	54.0	20.97	AV	323.00	100	Horizontal	Pass
2	4359.200	50.49	-2.68	74.0	23.51	Peak	161.00	100	Horizontal	Pass
2**	4359.200	41.41	-2.68	54.0	12.59	AV	161.00	100	Horizontal	Pass
3	5668.800	97.59	-1.01	--	--	Peak	213.00	200	Horizontal	N/A
3**	5668.800	89.40	-1.01	--	--	AV	213.00	200	Horizontal	N/A
4	7355.638	48.20	-4.05	74.0	25.80	Peak	0.00	400	Horizontal	Pass
4**	7355.638	39.85	-4.05	54.0	14.15	AV	0.00	400	Horizontal	Pass
5	11948.450	51.56	1.44	74.0	22.44	Peak	150.00	200	Horizontal	Pass
5**	11948.450	41.53	1.44	54.0	12.47	AV	150.00	200	Horizontal	Pass
6	15835.688	54.03	1.45	74.0	19.97	Peak	157.00	100	Horizontal	Pass
6**	15835.688	44.68	1.45	54.0	9.32	AV	157.00	100	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1328.600	39.92	-17.12	74.0	34.08	Peak	99.00	100	Vertical	Pass
1**	1328.600	30.81	-17.12	54.0	23.19	AV	99.00	100	Vertical	Pass
2	4381.800	50.49	-3.00	74.0	23.51	Peak	181.00	100	Vertical	Pass
2**	4381.800	41.07	-3.00	54.0	12.93	AV	181.00	100	Vertical	Pass
3	5658.800	100.08	-0.91	--	--	Peak	293.00	100	Vertical	N/A
3**	5658.800	89.63	-0.91	--	--	AV	293.00	100	Vertical	N/A
4	7361.100	48.91	-4.01	74.0	25.09	Peak	184.00	300	Vertical	Pass
4**	7361.100	40.26	-4.01	54.0	13.74	AV	184.00	300	Vertical	Pass
5	11217.912	52.14	-0.20	74.0	21.86	Peak	9.00	150	Vertical	Pass
5**	11217.912	42.00	-0.20	54.0	12.00	AV	9.00	150	Vertical	Pass
6	15835.162	54.09	1.45	74.0	19.91	Peak	285.00	300	Vertical	Pass
6**	15835.162	44.10	1.45	54.0	9.90	AV	285.00	300	Vertical	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.900	39.08	-18.33	74.0	34.92	Peak	108.00	100	Horizontal	Pass
1**	1099.900	33.12	-18.33	54.0	20.88	AV	108.00	100	Horizontal	Pass
2	4377.400	50.65	-2.86	74.0	23.35	Peak	162.00	100	Horizontal	Pass
2**	4377.400	41.32	-2.86	54.0	12.68	AV	162.00	100	Horizontal	Pass
3	5501.000	98.56	-1.38	--	--	Peak	224.00	150	Horizontal	N/A
3**	5501.000	87.16	-1.38	--	--	AV	224.00	150	Horizontal	N/A
4	7271.975	48.75	-3.19	74.0	25.25	Peak	172.00	100	Horizontal	Pass
4**	7271.975	38.46	-3.19	54.0	15.54	AV	172.00	100	Horizontal	Pass
5	10928.400	52.22	0.11	74.0	21.78	Peak	124.00	200	Horizontal	Pass
5**	10928.400	42.34	0.11	54.0	11.66	AV	124.00	200	Horizontal	Pass
6	15813.900	54.04	2.08	74.0	19.96	Peak	109.00	200	Horizontal	Pass
6**	15813.900	44.74	2.08	54.0	9.26	AV	109.00	200	Horizontal	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.300	42.62	-17.63	74.0	31.38	Peak	272.00	100	Vertical	Pass
1**	1161.300	28.47	-17.63	54.0	25.53	AV	272.00	100	Vertical	Pass
2	4356.400	50.85	-2.36	74.0	23.15	Peak	334.00	100	Vertical	Pass
2**	4356.400	41.96	-2.36	54.0	12.04	AV	334.00	100	Vertical	Pass
3	5508.800	97.72	-1.83	--	--	Peak	285.00	100	Vertical	N/A
3**	5508.800	88.87	-1.83	--	--	AV	285.00	100	Vertical	N/A
4	7364.837	48.94	-4.02	74.0	25.06	Peak	109.00	100	Vertical	Pass
4**	7364.837	39.64	-4.02	54.0	14.36	AV	109.00	100	Vertical	Pass
5	12695.088	52.10	0.83	74.0	21.90	Peak	91.00	150	Vertical	Pass
5**	12695.088	41.87	0.83	54.0	12.13	AV	91.00	150	Vertical	Pass
6	16192.687	53.89	1.59	74.0	20.11	Peak	360.00	300	Vertical	Pass
6**	16192.687	44.37	1.59	54.0	9.63	AV	360.00	300	Vertical	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1098.800	38.37	-18.21	74.0	35.63	Peak	17.00	100	Horizontal	Pass
1**	1098.800	29.58	-18.21	54.0	24.42	AV	17.00	100	Horizontal	Pass
2	4330.600	49.89	-4.10	74.0	24.11	Peak	0.00	300	Horizontal	Pass
2**	4330.600	39.92	-4.10	54.0	14.08	AV	0.00	300	Horizontal	Pass
3	5586.000	96.78	-0.90	--	--	Peak	210.00	200	Horizontal	N/A
3**	5586.000	86.88	-0.90	--	--	AV	210.00	200	Horizontal	N/A
4	7380.075	49.49	-3.60	74.0	24.51	Peak	325.00	400	Horizontal	Pass
4**	7380.075	40.32	-3.60	54.0	13.68	AV	325.00	400	Horizontal	Pass
5	11595.975	51.76	-0.14	74.0	22.24	Peak	104.00	100	Horizontal	Pass
5**	11595.975	41.36	-0.14	54.0	12.64	AV	104.00	100	Horizontal	Pass
6	15839.887	53.96	1.45	74.0	20.04	Peak	238.00	300	Horizontal	Pass
6**	15839.887	45.32	1.45	54.0	8.68	AV	238.00	300	Horizontal	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1161.900	39.71	-17.65	74.0	34.29	Peak	275.00	100	Vertical	Pass
1**	1161.900	33.07	-17.65	54.0	20.93	AV	275.00	100	Vertical	Pass
2	4372.800	49.58	-3.16	74.0	24.42	Peak	222.00	300	Vertical	Pass
2**	4372.800	40.97	-3.16	54.0	13.03	AV	222.00	300	Vertical	Pass
3	5617.000	97.22	-2.13	--	--	Peak	246.00	150	Vertical	N/A
3**	5617.000	87.53	-2.13	--	--	AV	246.00	150	Vertical	N/A
4	7367.712	48.71	-4.03	74.0	25.29	Peak	134.00	200	Vertical	Pass
4**	7367.712	40.67	-4.03	54.0	13.33	AV	134.00	200	Vertical	Pass
5	10924.951	51.04	0.16	74.0	22.96	Peak	325.00	200	Vertical	Pass
5**	10924.951	42.70	0.16	54.0	11.30	AV	325.00	200	Vertical	Pass
6	16193.475	53.46	1.59	74.0	20.54	Peak	360.00	100	Vertical	Pass
6**	16193.475	43.85	1.59	54.0	10.15	AV	360.00	100	Vertical	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.800	39.15	-18.31	74.0	34.85	Peak	206.00	100	Horizontal	Pass
1**	1099.800	32.54	-18.31	54.0	21.46	AV	206.00	100	Horizontal	Pass
2	4369.200	49.96	-2.70	74.0	24.04	Peak	21.00	200	Horizontal	Pass
2**	4369.200	41.83	-2.70	54.0	12.17	AV	21.00	200	Horizontal	Pass
3	5591.600	94.56	-1.38	--	--	Peak	219.00	200	Horizontal	N/A
3**	5591.600	84.40	-1.38	--	--	AV	219.00	200	Horizontal	N/A
4	7342.700	48.81	-3.63	74.0	25.19	Peak	5.00	400	Horizontal	Pass
4**	7342.700	40.65	-3.63	54.0	13.35	AV	5.00	400	Horizontal	Pass
5	10924.951	51.46	0.16	74.0	22.54	Peak	251.00	150	Horizontal	Pass
5**	10924.951	42.33	0.16	54.0	11.67	AV	251.00	150	Horizontal	Pass
6	16121.813	54.21	0.68	74.0	19.79	Peak	107.00	200	Horizontal	Pass
6**	16121.813	43.60	0.68	54.0	10.40	AV	107.00	200	Horizontal	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1163.800	40.70	-17.81	74.0	33.30	Peak	85.00	100	Vertical	Pass
1**	1163.800	32.74	-17.81	54.0	21.26	AV	85.00	100	Vertical	Pass
2	4287.600	49.97	-3.84	74.0	24.03	Peak	177.00	100	Vertical	Pass
2**	4287.600	40.70	-3.84	54.0	13.30	AV	177.00	100	Vertical	Pass
3	5552.600	96.19	-0.96	--	--	Peak	334.00	100	Vertical	N/A
3**	5552.600	85.27	-0.96	--	--	AV	334.00	100	Vertical	N/A
4	7373.463	49.20	-3.77	74.0	24.80	Peak	247.00	200	Vertical	Pass
4**	7373.463	41.70	-3.77	54.0	12.30	AV	247.00	200	Vertical	Pass
5	11213.312	51.36	-0.20	74.0	22.64	Peak	132.00	200	Vertical	Pass
5**	11213.312	41.94	-0.20	54.0	12.06	AV	132.00	200	Vertical	Pass
6	16103.700	54.36	1.04	74.0	19.64	Peak	304.00	400	Vertical	Pass
6**	16103.700	44.84	1.04	54.0	9.16	AV	304.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	39.18	-17.19	74.0	34.82	Peak	190.00	400	Horizontal	Pass
1**	1499.900	30.97	-17.19	54.0	23.03	AV	190.00	400	Horizontal	Pass
2	4379.400	50.25	-3.00	74.0	23.75	Peak	284.00	400	Horizontal	Pass
2**	4379.400	42.00	-3.00	54.0	12.00	AV	284.00	400	Horizontal	Pass
3	5742.200	104.67	-1.26	--	--	Peak	271.00	150	Horizontal	N/A
3**	5742.200	97.40	-1.26	--	--	AV	271.00	150	Horizontal	N/A
4	7373.750	48.93	-3.75	74.0	25.07	Peak	202.00	200	Horizontal	Pass
4**	7373.750	39.86	-3.75	54.0	14.14	AV	202.00	200	Horizontal	Pass
5	10925.525	51.65	0.15	74.0	22.35	Peak	123.00	200	Horizontal	Pass
5**	10925.525	42.52	0.15	54.0	11.48	AV	123.00	200	Horizontal	Pass
6	16089.263	54.47	1.45	74.0	19.53	Peak	201.00	100	Horizontal	Pass
6**	16089.263	44.86	1.45	54.0	9.14	AV	201.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.400	40.07	-17.27	74.0	33.93	Peak	125.00	200	Vertical	Pass
1**	1608.400	29.20	-17.27	54.0	24.80	AV	125.00	200	Vertical	Pass
2	4380.800	50.92	-3.02	74.0	23.08	Peak	86.00	100	Vertical	Pass
2**	4380.800	41.26	-3.02	54.0	12.74	AV	86.00	100	Vertical	Pass
3	5742.000	104.89	-1.27	--	--	Peak	252.00	150	Vertical	N/A
3**	5742.000	97.66	-1.27	--	--	AV	252.00	150	Vertical	N/A
4	7348.163	49.55	-3.85	74.0	24.45	Peak	322.00	300	Vertical	Pass
4**	7348.163	40.85	-3.85	54.0	13.15	AV	322.00	300	Vertical	Pass
5	10931.562	51.04	0.06	74.0	22.96	Peak	60.00	200	Vertical	Pass
5**	10931.562	41.81	0.06	54.0	12.19	AV	60.00	200	Vertical	Pass
6	16092.151	54.49	1.39	74.0	19.51	Peak	307.00	400	Vertical	Pass
6**	16092.151	45.28	1.39	54.0	8.72	AV	307.00	400	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.400	38.72	-17.40	74.0	35.28	Peak	302.00	100	Horizontal	Pass
1**	1599.400	28.49	-17.40	54.0	25.51	AV	302.00	100	Horizontal	Pass
2	4388.200	50.60	-2.94	74.0	23.40	Peak	99.00	400	Horizontal	Pass
2**	4388.200	41.01	-2.94	54.0	12.99	AV	99.00	400	Horizontal	Pass
3	5784.200	104.90	-1.20	--	--	Peak	205.00	200	Horizontal	N/A
3**	5784.200	97.44	-1.20	--	--	AV	205.00	200	Horizontal	N/A
4	7356.788	49.61	-4.15	74.0	24.39	Peak	261.00	100	Horizontal	Pass
4**	7356.788	40.02	-4.15	54.0	13.98	AV	261.00	100	Horizontal	Pass
5	12589.287	51.91	1.65	74.0	22.09	Peak	61.00	150	Horizontal	Pass
5**	12589.287	41.39	1.65	54.0	12.61	AV	61.00	150	Horizontal	Pass
6	16080.600	54.12	1.63	74.0	19.88	Peak	178.00	300	Horizontal	Pass
6**	16080.600	44.40	1.63	54.0	9.60	AV	178.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.900	39.03	-17.19	74.0	34.97	Peak	119.00	300	Vertical	Pass
1**	1622.900	29.22	-17.19	54.0	24.78	AV	119.00	300	Vertical	Pass
2	4386.400	50.44	-3.03	74.0	23.56	Peak	86.00	200	Vertical	Pass
2**	4386.400	41.49	-3.03	54.0	12.51	AV	86.00	200	Vertical	Pass
3	5786.600	106.75	-0.95	--	--	Peak	302.00	150	Vertical	N/A
3**	5786.600	99.71	-0.95	--	--	AV	302.00	150	Vertical	N/A
4	7361.100	48.88	-4.01	74.0	25.12	Peak	123.00	300	Vertical	Pass
4**	7361.100	40.47	-4.01	54.0	13.53	AV	123.00	300	Vertical	Pass
5	10918.338	51.31	0.22	74.0	22.69	Peak	266.00	100	Vertical	Pass
5**	10918.338	41.95	0.22	54.0	12.05	AV	266.00	100	Vertical	Pass
6	15818.362	54.45	1.94	74.0	19.55	Peak	254.00	300	Vertical	Pass
6**	15818.362	44.86	1.94	54.0	9.14	AV	254.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1564.100	38.47	-17.44	74.0	35.53	Peak	185.00	100	Horizontal	Pass
1**	1564.100	29.57	-17.44	54.0	24.43	AV	185.00	100	Horizontal	Pass
2	4356.600	50.78	-2.39	74.0	23.22	Peak	360.00	400	Horizontal	Pass
2**	4356.600	42.22	-2.39	54.0	11.78	AV	360.00	400	Horizontal	Pass
3	5819.200	104.04	-1.91	--	--	Peak	125.00	150	Horizontal	N/A
3**	5819.200	96.79	-1.91	--	--	AV	125.00	150	Horizontal	N/A
4	7377.487	49.20	-3.72	74.0	24.80	Peak	111.00	400	Horizontal	Pass
4**	7377.487	40.04	-3.72	54.0	13.96	AV	111.00	400	Horizontal	Pass
5	11215.612	51.41	-0.19	74.0	22.59	Peak	160.00	100	Horizontal	Pass
5**	11215.612	41.75	-0.19	54.0	12.25	AV	160.00	100	Horizontal	Pass
6	15840.938	53.63	1.43	74.0	20.37	Peak	157.00	400	Horizontal	Pass
6**	15840.938	44.61	1.43	54.0	9.39	AV	157.00	400	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.600	39.32	-16.90	74.0	34.68	Peak	86.00	100	Vertical	Pass
1**	1438.600	29.86	-16.90	54.0	24.14	AV	86.00	100	Vertical	Pass
2	4282.800	50.06	-3.37	74.0	23.94	Peak	33.00	100	Vertical	Pass
2**	4282.800	40.99	-3.37	54.0	13.01	AV	33.00	100	Vertical	Pass
3	5827.800	105.99	-1.32	--	--	Peak	309.00	200	Vertical	N/A
3**	5827.800	98.57	-1.32	--	--	AV	309.00	200	Vertical	N/A
4	7354.775	49.04	-3.98	74.0	24.96	Peak	143.00	300	Vertical	Pass
4**	7354.775	39.98	-3.98	54.0	14.02	AV	143.00	300	Vertical	Pass
5	10614.737	51.03	-1.30	74.0	22.97	Peak	13.00	200	Vertical	Pass
5**	10614.737	40.86	-1.30	54.0	13.14	AV	13.00	200	Vertical	Pass
6	15810.750	54.02	2.15	74.0	19.98	Peak	233.00	100	Vertical	Pass
6**	15810.750	44.58	2.15	54.0	9.42	AV	233.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.700	39.59	-17.20	74.0	34.41	Peak	102.00	200	Horizontal	Pass
1**	1500.700	31.81	-17.20	54.0	22.19	AV	102.00	200	Horizontal	Pass
2	4357.200	50.35	-2.48	74.0	23.65	Peak	27.00	400	Horizontal	Pass
2**	4357.200	42.47	-2.48	54.0	11.53	AV	27.00	400	Horizontal	Pass
3	5747.000	104.13	-1.41	--	--	Peak	205.00	100	Horizontal	N/A
3**	5747.000	96.07	-1.41	--	--	AV	205.00	100	Horizontal	N/A
4	7344.712	48.74	-3.63	74.0	25.26	Peak	206.00	300	Horizontal	Pass
4**	7344.712	39.92	-3.63	54.0	14.08	AV	206.00	300	Horizontal	Pass
5	11216.187	51.43	-0.19	74.0	22.57	Peak	190.00	150	Horizontal	Pass
5**	11216.187	42.13	-0.19	54.0	11.87	AV	190.00	150	Horizontal	Pass
6	16103.175	54.14	1.06	74.0	19.86	Peak	101.00	400	Horizontal	Pass
6**	16103.175	45.39	1.06	54.0	8.61	AV	101.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.400	38.73	-17.28	74.0	35.27	Peak	121.00	400	Vertical	Pass
1**	1571.400	29.97	-17.28	54.0	24.03	AV	121.00	400	Vertical	Pass
2	4355.400	50.23	-2.69	74.0	23.77	Peak	76.00	200	Vertical	Pass
2**	4355.400	40.94	-2.69	54.0	13.06	AV	76.00	200	Vertical	Pass
3	5741.200	105.04	-1.12	--	--	Peak	151.00	150	Vertical	N/A
3**	5741.200	97.67	-1.12	--	--	AV	151.00	150	Vertical	N/A
4	7354.200	49.80	-3.94	74.0	24.20	Peak	254.00	400	Vertical	Pass
4**	7354.200	40.47	-3.94	54.0	13.53	AV	254.00	400	Vertical	Pass
5	10942.488	51.25	-0.09	74.0	22.75	Peak	354.00	150	Vertical	Pass
5**	10942.488	42.28	-0.09	54.0	11.72	AV	354.00	150	Vertical	Pass
6	16088.738	54.86	1.46	74.0	19.14	Peak	141.00	300	Vertical	Pass
6**	16088.738	44.61	1.46	54.0	9.39	AV	141.00	300	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.500	38.49	-17.11	74.0	35.51	Peak	256.00	100	Horizontal	Pass
1**	1435.500	29.03	-17.11	54.0	24.97	AV	256.00	100	Horizontal	Pass
2	4282.200	49.70	-3.54	74.0	24.30	Peak	301.00	200	Horizontal	Pass
2**	4282.200	40.86	-3.54	54.0	13.14	AV	301.00	200	Horizontal	Pass
3	5780.800	105.66	-0.77	--	--	Peak	197.00	150	Horizontal	N/A
3**	5780.800	98.11	-0.77	--	--	AV	197.00	150	Horizontal	N/A
4	7669.587	49.65	-2.26	74.0	24.35	Peak	255.00	100	Horizontal	Pass
4**	7669.587	40.23	-2.26	54.0	13.77	AV	255.00	100	Horizontal	Pass
5	10928.113	51.47	0.11	74.0	22.53	Peak	303.00	150	Horizontal	Pass
5**	10928.113	43.05	0.11	54.0	10.95	AV	303.00	150	Horizontal	Pass
6	16092.412	53.62	1.38	74.0	20.38	Peak	50.00	400	Horizontal	Pass
6**	16092.412	45.15	1.38	54.0	8.85	AV	50.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.400	38.86	-17.38	74.0	35.14	Peak	75.00	300	Vertical	Pass
1**	1580.400	29.55	-17.38	54.0	24.45	AV	75.00	300	Vertical	Pass
2	4359.400	50.21	-2.67	74.0	23.79	Peak	168.00	100	Vertical	Pass
2**	4359.400	41.55	-2.67	54.0	12.45	AV	168.00	100	Vertical	Pass
3	5781.400	107.38	-0.82	--	--	Peak	149.00	200	Vertical	N/A
3**	5781.400	99.12	-0.82	--	--	AV	149.00	200	Vertical	N/A
4	7352.187	48.56	-3.84	74.0	25.44	Peak	218.00	400	Vertical	Pass
4**	7352.187	39.79	-3.84	54.0	14.21	AV	218.00	400	Vertical	Pass
5	11218.487	51.64	-0.20	74.0	22.36	Peak	28.00	100	Vertical	Pass
5**	11218.487	42.63	-0.20	54.0	11.37	AV	28.00	100	Vertical	Pass
6	16081.912	54.17	1.60	74.0	19.83	Peak	0.00	100	Vertical	Pass
6**	16081.912	44.42	1.60	54.0	9.58	AV	0.00	100	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	38.80	-17.19	74.0	35.20	Peak	179.00	400	Horizontal	Pass
1**	1500.300	31.72	-17.19	54.0	22.28	AV	179.00	400	Horizontal	Pass
2	4353.000	50.10	-3.11	74.0	23.90	Peak	72.00	300	Horizontal	Pass
2**	4353.000	40.97	-3.11	54.0	13.03	AV	72.00	300	Horizontal	Pass
3	5829.800	103.98	-1.14	--	--	Peak	133.00	100	Horizontal	N/A
3**	5829.800	96.16	-1.14	--	--	AV	133.00	100	Horizontal	N/A
4	7382.375	49.23	-3.83	74.0	24.77	Peak	300.00	100	Horizontal	Pass
4**	7382.375	39.26	-3.83	54.0	14.74	AV	300.00	100	Horizontal	Pass
5	10933.287	51.82	0.02	74.0	22.18	Peak	109.00	150	Horizontal	Pass
5**	10933.287	43.44	0.02	54.0	10.56	AV	109.00	150	Horizontal	Pass
6	15819.412	53.99	1.90	74.0	20.01	Peak	67.00	200	Horizontal	Pass
6**	15819.412	45.17	1.90	54.0	8.83	AV	67.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.800	38.58	-17.43	74.0	35.42	Peak	119.00	400	Vertical	Pass
1**	1596.800	30.27	-17.43	54.0	23.73	AV	119.00	400	Vertical	Pass
2	4268.600	51.21	-3.74	74.0	22.79	Peak	0.00	300	Vertical	Pass
2**	4268.600	40.35	-3.74	54.0	13.65	AV	0.00	300	Vertical	Pass
3	5821.200	106.19	-1.76	--	--	Peak	308.00	150	Vertical	N/A
3**	5821.200	98.28	-1.76	--	--	AV	308.00	150	Vertical	N/A
4	7342.125	48.63	-3.67	74.0	25.37	Peak	232.00	300	Vertical	Pass
4**	7342.125	39.89	-3.67	54.0	14.11	AV	232.00	300	Vertical	Pass
5	10913.450	51.46	0.19	74.0	22.54	Peak	249.00	100	Vertical	Pass
5**	10913.450	43.23	0.19	54.0	10.77	AV	249.00	100	Vertical	Pass
6	16100.813	54.29	1.16	74.0	19.71	Peak	68.00	200	Vertical	Pass
6**	16100.813	45.22	1.16	54.0	8.78	AV	68.00	200	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	38.87	-17.19	74.0	35.13	Peak	311.00	300	Horizontal	Pass
1**	1500.300	31.51	-17.19	54.0	22.49	AV	311.00	300	Horizontal	Pass
2	4345.000	50.06	-3.13	74.0	23.94	Peak	0.00	200	Horizontal	Pass
2**	4345.000	41.02	-3.13	54.0	12.98	AV	0.00	200	Horizontal	Pass
3	5763.000	100.97	-0.80	--	--	Peak	201.00	200	Horizontal	N/A
3**	5763.000	92.80	-0.80	--	--	AV	201.00	200	Horizontal	N/A
4	7361.100	48.90	-4.01	74.0	25.10	Peak	13.00	200	Horizontal	Pass
4**	7361.100	40.31	-4.01	54.0	13.69	AV	13.00	200	Horizontal	Pass
5	10919.775	51.06	0.24	74.0	22.94	Peak	224.00	200	Horizontal	Pass
5**	10919.775	42.64	0.24	54.0	11.36	AV	224.00	200	Horizontal	Pass
6	15833.588	54.76	1.46	74.0	19.24	Peak	0.00	300	Horizontal	Pass
6**	15833.588	44.90	1.46	54.0	9.10	AV	0.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.800	38.45	-17.22	74.0	35.55	Peak	283.00	300	Vertical	Pass
1**	1452.800	29.56	-17.22	54.0	24.44	AV	283.00	300	Vertical	Pass
2	4370.400	50.00	-2.86	74.0	24.00	Peak	15.00	200	Vertical	Pass
2**	4370.400	40.74	-2.86	54.0	13.26	AV	15.00	200	Vertical	Pass
3	5760.800	101.12	-0.98	--	--	Peak	250.00	200	Vertical	N/A
3**	5760.800	92.92	-0.98	--	--	AV	250.00	200	Vertical	N/A
4	7342.987	48.74	-3.61	74.0	25.26	Peak	252.00	300	Vertical	Pass
4**	7342.987	39.67	-3.61	54.0	14.33	AV	252.00	300	Vertical	Pass
5	11926.313	51.36	1.53	74.0	22.64	Peak	300.00	100	Vertical	Pass
5**	11926.313	42.02	1.53	54.0	11.98	AV	300.00	100	Vertical	Pass
6	16096.874	54.22	1.28	74.0	19.78	Peak	195.00	100	Vertical	Pass
6**	16096.874	45.12	1.28	54.0	8.88	AV	195.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.600	39.48	-17.20	74.0	34.52	Peak	60.00	400	Horizontal	Pass
1**	1500.600	31.90	-17.20	54.0	22.10	AV	60.00	400	Horizontal	Pass
2	4350.000	50.00	-3.05	74.0	24.00	Peak	310.00	100	Horizontal	Pass
2**	4350.000	40.75	-3.05	54.0	13.25	AV	310.00	100	Horizontal	Pass
3	5786.200	101.97	-0.95	--	--	Peak	206.00	200	Horizontal	N/A
3**	5786.200	94.17	-0.95	--	--	AV	206.00	200	Horizontal	N/A
4	7346.150	48.69	-3.81	74.0	25.31	Peak	340.00	200	Horizontal	Pass
4**	7346.150	40.90	-3.81	54.0	13.10	AV	340.00	200	Horizontal	Pass
5	10928.687	51.11	0.11	74.0	22.89	Peak	308.00	100	Horizontal	Pass
5**	10928.687	42.68	0.11	54.0	11.32	AV	308.00	100	Horizontal	Pass
6	16091.888	54.17	1.39	74.0	19.83	Peak	3.00	300	Horizontal	Pass
6**	16091.888	45.16	1.39	54.0	8.84	AV	3.00	300	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	39.08	-17.19	74.0	34.92	Peak	147.00	300	Vertical	Pass
1**	1500.300	31.73	-17.19	54.0	22.27	AV	147.00	300	Vertical	Pass
2	4380.000	49.77	-3.03	74.0	24.23	Peak	259.00	200	Vertical	Pass
2**	4380.000	40.80	-3.03	54.0	13.20	AV	259.00	200	Vertical	Pass
3	5802.200	101.89	-1.44	--	--	Peak	301.00	150	Vertical	N/A
3**	5802.200	94.29	-1.44	--	--	AV	301.00	150	Vertical	N/A
4	7677.063	48.70	-2.41	74.0	25.30	Peak	360.00	400	Vertical	Pass
4**	7677.063	39.66	-2.41	54.0	14.34	AV	360.00	400	Vertical	Pass
5	10907.987	51.19	0.17	74.0	22.81	Peak	0.00	200	Vertical	Pass
5**	10907.987	42.46	0.17	54.0	11.54	AV	0.00	200	Vertical	Pass
6	15838.050	53.92	1.45	74.0	20.08	Peak	195.00	400	Vertical	Pass
6**	15838.050	45.35	1.45	54.0	8.65	AV	195.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1436.800	38.65	-17.34	74.0	35.35	Peak	331.00	300	Horizontal	Pass
1**	1436.800	29.16	-17.34	54.0	24.84	AV	331.00	300	Horizontal	Pass
2	4356.600	49.39	-2.39	74.0	24.61	Peak	83.00	400	Horizontal	Pass
2**	4356.600	41.22	-2.39	54.0	12.78	AV	83.00	400	Horizontal	Pass
3	5740.000	101.58	-0.84	--	--	Peak	197.00	200	Horizontal	N/A
3**	5740.000	93.76	-0.84	--	--	AV	197.00	200	Horizontal	N/A
4	7338.675	49.36	-3.53	74.0	24.64	Peak	360.00	200	Horizontal	Pass
4**	7338.675	40.41	-3.53	54.0	13.59	AV	360.00	200	Horizontal	Pass
5	12214.963	51.49	1.18	74.0	22.51	Peak	147.00	100	Horizontal	Pass
5**	12214.963	42.92	1.18	54.0	11.08	AV	147.00	100	Horizontal	Pass
6	16078.500	54.05	1.61	74.0	19.95	Peak	63.00	100	Horizontal	Pass
6**	16078.500	44.52	1.61	54.0	9.48	AV	63.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	39.26	-17.19	74.0	34.74	Peak	13.00	200	Vertical	Pass
1**	1500.200	31.45	-17.19	54.0	22.55	AV	13.00	200	Vertical	Pass
2	4363.000	49.93	-2.65	74.0	24.07	Peak	299.00	300	Vertical	Pass
2**	4363.000	41.33	-2.65	54.0	12.67	AV	299.00	300	Vertical	Pass
3	5747.800	102.08	-1.52	--	--	Peak	146.00	200	Vertical	N/A
3**	5747.800	94.12	-1.52	--	--	AV	146.00	200	Vertical	N/A
4	7372.313	49.24	-3.83	74.0	24.76	Peak	264.00	300	Vertical	Pass
4**	7372.313	40.13	-3.83	54.0	13.87	AV	264.00	300	Vertical	Pass
5	12219.275	51.13	1.22	74.0	22.87	Peak	217.00	200	Vertical	Pass
5**	12219.275	42.54	1.22	54.0	11.46	AV	217.00	200	Vertical	Pass
6	15840.151	54.19	1.44	74.0	19.81	Peak	43.00	400	Vertical	Pass
6**	15840.151	44.92	1.44	54.0	9.08	AV	43.00	400	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.000	38.33	-17.21	74.0	35.67	Peak	201.00	200	Horizontal	Pass
1**	1501.000	29.79	-17.21	54.0	24.21	AV	201.00	200	Horizontal	Pass
2	4359.000	49.68	-2.68	74.0	24.32	Peak	116.00	400	Horizontal	Pass
2**	4359.000	41.01	-2.68	54.0	12.99	AV	116.00	400	Horizontal	Pass
3	5783.000	103.05	-1.02	--	--	Peak	199.00	200	Horizontal	N/A
3**	5783.000	94.92	-1.02	--	--	AV	199.00	200	Horizontal	N/A
4	7378.638	48.81	-3.68	74.0	25.19	Peak	174.00	400	Horizontal	Pass
4**	7378.638	39.59	-3.68	54.0	14.41	AV	174.00	400	Horizontal	Pass
5	10911.438	51.14	0.18	74.0	22.86	Peak	14.00	150	Horizontal	Pass
5**	10911.438	41.44	0.18	54.0	12.56	AV	14.00	150	Horizontal	Pass
6	15834.900	53.87	1.45	74.0	20.13	Peak	158.00	100	Horizontal	Pass
6**	15834.900	44.40	1.45	54.0	9.60	AV	158.00	100	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.300	38.52	-17.29	74.0	35.48	Peak	109.00	300	Vertical	Pass
1**	1608.300	28.89	-17.29	54.0	25.11	AV	109.00	300	Vertical	Pass
2	4327.000	50.20	-3.61	74.0	23.80	Peak	6.00	200	Vertical	Pass
2**	4327.000	40.48	-3.61	54.0	13.52	AV	6.00	200	Vertical	Pass
3	5786.400	103.81	-0.92	--	--	Peak	299.00	150	Vertical	N/A
3**	5786.400	96.18	-0.92	--	--	AV	299.00	150	Vertical	N/A
4	7372.888	49.02	-3.80	74.0	24.98	Peak	360.00	400	Vertical	Pass
4**	7372.888	40.24	-3.80	54.0	13.76	AV	360.00	400	Vertical	Pass
5	12693.363	50.96	0.83	74.0	23.04	Peak	79.00	150	Vertical	Pass
5**	12693.363	42.11	0.83	54.0	11.89	AV	79.00	150	Vertical	Pass
6	15809.963	53.41	2.17	74.0	20.59	Peak	232.00	300	Vertical	Pass
6**	15809.963	44.27	2.17	54.0	9.73	AV	232.00	300	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.400	38.05	-17.13	74.0	35.95	Peak	124.00	200	Horizontal	Pass
1**	1555.400	29.09	-17.13	54.0	24.91	AV	124.00	200	Horizontal	Pass
2	4376.000	50.56	-2.95	74.0	23.44	Peak	21.00	400	Horizontal	Pass
2**	4376.000	40.13	-2.95	54.0	13.87	AV	21.00	400	Horizontal	Pass
3	5821.800	100.83	-1.63	--	--	Peak	198.00	100	Horizontal	N/A
3**	5821.800	93.65	-1.63	--	--	AV	198.00	100	Horizontal	N/A
4	7362.825	48.53	-4.01	74.0	25.47	Peak	156.00	200	Horizontal	Pass
4**	7362.825	39.63	-4.01	54.0	14.37	AV	156.00	200	Horizontal	Pass
5	10625.087	51.85	-1.18	74.0	22.15	Peak	0.00	150	Horizontal	Pass
5**	10625.087	41.80	-1.18	54.0	12.20	AV	0.00	150	Horizontal	Pass
6	15820.463	54.24	1.85	74.0	19.76	Peak	360.00	200	Horizontal	Pass
6**	15820.463	44.34	1.85	54.0	9.66	AV	360.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.200	38.27	-17.44	74.0	35.73	Peak	271.00	100	Vertical	Pass
1**	1597.200	28.47	-17.44	54.0	25.53	AV	271.00	100	Vertical	Pass
2	4279.800	50.20	-3.59	74.0	23.80	Peak	1.00	100	Vertical	Pass
2**	4279.800	40.79	-3.59	54.0	13.21	AV	1.00	100	Vertical	Pass
3	5821.200	103.21	-1.76	--	--	Peak	312.00	200	Vertical	N/A
3**	5821.200	95.05	-1.76	--	--	AV	312.00	200	Vertical	N/A
4	7724.500	48.53	-3.38	74.0	25.47	Peak	277.00	400	Vertical	Pass
4**	7724.500	38.53	-3.38	54.0	15.47	AV	277.00	400	Vertical	Pass
5	11580.162	51.44	-0.36	74.0	22.56	Peak	294.00	200	Vertical	Pass
5**	11580.162	41.04	-0.36	54.0	12.96	AV	294.00	200	Vertical	Pass
6	16086.375	54.67	1.50	74.0	19.33	Peak	211.00	400	Vertical	Pass
6**	16086.375	44.70	1.50	54.0	9.30	AV	211.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.500	38.25	-17.38	74.0	35.75	Peak	197.00	100	Horizontal	Pass
1**	1580.500	28.31	-17.38	54.0	25.69	AV	197.00	100	Horizontal	Pass
2	4307.400	49.91	-4.29	74.0	24.09	Peak	0.00	200	Horizontal	Pass
2**	4307.400	40.62	-4.29	54.0	13.38	AV	0.00	200	Horizontal	Pass
3	5762.400	98.84	-0.85	--	--	Peak	198.00	150	Horizontal	N/A
3**	5762.400	90.92	-0.85	--	--	AV	198.00	150	Horizontal	N/A
4	7361.388	48.78	-4.01	74.0	25.22	Peak	109.00	200	Horizontal	Pass
4**	7361.388	39.85	-4.01	54.0	14.15	AV	109.00	200	Horizontal	Pass
5	11934.075	51.33	1.67	74.0	22.67	Peak	190.00	200	Horizontal	Pass
5**	11934.075	41.81	1.67	54.0	12.19	AV	190.00	200	Horizontal	Pass
6	15813.112	54.30	2.10	74.0	19.70	Peak	254.00	100	Horizontal	Pass
6**	15813.112	44.00	2.10	54.0	10.00	AV	254.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.900	38.75	-17.18	74.0	35.25	Peak	344.00	200	Vertical	Pass
1**	1585.900	28.88	-17.18	54.0	25.12	AV	344.00	200	Vertical	Pass
2	4388.400	50.04	-2.96	74.0	23.96	Peak	85.00	200	Vertical	Pass
2**	4388.400	40.89	-2.96	54.0	13.11	AV	85.00	200	Vertical	Pass
3	5763.000	99.10	-0.80	--	--	Peak	306.00	200	Vertical	N/A
3**	5763.000	91.42	-0.80	--	--	AV	306.00	200	Vertical	N/A
4	7366.850	48.78	-4.02	74.0	25.22	Peak	129.00	300	Vertical	Pass
4**	7366.850	39.94	-4.02	54.0	14.06	AV	129.00	300	Vertical	Pass
5	10923.800	51.15	0.18	74.0	22.85	Peak	46.00	200	Vertical	Pass
5**	10923.800	42.28	0.18	54.0	11.72	AV	46.00	200	Vertical	Pass
6	16087.687	54.06	1.48	74.0	19.94	Peak	99.00	100	Vertical	Pass
6**	16087.687	44.35	1.48	54.0	9.65	AV	99.00	100	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1578.800	38.20	-17.46	74.0	35.80	Peak	25.00	300	Horizontal	Pass
1**	1578.800	28.45	-17.46	54.0	25.55	AV	25.00	300	Horizontal	Pass
2	4387.600	49.79	-2.97	74.0	24.21	Peak	23.00	200	Horizontal	Pass
2**	4387.600	40.89	-2.97	54.0	13.11	AV	23.00	200	Horizontal	Pass
3	5782.600	99.37	-0.95	--	--	Peak	202.00	200	Horizontal	N/A
3**	5782.600	91.85	-0.95	--	--	AV	202.00	200	Horizontal	N/A
4	7360.237	49.06	-4.04	74.0	24.94	Peak	191.00	300	Horizontal	Pass
4**	7360.237	39.65	-4.04	54.0	14.35	AV	191.00	300	Horizontal	Pass
5	10917.474	51.38	0.22	74.0	22.62	Peak	287.00	100	Horizontal	Pass
5**	10917.474	41.96	0.22	54.0	12.04	AV	287.00	100	Horizontal	Pass
6	15828.338	54.28	1.54	74.0	19.72	Peak	105.00	100	Horizontal	Pass
6**	15828.338	45.77	1.54	54.0	8.23	AV	105.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.600	39.26	-17.22	74.0	34.74	Peak	124.00	100	Vertical	Pass
1**	1440.600	29.37	-17.22	54.0	24.63	AV	124.00	100	Vertical	Pass
2	4386.600	50.53	-3.02	74.0	23.47	Peak	197.00	300	Vertical	Pass
2**	4386.600	40.77	-3.02	54.0	13.23	AV	197.00	300	Vertical	Pass
3	5786.600	101.28	-0.95	--	--	Peak	299.00	200	Vertical	N/A
3**	5786.600	92.74	-0.95	--	--	AV	299.00	200	Vertical	N/A
4	7364.550	48.57	-4.02	74.0	25.43	Peak	162.00	200	Vertical	Pass
4**	7364.550	39.44	-4.02	54.0	14.56	AV	162.00	200	Vertical	Pass
5	11210.438	51.90	-0.21	74.0	22.10	Peak	62.00	200	Vertical	Pass
5**	11210.438	42.15	-0.21	54.0	11.85	AV	62.00	200	Vertical	Pass
6	16112.362	54.33	0.73	74.0	19.67	Peak	11.00	300	Vertical	Pass
6**	16112.362	44.23	0.73	54.0	9.77	AV	11.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	38.91	-17.19	74.0	35.09	Peak	296.00	300	Horizontal	Pass
1**	1500.100	31.08	-17.19	54.0	22.92	AV	296.00	300	Horizontal	Pass
2	4389.400	49.80	-3.18	74.0	24.20	Peak	360.00	200	Horizontal	Pass
2**	4389.400	40.70	-3.18	54.0	13.30	AV	360.00	200	Horizontal	Pass
3	5781.800	97.10	-0.86	--	--	Peak	201.00	100	Horizontal	N/A
3**	5781.800	88.25	-0.86	--	--	AV	201.00	100	Horizontal	N/A
4	7344.712	49.33	-3.63	74.0	24.67	Peak	235.00	200	Horizontal	Pass
4**	7344.712	40.24	-3.63	54.0	13.76	AV	235.00	200	Horizontal	Pass
5	12216.974	51.63	1.20	74.0	22.37	Peak	156.00	200	Horizontal	Pass
5**	12216.974	42.74	1.20	54.0	11.26	AV	156.00	200	Horizontal	Pass
6	15834.637	53.99	1.45	74.0	20.01	Peak	89.00	200	Horizontal	Pass
6**	15834.637	45.63	1.45	54.0	8.37	AV	89.00	200	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.700	39.40	-17.38	74.0	34.60	Peak	61.00	200	Vertical	Pass
1**	1613.700	28.60	-17.38	54.0	25.40	AV	61.00	200	Vertical	Pass
2	4336.000	49.69	-3.99	74.0	24.31	Peak	136.00	100	Vertical	Pass
2**	4336.000	40.10	-3.99	54.0	13.90	AV	136.00	100	Vertical	Pass
3	5777.200	97.39	-0.62	--	--	Peak	157.00	150	Vertical	N/A
3**	5777.200	89.45	-0.62	--	--	AV	157.00	150	Vertical	N/A
4	7374.612	48.65	-3.75	74.0	25.35	Peak	240.00	400	Vertical	Pass
4**	7374.612	40.23	-3.75	54.0	13.77	AV	240.00	400	Vertical	Pass
5	12225.599	51.79	1.31	74.0	22.21	Peak	255.00	200	Vertical	Pass
5**	12225.599	42.55	1.31	54.0	11.45	AV	255.00	200	Vertical	Pass
6	16103.175	54.73	1.06	74.0	19.27	Peak	308.00	400	Vertical	Pass
6**	16103.175	44.56	1.06	54.0	9.44	AV	308.00	400	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1456.000	38.31	-16.99	74.0	35.69	Peak	36.00	400	Horizontal	Pass
1**	1456.000	29.14	-16.99	54.0	24.86	AV	36.00	400	Horizontal	Pass
2	4384.000	50.25	-2.87	74.0	23.75	Peak	77.00	100	Horizontal	Pass
2**	4384.000	41.06	-2.87	54.0	12.94	AV	77.00	100	Horizontal	Pass
3	5742.600	102.26	-1.24	--	--	Peak	137.00	200	Horizontal	N/A
3**	5742.600	91.86	-1.24	--	--	AV	137.00	200	Horizontal	N/A
4	7344.138	49.13	-3.56	74.0	24.87	Peak	269.00	100	Horizontal	Pass
4**	7344.138	39.85	-3.56	54.0	14.15	AV	269.00	100	Horizontal	Pass
5	11211.013	51.45	-0.21	74.0	22.55	Peak	61.00	100	Horizontal	Pass
5**	11211.013	42.27	-0.21	54.0	11.73	AV	61.00	100	Horizontal	Pass
6	16094.513	54.73	1.33	74.0	19.27	Peak	291.00	100	Horizontal	Pass
6**	16094.513	44.42	1.33	54.0	9.58	AV	291.00	100	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.900	38.77	-17.28	74.0	35.23	Peak	112.00	300	Vertical	Pass
1**	1625.900	29.48	-17.28	54.0	24.52	AV	112.00	300	Vertical	Pass
2	4347.400	50.20	-2.97	74.0	23.80	Peak	18.00	200	Vertical	Pass
2**	4347.400	40.69	-2.97	54.0	13.31	AV	18.00	200	Vertical	Pass
3	5745.600	103.60	-1.26	--	--	Peak	150.00	150	Vertical	N/A
3**	5745.600	93.44	-1.26	--	--	AV	150.00	150	Vertical	N/A
4	7357.650	48.53	-4.12	74.0	25.47	Peak	203.00	200	Vertical	Pass
4**	7357.650	39.67	-4.12	54.0	14.33	AV	203.00	200	Vertical	Pass
5	12221.575	51.10	1.25	74.0	22.90	Peak	330.00	150	Vertical	Pass
5**	12221.575	41.93	1.25	54.0	12.07	AV	330.00	150	Vertical	Pass
6	16096.874	54.30	1.28	74.0	19.70	Peak	51.00	200	Vertical	Pass
6**	16096.874	45.22	1.28	54.0	8.78	AV	51.00	200	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.500	38.64	-16.92	74.0	35.36	Peak	193.00	200	Horizontal	Pass
1**	1438.500	29.06	-16.92	54.0	24.94	AV	193.00	200	Horizontal	Pass
2	4354.000	49.85	-3.07	74.0	24.15	Peak	102.00	400	Horizontal	Pass
2**	4354.000	40.54	-3.07	54.0	13.46	AV	102.00	400	Horizontal	Pass
3	5783.600	102.74	-1.11	--	--	Peak	205.00	100	Horizontal	N/A
3**	5783.600	92.26	-1.11	--	--	AV	205.00	100	Horizontal	N/A
4	7627.038	48.73	-3.25	74.0	25.27	Peak	45.00	400	Horizontal	Pass
4**	7627.038	38.69	-3.25	54.0	15.31	AV	45.00	400	Horizontal	Pass
5	11217.338	51.24	-0.20	74.0	22.76	Peak	45.00	150	Horizontal	Pass
5**	11217.338	42.09	-0.20	54.0	11.91	AV	45.00	150	Horizontal	Pass
6	15842.250	53.70	1.41	74.0	20.30	Peak	289.00	300	Horizontal	Pass
6**	15842.250	44.43	1.41	54.0	9.57	AV	289.00	300	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.400	38.60	-17.14	74.0	35.40	Peak	121.00	300	Vertical	Pass
1**	1621.400	28.92	-17.14	54.0	25.08	AV	121.00	300	Vertical	Pass
2	4359.600	50.61	-2.67	74.0	23.39	Peak	282.00	300	Vertical	Pass
2**	4359.600	40.76	-2.67	54.0	13.24	AV	282.00	300	Vertical	Pass
3	5786.200	103.90	-0.95	--	--	Peak	302.00	150	Vertical	N/A
3**	5786.200	95.46	-0.95	--	--	AV	302.00	150	Vertical	N/A
4	7354.487	48.60	-3.96	74.0	25.40	Peak	92.00	200	Vertical	Pass
4**	7354.487	40.82	-3.96	54.0	13.18	AV	92.00	200	Vertical	Pass
5	10927.825	51.21	0.12	74.0	22.79	Peak	156.00	200	Vertical	Pass
5**	10927.825	42.52	0.12	54.0	11.48	AV	156.00	200	Vertical	Pass
6	15857.212	53.98	1.08	74.0	20.02	Peak	0.00	300	Vertical	Pass
6**	15857.212	44.48	1.08	54.0	9.52	AV	0.00	300	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	39.14	-17.19	74.0	34.86	Peak	110.00	300	Horizontal	Pass
1**	1500.000	31.68	-17.19	54.0	22.32	AV	110.00	300	Horizontal	Pass
2	4344.800	50.19	-3.21	74.0	23.81	Peak	178.00	400	Horizontal	Pass
2**	4344.800	41.48	-3.21	54.0	12.52	AV	178.00	400	Horizontal	Pass
3	5830.200	101.00	-1.11	--	--	Peak	198.00	100	Horizontal	N/A
3**	5830.200	92.47	-1.11	--	--	AV	198.00	100	Horizontal	N/A
4	7372.313	48.89	-3.83	74.0	25.11	Peak	46.00	300	Horizontal	Pass
4**	7372.313	39.80	-3.83	54.0	14.20	AV	46.00	300	Horizontal	Pass
5	10945.651	50.73	-0.14	74.0	23.27	Peak	29.00	200	Horizontal	Pass
5**	10945.651	42.07	-0.14	54.0	11.93	AV	29.00	200	Horizontal	Pass
6	16100.550	53.85	1.18	74.0	20.15	Peak	70.00	400	Horizontal	Pass
6**	16100.550	44.77	1.18	54.0	9.23	AV	70.00	400	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.500	38.40	-17.21	74.0	35.60	Peak	141.00	400	Vertical	Pass
1**	1450.500	29.23	-17.21	54.0	24.77	AV	141.00	400	Vertical	Pass
2	4381.000	49.91	-3.01	74.0	24.09	Peak	323.00	400	Vertical	Pass
2**	4381.000	40.55	-3.01	54.0	13.45	AV	323.00	400	Vertical	Pass
3	5822.400	104.97	-1.50	--	--	Peak	303.00	200	Vertical	N/A
3**	5822.400	93.81	-1.50	--	--	AV	303.00	200	Vertical	N/A
4	7366.562	48.90	-4.02	74.0	25.10	Peak	109.00	100	Vertical	Pass
4**	7366.562	39.81	-4.02	54.0	14.19	AV	109.00	100	Vertical	Pass
5	10914.600	51.17	0.19	74.0	22.83	Peak	78.00	150	Vertical	Pass
5**	10914.600	41.90	0.19	54.0	12.10	AV	78.00	150	Vertical	Pass
6	15829.387	53.43	1.51	74.0	20.57	Peak	326.00	200	Vertical	Pass
6**	15829.387	44.40	1.51	54.0	9.60	AV	326.00	200	Vertical	Pass

11x40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.000	38.47	-17.36	74.0	35.53	Peak	238.00	200	Horizontal	Pass
1**	1581.000	30.11	-17.36	54.0	23.89	AV	238.00	200	Horizontal	Pass
2	4375.600	49.89	-2.97	74.0	24.11	Peak	343.00	400	Horizontal	Pass
2**	4375.600	41.13	-2.97	54.0	12.87	AV	343.00	400	Horizontal	Pass
3	5750.000	99.65	-1.28	--	--	Peak	261.00	150	Horizontal	N/A
3**	5750.000	89.78	-1.28	--	--	AV	261.00	150	Horizontal	N/A
4	7353.625	49.13	-3.90	74.0	24.87	Peak	284.00	400	Horizontal	Pass
4**	7353.625	39.87	-3.90	54.0	14.13	AV	284.00	400	Horizontal	Pass
5	10924.951	51.29	0.16	74.0	22.71	Peak	124.00	200	Horizontal	Pass
5**	10924.951	42.14	0.16	54.0	11.86	AV	124.00	200	Horizontal	Pass
6	15837.263	53.85	1.45	74.0	20.15	Peak	106.00	200	Horizontal	Pass
6**	15837.263	44.81	1.45	54.0	9.19	AV	106.00	200	Horizontal	Pass

11x40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.700	38.46	-17.01	74.0	35.54	Peak	149.00	200	Vertical	Pass
1**	1439.700	28.86	-17.01	54.0	25.14	AV	149.00	200	Vertical	Pass
2	4349.800	49.40	-3.05	74.0	24.60	Peak	323.00	400	Vertical	Pass
2**	4349.800	40.18	-3.05	54.0	13.82	AV	323.00	400	Vertical	Pass
3	5744.800	100.10	-1.21	--	--	Peak	151.00	200	Vertical	N/A
3**	5744.800	91.13	-1.21	--	--	AV	151.00	200	Vertical	N/A
4	7382.375	48.82	-3.83	74.0	25.18	Peak	330.00	400	Vertical	Pass
4**	7382.375	39.19	-3.83	54.0	14.81	AV	330.00	400	Vertical	Pass
5	12226.750	51.04	1.31	74.0	22.96	Peak	127.00	150	Vertical	Pass
5**	12226.750	42.17	1.31	54.0	11.83	AV	127.00	150	Vertical	Pass
6	16090.050	53.52	1.43	74.0	20.48	Peak	0.00	100	Vertical	Pass
6**	16090.050	46.26	1.43	54.0	7.74	AV	0.00	100	Vertical	Pass

11x40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.600	38.43	-17.21	74.0	35.57	Peak	261.00	400	Horizontal	Pass
1**	1449.600	29.37	-17.21	54.0	24.63	AV	261.00	400	Horizontal	Pass
2	4384.600	49.38	-2.92	74.0	24.62	Peak	224.00	300	Horizontal	Pass
2**	4384.600	40.37	-2.92	54.0	13.63	AV	224.00	300	Horizontal	Pass
3	5786.800	101.50	-1.01	--	--	Peak	203.00	200	Horizontal	N/A
3**	5786.800	91.78	-1.01	--	--	AV	203.00	200	Horizontal	N/A
4	7342.700	48.87	-3.63	74.0	25.13	Peak	298.00	100	Horizontal	Pass
4**	7342.700	40.21	-3.63	54.0	13.79	AV	298.00	100	Horizontal	Pass
5	11219.637	51.38	-0.21	74.0	22.62	Peak	162.00	150	Horizontal	Pass
5**	11219.637	41.80	-0.21	54.0	12.20	AV	162.00	150	Horizontal	Pass
6	15824.137	53.71	1.68	74.0	20.29	Peak	289.00	400	Horizontal	Pass
6**	15824.137	44.37	1.68	54.0	9.63	AV	289.00	400	Horizontal	Pass

11x40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.200	38.84	-17.28	74.0	35.16	Peak	266.00	100	Vertical	Pass
1**	1442.200	28.80	-17.28	54.0	25.20	AV	266.00	100	Vertical	Pass
2	4348.000	50.57	-3.02	74.0	23.43	Peak	148.00	200	Vertical	Pass
2**	4348.000	41.60	-3.02	54.0	12.40	AV	148.00	200	Vertical	Pass
3	5793.200	100.85	-1.62	--	--	Peak	255.00	150	Vertical	N/A
3**	5793.200	92.31	-1.62	--	--	AV	255.00	150	Vertical	N/A
4	7468.337	49.02	-3.84	74.0	24.98	Peak	96.00	100	Vertical	Pass
4**	7468.337	38.57	-3.84	54.0	15.43	AV	96.00	100	Vertical	Pass
5	12222.437	51.35	1.26	74.0	22.65	Peak	129.00	200	Vertical	Pass
5**	12222.437	41.82	1.26	54.0	12.18	AV	129.00	200	Vertical	Pass
6	15854.588	53.73	1.20	74.0	20.27	Peak	251.00	200	Vertical	Pass
6**	15854.588	44.11	1.20	54.0	9.89	AV	251.00	200	Vertical	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.400	38.58	-17.17	74.0	35.42	Peak	0.00	300	Horizontal	Pass
1**	1586.400	29.09	-17.17	54.0	24.91	AV	0.00	300	Horizontal	Pass
2	4395.400	50.05	-3.59	74.0	23.95	Peak	161.00	400	Horizontal	Pass
2**	4395.400	40.77	-3.59	54.0	13.23	AV	161.00	400	Horizontal	Pass
3	5770.000	96.62	-0.60	--	--	Peak	289.00	200	Horizontal	N/A
3**	5770.000	86.37	-0.60	--	--	AV	289.00	200	Horizontal	N/A
4	7367.712	48.67	-4.03	74.0	25.33	Peak	62.00	200	Horizontal	Pass
4**	7367.712	39.78	-4.03	54.0	14.22	AV	62.00	200	Horizontal	Pass
5	11210.150	51.69	-0.22	74.0	22.31	Peak	353.00	150	Horizontal	Pass
5**	11210.150	41.67	-0.22	54.0	12.33	AV	353.00	150	Horizontal	Pass
6	16085.325	53.51	1.52	74.0	20.49	Peak	77.00	300	Horizontal	Pass
6**	16085.325	45.07	1.52	54.0	8.93	AV	77.00	300	Horizontal	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.100	41.02	-17.33	74.0	32.98	Peak	56.00	400	Vertical	Pass
1**	1560.100	29.05	-17.33	54.0	24.95	AV	56.00	400	Vertical	Pass
2	4362.600	49.96	-2.63	74.0	24.04	Peak	353.00	100	Vertical	Pass
2**	4362.600	40.62	-2.63	54.0	13.38	AV	353.00	100	Vertical	Pass
3	5795.200	97.37	-1.34	--	--	Peak	154.00	150	Vertical	N/A
3**	5795.200	88.32	-1.34	--	--	AV	154.00	150	Vertical	N/A
4	7340.687	48.84	-3.57	74.0	25.16	Peak	29.00	200	Vertical	Pass
4**	7340.687	39.57	-3.57	54.0	14.43	AV	29.00	200	Vertical	Pass
5	10928.687	51.46	0.11	74.0	22.54	Peak	0.00	100	Vertical	Pass
5**	10928.687	43.29	0.11	54.0	10.71	AV	0.00	100	Vertical	Pass
6	16090.575	53.24	1.42	74.0	20.76	Peak	360.00	200	Vertical	Pass
6**	16090.575	45.01	1.42	54.0	8.99	AV	360.00	200	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	38.67	-17.19	74.0	35.33	Peak	315.00	100	Horizontal	Pass
1**	1499.900	30.28	-17.19	54.0	23.72	AV	315.00	100	Horizontal	Pass
2	4383.200	50.43	-2.92	74.0	23.57	Peak	16.00	400	Horizontal	Pass
2**	4383.200	41.67	-2.92	54.0	12.33	AV	16.00	400	Horizontal	Pass
3	5723.600	104.03	-1.35	--	--	Peak	201.00	200	Horizontal	N/A
3**	5723.600	96.84	-1.35	--	--	AV	201.00	200	Horizontal	N/A
4	7676.200	48.81	-2.41	74.0	25.19	Peak	124.00	200	Horizontal	Pass
4**	7676.200	38.87	-2.41	54.0	15.13	AV	124.00	200	Horizontal	Pass
5	12222.151	51.72	1.26	74.0	22.28	Peak	46.00	150	Horizontal	Pass
5**	12222.151	42.00	1.26	54.0	12.00	AV	46.00	150	Horizontal	Pass
6	16088.212	54.78	1.47	74.0	19.22	Peak	344.00	300	Horizontal	Pass
6**	16088.212	45.50	1.47	54.0	8.50	AV	344.00	300	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.900	38.89	-17.06	74.0	35.11	Peak	64.00	200	Vertical	Pass
1**	1439.900	30.10	-17.06	54.0	23.90	AV	64.00	200	Vertical	Pass
2	4264.600	49.88	-4.03	74.0	24.12	Peak	169.00	300	Vertical	Pass
2**	4264.600	40.02	-4.03	54.0	13.98	AV	169.00	300	Vertical	Pass
3	5721.200	104.30	-1.45	--	--	Peak	241.00	100	Vertical	N/A
3**	5721.200	97.00	-1.45	--	--	AV	241.00	100	Vertical	N/A
4	7360.813	48.48	-4.02	74.0	25.52	Peak	281.00	300	Vertical	Pass
4**	7360.813	40.31	-4.02	54.0	13.69	AV	281.00	300	Vertical	Pass
5	11615.526	51.59	-0.07	74.0	22.41	Peak	297.00	200	Vertical	Pass
5**	11615.526	41.19	-0.07	54.0	12.81	AV	297.00	200	Vertical	Pass
6	16082.700	53.56	1.58	74.0	20.44	Peak	181.00	400	Vertical	Pass
6**	16082.700	44.34	1.58	54.0	9.66	AV	181.00	400	Vertical	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	38.86	-17.19	74.0	35.14	Peak	148.00	200	Horizontal	Pass
1**	1499.700	30.01	-17.19	54.0	23.99	AV	148.00	200	Horizontal	Pass
2	4366.000	50.25	-2.93	74.0	23.75	Peak	4.00	300	Horizontal	Pass
2**	4366.000	40.24	-2.93	54.0	13.76	AV	4.00	300	Horizontal	Pass
3	5723.200	103.87	-1.39	--	--	Peak	198.00	200	Horizontal	N/A
3**	5723.200	96.07	-1.39	--	--	AV	198.00	200	Horizontal	N/A
4	7379.788	48.93	-3.61	74.0	25.07	Peak	283.00	300	Horizontal	Pass
4**	7379.788	40.18	-3.61	54.0	13.82	AV	283.00	300	Horizontal	Pass
5	10921.787	51.27	0.21	74.0	22.73	Peak	204.00	100	Horizontal	Pass
5**	10921.787	42.23	0.21	54.0	11.77	AV	204.00	100	Horizontal	Pass
6	16086.901	54.64	1.49	74.0	19.36	Peak	0.00	300	Horizontal	Pass
6**	16086.901	45.49	1.49	54.0	8.51	AV	0.00	300	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.200	39.01	-17.17	74.0	34.99	Peak	298.00	200	Vertical	Pass
1**	1621.200	28.80	-17.17	54.0	25.20	AV	298.00	200	Vertical	Pass
2	4355.600	49.75	-2.62	74.0	24.25	Peak	252.00	100	Vertical	Pass
2**	4355.600	41.05	-2.62	54.0	12.95	AV	252.00	100	Vertical	Pass
3	5722.400	104.06	-1.43	--	--	Peak	222.00	100	Vertical	N/A
3**	5722.400	96.99	-1.43	--	--	AV	222.00	100	Vertical	N/A
4	7345.288	49.07	-3.70	74.0	24.93	Peak	203.00	100	Vertical	Pass
4**	7345.288	40.01	-3.70	54.0	13.99	AV	203.00	100	Vertical	Pass
5	11431.812	51.92	-0.08	74.0	22.08	Peak	171.00	100	Vertical	Pass
5**	11431.812	41.37	-0.08	54.0	12.63	AV	171.00	100	Vertical	Pass
6	16111.838	53.67	0.74	74.0	20.33	Peak	327.00	400	Vertical	Pass
6**	16111.838	44.01	0.74	54.0	9.99	AV	327.00	400	Vertical	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	39.14	-17.19	74.0	34.86	Peak	360.00	100	Horizontal	Pass
1**	1500.200	31.54	-17.19	54.0	22.46	AV	360.00	100	Horizontal	Pass
2	4375.800	49.85	-2.96	74.0	24.15	Peak	206.00	300	Horizontal	Pass
2**	4375.800	40.72	-2.96	54.0	13.28	AV	206.00	300	Horizontal	Pass
3	5699.000	100.55	-0.87	--	--	Peak	197.00	150	Horizontal	N/A
3**	5699.000	93.39	-0.87	--	--	AV	197.00	150	Horizontal	N/A
4	7365.125	48.69	-4.02	74.0	25.31	Peak	315.00	300	Horizontal	Pass
4**	7365.125	39.75	-4.02	54.0	14.25	AV	315.00	300	Horizontal	Pass
5	10941.050	50.90	-0.08	74.0	23.10	Peak	92.00	100	Horizontal	Pass
5**	10941.050	41.95	-0.08	54.0	12.05	AV	92.00	100	Horizontal	Pass
6	16100.287	53.53	1.19	74.0	20.47	Peak	0.00	400	Horizontal	Pass
6**	16100.287	44.74	1.19	54.0	9.26	AV	0.00	400	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1618.200	38.61	-17.45	74.0	35.39	Peak	56.00	300	Vertical	Pass
1**	1618.200	29.55	-17.45	54.0	24.45	AV	56.00	300	Vertical	Pass
2	4346.000	50.12	-2.86	74.0	23.88	Peak	360.00	100	Vertical	Pass
2**	4346.000	41.00	-2.86	54.0	13.00	AV	360.00	100	Vertical	Pass
3	5702.800	100.64	-1.04	--	--	Peak	242.00	150	Vertical	N/A
3**	5702.800	92.38	-1.04	--	--	AV	242.00	150	Vertical	N/A
4	7666.138	49.09	-2.41	74.0	24.91	Peak	0.00	100	Vertical	Pass
4**	7666.138	39.50	-2.41	54.0	14.50	AV	0.00	100	Vertical	Pass
5	11948.162	51.01	1.45	74.0	22.99	Peak	360.00	150	Vertical	Pass
5**	11948.162	41.43	1.45	54.0	12.57	AV	360.00	150	Vertical	Pass
6	15849.862	54.31	1.33	74.0	19.69	Peak	143.00	100	Vertical	Pass
6**	15849.862	44.53	1.33	54.0	9.47	AV	143.00	100	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	38.40	-17.19	74.0	35.60	Peak	321.00	300	Horizontal	Pass
1**	1500.300	31.73	-17.19	54.0	22.27	AV	321.00	300	Horizontal	Pass
2	4380.600	50.80	-3.02	74.0	23.20	Peak	209.00	400	Horizontal	Pass
2**	4380.600	40.87	-3.02	54.0	13.13	AV	209.00	400	Horizontal	Pass
3	5721.400	101.53	-1.45	--	--	Peak	198.00	200	Horizontal	N/A
3**	5721.400	93.39	-1.45	--	--	AV	198.00	200	Horizontal	N/A
4	7340.687	48.87	-3.57	74.0	25.13	Peak	252.00	100	Horizontal	Pass
4**	7340.687	39.30	-3.57	54.0	14.70	AV	252.00	100	Horizontal	Pass
5	10927.250	51.66	0.13	74.0	22.34	Peak	360.00	150	Horizontal	Pass
5**	10927.250	42.34	0.13	54.0	11.66	AV	360.00	150	Horizontal	Pass
6	15841.988	53.75	1.42	74.0	20.25	Peak	0.00	200	Horizontal	Pass
6**	15841.988	45.22	1.42	54.0	8.78	AV	0.00	200	Horizontal	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.200	38.94	-17.24	74.0	35.06	Peak	14.00	200	Vertical	Pass
1**	1463.200	29.38	-17.24	54.0	24.62	AV	14.00	200	Vertical	Pass
2	4385.200	50.28	-2.96	74.0	23.72	Peak	5.00	100	Vertical	Pass
2**	4385.200	41.50	-2.96	54.0	12.50	AV	5.00	100	Vertical	Pass
3	5723.600	101.23	-1.35	--	--	Peak	260.00	100	Vertical	N/A
3**	5723.600	93.95	-1.35	--	--	AV	260.00	100	Vertical	N/A
4	7355.925	48.57	-4.08	74.0	25.43	Peak	75.00	200	Vertical	Pass
4**	7355.925	40.02	-4.08	54.0	13.98	AV	75.00	200	Vertical	Pass
5	10927.825	51.05	0.12	74.0	22.95	Peak	44.00	200	Vertical	Pass
5**	10927.825	41.72	0.12	54.0	12.28	AV	44.00	200	Vertical	Pass
6	15849.600	54.43	1.33	74.0	19.57	Peak	69.00	100	Vertical	Pass
6**	15849.600	44.74	1.33	54.0	9.26	AV	69.00	100	Vertical	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.800	38.80	-16.97	74.0	35.20	Peak	176.00	200	Horizontal	Pass
1**	1455.800	29.13	-16.97	54.0	24.87	AV	176.00	200	Horizontal	Pass
2	4359.200	49.58	-2.68	74.0	24.42	Peak	0.00	400	Horizontal	Pass
2**	4359.200	41.19	-2.68	54.0	12.81	AV	0.00	400	Horizontal	Pass
3	5701.600	98.56	-0.87	--	--	Peak	198.00	200	Horizontal	N/A
3**	5701.600	89.95	-0.87	--	--	AV	198.00	200	Horizontal	N/A
4	7372.025	48.55	-3.85	74.0	25.45	Peak	331.00	300	Horizontal	Pass
4**	7372.025	39.91	-3.85	54.0	14.09	AV	331.00	300	Horizontal	Pass
5	12206.338	51.11	0.86	74.0	22.89	Peak	204.00	150	Horizontal	Pass
5**	12206.338	41.56	0.86	54.0	12.44	AV	204.00	150	Horizontal	Pass
6	15837.263	53.54	1.45	74.0	20.46	Peak	326.00	100	Horizontal	Pass
6**	15837.263	44.68	1.45	54.0	9.32	AV	326.00	100	Horizontal	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.000	38.84	-17.39	74.0	35.16	Peak	112.00	100	Vertical	Pass
1**	1614.000	30.59	-17.39	54.0	23.41	AV	112.00	100	Vertical	Pass
2	4376.200	49.80	-2.94	74.0	24.20	Peak	74.00	200	Vertical	Pass
2**	4376.200	40.23	-2.94	54.0	13.77	AV	74.00	200	Vertical	Pass
3	5698.400	99.66	-0.84	--	--	Peak	240.00	200	Vertical	N/A
3**	5698.400	92.08	-0.84	--	--	AV	240.00	200	Vertical	N/A
4	7362.250	49.27	-4.01	74.0	24.73	Peak	205.00	400	Vertical	Pass
4**	7362.250	40.73	-4.01	54.0	13.27	AV	205.00	400	Vertical	Pass
5	11709.250	51.30	0.60	74.0	22.70	Peak	28.00	200	Vertical	Pass
5**	11709.250	41.88	0.60	54.0	12.12	AV	28.00	200	Vertical	Pass
6	16088.475	53.55	1.46	74.0	20.45	Peak	33.00	200	Vertical	Pass
6**	16088.475	44.89	1.46	54.0	9.11	AV	33.00	200	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.700	38.52	-17.21	74.0	35.48	Peak	252.00	400	Horizontal	Pass
1**	1450.700	28.69	-17.21	54.0	25.31	AV	252.00	400	Horizontal	Pass
2	4380.400	49.56	-3.02	74.0	24.44	Peak	281.00	300	Horizontal	Pass
2**	4380.400	41.09	-3.02	54.0	12.91	AV	281.00	300	Horizontal	Pass
3	5701.000	95.15	-0.86	--	--	Peak	198.00	150	Horizontal	N/A
3**	5701.000	87.51	-0.86	--	--	AV	198.00	150	Horizontal	N/A
4	7363.687	49.15	-4.01	74.0	24.85	Peak	236.00	200	Horizontal	Pass
4**	7363.687	39.85	-4.01	54.0	14.15	AV	236.00	200	Horizontal	Pass
5	11717.588	51.08	0.77	74.0	22.92	Peak	61.00	150	Horizontal	Pass
5**	11717.588	40.65	0.77	54.0	13.35	AV	61.00	150	Horizontal	Pass
6	15838.576	53.41	1.45	74.0	20.59	Peak	308.00	300	Horizontal	Pass
6**	15838.576	45.18	1.45	54.0	8.82	AV	308.00	300	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.100	39.23	-17.33	74.0	34.77	Peak	118.00	100	Vertical	Pass
1**	1583.100	29.01	-17.33	54.0	24.99	AV	118.00	100	Vertical	Pass
2	4393.400	49.86	-3.33	74.0	24.14	Peak	343.00	300	Vertical	Pass
2**	4393.400	40.49	-3.33	54.0	13.51	AV	343.00	300	Vertical	Pass
3	5696.000	96.05	-0.94	--	--	Peak	240.00	100	Vertical	N/A
3**	5696.000	88.62	-0.94	--	--	AV	240.00	100	Vertical	N/A
4	7352.187	49.14	-3.84	74.0	24.86	Peak	28.00	300	Vertical	Pass
4**	7352.187	39.50	-3.84	54.0	14.50	AV	28.00	300	Vertical	Pass
5	10918.338	51.12	0.22	74.0	22.88	Peak	283.00	150	Vertical	Pass
5**	10918.338	42.11	0.22	54.0	11.89	AV	283.00	150	Vertical	Pass
6	16092.412	53.52	1.38	74.0	20.48	Peak	13.00	400	Vertical	Pass
6**	16092.412	44.57	1.38	54.0	9.43	AV	13.00	400	Vertical	Pass

11x20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.800	38.39	-17.04	74.0	35.61	Peak	123.00	400	Horizontal	Pass
1**	1439.800	29.87	-17.04	54.0	24.13	AV	123.00	400	Horizontal	Pass
2	4357.600	50.36	-2.55	74.0	23.64	Peak	266.00	100	Horizontal	Pass
2**	4357.600	40.91	-2.55	54.0	13.09	AV	266.00	100	Horizontal	Pass
3	5728.600	101.19	-0.89	--	--	Peak	277.00	150	Horizontal	N/A
3**	5728.600	91.91	-0.89	--	--	AV	277.00	150	Horizontal	N/A
4	7581.900	48.47	-3.43	74.0	25.53	Peak	92.00	100	Horizontal	Pass
4**	7581.900	38.49	-3.43	54.0	15.51	AV	92.00	100	Horizontal	Pass
5	11211.875	51.20	-0.21	74.0	22.80	Peak	124.00	150	Horizontal	Pass
5**	11211.875	42.63	-0.21	54.0	11.37	AV	124.00	150	Horizontal	Pass
6	16098.187	54.04	1.25	74.0	19.96	Peak	126.00	300	Horizontal	Pass
6**	16098.187	45.21	1.25	54.0	8.79	AV	126.00	300	Horizontal	Pass

11x20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.300	38.93	-17.22	74.0	35.07	Peak	117.00	300	Vertical	Pass
1**	1437.300	28.76	-17.22	54.0	25.24	AV	117.00	300	Vertical	Pass
2	4377.400	50.64	-2.86	74.0	23.36	Peak	342.00	200	Vertical	Pass
2**	4377.400	40.63	-2.86	54.0	13.37	AV	342.00	200	Vertical	Pass
3	5721.800	103.41	-1.44	--	--	Peak	231.00	100	Vertical	N/A
3**	5721.800	92.60	-1.44	--	--	AV	231.00	100	Vertical	N/A
4	7355.638	49.74	-4.05	74.0	24.26	Peak	331.00	400	Vertical	Pass
4**	7355.638	40.91	-4.05	54.0	13.09	AV	331.00	400	Vertical	Pass
5	11923.151	50.88	1.51	74.0	23.12	Peak	174.00	150	Vertical	Pass
5**	11923.151	41.04	1.51	54.0	12.96	AV	174.00	150	Vertical	Pass
6	16105.012	53.71	0.98	74.0	20.29	Peak	345.00	200	Vertical	Pass
6**	16105.012	44.71	0.98	54.0	9.29	AV	345.00	200	Vertical	Pass

11ax40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.000	38.40	-17.22	74.0	35.60	Peak	48.00	300	Horizontal	Pass
1**	1585.000	28.96	-17.22	54.0	25.04	AV	48.00	300	Horizontal	Pass
2	4194.600	49.65	-3.86	74.0	24.35	Peak	250.00	100	Horizontal	Pass
2**	4194.600	40.65	-3.86	54.0	13.35	AV	250.00	100	Horizontal	Pass
3	5721.400	97.74	-1.45	--	--	Peak	281.00	150	Horizontal	N/A
3**	5721.400	89.44	-1.45	--	--	AV	281.00	150	Horizontal	N/A
4	7333.788	48.80	-3.48	74.0	25.20	Peak	92.00	200	Horizontal	Pass
4**	7333.788	39.47	-3.48	54.0	14.53	AV	92.00	200	Horizontal	Pass
5	10924.088	51.12	0.17	74.0	22.88	Peak	360.00	100	Horizontal	Pass
5**	10924.088	41.93	0.17	54.0	12.07	AV	360.00	100	Horizontal	Pass
6	15839.100	53.47	1.45	74.0	20.53	Peak	34.00	300	Horizontal	Pass
6**	15839.100	44.78	1.45	54.0	9.22	AV	34.00	300	Horizontal	Pass

11ax40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1501.400	39.17	-17.22	74.0	34.83	Peak	106.00	100	Vertical	Pass
1**	1501.400	29.87	-17.22	54.0	24.13	AV	106.00	100	Vertical	Pass
2	4376.800	49.42	-2.90	74.0	24.58	Peak	78.00	400	Vertical	Pass
2**	4376.800	40.05	-2.90	54.0	13.95	AV	78.00	400	Vertical	Pass
3	5700.600	100.44	-0.86	--	--	Peak	283.00	100	Vertical	N/A
3**	5700.600	90.00	-0.86	--	--	AV	283.00	100	Vertical	N/A
4	7332.638	49.39	-3.55	74.0	24.61	Peak	13.00	400	Vertical	Pass
4**	7332.638	38.97	-3.55	54.0	15.03	AV	13.00	400	Vertical	Pass
5	11222.225	51.39	-0.21	74.0	22.61	Peak	173.00	100	Vertical	Pass
5**	11222.225	42.06	-0.21	54.0	11.94	AV	173.00	100	Vertical	Pass
6	15824.925	54.03	1.64	74.0	19.97	Peak	252.00	400	Vertical	Pass
6**	15824.925	44.62	1.64	54.0	9.38	AV	252.00	400	Vertical	Pass

11x80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1463.400	38.45	-17.24	74.0	35.55	Peak	98.00	200	Horizontal	Pass
1**	1463.400	28.86	-17.24	54.0	25.14	AV	98.00	200	Horizontal	Pass
2	4277.400	50.05	-3.73	74.0	23.95	Peak	240.00	100	Horizontal	Pass
2**	4277.400	41.12	-3.73	54.0	12.88	AV	240.00	100	Horizontal	Pass
3	5678.800	95.90	-0.94	--	--	Peak	199.00	150	Horizontal	N/A
3**	5678.800	87.38	-0.94	--	--	AV	199.00	150	Horizontal	N/A
4	7598.862	48.70	-3.72	74.0	25.30	Peak	360.00	400	Horizontal	Pass
4**	7598.862	38.64	-3.72	54.0	15.36	AV	360.00	400	Horizontal	Pass
5	12211.800	51.88	1.08	74.0	22.12	Peak	267.00	100	Horizontal	Pass
5**	12211.800	41.59	1.08	54.0	12.41	AV	267.00	100	Horizontal	Pass
6	16094.775	53.75	1.33	74.0	20.25	Peak	159.00	300	Horizontal	Pass
6**	16094.775	45.00	1.33	54.0	9.00	AV	159.00	300	Horizontal	Pass

11x80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.300	38.64	-17.30	74.0	35.36	Peak	117.00	100	Vertical	Pass
1**	1441.300	29.75	-17.30	54.0	24.25	AV	117.00	100	Vertical	Pass
2	4394.400	50.37	-3.38	74.0	23.63	Peak	36.00	300	Vertical	Pass
2**	4394.400	40.68	-3.38	54.0	13.32	AV	36.00	300	Vertical	Pass
3	5668.600	98.56	-1.02	--	--	Peak	239.00	100	Vertical	N/A
3**	5668.600	87.13	-1.02	--	--	AV	239.00	100	Vertical	N/A
4	7367.138	48.50	-4.02	74.0	25.50	Peak	347.00	300	Vertical	Pass
4**	7367.138	40.62	-4.02	54.0	13.38	AV	347.00	300	Vertical	Pass
5	11215.901	50.62	-0.19	74.0	23.38	Peak	284.00	200	Vertical	Pass
5**	11215.901	42.60	-0.19	54.0	11.40	AV	284.00	200	Vertical	Pass
6	15849.862	53.62	1.33	74.0	20.38	Peak	86.00	300	Vertical	Pass
6**	15849.862	44.75	1.33	54.0	9.25	AV	86.00	300	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.100	41.42	-16.06	88.2	46.78	Peak	186.00	100	Horizontal	Pass
1**	1832.100	30.24	-16.06	68.2	37.96	AV	186.00	100	Horizontal	Pass
2	4740.500	51.75	-3.06	74.0	22.25	Peak	340.00	150	Horizontal	Pass
2**	4740.500	42.25	-3.06	54.0	11.75	AV	340.00	150	Horizontal	Pass
3	5957.500	96.90	-1.49	--	--	Peak	275.00	100	Horizontal	N/A
3**	5957.500	87.21	-1.49	--	--	AV	275.00	100	Horizontal	N/A
4	7837.500	55.86	3.56	88.2	32.34	Peak	-1.00	250	Horizontal	Pass
4**	7837.500	46.67	3.56	68.2	21.53	AV	-1.00	250	Horizontal	Pass
5	11176.088	51.78	-1.39	74.0	22.22	Peak	33.00	100	Horizontal	Pass
5**	11176.088	43.51	-1.39	54.0	10.49	AV	33.00	100	Horizontal	Pass
6	15752.212	52.68	0.31	74.0	21.32	Peak	-1.00	300	Horizontal	Pass
6**	15752.212	43.14	0.31	54.0	10.86	AV	-1.00	300	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.100	45.53	-16.09	88.2	42.67	Peak	207.00	150	Vertical	Pass
1**	1829.100	32.07	-16.09	68.2	36.13	AV	207.00	150	Vertical	Pass
2	4785.750	51.49	-2.48	74.0	22.51	Peak	-1.00	200	Vertical	Pass
2**	4785.750	42.31	-2.48	54.0	11.69	AV	-1.00	200	Vertical	Pass
3	5948.750	101.31	-1.58	--	--	Peak	75.00	100	Vertical	N/A
3**	5948.750	92.01	-1.58	--	--	AV	75.00	100	Vertical	N/A
4	7559.000	55.48	1.11	74.0	18.52	Peak	342.00	250	Vertical	Pass
4**	7559.000	45.99	1.11	54.0	8.01	AV	342.00	250	Vertical	Pass
5	11125.026	52.08	-0.98	74.0	21.92	Peak	75.00	350	Vertical	Pass
5**	11125.026	43.31	-0.98	54.0	10.69	AV	75.00	350	Vertical	Pass
6	15758.250	52.53	0.15	74.0	21.47	Peak	256.00	100	Vertical	Pass
6**	15758.250	44.09	0.15	54.0	9.91	AV	256.00	100	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.200	41.07	-13.61	88.2	47.13	Peak	79.00	400	Horizontal	Pass
1**	2095.200	33.08	-13.61	68.2	35.12	AV	79.00	400	Horizontal	Pass
2	4764.250	52.02	-2.60	74.0	21.98	Peak	283.00	350	Horizontal	Pass
2**	4764.250	42.80	-2.60	54.0	11.20	AV	283.00	350	Horizontal	Pass
3	6180.000	98.77	-1.37	--	--	Peak	283.00	150	Horizontal	N/A
3**	6180.000	88.27	-1.37	--	--	AV	283.00	150	Horizontal	N/A
4	7879.250	55.63	2.90	88.2	32.57	Peak	296.00	150	Horizontal	Pass
4**	7879.250	46.52	2.90	68.2	21.68	AV	296.00	150	Horizontal	Pass
5	11177.750	52.06	-1.42	74.0	21.94	Peak	72.00	200	Horizontal	Pass
5**	11177.750	42.30	-1.42	54.0	11.70	AV	72.00	200	Horizontal	Pass
6	16328.401	52.48	0.23	88.2	35.72	Peak	254.00	250	Horizontal	Pass
6**	16328.401	43.45	0.23	68.2	24.75	AV	254.00	250	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.500	44.38	-16.07	88.2	43.82	Peak	199.00	250	Vertical	Pass
1**	1830.500	35.60	-16.07	68.2	32.60	AV	199.00	250	Vertical	Pass
2	4762.000	52.48	-2.69	74.0	21.52	Peak	93.00	200	Vertical	Pass
2**	4762.000	43.25	-2.69	54.0	10.75	AV	93.00	200	Vertical	Pass
3	6177.250	103.56	-1.16	--	--	Peak	293.00	150	Vertical	N/A
3**	6177.250	92.35	-1.16	--	--	AV	293.00	150	Vertical	N/A
4	7831.000	55.49	3.21	88.2	32.71	Peak	-1.00	300	Vertical	Pass
4**	7831.000	47.41	3.21	68.2	20.79	AV	-1.00	300	Vertical	Pass
5	11059.713	51.76	-1.76	74.0	22.24	Peak	295.00	100	Vertical	Pass
5**	11059.713	42.55	-1.76	54.0	11.45	AV	295.00	100	Vertical	Pass
6	16323.675	52.51	0.10	88.2	35.69	Peak	-1.00	250	Vertical	Pass
6**	16323.675	43.64	0.10	68.2	24.56	AV	-1.00	250	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2093.300	41.43	-13.64	88.2	46.77	Peak	251.00	350	Horizontal	Pass
1**	2093.300	31.72	-13.64	68.2	36.48	AV	251.00	350	Horizontal	Pass
2	4785.250	51.47	-2.49	74.0	22.53	Peak	28.00	200	Horizontal	Pass
2**	4785.250	43.02	-2.49	54.0	10.98	AV	28.00	200	Horizontal	Pass
3	6410.250	97.01	-0.22	--	--	Peak	272.00	150	Horizontal	N/A
3**	6410.250	87.56	-0.22	--	--	AV	272.00	150	Horizontal	N/A
4	7838.000	55.50	3.49	88.2	32.70	Peak	259.00	350	Horizontal	Pass
4**	7838.000	46.47	3.49	68.2	21.73	AV	259.00	350	Horizontal	Pass
5	11192.001	52.68	-1.66	74.0	21.32	Peak	259.00	250	Horizontal	Pass
5**	11192.001	42.03	-1.66	54.0	11.97	AV	259.00	250	Horizontal	Pass
6	16321.838	52.67	0.05	88.2	35.53	Peak	-1.00	150	Horizontal	Pass
6**	16321.838	43.77	0.05	68.2	24.43	AV	-1.00	150	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.400	44.77	-16.08	88.2	43.43	Peak	119.00	100	Vertical	Pass
1**	1830.400	35.51	-16.08	68.2	32.69	AV	119.00	100	Vertical	Pass
2	4789.500	51.77	-2.84	74.0	22.23	Peak	-1.00	250	Vertical	Pass
2**	4789.500	43.16	-2.84	54.0	10.84	AV	-1.00	250	Vertical	Pass
3	6412.750	102.46	-0.19	--	--	Peak	285.00	100	Vertical	N/A
3**	6412.750	92.69	-0.19	--	--	AV	285.00	100	Vertical	N/A
4	7461.750	55.72	1.54	74.0	18.28	Peak	246.00	250	Vertical	Pass
4**	7461.750	45.10	1.54	54.0	8.90	AV	246.00	250	Vertical	Pass
5	11187.724	52.04	-1.59	74.0	21.96	Peak	127.00	400	Vertical	Pass
5**	11187.724	42.55	-1.59	54.0	11.45	AV	127.00	400	Vertical	Pass
6	16329.975	52.53	0.28	88.2	35.67	Peak	103.00	150	Vertical	Pass
6**	16329.975	43.50	0.28	68.2	24.70	AV	103.00	150	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1996.900	41.06	-14.41	88.2	47.14	Peak	163.00	100	Horizontal	Pass
1**	1996.900	31.23	-14.41	68.2	36.97	AV	163.00	100	Horizontal	Pass
2	4819.750	51.66	-1.81	74.0	22.34	Peak	44.00	250	Horizontal	Pass
2**	4819.750	42.51	-1.81	54.0	11.49	AV	44.00	250	Horizontal	Pass
3	5979.000	92.47	-1.28	--	--	Peak	277.00	200	Horizontal	N/A
3**	5979.000	82.53	-1.28	--	--	AV	277.00	200	Horizontal	N/A
4	7836.000	55.61	3.55	88.2	32.59	Peak	-1.00	250	Horizontal	Pass
4**	7836.000	46.44	3.55	68.2	21.76	AV	-1.00	250	Horizontal	Pass
5	11142.838	52.56	-0.96	74.0	21.44	Peak	78.00	250	Horizontal	Pass
5**	11142.838	42.45	-0.96	54.0	11.55	AV	78.00	250	Horizontal	Pass
6	16660.199	53.02	1.06	88.2	35.18	Peak	246.00	250	Horizontal	Pass
6**	16660.199	43.10	1.06	68.2	25.10	AV	246.00	250	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1797.200	45.47	-16.23	88.2	42.73	Peak	28.00	100	Vertical	Pass
1**	1797.200	36.24	-16.23	68.2	31.96	AV	28.00	100	Vertical	Pass
2	4823.750	51.79	-1.76	74.0	22.21	Peak	363.00	100	Vertical	Pass
2**	4823.750	42.88	-1.76	54.0	11.12	AV	363.00	100	Vertical	Pass
3	5966.750	99.36	-1.35	--	--	Peak	70.00	200	Vertical	N/A
3**	5966.750	89.96	-1.35	--	--	AV	70.00	200	Vertical	N/A
4	7825.750	55.51	3.02	88.2	32.69	Peak	15.00	150	Vertical	Pass
4**	7825.750	46.11	3.02	68.2	22.09	AV	15.00	150	Vertical	Pass
5	11177.275	51.45	-1.41	74.0	22.55	Peak	361.00	300	Vertical	Pass
5**	11177.275	42.87	-1.41	54.0	11.13	AV	361.00	300	Vertical	Pass
6	16506.375	53.08	0.31	88.2	35.12	Peak	267.00	300	Vertical	Pass
6**	16506.375	44.31	0.31	68.2	23.89	AV	267.00	300	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1999.700	41.02	-14.44	88.2	47.18	Peak	248.00	200	Horizontal	Pass
1**	1999.700	30.57	-14.44	68.2	37.63	AV	248.00	200	Horizontal	Pass
2	4740.250	51.23	-3.03	74.0	22.77	Peak	274.00	300	Horizontal	Pass
2**	4740.250	41.51	-3.03	54.0	12.49	AV	274.00	300	Horizontal	Pass
3	6177.000	95.31	-1.18	--	--	Peak	248.00	100	Horizontal	N/A
3**	6177.000	85.24	-1.18	--	--	AV	248.00	100	Horizontal	N/A
4	7480.750	55.49	1.59	74.0	18.51	Peak	15.00	300	Horizontal	Pass
4**	7480.750	45.84	1.59	54.0	8.16	AV	15.00	300	Horizontal	Pass
5	11117.662	52.71	-0.99	74.0	21.29	Peak	362.00	100	Horizontal	Pass
5**	11117.662	42.25	-0.99	54.0	11.75	AV	362.00	100	Horizontal	Pass
6	16332.338	52.51	0.34	88.2	35.69	Peak	228.00	300	Horizontal	Pass
6**	16332.338	43.58	0.34	68.2	24.62	AV	228.00	300	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.200	43.42	-16.10	88.2	44.78	Peak	194.00	250	Vertical	Pass
1**	1828.200	32.69	-16.10	68.2	35.51	AV	194.00	250	Vertical	Pass
2	4817.500	51.98	-1.71	74.0	22.02	Peak	210.00	100	Vertical	Pass
2**	4817.500	42.76	-1.71	54.0	11.24	AV	210.00	100	Vertical	Pass
3	6172.750	99.13	-1.18	--	--	Peak	114.00	100	Vertical	N/A
3**	6172.750	90.10	-1.18	--	--	AV	114.00	100	Vertical	N/A
4	7921.750	55.65	2.07	88.2	32.55	Peak	168.00	400	Vertical	Pass
4**	7921.750	46.38	2.07	68.2	21.82	AV	168.00	400	Vertical	Pass
5	11054.725	51.75	-1.85	74.0	22.25	Peak	362.00	300	Vertical	Pass
5**	11054.725	41.78	-1.85	54.0	12.22	AV	362.00	300	Vertical	Pass
6	15741.450	52.42	0.26	74.0	21.58	Peak	168.00	400	Vertical	Pass
6**	15741.450	43.37	0.26	54.0	10.63	AV	168.00	400	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.700	41.37	-14.48	88.2	46.83	Peak	251.00	100	Horizontal	Pass
1**	1993.700	32.30	-14.48	68.2	35.90	AV	251.00	100	Horizontal	Pass
2	4819.750	50.83	-1.81	74.0	23.17	Peak	-1.00	150	Horizontal	Pass
2**	4819.750	42.82	-1.81	54.0	11.18	AV	-1.00	150	Horizontal	Pass
3	6410.750	95.49	-0.17	--	--	Peak	249.00	150	Horizontal	N/A
3**	6410.750	85.48	-0.17	--	--	AV	249.00	150	Horizontal	N/A
4	7833.000	55.78	3.39	88.2	32.42	Peak	-1.00	150	Horizontal	Pass
4**	7833.000	46.35	3.39	68.2	21.85	AV	-1.00	150	Horizontal	Pass
5	11137.375	52.55	-0.96	74.0	21.45	Peak	361.00	300	Horizontal	Pass
5**	11137.375	43.28	-0.96	54.0	10.72	AV	361.00	300	Horizontal	Pass
6	16320.000	53.50	-0.01	88.2	34.70	Peak	47.00	200	Horizontal	Pass
6**	16320.000	43.90	-0.01	68.2	24.30	AV	47.00	200	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.300	45.10	-16.08	88.2	43.10	Peak	139.00	250	Vertical	Pass
1**	1829.300	33.83	-16.08	68.2	34.37	AV	139.00	250	Vertical	Pass
2	4820.750	52.18	-1.84	74.0	21.82	Peak	59.00	250	Vertical	Pass
2**	4820.750	43.12	-1.84	54.0	10.88	AV	59.00	250	Vertical	Pass
3	6393.500	100.84	-0.88	--	--	Peak	296.00	150	Vertical	N/A
3**	6393.500	90.09	-0.88	--	--	AV	296.00	150	Vertical	N/A
4	7835.250	55.22	3.50	88.2	32.98	Peak	348.00	350	Vertical	Pass
4**	7835.250	47.16	3.50	68.2	21.04	AV	348.00	350	Vertical	Pass
5	11128.825	51.33	-0.97	74.0	22.67	Peak	75.00	350	Vertical	Pass
5**	11128.825	42.80	-0.97	54.0	11.20	AV	75.00	350	Vertical	Pass
6	16343.363	52.72	0.66	88.2	35.48	Peak	-1.00	400	Vertical	Pass
6**	16343.363	44.17	0.66	68.2	24.03	AV	-1.00	400	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2063.100	41.57	-13.80	88.2	46.63	Peak	274.00	100	Horizontal	Pass
1**	2063.100	31.63	-13.80	68.2	36.57	AV	274.00	100	Horizontal	Pass
2	4818.000	51.55	-1.73	74.0	22.45	Peak	-2.00	350	Horizontal	Pass
2**	4818.000	43.14	-1.73	54.0	10.86	AV	-2.00	350	Horizontal	Pass
3	5958.750	90.63	-1.51	--	--	Peak	280.00	100	Horizontal	N/A
3**	5958.750	79.91	-1.51	--	--	AV	280.00	100	Horizontal	N/A
4	7838.000	55.73	3.49	88.2	32.47	Peak	280.00	300	Horizontal	Pass
4**	7838.000	47.15	3.49	68.2	21.05	AV	280.00	300	Horizontal	Pass
5	11171.100	51.53	-1.31	74.0	22.47	Peak	236.00	150	Horizontal	Pass
5**	11171.100	42.29	-1.31	54.0	11.71	AV	236.00	150	Horizontal	Pass
6	16335.225	52.46	0.43	88.2	35.74	Peak	181.00	250	Horizontal	Pass
6**	16335.225	43.37	0.43	68.2	24.83	AV	181.00	250	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1799.200	42.95	-16.04	88.2	45.25	Peak	202.00	200	Vertical	Pass
1**	1799.200	30.33	-16.04	68.2	37.87	AV	202.00	200	Vertical	Pass
2	4710.250	51.90	-2.69	74.0	22.10	Peak	259.00	350	Vertical	Pass
2**	4710.250	42.37	-2.69	54.0	11.63	AV	259.00	350	Vertical	Pass
3	5980.500	95.41	-1.34	--	--	Peak	111.00	200	Vertical	N/A
3**	5980.500	85.06	-1.34	--	--	AV	111.00	200	Vertical	N/A
4	7513.250	55.34	1.81	74.0	18.66	Peak	-2.00	150	Vertical	Pass
4**	7513.250	46.14	1.81	54.0	7.86	AV	-2.00	150	Vertical	Pass
5	11118.375	51.74	-0.99	74.0	22.26	Peak	361.00	400	Vertical	Pass
5**	11118.375	42.35	-0.99	54.0	11.65	AV	361.00	400	Vertical	Pass
6	16202.138	52.55	0.34	88.2	35.65	Peak	363.00	150	Vertical	Pass
6**	16202.138	42.82	0.34	68.2	25.38	AV	363.00	150	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.700	42.21	-16.67	74.0	31.79	Peak	17.00	150	Horizontal	Pass
1**	1329.700	29.37	-16.67	54.0	24.63	AV	17.00	150	Horizontal	Pass
2	4817.750	52.06	-1.72	74.0	21.94	Peak	-1.00	400	Horizontal	Pass
2**	4817.750	42.80	-1.72	54.0	11.20	AV	-1.00	400	Horizontal	Pass
3	6172.000	90.79	-1.20	--	--	Peak	279.00	100	Horizontal	N/A
3**	6172.000	81.20	-1.20	--	--	AV	279.00	100	Horizontal	N/A
4	7817.250	55.69	2.60	88.2	32.51	Peak	-1.00	400	Horizontal	Pass
4**	7817.250	46.19	2.60	68.2	22.01	AV	-1.00	400	Horizontal	Pass
5	11206.725	51.76	-1.97	74.0	22.24	Peak	-1.00	150	Horizontal	Pass
5**	11206.725	42.22	-1.97	54.0	11.78	AV	-1.00	150	Horizontal	Pass
6	15750.638	53.11	0.36	74.0	20.89	Peak	-1.00	250	Horizontal	Pass
6**	15750.638	43.35	0.36	54.0	10.65	AV	-1.00	250	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.500	44.55	-14.47	88.2	43.65	Peak	160.00	300	Vertical	Pass
1**	1993.500	35.88	-14.47	68.2	32.32	AV	160.00	300	Vertical	Pass
2	4756.000	51.50	-2.77	74.0	22.50	Peak	163.00	250	Vertical	Pass
2**	4756.000	42.50	-2.77	54.0	11.50	AV	163.00	250	Vertical	Pass
3	6151.000	94.73	-1.65	--	--	Peak	308.00	100	Vertical	N/A
3**	6151.000	86.55	-1.65	--	--	AV	308.00	100	Vertical	N/A
4	7929.250	56.00	2.47	88.2	32.20	Peak	279.00	150	Vertical	Pass
4**	7929.250	46.72	2.47	68.2	21.48	AV	279.00	150	Vertical	Pass
5	11150.437	51.78	-0.96	74.0	22.22	Peak	96.00	400	Vertical	Pass
5**	11150.437	42.20	-0.96	54.0	11.80	AV	96.00	400	Vertical	Pass
6	16345.463	52.57	0.72	88.2	35.63	Peak	225.00	250	Vertical	Pass
6**	16345.463	43.64	0.72	68.2	24.56	AV	225.00	250	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.100	42.02	-14.42	88.2	46.18	Peak	103.00	350	Horizontal	Pass
1**	1991.100	31.45	-14.42	68.2	36.75	AV	103.00	350	Horizontal	Pass
2	4674.500	51.55	-3.04	74.0	22.45	Peak	-1.00	250	Horizontal	Pass
2**	4674.500	41.45	-3.04	54.0	12.55	AV	-1.00	250	Horizontal	Pass
3	6383.500	91.49	-1.20	--	--	Peak	258.00	200	Horizontal	N/A
3**	6383.500	82.70	-1.20	--	--	AV	258.00	200	Horizontal	N/A
4	7747.000	55.23	1.44	74.0	18.77	Peak	85.00	250	Horizontal	Pass
4**	7747.000	44.95	1.44	54.0	9.05	AV	85.00	250	Horizontal	Pass
5	11130.963	52.29	-0.97	74.0	21.71	Peak	362.00	250	Horizontal	Pass
5**	11130.963	42.95	-0.97	54.0	11.05	AV	362.00	250	Horizontal	Pass
6	16342.575	52.67	0.63	88.2	35.53	Peak	-2.00	350	Horizontal	Pass
6**	16342.575	43.82	0.63	68.2	24.38	AV	-2.00	350	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.900	43.91	-14.43	88.2	44.29	Peak	170.00	100	Vertical	Pass
1**	1991.900	36.51	-14.43	68.2	31.69	AV	170.00	100	Vertical	Pass
2	4732.250	51.33	-2.88	74.0	22.67	Peak	-1.00	350	Vertical	Pass
2**	4732.250	42.38	-2.88	54.0	11.62	AV	-1.00	350	Vertical	Pass
3	6379.250	96.95	-1.37	--	--	Peak	297.00	150	Vertical	N/A
3**	6379.250	87.61	-1.37	--	--	AV	297.00	150	Vertical	N/A
4	7832.750	55.78	3.38	88.2	32.42	Peak	363.00	300	Vertical	Pass
4**	7832.750	46.27	3.38	68.2	21.93	AV	363.00	300	Vertical	Pass
5	11136.187	52.08	-0.96	74.0	21.92	Peak	360.00	300	Vertical	Pass
5**	11136.187	43.07	-0.96	54.0	10.93	AV	360.00	300	Vertical	Pass
6	16781.475	52.76	0.50	88.2	35.44	Peak	-1.00	300	Vertical	Pass
6**	16781.475	43.14	0.50	68.2	25.06	AV	-1.00	300	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.600	41.24	-16.21	88.2	46.96	Peak	293.00	400	Horizontal	Pass
1**	1825.600	29.69	-16.21	68.2	38.51	AV	293.00	400	Horizontal	Pass
2	4758.500	51.53	-2.75	74.0	22.47	Peak	215.00	200	Horizontal	Pass
2**	4758.500	42.09	-2.75	54.0	11.91	AV	215.00	200	Horizontal	Pass
3	6037.750	87.44	-1.29	--	--	Peak	256.00	100	Horizontal	N/A
3**	6037.750	77.91	-1.29	--	--	AV	256.00	100	Horizontal	N/A
4	7876.250	55.35	2.59	88.2	32.85	Peak	311.00	100	Horizontal	Pass
4**	7876.250	46.08	2.59	68.2	22.12	AV	311.00	100	Horizontal	Pass
5	11132.151	52.01	-0.97	74.0	21.99	Peak	65.00	350	Horizontal	Pass
5**	11132.151	43.29	-0.97	54.0	10.71	AV	65.00	350	Horizontal	Pass
6	16800.375	53.26	1.15	88.2	34.94	Peak	352.00	400	Horizontal	Pass
6**	16800.375	43.13	1.15	68.2	25.07	AV	352.00	400	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.000	44.22	-16.19	88.2	43.98	Peak	350.00	300	Vertical	Pass
1**	1826.000	32.21	-16.19	68.2	35.99	AV	350.00	300	Vertical	Pass
2	2656.700	53.36	-10.13	88.2	34.84	Peak	208.00	150	Vertical	Pass
2**	2656.700	42.33	-10.13	68.2	25.87	AV	208.00	150	Vertical	Pass
3	6031.500	94.25	-1.17	--	--	Peak	62.00	150	Vertical	N/A
3**	6031.500	83.56	-1.17	--	--	AV	62.00	150	Vertical	N/A
4	7497.000	55.76	1.21	74.0	18.24	Peak	160.00	300	Vertical	Pass
4**	7497.000	46.40	1.21	54.0	7.60	AV	160.00	300	Vertical	Pass
5	11118.375	51.58	-0.99	74.0	22.42	Peak	-1.00	200	Vertical	Pass
5**	11118.375	42.40	-0.99	54.0	11.60	AV	-1.00	200	Vertical	Pass
6	16700.100	53.21	0.87	88.2	34.99	Peak	352.00	400	Vertical	Pass
6**	16700.100	42.94	0.87	68.2	25.26	AV	352.00	400	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.800	42.23	-14.51	88.2	45.97	Peak	262.00	400	Horizontal	Pass
1**	1994.800	32.64	-14.51	68.2	35.56	AV	262.00	400	Horizontal	Pass
2	4718.000	51.65	-2.75	74.0	22.35	Peak	361.00	300	Horizontal	Pass
2**	4718.000	42.26	-2.75	54.0	11.74	AV	361.00	300	Horizontal	Pass
3	6216.000	90.37	-1.34	--	--	Peak	272.00	150	Horizontal	N/A
3**	6216.000	80.57	-1.34	--	--	AV	272.00	150	Horizontal	N/A
4	7836.750	56.32	3.61	88.2	31.88	Peak	361.00	400	Horizontal	Pass
4**	7836.750	46.90	3.61	68.2	21.30	AV	361.00	400	Horizontal	Pass
5	11119.088	51.70	-0.99	74.0	22.30	Peak	-1.00	150	Horizontal	Pass
5**	11119.088	42.20	-0.99	54.0	11.80	AV	-1.00	150	Horizontal	Pass
6	16207.388	52.79	0.19	88.2	35.41	Peak	254.00	250	Horizontal	Pass
6**	16207.388	42.65	0.19	68.2	25.55	AV	254.00	250	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1794.200	45.66	-16.24	88.2	42.54	Peak	200.00	250	Vertical	Pass
1**	1794.200	30.49	-16.24	68.2	37.71	AV	200.00	250	Vertical	Pass
2	2656.000	53.38	-10.13	88.2	34.82	Peak	171.00	400	Vertical	Pass
2**	2656.000	38.64	-10.13	68.2	29.56	AV	171.00	400	Vertical	Pass
3	6173.000	93.25	-1.17	--	--	Peak	280.00	200	Vertical	N/A
3**	6173.000	84.20	-1.17	--	--	AV	280.00	200	Vertical	N/A
4	7817.000	55.80	2.52	88.2	32.40	Peak	249.00	300	Vertical	Pass
4**	7817.000	46.76	2.52	68.2	21.44	AV	249.00	300	Vertical	Pass
5	11076.575	52.26	-1.45	74.0	21.74	Peak	246.00	350	Vertical	Pass
5**	11076.575	41.90	-1.45	54.0	12.10	AV	246.00	350	Vertical	Pass
6	16795.387	52.84	0.99	88.2	35.36	Peak	361.00	300	Vertical	Pass
6**	16795.387	43.28	0.99	68.2	24.92	AV	361.00	300	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1903.500	41.39	-15.08	88.2	46.81	Peak	239.00	400	Horizontal	Pass
1**	1903.500	30.55	-15.08	68.2	37.65	AV	239.00	400	Horizontal	Pass
2	4777.250	51.56	-2.52	74.0	22.44	Peak	121.00	400	Horizontal	Pass
2**	4777.250	41.91	-2.52	54.0	12.09	AV	121.00	400	Horizontal	Pass
3	6334.250	89.61	-0.91	--	--	Peak	243.00	200	Horizontal	N/A
3**	6334.250	80.56	-0.91	--	--	AV	243.00	200	Horizontal	N/A
4	7820.750	55.49	2.91	88.2	32.71	Peak	324.00	150	Horizontal	Pass
4**	7820.750	46.46	2.91	68.2	21.74	AV	324.00	150	Horizontal	Pass
5	11067.787	51.47	-1.61	74.0	22.53	Peak	-1.00	200	Horizontal	Pass
5**	11067.787	41.77	-1.61	54.0	12.23	AV	-1.00	200	Horizontal	Pass
6	16222.612	52.58	-0.26	88.2	35.62	Peak	361.00	350	Horizontal	Pass
6**	16222.612	43.18	-0.26	68.2	25.02	AV	361.00	350	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.500	43.18	-14.42	88.2	45.02	Peak	164.00	100	Vertical	Pass
1**	1991.500	32.83	-14.42	68.2	35.37	AV	164.00	100	Vertical	Pass
2	4788.250	51.62	-2.69	74.0	22.38	Peak	90.00	250	Vertical	Pass
2**	4788.250	42.60	-2.69	54.0	11.40	AV	90.00	250	Vertical	Pass
3	6332.750	94.24	-0.93	--	--	Peak	282.00	200	Vertical	N/A
3**	6332.750	84.20	-0.93	--	--	AV	282.00	200	Vertical	N/A
4	7201.750	55.92	0.70	88.2	32.28	Peak	-3.00	250	Vertical	Pass
4**	7201.750	45.09	0.70	68.2	23.11	AV	-3.00	250	Vertical	Pass
5	11131.201	52.01	-0.97	74.0	21.99	Peak	103.00	300	Vertical	Pass
5**	11131.201	43.12	-0.97	54.0	10.88	AV	103.00	300	Vertical	Pass
6	16340.475	52.94	0.58	88.2	35.26	Peak	36.00	350	Vertical	Pass
6**	16340.475	44.23	0.58	68.2	23.97	AV	36.00	350	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.700	40.89	-14.45	88.2	47.31	Peak	166.00	100	Horizontal	Pass
1**	1992.700	31.68	-14.45	68.2	36.52	AV	166.00	100	Horizontal	Pass
2	4774.250	51.27	-2.52	74.0	22.73	Peak	114.00	150	Horizontal	Pass
2**	4774.250	42.83	-2.52	54.0	11.17	AV	114.00	150	Horizontal	Pass
3	6440.000	96.82	-0.77	--	--	Peak	233.00	150	Horizontal	N/A
3**	6440.000	86.79	-0.77	--	--	AV	233.00	150	Horizontal	N/A
4	7472.250	55.80	1.88	74.0	18.20	Peak	207.00	350	Horizontal	Pass
4**	7472.250	46.18	1.88	54.0	7.82	AV	207.00	350	Horizontal	Pass
5	14989.125	51.45	-0.50	88.2	36.75	Peak	158.00	350	Horizontal	Pass
5**	14989.125	41.61	-0.50	68.2	26.59	AV	158.00	350	Horizontal	Pass
6	16320.525	53.25	0.01	88.2	34.95	Peak	361.00	100	Horizontal	Pass
6**	16320.525	43.54	0.01	68.2	24.66	AV	361.00	100	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.000	44.41	-16.19	88.2	43.79	Peak	352.00	400	Vertical	Pass
1**	1826.000	31.13	-16.19	68.2	37.07	AV	352.00	400	Vertical	Pass
2	4728.500	51.86	-3.00	74.0	22.14	Peak	362.00	100	Vertical	Pass
2**	4728.500	41.99	-3.00	54.0	12.01	AV	362.00	100	Vertical	Pass
3	6431.500	102.30	-0.49	--	--	Peak	275.00	200	Vertical	N/A
3**	6431.500	92.80	-0.49	--	--	AV	275.00	200	Vertical	N/A
4	7772.500	55.81	1.75	88.2	32.39	Peak	361.00	250	Vertical	Pass
4**	7772.500	46.12	1.75	68.2	22.08	AV	361.00	250	Vertical	Pass
5	11131.201	52.06	-0.97	74.0	21.94	Peak	-1.00	300	Vertical	Pass
5**	11131.201	42.78	-0.97	54.0	11.22	AV	-1.00	300	Vertical	Pass
6	16796.963	52.85	1.05	88.2	35.35	Peak	361.00	200	Vertical	Pass
6**	16796.963	43.14	1.05	68.2	25.06	AV	361.00	200	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.700	41.56	-13.50	88.2	46.64	Peak	76.00	400	Horizontal	Pass
1**	2096.700	33.16	-13.50	68.2	35.04	AV	76.00	400	Horizontal	Pass
2	4817.500	52.73	-1.71	74.0	21.27	Peak	272.00	400	Horizontal	Pass
2**	4817.500	42.99	-1.71	54.0	11.01	AV	272.00	400	Horizontal	Pass
3	6476.250	97.72	-0.85	--	--	Peak	246.00	200	Horizontal	N/A
3**	6476.250	86.07	-0.85	--	--	AV	246.00	200	Horizontal	N/A
4	7798.750	55.74	1.30	88.2	32.46	Peak	134.00	300	Horizontal	Pass
4**	7798.750	45.94	1.30	68.2	22.26	AV	134.00	300	Horizontal	Pass
5	11125.737	51.67	-0.98	74.0	22.33	Peak	-1.00	100	Horizontal	Pass
5**	11125.737	42.65	-0.98	54.0	11.35	AV	-1.00	100	Horizontal	Pass
6	16337.063	53.00	0.48	88.2	35.20	Peak	202.00	100	Horizontal	Pass
6**	16337.063	44.22	0.48	68.2	23.98	AV	202.00	100	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1794.500	44.91	-16.22	88.2	43.29	Peak	202.00	200	Vertical	Pass
1**	1794.500	30.44	-16.22	68.2	37.76	AV	202.00	200	Vertical	Pass
2	4750.750	51.66	-2.70	74.0	22.34	Peak	93.00	200	Vertical	Pass
2**	4750.750	42.28	-2.70	54.0	11.72	AV	93.00	200	Vertical	Pass
3	6480.500	102.38	-0.71	--	--	Peak	275.00	150	Vertical	N/A
3**	6480.500	92.14	-0.71	--	--	AV	275.00	150	Vertical	N/A
4	7839.250	55.18	3.31	88.2	33.02	Peak	362.00	250	Vertical	Pass
4**	7839.250	46.49	3.31	68.2	21.71	AV	362.00	250	Vertical	Pass
5	11207.912	52.64	-2.01	74.0	21.36	Peak	186.00	400	Vertical	Pass
5**	11207.912	42.54	-2.01	54.0	11.46	AV	186.00	400	Vertical	Pass
6	16352.812	53.03	0.79	88.2	35.17	Peak	-3.00	200	Vertical	Pass
6**	16352.812	44.25	0.79	68.2	23.95	AV	-3.00	200	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2089.000	40.95	-13.85	88.2	47.25	Peak	355.00	300	Horizontal	Pass
1**	2089.000	32.11	-13.85	68.2	36.09	AV	355.00	300	Horizontal	Pass
2	4817.500	51.71	-1.71	74.0	22.29	Peak	334.00	250	Horizontal	Pass
2**	4817.500	42.63	-1.71	54.0	11.37	AV	334.00	250	Horizontal	Pass
3	6516.250	97.43	-1.20	--	--	Peak	238.00	200	Horizontal	N/A
3**	6516.250	89.90	-1.20	--	--	AV	238.00	200	Horizontal	N/A
4	7509.250	55.53	1.67	74.0	18.47	Peak	361.00	200	Horizontal	Pass
4**	7509.250	46.34	1.67	54.0	7.66	AV	361.00	200	Horizontal	Pass
5	11138.800	51.62	-0.96	74.0	22.38	Peak	-1.00	100	Horizontal	Pass
5**	11138.800	42.33	-0.96	54.0	11.67	AV	-1.00	100	Horizontal	Pass
6	16331.813	53.05	0.33	88.2	35.15	Peak	269.00	200	Horizontal	Pass
6**	16331.813	43.28	0.33	68.2	24.92	AV	269.00	200	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.700	45.05	-16.69	74.0	28.95	Peak	210.00	350	Vertical	Pass
1**	1331.700	30.44	-16.69	54.0	23.56	AV	210.00	350	Vertical	Pass
2	2654.600	51.66	-10.35	88.2	36.54	Peak	210.00	200	Vertical	Pass
2**	2654.600	36.05	-10.35	68.2	32.15	AV	210.00	200	Vertical	Pass
3	6517.750	103.73	-1.15	--	--	Peak	272.00	100	Vertical	N/A
3**	6517.750	93.15	-1.15	--	--	AV	272.00	100	Vertical	N/A
4	7894.000	55.71	2.27	88.2	32.49	Peak	357.00	350	Vertical	Pass
4**	7894.000	45.62	2.27	68.2	22.58	AV	357.00	350	Vertical	Pass
5	11150.675	51.34	-0.96	74.0	22.66	Peak	109.00	300	Vertical	Pass
5**	11150.675	43.03	-0.96	54.0	10.97	AV	109.00	300	Vertical	Pass
6	16353.599	52.24	0.77	88.2	35.96	Peak	361.00	350	Vertical	Pass
6**	16353.599	43.21	0.77	68.2	24.99	AV	361.00	350	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.800	41.22	-13.52	88.2	46.98	Peak	187.00	150	Horizontal	Pass
1**	2099.800	32.28	-13.52	68.2	35.92	AV	187.00	150	Horizontal	Pass
2	4769.500	51.75	-2.44	74.0	22.25	Peak	272.00	250	Horizontal	Pass
2**	4769.500	42.58	-2.44	54.0	11.42	AV	272.00	250	Horizontal	Pass
3	6441.750	93.03	-0.77	--	--	Peak	243.00	100	Horizontal	N/A
3**	6441.750	83.94	-0.77	--	--	AV	243.00	100	Horizontal	N/A
4	7934.750	55.91	2.40	88.2	32.29	Peak	355.00	250	Horizontal	Pass
4**	7934.750	45.87	2.40	68.2	22.33	AV	355.00	250	Horizontal	Pass
5	11391.500	51.67	-1.69	74.0	22.33	Peak	130.00	350	Horizontal	Pass
5**	11391.500	42.13	-1.69	54.0	11.87	AV	130.00	350	Horizontal	Pass
6	16501.125	52.41	0.34	88.2	35.79	Peak	163.00	350	Horizontal	Pass
6**	16501.125	43.35	0.34	68.2	24.85	AV	163.00	350	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1999.000	44.30	-14.41	88.2	43.90	Peak	76.00	150	Vertical	Pass
1**	1999.000	32.79	-14.41	68.2	35.41	AV	76.00	150	Vertical	Pass
2	4815.000	51.77	-2.15	74.0	22.23	Peak	361.00	350	Vertical	Pass
2**	4815.000	42.48	-2.15	54.0	11.52	AV	361.00	350	Vertical	Pass
3	6426.750	98.75	-0.10	--	--	Peak	290.00	100	Vertical	N/A
3**	6426.750	87.72	-0.10	--	--	AV	290.00	100	Vertical	N/A
4	7853.750	55.63	1.98	88.2	32.57	Peak	38.00	400	Vertical	Pass
4**	7853.750	46.18	1.98	68.2	22.02	AV	38.00	400	Vertical	Pass
5	11181.075	52.19	-1.48	74.0	21.81	Peak	-1.00	100	Vertical	Pass
5**	11181.075	42.18	-1.48	54.0	11.82	AV	-1.00	100	Vertical	Pass
6	16311.338	52.55	-0.25	88.2	35.65	Peak	-3.00	300	Vertical	Pass
6**	16311.338	43.07	-0.25	68.2	25.13	AV	-3.00	300	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2062.900	41.23	-13.82	88.2	46.97	Peak	300.00	150	Horizontal	Pass
1**	2062.900	31.20	-13.82	68.2	37.00	AV	300.00	150	Horizontal	Pass
2	4768.500	51.22	-2.36	74.0	22.78	Peak	223.00	200	Horizontal	Pass
2**	4768.500	42.28	-2.36	54.0	11.72	AV	223.00	200	Horizontal	Pass
3	6493.250	94.41	-0.52	--	--	Peak	213.00	100	Horizontal	N/A
3**	6493.250	85.26	-0.52	--	--	AV	213.00	100	Horizontal	N/A
4	7857.250	55.27	2.15	88.2	32.93	Peak	163.00	250	Horizontal	Pass
4**	7857.250	45.97	2.15	68.2	22.23	AV	163.00	250	Horizontal	Pass
5	11132.862	51.73	-0.97	74.0	22.27	Peak	103.00	100	Horizontal	Pass
5**	11132.862	42.81	-0.97	54.0	11.19	AV	103.00	100	Horizontal	Pass
6	16331.550	52.80	0.32	88.2	35.40	Peak	38.00	150	Horizontal	Pass
6**	16331.550	44.12	0.32	68.2	24.08	AV	38.00	150	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.700	46.18	-16.69	74.0	27.82	Peak	202.00	400	Vertical	Pass
1**	1331.700	33.98	-16.69	54.0	20.02	AV	202.00	400	Vertical	Pass
2	4785.750	51.60	-2.48	74.0	22.40	Peak	361.00	250	Vertical	Pass
2**	4785.750	42.27	-2.48	54.0	11.73	AV	361.00	250	Vertical	Pass
3	6484.000	98.27	-0.89	--	--	Peak	281.00	100	Vertical	N/A
3**	6484.000	90.18	-0.89	--	--	AV	281.00	100	Vertical	N/A
4	7863.500	55.72	2.18	88.2	32.48	Peak	94.00	300	Vertical	Pass
4**	7863.500	45.76	2.18	68.2	22.44	AV	94.00	300	Vertical	Pass
5	11189.151	51.86	-1.61	74.0	22.14	Peak	361.00	150	Vertical	Pass
5**	11189.151	42.30	-1.61	54.0	11.70	AV	361.00	150	Vertical	Pass
6	16339.951	52.65	0.56	88.2	35.55	Peak	235.00	300	Vertical	Pass
6**	16339.951	43.47	0.56	68.2	24.73	AV	235.00	300	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2099.500	41.32	-13.51	88.2	46.88	Peak	95.00	250	Horizontal	Pass
1**	2099.500	32.17	-13.51	68.2	36.03	AV	95.00	250	Horizontal	Pass
2	4783.250	51.60	-2.63	74.0	22.40	Peak	353.00	200	Horizontal	Pass
2**	4783.250	42.92	-2.63	54.0	11.08	AV	353.00	200	Horizontal	Pass
3	6530.250	95.62	-0.69	--	--	Peak	247.00	100	Horizontal	N/A
3**	6530.250	86.24	-0.69	--	--	AV	247.00	100	Horizontal	N/A
4	7905.750	56.29	2.30	88.2	31.91	Peak	117.00	400	Horizontal	Pass
4**	7905.750	46.72	2.30	68.2	21.48	AV	117.00	400	Horizontal	Pass
5	11130.963	51.21	-0.97	74.0	22.79	Peak	360.00	100	Horizontal	Pass
5**	11130.963	43.32	-0.97	54.0	10.68	AV	360.00	100	Horizontal	Pass
6	16798.011	53.25	1.08	88.2	34.95	Peak	12.00	100	Horizontal	Pass
6**	16798.011	43.90	1.08	68.2	24.30	AV	12.00	100	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1833.200	46.75	-16.03	88.2	41.45	Peak	212.00	200	Vertical	Pass
1**	1833.200	31.13	-16.03	68.2	37.07	AV	212.00	200	Vertical	Pass
2	4769.500	51.46	-2.44	74.0	22.54	Peak	247.00	350	Vertical	Pass
2**	4769.500	42.23	-2.44	54.0	11.77	AV	247.00	350	Vertical	Pass
3	6522.250	100.54	-0.84	--	--	Peak	281.00	150	Vertical	N/A
3**	6522.250	91.24	-0.84	--	--	AV	281.00	150	Vertical	N/A
4	7917.500	55.87	1.68	88.2	32.33	Peak	360.00	100	Vertical	Pass
4**	7917.500	46.69	1.68	68.2	21.51	AV	360.00	100	Vertical	Pass
5	11107.450	52.54	-1.00	74.0	21.46	Peak	350.00	300	Vertical	Pass
5**	11107.450	42.00	-1.00	54.0	12.00	AV	350.00	300	Vertical	Pass
6	16338.113	52.73	0.51	88.2	35.47	Peak	279.00	150	Vertical	Pass
6**	16338.113	43.76	0.51	68.2	24.44	AV	279.00	150	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2072.100	41.62	-13.64	88.2	46.58	Peak	312.00	300	Horizontal	Pass
1**	2072.100	31.78	-13.64	68.2	36.42	AV	312.00	300	Horizontal	Pass
2	4693.500	51.52	-2.97	74.0	22.48	Peak	10.00	250	Horizontal	Pass
2**	4693.500	42.74	-2.97	54.0	11.26	AV	10.00	250	Horizontal	Pass
3	6456.000	91.74	-0.69	--	--	Peak	242.00	100	Horizontal	N/A
3**	6456.000	80.00	-0.69	--	--	AV	242.00	100	Horizontal	N/A
4	7924.500	55.85	2.17	88.2	32.35	Peak	0.00	250	Horizontal	Pass
4**	7924.500	46.66	2.17	68.2	21.54	AV	0.00	250	Horizontal	Pass
5	11131.201	51.82	-0.97	74.0	22.18	Peak	356.00	200	Horizontal	Pass
5**	11131.201	42.82	-0.97	54.0	11.18	AV	356.00	200	Horizontal	Pass
6	16329.713	53.70	0.27	88.2	34.50	Peak	51.00	150	Horizontal	Pass
6**	16329.713	44.19	0.27	68.2	24.01	AV	51.00	150	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1798.200	46.08	-16.21	88.2	42.12	Peak	26.00	200	Vertical	Pass
1**	1798.200	29.77	-16.21	68.2	38.43	AV	26.00	200	Vertical	Pass
2	4794.250	51.59	-2.97	74.0	22.41	Peak	308.00	400	Vertical	Pass
2**	4794.250	41.67	-2.97	54.0	12.33	AV	308.00	400	Vertical	Pass
3	6486.250	96.50	-0.73	--	--	Peak	281.00	100	Vertical	N/A
3**	6486.250	86.75	-0.73	--	--	AV	281.00	100	Vertical	N/A
4	7817.000	55.61	2.52	88.2	32.59	Peak	198.00	200	Vertical	Pass
4**	7817.000	46.85	2.52	68.2	21.35	AV	198.00	200	Vertical	Pass
5	11126.213	52.07	-0.98	74.0	21.93	Peak	276.00	400	Vertical	Pass
5**	11126.213	42.94	-0.98	54.0	11.06	AV	276.00	400	Vertical	Pass
6	16324.987	52.82	0.14	88.2	35.38	Peak	344.00	250	Vertical	Pass
6**	16324.987	42.95	0.14	68.2	25.25	AV	344.00	250	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.900	41.16	-16.03	88.2	47.04	Peak	295.00	400	Horizontal	Pass
1**	1832.900	30.05	-16.03	68.2	38.15	AV	295.00	400	Horizontal	Pass
2	4770.250	51.37	-2.50	74.0	22.63	Peak	177.00	300	Horizontal	Pass
2**	4770.250	42.16	-2.50	54.0	11.84	AV	177.00	300	Horizontal	Pass
3	6538.500	92.78	-0.97	--	--	Peak	238.00	100	Horizontal	N/A
3**	6538.500	82.30	-0.97	--	--	AV	238.00	100	Horizontal	N/A
4	7491.000	55.26	1.25	74.0	18.74	Peak	25.00	100	Horizontal	Pass
4**	7491.000	47.08	1.25	54.0	6.92	AV	25.00	100	Horizontal	Pass
5	11182.500	51.27	-1.50	74.0	22.73	Peak	84.00	200	Horizontal	Pass
5**	11182.500	42.82	-1.50	54.0	11.18	AV	84.00	200	Horizontal	Pass
6	16323.937	52.82	0.11	88.2	35.38	Peak	212.00	250	Horizontal	Pass
6**	16323.937	43.61	0.11	68.2	24.59	AV	212.00	250	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1833.200	45.22	-16.03	88.2	42.98	Peak	195.00	300	Vertical	Pass
1**	1833.200	31.02	-16.03	68.2	37.18	AV	195.00	300	Vertical	Pass
2	4755.500	51.48	-2.79	74.0	22.52	Peak	70.00	200	Vertical	Pass
2**	4755.500	42.57	-2.79	54.0	11.43	AV	70.00	200	Vertical	Pass
3	6543.500	97.32	-0.98	--	--	Peak	276.00	100	Vertical	N/A
3**	6543.500	87.71	-0.98	--	--	AV	276.00	100	Vertical	N/A
4	7838.750	55.70	3.38	88.2	32.50	Peak	159.00	350	Vertical	Pass
4**	7838.750	46.92	3.38	68.2	21.28	AV	159.00	350	Vertical	Pass
5	11397.675	51.98	-1.66	74.0	22.02	Peak	360.00	200	Vertical	Pass
5**	11397.675	41.88	-1.66	54.0	12.12	AV	360.00	200	Vertical	Pass
6	15746.962	52.01	0.33	74.0	21.99	Peak	360.00	200	Vertical	Pass
6**	15746.962	43.03	0.33	54.0	10.97	AV	360.00	200	Vertical	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.000	42.86	-14.49	88.2	45.34	Peak	258.00	250	Horizontal	Pass
1**	1994.000	32.63	-14.49	68.2	35.57	AV	258.00	250	Horizontal	Pass
2	4737.500	51.08	-3.00	74.0	22.92	Peak	337.00	100	Horizontal	Pass
2**	4737.500	42.17	-3.00	54.0	11.83	AV	337.00	100	Horizontal	Pass
3	6500.250	90.44	-1.04	--	--	Peak	241.00	100	Horizontal	N/A
3**	6500.250	79.71	-1.04	--	--	AV	241.00	100	Horizontal	N/A
4	7927.750	55.67	2.35	88.2	32.53	Peak	249.00	400	Horizontal	Pass
4**	7927.750	46.87	2.35	68.2	21.33	AV	249.00	400	Horizontal	Pass
5	11187.250	51.78	-1.58	74.0	22.22	Peak	126.00	250	Horizontal	Pass
5**	11187.250	42.36	-1.58	54.0	11.64	AV	126.00	250	Horizontal	Pass
6	15752.212	52.37	0.31	74.0	21.63	Peak	95.00	250	Horizontal	Pass
6**	15752.212	43.54	0.31	54.0	10.46	AV	95.00	250	Horizontal	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1797.900	47.19	-16.26	88.2	41.01	Peak	23.00	200	Vertical	Pass
1**	1797.900	29.55	-16.26	68.2	38.65	AV	23.00	200	Vertical	Pass
2	4798.500	51.39	-2.92	74.0	22.61	Peak	337.00	150	Vertical	Pass
2**	4798.500	42.22	-2.92	54.0	11.78	AV	337.00	150	Vertical	Pass
3	6490.500	95.33	-0.58	--	--	Peak	304.00	150	Vertical	N/A
3**	6490.500	85.60	-0.58	--	--	AV	304.00	150	Vertical	N/A
4	7534.500	54.85	2.28	74.0	19.15	Peak	320.00	150	Vertical	Pass
4**	7534.500	45.61	2.28	54.0	8.39	AV	320.00	150	Vertical	Pass
5	11196.750	51.38	-1.74	74.0	22.62	Peak	305.00	300	Vertical	Pass
5**	11196.750	42.07	-1.74	54.0	11.93	AV	305.00	300	Vertical	Pass
6	16347.037	53.04	0.76	88.2	35.16	Peak	196.00	100	Vertical	Pass
6**	16347.037	42.91	0.76	68.2	25.29	AV	196.00	100	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2065.600	41.90	-13.85	88.2	46.30	Peak	317.00	250	Horizontal	Pass
1**	2065.600	31.79	-13.85	68.2	36.41	AV	317.00	250	Horizontal	Pass
2	4706.750	51.87	-2.75	74.0	22.13	Peak	38.00	100	Horizontal	Pass
2**	4706.750	42.09	-2.75	54.0	11.91	AV	38.00	100	Horizontal	Pass
3	6536.000	98.38	-0.95	--	--	Peak	244.00	150	Horizontal	N/A
3**	6536.000	87.81	-0.95	--	--	AV	244.00	150	Horizontal	N/A
4	7303.500	55.90	0.44	74.0	18.10	Peak	263.00	300	Horizontal	Pass
4**	7303.500	45.10	0.44	54.0	8.90	AV	263.00	300	Horizontal	Pass
5	11056.862	52.15	-1.81	74.0	21.85	Peak	100.00	400	Horizontal	Pass
5**	11056.862	42.75	-1.81	54.0	11.25	AV	100.00	400	Horizontal	Pass
6	15767.963	52.23	-0.12	74.0	21.77	Peak	360.00	100	Horizontal	Pass
6**	15767.963	42.86	-0.12	54.0	11.14	AV	360.00	100	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.600	45.01	-14.48	88.2	43.19	Peak	154.00	100	Vertical	Pass
1**	1993.600	35.82	-14.48	68.2	32.38	AV	154.00	100	Vertical	Pass
2	4820.750	51.64	-1.84	74.0	22.36	Peak	125.00	200	Vertical	Pass
2**	4820.750	42.46	-1.84	54.0	11.54	AV	125.00	200	Vertical	Pass
3	6533.250	103.39	-0.95	--	--	Peak	278.00	200	Vertical	N/A
3**	6533.250	94.31	-0.95	--	--	AV	278.00	200	Vertical	N/A
4	7472.000	55.94	1.89	74.0	18.06	Peak	229.00	100	Vertical	Pass
4**	7472.000	45.63	1.89	54.0	8.37	AV	229.00	100	Vertical	Pass
5	11126.450	52.57	-0.98	74.0	21.43	Peak	313.00	400	Vertical	Pass
5**	11126.450	42.61	-0.98	54.0	11.39	AV	313.00	400	Vertical	Pass
6	15753.000	52.91	0.29	74.0	21.09	Peak	347.00	300	Vertical	Pass
6**	15753.000	43.39	0.29	54.0	10.61	AV	347.00	300	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.900	42.64	-16.08	88.2	45.56	Peak	194.00	200	Horizontal	Pass
1**	1829.900	29.92	-16.08	68.2	38.28	AV	194.00	200	Horizontal	Pass
2	4761.750	51.13	-2.68	74.0	22.87	Peak	269.00	150	Horizontal	Pass
2**	4761.750	42.64	-2.68	54.0	11.36	AV	269.00	150	Horizontal	Pass
3	6713.750	94.34	-0.48	--	--	Peak	251.00	150	Horizontal	N/A
3**	6713.750	84.78	-0.48	--	--	AV	251.00	150	Horizontal	N/A
4	7841.250	56.07	3.11	88.2	32.13	Peak	14.00	250	Horizontal	Pass
4**	7841.250	46.21	3.11	68.2	21.99	AV	14.00	250	Horizontal	Pass
5	11132.151	51.55	-0.97	74.0	22.45	Peak	108.00	400	Horizontal	Pass
5**	11132.151	42.96	-0.97	54.0	11.04	AV	108.00	400	Horizontal	Pass
6	16516.088	52.30	0.25	88.2	35.90	Peak	259.00	350	Horizontal	Pass
6**	16516.088	43.34	0.25	68.2	24.86	AV	259.00	350	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.300	43.88	-16.08	88.2	44.32	Peak	198.00	350	Vertical	Pass
1**	1829.300	36.01	-16.08	68.2	32.19	AV	198.00	350	Vertical	Pass
2	4749.250	52.38	-2.66	74.0	21.62	Peak	278.00	400	Vertical	Pass
2**	4749.250	42.45	-2.66	54.0	11.55	AV	278.00	400	Vertical	Pass
3	6714.000	98.59	-0.49	--	--	Peak	307.00	100	Vertical	N/A
3**	6714.000	89.35	-0.49	--	--	AV	307.00	100	Vertical	N/A
4	7927.750	56.16	2.35	88.2	32.04	Peak	157.00	350	Vertical	Pass
4**	7927.750	46.75	2.35	68.2	21.45	AV	157.00	350	Vertical	Pass
5	11142.362	52.12	-0.96	74.0	21.88	Peak	21.00	400	Vertical	Pass
5**	11142.362	42.71	-0.96	54.0	11.29	AV	21.00	400	Vertical	Pass
6	16321.838	52.89	0.05	88.2	35.31	Peak	23.00	150	Vertical	Pass
6**	16321.838	43.64	0.05	68.2	24.56	AV	23.00	150	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.300	43.09	-16.07	88.2	45.11	Peak	195.00	250	Horizontal	Pass
1**	1831.300	29.82	-16.07	68.2	38.38	AV	195.00	250	Horizontal	Pass
2	4773.750	51.94	-2.51	74.0	22.06	Peak	38.00	250	Horizontal	Pass
2**	4773.750	41.93	-2.51	54.0	12.07	AV	38.00	250	Horizontal	Pass
3	6859.750	95.61	-0.32	--	--	Peak	268.00	200	Horizontal	N/A
3**	6859.750	85.52	-0.32	--	--	AV	268.00	200	Horizontal	N/A
4	7829.750	55.90	3.17	88.2	32.30	Peak	64.00	400	Horizontal	Pass
4**	7829.750	46.70	3.17	68.2	21.50	AV	64.00	400	Horizontal	Pass
5	11130.250	51.73	-0.97	74.0	22.27	Peak	352.00	200	Horizontal	Pass
5**	11130.250	42.92	-0.97	54.0	11.08	AV	352.00	200	Horizontal	Pass
6	16288.238	52.88	-0.69	88.2	35.32	Peak	360.00	100	Horizontal	Pass
6**	16288.238	43.76	-0.69	68.2	24.44	AV	360.00	100	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1796.000	47.82	-16.16	88.2	40.38	Peak	198.00	100	Vertical	Pass
1**	1796.000	29.92	-16.16	68.2	38.28	AV	198.00	100	Vertical	Pass
2	4693.000	51.39	-3.03	74.0	22.61	Peak	336.00	300	Vertical	Pass
2**	4693.000	42.08	-3.03	54.0	11.92	AV	336.00	300	Vertical	Pass
3	6852.750	101.44	-0.28	--	215.56	Peak	317.00	200	Vertical	Pass
3**	6852.750	91.88	-0.28	--	-91.88	AV	317.00	200	Vertical	N/A
4	7704.750	55.39	2.07	74.0	18.61	Peak	166.00	350	Vertical	Pass
4**	7704.750	45.60	2.07	54.0	8.40	AV	166.00	350	Vertical	Pass
5	11129.062	51.40	-0.97	74.0	22.60	Peak	52.00	400	Vertical	Pass
5**	11129.062	42.45	-0.97	54.0	11.55	AV	52.00	400	Vertical	Pass
6	16324.987	52.55	0.14	88.2	35.65	Peak	176.00	150	Vertical	Pass
6**	16324.987	44.59	0.14	68.2	23.61	AV	176.00	150	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.600	43.99	-14.48	88.2	44.21	Peak	253.00	300	Horizontal	Pass
1**	1993.600	31.63	-14.48	68.2	36.57	AV	253.00	300	Horizontal	Pass
2	4763.250	51.64	-2.64	74.0	22.36	Peak	249.00	200	Horizontal	Pass
2**	4763.250	43.13	-2.64	54.0	10.87	AV	249.00	200	Horizontal	Pass
3	6558.500	94.73	-0.73	--	--	Peak	260.00	100	Horizontal	N/A
3**	6558.500	85.88	-0.73	--	--	AV	260.00	100	Horizontal	N/A
4	7900.250	55.68	2.18	88.2	32.52	Peak	360.00	100	Horizontal	Pass
4**	7900.250	46.17	2.18	68.2	22.03	AV	360.00	100	Horizontal	Pass
5	11188.675	51.30	-1.60	74.0	22.70	Peak	36.00	100	Horizontal	Pass
5**	11188.675	42.11	-1.60	54.0	11.89	AV	36.00	100	Horizontal	Pass
6	16489.838	52.14	0.39	88.2	36.06	Peak	360.00	250	Horizontal	Pass
6**	16489.838	42.04	0.39	68.2	26.16	AV	360.00	250	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1800.100	43.55	-15.93	88.2	44.65	Peak	30.00	250	Vertical	Pass
1**	1800.100	30.61	-15.93	68.2	37.59	AV	30.00	250	Vertical	Pass
2	4757.750	51.38	-2.79	74.0	22.62	Peak	16.00	400	Vertical	Pass
2**	4757.750	42.57	-2.79	54.0	11.43	AV	16.00	400	Vertical	Pass
3	6566.500	97.99	-0.64	--	--	Peak	291.00	100	Vertical	N/A
3**	6566.500	89.82	-0.64	--	--	AV	291.00	100	Vertical	N/A
4	7849.000	55.64	2.47	88.2	32.56	Peak	0.00	100	Vertical	Pass
4**	7849.000	45.80	2.47	68.2	22.40	AV	0.00	100	Vertical	Pass
5	11130.013	51.77	-0.97	74.0	22.23	Peak	55.00	300	Vertical	Pass
5**	11130.013	42.90	-0.97	54.0	11.10	AV	55.00	300	Vertical	Pass
6	16480.387	52.20	0.42	88.2	36.00	Peak	360.00	400	Vertical	Pass
6**	16480.387	43.29	0.42	68.2	24.91	AV	360.00	400	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.200	41.74	-16.07	88.2	46.46	Peak	187.00	200	Horizontal	Pass
1**	1831.200	32.20	-16.07	68.2	36.00	AV	187.00	200	Horizontal	Pass
2	4789.500	51.56	-2.84	74.0	22.44	Peak	360.00	400	Horizontal	Pass
2**	4789.500	42.38	-2.84	54.0	11.62	AV	360.00	400	Horizontal	Pass
3	6720.250	95.42	-0.52	--	--	Peak	239.00	200	Horizontal	N/A
3**	6720.250	83.22	-0.52	--	--	AV	239.00	200	Horizontal	N/A
4	7837.250	56.12	3.60	88.2	32.08	Peak	182.00	200	Horizontal	Pass
4**	7837.250	47.39	3.60	68.2	20.81	AV	182.00	200	Horizontal	Pass
5	11130.724	52.14	-0.97	74.0	21.86	Peak	0.00	300	Horizontal	Pass
5**	11130.724	42.61	-0.97	54.0	11.39	AV	0.00	300	Horizontal	Pass
6	16312.125	53.74	-0.23	88.2	34.46	Peak	190.00	150	Horizontal	Pass
6**	16312.125	43.71	-0.23	68.2	24.49	AV	190.00	150	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.100	45.40	-16.10	88.2	42.80	Peak	1.00	400	Vertical	Pass
1**	1828.100	34.11	-16.10	68.2	34.09	AV	1.00	400	Vertical	Pass
2	4798.500	51.80	-2.92	74.0	22.20	Peak	342.00	300	Vertical	Pass
2**	4798.500	43.05	-2.92	54.0	10.95	AV	342.00	300	Vertical	Pass
3	6711.250	96.02	-0.50	--	--	Peak	78.00	150	Vertical	N/A
3**	6711.250	85.57	-0.50	--	--	AV	78.00	150	Vertical	N/A
4	7931.750	55.46	2.35	88.2	32.74	Peak	186.00	350	Vertical	Pass
4**	7931.750	46.95	2.35	68.2	21.25	AV	186.00	350	Vertical	Pass
5	11120.513	52.30	-0.98	74.0	21.70	Peak	148.00	400	Vertical	Pass
5**	11120.513	42.84	-0.98	54.0	11.16	AV	148.00	400	Vertical	Pass
6	16778.849	52.42	0.41	88.2	35.78	Peak	344.00	150	Vertical	Pass
6**	16778.849	42.40	0.41	68.2	25.80	AV	344.00	150	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.700	41.57	-13.45	88.2	46.63	Peak	186.00	300	Horizontal	Pass
1**	2097.700	33.15	-13.45	68.2	35.05	AV	186.00	300	Horizontal	Pass
2	4686.000	51.44	-3.30	74.0	22.56	Peak	67.00	100	Horizontal	Pass
2**	4686.000	41.72	-3.30	54.0	12.28	AV	67.00	100	Horizontal	Pass
3	6844.000	93.95	-0.04	--	--	Peak	260.00	200	Horizontal	N/A
3**	6844.000	83.45	-0.04	--	--	AV	260.00	200	Horizontal	N/A
4	7513.500	55.47	1.84	74.0	18.53	Peak	156.00	400	Horizontal	Pass
4**	7513.500	45.63	1.84	54.0	8.37	AV	156.00	400	Horizontal	Pass
5	11180.363	52.72	-1.46	74.0	21.28	Peak	235.00	150	Horizontal	Pass
5**	11180.363	43.30	-1.46	54.0	10.70	AV	235.00	150	Horizontal	Pass
6	16322.362	52.81	0.06	88.2	35.39	Peak	189.00	300	Horizontal	Pass
6**	16322.362	43.34	0.06	68.2	24.86	AV	189.00	300	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1795.800	46.38	-16.15	88.2	41.82	Peak	0.00	250	Vertical	Pass
1**	1795.800	29.20	-16.15	68.2	39.00	AV	0.00	250	Vertical	Pass
2	4880.500	51.23	-2.34	74.0	22.77	Peak	329.00	250	Vertical	Pass
2**	4880.500	41.41	-2.34	54.0	12.59	AV	329.00	250	Vertical	Pass
3	6834.500	98.35	-0.17	--	--	Peak	96.00	200	Vertical	N/A
3**	6834.500	88.77	-0.17	--	--	AV	96.00	200	Vertical	N/A
4	7826.750	55.72	2.97	88.2	32.48	Peak	356.00	400	Vertical	Pass
4**	7826.750	46.86	2.97	68.2	21.34	AV	356.00	400	Vertical	Pass
5	11133.813	51.43	-0.97	74.0	22.57	Peak	221.00	250	Vertical	Pass
5**	11133.813	42.57	-0.97	54.0	11.43	AV	221.00	250	Vertical	Pass
6	16790.925	52.68	0.83	88.2	35.52	Peak	269.00	100	Vertical	Pass
6**	16790.925	43.33	0.83	68.2	24.87	AV	269.00	100	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2081.700	41.68	-14.09	88.2	46.52	Peak	258.00	150	Horizontal	Pass
1**	2081.700	31.04	-14.09	68.2	37.16	AV	258.00	150	Horizontal	Pass
2	4818.750	51.87	-1.77	74.0	22.13	Peak	325.00	400	Horizontal	Pass
2**	4818.750	42.35	-1.77	54.0	11.65	AV	325.00	400	Horizontal	Pass
3	6603.500	92.63	-1.07	--	--	Peak	232.00	100	Horizontal	N/A
3**	6603.500	79.29	-1.07	--	--	AV	232.00	100	Horizontal	N/A
4	7837.000	55.18	3.63	88.2	33.02	Peak	317.00	300	Horizontal	Pass
4**	7837.000	46.64	3.63	68.2	21.56	AV	317.00	300	Horizontal	Pass
5	11136.900	52.19	-0.96	74.0	21.81	Peak	33.00	400	Horizontal	Pass
5**	11136.900	42.33	-0.96	54.0	11.67	AV	33.00	400	Horizontal	Pass
6	16311.862	52.32	-0.24	88.2	35.88	Peak	150.00	300	Horizontal	Pass
6**	16311.862	43.51	-0.24	68.2	24.69	AV	150.00	300	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.000	45.35	-16.10	88.2	42.85	Peak	356.00	300	Vertical	Pass
1**	1828.000	36.51	-16.10	68.2	31.69	AV	356.00	300	Vertical	Pass
2	4734.750	51.26	-3.08	74.0	22.74	Peak	360.00	400	Vertical	Pass
2**	4734.750	42.18	-3.08	54.0	11.82	AV	360.00	400	Vertical	Pass
3	6641.250	95.79	-1.18	--	--	Peak	79.00	150	Vertical	N/A
3**	6641.250	86.05	-1.18	--	--	AV	79.00	150	Vertical	N/A
4	7765.750	55.72	1.71	88.2	32.48	Peak	295.00	350	Vertical	Pass
4**	7765.750	46.24	1.71	68.2	21.96	AV	295.00	350	Vertical	Pass
5	11140.225	51.51	-0.96	74.0	22.49	Peak	160.00	200	Vertical	Pass
5**	11140.225	42.21	-0.96	54.0	11.79	AV	160.00	200	Vertical	Pass
6	16464.114	52.69	0.48	88.2	35.51	Peak	347.00	200	Vertical	Pass
6**	16464.114	42.09	0.48	68.2	26.11	AV	347.00	200	Vertical	Pass

11x80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2031.700	41.63	-14.28	88.2	46.57	Peak	211.00	150	Horizontal	Pass
1**	2031.700	31.40	-14.28	68.2	36.80	AV	211.00	150	Horizontal	Pass
2	4723.750	51.50	-2.93	74.0	22.50	Peak	252.00	350	Horizontal	Pass
2**	4723.750	42.56	-2.93	54.0	11.44	AV	252.00	350	Horizontal	Pass
3	6706.000	89.93	-0.46	--	--	Peak	252.00	100	Horizontal	N/A
3**	6706.000	77.64	-0.46	--	--	AV	252.00	100	Horizontal	N/A
4	7924.500	55.30	2.17	88.2	32.90	Peak	198.00	200	Horizontal	Pass
4**	7924.500	46.74	2.17	68.2	21.46	AV	198.00	200	Horizontal	Pass
5	11386.037	51.72	-1.71	74.0	22.28	Peak	157.00	400	Horizontal	Pass
5**	11386.037	41.62	-1.71	54.0	12.38	AV	157.00	400	Horizontal	Pass
6	16480.650	52.98	0.42	88.2	35.22	Peak	97.00	100	Horizontal	Pass
6**	16480.650	43.08	0.42	68.2	25.12	AV	97.00	100	Horizontal	Pass

11x80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.000	45.63	-16.14	88.2	42.57	Peak	5.00	400	Vertical	Pass
1**	1827.000	32.24	-16.14	68.2	35.96	AV	5.00	400	Vertical	Pass
2	4822.750	51.53	-1.81	74.0	22.47	Peak	337.00	300	Vertical	Pass
2**	4822.750	42.89	-1.81	54.0	11.11	AV	337.00	300	Vertical	Pass
3	6711.250	94.35	-0.50	--	--	Peak	82.00	200	Vertical	N/A
3**	6711.250	84.02	-0.50	--	--	AV	82.00	200	Vertical	N/A
4	7519.500	55.85	2.06	74.0	18.15	Peak	120.00	350	Vertical	Pass
4**	7519.500	46.35	2.06	54.0	7.65	AV	120.00	350	Vertical	Pass
5	11398.388	51.47	-1.66	74.0	22.53	Peak	183.00	200	Vertical	Pass
5**	11398.388	42.44	-1.66	54.0	11.56	AV	183.00	200	Vertical	Pass
6	16329.450	52.90	0.26	88.2	35.30	Peak	209.00	200	Vertical	Pass
6**	16329.450	43.47	0.26	68.2	24.73	AV	209.00	200	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.800	41.81	-13.57	88.2	46.39	Peak	272.00	400	Horizontal	Pass
1**	2095.800	32.11	-13.57	68.2	36.09	AV	272.00	400	Horizontal	Pass
2	4766.500	51.17	-2.50	74.0	22.83	Peak	322.00	200	Horizontal	Pass
2**	4766.500	41.94	-2.50	54.0	12.06	AV	322.00	200	Horizontal	Pass
3	6805.500	90.47	-0.24	--	--	Peak	257.00	150	Horizontal	N/A
3**	6805.500	80.94	-0.24	--	--	AV	257.00	150	Horizontal	N/A
4	7481.250	55.51	1.55	74.0	18.49	Peak	213.00	400	Horizontal	Pass
4**	7481.250	46.06	1.55	54.0	7.94	AV	213.00	400	Horizontal	Pass
5	11078.237	51.57	-1.41	74.0	22.43	Peak	351.00	150	Horizontal	Pass
5**	11078.237	41.97	-1.41	54.0	12.03	AV	351.00	150	Horizontal	Pass
6	16708.238	52.73	0.63	88.2	35.47	Peak	230.00	400	Horizontal	Pass
6**	16708.238	42.74	0.63	68.2	25.46	AV	230.00	400	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.900	45.33	-16.19	88.2	42.87	Peak	198.00	100	Vertical	Pass
1**	1825.900	36.84	-16.19	68.2	31.36	AV	198.00	100	Vertical	Pass
2	4727.250	51.40	-2.98	74.0	22.60	Peak	251.00	300	Vertical	Pass
2**	4727.250	41.91	-2.98	54.0	12.09	AV	251.00	300	Vertical	Pass
3	6768.250	96.12	0.82	--	--	Peak	91.00	100	Vertical	N/A
3**	6768.250	86.19	0.82	--	--	AV	91.00	100	Vertical	N/A
4	7533.250	56.30	2.26	74.0	17.70	Peak	143.00	300	Vertical	Pass
4**	7533.250	45.95	2.26	54.0	8.05	AV	143.00	300	Vertical	Pass
5	11196.987	51.53	-1.75	74.0	22.47	Peak	351.00	100	Vertical	Pass
5**	11196.987	42.10	-1.75	54.0	11.90	AV	351.00	100	Vertical	Pass
6	16496.400	54.31	0.36	88.2	33.89	Peak	95.00	100	Vertical	Pass
6**	16496.400	43.17	0.36	68.2	25.03	AV	95.00	100	Vertical	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.100	41.78	-16.07	88.2	46.42	Peak	192.00	250	Horizontal	Pass
1**	1831.100	33.07	-16.07	68.2	35.13	AV	192.00	250	Horizontal	Pass
2	4800.750	51.58	-2.84	74.0	22.42	Peak	0.00	250	Horizontal	Pass
2**	4800.750	42.33	-2.84	54.0	11.67	AV	0.00	250	Horizontal	Pass
3	6654.750	88.71	-1.16	--	--	Peak	240.00	150	Horizontal	N/A
3**	6654.750	79.21	-1.16	--	--	AV	240.00	150	Horizontal	N/A
4	7820.250	55.41	3.01	88.2	32.79	Peak	0.00	100	Horizontal	Pass
4**	7820.250	46.84	3.01	68.2	21.36	AV	0.00	100	Horizontal	Pass
5	11130.963	52.71	-0.97	74.0	21.29	Peak	310.00	400	Horizontal	Pass
5**	11130.963	43.27	-0.97	54.0	10.73	AV	310.00	400	Horizontal	Pass
6	16800.900	52.48	1.15	88.2	35.72	Peak	3.00	350	Horizontal	Pass
6**	16800.900	43.34	1.15	68.2	24.86	AV	3.00	350	Horizontal	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1330.300	45.27	-16.66	74.0	28.73	Peak	141.00	250	Vertical	Pass
1**	1330.300	32.02	-16.66	54.0	21.98	AV	141.00	250	Vertical	Pass
2	4870.500	51.90	-2.57	74.0	22.10	Peak	259.00	100	Vertical	Pass
2**	4870.500	41.49	-2.57	54.0	12.51	AV	259.00	100	Vertical	Pass
3	6630.250	94.22	-0.88	--	--	Peak	101.00	200	Vertical	N/A
3**	6630.250	84.56	-0.88	--	--	AV	101.00	200	Vertical	N/A
4	7923.750	55.30	2.16	88.2	32.90	Peak	84.00	400	Vertical	Pass
4**	7923.750	46.56	2.16	68.2	21.64	AV	84.00	400	Vertical	Pass
5	11140.225	51.65	-0.96	74.0	22.35	Peak	287.00	100	Vertical	Pass
5**	11140.225	42.50	-0.96	54.0	11.50	AV	287.00	100	Vertical	Pass
6	16496.137	52.44	0.36	88.2	35.76	Peak	326.00	100	Vertical	Pass
6**	16496.137	42.17	0.36	68.2	26.03	AV	326.00	100	Vertical	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.700	41.72	-16.11	88.2	46.48	Peak	183.00	400	Horizontal	Pass
1**	1827.700	31.67	-16.11	68.2	36.53	AV	183.00	400	Horizontal	Pass
2	4767.500	51.22	-2.43	74.0	22.78	Peak	177.00	350	Horizontal	Pass
2**	4767.500	42.77	-2.43	54.0	11.23	AV	177.00	350	Horizontal	Pass
3	6788.750	87.77	-0.11	--	--	Peak	257.00	200	Horizontal	N/A
3**	6788.750	78.67	-0.11	--	--	AV	257.00	200	Horizontal	N/A
4	7833.250	55.72	3.40	88.2	32.48	Peak	24.00	150	Horizontal	Pass
4**	7833.250	47.31	3.40	68.2	20.89	AV	24.00	150	Horizontal	Pass
5	11128.588	51.94	-0.97	74.0	22.06	Peak	360.00	200	Horizontal	Pass
5**	11128.588	42.85	-0.97	54.0	11.15	AV	360.00	200	Horizontal	Pass
6	16791.713	52.51	0.86	88.2	35.69	Peak	206.00	100	Horizontal	Pass
6**	16791.713	43.39	0.86	68.2	24.81	AV	206.00	100	Horizontal	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1794.800	45.04	-16.20	88.2	43.16	Peak	12.00	350	Vertical	Pass
1**	1794.800	34.45	-16.20	68.2	33.75	AV	12.00	350	Vertical	Pass
2	4791.250	51.93	-2.87	74.0	22.07	Peak	249.00	150	Vertical	Pass
2**	4791.250	43.37	-2.87	54.0	10.63	AV	249.00	150	Vertical	Pass
3	6758.000	93.54	-0.02	--	--	Peak	97.00	100	Vertical	N/A
3**	6758.000	82.17	-0.02	--	--	AV	97.00	100	Vertical	N/A
4	7930.250	55.17	2.54	88.2	33.03	Peak	257.00	250	Vertical	Pass
4**	7930.250	46.89	2.54	68.2	21.31	AV	257.00	250	Vertical	Pass
5	11129.775	51.66	-0.97	74.0	22.34	Peak	297.00	400	Vertical	Pass
5**	11129.775	43.34	-0.97	54.0	10.66	AV	297.00	400	Vertical	Pass
6	15732.787	52.18	0.14	74.0	21.82	Peak	347.00	200	Vertical	Pass
6**	15732.787	41.96	0.14	54.0	12.04	AV	347.00	200	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.300	41.38	-13.45	88.2	46.82	Peak	223.00	150	Horizontal	Pass
1**	2097.300	32.78	-13.45	68.2	35.42	AV	223.00	150	Horizontal	Pass
2	4827.000	51.95	-1.79	74.0	22.05	Peak	360.00	300	Horizontal	Pass
2**	4827.000	42.25	-1.79	54.0	11.75	AV	360.00	300	Horizontal	Pass
3	6869.250	94.19	-0.28	--	--	Peak	51.00	200	Horizontal	N/A
3**	6869.250	84.94	-0.28	--	--	AV	51.00	200	Horizontal	N/A
4	7517.250	56.07	2.01	74.0	17.93	Peak	232.00	250	Horizontal	Pass
4**	7517.250	46.01	2.01	54.0	7.99	AV	232.00	250	Horizontal	Pass
5	11177.275	51.23	-1.41	74.0	22.77	Peak	258.00	100	Horizontal	Pass
5**	11177.275	42.48	-1.41	54.0	11.52	AV	258.00	100	Horizontal	Pass
6	16500.863	53.24	0.34	88.2	34.96	Peak	287.00	400	Horizontal	Pass
6**	16500.863	43.62	0.34	68.2	24.58	AV	287.00	400	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.600	44.44	-16.07	88.2	43.76	Peak	204.00	100	Vertical	Pass
1**	1830.600	33.52	-16.07	68.2	34.68	AV	204.00	100	Vertical	Pass
2	4819.500	52.19	-1.81	74.0	21.81	Peak	21.00	200	Vertical	Pass
2**	4819.500	42.18	-1.81	54.0	11.82	AV	21.00	200	Vertical	Pass
3	6867.750	98.81	-0.21	--	--	Peak	67.00	200	Vertical	N/A
3**	6867.750	88.73	-0.21	--	--	AV	67.00	200	Vertical	N/A
4	7824.500	55.68	3.17	88.2	32.52	Peak	244.00	350	Vertical	Pass
4**	7824.500	46.22	3.17	68.2	21.98	AV	244.00	350	Vertical	Pass
5	11124.076	51.81	-0.98	74.0	22.19	Peak	355.00	400	Vertical	Pass
5**	11124.076	42.84	-0.98	54.0	11.16	AV	355.00	400	Vertical	Pass
6	16791.975	52.06	0.87	88.2	36.14	Peak	300.00	200	Vertical	Pass
6**	16791.975	42.64	0.87	68.2	25.56	AV	300.00	200	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.000	41.15	-16.06	88.2	47.05	Peak	182.00	100	Horizontal	Pass
1**	1832.000	30.24	-16.06	68.2	37.96	AV	182.00	100	Horizontal	Pass
2	4818.250	51.79	-1.75	74.0	22.21	Peak	142.00	250	Horizontal	Pass
2**	4818.250	41.81	-1.75	54.0	12.19	AV	142.00	250	Horizontal	Pass
3	6988.500	96.25	0.10	--	--	Peak	106.00	150	Horizontal	N/A
3**	6988.500	86.83	0.10	--	--	AV	106.00	150	Horizontal	N/A
4	7834.000	55.48	3.43	88.2	32.72	Peak	60.00	300	Horizontal	Pass
4**	7834.000	47.05	3.43	68.2	21.15	AV	60.00	300	Horizontal	Pass
5	11134.525	52.34	-0.97	74.0	21.66	Peak	169.00	400	Horizontal	Pass
5**	11134.525	43.52	-0.97	54.0	10.48	AV	169.00	400	Horizontal	Pass
6	16347.300	52.41	0.77	88.2	35.79	Peak	225.00	350	Horizontal	Pass
6**	16347.300	43.69	0.77	68.2	24.51	AV	225.00	350	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.900	45.07	-16.08	88.2	43.13	Peak	355.00	200	Vertical	Pass
1**	1829.900	33.62	-16.08	68.2	34.58	AV	355.00	200	Vertical	Pass
2	4657.000	51.52	-2.94	74.0	22.48	Peak	278.00	100	Vertical	Pass
2**	4657.000	41.50	-2.94	54.0	12.50	AV	278.00	100	Vertical	Pass
3	6993.000	101.53	-0.29	--	--	Peak	36.00	150	Vertical	N/A
3**	6993.000	92.58	-0.29	--	--	AV	36.00	150	Vertical	N/A
4	7863.000	55.31	2.18	88.2	32.89	Peak	259.00	400	Vertical	Pass
4**	7863.000	47.05	2.18	68.2	21.15	AV	259.00	400	Vertical	Pass
5	11159.224	51.26	-1.10	74.0	22.74	Peak	147.00	400	Vertical	Pass
5**	11159.224	42.01	-1.10	54.0	11.99	AV	147.00	400	Vertical	Pass
6	16314.488	52.42	-0.16	88.2	35.78	Peak	308.00	250	Vertical	Pass
6**	16314.488	44.37	-0.16	68.2	23.83	AV	308.00	250	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.200	42.37	-16.19	88.2	45.83	Peak	288.00	250	Horizontal	Pass
1**	1825.200	29.99	-16.19	68.2	38.21	AV	288.00	250	Horizontal	Pass
2	4718.500	51.55	-2.78	74.0	22.45	Peak	210.00	300	Horizontal	Pass
2**	4718.500	42.54	-2.78	54.0	11.46	AV	210.00	300	Horizontal	Pass
3	7089.750	97.97	-0.21	--	--	Peak	53.00	200	Horizontal	N/A
3**	7089.750	89.69	-0.21	--	--	AV	53.00	200	Horizontal	N/A
4	7823.500	55.59	3.00	88.2	32.61	Peak	295.00	300	Horizontal	Pass
4**	7823.500	46.43	3.00	68.2	21.77	AV	295.00	300	Horizontal	Pass
5	11128.588	52.00	-0.97	74.0	22.00	Peak	341.00	200	Horizontal	Pass
5**	11128.588	42.73	-0.97	54.0	11.27	AV	341.00	200	Horizontal	Pass
6	16326.038	53.08	0.16	88.2	35.12	Peak	3.00	300	Horizontal	Pass
6**	16326.038	43.66	0.16	68.2	24.54	AV	3.00	300	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1995.000	44.94	-14.51	88.2	43.26	Peak	153.00	250	Vertical	Pass
1**	1995.000	33.56	-14.51	68.2	34.64	AV	153.00	250	Vertical	Pass
2	4821.000	51.78	-1.84	74.0	22.22	Peak	122.00	200	Vertical	Pass
2**	4821.000	42.67	-1.84	54.0	11.33	AV	122.00	200	Vertical	Pass
3	7100.500	101.93	-0.03	--	--	Peak	278.00	100	Vertical	N/A
3**	7100.500	92.59	-0.03	--	--	AV	278.00	100	Vertical	N/A
4	7883.250	55.61	2.48	88.2	32.59	Peak	278.00	300	Vertical	Pass
4**	7883.250	45.63	2.48	68.2	22.57	AV	278.00	300	Vertical	Pass
5	11185.350	52.19	-1.55	74.0	21.81	Peak	35.00	200	Vertical	Pass
5**	11185.350	42.76	-1.55	54.0	11.24	AV	35.00	200	Vertical	Pass
6	15981.375	52.77	-0.48	74.0	21.23	Peak	30.00	250	Vertical	Pass
6**	15981.375	42.01	-0.48	54.0	11.99	AV	30.00	250	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.900	40.93	-13.46	88.2	47.27	Peak	20.00	100	Horizontal	Pass
1**	2097.900	32.20	-13.46	68.2	36.00	AV	20.00	100	Horizontal	Pass
2	4705.750	52.27	-2.72	74.0	21.73	Peak	121.00	100	Horizontal	Pass
2**	4705.750	42.38	-2.72	54.0	11.62	AV	121.00	100	Horizontal	Pass
3	7112.250	102.20	0.48	--	--	Peak	41.00	200	Horizontal	N/A
3**	7112.250	92.56	0.48	--	--	AV	41.00	200	Horizontal	N/A
4	7834.250	56.30	3.44	88.2	31.90	Peak	310.00	150	Horizontal	Pass
4**	7834.250	47.04	3.44	68.2	21.16	AV	310.00	150	Horizontal	Pass
5	11391.500	51.76	-1.69	74.0	22.24	Peak	137.00	400	Horizontal	Pass
5**	11391.500	42.06	-1.69	54.0	11.94	AV	137.00	400	Horizontal	Pass
6	16799.588	52.28	1.14	88.2	35.92	Peak	360.00	350	Horizontal	Pass
6**	16799.588	42.51	1.14	68.2	25.69	AV	360.00	350	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.300	46.16	-16.17	88.2	42.04	Peak	360.00	350	Vertical	Pass
1**	1826.300	35.44	-16.17	68.2	32.76	AV	360.00	350	Vertical	Pass
2	4751.000	51.99	-2.71	74.0	22.01	Peak	195.00	100	Vertical	Pass
2**	4751.000	42.59	-2.71	54.0	11.41	AV	195.00	100	Vertical	Pass
3	7111.000	105.56	0.27	--	--	Peak	276.00	100	Vertical	N/A
3**	7111.000	95.38	0.27	--	--	AV	276.00	100	Vertical	N/A
4	7841.500	55.94	3.10	88.2	32.26	Peak	195.00	100	Vertical	Pass
4**	7841.500	46.82	3.10	68.2	21.38	AV	195.00	100	Vertical	Pass
5	11128.350	51.47	-0.97	74.0	22.53	Peak	223.00	300	Vertical	Pass
5**	11128.350	42.55	-0.97	54.0	11.45	AV	223.00	300	Vertical	Pass
6	15753.000	52.72	0.29	74.0	21.28	Peak	347.00	150	Vertical	Pass
6**	15753.000	43.60	0.29	54.0	10.40	AV	347.00	150	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2088.800	41.34	-13.87	88.2	46.86	Peak	129.00	200	Horizontal	Pass
1**	2088.800	32.18	-13.87	68.2	36.02	AV	129.00	200	Horizontal	Pass
2	4710.000	52.01	-2.70	74.0	21.99	Peak	190.00	400	Horizontal	Pass
2**	4710.000	43.21	-2.70	54.0	10.79	AV	190.00	400	Horizontal	Pass
3	6874.250	94.45	-0.39	--	--	Peak	243.00	200	Horizontal	N/A
3**	6874.250	84.27	-0.39	--	--	AV	243.00	200	Horizontal	N/A
4	7773.500	56.09	1.80	88.2	32.11	Peak	30.00	100	Horizontal	Pass
4**	7773.500	47.32	1.80	68.2	20.88	AV	30.00	100	Horizontal	Pass
5	11062.088	51.46	-1.71	74.0	22.54	Peak	310.00	300	Horizontal	Pass
5**	11062.088	42.15	-1.71	54.0	11.85	AV	310.00	300	Horizontal	Pass
6	15763.500	53.74	0.00	74.0	20.26	Peak	360.00	300	Horizontal	Pass
6**	15763.500	43.02	0.00	54.0	10.98	AV	360.00	300	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.600	44.23	-16.07	88.2	43.97	Peak	351.00	100	Vertical	Pass
1**	1830.600	33.48	-16.07	68.2	34.72	AV	351.00	100	Vertical	Pass
2	4717.750	52.43	-2.74	74.0	21.57	Peak	287.00	300	Vertical	Pass
2**	4717.750	43.83	-2.74	54.0	10.17	AV	287.00	300	Vertical	Pass
3	6878.500	98.65	-0.34	--	--	Peak	47.00	150	Vertical	N/A
3**	6878.500	88.89	-0.34	--	--	AV	47.00	150	Vertical	N/A
4	7923.250	56.21	2.15	88.2	31.99	Peak	137.00	400	Vertical	Pass
4**	7923.250	46.65	2.15	68.2	21.55	AV	137.00	400	Vertical	Pass
5	11180.838	51.79	-1.47	74.0	22.21	Peak	183.00	100	Vertical	Pass
5**	11180.838	42.48	-1.47	54.0	11.52	AV	183.00	100	Vertical	Pass
6	16332.599	53.08	0.35	88.2	35.12	Peak	85.00	400	Vertical	Pass
6**	16332.599	43.35	0.35	68.2	24.85	AV	85.00	400	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2089.000	41.34	-13.85	88.2	46.86	Peak	156.00	200	Horizontal	Pass
1**	2089.000	31.76	-13.85	68.2	36.44	AV	156.00	200	Horizontal	Pass
2	4689.750	51.91	-3.18	74.0	22.09	Peak	312.00	400	Horizontal	Pass
2**	4689.750	42.13	-3.18	54.0	11.87	AV	312.00	400	Horizontal	Pass
3	7016.750	95.13	0.08	--	--	Peak	89.00	150	Horizontal	N/A
3**	7016.750	85.34	0.08	--	--	AV	89.00	150	Horizontal	N/A
4	7832.500	56.26	3.35	88.2	31.94	Peak	36.00	200	Horizontal	Pass
4**	7832.500	47.39	3.35	68.2	20.81	AV	36.00	200	Horizontal	Pass
5	11147.350	51.74	-0.95	74.0	22.26	Peak	283.00	200	Horizontal	Pass
5**	11147.350	42.56	-0.95	54.0	11.44	AV	283.00	200	Horizontal	Pass
6	16507.426	53.30	0.30	88.2	34.90	Peak	191.00	300	Horizontal	Pass
6**	16507.426	43.72	0.30	68.2	24.48	AV	191.00	300	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.800	45.95	-16.15	88.2	42.25	Peak	0.00	100	Vertical	Pass
1**	1826.800	34.38	-16.15	68.2	33.82	AV	0.00	100	Vertical	Pass
2	4769.000	51.99	-2.39	74.0	22.01	Peak	80.00	300	Vertical	Pass
2**	4769.000	43.29	-2.39	54.0	10.71	AV	80.00	300	Vertical	Pass
3	7001.750	99.65	-0.23	--	--	Peak	276.00	100	Vertical	N/A
3**	7001.750	89.78	-0.23	--	--	AV	276.00	100	Vertical	N/A
4	7523.500	55.38	2.24	74.0	18.62	Peak	116.00	400	Vertical	Pass
4**	7523.500	47.92	2.24	54.0	6.08	AV	116.00	400	Vertical	Pass
5	11122.888	51.90	-0.98	74.0	22.10	Peak	272.00	200	Vertical	Pass
5**	11122.888	42.87	-0.98	54.0	11.13	AV	272.00	200	Vertical	Pass
6	16466.475	53.22	0.47	88.2	34.98	Peak	129.00	100	Vertical	Pass
6**	16466.475	42.88	0.47	68.2	25.32	AV	129.00	100	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2078.200	41.19	-14.04	88.2	47.01	Peak	212.00	300	Horizontal	Pass
1**	2078.200	31.67	-14.04	68.2	36.53	AV	212.00	300	Horizontal	Pass
2	4680.250	51.74	-3.36	74.0	22.26	Peak	223.00	200	Horizontal	Pass
2**	4680.250	42.33	-3.36	54.0	11.67	AV	223.00	200	Horizontal	Pass
3	7078.250	96.53	0.34	--	--	Peak	45.00	200	Horizontal	N/A
3**	7078.250	85.36	0.34	--	--	AV	45.00	200	Horizontal	N/A
4	7928.500	55.90	2.43	88.2	32.30	Peak	130.00	300	Horizontal	Pass
4**	7928.500	46.46	2.43	68.2	21.74	AV	130.00	300	Horizontal	Pass
5	11131.201	51.76	-0.97	74.0	22.24	Peak	172.00	100	Horizontal	Pass
5**	11131.201	42.37	-0.97	54.0	11.63	AV	172.00	100	Horizontal	Pass
6	16778.588	53.06	0.40	88.2	35.14	Peak	243.00	300	Horizontal	Pass
6**	16778.588	43.05	0.40	68.2	25.15	AV	243.00	300	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.600	44.83	-16.07	88.2	43.37	Peak	0.00	300	Vertical	Pass
1**	1830.600	35.67	-16.07	68.2	32.53	AV	0.00	300	Vertical	Pass
2	4267.250	51.61	-3.57	74.0	22.39	Peak	28.00	300	Vertical	Pass
2**	4267.250	41.62	-3.57	54.0	12.38	AV	28.00	300	Vertical	Pass
3	7077.500	101.59	0.30	--	--	Peak	271.00	100	Vertical	N/A
3**	7077.500	91.29	0.30	--	--	AV	271.00	100	Vertical	N/A
4	7837.000	56.06	3.63	88.2	32.14	Peak	150.00	100	Vertical	Pass
4**	7837.000	46.81	3.63	68.2	21.39	AV	150.00	100	Vertical	Pass
5	11198.175	51.92	-1.77	74.0	22.08	Peak	109.00	100	Vertical	Pass
5**	11198.175	42.27	-1.77	54.0	11.73	AV	109.00	100	Vertical	Pass
6	15762.450	53.29	0.03	74.0	20.71	Peak	347.00	100	Vertical	Pass
6**	15762.450	43.02	0.03	54.0	10.98	AV	347.00	100	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1996.400	42.26	-14.45	88.2	45.94	Peak	129.00	400	Horizontal	Pass
1**	1996.400	32.08	-14.45	68.2	36.12	AV	129.00	400	Horizontal	Pass
2	4759.000	51.83	-2.72	74.0	22.17	Peak	149.00	300	Horizontal	Pass
2**	4759.000	42.19	-2.72	54.0	11.81	AV	149.00	300	Horizontal	Pass
3	6834.750	91.77	-0.14	--	--	Peak	261.00	100	Horizontal	N/A
3**	6834.750	81.84	-0.14	--	--	AV	261.00	100	Horizontal	N/A
4	7489.250	56.09	1.38	74.0	17.91	Peak	195.00	200	Horizontal	Pass
4**	7489.250	45.60	1.38	54.0	8.40	AV	195.00	200	Horizontal	Pass
5	14997.787	52.42	-0.37	88.2	35.78	Peak	261.00	200	Horizontal	Pass
5**	14997.787	41.51	-0.37	68.2	26.69	AV	261.00	200	Horizontal	Pass
6	16458.599	53.00	0.50	88.2	35.20	Peak	139.00	200	Horizontal	Pass
6**	16458.599	43.21	0.50	68.2	24.99	AV	139.00	200	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.600	45.82	-14.45	88.2	42.38	Peak	156.00	200	Vertical	Pass
1**	1992.600	32.90	-14.45	68.2	35.30	AV	156.00	200	Vertical	Pass
2	4777.500	51.33	-2.54	74.0	22.67	Peak	356.00	300	Vertical	Pass
2**	4777.500	42.35	-2.54	54.0	11.65	AV	356.00	300	Vertical	Pass
3	6832.500	96.51	-0.24	--	--	Peak	280.00	200	Vertical	N/A
3**	6832.500	86.86	-0.24	--	--	AV	280.00	200	Vertical	N/A
4	7833.500	55.99	3.41	88.2	32.21	Peak	360.00	200	Vertical	Pass
4**	7833.500	47.37	3.41	68.2	20.83	AV	360.00	200	Vertical	Pass
5	11190.575	52.41	-1.64	74.0	21.59	Peak	360.00	100	Vertical	Pass
5**	11190.575	43.04	-1.64	54.0	10.96	AV	360.00	100	Vertical	Pass
6	16471.199	53.19	0.45	88.2	35.01	Peak	157.00	200	Vertical	Pass
6**	16471.199	44.81	0.45	68.2	23.39	AV	157.00	200	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2065.300	41.79	-13.85	88.2	46.41	Peak	139.00	300	Horizontal	Pass
1**	2065.300	31.57	-13.85	68.2	36.63	AV	139.00	300	Horizontal	Pass
2	4772.000	51.96	-2.51	74.0	22.04	Peak	53.00	300	Horizontal	Pass
2**	4772.000	43.06	-2.51	54.0	10.94	AV	53.00	300	Horizontal	Pass
3	6949.000	94.30	-0.04	--	--	Peak	251.00	100	Horizontal	N/A
3**	6949.000	85.48	-0.04	--	--	AV	251.00	100	Horizontal	N/A
4	7469.000	55.68	1.57	74.0	18.32	Peak	348.00	300	Horizontal	Pass
4**	7469.000	46.06	1.57	54.0	7.94	AV	348.00	300	Horizontal	Pass
5	11124.312	51.63	-0.98	74.0	22.37	Peak	295.00	400	Horizontal	Pass
5**	11124.312	42.75	-0.98	54.0	11.25	AV	295.00	400	Horizontal	Pass
6	16510.050	53.71	0.28	88.2	34.49	Peak	3.00	100	Horizontal	Pass
6**	16510.050	43.60	0.28	68.2	24.60	AV	3.00	100	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.900	47.67	-14.46	88.2	40.53	Peak	152.00	100	Vertical	Pass
1**	1992.900	35.44	-14.46	68.2	32.76	AV	152.00	100	Vertical	Pass
2	4721.250	52.60	-2.80	74.0	21.40	Peak	186.00	400	Vertical	Pass
2**	4721.250	43.14	-2.80	54.0	10.86	AV	186.00	400	Vertical	Pass
3	6935.000	97.71	-0.04	--	--	Peak	287.00	100	Vertical	N/A
3**	6935.000	89.40	-0.04	--	--	AV	287.00	100	Vertical	N/A
4	7837.500	56.05	3.56	88.2	32.15	Peak	312.00	200	Vertical	Pass
4**	7837.500	47.27	3.56	68.2	20.93	AV	312.00	200	Vertical	Pass
5	11187.963	51.86	-1.59	74.0	22.14	Peak	245.00	400	Vertical	Pass
5**	11187.963	42.95	-1.59	54.0	11.05	AV	245.00	400	Vertical	Pass
6	16526.850	52.98	0.18	88.2	35.22	Peak	171.00	200	Vertical	Pass
6**	16526.850	42.77	0.18	68.2	25.43	AV	171.00	200	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.300	42.56	-16.10	88.2	45.64	Peak	188.00	400	Horizontal	Pass
1**	1828.300	33.01	-16.10	68.2	35.19	AV	188.00	400	Horizontal	Pass
2	4828.250	51.42	-1.76	74.0	22.58	Peak	169.00	100	Horizontal	Pass
2**	4828.250	42.71	-1.76	54.0	11.29	AV	169.00	100	Horizontal	Pass
3	7014.750	92.95	0.01	--	--	Peak	52.00	100	Horizontal	N/A
3**	7014.750	84.08	0.01	--	--	AV	52.00	100	Horizontal	N/A
4	7911.250	55.50	1.83	88.2	32.70	Peak	205.00	200	Horizontal	Pass
4**	7911.250	47.20	1.83	68.2	21.00	AV	205.00	200	Horizontal	Pass
5	11084.174	51.59	-1.30	74.0	22.41	Peak	262.00	100	Horizontal	Pass
5**	11084.174	42.03	-1.30	54.0	11.97	AV	262.00	100	Horizontal	Pass
6	16339.425	52.96	0.55	88.2	35.24	Peak	150.00	400	Horizontal	Pass
6**	16339.425	44.64	0.55	68.2	23.56	AV	150.00	400	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.400	45.07	-16.08	88.2	43.13	Peak	212.00	100	Vertical	Pass
1**	1829.400	34.88	-16.08	68.2	33.32	AV	212.00	100	Vertical	Pass
2	4861.000	51.77	-2.90	74.0	22.23	Peak	330.00	100	Vertical	Pass
2**	4861.000	42.07	-2.90	54.0	11.93	AV	330.00	100	Vertical	Pass
3	7039.000	97.37	0.09	--	--	Peak	60.00	200	Vertical	N/A
3**	7039.000	87.30	0.09	--	--	AV	60.00	200	Vertical	N/A
4	7773.250	56.28	1.81	88.2	31.92	Peak	312.00	100	Vertical	Pass
4**	7773.250	45.67	1.81	68.2	22.53	AV	312.00	100	Vertical	Pass
5	11147.588	51.88	-0.95	74.0	22.12	Peak	238.00	400	Vertical	Pass
5**	11147.588	43.17	-0.95	54.0	10.83	AV	238.00	400	Vertical	Pass
6**6	16807.199	52.87	1.10	88.2	35.33	Peak	272.00	200	Vertical	Pass
	16807.199	43.80	1.10	68.2	24.40	AV	272.00	200	Vertical	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2079.700	41.04	-14.05	88.2	47.16	Peak	94.00	250	Horizontal	Pass
1**	2079.700	31.07	-14.05	68.2	37.13	AV	94.00	250	Horizontal	Pass
2	4717.750	51.81	-2.74	74.0	22.19	Peak	360.00	400	Horizontal	Pass
2**	4717.750	42.66	-2.74	54.0	11.34	AV	360.00	400	Horizontal	Pass
3	6983.000	90.96	0.32	--	-45.96	Peak	45.00	100	Horizontal	N/A
3**	6983.000	80.41	0.32	--	-80.41	AV	45.00	100	Horizontal	N/A
4	7877.500	55.74	2.71	88.2	32.46	Peak	237.00	100	Horizontal	Pass
4**	7877.500	46.17	2.71	68.2	22.03	AV	237.00	100	Horizontal	Pass
5	11178.937	51.59	-1.44	74.0	22.41	Peak	142.00	100	Horizontal	Pass
5**	11178.937	43.57	-1.44	54.0	10.43	AV	142.00	100	Horizontal	Pass
6	16754.962	52.70	-0.44	88.2	35.50	Peak	179.00	350	Horizontal	Pass
6**	16754.962	42.46	-0.44	68.2	25.74	AV	179.00	350	Horizontal	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1997.400	44.41	-14.37	88.2	43.79	Peak	194.00	300	Vertical	Pass
1**	1997.400	32.06	-14.37	68.2	36.14	AV	194.00	300	Vertical	Pass
2	4877.250	51.89	-2.24	74.0	22.11	Peak	147.00	300	Vertical	Pass
2**	4877.250	43.11	-2.24	54.0	10.89	AV	147.00	300	Vertical	Pass
3	6975.750	93.93	0.34	--	167.07	Peak	261.00	150	Vertical	N/A
3**	6975.750	84.14	0.34	--	-84.14	AV	261.00	150	Vertical	N/A
4	7818.000	55.75	2.81	88.2	32.45	Peak	155.00	100	Vertical	Pass
4**	7818.000	46.12	2.81	68.2	22.08	AV	155.00	100	Vertical	Pass
5	11141.412	51.70	-0.96	74.0	22.30	Peak	274.00	250	Vertical	Pass
5**	11141.412	42.55	-0.96	54.0	11.45	AV	274.00	250	Vertical	Pass
6	16335.225	53.67	0.43	88.2	34.53	Peak	140.00	250	Vertical	Pass
6**	16335.225	44.25	0.43	68.2	23.95	AV	140.00	250	Vertical	Pass

MIMO

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	38.52	-17.19	74.0	35.48	Peak	283.00	300	Horizontal	Pass
1**	1499.900	29.88	-17.19	54.0	24.12	AV	283.00	300	Horizontal	Pass
2	4377.800	50.17	-2.86	74.0	23.83	Peak	332.00	400	Horizontal	Pass
2**	4377.800	40.73	-2.86	54.0	13.27	AV	332.00	400	Horizontal	Pass
3	5185.600	105.14	-1.46	--	--	Peak	268.00	200	Horizontal	N/A
3**	5185.600	98.53	-1.46	--	--	AV	268.00	200	Horizontal	N/A
4	7373.463	48.40	-3.77	74.0	25.60	Peak	66.00	300	Horizontal	Pass
4**	7373.463	40.19	-3.77	54.0	13.81	AV	66.00	300	Horizontal	Pass
5	10917.763	50.92	0.22	74.0	23.08	Peak	277.00	100	Horizontal	Pass
5**	10917.763	43.19	0.22	54.0	10.81	AV	277.00	100	Horizontal	Pass
6	16099.237	53.96	1.22	74.0	20.04	Peak	270.00	200	Horizontal	Pass
6**	16099.237	44.59	1.22	54.0	9.41	AV	270.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.500	39.38	-17.12	74.0	34.62	Peak	118.00	300	Vertical	Pass
1**	1621.500	28.92	-17.12	54.0	25.08	AV	118.00	300	Vertical	Pass
2	4376.200	49.95	-2.94	74.0	24.05	Peak	54.00	100	Vertical	Pass
2**	4376.200	40.85	-2.94	54.0	13.15	AV	54.00	100	Vertical	Pass
3	5181.600	105.59	-1.70	--	--	Peak	289.00	150	Vertical	N/A
3**	5181.600	97.56	-1.70	--	--	AV	289.00	150	Vertical	N/A
4	7614.675	49.32	-3.15	74.0	24.68	Peak	97.00	300	Vertical	Pass
4**	7614.675	38.95	-3.15	54.0	15.05	AV	97.00	300	Vertical	Pass
5	10914.600	50.74	0.19	74.0	23.26	Peak	280.00	200	Vertical	Pass
5**	10914.600	42.09	0.19	54.0	11.91	AV	280.00	200	Vertical	Pass
6	16095.563	53.27	1.31	74.0	20.73	Peak	57.00	100	Vertical	Pass
6**	16095.563	44.98	1.31	54.0	9.02	AV	57.00	100	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.500	38.31	-16.97	74.0	35.69	Peak	281.00	200	Horizontal	Pass
1**	1439.500	29.86	-16.97	54.0	24.14	AV	281.00	200	Horizontal	Pass
2	4359.400	49.50	-2.67	74.0	24.50	Peak	20.00	400	Horizontal	Pass
2**	4359.400	41.63	-2.67	54.0	12.37	AV	20.00	400	Horizontal	Pass
3	5215.000	103.98	-2.27	--	--	Peak	266.00	100	Horizontal	N/A
3**	5215.000	96.83	-2.27	--	--	AV	266.00	100	Horizontal	N/A
4	7361.388	48.56	-4.01	74.0	25.44	Peak	13.00	200	Horizontal	Pass
4**	7361.388	39.80	-4.01	54.0	14.20	AV	13.00	200	Horizontal	Pass
5	10934.438	51.31	-0.00	74.0	22.69	Peak	45.00	100	Horizontal	Pass
5**	10934.438	42.47	-0.00	54.0	11.53	AV	45.00	100	Horizontal	Pass
6	15822.300	53.21	1.77	74.0	20.79	Peak	251.00	400	Horizontal	Pass
6**	15822.300	43.99	1.77	54.0	10.01	AV	251.00	400	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.700	39.12	-16.96	74.0	34.88	Peak	288.00	400	Vertical	Pass
1**	1551.700	28.88	-16.96	54.0	25.12	AV	288.00	400	Vertical	Pass
2	4388.000	49.82	-2.95	74.0	24.18	Peak	217.00	100	Vertical	Pass
2**	4388.000	41.06	-2.95	54.0	12.94	AV	217.00	100	Vertical	Pass
3	5216.200	105.56	-2.39	--	--	Peak	290.00	200	Vertical	N/A
3**	5216.200	97.39	-2.39	--	--	AV	290.00	200	Vertical	N/A
4	7357.938	48.61	-4.11	74.0	25.39	Peak	323.00	300	Vertical	Pass
4**	7357.938	39.21	-4.11	54.0	14.79	AV	323.00	300	Vertical	Pass
5	12692.500	51.52	0.84	74.0	22.48	Peak	192.00	100	Vertical	Pass
5**	12692.500	41.05	0.84	54.0	12.95	AV	192.00	100	Vertical	Pass
6	15812.850	53.38	2.11	74.0	20.62	Peak	177.00	200	Vertical	Pass
6**	15812.850	43.65	2.11	54.0	10.35	AV	177.00	200	Vertical	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	39.26	-17.19	74.0	34.74	Peak	360.00	400	Horizontal	Pass
1**	1500.200	30.88	-17.19	54.0	23.12	AV	360.00	400	Horizontal	Pass
2	4354.800	49.54	-2.89	74.0	24.46	Peak	300.00	300	Horizontal	Pass
2**	4354.800	40.44	-2.89	54.0	13.56	AV	300.00	300	Horizontal	Pass
3	5240.600	103.28	-1.93	--	--	Peak	248.00	200	Horizontal	N/A
3**	5240.600	96.43	-1.93	--	--	AV	248.00	200	Horizontal	N/A
4	7364.837	48.36	-4.02	74.0	25.64	Peak	223.00	200	Horizontal	Pass
4**	7364.837	39.66	-4.02	54.0	14.34	AV	223.00	200	Horizontal	Pass
5	10937.312	50.92	-0.04	74.0	23.08	Peak	360.00	200	Horizontal	Pass
5**	10937.312	42.07	-0.04	54.0	11.93	AV	360.00	200	Horizontal	Pass
6	15995.288	53.69	0.23	74.0	20.31	Peak	0.00	200	Horizontal	Pass
6**	15995.288	42.64	0.23	54.0	11.36	AV	0.00	200	Horizontal	Pass

11a, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.100	38.93	-17.11	74.0	35.07	Peak	254.00	300	Vertical	Pass
1**	1440.100	29.12	-17.11	54.0	24.88	AV	254.00	300	Vertical	Pass
2	4355.800	49.84	-2.56	74.0	24.16	Peak	79.00	100	Vertical	Pass
2**	4355.800	41.44	-2.56	54.0	12.56	AV	79.00	100	Vertical	Pass
3	5241.800	103.90	-1.92	--	--	Peak	195.00	200	Vertical	N/A
3**	5241.800	96.02	-1.92	--	--	AV	195.00	200	Vertical	N/A
4	7618.700	48.94	-2.93	74.0	25.06	Peak	78.00	200	Vertical	Pass
4**	7618.700	39.73	-2.93	54.0	14.27	AV	78.00	200	Vertical	Pass
5	10942.775	51.70	-0.10	74.0	22.30	Peak	340.00	200	Vertical	Pass
5**	10942.775	42.14	-0.10	54.0	11.86	AV	340.00	200	Vertical	Pass
6	15823.350	54.81	1.72	74.0	19.19	Peak	251.00	200	Vertical	Pass
6**	15823.350	44.53	1.72	54.0	9.47	AV	251.00	200	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.500	38.04	-17.34	74.0	35.96	Peak	360.00	100	Horizontal	Pass
1**	1609.500	28.44	-17.34	54.0	25.56	AV	360.00	100	Horizontal	Pass
2	4285.600	50.12	-3.34	74.0	23.88	Peak	342.00	200	Horizontal	Pass
2**	4285.600	40.38	-3.34	54.0	13.62	AV	342.00	200	Horizontal	Pass
3	5180.800	104.97	-1.68	--	--	Peak	257.00	200	Horizontal	N/A
3**	5180.800	97.39	-1.68	--	--	AV	257.00	200	Horizontal	N/A
4	7364.837	49.13	-4.02	74.0	24.87	Peak	28.00	300	Horizontal	Pass
4**	7364.837	39.62	-4.02	54.0	14.38	AV	28.00	300	Horizontal	Pass
5	12215.825	51.04	1.19	74.0	22.96	Peak	255.00	200	Horizontal	Pass
5**	12215.825	42.44	1.19	54.0	11.56	AV	255.00	200	Horizontal	Pass
6	16083.488	53.98	1.56	74.0	20.02	Peak	345.00	100	Horizontal	Pass
6**	16083.488	44.28	1.56	54.0	9.72	AV	345.00	100	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.800	38.50	-17.04	74.0	35.50	Peak	133.00	200	Vertical	Pass
1**	1439.800	29.42	-17.04	54.0	24.58	AV	133.00	200	Vertical	Pass
2	4356.400	50.52	-2.36	74.0	23.48	Peak	70.00	400	Vertical	Pass
2**	4356.400	40.94	-2.36	54.0	13.06	AV	70.00	400	Vertical	Pass
3	5173.400	105.46	-1.87	--	--	Peak	290.00	150	Vertical	N/A
3**	5173.400	98.28	-1.87	--	--	AV	290.00	150	Vertical	N/A
4	7339.250	48.66	-3.51	74.0	25.34	Peak	221.00	300	Vertical	Pass
4**	7339.250	39.88	-3.51	54.0	14.12	AV	221.00	300	Vertical	Pass
5	11220.500	50.97	-0.21	74.0	23.03	Peak	360.00	100	Vertical	Pass
5**	11220.500	41.46	-0.21	54.0	12.54	AV	360.00	100	Vertical	Pass
6	15853.799	54.11	1.23	74.0	19.89	Peak	290.00	400	Vertical	Pass
6**	15853.799	44.24	1.23	54.0	9.76	AV	290.00	400	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1454.700	38.20	-17.10	74.0	35.80	Peak	60.00	100	Horizontal	Pass
1**	1454.700	28.93	-17.10	54.0	25.07	AV	60.00	100	Horizontal	Pass
2	4345.200	50.38	-3.06	74.0	23.62	Peak	256.00	400	Horizontal	Pass
2**	4345.200	41.28	-3.06	54.0	12.72	AV	256.00	400	Horizontal	Pass
3	5221.400	102.65	-2.60	--	--	Peak	256.00	200	Horizontal	N/A
3**	5221.400	96.60	-2.60	--	--	AV	256.00	200	Horizontal	N/A
4	7334.075	49.09	-3.46	74.0	24.91	Peak	115.00	200	Horizontal	Pass
4**	7334.075	39.28	-3.46	54.0	14.72	AV	115.00	200	Horizontal	Pass
5	11938.962	51.40	1.69	74.0	22.60	Peak	200.00	100	Horizontal	Pass
5**	11938.962	41.90	1.69	54.0	12.10	AV	200.00	100	Horizontal	Pass
6	16100.025	53.76	1.20	74.0	20.24	Peak	270.00	400	Horizontal	Pass
6**	16100.025	45.00	1.20	54.0	9.00	AV	270.00	400	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	39.59	-17.19	74.0	34.41	Peak	360.00	200	Vertical	Pass
1**	1500.000	31.74	-17.19	54.0	22.26	AV	360.00	200	Vertical	Pass
2	4284.800	50.02	-3.16	74.0	23.98	Peak	246.00	100	Vertical	Pass
2**	4284.800	40.85	-3.16	54.0	13.15	AV	246.00	100	Vertical	Pass
3	5213.400	105.33	-2.34	--	--	Peak	289.00	150	Vertical	N/A
3**	5213.400	97.28	-2.34	--	--	AV	289.00	150	Vertical	N/A
4	7364.550	48.66	-4.02	74.0	25.34	Peak	46.00	300	Vertical	Pass
4**	7364.550	40.24	-4.02	54.0	13.76	AV	46.00	300	Vertical	Pass
5	12215.250	51.06	1.19	74.0	22.94	Peak	225.00	200	Vertical	Pass
5**	12215.250	42.54	1.19	54.0	11.46	AV	225.00	200	Vertical	Pass
6	16097.401	53.95	1.26	74.0	20.05	Peak	42.00	100	Vertical	Pass
6**	16097.401	44.77	1.26	54.0	9.23	AV	42.00	100	Vertical	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	38.63	-17.20	74.0	35.37	Peak	301.00	200	Horizontal	Pass
1**	1500.500	31.54	-17.20	54.0	22.46	AV	301.00	200	Horizontal	Pass
2	4361.800	50.07	-2.63	74.0	23.93	Peak	168.00	100	Horizontal	Pass
2**	4361.800	40.33	-2.63	54.0	13.67	AV	168.00	100	Horizontal	Pass
3	5241.400	103.77	-1.93	--	--	Peak	276.00	150	Horizontal	N/A
3**	5241.400	96.11	-1.93	--	--	AV	276.00	150	Horizontal	N/A
4	7374.038	49.34	-3.75	74.0	24.66	Peak	13.00	300	Horizontal	Pass
4**	7374.038	39.40	-3.75	54.0	14.60	AV	13.00	300	Horizontal	Pass
5	10926.099	51.42	0.14	74.0	22.58	Peak	113.00	100	Horizontal	Pass
5**	10926.099	41.52	0.14	54.0	12.48	AV	113.00	100	Horizontal	Pass
6	16106.588	53.92	0.91	74.0	20.08	Peak	116.00	100	Horizontal	Pass
6**	16106.588	43.77	0.91	54.0	10.23	AV	116.00	100	Horizontal	Pass

11n20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1605.500	38.67	-17.40	74.0	35.33	Peak	113.00	100	Vertical	Pass
1**	1605.500	28.73	-17.40	54.0	25.27	AV	113.00	100	Vertical	Pass
2	4381.200	49.64	-3.01	74.0	24.36	Peak	247.00	200	Vertical	Pass
2**	4381.200	40.70	-3.01	54.0	13.30	AV	247.00	200	Vertical	Pass
3	5242.200	104.19	-1.92	--	--	Peak	195.00	150	Vertical	N/A
3**	5242.200	96.47	-1.92	--	--	AV	195.00	150	Vertical	N/A
4	7371.737	49.09	-3.87	74.0	24.91	Peak	322.00	200	Vertical	Pass
4**	7371.737	39.84	-3.87	54.0	14.16	AV	322.00	200	Vertical	Pass
5	11934.363	50.94	1.67	74.0	23.06	Peak	192.00	100	Vertical	Pass
5**	11934.363	40.99	1.67	54.0	13.01	AV	192.00	100	Vertical	Pass
6	16086.901	53.47	1.49	74.0	20.53	Peak	83.00	300	Vertical	Pass
6**	16086.901	44.16	1.49	54.0	9.84	AV	83.00	300	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	39.13	-17.19	74.0	34.87	Peak	217.00	300	Horizontal	Pass
1**	1500.300	31.46	-17.19	54.0	22.54	AV	217.00	300	Horizontal	Pass
2	4251.000	49.85	-4.71	74.0	24.15	Peak	268.00	300	Horizontal	Pass
2**	4251.000	39.25	-4.71	54.0	14.75	AV	268.00	300	Horizontal	Pass
3	5191.000	101.01	-2.00	--	--	Peak	268.00	100	Horizontal	N/A
3**	5191.000	93.21	-2.00	--	--	AV	268.00	100	Horizontal	N/A
4	7359.950	48.66	-4.05	74.0	25.34	Peak	274.00	300	Horizontal	Pass
4**	7359.950	39.93	-4.05	54.0	14.07	AV	274.00	300	Horizontal	Pass
5	11311.350	51.25	0.39	74.0	22.75	Peak	357.00	200	Horizontal	Pass
5**	11311.350	41.18	0.39	54.0	12.82	AV	357.00	200	Horizontal	Pass
6	16096.612	53.50	1.28	74.0	20.50	Peak	360.00	300	Horizontal	Pass
6**	16096.612	44.87	1.28	54.0	9.13	AV	360.00	300	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1581.400	39.79	-17.35	74.0	34.21	Peak	119.00	200	Vertical	Pass
1**	1581.400	28.82	-17.35	54.0	25.18	AV	119.00	200	Vertical	Pass
2	4384.200	49.90	-2.88	74.0	24.10	Peak	128.00	100	Vertical	Pass
2**	4384.200	40.91	-2.88	54.0	13.09	AV	128.00	100	Vertical	Pass
3	5192.000	101.51	-2.05	--	--	Peak	288.00	150	Vertical	N/A
3**	5192.000	93.38	-2.05	--	--	AV	288.00	150	Vertical	N/A
4	7365.125	48.33	-4.02	74.0	25.67	Peak	212.00	400	Vertical	Pass
4**	7365.125	39.90	-4.02	54.0	14.10	AV	212.00	400	Vertical	Pass
5	10928.975	51.12	0.10	74.0	22.88	Peak	130.00	200	Vertical	Pass
5**	10928.975	41.90	0.10	54.0	12.10	AV	130.00	200	Vertical	Pass
6	15858.000	53.65	1.03	74.0	20.35	Peak	78.00	400	Vertical	Pass
6**	15858.000	44.58	1.03	54.0	9.42	AV	78.00	400	Vertical	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.300	38.27	-17.08	74.0	35.73	Peak	276.00	400	Horizontal	Pass
1**	1435.300	29.91	-17.08	54.0	24.09	AV	276.00	400	Horizontal	Pass
2	4287.200	49.61	-3.74	74.0	24.39	Peak	276.00	200	Horizontal	Pass
2**	4287.200	40.04	-3.74	54.0	13.96	AV	276.00	200	Horizontal	Pass
3	5221.000	100.29	-2.62	--	--	Peak	255.00	150	Horizontal	N/A
3**	5221.000	92.01	-2.62	--	--	AV	255.00	150	Horizontal	N/A
4	7742.900	48.77	-3.20	74.0	25.23	Peak	113.00	200	Horizontal	Pass
4**	7742.900	39.13	-3.20	54.0	14.87	AV	113.00	200	Horizontal	Pass
5	11214.175	51.51	-0.19	74.0	22.49	Peak	130.00	150	Horizontal	Pass
5**	11214.175	42.58	-0.19	54.0	11.42	AV	130.00	150	Horizontal	Pass
6	15849.075	53.47	1.34	74.0	20.53	Peak	0.00	100	Horizontal	Pass
6**	15849.075	44.30	1.34	54.0	9.70	AV	0.00	100	Horizontal	Pass

11n40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.200	38.77	-17.34	74.0	35.23	Peak	126.00	100	Vertical	Pass
1**	1560.200	29.13	-17.34	54.0	24.87	AV	126.00	100	Vertical	Pass
2	4378.200	49.67	-2.90	74.0	24.33	Peak	27.00	100	Vertical	Pass
2**	4378.200	40.42	-2.90	54.0	13.58	AV	27.00	100	Vertical	Pass
3	5223.200	100.13	-2.79	--	--	Peak	298.00	100	Vertical	N/A
3**	5223.200	93.45	-2.79	--	--	AV	298.00	100	Vertical	N/A
4	7379.212	48.42	-3.65	74.0	25.58	Peak	128.00	200	Vertical	Pass
4**	7379.212	39.15	-3.65	54.0	14.85	AV	128.00	200	Vertical	Pass
5	12218.700	51.23	1.21	74.0	22.77	Peak	0.00	200	Vertical	Pass
5**	12218.700	41.95	1.21	54.0	12.05	AV	0.00	200	Vertical	Pass
6	16103.437	53.31	1.05	74.0	20.69	Peak	211.00	200	Vertical	Pass
6**	16103.437	44.58	1.05	54.0	9.42	AV	211.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1546.700	38.53	-16.98	74.0	35.47	Peak	172.00	300	Horizontal	Pass
1**	1546.700	29.45	-16.98	54.0	24.55	AV	172.00	300	Horizontal	Pass
2	4384.200	49.43	-2.88	74.0	24.57	Peak	66.00	100	Horizontal	Pass
2**	4384.200	41.84	-2.88	54.0	12.16	AV	66.00	100	Horizontal	Pass
3	5182.200	102.03	-1.72	--	--	Peak	278.00	100	Horizontal	N/A
3**	5182.200	95.52	-1.72	--	--	AV	278.00	100	Horizontal	N/A
4	7371.450	49.23	-3.89	74.0	24.77	Peak	343.00	400	Horizontal	Pass
4**	7371.450	40.27	-3.89	54.0	13.73	AV	343.00	400	Horizontal	Pass
5	10942.488	50.94	-0.09	74.0	23.06	Peak	0.00	200	Horizontal	Pass
5**	10942.488	41.96	-0.09	54.0	12.04	AV	0.00	200	Horizontal	Pass
6	16091.099	53.91	1.41	74.0	20.09	Peak	360.00	100	Horizontal	Pass
6**	16091.099	45.23	1.41	54.0	8.77	AV	360.00	100	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1614.300	39.53	-17.41	74.0	34.47	Peak	119.00	400	Vertical	Pass
1**	1614.300	29.78	-17.41	54.0	24.22	AV	119.00	400	Vertical	Pass
2	4358.200	50.45	-2.64	74.0	23.55	Peak	71.00	200	Vertical	Pass
2**	4358.200	40.40	-2.64	54.0	13.60	AV	71.00	200	Vertical	Pass
3	5184.400	102.10	-1.55	--	--	Peak	285.00	150	Vertical	N/A
3**	5184.400	94.72	-1.55	--	--	AV	285.00	150	Vertical	N/A
4	7378.925	48.83	-3.66	74.0	25.17	Peak	14.00	300	Vertical	Pass
4**	7378.925	40.75	-3.66	54.0	13.25	AV	14.00	300	Vertical	Pass
5	10916.325	51.21	0.21	74.0	22.79	Peak	98.00	150	Vertical	Pass
5**	10916.325	42.76	0.21	54.0	11.24	AV	98.00	150	Vertical	Pass
6	15836.474	53.62	1.45	74.0	20.38	Peak	153.00	200	Vertical	Pass
6**	15836.474	45.17	1.45	54.0	8.83	AV	153.00	200	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1450.500	38.05	-17.21	74.0	35.95	Peak	133.00	400	Horizontal	Pass
1**	1450.500	29.08	-17.21	54.0	24.92	AV	133.00	400	Horizontal	Pass
2	4383.600	49.90	-2.90	74.0	24.10	Peak	351.00	400	Horizontal	Pass
2**	4383.600	40.89	-2.90	54.0	13.11	AV	351.00	400	Horizontal	Pass
3	5222.000	100.70	-2.66	--	--	Peak	245.00	100	Horizontal	N/A
3**	5222.000	93.46	-2.66	--	--	AV	245.00	100	Horizontal	N/A
4	7372.025	49.30	-3.85	74.0	24.70	Peak	210.00	100	Horizontal	Pass
4**	7372.025	39.90	-3.85	54.0	14.10	AV	210.00	100	Horizontal	Pass
5	11211.013	51.67	-0.21	74.0	22.33	Peak	13.00	200	Horizontal	Pass
5**	11211.013	42.04	-0.21	54.0	11.96	AV	13.00	200	Horizontal	Pass
6	15818.100	53.63	1.95	74.0	20.37	Peak	324.00	100	Horizontal	Pass
6**	15818.100	45.28	1.95	54.0	8.72	AV	324.00	100	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.400	38.54	-16.94	74.0	35.46	Peak	169.00	400	Vertical	Pass
1**	1438.400	29.26	-16.94	54.0	24.74	AV	169.00	400	Vertical	Pass
2	4371.000	49.67	-2.94	74.0	24.33	Peak	310.00	400	Vertical	Pass
2**	4371.000	40.38	-2.94	54.0	13.62	AV	310.00	400	Vertical	Pass
3	5214.200	102.00	-2.29	--	--	Peak	290.00	200	Vertical	N/A
3**	5214.200	93.92	-2.29	--	--	AV	290.00	200	Vertical	N/A
4	7369.438	49.35	-4.10	74.0	24.65	Peak	323.00	400	Vertical	Pass
4**	7369.438	39.55	-4.10	54.0	14.45	AV	323.00	400	Vertical	Pass
5	10931.562	51.15	0.06	74.0	22.85	Peak	258.00	200	Vertical	Pass
5**	10931.562	41.67	0.06	54.0	12.33	AV	258.00	200	Vertical	Pass
6	16104.750	53.53	0.99	74.0	20.47	Peak	325.00	400	Vertical	Pass
6**	16104.750	44.64	0.99	54.0	9.36	AV	325.00	400	Vertical	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.100	38.81	-17.23	74.0	35.19	Peak	227.00	300	Horizontal	Pass
1**	1464.100	28.88	-17.23	54.0	25.12	AV	227.00	300	Horizontal	Pass
2	4278.800	50.19	-3.64	74.0	23.81	Peak	243.00	200	Horizontal	Pass
2**	4278.800	39.84	-3.64	54.0	14.16	AV	243.00	200	Horizontal	Pass
3	5241.400	101.03	-1.93	--	--	Peak	266.00	150	Horizontal	N/A
3**	5241.400	93.21	-1.93	--	--	AV	266.00	150	Horizontal	N/A
4	7363.400	48.38	-4.01	74.0	25.62	Peak	229.00	100	Horizontal	Pass
4**	7363.400	39.53	-4.01	54.0	14.47	AV	229.00	100	Horizontal	Pass
5	11599.713	51.30	-0.07	74.0	22.70	Peak	280.00	200	Horizontal	Pass
5**	11599.713	40.71	-0.07	54.0	13.29	AV	280.00	200	Horizontal	Pass
6	16089.787	53.88	1.44	74.0	20.12	Peak	56.00	400	Horizontal	Pass
6**	16089.787	44.25	1.44	54.0	9.75	AV	56.00	400	Horizontal	Pass

11ac20, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.400	38.79	-17.51	74.0	35.21	Peak	63.00	300	Vertical	Pass
1**	1610.400	28.72	-17.51	54.0	25.28	AV	63.00	300	Vertical	Pass
2	4371.800	49.69	-3.04	74.0	24.31	Peak	319.00	200	Vertical	Pass
2**	4371.800	40.54	-3.04	54.0	13.46	AV	319.00	200	Vertical	Pass
3	5244.400	100.77	-1.83	--	--	Peak	287.00	200	Vertical	N/A
3**	5244.400	92.99	-1.83	--	--	AV	287.00	200	Vertical	N/A
4	7376.337	48.33	-3.74	74.0	25.67	Peak	147.00	100	Vertical	Pass
4**	7376.337	39.54	-3.74	54.0	14.46	AV	147.00	100	Vertical	Pass
5	12326.513	51.63	1.42	74.0	22.37	Peak	278.00	100	Vertical	Pass
5**	12326.513	41.11	1.42	54.0	12.89	AV	278.00	100	Vertical	Pass
6	16087.687	53.81	1.48	74.0	20.19	Peak	212.00	400	Vertical	Pass
6**	16087.687	44.92	1.48	54.0	9.08	AV	212.00	400	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.700	38.07	-17.22	74.0	35.93	Peak	65.00	200	Horizontal	Pass
1**	1452.700	28.57	-17.22	54.0	25.43	AV	65.00	200	Horizontal	Pass
2	4360.800	49.82	-2.64	74.0	24.18	Peak	201.00	100	Horizontal	Pass
2**	4360.800	40.49	-2.64	54.0	13.51	AV	201.00	100	Horizontal	Pass
3	5191.400	99.02	-2.04	--	--	Peak	266.00	100	Horizontal	N/A
3**	5191.400	92.40	-2.04	--	--	AV	266.00	100	Horizontal	N/A
4	7334.362	48.72	-3.44	74.0	25.28	Peak	296.00	100	Horizontal	Pass
4**	7334.362	39.20	-3.44	54.0	14.80	AV	296.00	100	Horizontal	Pass
5	11955.637	50.92	1.14	74.0	23.08	Peak	313.00	200	Horizontal	Pass
5**	11955.637	41.07	1.14	54.0	12.93	AV	313.00	200	Horizontal	Pass
6	16098.713	53.57	1.23	74.0	20.43	Peak	232.00	400	Horizontal	Pass
6**	16098.713	43.95	1.23	54.0	10.05	AV	232.00	400	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.500	38.80	-17.36	74.0	35.20	Peak	113.00	100	Vertical	Pass
1**	1613.500	28.90	-17.36	54.0	25.10	AV	113.00	100	Vertical	Pass
2	4283.600	49.98	-3.15	74.0	24.02	Peak	309.00	300	Vertical	Pass
2**	4283.600	40.36	-3.15	54.0	13.64	AV	309.00	300	Vertical	Pass
3	5183.800	100.36	-1.63	--	--	Peak	287.00	150	Vertical	N/A
3**	5183.800	93.05	-1.63	--	--	AV	287.00	150	Vertical	N/A
4	7380.362	48.61	-3.61	74.0	25.39	Peak	356.00	400	Vertical	Pass
4**	7380.362	39.55	-3.61	54.0	14.45	AV	356.00	400	Vertical	Pass
5	10940.763	50.77	-0.07	74.0	23.23	Peak	209.00	150	Vertical	Pass
5**	10940.763	41.41	-0.07	54.0	12.59	AV	209.00	150	Vertical	Pass
6	15813.638	53.49	2.09	74.0	20.51	Peak	344.00	200	Vertical	Pass
6**	15813.638	44.99	2.09	54.0	9.01	AV	344.00	200	Vertical	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.400	37.95	-17.19	74.0	36.05	Peak	14.00	300	Horizontal	Pass
1**	1499.400	29.17	-17.19	54.0	24.83	AV	14.00	300	Horizontal	Pass
2	4356.200	50.24	-2.42	74.0	23.76	Peak	246.00	400	Horizontal	Pass
2**	4356.200	41.62	-2.42	54.0	12.38	AV	246.00	400	Horizontal	Pass
3	5222.000	97.72	-2.66	--	--	Peak	246.00	200	Horizontal	N/A
3**	5222.000	90.37	-2.66	--	--	AV	246.00	200	Horizontal	N/A
4	7376.050	48.80	-3.74	74.0	25.20	Peak	248.00	300	Horizontal	Pass
4**	7376.050	40.33	-3.74	54.0	13.67	AV	248.00	300	Horizontal	Pass
5	10932.425	51.31	0.04	74.0	22.69	Peak	264.00	150	Horizontal	Pass
5**	10932.425	42.00	0.04	54.0	12.00	AV	264.00	150	Horizontal	Pass
6	16098.450	53.82	1.24	74.0	20.18	Peak	95.00	200	Horizontal	Pass
6**	16098.450	44.49	1.24	54.0	9.51	AV	95.00	200	Horizontal	Pass

11ac40, U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.600	38.95	-17.38	74.0	35.05	Peak	149.00	200	Vertical	Pass
1**	1549.600	28.15	-17.38	54.0	25.85	AV	149.00	200	Vertical	Pass
2	4377.800	50.34	-2.86	74.0	23.66	Peak	267.00	100	Vertical	Pass
2**	4377.800	40.16	-2.86	54.0	13.84	AV	267.00	100	Vertical	Pass
3	5221.400	98.75	-2.60	--	--	Peak	200.00	150	Vertical	N/A
3**	5221.400	90.44	-2.60	--	--	AV	200.00	150	Vertical	N/A
4	7332.638	48.89	-3.55	74.0	25.11	Peak	13.00	100	Vertical	Pass
4**	7332.638	38.90	-3.55	54.0	15.10	AV	13.00	100	Vertical	Pass
5	11214.750	50.76	-0.19	74.0	23.24	Peak	112.00	100	Vertical	Pass
5**	11214.750	41.35	-0.19	54.0	12.65	AV	112.00	100	Vertical	Pass
6	15844.875	53.41	1.37	74.0	20.59	Peak	136.00	100	Vertical	Pass
6**	15844.875	44.71	1.37	54.0	9.29	AV	136.00	100	Vertical	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	39.39	-17.19	74.0	34.61	Peak	205.00	200	Horizontal	Pass
1**	1500.300	32.60	-17.19	54.0	21.40	AV	205.00	200	Horizontal	Pass
2	4362.400	49.32	-2.63	74.0	24.68	Peak	243.00	300	Horizontal	Pass
2**	4362.400	40.68	-2.63	54.0	13.32	AV	243.00	300	Horizontal	Pass
3	5200.600	95.74	-1.96	--	--	Peak	265.00	200	Horizontal	N/A
3**	5200.600	88.26	-1.96	--	--	AV	265.00	200	Horizontal	N/A
4	7482.138	48.19	-4.24	74.0	25.81	Peak	65.00	300	Horizontal	Pass
4**	7482.138	38.38	-4.24	54.0	15.62	AV	65.00	300	Horizontal	Pass
5	11575.276	51.08	-0.39	74.0	22.92	Peak	352.00	150	Horizontal	Pass
5**	11575.276	39.52	-0.39	54.0	14.48	AV	352.00	150	Horizontal	Pass
6	15845.137	53.96	1.37	74.0	20.04	Peak	115.00	300	Horizontal	Pass
6**	15845.137	45.64	1.37	54.0	8.36	AV	115.00	300	Horizontal	Pass

11ac80, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.900	38.28	-17.33	74.0	35.72	Peak	338.00	100	Vertical	Pass
1**	1445.900	28.48	-17.33	54.0	25.52	AV	338.00	100	Vertical	Pass
2	4367.600	49.95	-2.94	74.0	24.05	Peak	127.00	200	Vertical	Pass
2**	4367.600	39.85	-2.94	54.0	14.15	AV	127.00	200	Vertical	Pass
3	5203.600	96.44	-2.03	--	--	Peak	300.00	100	Vertical	N/A
3**	5203.600	89.69	-2.03	--	--	AV	300.00	100	Vertical	N/A
4	7371.737	48.77	-3.87	74.0	25.23	Peak	128.00	400	Vertical	Pass
4**	7371.737	40.06	-3.87	54.0	13.94	AV	128.00	400	Vertical	Pass
5	10929.549	51.08	0.09	74.0	22.92	Peak	145.00	200	Vertical	Pass
5**	10929.549	41.73	0.09	54.0	12.27	AV	145.00	200	Vertical	Pass
6	16098.187	53.27	1.25	74.0	20.73	Peak	173.00	100	Vertical	Pass
6**	16098.187	44.12	1.25	54.0	9.88	AV	173.00	100	Vertical	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	39.83	-17.19	74.0	34.17	Peak	127.00	100	Horizontal	Pass
1**	1500.200	32.01	-17.19	54.0	21.99	AV	127.00	100	Horizontal	Pass
2	4281.600	49.96	-3.59	74.0	24.04	Peak	185.00	400	Horizontal	Pass
2**	4281.600	40.08	-3.59	54.0	13.92	AV	185.00	400	Horizontal	Pass
3	5199.800	93.37	-1.95	--	--	Peak	272.00	200	Horizontal	N/A
3**	5199.800	84.66	-1.95	--	--	AV	272.00	200	Horizontal	N/A
4	7359.088	48.41	-4.08	74.0	25.59	Peak	83.00	400	Horizontal	Pass
4**	7359.088	40.28	-4.08	54.0	13.72	AV	83.00	400	Horizontal	Pass
5	11209.862	51.18	-0.22	74.0	22.82	Peak	117.00	150	Horizontal	Pass
5**	11209.862	41.65	-0.22	54.0	12.35	AV	117.00	150	Horizontal	Pass
6	15834.900	54.39	1.45	74.0	19.61	Peak	42.00	400	Horizontal	Pass
6**	15834.900	44.57	1.45	54.0	9.43	AV	42.00	400	Horizontal	Pass

11ac160, U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1594.200	39.09	-17.08	74.0	34.91	Peak	113.00	300	Vertical	Pass
1**	1594.200	29.05	-17.08	54.0	24.95	AV	113.00	300	Vertical	Pass
2	4356.800	49.98	-2.42	74.0	24.02	Peak	0.00	200	Vertical	Pass
2**	4356.800	41.04	-2.42	54.0	12.96	AV	0.00	200	Vertical	Pass
3	5204.000	93.32	-2.03	--	--	Peak	288.00	150	Vertical	N/A
3**	5204.000	85.66	-2.03	--	--	AV	288.00	150	Vertical	N/A
4	7286.925	48.94	-3.71	74.0	25.06	Peak	13.00	300	Vertical	Pass
4**	7286.925	38.76	-3.71	54.0	15.24	AV	13.00	300	Vertical	Pass
5	10919.487	51.20	0.23	74.0	22.80	Peak	161.00	200	Vertical	Pass
5**	10919.487	42.45	0.23	54.0	11.55	AV	161.00	200	Vertical	Pass
6	16091.625	53.14	1.40	74.0	20.86	Peak	307.00	200	Vertical	Pass
6**	16091.625	44.90	1.40	54.0	9.10	AV	307.00	200	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1442.300	38.96	-17.27	74.0	35.04	Peak	260.00	400	Horizontal	Pass
1**	1442.300	28.88	-17.27	54.0	25.12	AV	260.00	400	Horizontal	Pass
2	4195.600	49.92	-3.96	74.0	24.08	Peak	173.00	100	Horizontal	Pass
2**	4195.600	39.97	-3.96	54.0	14.03	AV	173.00	100	Horizontal	Pass
3	5181.000	101.73	-1.69	--	--	Peak	271.00	150	Horizontal	N/A
3**	5181.000	94.17	-1.69	--	--	AV	271.00	150	Horizontal	N/A
4	7675.337	48.39	-2.41	74.0	25.61	Peak	332.00	400	Horizontal	Pass
4**	7675.337	39.38	-2.41	54.0	14.62	AV	332.00	400	Horizontal	Pass
5	11592.526	50.80	-0.19	74.0	23.20	Peak	196.00	100	Horizontal	Pass
5**	11592.526	41.60	-0.19	54.0	12.40	AV	196.00	100	Horizontal	Pass
6	15842.250	53.90	1.41	74.0	20.10	Peak	342.00	200	Horizontal	Pass
6**	15842.250	45.25	1.41	54.0	8.75	AV	342.00	200	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.900	38.61	-17.27	74.0	35.39	Peak	46.00	100	Vertical	Pass
1**	1624.900	29.92	-17.27	54.0	24.08	AV	46.00	100	Vertical	Pass
2	4325.000	49.64	-3.83	74.0	24.36	Peak	352.00	100	Vertical	Pass
2**	4325.000	40.09	-3.83	54.0	13.91	AV	352.00	100	Vertical	Pass
3	5172.800	103.05	-1.86	--	--	Peak	289.00	200	Vertical	N/A
3**	5172.800	93.54	-1.86	--	--	AV	289.00	200	Vertical	N/A
4	7332.350	48.63	-3.57	74.0	25.37	Peak	307.00	100	Vertical	Pass
4**	7332.350	39.47	-3.57	54.0	14.53	AV	307.00	100	Vertical	Pass
5	12215.537	51.88	1.19	74.0	22.12	Peak	129.00	200	Vertical	Pass
5**	12215.537	43.08	1.19	54.0	10.92	AV	129.00	200	Vertical	Pass
6	15823.875	53.83	1.69	74.0	20.17	Peak	344.00	200	Vertical	Pass
6**	15823.875	44.97	1.69	54.0	9.03	AV	344.00	200	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1597.100	38.67	-17.44	74.0	35.33	Peak	360.00	200	Horizontal	Pass
1**	1597.100	29.22	-17.44	54.0	24.78	AV	360.00	200	Horizontal	Pass
2	4273.800	50.09	-3.56	74.0	23.91	Peak	152.00	100	Horizontal	Pass
2**	4273.800	41.18	-3.56	54.0	12.82	AV	152.00	100	Horizontal	Pass
3	5222.000	101.39	-2.66	--	--	Peak	270.00	100	Horizontal	N/A
3**	5222.000	92.17	-2.66	--	--	AV	270.00	100	Horizontal	N/A
4	7336.375	49.26	-3.43	74.0	24.74	Peak	251.00	300	Horizontal	Pass
4**	7336.375	40.36	-3.43	54.0	13.64	AV	251.00	300	Horizontal	Pass
5	12217.838	50.99	1.21	74.0	23.01	Peak	235.00	100	Horizontal	Pass
5**	12217.838	42.71	1.21	54.0	11.29	AV	235.00	100	Horizontal	Pass
6	15837.787	54.20	1.45	74.0	19.80	Peak	72.00	200	Horizontal	Pass
6**	15837.787	44.37	1.45	54.0	9.63	AV	72.00	200	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1609.100	39.40	-17.26	74.0	34.60	Peak	119.00	100	Vertical	Pass
1**	1609.100	29.73	-17.26	54.0	24.27	AV	119.00	100	Vertical	Pass
2	4384.600	50.88	-2.92	74.0	23.12	Peak	267.00	100	Vertical	Pass
2**	4384.600	40.73	-2.92	54.0	13.27	AV	267.00	100	Vertical	Pass
3	5212.000	102.51	-2.26	--	--	Peak	289.00	150	Vertical	N/A
3**	5212.000	91.72	-2.26	--	--	AV	289.00	150	Vertical	N/A
4	7349.887	48.45	-3.87	74.0	25.55	Peak	264.00	200	Vertical	Pass
4**	7349.887	39.84	-3.87	54.0	14.16	AV	264.00	200	Vertical	Pass
5	12214.388	51.26	1.16	74.0	22.74	Peak	164.00	100	Vertical	Pass
5**	12214.388	42.07	1.16	54.0	11.93	AV	164.00	100	Vertical	Pass
6	15840.412	53.92	1.44	74.0	20.08	Peak	97.00	100	Vertical	Pass
6**	15840.412	44.96	1.44	54.0	9.04	AV	97.00	100	Vertical	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.600	38.57	-16.90	74.0	35.43	Peak	166.00	300	Horizontal	Pass
1**	1438.600	29.23	-16.90	54.0	24.77	AV	166.00	300	Horizontal	Pass
2	4360.800	49.94	-2.64	74.0	24.06	Peak	46.00	200	Horizontal	Pass
2**	4360.800	41.11	-2.64	54.0	12.89	AV	46.00	200	Horizontal	Pass
3	5240.800	100.59	-1.93	--	--	Peak	245.00	200	Horizontal	N/A
3**	5240.800	92.14	-1.93	--	--	AV	245.00	200	Horizontal	N/A
4	7370.588	48.64	-3.99	74.0	25.36	Peak	250.00	100	Horizontal	Pass
4**	7370.588	39.38	-3.99	54.0	14.62	AV	250.00	100	Horizontal	Pass
5	10935.875	51.11	-0.02	74.0	22.89	Peak	360.00	200	Horizontal	Pass
5**	10935.875	41.96	-0.02	54.0	12.04	AV	360.00	200	Horizontal	Pass
6	15842.513	53.70	1.41	74.0	20.30	Peak	192.00	300	Horizontal	Pass
6**	15842.513	44.11	1.41	54.0	9.89	AV	192.00	300	Horizontal	Pass

11x20 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	38.37	-17.19	74.0	35.63	Peak	0.00	400	Vertical	Pass
1**	1500.100	30.26	-17.19	54.0	23.74	AV	0.00	400	Vertical	Pass
2	4359.000	49.60	-2.68	74.0	24.40	Peak	256.00	300	Vertical	Pass
2**	4359.000	42.43	-2.68	54.0	11.57	AV	256.00	300	Vertical	Pass
3	5233.600	101.68	-2.05	--	--	Peak	298.00	150	Vertical	N/A
3**	5233.600	92.41	-2.05	--	--	AV	298.00	150	Vertical	N/A
4	7382.087	48.31	-3.80	74.0	25.69	Peak	263.00	400	Vertical	Pass
4**	7382.087	39.35	-3.80	54.0	14.65	AV	263.00	400	Vertical	Pass
5	10922.362	51.31	0.20	74.0	22.69	Peak	31.00	150	Vertical	Pass
5**	10922.362	42.06	0.20	54.0	11.94	AV	31.00	150	Vertical	Pass
6	15819.675	53.68	1.89	74.0	20.32	Peak	93.00	200	Vertical	Pass
6**	15819.675	44.37	1.89	54.0	9.63	AV	93.00	200	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.700	38.34	-17.12	74.0	35.66	Peak	114.00	300	Horizontal	Pass
1**	1437.700	29.89	-17.12	54.0	24.11	AV	114.00	300	Horizontal	Pass
2	4346.400	51.56	-2.89	74.0	22.44	Peak	311.00	300	Horizontal	Pass
2**	4346.400	41.41	-2.89	54.0	12.59	AV	311.00	300	Horizontal	Pass
3	5191.400	99.44	-2.04	--	--	Peak	261.00	150	Horizontal	N/A
3**	5191.400	91.45	-2.04	--	--	AV	261.00	150	Horizontal	N/A
4	7361.675	49.44	-4.01	74.0	24.56	Peak	258.00	400	Horizontal	Pass
4**	7361.675	39.81	-4.01	54.0	14.19	AV	258.00	400	Horizontal	Pass
5	10919.775	51.35	0.24	74.0	22.65	Peak	291.00	200	Horizontal	Pass
5**	10919.775	41.78	0.24	54.0	12.22	AV	291.00	200	Horizontal	Pass
6	16093.987	54.29	1.35	74.0	19.71	Peak	39.00	200	Horizontal	Pass
6**	16093.987	45.46	1.35	54.0	8.54	AV	39.00	200	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.400	39.17	-17.42	74.0	34.83	Peak	60.00	300	Vertical	Pass
1**	1596.400	29.65	-17.42	54.0	24.35	AV	60.00	300	Vertical	Pass
2	4377.400	51.14	-2.86	74.0	22.86	Peak	170.00	200	Vertical	Pass
2**	4377.400	41.02	-2.86	54.0	12.98	AV	170.00	200	Vertical	Pass
3	5184.400	98.56	-1.55	--	--	Peak	189.00	200	Vertical	N/A
3**	5184.400	90.42	-1.55	--	--	AV	189.00	200	Vertical	N/A
4	7662.688	48.71	-2.45	74.0	25.29	Peak	268.00	100	Vertical	Pass
4**	7662.688	39.76	-2.45	54.0	14.24	AV	268.00	100	Vertical	Pass
5	10919.200	51.16	0.23	74.0	22.84	Peak	332.00	100	Vertical	Pass
5**	10919.200	41.91	0.23	54.0	12.09	AV	332.00	100	Vertical	Pass
6	16108.951	53.95	0.81	74.0	20.05	Peak	68.00	200	Vertical	Pass
6**	16108.951	44.47	0.81	54.0	9.53	AV	68.00	200	Vertical	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1592.500	39.22	-17.12	74.0	34.78	Peak	147.00	300	Horizontal	Pass
1**	1592.500	29.05	-17.12	54.0	24.95	AV	147.00	300	Horizontal	Pass
2	4356.800	51.21	-2.42	74.0	22.79	Peak	33.00	100	Horizontal	Pass
2**	4356.800	42.36	-2.42	54.0	11.64	AV	33.00	100	Horizontal	Pass
3	5220.600	99.65	-2.67	--	--	Peak	260.00	150	Horizontal	N/A
3**	5220.600	89.58	-2.67	--	--	AV	260.00	150	Horizontal	N/A
4	7474.087	49.20	-4.21	74.0	24.80	Peak	301.00	200	Horizontal	Pass
4**	7474.087	39.53	-4.21	54.0	14.47	AV	301.00	200	Horizontal	Pass
5	10929.549	51.98	0.09	74.0	22.02	Peak	60.00	100	Horizontal	Pass
5**	10929.549	42.48	0.09	54.0	11.52	AV	60.00	100	Horizontal	Pass
6	15476.588	54.43	1.08	74.0	19.57	Peak	0.00	100	Horizontal	Pass
6**	15476.588	43.54	1.08	54.0	10.46	AV	0.00	100	Horizontal	Pass

11ax40 (SU), U-NII-1, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.500	38.77	-17.32	74.0	35.23	Peak	107.00	300	Vertical	Pass
1**	1583.500	29.64	-17.32	54.0	24.36	AV	107.00	300	Vertical	Pass
2	4358.600	50.01	-2.69	74.0	23.99	Peak	218.00	200	Vertical	Pass
2**	4358.600	41.59	-2.69	54.0	12.41	AV	218.00	200	Vertical	Pass
3	5233.200	99.71	-2.07	--	--	Peak	196.00	100	Vertical	N/A
3**	5233.200	89.79	-2.07	--	--	AV	196.00	100	Vertical	N/A
4	7360.525	49.39	-4.03	74.0	24.61	Peak	317.00	300	Vertical	Pass
4**	7360.525	41.70	-4.03	54.0	12.30	AV	317.00	300	Vertical	Pass
5	12691.925	51.24	0.84	74.0	22.76	Peak	62.00	200	Vertical	Pass
5**	12691.925	41.53	0.84	54.0	12.47	AV	62.00	200	Vertical	Pass
6	16090.575	54.29	1.42	74.0	19.71	Peak	86.00	100	Vertical	Pass
6**	16090.575	44.75	1.42	54.0	9.25	AV	86.00	100	Vertical	Pass

11x80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	38.46	-17.19	74.0	35.54	Peak	250.00	100	Horizontal	Pass
1**	1499.600	29.48	-17.19	54.0	24.52	AV	250.00	100	Horizontal	Pass
2	4377.200	50.03	-2.88	74.0	23.97	Peak	190.00	300	Horizontal	Pass
2**	4377.200	41.21	-2.88	54.0	12.79	AV	190.00	300	Horizontal	Pass
3	5221.400	99.30	-2.60	--	--	Peak	260.00	100	Horizontal	N/A
3**	5221.400	88.66	-2.60	--	--	AV	260.00	100	Horizontal	N/A
4	7373.175	50.43	-3.78	74.0	23.57	Peak	360.00	200	Horizontal	Pass
4**	7373.175	41.14	-3.78	54.0	12.86	AV	360.00	200	Horizontal	Pass
5	10914.888	50.67	0.20	74.0	23.33	Peak	172.00	100	Horizontal	Pass
5**	10914.888	42.70	0.20	54.0	11.30	AV	172.00	100	Horizontal	Pass
6	16096.874	54.03	1.28	74.0	19.97	Peak	69.00	400	Horizontal	Pass
6**	16096.874	45.98	1.28	54.0	8.02	AV	69.00	400	Horizontal	Pass

11x80 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.300	38.90	-17.32	74.0	35.10	Peak	125.00	100	Vertical	Pass
1**	1573.300	29.04	-17.32	54.0	24.96	AV	125.00	100	Vertical	Pass
2	4377.800	50.09	-2.86	74.0	23.91	Peak	194.00	200	Vertical	Pass
2**	4377.800	42.28	-2.86	54.0	11.72	AV	194.00	200	Vertical	Pass
3	5191.200	96.75	-2.02	--	--	Peak	205.00	150	Vertical	N/A
3**	5191.200	86.10	-2.02	--	--	AV	205.00	150	Vertical	N/A
4	7349.887	49.43	-3.87	74.0	24.57	Peak	141.00	200	Vertical	Pass
4**	7349.887	39.93	-3.87	54.0	14.07	AV	141.00	200	Vertical	Pass
5	10949.963	51.48	-0.26	74.0	22.52	Peak	333.00	100	Vertical	Pass
5**	10949.963	42.50	-0.26	54.0	11.50	AV	333.00	100	Vertical	Pass
6	15484.987	53.65	0.90	74.0	20.35	Peak	52.00	200	Vertical	Pass
6**	15484.987	43.46	0.90	54.0	10.54	AV	52.00	200	Vertical	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.400	39.24	-17.20	74.0	34.76	Peak	128.00	100	Horizontal	Pass
1**	1500.400	30.97	-17.20	54.0	23.03	AV	128.00	100	Horizontal	Pass
2	4392.000	50.74	-3.32	74.0	23.26	Peak	272.00	100	Horizontal	Pass
2**	4392.000	42.61	-3.32	54.0	11.39	AV	272.00	100	Horizontal	Pass
3	5221.600	93.86	-2.62	--	--	Peak	261.00	100	Horizontal	N/A
3**	5221.600	85.01	-2.62	--	--	AV	261.00	100	Horizontal	N/A
4	7368.575	49.24	-4.06	74.0	24.76	Peak	282.00	400	Horizontal	Pass
4**	7368.575	40.29	-4.06	54.0	13.71	AV	282.00	400	Horizontal	Pass
5	12217.263	52.00	1.20	74.0	22.00	Peak	12.00	150	Horizontal	Pass
5**	12217.263	42.33	1.20	54.0	11.67	AV	12.00	150	Horizontal	Pass
6	16191.901	53.98	1.58	74.0	20.02	Peak	216.00	400	Horizontal	Pass
6**	16191.901	44.21	1.58	54.0	9.79	AV	216.00	400	Horizontal	Pass

11ax160 (SU), U-NII-1, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.200	39.08	-17.23	74.0	34.92	Peak	227.00	300	Vertical	Pass
1**	1464.200	29.38	-17.23	54.0	24.62	AV	227.00	300	Vertical	Pass
2	4371.800	50.18	-3.04	74.0	23.82	Peak	322.00	300	Vertical	Pass
2**	4371.800	41.05	-3.04	54.0	12.95	AV	322.00	300	Vertical	Pass
3	5191.800	93.99	-2.05	--	--	Peak	188.00	150	Vertical	N/A
3**	5191.800	83.54	-2.05	--	--	AV	188.00	150	Vertical	N/A
4	7324.300	48.81	-3.57	74.0	25.19	Peak	269.00	200	Vertical	Pass
4**	7324.300	38.87	-3.57	54.0	15.13	AV	269.00	200	Vertical	Pass
5	10937.600	51.07	-0.04	74.0	22.93	Peak	300.00	200	Vertical	Pass
5**	10937.600	42.57	-0.04	54.0	11.43	AV	300.00	200	Vertical	Pass
6	16197.675	53.91	1.59	74.0	20.09	Peak	86.00	400	Vertical	Pass
6**	16197.675	44.33	1.59	54.0	9.67	AV	86.00	400	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.200	38.52	-17.06	74.0	35.48	Peak	274.00	300	Horizontal	Pass
1**	1435.200	29.15	-17.06	54.0	24.85	AV	274.00	300	Horizontal	Pass
2	4344.800	50.32	-3.21	74.0	23.68	Peak	16.00	100	Horizontal	Pass
2**	4344.800	40.78	-3.21	54.0	13.22	AV	16.00	100	Horizontal	Pass
3	5261.200	103.75	-2.07	--	--	Peak	262.00	100	Horizontal	N/A
3**	5261.200	97.68	-2.07	--	--	AV	262.00	100	Horizontal	N/A
4	7366.850	48.98	-4.02	74.0	25.02	Peak	172.00	400	Horizontal	Pass
4**	7366.850	40.63	-4.02	54.0	13.37	AV	172.00	400	Horizontal	Pass
5	10925.525	51.42	0.15	74.0	22.58	Peak	188.00	100	Horizontal	Pass
5**	10925.525	42.29	0.15	54.0	11.71	AV	188.00	100	Horizontal	Pass
6	16100.550	54.31	1.18	74.0	19.69	Peak	51.00	100	Horizontal	Pass
6**	16100.550	44.71	1.18	54.0	9.29	AV	51.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.100	38.93	-17.06	74.0	35.07	Peak	208.00	100	Vertical	Pass
1**	1455.100	29.48	-17.06	54.0	24.52	AV	208.00	100	Vertical	Pass
2	4375.400	50.45	-2.99	74.0	23.55	Peak	0.00	100	Vertical	Pass
2**	4375.400	40.89	-2.99	54.0	13.11	AV	0.00	100	Vertical	Pass
3	5256.200	104.49	-1.83	--	--	Peak	200.00	200	Vertical	N/A
3**	5256.200	97.18	-1.83	--	--	AV	200.00	200	Vertical	N/A
4	7369.438	48.89	-4.10	74.0	25.11	Peak	217.00	100	Vertical	Pass
4**	7369.438	40.17	-4.10	54.0	13.83	AV	217.00	100	Vertical	Pass
5	12223.013	51.18	1.27	74.0	22.82	Peak	250.00	100	Vertical	Pass
5**	12223.013	41.93	1.27	54.0	12.07	AV	250.00	100	Vertical	Pass
6	16086.112	53.64	1.51	74.0	20.36	Peak	141.00	200	Vertical	Pass
6**	16086.112	44.92	1.51	54.0	9.08	AV	141.00	200	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1607.900	38.38	-17.34	74.0	35.62	Peak	345.00	400	Horizontal	Pass
1**	1607.900	28.76	-17.34	54.0	25.24	AV	345.00	400	Horizontal	Pass
2	4353.000	50.37	-3.11	74.0	23.63	Peak	312.00	200	Horizontal	Pass
2**	4353.000	40.77	-3.11	54.0	13.23	AV	312.00	200	Horizontal	Pass
3	5296.000	103.93	-2.26	--	--	Peak	195.00	200	Horizontal	N/A
3**	5296.000	97.46	-2.26	--	--	AV	195.00	200	Horizontal	N/A
4	7685.687	48.93	-2.94	74.0	25.07	Peak	0.00	100	Horizontal	Pass
4**	7685.687	38.89	-2.94	54.0	15.11	AV	0.00	100	Horizontal	Pass
5	11587.350	51.31	-0.26	74.0	22.69	Peak	250.00	100	Horizontal	Pass
5**	11587.350	40.83	-0.26	54.0	13.17	AV	250.00	100	Horizontal	Pass
6	15817.838	54.50	1.96	74.0	19.50	Peak	272.00	300	Horizontal	Pass
6**	15817.838	44.85	1.96	54.0	9.15	AV	272.00	300	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.800	38.56	-17.36	74.0	35.44	Peak	289.00	100	Vertical	Pass
1**	1595.800	30.05	-17.36	54.0	23.95	AV	289.00	100	Vertical	Pass
2	4365.600	51.07	-2.89	74.0	22.93	Peak	45.00	300	Vertical	Pass
2**	4365.600	41.63	-2.89	54.0	12.37	AV	45.00	300	Vertical	Pass
3	5297.000	104.60	-2.31	--	--	Peak	14.00	150	Vertical	N/A
3**	5297.000	96.07	-2.31	--	--	AV	14.00	150	Vertical	N/A
4	7362.825	49.98	-4.01	74.0	24.02	Peak	139.00	300	Vertical	Pass
4**	7362.825	39.50	-4.01	54.0	14.50	AV	139.00	300	Vertical	Pass
5	10916.325	51.09	0.21	74.0	22.91	Peak	124.00	150	Vertical	Pass
5**	10916.325	42.02	0.21	54.0	11.98	AV	124.00	150	Vertical	Pass
6	16193.738	53.96	1.59	74.0	20.04	Peak	291.00	200	Vertical	Pass
6**	16193.738	44.51	1.59	54.0	9.49	AV	291.00	200	Vertical	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1582.900	38.78	-17.33	74.0	35.22	Peak	78.00	300	Horizontal	Pass
1**	1582.900	28.49	-17.33	54.0	25.51	AV	78.00	300	Horizontal	Pass
2	4368.400	49.88	-2.81	74.0	24.12	Peak	123.00	400	Horizontal	Pass
2**	4368.400	40.96	-2.81	54.0	13.04	AV	123.00	400	Horizontal	Pass
3	5316.000	103.27	-2.15	--	--	Peak	206.00	150	Horizontal	N/A
3**	5316.000	96.57	-2.15	--	--	AV	206.00	150	Horizontal	N/A
4	7347.875	48.94	-3.84	74.0	25.06	Peak	187.00	200	Horizontal	Pass
4**	7347.875	40.07	-3.84	54.0	13.93	AV	187.00	200	Horizontal	Pass
5	11316.525	50.93	0.49	74.0	23.07	Peak	140.00	100	Horizontal	Pass
5**	11316.525	41.30	0.49	54.0	12.70	AV	140.00	100	Horizontal	Pass
6	15832.013	54.29	1.48	74.0	19.71	Peak	123.00	100	Horizontal	Pass
6**	15832.013	44.56	1.48	54.0	9.44	AV	123.00	100	Horizontal	Pass

11a, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.500	39.08	-17.36	74.0	34.92	Peak	118.00	400	Vertical	Pass
1**	1613.500	29.23	-17.36	54.0	24.77	AV	118.00	400	Vertical	Pass
2	4355.200	50.20	-2.76	74.0	23.80	Peak	344.00	400	Vertical	Pass
2**	4355.200	41.66	-2.76	54.0	12.34	AV	344.00	400	Vertical	Pass
3	5321.400	103.69	-2.29	--	--	Peak	344.00	100	Vertical	N/A
3**	5321.400	96.54	-2.29	--	--	AV	344.00	100	Vertical	N/A
4	7362.825	48.66	-4.01	74.0	25.34	Peak	94.00	200	Vertical	Pass
4**	7362.825	40.66	-4.01	54.0	13.34	AV	94.00	200	Vertical	Pass
5	12225.887	51.07	1.31	74.0	22.93	Peak	157.00	150	Vertical	Pass
5**	12225.887	42.25	1.31	54.0	11.75	AV	157.00	150	Vertical	Pass
6	15859.575	54.07	0.95	74.0	19.93	Peak	327.00	400	Vertical	Pass
6**	15859.575	43.89	0.95	54.0	10.11	AV	327.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1552.000	38.80	-16.99	74.0	35.20	Peak	168.00	300	Horizontal	Pass
1**	1552.000	28.87	-16.99	54.0	25.13	AV	168.00	300	Horizontal	Pass
2	4351.000	49.83	-3.09	74.0	24.17	Peak	157.00	100	Horizontal	Pass
2**	4351.000	41.54	-3.09	54.0	12.46	AV	157.00	100	Horizontal	Pass
3	5253.400	104.19	-1.54	--	--	Peak	260.00	150	Horizontal	N/A
3**	5253.400	96.03	-1.54	--	--	AV	260.00	150	Horizontal	N/A
4	7363.975	49.06	-4.01	74.0	24.94	Peak	319.00	100	Horizontal	Pass
4**	7363.975	39.82	-4.01	54.0	14.18	AV	319.00	100	Horizontal	Pass
5	11948.738	50.85	1.43	74.0	23.15	Peak	44.00	150	Horizontal	Pass
5**	11948.738	41.38	1.43	54.0	12.62	AV	44.00	150	Horizontal	Pass
6	16197.151	53.61	1.59	74.0	20.39	Peak	234.00	300	Horizontal	Pass
6**	16197.151	45.54	1.59	54.0	8.46	AV	234.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.300	39.28	-17.45	74.0	34.72	Peak	130.00	300	Vertical	Pass
1**	1606.300	28.31	-17.45	54.0	25.69	AV	130.00	300	Vertical	Pass
2	4359.600	50.28	-2.67	74.0	23.72	Peak	251.00	400	Vertical	Pass
2**	4359.600	41.32	-2.67	54.0	12.68	AV	251.00	400	Vertical	Pass
3	5262.600	104.42	-2.15	--	--	Peak	201.00	200	Vertical	N/A
3**	5262.600	97.65	-2.15	--	--	AV	201.00	200	Vertical	N/A
4	7384.100	49.48	-3.86	74.0	24.52	Peak	190.00	200	Vertical	Pass
4**	7384.100	39.73	-3.86	54.0	14.27	AV	190.00	200	Vertical	Pass
5	12693.363	51.56	0.83	74.0	22.44	Peak	286.00	100	Vertical	Pass
5**	12693.363	41.44	0.83	54.0	12.56	AV	286.00	100	Vertical	Pass
6	15813.900	54.24	2.08	74.0	19.76	Peak	52.00	100	Vertical	Pass
6**	15813.900	44.88	2.08	54.0	9.12	AV	52.00	100	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	39.40	-17.19	74.0	34.60	Peak	94.00	100	Horizontal	Pass
1**	1500.000	30.82	-17.19	54.0	23.18	AV	94.00	100	Horizontal	Pass
2	4284.400	50.65	-3.06	74.0	23.35	Peak	260.00	200	Horizontal	Pass
2**	4284.400	40.63	-3.06	54.0	13.37	AV	260.00	200	Horizontal	Pass
3	5302.000	103.85	-2.57	--	--	Peak	199.00	150	Horizontal	N/A
3**	5302.000	96.52	-2.57	--	--	AV	199.00	150	Horizontal	N/A
4	7359.088	51.02	-4.08	74.0	22.98	Peak	299.00	300	Horizontal	Pass
4**	7359.088	39.27	-4.08	54.0	14.73	AV	299.00	300	Horizontal	Pass
5	12208.638	51.68	0.96	74.0	22.32	Peak	188.00	200	Horizontal	Pass
5**	12208.638	41.86	0.96	54.0	12.14	AV	188.00	200	Horizontal	Pass
6	15844.875	53.76	1.37	74.0	20.24	Peak	103.00	300	Horizontal	Pass
6**	15844.875	44.37	1.37	54.0	9.63	AV	103.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.300	38.57	-17.15	74.0	35.43	Peak	289.00	400	Vertical	Pass
1**	1622.300	28.78	-17.15	54.0	25.22	AV	289.00	400	Vertical	Pass
2	4355.600	50.47	-2.62	74.0	23.53	Peak	352.00	400	Vertical	Pass
2**	4355.600	40.74	-2.62	54.0	13.26	AV	352.00	400	Vertical	Pass
3	5294.600	104.54	-2.23	--	--	Peak	14.00	150	Vertical	N/A
3**	5294.600	96.89	-2.23	--	--	AV	14.00	150	Vertical	N/A
4	7373.750	49.05	-3.75	74.0	24.95	Peak	45.00	300	Vertical	Pass
4**	7373.750	39.89	-3.75	54.0	14.11	AV	45.00	300	Vertical	Pass
5	11597.412	51.06	-0.12	74.0	22.94	Peak	45.00	150	Vertical	Pass
5**	11597.412	40.89	-0.12	54.0	13.11	AV	45.00	150	Vertical	Pass
6	16105.275	53.74	0.97	74.0	20.26	Peak	272.00	400	Vertical	Pass
6**	16105.275	44.43	0.97	54.0	9.57	AV	272.00	400	Vertical	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1593.000	38.49	-17.09	74.0	35.51	Peak	204.00	100	Horizontal	Pass
1**	1593.000	28.93	-17.09	54.0	25.07	AV	204.00	100	Horizontal	Pass
2	4325.000	49.91	-3.83	74.0	24.09	Peak	67.00	400	Horizontal	Pass
2**	4325.000	41.23	-3.83	54.0	12.77	AV	67.00	400	Horizontal	Pass
3	5313.600	103.72	-2.02	--	--	Peak	332.00	100	Horizontal	N/A
3**	5313.600	96.13	-2.02	--	--	AV	332.00	100	Horizontal	N/A
4	7361.100	48.72	-4.01	74.0	25.28	Peak	360.00	300	Horizontal	Pass
4**	7361.100	40.20	-4.01	54.0	13.80	AV	360.00	300	Horizontal	Pass
5	11204.688	50.93	-0.27	74.0	23.07	Peak	220.00	150	Horizontal	Pass
5**	11204.688	42.76	-0.27	54.0	11.24	AV	220.00	150	Horizontal	Pass
6	16096.349	53.70	1.29	74.0	20.30	Peak	0.00	300	Horizontal	Pass
6**	16096.349	45.15	1.29	54.0	8.85	AV	0.00	300	Horizontal	Pass

11n20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.700	38.73	-17.18	74.0	35.27	Peak	282.00	100	Vertical	Pass
1**	1622.700	28.96	-17.18	54.0	25.04	AV	282.00	100	Vertical	Pass
2	4382.000	49.92	-3.00	74.0	24.08	Peak	322.00	200	Vertical	Pass
2**	4382.000	41.61	-3.00	54.0	12.39	AV	322.00	200	Vertical	Pass
3	5322.600	103.75	-2.25	--	--	Peak	342.00	100	Vertical	N/A
3**	5322.600	96.60	-2.25	--	--	AV	342.00	100	Vertical	N/A
4	7667.288	48.70	-2.36	74.0	25.30	Peak	28.00	100	Vertical	Pass
4**	7667.288	39.30	-2.36	54.0	14.70	AV	28.00	100	Vertical	Pass
5	12218.412	51.31	1.21	74.0	22.69	Peak	220.00	150	Vertical	Pass
5**	12218.412	41.81	1.21	54.0	12.19	AV	220.00	150	Vertical	Pass
6	16099.500	53.98	1.21	74.0	20.02	Peak	33.00	100	Vertical	Pass
6**	16099.500	45.25	1.21	54.0	8.75	AV	33.00	100	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.900	39.13	-17.12	74.0	34.87	Peak	64.00	300	Horizontal	Pass
1**	1621.900	29.35	-17.12	54.0	24.65	AV	64.00	300	Horizontal	Pass
2	4360.200	49.82	-2.65	74.0	24.18	Peak	189.00	200	Horizontal	Pass
2**	4360.200	41.32	-2.65	54.0	12.68	AV	189.00	200	Horizontal	Pass
3	5262.000	100.95	-2.06	--	--	Peak	260.00	100	Horizontal	N/A
3**	5262.000	94.68	-2.06	--	--	AV	260.00	100	Horizontal	N/A
4	7351.612	48.70	-3.85	74.0	25.30	Peak	123.00	100	Horizontal	Pass
4**	7351.612	40.15	-3.85	54.0	13.85	AV	123.00	100	Horizontal	Pass
5	12212.950	51.42	1.12	74.0	22.58	Peak	217.00	100	Horizontal	Pass
5**	12212.950	42.45	1.12	54.0	11.55	AV	217.00	100	Horizontal	Pass
6	16089.000	54.22	1.45	74.0	19.78	Peak	1.00	300	Horizontal	Pass
6**	16089.000	44.69	1.45	54.0	9.31	AV	1.00	300	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.000	39.04	-17.18	74.0	34.96	Peak	128.00	400	Vertical	Pass
1**	1586.000	28.85	-17.18	54.0	25.15	AV	128.00	400	Vertical	Pass
2	4357.000	50.06	-2.45	74.0	23.94	Peak	334.00	200	Vertical	Pass
2**	4357.000	41.33	-2.45	54.0	12.67	AV	334.00	200	Vertical	Pass
3	5272.400	101.71	-2.00	--	--	Peak	192.00	200	Vertical	N/A
3**	5272.400	93.25	-2.00	--	--	AV	192.00	200	Vertical	N/A
4	7378.350	48.51	-3.69	74.0	25.49	Peak	0.00	400	Vertical	Pass
4**	7378.350	39.36	-3.69	54.0	14.64	AV	0.00	400	Vertical	Pass
5	10924.088	51.58	0.17	74.0	22.42	Peak	28.00	200	Vertical	Pass
5**	10924.088	41.96	0.17	54.0	12.04	AV	28.00	200	Vertical	Pass
6	16083.225	54.11	1.57	74.0	19.89	Peak	200.00	400	Vertical	Pass
6**	16083.225	44.76	1.57	54.0	9.24	AV	200.00	400	Vertical	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.000	38.92	-17.31	74.0	35.08	Peak	19.00	300	Horizontal	Pass
1**	1441.000	29.07	-17.31	54.0	24.93	AV	19.00	300	Horizontal	Pass
2	4245.200	49.80	-4.71	74.0	24.20	Peak	92.00	200	Horizontal	Pass
2**	4245.200	39.52	-4.71	54.0	14.48	AV	92.00	200	Horizontal	Pass
3	5313.400	100.73	-2.02	--	--	Peak	333.00	150	Horizontal	N/A
3**	5313.400	91.86	-2.02	--	--	AV	333.00	150	Horizontal	N/A
4	7360.525	48.90	-4.03	74.0	25.10	Peak	0.00	200	Horizontal	Pass
4**	7360.525	40.04	-4.03	54.0	13.96	AV	0.00	200	Horizontal	Pass
5	10943.638	51.20	-0.11	74.0	22.80	Peak	296.00	150	Horizontal	Pass
5**	10943.638	41.87	-0.11	54.0	12.13	AV	296.00	150	Horizontal	Pass
6	15471.075	54.19	1.25	74.0	19.81	Peak	72.00	200	Horizontal	Pass
6**	15471.075	43.78	1.25	54.0	10.22	AV	72.00	200	Horizontal	Pass

11n40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1452.100	39.11	-17.21	74.0	34.89	Peak	221.00	100	Vertical	Pass
1**	1452.100	29.17	-17.21	54.0	24.83	AV	221.00	100	Vertical	Pass
2	4346.400	49.96	-2.89	74.0	24.04	Peak	273.00	300	Vertical	Pass
2**	4346.400	40.78	-2.89	54.0	13.22	AV	273.00	300	Vertical	Pass
3	5299.000	99.99	-2.32	--	--	Peak	141.00	200	Vertical	N/A
3**	5299.000	91.99	-2.32	--	--	AV	141.00	200	Vertical	N/A
4	7675.337	48.99	-2.41	74.0	25.01	Peak	360.00	400	Vertical	Pass
4**	7675.337	39.42	-2.41	54.0	14.58	AV	360.00	400	Vertical	Pass
5	10944.213	51.09	-0.12	74.0	22.91	Peak	169.00	200	Vertical	Pass
5**	10944.213	41.57	-0.12	54.0	12.43	AV	169.00	200	Vertical	Pass
6	15827.287	54.24	1.57	74.0	19.76	Peak	233.00	300	Vertical	Pass
6**	15827.287	45.08	1.57	54.0	8.92	AV	233.00	300	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.700	38.03	-17.01	74.0	35.97	Peak	352.00	200	Horizontal	Pass
1**	1439.700	29.23	-17.01	54.0	24.77	AV	352.00	200	Horizontal	Pass
2	4356.400	49.62	-2.36	74.0	24.38	Peak	191.00	400	Horizontal	Pass
2**	4356.400	41.67	-2.36	54.0	12.33	AV	191.00	400	Horizontal	Pass
3	5261.600	102.48	-2.01	--	--	Peak	262.00	100	Horizontal	N/A
3**	5261.600	94.38	-2.01	--	--	AV	262.00	100	Horizontal	N/A
4	7663.837	49.19	-2.44	74.0	24.81	Peak	12.00	300	Horizontal	Pass
4**	7663.837	39.65	-2.44	54.0	14.35	AV	12.00	300	Horizontal	Pass
5	10911.438	51.10	0.18	74.0	22.90	Peak	75.00	200	Horizontal	Pass
5**	10911.438	42.01	0.18	54.0	11.99	AV	75.00	200	Horizontal	Pass
6	16195.049	53.21	1.60	74.0	20.79	Peak	109.00	100	Horizontal	Pass
6**	16195.049	44.75	1.60	54.0	9.25	AV	109.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	38.52	-17.19	74.0	35.48	Peak	287.00	100	Vertical	Pass
1**	1499.700	29.39	-17.19	54.0	24.61	AV	287.00	100	Vertical	Pass
2	4355.200	50.13	-2.76	74.0	23.87	Peak	193.00	100	Vertical	Pass
2**	4355.200	41.35	-2.76	54.0	12.65	AV	193.00	100	Vertical	Pass
3	5261.600	102.16	-2.01	--	--	Peak	183.00	200	Vertical	N/A
3**	5261.600	93.63	-2.01	--	--	AV	183.00	200	Vertical	N/A
4	7347.875	49.12	-3.84	74.0	24.88	Peak	0.00	200	Vertical	Pass
4**	7347.875	39.50	-3.84	54.0	14.50	AV	0.00	200	Vertical	Pass
5	10942.488	51.77	-0.09	74.0	22.23	Peak	108.00	100	Vertical	Pass
5**	10942.488	41.73	-0.09	54.0	12.27	AV	108.00	100	Vertical	Pass
6	15815.213	53.92	2.05	74.0	20.08	Peak	234.00	100	Vertical	Pass
6**	15815.213	44.78	2.05	54.0	9.22	AV	234.00	100	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1437.400	38.17	-17.19	74.0	35.83	Peak	81.00	200	Horizontal	Pass
1**	1437.400	28.53	-17.19	54.0	25.47	AV	81.00	200	Horizontal	Pass
2	4363.000	50.09	-2.65	74.0	23.91	Peak	112.00	200	Horizontal	Pass
2**	4363.000	41.24	-2.65	54.0	12.76	AV	112.00	200	Horizontal	Pass
3	5293.400	100.26	-2.24	--	--	Peak	263.00	100	Horizontal	N/A
3**	5293.400	93.36	-2.24	--	--	AV	263.00	100	Horizontal	N/A
4	7357.362	49.09	-4.13	74.0	24.91	Peak	250.00	100	Horizontal	Pass
4**	7357.362	40.10	-4.13	54.0	13.90	AV	250.00	100	Horizontal	Pass
5	12229.049	51.40	1.30	74.0	22.60	Peak	124.00	100	Horizontal	Pass
5**	12229.049	42.30	1.30	54.0	11.70	AV	124.00	100	Horizontal	Pass
6	16096.088	54.06	1.30	74.0	19.94	Peak	17.00	400	Horizontal	Pass
6**	16096.088	45.10	1.30	54.0	8.90	AV	17.00	400	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	39.57	-17.19	74.0	34.43	Peak	360.00	200	Vertical	Pass
1**	1499.900	29.75	-17.19	54.0	24.25	AV	360.00	200	Vertical	Pass
2	4387.000	50.02	-3.00	74.0	23.98	Peak	262.00	100	Vertical	Pass
2**	4387.000	40.48	-3.00	54.0	13.52	AV	262.00	100	Vertical	Pass
3	5295.000	100.45	-2.24	--	--	Peak	18.00	200	Vertical	N/A
3**	5295.000	94.09	-2.24	--	--	AV	18.00	200	Vertical	N/A
4	7358.513	48.77	-4.09	74.0	25.23	Peak	0.00	300	Vertical	Pass
4**	7358.513	40.14	-4.09	54.0	13.86	AV	0.00	300	Vertical	Pass
5	12605.963	51.55	1.91	74.0	22.45	Peak	44.00	200	Vertical	Pass
5**	12605.963	40.97	1.91	54.0	13.03	AV	44.00	200	Vertical	Pass
6	15845.662	53.82	1.36	74.0	20.18	Peak	164.00	200	Vertical	Pass
6**	15845.662	44.24	1.36	54.0	9.76	AV	164.00	200	Vertical	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.500	38.47	-16.97	74.0	35.53	Peak	174.00	300	Horizontal	Pass
1**	1439.500	30.05	-16.97	54.0	23.95	AV	174.00	300	Horizontal	Pass
2	4369.000	50.54	-2.71	74.0	23.46	Peak	242.00	300	Horizontal	Pass
2**	4369.000	41.04	-2.71	54.0	12.96	AV	242.00	300	Horizontal	Pass
3	5313.200	100.18	-2.02	--	--	Peak	333.00	100	Horizontal	N/A
3**	5313.200	92.57	-2.02	--	--	AV	333.00	100	Horizontal	N/A
4	7364.550	48.69	-4.02	74.0	25.31	Peak	347.00	100	Horizontal	Pass
4**	7364.550	40.03	-4.02	54.0	13.97	AV	347.00	100	Horizontal	Pass
5	12602.512	51.25	1.91	74.0	22.75	Peak	76.00	200	Horizontal	Pass
5**	12602.512	41.14	1.91	54.0	12.86	AV	76.00	200	Horizontal	Pass
6	16100.550	54.45	1.18	74.0	19.55	Peak	52.00	100	Horizontal	Pass
6**	16100.550	45.31	1.18	54.0	8.69	AV	52.00	100	Horizontal	Pass

11ac20, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.000	38.55	-16.85	74.0	35.45	Peak	7.00	200	Vertical	Pass
1**	1439.000	29.47	-16.85	54.0	24.53	AV	7.00	200	Vertical	Pass
2	4380.600	49.38	-3.02	74.0	24.62	Peak	0.00	200	Vertical	Pass
2**	4380.600	41.50	-3.02	54.0	12.50	AV	0.00	200	Vertical	Pass
3	5321.000	100.52	-2.29	--	--	Peak	197.00	200	Vertical	N/A
3**	5321.000	92.69	-2.29	--	--	AV	197.00	200	Vertical	N/A
4	7386.113	48.72	-3.92	74.0	25.28	Peak	173.00	100	Vertical	Pass
4**	7386.113	39.11	-3.92	54.0	14.89	AV	173.00	100	Vertical	Pass
5	10927.250	51.64	0.13	74.0	22.36	Peak	93.00	150	Vertical	Pass
5**	10927.250	41.75	0.13	54.0	12.25	AV	93.00	150	Vertical	Pass
6	16100.025	53.92	1.20	74.0	20.08	Peak	198.00	300	Vertical	Pass
6**	16100.025	44.82	1.20	54.0	9.18	AV	198.00	300	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.200	38.48	-16.90	74.0	35.52	Peak	0.00	100	Horizontal	Pass
1**	1439.200	29.31	-16.90	54.0	24.69	AV	0.00	100	Horizontal	Pass
2	4363.400	49.86	-2.68	74.0	24.14	Peak	169.00	100	Horizontal	Pass
2**	4363.400	41.43	-2.68	54.0	12.57	AV	169.00	100	Horizontal	Pass
3	5273.400	99.90	-2.04	--	--	Peak	260.00	200	Horizontal	N/A
3**	5273.400	91.56	-2.04	--	--	AV	260.00	200	Horizontal	N/A
4	7374.612	48.48	-3.75	74.0	25.52	Peak	329.00	300	Horizontal	Pass
4**	7374.612	40.07	-3.75	54.0	13.93	AV	329.00	300	Horizontal	Pass
5	12216.974	51.49	1.20	74.0	22.51	Peak	28.00	100	Horizontal	Pass
5**	12216.974	41.64	1.20	54.0	12.36	AV	28.00	100	Horizontal	Pass
6	15828.338	54.10	1.54	74.0	19.90	Peak	307.00	100	Horizontal	Pass
6**	15828.338	44.54	1.54	54.0	9.46	AV	307.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1464.400	38.26	-17.23	74.0	35.74	Peak	247.00	100	Vertical	Pass
1**	1464.400	28.94	-17.23	54.0	25.06	AV	247.00	100	Vertical	Pass
2	4356.200	50.56	-2.42	74.0	23.44	Peak	98.00	400	Vertical	Pass
2**	4356.200	42.04	-2.42	54.0	11.96	AV	98.00	400	Vertical	Pass
3	5271.800	98.49	-2.06	--	--	Peak	200.00	150	Vertical	N/A
3**	5271.800	91.87	-2.06	--	--	AV	200.00	150	Vertical	N/A
4	7345.288	48.83	-3.70	74.0	25.17	Peak	45.00	400	Vertical	Pass
4**	7345.288	40.22	-3.70	54.0	13.78	AV	45.00	400	Vertical	Pass
5	10916.037	51.13	0.21	74.0	22.87	Peak	360.00	200	Vertical	Pass
5**	10916.037	42.52	0.21	54.0	11.48	AV	360.00	200	Vertical	Pass
6	16111.313	53.51	0.74	74.0	20.49	Peak	179.00	200	Vertical	Pass
6**	16111.313	44.68	0.74	54.0	9.32	AV	179.00	200	Vertical	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	38.57	-17.19	74.0	35.43	Peak	19.00	400	Horizontal	Pass
1**	1500.000	30.60	-17.19	54.0	23.40	AV	19.00	400	Horizontal	Pass
2	4357.000	50.24	-2.45	74.0	23.76	Peak	248.00	200	Horizontal	Pass
2**	4357.000	41.36	-2.45	54.0	12.64	AV	248.00	200	Horizontal	Pass
3	5300.200	98.36	-2.34	--	--	Peak	194.00	150	Horizontal	N/A
3**	5300.200	90.43	-2.34	--	--	AV	194.00	150	Horizontal	N/A
4	7265.937	49.09	-2.96	74.0	24.91	Peak	310.00	200	Horizontal	Pass
4**	7265.937	39.39	-2.96	54.0	14.61	AV	310.00	200	Horizontal	Pass
5	10943.350	50.86	-0.11	74.0	23.14	Peak	245.00	150	Horizontal	Pass
5**	10943.350	41.92	-0.11	54.0	12.08	AV	245.00	150	Horizontal	Pass
6	15823.612	53.64	1.71	74.0	20.36	Peak	31.00	100	Horizontal	Pass
6**	15823.612	44.39	1.71	54.0	9.61	AV	31.00	100	Horizontal	Pass

11ac40, U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.200	38.56	-16.90	74.0	35.44	Peak	3.00	100	Vertical	Pass
1**	1439.200	29.18	-16.90	54.0	24.82	AV	3.00	100	Vertical	Pass
2	4342.200	50.43	-3.65	74.0	23.57	Peak	193.00	100	Vertical	Pass
2**	4342.200	40.95	-3.65	54.0	13.05	AV	193.00	100	Vertical	Pass
3	5300.600	97.62	-2.39	--	--	Peak	193.00	200	Vertical	N/A
3**	5300.600	90.31	-2.39	--	--	AV	193.00	200	Vertical	N/A
4	7348.163	48.47	-3.85	74.0	25.53	Peak	193.00	300	Vertical	Pass
4**	7348.163	39.24	-3.85	54.0	14.76	AV	193.00	300	Vertical	Pass
5	11712.700	51.30	0.69	74.0	22.70	Peak	204.00	100	Vertical	Pass
5**	11712.700	41.13	0.69	54.0	12.87	AV	204.00	100	Vertical	Pass
6	16090.313	53.34	1.43	74.0	20.66	Peak	193.00	100	Vertical	Pass
6**	16090.313	44.49	1.43	54.0	9.51	AV	193.00	100	Vertical	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1568.700	38.59	-17.33	74.0	35.41	Peak	40.00	200	Horizontal	Pass
1**	1568.700	28.63	-17.33	54.0	25.37	AV	40.00	200	Horizontal	Pass
2	4355.800	49.72	-2.56	74.0	24.28	Peak	193.00	300	Horizontal	Pass
2**	4355.800	41.44	-2.56	54.0	12.56	AV	193.00	300	Horizontal	Pass
3	5262.000	95.33	-2.06	--	--	Peak	257.00	100	Horizontal	N/A
3**	5262.000	87.05	-2.06	--	--	AV	257.00	100	Horizontal	N/A
4	7343.850	49.41	-3.56	74.0	24.59	Peak	15.00	200	Horizontal	Pass
4**	7343.850	39.97	-3.56	54.0	14.03	AV	15.00	200	Horizontal	Pass
5	11208.713	51.39	-0.23	74.0	22.61	Peak	78.00	100	Horizontal	Pass
5**	11208.713	42.01	-0.23	54.0	11.99	AV	78.00	100	Horizontal	Pass
6	15821.513	53.79	1.80	74.0	20.21	Peak	293.00	400	Horizontal	Pass
6**	15821.513	44.78	1.80	54.0	9.22	AV	293.00	400	Horizontal	Pass

11ac80, U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	38.73	-17.19	74.0	35.27	Peak	0.00	200	Vertical	Pass
1**	1500.200	31.45	-17.19	54.0	22.55	AV	0.00	200	Vertical	Pass
2	4357.800	50.29	-2.58	74.0	23.71	Peak	36.00	300	Vertical	Pass
2**	4357.800	41.50	-2.58	54.0	12.50	AV	36.00	300	Vertical	Pass
3	5294.400	95.20	-2.23	--	--	Peak	12.00	150	Vertical	N/A
3**	5294.400	86.30	-2.23	--	--	AV	12.00	150	Vertical	N/A
4	7367.138	49.01	-4.02	74.0	24.99	Peak	1.00	300	Vertical	Pass
4**	7367.138	40.58	-4.02	54.0	13.42	AV	1.00	300	Vertical	Pass
5	12222.437	51.57	1.26	74.0	22.43	Peak	1.00	100	Vertical	Pass
5**	12222.437	42.24	1.26	54.0	11.76	AV	1.00	100	Vertical	Pass
6	16085.325	53.37	1.52	74.0	20.63	Peak	31.00	200	Vertical	Pass
6**	16085.325	43.67	1.52	54.0	10.33	AV	31.00	200	Vertical	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1454.800	38.17	-17.09	74.0	35.83	Peak	95.00	200	Horizontal	Pass
1**	1454.800	29.18	-17.09	54.0	24.82	AV	95.00	200	Horizontal	Pass
2	4356.400	49.58	-2.36	74.0	24.42	Peak	193.00	200	Horizontal	Pass
2**	4356.400	41.60	-2.36	54.0	12.40	AV	193.00	200	Horizontal	Pass
3	5257.600	100.66	-1.85	--	--	Peak	272.00	150	Horizontal	N/A
3**	5257.600	89.51	-1.85	--	--	AV	272.00	150	Horizontal	N/A
4	7463.162	48.62	-3.60	74.0	25.38	Peak	180.00	400	Horizontal	Pass
4**	7463.162	39.14	-3.60	54.0	14.86	AV	180.00	400	Horizontal	Pass
5	11932.925	51.78	1.64	74.0	22.22	Peak	54.00	150	Horizontal	Pass
5**	11932.925	41.58	1.64	54.0	12.42	AV	54.00	150	Horizontal	Pass
6	15816.263	53.70	2.01	74.0	20.30	Peak	321.00	400	Horizontal	Pass
6**	15816.263	46.14	2.01	54.0	7.86	AV	321.00	400	Horizontal	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1439.300	38.53	-16.92	74.0	35.47	Peak	301.00	400	Vertical	Pass
1**	1439.300	29.27	-16.92	54.0	24.73	AV	301.00	400	Vertical	Pass
2	4353.400	50.11	-3.10	74.0	23.89	Peak	178.00	100	Vertical	Pass
2**	4353.400	40.66	-3.10	54.0	13.34	AV	178.00	100	Vertical	Pass
3	5261.400	100.38	-2.04	--	--	Peak	191.00	200	Vertical	N/A
3**	5261.400	92.78	-2.04	--	--	AV	191.00	200	Vertical	N/A
4	7353.050	49.07	-3.87	74.0	24.93	Peak	121.00	200	Vertical	Pass
4**	7353.050	39.25	-3.87	54.0	14.75	AV	121.00	200	Vertical	Pass
5	10920.063	52.48	0.24	74.0	21.52	Peak	252.00	150	Vertical	Pass
5**	10920.063	42.14	0.24	54.0	11.86	AV	252.00	150	Vertical	Pass
6	16096.349	53.77	1.29	74.0	20.23	Peak	144.00	300	Vertical	Pass
6**	16096.349	44.66	1.29	54.0	9.34	AV	144.00	300	Vertical	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1556.200	39.10	-17.21	74.0	34.90	Peak	356.00	200	Horizontal	Pass
1**	1556.200	28.54	-17.21	54.0	25.46	AV	356.00	200	Horizontal	Pass
2	4369.800	49.67	-2.78	74.0	24.33	Peak	193.00	400	Horizontal	Pass
2**	4369.800	41.39	-2.78	54.0	12.61	AV	193.00	400	Horizontal	Pass
3	5302.400	101.39	-2.61	--	--	Peak	258.00	100	Horizontal	N/A
3**	5302.400	91.94	-2.61	--	--	AV	258.00	100	Horizontal	N/A
4	7369.438	49.45	-4.10	74.0	24.55	Peak	0.00	300	Horizontal	Pass
4**	7369.438	40.09	-4.10	54.0	13.91	AV	0.00	300	Horizontal	Pass
5	10914.025	51.34	0.19	74.0	22.66	Peak	0.00	200	Horizontal	Pass
5**	10914.025	42.38	0.19	54.0	11.62	AV	0.00	200	Horizontal	Pass
6	15827.287	53.74	1.57	74.0	20.26	Peak	36.00	100	Horizontal	Pass
6**	15827.287	44.23	1.57	54.0	9.77	AV	36.00	100	Horizontal	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.000	38.52	-17.44	74.0	35.48	Peak	123.00	400	Vertical	Pass
1**	1610.000	27.98	-17.44	54.0	26.02	AV	123.00	400	Vertical	Pass
2	4383.200	49.77	-2.92	74.0	24.23	Peak	177.00	400	Vertical	Pass
2**	4383.200	41.53	-2.92	54.0	12.47	AV	177.00	400	Vertical	Pass
3	5302.400	101.49	-2.61	--	--	Peak	190.00	100	Vertical	N/A
3**	5302.400	91.72	-2.61	--	--	AV	190.00	100	Vertical	N/A
4	7381.513	49.13	-3.74	74.0	24.87	Peak	203.00	300	Vertical	Pass
4**	7381.513	39.35	-3.74	54.0	14.65	AV	203.00	300	Vertical	Pass
5	10936.738	51.49	-0.03	74.0	22.51	Peak	246.00	150	Vertical	Pass
5**	10936.738	42.39	-0.03	54.0	11.61	AV	246.00	150	Vertical	Pass
6	15838.576	54.10	1.45	74.0	19.90	Peak	31.00	300	Vertical	Pass
6**	15838.576	44.75	1.45	54.0	9.25	AV	31.00	300	Vertical	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1551.500	38.32	-16.94	74.0	35.68	Peak	0.00	400	Horizontal	Pass
1**	1551.500	29.14	-16.94	54.0	24.86	AV	0.00	400	Horizontal	Pass
2	4347.400	49.98	-2.97	74.0	24.02	Peak	241.00	200	Horizontal	Pass
2**	4347.400	41.07	-2.97	54.0	12.93	AV	241.00	200	Horizontal	Pass
3	5315.000	101.67	-2.04	--	--	Peak	291.00	200	Horizontal	N/A
3**	5315.000	90.75	-2.04	--	--	AV	291.00	200	Horizontal	N/A
4	7291.525	48.73	-3.62	74.0	25.27	Peak	175.00	100	Horizontal	Pass
4**	7291.525	39.05	-3.62	54.0	14.95	AV	175.00	100	Horizontal	Pass
5	10923.513	51.43	0.18	74.0	22.57	Peak	270.00	150	Horizontal	Pass
5**	10923.513	43.07	0.18	54.0	10.93	AV	270.00	150	Horizontal	Pass
6	16106.063	53.77	0.93	74.0	20.23	Peak	329.00	400	Horizontal	Pass
6**	16106.063	44.60	0.93	54.0	9.40	AV	329.00	400	Horizontal	Pass

11x20 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1445.000	38.93	-17.33	74.0	35.07	Peak	10.00	400	Vertical	Pass
1**	1445.000	29.09	-17.33	54.0	24.91	AV	10.00	400	Vertical	Pass
2	4363.000	49.85	-2.65	74.0	24.15	Peak	360.00	100	Vertical	Pass
2**	4363.000	41.40	-2.65	54.0	12.60	AV	360.00	100	Vertical	Pass
3	5312.600	101.01	-2.02	--	--	Peak	215.00	100	Vertical	N/A
3**	5312.600	91.98	-2.02	--	--	AV	215.00	100	Vertical	N/A
4	7344.425	48.80	-3.59	74.0	25.20	Peak	347.00	300	Vertical	Pass
4**	7344.425	40.32	-3.59	54.0	13.68	AV	347.00	300	Vertical	Pass
5	10937.026	51.55	-0.03	74.0	22.45	Peak	315.00	150	Vertical	Pass
5**	10937.026	41.98	-0.03	54.0	12.02	AV	315.00	150	Vertical	Pass
6	16097.925	53.81	1.25	74.0	20.19	Peak	178.00	100	Vertical	Pass
6**	16097.925	44.91	1.25	54.0	9.09	AV	178.00	100	Vertical	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1548.000	38.42	-17.13	74.0	35.58	Peak	125.00	100	Horizontal	Pass
1**	1548.000	28.43	-17.13	54.0	25.57	AV	125.00	100	Horizontal	Pass
2	4364.800	50.17	-2.81	74.0	23.83	Peak	242.00	200	Horizontal	Pass
2**	4364.800	41.45	-2.81	54.0	12.55	AV	242.00	200	Horizontal	Pass
3	5271.400	96.67	-2.11	--	--	Peak	79.00	200	Horizontal	N/A
3**	5271.400	87.98	-2.11	--	--	AV	79.00	200	Horizontal	N/A
4	7372.888	48.28	-3.80	74.0	25.72	Peak	14.00	200	Horizontal	Pass
4**	7372.888	39.30	-3.80	54.0	14.70	AV	14.00	200	Horizontal	Pass
5	11217.338	51.34	-0.20	74.0	22.66	Peak	139.00	150	Horizontal	Pass
5**	11217.338	42.20	-0.20	54.0	11.80	AV	139.00	150	Horizontal	Pass
6	16086.901	54.05	1.49	74.0	19.95	Peak	360.00	300	Horizontal	Pass
6**	16086.901	44.70	1.49	54.0	9.30	AV	360.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2A, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.600	38.79	-17.20	74.0	35.21	Peak	293.00	200	Vertical	Pass
1**	1500.600	31.33	-17.20	54.0	22.67	AV	293.00	200	Vertical	Pass
2	4348.600	50.29	-3.03	74.0	23.71	Peak	234.00	300	Vertical	Pass
2**	4348.600	41.04	-3.03	54.0	12.96	AV	234.00	300	Vertical	Pass
3	5280.400	97.34	-2.02	--	--	Peak	214.00	150	Vertical	N/A
3**	5280.400	88.21	-2.02	--	--	AV	214.00	150	Vertical	N/A
4	7451.375	49.40	-3.91	74.0	24.60	Peak	89.00	300	Vertical	Pass
4**	7451.375	39.62	-3.91	54.0	14.38	AV	89.00	300	Vertical	Pass
5	12212.088	51.22	1.09	74.0	22.78	Peak	139.00	200	Vertical	Pass
5**	12212.088	42.44	1.09	54.0	11.56	AV	139.00	200	Vertical	Pass
6	16102.388	54.16	1.09	74.0	19.84	Peak	276.00	400	Vertical	Pass
6**	16102.388	44.69	1.09	54.0	9.31	AV	276.00	400	Vertical	Pass

11x40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1451.500	38.55	-17.21	74.0	35.45	Peak	346.00	300	Horizontal	Pass
1**	1451.500	30.19	-17.21	54.0	23.81	AV	346.00	300	Horizontal	Pass
2	4237.600	50.02	-4.74	74.0	23.98	Peak	98.00	300	Horizontal	Pass
2**	4237.600	39.90	-4.74	54.0	14.10	AV	98.00	300	Horizontal	Pass
3	5311.800	97.33	-2.22	--	--	Peak	168.00	100	Horizontal	N/A
3**	5311.800	89.23	-2.22	--	--	AV	168.00	100	Horizontal	N/A
4	7368.000	48.81	-4.04	74.0	25.19	Peak	58.00	200	Horizontal	Pass
4**	7368.000	40.43	-4.04	54.0	13.57	AV	58.00	200	Horizontal	Pass
5	10930.125	51.77	0.09	74.0	22.23	Peak	300.00	100	Horizontal	Pass
5**	10930.125	42.68	0.09	54.0	11.32	AV	300.00	100	Horizontal	Pass
6	15836.213	54.76	1.45	74.0	19.24	Peak	71.00	300	Horizontal	Pass
6**	15836.213	44.74	1.45	54.0	9.26	AV	71.00	300	Horizontal	Pass

11x40 (SU), U-NII-2A, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	38.37	-17.20	74.0	35.63	Peak	75.00	100	Vertical	Pass
1**	1500.500	30.68	-17.20	54.0	23.32	AV	75.00	100	Vertical	Pass
2	4359.800	50.02	-2.66	74.0	23.98	Peak	41.00	300	Vertical	Pass
2**	4359.800	41.91	-2.66	54.0	12.09	AV	41.00	300	Vertical	Pass
3	5301.800	98.02	-2.55	--	--	Peak	213.00	100	Vertical	N/A
3**	5301.800	89.02	-2.55	--	--	AV	213.00	100	Vertical	N/A
4	7342.987	48.53	-3.61	74.0	25.47	Peak	37.00	100	Vertical	Pass
4**	7342.987	40.00	-3.61	54.0	14.00	AV	37.00	100	Vertical	Pass
5	11217.338	52.29	-0.20	74.0	21.71	Peak	360.00	150	Vertical	Pass
5**	11217.338	42.30	-0.20	54.0	11.70	AV	360.00	150	Vertical	Pass
6	16198.988	53.89	1.59	74.0	20.11	Peak	360.00	200	Vertical	Pass
6**	16198.988	44.14	1.59	54.0	9.86	AV	360.00	200	Vertical	Pass

11x80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1599.100	39.14	-17.41	74.0	34.86	Peak	248.00	200	Horizontal	Pass
1**	1599.100	28.36	-17.41	54.0	25.64	AV	248.00	200	Horizontal	Pass
2	4344.600	50.14	-3.28	74.0	23.86	Peak	199.00	100	Horizontal	Pass
2**	4344.600	41.33	-3.28	54.0	12.67	AV	199.00	100	Horizontal	Pass
3	5304.200	95.61	-2.74	--	--	Peak	333.00	150	Horizontal	N/A
3**	5304.200	84.84	-2.74	--	--	AV	333.00	150	Horizontal	N/A
4	7338.675	48.55	-3.53	74.0	25.45	Peak	60.00	300	Horizontal	Pass
4**	7338.675	39.48	-3.53	54.0	14.52	AV	60.00	300	Horizontal	Pass
5	12208.062	51.05	0.94	74.0	22.95	Peak	204.00	150	Horizontal	Pass
5**	12208.062	42.55	0.94	54.0	11.45	AV	204.00	150	Horizontal	Pass
6	16097.401	53.85	1.26	74.0	20.15	Peak	272.00	400	Horizontal	Pass
6**	16097.401	44.98	1.26	54.0	9.02	AV	272.00	400	Horizontal	Pass

11x80 (SU), U-NII-2A, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1621.200	38.07	-17.17	74.0	35.93	Peak	345.00	100	Vertical	Pass
1**	1621.200	29.89	-17.17	54.0	24.11	AV	345.00	100	Vertical	Pass
2	4364.000	49.90	-2.74	74.0	24.10	Peak	149.00	400	Vertical	Pass
2**	4364.000	41.31	-2.74	54.0	12.69	AV	149.00	400	Vertical	Pass
3	5300.600	94.64	-2.39	--	--	Peak	190.00	200	Vertical	N/A
3**	5300.600	86.14	-2.39	--	--	AV	190.00	200	Vertical	N/A
4	7366.275	48.54	-4.02	74.0	25.46	Peak	80.00	300	Vertical	Pass
4**	7366.275	39.99	-4.02	54.0	14.01	AV	80.00	300	Vertical	Pass
5	11209.862	51.16	-0.22	74.0	22.84	Peak	28.00	150	Vertical	Pass
5**	11209.862	41.23	-0.22	54.0	12.77	AV	28.00	150	Vertical	Pass
6	15848.287	53.85	1.34	74.0	20.15	Peak	127.00	100	Vertical	Pass
6**	15848.287	45.67	1.34	54.0	8.33	AV	127.00	100	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.600	38.24	-17.19	74.0	35.76	Peak	0.00	200	Horizontal	Pass
1**	1499.600	29.37	-17.19	54.0	24.63	AV	0.00	200	Horizontal	Pass
2	4376.000	49.72	-2.95	74.0	24.28	Peak	360.00	100	Horizontal	Pass
2**	4376.000	40.97	-2.95	54.0	13.03	AV	360.00	100	Horizontal	Pass
3	5502.400	106.17	-1.44	--	--	Peak	291.00	100	Horizontal	N/A
3**	5502.400	99.01	-1.44	--	--	AV	291.00	100	Horizontal	N/A
4	7343.563	48.26	-3.57	74.0	25.74	Peak	332.00	200	Horizontal	Pass
4**	7343.563	39.37	-3.57	54.0	14.63	AV	332.00	200	Horizontal	Pass
5	11218.775	51.81	-0.20	74.0	22.19	Peak	360.00	100	Horizontal	Pass
5**	11218.775	42.26	-0.20	54.0	11.74	AV	360.00	100	Horizontal	Pass
6	15856.425	54.26	1.12	74.0	19.74	Peak	33.00	100	Horizontal	Pass
6**	15856.425	44.05	1.12	54.0	9.95	AV	33.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1541.500	38.20	-17.24	74.0	35.80	Peak	184.00	200	Vertical	Pass
1**	1541.500	28.95	-17.24	54.0	25.05	AV	184.00	200	Vertical	Pass
2	4364.800	49.97	-2.81	74.0	24.03	Peak	198.00	400	Vertical	Pass
2**	4364.800	40.55	-2.81	54.0	13.45	AV	198.00	400	Vertical	Pass
3	5501.600	105.88	-1.38	--	--	Peak	287.00	200	Vertical	N/A
3**	5501.600	98.52	-1.38	--	--	AV	287.00	200	Vertical	N/A
4	7363.112	49.18	-4.01	74.0	24.82	Peak	91.00	100	Vertical	Pass
4**	7363.112	39.49	-4.01	54.0	14.51	AV	91.00	100	Vertical	Pass
5	12228.763	51.13	1.30	74.0	22.87	Peak	60.00	200	Vertical	Pass
5**	12228.763	41.77	1.30	54.0	12.23	AV	60.00	200	Vertical	Pass
6	15830.963	54.42	1.49	74.0	19.58	Peak	52.00	200	Vertical	Pass
6**	15830.963	45.55	1.49	54.0	8.45	AV	52.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.900	38.07	-17.29	74.0	35.93	Peak	360.00	100	Horizontal	Pass
1**	1440.900	29.06	-17.29	54.0	24.94	AV	360.00	100	Horizontal	Pass
2	4355.600	50.08	-2.62	74.0	23.92	Peak	280.00	100	Horizontal	Pass
2**	4355.600	41.24	-2.62	54.0	12.76	AV	280.00	100	Horizontal	Pass
3	5578.200	105.76	-0.75	--	--	Peak	290.00	100	Horizontal	N/A
3**	5578.200	98.69	-0.75	--	--	AV	290.00	100	Horizontal	N/A
4	7370.300	48.31	-4.02	74.0	25.69	Peak	144.00	400	Horizontal	Pass
4**	7370.300	40.21	-4.02	54.0	13.79	AV	144.00	400	Horizontal	Pass
5	11941.262	51.10	1.65	74.0	22.90	Peak	284.00	150	Horizontal	Pass
5**	11941.262	41.90	1.65	54.0	12.10	AV	284.00	150	Horizontal	Pass
6	15840.412	54.23	1.44	74.0	19.77	Peak	234.00	300	Horizontal	Pass
6**	15840.412	45.04	1.44	54.0	8.96	AV	234.00	300	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.300	38.63	-16.97	74.0	35.37	Peak	275.00	200	Vertical	Pass
1**	1547.300	29.08	-16.97	54.0	24.92	AV	275.00	200	Vertical	Pass
2	4365.000	49.89	-2.83	74.0	24.11	Peak	78.00	400	Vertical	Pass
2**	4365.000	40.61	-2.83	54.0	13.39	AV	78.00	400	Vertical	Pass
3	5575.200	105.17	-0.62	--	--	Peak	279.00	100	Vertical	N/A
3**	5575.200	97.76	-0.62	--	--	AV	279.00	100	Vertical	N/A
4	7355.062	49.05	-4.00	74.0	24.95	Peak	18.00	100	Vertical	Pass
4**	7355.062	40.11	-4.00	54.0	13.89	AV	18.00	100	Vertical	Pass
5	11219.063	50.90	-0.20	74.0	23.10	Peak	269.00	150	Vertical	Pass
5**	11219.063	42.55	-0.20	54.0	11.45	AV	269.00	150	Vertical	Pass
6	16100.550	53.98	1.18	74.0	20.02	Peak	232.00	200	Vertical	Pass
6**	16100.550	44.27	1.18	54.0	9.73	AV	232.00	200	Vertical	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.400	38.51	-17.20	74.0	35.49	Peak	117.00	100	Horizontal	Pass
1**	1500.400	31.37	-17.20	54.0	22.63	AV	117.00	100	Horizontal	Pass
2	4284.000	49.67	-3.04	74.0	24.33	Peak	106.00	200	Horizontal	Pass
2**	4284.000	40.73	-3.04	54.0	13.27	AV	106.00	200	Horizontal	Pass
3	5698.200	104.07	-0.84	--	--	Peak	137.00	100	Horizontal	N/A
3**	5698.200	96.84	-0.84	--	--	AV	137.00	100	Horizontal	N/A
4	7358.800	48.88	-4.09	74.0	25.12	Peak	0.00	400	Horizontal	Pass
4**	7358.800	39.64	-4.09	54.0	14.36	AV	0.00	400	Horizontal	Pass
5	11220.500	51.33	-0.21	74.0	22.67	Peak	35.00	200	Horizontal	Pass
5**	11220.500	42.07	-0.21	54.0	11.93	AV	35.00	200	Horizontal	Pass
6	16079.549	53.62	1.63	74.0	20.38	Peak	105.00	100	Horizontal	Pass
6**	16079.549	45.23	1.63	54.0	8.77	AV	105.00	100	Horizontal	Pass

11a, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	39.58	-17.19	74.0	34.42	Peak	105.00	300	Vertical	Pass
1**	1500.000	31.39	-17.19	54.0	22.61	AV	105.00	300	Vertical	Pass
2	4359.800	50.79	-2.66	74.0	23.21	Peak	38.00	400	Vertical	Pass
2**	4359.800	40.98	-2.66	54.0	13.02	AV	38.00	400	Vertical	Pass
3	5695.800	105.81	-0.96	--	--	Peak	296.00	150	Vertical	N/A
3**	5695.800	97.84	-0.96	--	--	AV	296.00	150	Vertical	N/A
4	7378.638	48.47	-3.68	74.0	25.53	Peak	348.00	100	Vertical	Pass
4**	7378.638	39.81	-3.68	54.0	14.19	AV	348.00	100	Vertical	Pass
5	10918.625	51.92	0.23	74.0	22.08	Peak	332.00	200	Vertical	Pass
5**	10918.625	41.98	0.23	54.0	12.02	AV	332.00	200	Vertical	Pass
6	16110.788	53.14	0.75	74.0	20.86	Peak	323.00	100	Vertical	Pass
6**	16110.788	45.20	0.75	54.0	8.80	AV	323.00	100	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	40.96	-17.19	74.0	33.04	Peak	167.00	100	Horizontal	Pass
1**	1500.000	32.28	-17.19	54.0	21.72	AV	167.00	100	Horizontal	Pass
2	4377.000	50.27	-2.89	74.0	23.73	Peak	360.00	200	Horizontal	Pass
2**	4377.000	41.01	-2.89	54.0	12.99	AV	360.00	200	Horizontal	Pass
3	5505.600	105.44	-1.74	--	--	Peak	289.00	200	Horizontal	N/A
3**	5505.600	97.54	-1.74	--	--	AV	289.00	200	Horizontal	N/A
4	7365.700	48.61	-4.02	74.0	25.39	Peak	110.00	300	Horizontal	Pass
4**	7365.700	40.74	-4.02	54.0	13.26	AV	110.00	300	Horizontal	Pass
5	11212.450	51.26	-0.20	74.0	22.74	Peak	0.00	200	Horizontal	Pass
5**	11212.450	42.53	-0.20	54.0	11.47	AV	0.00	200	Horizontal	Pass
6	15843.562	54.56	1.39	74.0	19.44	Peak	15.00	100	Horizontal	Pass
6**	15843.562	44.99	1.39	54.0	9.01	AV	15.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1493.100	39.53	-17.18	74.0	34.47	Peak	112.00	400	Vertical	Pass
1**	1493.100	28.81	-17.18	54.0	25.19	AV	112.00	400	Vertical	Pass
2	4399.000	49.75	-4.00	74.0	24.25	Peak	112.00	100	Vertical	Pass
2**	4399.000	39.99	-4.00	54.0	14.01	AV	112.00	100	Vertical	Pass
3	5503.200	106.35	-1.51	--	--	Peak	292.00	150	Vertical	N/A
3**	5503.200	98.78	-1.51	--	--	AV	292.00	150	Vertical	N/A
4	7677.350	48.95	-2.41	74.0	25.05	Peak	37.00	300	Vertical	Pass
4**	7677.350	38.96	-2.41	54.0	15.04	AV	37.00	300	Vertical	Pass
5	10913.162	51.05	0.19	74.0	22.95	Peak	85.00	200	Vertical	Pass
5**	10913.162	42.16	0.19	54.0	11.84	AV	85.00	200	Vertical	Pass
6	16093.200	54.37	1.36	74.0	19.63	Peak	360.00	200	Vertical	Pass
6**	16093.200	44.75	1.36	54.0	9.25	AV	360.00	200	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1466.400	38.55	-17.21	74.0	35.45	Peak	288.00	400	Horizontal	Pass
1**	1466.400	28.98	-17.21	54.0	25.02	AV	288.00	400	Horizontal	Pass
2	4284.200	49.97	-3.01	74.0	24.03	Peak	238.00	200	Horizontal	Pass
2**	4284.200	40.60	-3.01	54.0	13.40	AV	238.00	200	Horizontal	Pass
3	5586.000	105.57	-0.90	--	--	Peak	298.00	100	Horizontal	N/A
3**	5586.000	97.74	-0.90	--	--	AV	298.00	100	Horizontal	N/A
4	7353.913	48.42	-3.92	74.0	25.58	Peak	267.00	300	Horizontal	Pass
4**	7353.913	39.82	-3.92	54.0	14.18	AV	267.00	300	Horizontal	Pass
5	12212.950	51.54	1.12	74.0	22.46	Peak	283.00	200	Horizontal	Pass
5**	12212.950	42.41	1.12	54.0	11.59	AV	283.00	200	Horizontal	Pass
6	16089.263	53.56	1.45	74.0	20.44	Peak	259.00	300	Horizontal	Pass
6**	16089.263	44.62	1.45	54.0	9.38	AV	259.00	300	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	39.19	-17.19	74.0	34.81	Peak	133.00	100	Vertical	Pass
1**	1499.800	30.86	-17.19	54.0	23.14	AV	133.00	100	Vertical	Pass
2	4366.400	50.17	-2.97	74.0	23.83	Peak	87.00	200	Vertical	Pass
2**	4366.400	40.31	-2.97	54.0	13.69	AV	87.00	200	Vertical	Pass
3	5581.200	105.34	-1.10	--	--	Peak	277.00	150	Vertical	N/A
3**	5581.200	98.58	-1.10	--	--	AV	277.00	150	Vertical	N/A
4	7361.388	48.87	-4.01	74.0	25.13	Peak	316.00	400	Vertical	Pass
4**	7361.388	39.50	-4.01	54.0	14.50	AV	316.00	400	Vertical	Pass
5	12223.588	51.61	1.28	74.0	22.39	Peak	253.00	200	Vertical	Pass
5**	12223.588	42.09	1.28	54.0	11.91	AV	253.00	200	Vertical	Pass
6	15848.025	53.30	1.35	74.0	20.70	Peak	70.00	400	Vertical	Pass
6**	15848.025	44.16	1.35	54.0	9.84	AV	70.00	400	Vertical	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.600	38.68	-17.47	74.0	35.32	Peak	262.00	300	Horizontal	Pass
1**	1606.600	27.91	-17.47	54.0	26.09	AV	262.00	300	Horizontal	Pass
2	4357.400	49.62	-2.52	74.0	24.38	Peak	240.00	100	Horizontal	Pass
2**	4357.400	41.20	-2.52	54.0	12.80	AV	240.00	100	Horizontal	Pass
3	5696.000	104.07	-0.94	--	--	Peak	139.00	200	Horizontal	N/A
3**	5696.000	96.55	-0.94	--	--	AV	139.00	200	Horizontal	N/A
4	7369.150	48.86	-4.09	74.0	25.14	Peak	128.00	200	Horizontal	Pass
4**	7369.150	39.46	-4.09	54.0	14.54	AV	128.00	200	Horizontal	Pass
5	12211.512	50.95	1.07	74.0	23.05	Peak	190.00	100	Horizontal	Pass
5**	12211.512	41.74	1.07	54.0	12.26	AV	190.00	100	Horizontal	Pass
6	16093.725	54.07	1.35	74.0	19.93	Peak	51.00	100	Horizontal	Pass
6**	16093.725	44.30	1.35	54.0	9.70	AV	51.00	100	Horizontal	Pass

11n20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.300	38.02	-17.13	74.0	35.98	Peak	115.00	300	Vertical	Pass
1**	1554.300	28.82	-17.13	54.0	25.18	AV	115.00	300	Vertical	Pass
2	4281.000	49.87	-3.59	74.0	24.13	Peak	297.00	200	Vertical	Pass
2**	4281.000	40.62	-3.59	54.0	13.38	AV	297.00	200	Vertical	Pass
3	5698.800	105.33	-0.86	--	--	Peak	268.00	100	Vertical	N/A
3**	5698.800	98.68	-0.86	--	--	AV	268.00	100	Vertical	N/A
4	7379.500	48.79	-3.63	74.0	25.21	Peak	64.00	100	Vertical	Pass
4**	7379.500	39.75	-3.63	54.0	14.25	AV	64.00	100	Vertical	Pass
5	11406.224	51.05	-0.22	74.0	22.95	Peak	159.00	150	Vertical	Pass
5**	11406.224	42.52	-0.22	54.0	11.48	AV	159.00	150	Vertical	Pass
6	16103.175	53.65	1.06	74.0	20.35	Peak	360.00	300	Vertical	Pass
6**	16103.175	44.31	1.06	54.0	9.69	AV	360.00	300	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.300	38.56	-17.08	74.0	35.44	Peak	192.00	400	Horizontal	Pass
1**	1435.300	28.83	-17.08	54.0	25.17	AV	192.00	400	Horizontal	Pass
2	4362.800	49.94	-2.63	74.0	24.06	Peak	17.00	400	Horizontal	Pass
2**	4362.800	43.74	-2.63	54.0	10.26	AV	17.00	400	Horizontal	Pass
3	5505.200	102.38	-1.70	--	--	Peak	288.00	150	Horizontal	N/A
3**	5505.200	95.27	-1.70	--	--	AV	288.00	150	Horizontal	N/A
4	7359.950	49.22	-4.05	74.0	24.78	Peak	0.00	100	Horizontal	Pass
4**	7359.950	39.85	-4.05	54.0	14.15	AV	0.00	100	Horizontal	Pass
5	10931.276	50.88	0.06	74.0	23.12	Peak	348.00	100	Horizontal	Pass
5**	10931.276	42.04	0.06	54.0	11.96	AV	348.00	100	Horizontal	Pass
6	15836.474	53.21	1.45	74.0	20.79	Peak	108.00	100	Horizontal	Pass
6**	15836.474	44.88	1.45	54.0	9.12	AV	108.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1585.700	38.53	-17.19	74.0	35.47	Peak	283.00	100	Vertical	Pass
1**	1585.700	29.41	-17.19	54.0	24.59	AV	283.00	100	Vertical	Pass
2	4346.000	50.25	-2.86	74.0	23.75	Peak	330.00	300	Vertical	Pass
2**	4346.000	40.85	-2.86	54.0	13.15	AV	330.00	300	Vertical	Pass
3	5511.600	102.42	-1.85	--	--	Peak	269.00	100	Vertical	N/A
3**	5511.600	95.37	-1.85	--	--	AV	269.00	100	Vertical	N/A
4	7352.475	49.37	-3.84	74.0	24.63	Peak	252.00	400	Vertical	Pass
4**	7352.475	40.77	-3.84	54.0	13.23	AV	252.00	400	Vertical	Pass
5	12230.776	52.08	1.28	74.0	21.92	Peak	62.00	150	Vertical	Pass
5**	12230.776	41.74	1.28	54.0	12.26	AV	62.00	150	Vertical	Pass
6	15843.826	53.49	1.39	74.0	20.51	Peak	218.00	100	Vertical	Pass
6**	15843.826	44.64	1.39	54.0	9.36	AV	218.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1583.600	38.58	-17.31	74.0	35.42	Peak	311.00	300	Horizontal	Pass
1**	1583.600	29.73	-17.31	54.0	24.27	AV	311.00	300	Horizontal	Pass
2	4357.000	50.78	-2.45	74.0	23.22	Peak	360.00	400	Horizontal	Pass
2**	4357.000	42.67	-2.45	54.0	11.33	AV	360.00	400	Horizontal	Pass
3	5585.000	101.63	-0.99	--	--	Peak	290.00	200	Horizontal	N/A
3**	5585.000	93.67	-0.99	--	--	AV	290.00	200	Horizontal	N/A
4	7358.513	48.55	-4.09	74.0	25.45	Peak	152.00	400	Horizontal	Pass
4**	7358.513	39.83	-4.09	54.0	14.17	AV	152.00	400	Horizontal	Pass
5	10936.162	50.90	-0.02	74.0	23.10	Peak	360.00	200	Horizontal	Pass
5**	10936.162	42.08	-0.02	54.0	11.92	AV	360.00	200	Horizontal	Pass
6	16107.112	54.15	0.89	74.0	19.85	Peak	360.00	400	Horizontal	Pass
6**	16107.112	44.87	0.89	54.0	9.13	AV	360.00	400	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	38.50	-17.19	74.0	35.50	Peak	99.00	100	Vertical	Pass
1**	1500.300	31.88	-17.19	54.0	22.12	AV	99.00	100	Vertical	Pass
2	4359.600	49.95	-2.67	74.0	24.05	Peak	341.00	400	Vertical	Pass
2**	4359.600	40.82	-2.67	54.0	13.18	AV	341.00	400	Vertical	Pass
3	5591.400	102.56	-1.34	--	--	Peak	280.00	200	Vertical	N/A
3**	5591.400	94.75	-1.34	--	--	AV	280.00	200	Vertical	N/A
4	7352.763	48.55	-3.85	74.0	25.45	Peak	221.00	200	Vertical	Pass
4**	7352.763	39.69	-3.85	54.0	14.31	AV	221.00	200	Vertical	Pass
5	12213.812	51.47	1.15	74.0	22.53	Peak	65.00	200	Vertical	Pass
5**	12213.812	41.84	1.15	54.0	12.16	AV	65.00	200	Vertical	Pass
6	16095.563	53.73	1.31	74.0	20.27	Peak	106.00	100	Vertical	Pass
6**	16095.563	45.32	1.31	54.0	8.68	AV	106.00	100	Vertical	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	39.61	-17.19	74.0	34.39	Peak	48.00	100	Horizontal	Pass
1**	1500.100	31.97	-17.19	54.0	22.03	AV	48.00	100	Horizontal	Pass
2	4369.200	50.48	-2.70	74.0	23.52	Peak	41.00	200	Horizontal	Pass
2**	4369.200	41.76	-2.70	54.0	12.24	AV	41.00	200	Horizontal	Pass
3	5662.600	101.67	-1.20	--	--	Peak	95.00	200	Horizontal	N/A
3**	5662.600	93.53	-1.20	--	--	AV	95.00	200	Horizontal	N/A
4	7368.288	49.15	-4.05	74.0	24.85	Peak	51.00	300	Horizontal	Pass
4**	7368.288	40.04	-4.05	54.0	13.96	AV	51.00	300	Horizontal	Pass
5	11222.799	52.25	-0.21	74.0	21.75	Peak	51.00	100	Horizontal	Pass
5**	11222.799	43.37	-0.21	54.0	10.63	AV	51.00	100	Horizontal	Pass
6	16085.850	54.47	1.51	74.0	19.53	Peak	242.00	100	Horizontal	Pass
6**	16085.850	45.66	1.51	54.0	8.34	AV	242.00	100	Horizontal	Pass

11n40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.600	39.04	-17.37	74.0	34.96	Peak	70.00	400	Vertical	Pass
1**	1613.600	29.54	-17.37	54.0	24.46	AV	70.00	400	Vertical	Pass
2	4359.600	50.65	-2.67	74.0	23.35	Peak	235.00	200	Vertical	Pass
2**	4359.600	41.75	-2.67	54.0	12.25	AV	235.00	200	Vertical	Pass
3	5671.200	101.82	-0.98	--	--	Peak	215.00	200	Vertical	N/A
3**	5671.200	94.49	-0.98	--	--	AV	215.00	200	Vertical	N/A
4	7351.612	49.73	-3.85	74.0	24.27	Peak	299.00	200	Vertical	Pass
4**	7351.612	40.44	-3.85	54.0	13.56	AV	299.00	200	Vertical	Pass
5	11339.813	52.55	0.27	74.0	21.45	Peak	152.00	150	Vertical	Pass
5**	11339.813	42.51	0.27	54.0	11.49	AV	152.00	150	Vertical	Pass
6	16095.300	53.95	1.32	74.0	20.05	Peak	296.00	100	Vertical	Pass
6**	16095.300	45.46	1.32	54.0	8.54	AV	296.00	100	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1555.700	39.19	-17.14	74.0	34.81	Peak	247.00	400	Horizontal	Pass
1**	1555.700	28.60	-17.14	54.0	25.40	AV	247.00	400	Horizontal	Pass
2	4347.600	50.72	-2.99	74.0	23.28	Peak	330.00	400	Horizontal	Pass
2**	4347.600	41.41	-2.99	54.0	12.59	AV	330.00	400	Horizontal	Pass
3	5501.600	103.15	-1.38	--	--	Peak	111.00	150	Horizontal	N/A
3**	5501.600	96.20	-1.38	--	--	AV	111.00	150	Horizontal	N/A
4	7353.625	49.52	-3.90	74.0	24.48	Peak	0.00	100	Horizontal	Pass
4**	7353.625	40.80	-3.90	54.0	13.20	AV	0.00	100	Horizontal	Pass
5	10914.888	51.65	0.20	74.0	22.35	Peak	299.00	150	Horizontal	Pass
5**	10914.888	42.82	0.20	54.0	11.18	AV	299.00	150	Horizontal	Pass
6	15834.900	54.75	1.45	74.0	19.25	Peak	360.00	300	Horizontal	Pass
6**	15834.900	45.24	1.45	54.0	8.76	AV	360.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.600	38.93	-16.90	74.0	35.07	Peak	252.00	200	Vertical	Pass
1**	1438.600	29.59	-16.90	54.0	24.41	AV	252.00	200	Vertical	Pass
2	4373.800	50.17	-3.19	74.0	23.83	Peak	291.00	300	Vertical	Pass
2**	4373.800	41.19	-3.19	54.0	12.81	AV	291.00	300	Vertical	Pass
3	5498.600	102.48	-1.35	--	--	Peak	217.00	150	Vertical	N/A
3**	5498.600	95.05	-1.35	--	--	AV	217.00	150	Vertical	N/A
4	7371.450	48.75	-3.89	74.0	25.25	Peak	138.00	200	Vertical	Pass
4**	7371.450	40.55	-3.89	54.0	13.45	AV	138.00	200	Vertical	Pass
5	10930.413	51.21	0.08	74.0	22.79	Peak	0.00	100	Vertical	Pass
5**	10930.413	43.73	0.08	54.0	10.27	AV	0.00	100	Vertical	Pass
6	16089.525	54.40	1.44	74.0	19.60	Peak	15.00	300	Vertical	Pass
6**	16089.525	45.72	1.44	54.0	8.28	AV	15.00	300	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.800	39.07	-17.21	74.0	34.93	Peak	245.00	100	Horizontal	Pass
1**	1500.800	30.75	-17.21	54.0	23.25	AV	245.00	100	Horizontal	Pass
2	4386.800	50.02	-3.01	74.0	23.98	Peak	80.00	400	Horizontal	Pass
2**	4386.800	41.38	-3.01	54.0	12.62	AV	80.00	400	Horizontal	Pass
3	5581.200	103.28	-1.10	--	--	Peak	101.00	150	Horizontal	N/A
3**	5581.200	95.47	-1.10	--	--	AV	101.00	150	Horizontal	N/A
4	7361.675	49.53	-4.01	74.0	24.47	Peak	152.00	400	Horizontal	Pass
4**	7361.675	39.67	-4.01	54.0	14.33	AV	152.00	400	Horizontal	Pass
5	10929.549	51.58	0.09	74.0	22.42	Peak	183.00	150	Horizontal	Pass
5**	10929.549	43.08	0.09	54.0	10.92	AV	183.00	150	Horizontal	Pass
6	15848.287	54.38	1.34	74.0	19.62	Peak	264.00	300	Horizontal	Pass
6**	15848.287	44.86	1.34	54.0	9.14	AV	264.00	300	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1448.100	38.72	-17.27	74.0	35.28	Peak	117.00	300	Vertical	Pass
1**	1448.100	29.10	-17.27	54.0	24.90	AV	117.00	300	Vertical	Pass
2	4377.400	50.59	-2.86	74.0	23.41	Peak	178.00	200	Vertical	Pass
2**	4377.400	41.99	-2.86	54.0	12.01	AV	178.00	200	Vertical	Pass
3	5583.400	102.58	-1.11	--	--	Peak	63.00	200	Vertical	N/A
3**	5583.400	94.70	-1.11	--	--	AV	63.00	200	Vertical	N/A
4	7347.588	49.54	-3.84	74.0	24.46	Peak	332.00	100	Vertical	Pass
4**	7347.588	39.79	-3.84	54.0	14.21	AV	332.00	100	Vertical	Pass
5	10928.687	51.53	0.11	74.0	22.47	Peak	23.00	100	Vertical	Pass
5**	10928.687	42.71	0.11	54.0	11.29	AV	23.00	100	Vertical	Pass
6	15854.325	55.01	1.21	74.0	18.99	Peak	245.00	400	Vertical	Pass
6**	15854.325	45.38	1.21	54.0	8.62	AV	245.00	400	Vertical	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	38.69	-17.20	74.0	35.31	Peak	99.00	100	Horizontal	Pass
1**	1500.500	32.17	-17.20	54.0	21.83	AV	99.00	100	Horizontal	Pass
2	4285.000	50.81	-3.20	74.0	23.19	Peak	134.00	100	Horizontal	Pass
2**	4285.000	41.05	-3.20	54.0	12.95	AV	134.00	100	Horizontal	Pass
3	5700.800	101.41	-0.86	--	--	Peak	102.00	150	Horizontal	N/A
3**	5700.800	93.87	-0.86	--	--	AV	102.00	150	Horizontal	N/A
4	7348.163	48.85	-3.85	74.0	25.15	Peak	184.00	400	Horizontal	Pass
4**	7348.163	39.97	-3.85	54.0	14.03	AV	184.00	400	Horizontal	Pass
5	10916.325	51.85	0.21	74.0	22.15	Peak	216.00	150	Horizontal	Pass
5**	10916.325	42.53	0.21	54.0	11.47	AV	216.00	150	Horizontal	Pass
6	16100.025	55.57	1.20	74.0	18.43	Peak	284.00	200	Horizontal	Pass
6**	16100.025	45.00	1.20	54.0	9.00	AV	284.00	200	Horizontal	Pass

11ac20, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	39.01	-17.19	74.0	34.99	Peak	9.00	400	Vertical	Pass
1**	1500.300	33.76	-17.19	54.0	20.24	AV	9.00	400	Vertical	Pass
2	4346.400	50.54	-2.89	74.0	23.46	Peak	203.00	200	Vertical	Pass
2**	4346.400	43.02	-2.89	54.0	10.98	AV	203.00	200	Vertical	Pass
3	5702.000	102.76	-0.93	--	--	Peak	214.00	200	Vertical	N/A
3**	5702.000	94.87	-0.93	--	--	AV	214.00	200	Vertical	N/A
4	7333.500	48.88	-3.51	74.0	25.12	Peak	198.00	200	Vertical	Pass
4**	7333.500	39.80	-3.51	54.0	14.20	AV	198.00	200	Vertical	Pass
5	10933.576	51.74	0.02	74.0	22.26	Peak	281.00	200	Vertical	Pass
5**	10933.576	42.51	0.02	54.0	11.49	AV	281.00	200	Vertical	Pass
6	15809.700	54.25	2.17	74.0	19.75	Peak	130.00	300	Vertical	Pass
6**	15809.700	45.04	2.17	54.0	8.96	AV	130.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	38.93	-17.19	74.0	35.07	Peak	11.00	400	Horizontal	Pass
1**	1500.200	31.61	-17.19	54.0	22.39	AV	11.00	400	Horizontal	Pass
2	4386.600	50.15	-3.02	74.0	23.85	Peak	245.00	100	Horizontal	Pass
2**	4386.600	40.98	-3.02	54.0	13.02	AV	245.00	100	Horizontal	Pass
3	5502.400	99.39	-1.44	--	--	Peak	100.00	200	Horizontal	N/A
3**	5502.400	92.32	-1.44	--	--	AV	100.00	200	Horizontal	N/A
4	7339.250	49.24	-3.51	74.0	24.76	Peak	347.00	100	Horizontal	Pass
4**	7339.250	40.00	-3.51	54.0	14.00	AV	347.00	100	Horizontal	Pass
5	10937.312	51.64	-0.04	74.0	22.36	Peak	218.00	100	Horizontal	Pass
5**	10937.312	41.98	-0.04	54.0	12.02	AV	218.00	100	Horizontal	Pass
6	16095.563	54.32	1.31	74.0	19.68	Peak	36.00	400	Horizontal	Pass
6**	16095.563	45.39	1.31	54.0	8.61	AV	36.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	38.92	-17.19	74.0	35.08	Peak	83.00	100	Vertical	Pass
1**	1500.000	31.31	-17.19	54.0	22.69	AV	83.00	100	Vertical	Pass
2	4345.600	49.95	-2.90	74.0	24.05	Peak	360.00	200	Vertical	Pass
2**	4345.600	41.21	-2.90	54.0	12.79	AV	360.00	200	Vertical	Pass
3	5520.200	100.42	-1.77	--	--	Peak	224.00	100	Vertical	N/A
3**	5520.200	93.12	-1.77	--	--	AV	224.00	100	Vertical	N/A
4	7460.862	49.17	-3.72	74.0	24.83	Peak	103.00	100	Vertical	Pass
4**	7460.862	39.48	-3.72	54.0	14.52	AV	103.00	100	Vertical	Pass
5	10941.338	52.06	-0.08	74.0	21.94	Peak	170.00	100	Vertical	Pass
5**	10941.338	42.75	-0.08	54.0	11.25	AV	170.00	100	Vertical	Pass
6	15843.037	54.27	1.40	74.0	19.73	Peak	201.00	300	Vertical	Pass
6**	15843.037	45.29	1.40	54.0	8.71	AV	201.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	38.83	-17.19	74.0	35.17	Peak	81.00	200	Horizontal	Pass
1**	1499.700	30.40	-17.19	54.0	23.60	AV	81.00	200	Horizontal	Pass
2	4343.800	50.75	-3.58	74.0	23.25	Peak	0.00	100	Horizontal	Pass
2**	4343.800	41.23	-3.58	54.0	12.77	AV	0.00	100	Horizontal	Pass
3	5601.600	100.09	-1.70	--	--	Peak	103.00	100	Horizontal	N/A
3**	5601.600	92.12	-1.70	--	--	AV	103.00	100	Horizontal	N/A
4	7358.800	48.99	-4.09	74.0	25.01	Peak	8.00	200	Horizontal	Pass
4**	7358.800	40.17	-4.09	54.0	13.83	AV	8.00	200	Horizontal	Pass
5	10945.075	51.31	-0.13	74.0	22.69	Peak	104.00	150	Horizontal	Pass
5**	10945.075	42.39	-0.13	54.0	11.61	AV	104.00	150	Horizontal	Pass
6	15829.125	53.81	1.52	74.0	20.19	Peak	360.00	200	Horizontal	Pass
6**	15829.125	45.58	1.52	54.0	8.42	AV	360.00	200	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	39.06	-17.19	74.0	34.94	Peak	104.00	300	Vertical	Pass
1**	1500.300	32.51	-17.19	54.0	21.49	AV	104.00	300	Vertical	Pass
2	4360.600	50.71	-2.64	74.0	23.29	Peak	71.00	400	Vertical	Pass
2**	4360.600	42.42	-2.64	54.0	11.58	AV	71.00	400	Vertical	Pass
3	5580.400	100.08	-1.06	--	--	Peak	164.00	150	Vertical	N/A
3**	5580.400	92.66	-1.06	--	--	AV	164.00	150	Vertical	N/A
4	7357.362	49.10	-4.13	74.0	24.90	Peak	251.00	100	Vertical	Pass
4**	7357.362	40.30	-4.13	54.0	13.70	AV	251.00	100	Vertical	Pass
5	10913.738	51.43	0.19	74.0	22.57	Peak	235.00	100	Vertical	Pass
5**	10913.738	41.95	0.19	54.0	12.05	AV	235.00	100	Vertical	Pass
6	16101.599	54.22	1.13	74.0	19.78	Peak	182.00	300	Vertical	Pass
6**	16101.599	45.23	1.13	54.0	8.77	AV	182.00	300	Vertical	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	39.26	-17.19	74.0	34.74	Peak	229.00	300	Horizontal	Pass
1**	1500.100	32.11	-17.19	54.0	21.89	AV	229.00	300	Horizontal	Pass
2	4349.600	50.33	-3.04	74.0	23.67	Peak	167.00	400	Horizontal	Pass
2**	4349.600	41.79	-3.04	54.0	12.21	AV	167.00	400	Horizontal	Pass
3	5660.600	99.56	-1.07	--	--	Peak	103.00	150	Horizontal	N/A
3**	5660.600	91.80	-1.07	--	--	AV	103.00	150	Horizontal	N/A
4	7490.187	48.93	-4.06	74.0	25.07	Peak	331.00	200	Horizontal	Pass
4**	7490.187	39.23	-4.06	54.0	14.77	AV	331.00	200	Horizontal	Pass
5	10922.362	51.65	0.20	74.0	22.35	Peak	266.00	100	Horizontal	Pass
5**	10922.362	42.40	0.20	54.0	11.60	AV	266.00	100	Horizontal	Pass
6	15833.588	54.51	1.46	74.0	19.49	Peak	317.00	400	Horizontal	Pass
6**	15833.588	44.43	1.46	54.0	9.57	AV	317.00	400	Horizontal	Pass

11ac40, U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.200	39.04	-17.14	74.0	34.96	Peak	98.00	400	Vertical	Pass
1**	1622.200	29.03	-17.14	54.0	24.97	AV	98.00	400	Vertical	Pass
2	4371.200	50.38	-2.96	74.0	23.62	Peak	290.00	300	Vertical	Pass
2**	4371.200	41.78	-2.96	54.0	12.22	AV	290.00	300	Vertical	Pass
3	5671.200	99.89	-0.98	--	--	Peak	207.00	200	Vertical	N/A
3**	5671.200	92.06	-0.98	--	--	AV	207.00	200	Vertical	N/A
4	7466.612	49.01	-3.82	74.0	24.99	Peak	316.00	400	Vertical	Pass
4**	7466.612	39.74	-3.82	54.0	14.26	AV	316.00	400	Vertical	Pass
5	11219.350	51.67	-0.20	74.0	22.33	Peak	316.00	100	Vertical	Pass
5**	11219.350	43.15	-0.20	54.0	10.85	AV	316.00	100	Vertical	Pass
6	16099.500	54.37	1.21	74.0	19.63	Peak	263.00	200	Vertical	Pass
6**	16099.500	44.85	1.21	54.0	9.15	AV	263.00	200	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.800	39.03	-17.19	74.0	34.97	Peak	358.00	400	Horizontal	Pass
1**	1499.800	31.09	-17.19	54.0	22.91	AV	358.00	400	Horizontal	Pass
2	4205.000	50.11	-4.56	74.0	23.89	Peak	174.00	300	Horizontal	Pass
2**	4205.000	40.89	-4.56	54.0	13.11	AV	174.00	300	Horizontal	Pass
3	5531.600	96.97	-1.61	--	--	Peak	102.00	200	Horizontal	N/A
3**	5531.600	89.68	-1.61	--	--	AV	102.00	200	Horizontal	N/A
4	7619.275	49.86	-2.96	74.0	24.14	Peak	232.00	400	Horizontal	Pass
4**	7619.275	39.36	-2.96	54.0	14.64	AV	232.00	400	Horizontal	Pass
5	10945.937	51.49	-0.15	74.0	22.51	Peak	360.00	150	Horizontal	Pass
5**	10945.937	42.14	-0.15	54.0	11.86	AV	360.00	150	Horizontal	Pass
6	15830.700	53.66	1.49	74.0	20.34	Peak	360.00	400	Horizontal	Pass
6**	15830.700	45.68	1.49	54.0	8.32	AV	360.00	400	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	39.39	-17.19	74.0	34.61	Peak	353.00	400	Vertical	Pass
1**	1500.300	33.23	-17.19	54.0	20.77	AV	353.00	400	Vertical	Pass
2	4367.000	50.58	-3.03	74.0	23.42	Peak	276.00	100	Vertical	Pass
2**	4367.000	41.34	-3.03	54.0	12.66	AV	276.00	100	Vertical	Pass
3	5540.200	98.20	-1.11	--	--	Peak	160.00	100	Vertical	N/A
3**	5540.200	90.60	-1.11	--	--	AV	160.00	100	Vertical	N/A
4	7378.062	49.44	-3.71	74.0	24.56	Peak	23.00	300	Vertical	Pass
4**	7378.062	39.93	-3.71	54.0	14.07	AV	23.00	300	Vertical	Pass
5	10933.287	51.66	0.02	74.0	22.34	Peak	168.00	100	Vertical	Pass
5**	10933.287	42.16	0.02	54.0	11.84	AV	168.00	100	Vertical	Pass
6	15848.813	54.79	1.34	74.0	19.21	Peak	239.00	100	Vertical	Pass
6**	15848.813	44.81	1.34	54.0	9.19	AV	239.00	100	Vertical	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	38.60	-17.19	74.0	35.40	Peak	358.00	300	Horizontal	Pass
1**	1500.100	32.22	-17.19	54.0	21.78	AV	358.00	300	Horizontal	Pass
2	4356.200	50.33	-2.42	74.0	23.67	Peak	299.00	100	Horizontal	Pass
2**	4356.200	42.30	-2.42	54.0	11.70	AV	299.00	100	Horizontal	Pass
3	5621.800	97.39	-2.26	--	--	Peak	100.00	100	Horizontal	N/A
3**	5621.800	89.05	-2.26	--	--	AV	100.00	100	Horizontal	N/A
4	7364.550	49.34	-4.02	74.0	24.66	Peak	8.00	400	Horizontal	Pass
4**	7364.550	40.53	-4.02	54.0	13.47	AV	8.00	400	Horizontal	Pass
5	10911.725	51.25	0.18	74.0	22.75	Peak	154.00	200	Horizontal	Pass
5**	10911.725	42.87	0.18	54.0	11.13	AV	154.00	200	Horizontal	Pass
6	15842.513	54.89	1.41	74.0	19.11	Peak	0.00	100	Horizontal	Pass
6**	15842.513	44.86	1.41	54.0	9.14	AV	0.00	100	Horizontal	Pass

11ac80, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	38.55	-17.19	74.0	35.45	Peak	249.00	200	Vertical	Pass
1**	1500.300	31.89	-17.19	54.0	22.11	AV	249.00	200	Vertical	Pass
2	4360.200	50.88	-2.65	74.0	23.12	Peak	39.00	300	Vertical	Pass
2**	4360.200	40.87	-2.65	54.0	13.13	AV	39.00	300	Vertical	Pass
3	5603.400	96.55	-1.73	--	--	Peak	114.00	100	Vertical	N/A
3**	5603.400	88.96	-1.73	--	--	AV	114.00	100	Vertical	N/A
4	7357.938	49.04	-4.11	74.0	24.96	Peak	67.00	400	Vertical	Pass
4**	7357.938	39.99	-4.11	54.0	14.01	AV	67.00	400	Vertical	Pass
5	10943.062	51.63	-0.10	74.0	22.37	Peak	248.00	200	Vertical	Pass
5**	10943.062	42.95	-0.10	54.0	11.05	AV	248.00	200	Vertical	Pass
6	16090.575	55.76	1.42	74.0	18.24	Peak	72.00	300	Vertical	Pass
6**	16090.575	46.64	1.42	54.0	7.36	AV	72.00	300	Vertical	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	39.36	-17.19	74.0	34.64	Peak	232.00	400	Horizontal	Pass
1**	1500.100	32.01	-17.19	54.0	21.99	AV	232.00	400	Horizontal	Pass
2	4346.400	50.44	-2.89	74.0	23.56	Peak	347.00	100	Horizontal	Pass
2**	4346.400	41.96	-2.89	54.0	12.04	AV	347.00	100	Horizontal	Pass
3	5552.800	94.28	-0.94	--	--	Peak	99.00	200	Horizontal	N/A
3**	5552.800	86.85	-0.94	--	--	AV	99.00	200	Horizontal	N/A
4	7376.912	48.71	-3.73	74.0	25.29	Peak	73.00	100	Horizontal	Pass
4**	7376.912	39.82	-3.73	54.0	14.18	AV	73.00	100	Horizontal	Pass
5	10822.887	51.75	0.20	74.0	22.25	Peak	6.00	100	Horizontal	Pass
5**	10822.887	41.41	0.20	54.0	12.59	AV	6.00	100	Horizontal	Pass
6	15811.276	53.91	2.14	74.0	20.09	Peak	348.00	200	Horizontal	Pass
6**	15811.276	44.03	2.14	54.0	9.97	AV	348.00	200	Horizontal	Pass

11ac160, U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.400	39.11	-17.20	74.0	34.89	Peak	271.00	200	Vertical	Pass
1**	1500.400	32.94	-17.20	54.0	21.06	AV	271.00	200	Vertical	Pass
2	4357.800	50.53	-2.58	74.0	23.47	Peak	7.00	400	Vertical	Pass
2**	4357.800	42.09	-2.58	54.0	11.91	AV	7.00	400	Vertical	Pass
3	5549.400	94.73	-1.14	--	--	Peak	234.00	150	Vertical	N/A
3**	5549.400	86.09	-1.14	--	--	AV	234.00	150	Vertical	N/A
4	7372.888	49.18	-3.80	74.0	24.82	Peak	265.00	300	Vertical	Pass
4**	7372.888	40.17	-3.80	54.0	13.83	AV	265.00	300	Vertical	Pass
5	10935.875	51.05	-0.02	74.0	22.95	Peak	347.00	200	Vertical	Pass
5**	10935.875	42.53	-0.02	54.0	11.47	AV	347.00	200	Vertical	Pass
6	15831.750	54.00	1.48	74.0	20.00	Peak	163.00	100	Vertical	Pass
6**	15831.750	45.10	1.48	54.0	8.90	AV	163.00	100	Vertical	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	39.16	-17.19	74.0	34.84	Peak	235.00	200	Horizontal	Pass
1**	1499.700	31.23	-17.19	54.0	22.77	AV	235.00	200	Horizontal	Pass
2	4359.600	50.75	-2.67	74.0	23.25	Peak	37.00	300	Horizontal	Pass
2**	4359.600	41.91	-2.67	54.0	12.09	AV	37.00	300	Horizontal	Pass
3	5501.400	103.98	-1.38	--	--	Peak	99.00	100	Horizontal	N/A
3**	5501.400	95.50	-1.38	--	--	AV	99.00	100	Horizontal	N/A
4	7368.288	48.96	-4.05	74.0	25.04	Peak	266.00	200	Horizontal	Pass
4**	7368.288	39.94	-4.05	54.0	14.06	AV	266.00	200	Horizontal	Pass
5	11220.787	51.85	-0.21	74.0	22.15	Peak	202.00	200	Horizontal	Pass
5**	11220.787	42.23	-0.21	54.0	11.77	AV	202.00	200	Horizontal	Pass
6	15811.537	54.45	2.13	74.0	19.55	Peak	15.00	300	Horizontal	Pass
6**	15811.537	45.57	2.13	54.0	8.43	AV	15.00	300	Horizontal	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.500	39.29	-17.26	74.0	34.71	Peak	123.00	300	Vertical	Pass
1**	1624.500	29.88	-17.26	54.0	24.12	AV	123.00	300	Vertical	Pass
2	4368.200	50.49	-2.84	74.0	23.51	Peak	257.00	300	Vertical	Pass
2**	4368.200	41.42	-2.84	54.0	12.58	AV	257.00	300	Vertical	Pass
3	5502.800	104.63	-1.47	--	--	Peak	205.00	200	Vertical	N/A
3**	5502.800	93.30	-1.47	--	--	AV	205.00	200	Vertical	N/A
4	7350.462	49.37	-3.88	74.0	24.63	Peak	120.00	100	Vertical	Pass
4**	7350.462	39.73	-3.88	54.0	14.27	AV	120.00	100	Vertical	Pass
5	10936.162	51.41	-0.02	74.0	22.59	Peak	56.00	100	Vertical	Pass
5**	10936.162	42.56	-0.02	54.0	11.44	AV	56.00	100	Vertical	Pass
6	15828.600	54.21	1.54	74.0	19.79	Peak	258.00	200	Vertical	Pass
6**	15828.600	44.91	1.54	54.0	9.09	AV	258.00	200	Vertical	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	39.51	-17.19	74.0	34.49	Peak	299.00	400	Horizontal	Pass
1**	1500.100	32.18	-17.19	54.0	21.82	AV	299.00	400	Horizontal	Pass
2	4369.600	50.87	-2.75	74.0	23.13	Peak	348.00	200	Horizontal	Pass
2**	4369.600	42.31	-2.75	54.0	11.69	AV	348.00	200	Horizontal	Pass
3	5571.800	103.57	-0.77	--	--	Peak	101.00	150	Horizontal	N/A
3**	5571.800	94.06	-0.77	--	--	AV	101.00	150	Horizontal	N/A
4	7372.600	48.73	-3.82	74.0	25.27	Peak	0.00	100	Horizontal	Pass
4**	7372.600	40.44	-3.82	54.0	13.56	AV	0.00	100	Horizontal	Pass
5	12229.049	52.58	1.30	74.0	21.42	Peak	331.00	200	Horizontal	Pass
5**	12229.049	42.58	1.30	54.0	11.42	AV	331.00	200	Horizontal	Pass
6	16095.037	54.40	1.32	74.0	19.60	Peak	360.00	400	Horizontal	Pass
6**	16095.037	45.68	1.32	54.0	8.32	AV	360.00	400	Horizontal	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.300	38.41	-17.29	74.0	35.59	Peak	129.00	200	Vertical	Pass
1**	1570.300	28.56	-17.29	54.0	25.44	AV	129.00	200	Vertical	Pass
2	4368.600	49.86	-2.78	74.0	24.14	Peak	71.00	100	Vertical	Pass
2**	4368.600	41.17	-2.78	54.0	12.83	AV	71.00	100	Vertical	Pass
3	5581.200	103.62	-1.10	--	--	Peak	28.00	200	Vertical	N/A
3**	5581.200	93.43	-1.10	--	--	AV	28.00	200	Vertical	N/A
4	7461.437	48.81	-3.68	74.0	25.19	Peak	138.00	100	Vertical	Pass
4**	7461.437	39.58	-3.68	54.0	14.42	AV	138.00	100	Vertical	Pass
5	11220.213	51.90	-0.21	74.0	22.10	Peak	360.00	100	Vertical	Pass
5**	11220.213	42.69	-0.21	54.0	11.31	AV	360.00	100	Vertical	Pass
6	16093.200	54.09	1.36	74.0	19.91	Peak	222.00	400	Vertical	Pass
6**	16093.200	46.01	1.36	54.0	7.99	AV	222.00	400	Vertical	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	38.94	-17.19	74.0	35.06	Peak	311.00	200	Horizontal	Pass
1**	1500.100	33.28	-17.19	54.0	20.72	AV	311.00	200	Horizontal	Pass
2	4329.800	50.67	-4.11	74.0	23.33	Peak	18.00	400	Horizontal	Pass
2**	4329.800	40.34	-4.11	54.0	13.66	AV	18.00	400	Horizontal	Pass
3	5697.200	101.64	-0.80	--	--	Peak	199.00	100	Horizontal	N/A
3**	5697.200	91.88	-0.80	--	--	AV	199.00	100	Horizontal	N/A
4	7339.825	49.60	-3.50	74.0	24.40	Peak	219.00	400	Horizontal	Pass
4**	7339.825	40.02	-3.50	54.0	13.98	AV	219.00	400	Horizontal	Pass
5	10936.738	52.03	-0.03	74.0	21.97	Peak	235.00	100	Horizontal	Pass
5**	10936.738	42.34	-0.03	54.0	11.66	AV	235.00	100	Horizontal	Pass
6	15848.025	54.05	1.35	74.0	19.95	Peak	128.00	100	Horizontal	Pass
6**	15848.025	45.36	1.35	54.0	8.64	AV	128.00	100	Horizontal	Pass

11x20 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	38.55	-17.19	74.0	35.45	Peak	65.00	400	Vertical	Pass
1**	1500.000	31.99	-17.19	54.0	22.01	AV	65.00	400	Vertical	Pass
2	4367.200	50.33	-3.01	74.0	23.67	Peak	49.00	100	Vertical	Pass
2**	4367.200	41.18	-3.01	54.0	12.82	AV	49.00	100	Vertical	Pass
3	5702.200	104.16	-0.96	--	--	Peak	28.00	100	Vertical	N/A
3**	5702.200	94.08	-0.96	--	--	AV	28.00	100	Vertical	N/A
4	7359.375	49.06	-4.07	74.0	24.94	Peak	216.00	100	Vertical	Pass
4**	7359.375	40.03	-4.07	54.0	13.97	AV	216.00	100	Vertical	Pass
5	10940.188	52.04	-0.06	74.0	21.96	Peak	137.00	200	Vertical	Pass
5**	10940.188	42.69	-0.06	54.0	11.31	AV	137.00	200	Vertical	Pass
6	15828.600	53.74	1.54	74.0	20.26	Peak	165.00	400	Vertical	Pass
6**	15828.600	44.56	1.54	54.0	9.44	AV	165.00	400	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.100	39.21	-16.96	74.0	34.79	Peak	3.00	100	Horizontal	Pass
1**	1547.100	29.35	-16.96	54.0	24.65	AV	3.00	100	Horizontal	Pass
2	4305.600	50.60	-4.32	74.0	23.40	Peak	91.00	200	Horizontal	Pass
2**	4305.600	40.08	-4.32	54.0	13.92	AV	91.00	200	Horizontal	Pass
3	5511.800	99.00	-1.86	--	--	Peak	258.00	200	Horizontal	N/A
3**	5511.800	91.05	-1.86	--	--	AV	258.00	200	Horizontal	N/A
4	7350.462	49.26	-3.88	74.0	24.74	Peak	122.00	300	Horizontal	Pass
4**	7350.462	39.94	-3.88	54.0	14.06	AV	122.00	300	Horizontal	Pass
5	12222.151	51.55	1.26	74.0	22.45	Peak	331.00	150	Horizontal	Pass
5**	12222.151	41.97	1.26	54.0	12.03	AV	331.00	150	Horizontal	Pass
6	15842.250	54.01	1.41	74.0	19.99	Peak	110.00	300	Horizontal	Pass
6**	15842.250	45.14	1.41	54.0	8.86	AV	110.00	300	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1587.600	39.72	-17.15	74.0	34.28	Peak	110.00	400	Vertical	Pass
1**	1587.600	30.97	-17.15	54.0	23.03	AV	110.00	400	Vertical	Pass
2	4355.400	50.16	-2.69	74.0	23.84	Peak	284.00	300	Vertical	Pass
2**	4355.400	41.42	-2.69	54.0	12.58	AV	284.00	300	Vertical	Pass
3	5511.800	100.76	-1.86	--	--	Peak	33.00	200	Vertical	N/A
3**	5511.800	90.58	-1.86	--	--	AV	33.00	200	Vertical	N/A
4	7470.638	49.53	-3.98	74.0	24.47	Peak	330.00	400	Vertical	Pass
4**	7470.638	39.36	-3.98	54.0	14.64	AV	330.00	400	Vertical	Pass
5	11232.287	51.74	-0.34	74.0	22.26	Peak	150.00	200	Vertical	Pass
5**	11232.287	41.88	-0.34	54.0	12.12	AV	150.00	200	Vertical	Pass
6	15849.862	53.90	1.33	74.0	20.10	Peak	91.00	100	Vertical	Pass
6**	15849.862	45.10	1.33	54.0	8.90	AV	91.00	100	Vertical	Pass

11x40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	39.06	-17.19	74.0	34.94	Peak	360.00	100	Horizontal	Pass
1**	1500.300	32.58	-17.19	54.0	21.42	AV	360.00	100	Horizontal	Pass
2	4363.800	50.64	-2.72	74.0	23.36	Peak	134.00	300	Horizontal	Pass
2**	4363.800	41.48	-2.72	54.0	12.52	AV	134.00	300	Horizontal	Pass
3	5581.400	99.81	-1.11	--	--	Peak	103.00	200	Horizontal	N/A
3**	5581.400	90.75	-1.11	--	--	AV	103.00	200	Horizontal	N/A
4	7376.050	48.59	-3.74	74.0	25.41	Peak	265.00	200	Horizontal	Pass
4**	7376.050	39.88	-3.74	54.0	14.12	AV	265.00	200	Horizontal	Pass
5	10935.012	51.72	-0.01	74.0	22.28	Peak	282.00	200	Horizontal	Pass
5**	10935.012	42.61	-0.01	54.0	11.39	AV	282.00	200	Horizontal	Pass
6	15851.437	54.78	1.29	74.0	19.22	Peak	261.00	200	Horizontal	Pass
6**	15851.437	44.88	1.29	54.0	9.12	AV	261.00	200	Horizontal	Pass

11x40 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	38.44	-17.19	74.0	35.56	Peak	297.00	100	Vertical	Pass
1**	1500.000	31.59	-17.19	54.0	22.41	AV	297.00	100	Vertical	Pass
2	4358.200	50.15	-2.64	74.0	23.85	Peak	360.00	200	Vertical	Pass
2**	4358.200	42.14	-2.64	54.0	11.86	AV	360.00	200	Vertical	Pass
3	5600.800	100.82	-1.73	--	--	Peak	237.00	150	Vertical	N/A
3**	5600.800	90.04	-1.73	--	--	AV	237.00	150	Vertical	N/A
4	7376.337	49.15	-3.74	74.0	24.85	Peak	87.00	400	Vertical	Pass
4**	7376.337	39.66	-3.74	54.0	14.34	AV	87.00	400	Vertical	Pass
5	12228.187	51.78	1.31	74.0	22.22	Peak	22.00	200	Vertical	Pass
5**	12228.187	41.56	1.31	54.0	12.44	AV	22.00	200	Vertical	Pass
6	15829.387	53.80	1.51	74.0	20.20	Peak	203.00	300	Vertical	Pass
6**	15829.387	45.47	1.51	54.0	8.53	AV	203.00	300	Vertical	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.400	38.78	-17.20	74.0	35.22	Peak	60.00	400	Horizontal	Pass
1**	1500.400	31.05	-17.20	54.0	22.95	AV	60.00	400	Horizontal	Pass
2	4360.600	50.97	-2.64	74.0	23.03	Peak	217.00	100	Horizontal	Pass
2**	4360.600	42.05	-2.64	54.0	11.95	AV	217.00	100	Horizontal	Pass
3	5671.200	99.48	-0.98	--	--	Peak	102.00	200	Horizontal	N/A
3**	5671.200	90.08	-0.98	--	--	AV	102.00	200	Horizontal	N/A
4	7376.050	49.27	-3.74	74.0	24.73	Peak	266.00	200	Horizontal	Pass
4**	7376.050	39.37	-3.74	54.0	14.63	AV	266.00	200	Horizontal	Pass
5	12213.812	51.53	1.15	74.0	22.47	Peak	124.00	100	Horizontal	Pass
5**	12213.812	42.48	1.15	54.0	11.52	AV	124.00	100	Horizontal	Pass
6	15856.425	53.82	1.12	74.0	20.18	Peak	34.00	400	Horizontal	Pass
6**	15856.425	45.11	1.12	54.0	8.89	AV	34.00	400	Horizontal	Pass

11ax40 (SU), U-NII-2C, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1545.500	38.83	-17.02	74.0	35.17	Peak	136.00	100	Vertical	Pass
1**	1545.500	28.96	-17.02	54.0	25.04	AV	136.00	100	Vertical	Pass
2	4286.600	50.48	-3.58	74.0	23.52	Peak	39.00	200	Vertical	Pass
2**	4286.600	40.53	-3.58	54.0	13.47	AV	39.00	200	Vertical	Pass
3	5664.400	98.82	-1.12	--	--	Peak	103.00	150	Vertical	N/A
3**	5664.400	89.75	-1.12	--	--	AV	103.00	150	Vertical	N/A
4	7363.400	49.22	-4.01	74.0	24.78	Peak	200.00	100	Vertical	Pass
4**	7363.400	40.40	-4.01	54.0	13.60	AV	200.00	100	Vertical	Pass
5	10938.463	51.71	-0.05	74.0	22.29	Peak	298.00	150	Vertical	Pass
5**	10938.463	41.61	-0.05	54.0	12.39	AV	298.00	150	Vertical	Pass
6	16086.112	54.02	1.51	74.0	19.98	Peak	54.00	200	Vertical	Pass
6**	16086.112	45.85	1.51	54.0	8.15	AV	54.00	200	Vertical	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.100	39.24	-17.02	74.0	34.76	Peak	48.00	400	Horizontal	Pass
1**	1438.100	29.80	-17.02	54.0	24.20	AV	48.00	400	Horizontal	Pass
2	4327.600	50.11	-3.79	74.0	23.89	Peak	360.00	100	Horizontal	Pass
2**	4327.600	41.12	-3.79	54.0	12.88	AV	360.00	100	Horizontal	Pass
3	5541.600	97.03	-1.29	--	--	Peak	99.00	200	Horizontal	N/A
3**	5541.600	88.65	-1.29	--	--	AV	99.00	200	Horizontal	N/A
4	7364.837	49.11	-4.02	74.0	24.89	Peak	232.00	100	Horizontal	Pass
4**	7364.837	40.81	-4.02	54.0	13.19	AV	232.00	100	Horizontal	Pass
5	11310.488	51.72	0.37	74.0	22.28	Peak	0.00	150	Horizontal	Pass
5**	11310.488	41.80	0.37	54.0	12.20	AV	0.00	150	Horizontal	Pass
6	16110.525	54.74	0.76	74.0	19.26	Peak	206.00	400	Horizontal	Pass
6**	16110.525	44.64	0.76	54.0	9.36	AV	206.00	400	Horizontal	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	39.36	-17.19	74.0	34.64	Peak	198.00	400	Vertical	Pass
1**	1500.300	32.89	-17.19	54.0	21.11	AV	198.00	400	Vertical	Pass
2	4369.000	50.53	-2.71	74.0	23.47	Peak	346.00	300	Vertical	Pass
2**	4369.000	42.06	-2.71	54.0	11.94	AV	346.00	300	Vertical	Pass
3	5503.200	98.13	-1.51	--	--	Peak	39.00	150	Vertical	N/A
3**	5503.200	86.73	-1.51	--	--	AV	39.00	150	Vertical	N/A
4	7367.425	48.85	-4.02	74.0	25.15	Peak	331.00	300	Vertical	Pass
4**	7367.425	40.65	-4.02	54.0	13.35	AV	331.00	300	Vertical	Pass
5	10919.775	51.47	0.24	74.0	22.53	Peak	360.00	200	Vertical	Pass
5**	10919.775	42.09	0.24	54.0	11.91	AV	360.00	200	Vertical	Pass
6	15820.200	55.48	1.87	74.0	18.52	Peak	184.00	300	Vertical	Pass
6**	15820.200	44.62	1.87	54.0	9.38	AV	184.00	300	Vertical	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	39.17	-17.19	74.0	34.83	Peak	145.00	200	Horizontal	Pass
1**	1500.100	32.12	-17.19	54.0	21.88	AV	145.00	200	Horizontal	Pass
2	4364.800	50.30	-2.81	74.0	23.70	Peak	69.00	100	Horizontal	Pass
2**	4364.800	41.25	-2.81	54.0	12.75	AV	69.00	100	Horizontal	Pass
3	5616.800	96.95	-2.13	--	--	Peak	313.00	150	Horizontal	N/A
3**	5616.800	87.67	-2.13	--	--	AV	313.00	150	Horizontal	N/A
4	7338.962	48.91	-3.52	74.0	25.09	Peak	332.00	200	Horizontal	Pass
4**	7338.962	39.90	-3.52	54.0	14.10	AV	332.00	200	Horizontal	Pass
5	10941.912	51.49	-0.09	74.0	22.51	Peak	316.00	150	Horizontal	Pass
5**	10941.912	42.02	-0.09	54.0	11.98	AV	316.00	150	Horizontal	Pass
6	16093.987	54.52	1.35	74.0	19.48	Peak	179.00	200	Horizontal	Pass
6**	16093.987	45.12	1.35	54.0	8.88	AV	179.00	200	Horizontal	Pass

11x80 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	38.80	-17.19	74.0	35.20	Peak	140.00	400	Vertical	Pass
1**	1500.100	31.99	-17.19	54.0	22.01	AV	140.00	400	Vertical	Pass
2	4362.400	50.83	-2.63	74.0	23.17	Peak	80.00	300	Vertical	Pass
2**	4362.400	41.41	-2.63	54.0	12.59	AV	80.00	300	Vertical	Pass
3	5581.200	96.77	-1.10	--	--	Peak	162.00	100	Vertical	N/A
3**	5581.200	86.68	-1.10	--	--	AV	162.00	100	Vertical	N/A
4	7621.287	49.41	-3.01	74.0	24.59	Peak	94.00	300	Vertical	Pass
4**	7621.287	40.13	-3.01	54.0	13.87	AV	94.00	300	Vertical	Pass
5	11212.162	51.55	-0.20	74.0	22.45	Peak	268.00	200	Vertical	Pass
5**	11212.162	42.87	-0.20	54.0	11.13	AV	268.00	200	Vertical	Pass
6	16092.937	54.51	1.37	74.0	19.49	Peak	126.00	400	Vertical	Pass
6**	16092.937	45.37	1.37	54.0	8.63	AV	126.00	400	Vertical	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.500	38.35	-17.13	74.0	35.65	Peak	287.00	100	Horizontal	Pass
1**	1554.500	29.22	-17.13	54.0	24.78	AV	287.00	100	Horizontal	Pass
2	4284.000	50.43	-3.04	74.0	23.57	Peak	307.00	300	Horizontal	Pass
2**	4284.000	41.64	-3.04	54.0	12.36	AV	307.00	300	Horizontal	Pass
3	5540.600	95.88	-1.16	--	--	Peak	121.00	150	Horizontal	N/A
3**	5540.600	85.55	-1.16	--	--	AV	121.00	150	Horizontal	N/A
4	7470.638	49.10	-3.98	74.0	24.90	Peak	252.00	300	Horizontal	Pass
4**	7470.638	39.28	-3.98	54.0	14.72	AV	252.00	300	Horizontal	Pass
5	10937.600	51.49	-0.04	74.0	22.51	Peak	220.00	100	Horizontal	Pass
5**	10937.600	41.84	-0.04	54.0	12.16	AV	220.00	100	Horizontal	Pass
6	15827.287	54.19	1.57	74.0	19.81	Peak	237.00	300	Horizontal	Pass
6**	15827.287	44.68	1.57	54.0	9.32	AV	237.00	300	Horizontal	Pass

11ax160 (SU), U-NII-2C, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1577.700	38.68	-17.50	74.0	35.32	Peak	132.00	200	Vertical	Pass
1**	1577.700	29.17	-17.50	54.0	24.83	AV	132.00	200	Vertical	Pass
2	4364.600	50.92	-2.80	74.0	23.08	Peak	316.00	200	Vertical	Pass
2**	4364.600	42.69	-2.80	54.0	11.31	AV	316.00	200	Vertical	Pass
3	5589.600	95.76	-1.06	--	--	Peak	162.00	100	Vertical	N/A
3**	5589.600	85.09	-1.06	--	--	AV	162.00	100	Vertical	N/A
4	7388.700	48.81	-4.06	74.0	25.19	Peak	175.00	300	Vertical	Pass
4**	7388.700	39.40	-4.06	54.0	14.60	AV	175.00	300	Vertical	Pass
5	12695.663	51.01	0.83	74.0	22.99	Peak	317.00	150	Vertical	Pass
5**	12695.663	42.13	0.83	54.0	11.87	AV	317.00	150	Vertical	Pass
6	16097.662	53.98	1.26	74.0	20.02	Peak	16.00	200	Vertical	Pass
6**	16097.662	45.03	1.26	54.0	8.97	AV	16.00	200	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.300	39.82	-17.08	74.0	34.18	Peak	277.00	300	Horizontal	Pass
1**	1435.300	28.66	-17.08	54.0	25.34	AV	277.00	300	Horizontal	Pass
2	4356.400	50.44	-2.36	74.0	23.56	Peak	61.00	400	Horizontal	Pass
2**	4356.400	42.25	-2.36	54.0	11.75	AV	61.00	400	Horizontal	Pass
3	5744.000	104.13	-1.17	--	--	Peak	265.00	150	Horizontal	N/A
3**	5744.000	96.97	-1.17	--	--	AV	265.00	150	Horizontal	N/A
4	7271.400	48.97	-3.16	74.0	25.03	Peak	298.00	300	Horizontal	Pass
4**	7271.400	39.16	-3.16	54.0	14.84	AV	298.00	300	Horizontal	Pass
5	11216.187	51.31	-0.19	74.0	22.69	Peak	39.00	100	Horizontal	Pass
5**	11216.187	42.58	-0.19	54.0	11.42	AV	39.00	100	Horizontal	Pass
6	15813.375	53.82	2.09	74.0	20.18	Peak	218.00	100	Horizontal	Pass
6**	15813.375	44.64	2.09	54.0	9.36	AV	218.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.700	38.81	-17.40	74.0	35.19	Peak	212.00	300	Vertical	Pass
1**	1612.700	29.48	-17.40	54.0	24.52	AV	212.00	300	Vertical	Pass
2	4355.800	50.72	-2.56	74.0	23.28	Peak	60.00	200	Vertical	Pass
2**	4355.800	41.71	-2.56	54.0	12.29	AV	60.00	200	Vertical	Pass
3	5746.400	105.07	-1.33	--	--	Peak	19.00	200	Vertical	N/A
3**	5746.400	97.66	-1.33	--	--	AV	19.00	200	Vertical	N/A
4	7338.675	48.70	-3.53	74.0	25.30	Peak	347.00	100	Vertical	Pass
4**	7338.675	39.61	-3.53	54.0	14.39	AV	347.00	100	Vertical	Pass
5	11491.900	52.54	0.07	74.0	21.46	Peak	171.00	200	Vertical	Pass
5**	11491.900	42.26	0.07	54.0	11.74	AV	171.00	200	Vertical	Pass
6	16098.450	53.53	1.24	74.0	20.47	Peak	71.00	300	Vertical	Pass
6**	16098.450	45.58	1.24	54.0	8.42	AV	71.00	300	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1559.800	38.70	-17.34	74.0	35.30	Peak	351.00	100	Horizontal	Pass
1**	1559.800	29.76	-17.34	54.0	24.24	AV	351.00	100	Horizontal	Pass
2	4374.600	50.90	-3.09	74.0	23.10	Peak	267.00	400	Horizontal	Pass
2**	4374.600	41.40	-3.09	54.0	12.60	AV	267.00	400	Horizontal	Pass
3	5783.000	105.51	-1.02	--	--	Peak	267.00	100	Horizontal	N/A
3**	5783.000	98.31	-1.02	--	--	AV	267.00	100	Horizontal	N/A
4	7357.938	48.91	-4.11	74.0	25.09	Peak	360.00	400	Horizontal	Pass
4**	7357.938	39.91	-4.11	54.0	14.09	AV	360.00	400	Horizontal	Pass
5	11203.537	51.13	-0.27	74.0	22.87	Peak	96.00	100	Horizontal	Pass
5**	11203.537	41.67	-0.27	54.0	12.33	AV	96.00	100	Horizontal	Pass
6	16094.775	54.05	1.33	74.0	19.95	Peak	255.00	100	Horizontal	Pass
6**	16094.775	45.14	1.33	54.0	8.86	AV	255.00	100	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1569.100	39.10	-17.32	74.0	34.90	Peak	126.00	400	Vertical	Pass
1**	1569.100	28.48	-17.32	54.0	25.52	AV	126.00	400	Vertical	Pass
2	4359.400	50.48	-2.67	74.0	23.52	Peak	100.00	100	Vertical	Pass
2**	4359.400	41.00	-2.67	54.0	13.00	AV	100.00	100	Vertical	Pass
3	5781.600	105.88	-0.84	--	--	Peak	49.00	200	Vertical	N/A
3**	5781.600	98.39	-0.84	--	--	AV	49.00	200	Vertical	N/A
4	7364.550	48.72	-4.02	74.0	25.28	Peak	0.00	400	Vertical	Pass
4**	7364.550	40.77	-4.02	54.0	13.23	AV	0.00	400	Vertical	Pass
5	12216.112	51.46	1.19	74.0	22.54	Peak	217.00	150	Vertical	Pass
5**	12216.112	42.75	1.19	54.0	11.25	AV	217.00	150	Vertical	Pass
6	15479.213	53.75	0.97	74.0	20.25	Peak	329.00	100	Vertical	Pass
6**	15479.213	43.66	0.97	54.0	10.34	AV	329.00	100	Vertical	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1548.300	38.71	-17.19	74.0	35.29	Peak	260.00	400	Horizontal	Pass
1**	1548.300	28.75	-17.19	54.0	25.25	AV	260.00	400	Horizontal	Pass
2	4360.400	50.42	-2.65	74.0	23.58	Peak	89.00	300	Horizontal	Pass
2**	4360.400	41.53	-2.65	54.0	12.47	AV	89.00	300	Horizontal	Pass
3	5827.200	103.22	-1.39	--	--	Peak	268.00	100	Horizontal	N/A
3**	5827.200	95.06	-1.39	--	--	AV	268.00	100	Horizontal	N/A
4	7340.400	48.70	-3.55	74.0	25.30	Peak	28.00	400	Horizontal	Pass
4**	7340.400	40.52	-3.55	54.0	13.48	AV	28.00	400	Horizontal	Pass
5	10932.425	51.21	0.04	74.0	22.79	Peak	0.00	200	Horizontal	Pass
5**	10932.425	42.36	0.04	54.0	11.64	AV	0.00	200	Horizontal	Pass
6	16089.000	55.30	1.45	74.0	18.70	Peak	316.00	300	Horizontal	Pass
6**	16089.000	45.33	1.45	54.0	8.67	AV	316.00	300	Horizontal	Pass

11a, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1616.600	39.34	-17.45	74.0	34.66	Peak	131.00	300	Vertical	Pass
1**	1616.600	29.06	-17.45	54.0	24.94	AV	131.00	300	Vertical	Pass
2	4376.800	50.58	-2.90	74.0	23.42	Peak	348.00	300	Vertical	Pass
2**	4376.800	40.94	-2.90	54.0	13.06	AV	348.00	300	Vertical	Pass
3	5823.200	106.04	-1.49	--	--	Peak	246.00	150	Vertical	N/A
3**	5823.200	97.42	-1.49	--	--	AV	246.00	150	Vertical	N/A
4	7369.150	49.16	-4.09	74.0	24.84	Peak	154.00	300	Vertical	Pass
4**	7369.150	40.18	-4.09	54.0	13.82	AV	154.00	300	Vertical	Pass
5	10940.474	51.36	-0.07	74.0	22.64	Peak	72.00	150	Vertical	Pass
5**	10940.474	42.18	-0.07	54.0	11.82	AV	72.00	150	Vertical	Pass
6	15846.974	53.60	1.35	74.0	20.40	Peak	35.00	400	Vertical	Pass
6**	15846.974	45.43	1.35	54.0	8.57	AV	35.00	400	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.600	38.44	-17.25	74.0	35.56	Peak	66.00	300	Horizontal	Pass
1**	1608.600	28.26	-17.25	54.0	25.74	AV	66.00	300	Horizontal	Pass
2	4383.400	50.26	-2.91	74.0	23.74	Peak	306.00	400	Horizontal	Pass
2**	4383.400	40.92	-2.91	54.0	13.08	AV	306.00	400	Horizontal	Pass
3	5742.800	104.65	-1.22	--	--	Peak	265.00	100	Horizontal	N/A
3**	5742.800	96.70	-1.22	--	--	AV	265.00	100	Horizontal	N/A
4	7482.138	49.01	-4.24	74.0	24.99	Peak	0.00	200	Horizontal	Pass
4**	7482.138	38.60	-4.24	54.0	15.40	AV	0.00	200	Horizontal	Pass
5	10912.874	51.31	0.18	74.0	22.69	Peak	75.00	100	Horizontal	Pass
5**	10912.874	42.30	0.18	54.0	11.70	AV	75.00	100	Horizontal	Pass
6	16094.513	53.64	1.33	74.0	20.36	Peak	128.00	200	Horizontal	Pass
6**	16094.513	45.07	1.33	54.0	8.93	AV	128.00	200	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1613.500	40.30	-17.36	74.0	33.70	Peak	123.00	200	Vertical	Pass
1**	1613.500	29.83	-17.36	54.0	24.17	AV	123.00	200	Vertical	Pass
2	4357.800	50.17	-2.58	74.0	23.83	Peak	360.00	400	Vertical	Pass
2**	4357.800	42.00	-2.58	54.0	12.00	AV	360.00	400	Vertical	Pass
3	5743.200	105.57	-1.20	--	--	Peak	256.00	200	Vertical	N/A
3**	5743.200	97.63	-1.20	--	--	AV	256.00	200	Vertical	N/A
4	7662.975	48.68	-2.44	74.0	25.32	Peak	120.00	300	Vertical	Pass
4**	7662.975	39.45	-2.44	54.0	14.55	AV	120.00	300	Vertical	Pass
5	11490.750	53.00	0.07	74.0	21.00	Peak	137.00	200	Vertical	Pass
5**	11490.750	42.36	0.07	54.0	11.64	AV	137.00	200	Vertical	Pass
6	15849.338	54.18	1.34	74.0	19.82	Peak	312.00	200	Vertical	Pass
6**	15849.338	44.91	1.34	54.0	9.09	AV	312.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1435.900	38.99	-17.19	74.0	35.01	Peak	360.00	300	Horizontal	Pass
1**	1435.900	29.09	-17.19	54.0	24.91	AV	360.00	300	Horizontal	Pass
2	4382.400	50.29	-2.97	74.0	23.71	Peak	110.00	200	Horizontal	Pass
2**	4382.400	41.12	-2.97	54.0	12.88	AV	110.00	200	Horizontal	Pass
3	5781.400	104.74	-0.82	--	--	Peak	267.00	100	Horizontal	N/A
3**	5781.400	96.86	-0.82	--	--	AV	267.00	100	Horizontal	N/A
4	7351.612	48.86	-3.85	74.0	25.14	Peak	299.00	300	Horizontal	Pass
4**	7351.612	39.84	-3.85	54.0	14.16	AV	299.00	300	Horizontal	Pass
5	11421.175	51.19	-0.08	74.0	22.81	Peak	253.00	200	Horizontal	Pass
5**	11421.175	41.46	-0.08	54.0	12.54	AV	253.00	200	Horizontal	Pass
6	15495.487	54.60	1.06	74.0	19.40	Peak	259.00	400	Horizontal	Pass
6**	15495.487	44.12	1.06	54.0	9.88	AV	259.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1595.700	38.26	-17.34	74.0	35.74	Peak	130.00	300	Vertical	Pass
1**	1595.700	28.78	-17.34	54.0	25.22	AV	130.00	300	Vertical	Pass
2	4349.200	49.90	-3.04	74.0	24.10	Peak	133.00	100	Vertical	Pass
2**	4349.200	41.27	-3.04	54.0	12.73	AV	133.00	100	Vertical	Pass
3	5786.600	106.16	-0.95	--	--	Peak	207.00	100	Vertical	N/A
3**	5786.600	98.54	-0.95	--	--	AV	207.00	100	Vertical	N/A
4	7271.975	49.02	-3.19	74.0	24.98	Peak	266.00	200	Vertical	Pass
4**	7271.975	39.06	-3.19	54.0	14.94	AV	266.00	200	Vertical	Pass
5	11570.675	51.99	-0.39	74.0	22.01	Peak	155.00	200	Vertical	Pass
5**	11570.675	43.20	-0.39	54.0	10.80	AV	155.00	200	Vertical	Pass
6	16100.287	53.51	1.19	74.0	20.49	Peak	236.00	200	Vertical	Pass
6**	16100.287	44.88	1.19	54.0	9.12	AV	236.00	200	Vertical	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	39.16	-17.19	74.0	34.84	Peak	0.00	100	Horizontal	Pass
1**	1500.300	31.21	-17.19	54.0	22.79	AV	0.00	100	Horizontal	Pass
2	4340.400	49.86	-3.89	74.0	24.14	Peak	112.00	400	Horizontal	Pass
2**	4340.400	41.20	-3.89	54.0	12.80	AV	112.00	400	Horizontal	Pass
3	5823.200	103.55	-1.49	--	--	Peak	48.00	100	Horizontal	N/A
3**	5823.200	96.17	-1.49	--	--	AV	48.00	100	Horizontal	N/A
4	7666.425	49.09	-2.40	74.0	24.91	Peak	331.00	200	Horizontal	Pass
4**	7666.425	39.39	-2.40	54.0	14.61	AV	331.00	200	Horizontal	Pass
5	10931.562	52.33	0.06	74.0	21.67	Peak	107.00	200	Horizontal	Pass
5**	10931.562	41.70	0.06	54.0	12.30	AV	107.00	200	Horizontal	Pass
6	15814.425	53.54	2.07	74.0	20.46	Peak	257.00	400	Horizontal	Pass
6**	15814.425	44.50	2.07	54.0	9.50	AV	257.00	400	Horizontal	Pass

11n20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1617.500	38.40	-17.44	74.0	35.60	Peak	124.00	200	Vertical	Pass
1**	1617.500	28.42	-17.44	54.0	25.58	AV	124.00	200	Vertical	Pass
2	4378.800	51.10	-2.95	74.0	22.90	Peak	100.00	200	Vertical	Pass
2**	4378.800	40.42	-2.95	54.0	13.58	AV	100.00	200	Vertical	Pass
3	5832.600	105.61	-0.52	--	--	Peak	254.00	200	Vertical	N/A
3**	5832.600	98.62	-0.52	--	--	AV	254.00	200	Vertical	N/A
4	7351.037	50.10	-3.86	74.0	23.90	Peak	0.00	100	Vertical	Pass
4**	7351.037	40.52	-3.86	54.0	13.48	AV	0.00	100	Vertical	Pass
5	10919.775	51.59	0.24	74.0	22.41	Peak	14.00	150	Vertical	Pass
5**	10919.775	42.35	0.24	54.0	11.65	AV	14.00	150	Vertical	Pass
6	16098.450	54.39	1.24	74.0	19.61	Peak	125.00	300	Vertical	Pass
6**	16098.450	44.86	1.24	54.0	9.14	AV	125.00	300	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	38.74	-17.19	74.0	35.26	Peak	45.00	300	Horizontal	Pass
1**	1500.200	31.52	-17.19	54.0	22.48	AV	45.00	300	Horizontal	Pass
2	4367.400	50.66	-2.97	74.0	23.34	Peak	141.00	100	Horizontal	Pass
2**	4367.400	40.60	-2.97	54.0	13.40	AV	141.00	100	Horizontal	Pass
3	5752.200	101.48	-1.11	--	--	Peak	264.00	100	Horizontal	N/A
3**	5752.200	92.97	-1.11	--	--	AV	264.00	100	Horizontal	N/A
4	7357.362	49.20	-4.13	74.0	24.80	Peak	360.00	200	Horizontal	Pass
4**	7357.362	39.70	-4.13	54.0	14.30	AV	360.00	200	Horizontal	Pass
5	10924.375	51.48	0.17	74.0	22.52	Peak	0.00	200	Horizontal	Pass
5**	10924.375	42.97	0.17	54.0	11.03	AV	0.00	200	Horizontal	Pass
6	16098.975	53.75	1.23	74.0	20.25	Peak	273.00	200	Horizontal	Pass
6**	16098.975	44.95	1.23	54.0	9.05	AV	273.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.500	38.57	-17.23	74.0	35.43	Peak	204.00	400	Vertical	Pass
1**	1623.500	28.54	-17.23	54.0	25.46	AV	204.00	400	Vertical	Pass
2	4351.200	50.41	-3.10	74.0	23.59	Peak	267.00	400	Vertical	Pass
2**	4351.200	40.51	-3.10	54.0	13.49	AV	267.00	400	Vertical	Pass
3	5750.200	101.53	-1.24	--	--	Peak	182.00	150	Vertical	N/A
3**	5750.200	93.96	-1.24	--	--	AV	182.00	150	Vertical	N/A
4	7364.263	49.29	-4.01	74.0	24.71	Peak	360.00	400	Vertical	Pass
4**	7364.263	39.72	-4.01	54.0	14.28	AV	360.00	400	Vertical	Pass
5	11214.750	51.24	-0.19	74.0	22.76	Peak	103.00	100	Vertical	Pass
5**	11214.750	43.70	-0.19	54.0	10.30	AV	103.00	100	Vertical	Pass
6	15843.037	54.03	1.40	74.0	19.97	Peak	53.00	100	Vertical	Pass
6**	15843.037	44.72	1.40	54.0	9.28	AV	53.00	100	Vertical	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	38.09	-17.19	74.0	35.91	Peak	317.00	200	Horizontal	Pass
1**	1499.900	30.30	-17.19	54.0	23.70	AV	317.00	200	Horizontal	Pass
2	4355.800	51.72	-2.56	74.0	22.28	Peak	339.00	100	Horizontal	Pass
2**	4355.800	42.02	-2.56	54.0	11.98	AV	339.00	100	Horizontal	Pass
3	5800.600	100.15	-1.56	--	--	Peak	265.00	150	Horizontal	N/A
3**	5800.600	92.70	-1.56	--	--	AV	265.00	150	Horizontal	N/A
4	7619.850	49.18	-2.99	74.0	24.82	Peak	218.00	300	Horizontal	Pass
4**	7619.850	39.04	-2.99	54.0	14.96	AV	218.00	300	Horizontal	Pass
5	12217.838	51.27	1.21	74.0	22.73	Peak	8.00	200	Horizontal	Pass
5**	12217.838	42.29	1.21	54.0	11.71	AV	8.00	200	Horizontal	Pass
6	16100.550	54.84	1.18	74.0	19.16	Peak	329.00	200	Horizontal	Pass
6**	16100.550	44.67	1.18	54.0	9.33	AV	329.00	200	Horizontal	Pass

11n40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1570.200	38.54	-17.29	74.0	35.46	Peak	109.00	100	Vertical	Pass
1**	1570.200	28.58	-17.29	54.0	25.42	AV	109.00	100	Vertical	Pass
2	4308.800	50.32	-4.15	74.0	23.68	Peak	286.00	300	Vertical	Pass
2**	4308.800	39.56	-4.15	54.0	14.44	AV	286.00	300	Vertical	Pass
3	5797.000	102.39	-1.46	--	--	Peak	111.00	150	Vertical	N/A
3**	5797.000	94.51	-1.46	--	--	AV	111.00	150	Vertical	N/A
4	7338.387	48.63	-3.53	74.0	25.37	Peak	45.00	400	Vertical	Pass
4**	7338.387	40.98	-3.53	54.0	13.02	AV	45.00	400	Vertical	Pass
5	10934.150	51.06	0.00	74.0	22.94	Peak	172.00	100	Vertical	Pass
5**	10934.150	42.04	0.00	54.0	11.96	AV	172.00	100	Vertical	Pass
6	16093.987	54.03	1.35	74.0	19.97	Peak	164.00	200	Vertical	Pass
6**	16093.987	45.54	1.35	54.0	8.46	AV	164.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.000	38.58	-17.19	74.0	35.42	Peak	308.00	200	Horizontal	Pass
1**	1500.000	30.73	-17.19	54.0	23.27	AV	308.00	200	Horizontal	Pass
2	4356.800	50.98	-2.42	74.0	23.02	Peak	48.00	400	Horizontal	Pass
2**	4356.800	41.62	-2.42	54.0	12.38	AV	48.00	400	Horizontal	Pass
3	5751.800	101.33	-1.14	--	--	Peak	263.00	200	Horizontal	N/A
3**	5751.800	93.34	-1.14	--	--	AV	263.00	200	Horizontal	N/A
4	7669.875	48.76	-2.32	74.0	25.24	Peak	205.00	300	Horizontal	Pass
4**	7669.875	39.64	-2.32	54.0	14.36	AV	205.00	300	Horizontal	Pass
5	11710.975	51.86	0.65	74.0	22.14	Peak	237.00	200	Horizontal	Pass
5**	11710.975	41.80	0.65	54.0	12.20	AV	237.00	200	Horizontal	Pass
6	16080.600	53.93	1.63	74.0	20.07	Peak	292.00	400	Horizontal	Pass
6**	16080.600	45.34	1.63	54.0	8.66	AV	292.00	400	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1586.900	39.08	-17.16	74.0	34.92	Peak	121.00	400	Vertical	Pass
1**	1586.900	29.93	-17.16	54.0	24.07	AV	121.00	400	Vertical	Pass
2	4354.000	50.12	-3.07	74.0	23.88	Peak	360.00	300	Vertical	Pass
2**	4354.000	40.97	-3.07	54.0	13.03	AV	360.00	300	Vertical	Pass
3	5740.000	102.05	-0.84	--	--	Peak	182.00	100	Vertical	N/A
3**	5740.000	93.96	-0.84	--	--	AV	182.00	100	Vertical	N/A
4	7355.925	49.08	-4.08	74.0	24.92	Peak	157.00	200	Vertical	Pass
4**	7355.925	39.58	-4.08	54.0	14.42	AV	157.00	200	Vertical	Pass
5	10916.612	51.83	0.21	74.0	22.17	Peak	141.00	100	Vertical	Pass
5**	10916.612	42.37	0.21	54.0	11.63	AV	141.00	100	Vertical	Pass
6	15834.637	54.47	1.45	74.0	19.53	Peak	34.00	200	Vertical	Pass
6**	15834.637	44.61	1.45	54.0	9.39	AV	34.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	38.35	-17.19	74.0	35.65	Peak	289.00	400	Horizontal	Pass
1**	1500.100	31.05	-17.19	54.0	22.95	AV	289.00	400	Horizontal	Pass
2	4384.400	50.23	-2.90	74.0	23.77	Peak	100.00	300	Horizontal	Pass
2**	4384.400	40.89	-2.90	54.0	13.11	AV	100.00	300	Horizontal	Pass
3	5781.800	101.74	-0.86	--	--	Peak	266.00	100	Horizontal	N/A
3**	5781.800	95.08	-0.86	--	--	AV	266.00	100	Horizontal	N/A
4	7353.050	49.83	-3.87	74.0	24.17	Peak	299.00	300	Horizontal	Pass
4**	7353.050	39.48	-3.87	54.0	14.52	AV	299.00	300	Horizontal	Pass
5	10923.513	51.46	0.18	74.0	22.54	Peak	62.00	200	Horizontal	Pass
5**	10923.513	42.67	0.18	54.0	11.33	AV	62.00	200	Horizontal	Pass
6	16101.075	53.89	1.15	74.0	20.11	Peak	352.00	300	Horizontal	Pass
6**	16101.075	46.06	1.15	54.0	7.94	AV	352.00	300	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.600	38.50	-17.43	74.0	35.50	Peak	127.00	100	Vertical	Pass
1**	1596.600	28.76	-17.43	54.0	25.24	AV	127.00	100	Vertical	Pass
2	4377.800	50.00	-2.86	74.0	24.00	Peak	357.00	300	Vertical	Pass
2**	4377.800	40.51	-2.86	54.0	13.49	AV	357.00	300	Vertical	Pass
3	5783.400	102.84	-1.08	--	--	Peak	241.00	200	Vertical	N/A
3**	5783.400	95.17	-1.08	--	--	AV	241.00	200	Vertical	N/A
4	7679.650	48.87	-2.63	74.0	25.13	Peak	13.00	200	Vertical	Pass
4**	7679.650	38.85	-2.63	54.0	15.15	AV	13.00	200	Vertical	Pass
5	10949.675	51.09	-0.25	74.0	22.91	Peak	219.00	100	Vertical	Pass
5**	10949.675	42.10	-0.25	54.0	11.90	AV	219.00	100	Vertical	Pass
6	15815.213	54.11	2.05	74.0	19.89	Peak	0.00	200	Vertical	Pass
6**	15815.213	44.75	2.05	54.0	9.25	AV	0.00	200	Vertical	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	38.91	-17.19	74.0	35.09	Peak	189.00	300	Horizontal	Pass
1**	1500.300	30.76	-17.19	54.0	23.24	AV	189.00	300	Horizontal	Pass
2	4364.400	50.24	-2.78	74.0	23.76	Peak	276.00	200	Horizontal	Pass
2**	4364.400	40.97	-2.78	54.0	13.03	AV	276.00	200	Horizontal	Pass
3	5822.000	101.17	-1.58	--	--	Peak	265.00	200	Horizontal	N/A
3**	5822.000	94.01	-1.58	--	--	AV	265.00	200	Horizontal	N/A
4	7358.800	48.69	-4.09	74.0	25.31	Peak	184.00	100	Horizontal	Pass
4**	7358.800	40.45	-4.09	54.0	13.55	AV	184.00	100	Horizontal	Pass
5	10634.287	51.63	-1.02	74.0	22.37	Peak	72.00	100	Horizontal	Pass
5**	10634.287	42.10	-1.02	54.0	11.90	AV	72.00	100	Horizontal	Pass
6	16092.937	54.58	1.37	74.0	19.42	Peak	0.00	200	Horizontal	Pass
6**	16092.937	46.12	1.37	54.0	7.88	AV	0.00	200	Horizontal	Pass

11ac20, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	38.83	-17.19	74.0	35.17	Peak	266.00	100	Vertical	Pass
1**	1500.300	31.21	-17.19	54.0	22.79	AV	266.00	100	Vertical	Pass
2	4360.000	49.64	-2.66	74.0	24.36	Peak	18.00	300	Vertical	Pass
2**	4360.000	41.45	-2.66	54.0	12.55	AV	18.00	300	Vertical	Pass
3	5828.800	102.78	-1.21	--	--	Peak	100.00	200	Vertical	N/A
3**	5828.800	95.20	-1.21	--	--	AV	100.00	200	Vertical	N/A
4	7385.825	49.60	-3.91	74.0	24.40	Peak	0.00	200	Vertical	Pass
4**	7385.825	39.11	-3.91	54.0	14.89	AV	0.00	200	Vertical	Pass
5	10932.425	51.09	0.04	74.0	22.91	Peak	105.00	200	Vertical	Pass
5**	10932.425	42.37	0.04	54.0	11.63	AV	105.00	200	Vertical	Pass
6	16090.050	53.69	1.43	74.0	20.31	Peak	164.00	400	Vertical	Pass
6**	16090.050	44.89	1.43	54.0	9.11	AV	164.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.900	38.02	-17.27	74.0	35.98	Peak	25.00	100	Horizontal	Pass
1**	1571.900	28.73	-17.27	54.0	25.27	AV	25.00	100	Horizontal	Pass
2	4355.800	50.30	-2.56	74.0	23.70	Peak	205.00	300	Horizontal	Pass
2**	4355.800	40.77	-2.56	54.0	13.23	AV	205.00	300	Horizontal	Pass
3	5753.400	98.59	-1.13	--	--	Peak	267.00	200	Horizontal	N/A
3**	5753.400	91.55	-1.13	--	--	AV	267.00	200	Horizontal	N/A
4	7377.200	49.06	-3.72	74.0	24.94	Peak	94.00	100	Horizontal	Pass
4**	7377.200	41.27	-3.72	54.0	12.73	AV	94.00	100	Horizontal	Pass
5	11310.775	52.15	0.38	74.0	21.85	Peak	126.00	150	Horizontal	Pass
5**	11310.775	41.96	0.38	54.0	12.04	AV	126.00	150	Horizontal	Pass
6	15854.588	53.74	1.20	74.0	20.26	Peak	316.00	100	Horizontal	Pass
6**	15854.588	44.10	1.20	54.0	9.90	AV	316.00	100	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1580.900	38.63	-17.36	74.0	35.37	Peak	126.00	300	Vertical	Pass
1**	1580.900	28.76	-17.36	54.0	25.24	AV	126.00	300	Vertical	Pass
2	4387.800	49.97	-2.96	74.0	24.03	Peak	360.00	400	Vertical	Pass
2**	4387.800	41.16	-2.96	54.0	12.84	AV	360.00	400	Vertical	Pass
3	5764.200	99.93	-0.83	--	--	Peak	266.00	150	Vertical	N/A
3**	5764.200	92.07	-0.83	--	--	AV	266.00	150	Vertical	N/A
4	7339.537	48.39	-3.50	74.0	25.61	Peak	187.00	200	Vertical	Pass
4**	7339.537	39.50	-3.50	54.0	14.50	AV	187.00	200	Vertical	Pass
5	10915.750	51.35	0.20	74.0	22.65	Peak	360.00	100	Vertical	Pass
5**	10915.750	42.19	0.20	54.0	11.81	AV	360.00	100	Vertical	Pass
6	15804.450	54.30	2.28	74.0	19.70	Peak	34.00	400	Vertical	Pass
6**	15804.450	43.63	2.28	54.0	10.37	AV	34.00	400	Vertical	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1539.300	38.68	-17.24	74.0	35.32	Peak	51.00	300	Horizontal	Pass
1**	1539.300	28.28	-17.24	54.0	25.72	AV	51.00	300	Horizontal	Pass
2	4391.400	50.00	-3.35	74.0	24.00	Peak	128.00	200	Horizontal	Pass
2**	4391.400	40.04	-3.35	54.0	13.96	AV	128.00	200	Horizontal	Pass
3	5801.800	98.58	-1.47	--	--	Peak	271.00	100	Horizontal	N/A
3**	5801.800	91.60	-1.47	--	--	AV	271.00	100	Horizontal	N/A
4	7337.238	49.54	-3.51	74.0	24.46	Peak	32.00	100	Horizontal	Pass
4**	7337.238	39.96	-3.51	54.0	14.04	AV	32.00	100	Horizontal	Pass
5	10924.951	51.83	0.16	74.0	22.17	Peak	316.00	200	Horizontal	Pass
5**	10924.951	43.26	0.16	54.0	10.74	AV	316.00	200	Horizontal	Pass
6	16081.912	53.60	1.60	74.0	20.40	Peak	1.00	400	Horizontal	Pass
6**	16081.912	44.61	1.60	54.0	9.39	AV	1.00	400	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.200	38.79	-17.27	74.0	35.21	Peak	88.00	400	Vertical	Pass
1**	1625.200	28.70	-17.27	54.0	25.30	AV	88.00	400	Vertical	Pass
2	4369.800	49.73	-2.78	74.0	24.27	Peak	360.00	200	Vertical	Pass
2**	4369.800	40.68	-2.78	54.0	13.32	AV	360.00	200	Vertical	Pass
3	5799.600	99.69	-1.62	--	--	Peak	80.00	150	Vertical	N/A
3**	5799.600	93.40	-1.62	--	--	AV	80.00	150	Vertical	N/A
4	7558.900	49.27	-2.93	74.0	24.73	Peak	300.00	300	Vertical	Pass
4**	7558.900	39.00	-2.93	54.0	15.00	AV	300.00	300	Vertical	Pass
5	11935.513	51.55	1.69	74.0	22.45	Peak	348.00	150	Vertical	Pass
5**	11935.513	42.07	1.69	54.0	11.93	AV	348.00	150	Vertical	Pass
6	16106.325	54.55	0.92	74.0	19.45	Peak	142.00	100	Vertical	Pass
6**	16106.325	44.61	0.92	54.0	9.39	AV	142.00	100	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	39.59	-17.19	74.0	34.41	Peak	190.00	200	Horizontal	Pass
1**	1500.200	33.23	-17.19	54.0	20.77	AV	190.00	200	Horizontal	Pass
2	4342.200	50.63	-3.65	74.0	23.37	Peak	122.00	200	Horizontal	Pass
2**	4342.200	40.60	-3.65	54.0	13.40	AV	122.00	200	Horizontal	Pass
3	5760.800	95.11	-0.98	--	--	Peak	267.00	100	Horizontal	N/A
3**	5760.800	87.22	-0.98	--	--	AV	267.00	100	Horizontal	N/A
4	7661.250	48.98	-2.66	74.0	25.02	Peak	109.00	200	Horizontal	Pass
4**	7661.250	38.70	-2.66	54.0	15.30	AV	109.00	200	Horizontal	Pass
5	12230.200	52.08	1.30	74.0	21.92	Peak	360.00	150	Horizontal	Pass
5**	12230.200	41.79	1.30	54.0	12.21	AV	360.00	150	Horizontal	Pass
6	15841.988	53.94	1.42	74.0	20.06	Peak	236.00	300	Horizontal	Pass
6**	15841.988	44.42	1.42	54.0	9.58	AV	236.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	38.68	-17.19	74.0	35.32	Peak	177.00	100	Vertical	Pass
1**	1500.100	32.12	-17.19	54.0	21.88	AV	177.00	100	Vertical	Pass
2	4354.400	49.98	-3.02	74.0	24.02	Peak	90.00	400	Vertical	Pass
2**	4354.400	40.89	-3.02	54.0	13.11	AV	90.00	400	Vertical	Pass
3	5787.200	97.24	-1.13	--	--	Peak	28.00	100	Vertical	N/A
3**	5787.200	89.02	-1.13	--	--	AV	28.00	100	Vertical	N/A
4	7360.525	49.07	-4.03	74.0	24.93	Peak	190.00	400	Vertical	Pass
4**	7360.525	40.07	-4.03	54.0	13.93	AV	190.00	400	Vertical	Pass
5	10931.276	51.41	0.06	74.0	22.59	Peak	141.00	150	Vertical	Pass
5**	10931.276	43.03	0.06	54.0	10.97	AV	141.00	150	Vertical	Pass
6	16102.125	54.18	1.11	74.0	19.82	Peak	290.00	300	Vertical	Pass
6**	16102.125	44.79	1.11	54.0	9.21	AV	290.00	300	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.600	39.20	-17.20	74.0	34.80	Peak	175.00	400	Horizontal	Pass
1**	1500.600	31.22	-17.20	54.0	22.78	AV	175.00	400	Horizontal	Pass
2	4347.400	49.89	-2.97	74.0	24.11	Peak	141.00	300	Horizontal	Pass
2**	4347.400	41.46	-2.97	54.0	12.54	AV	141.00	300	Horizontal	Pass
3	5743.400	102.03	-1.19	--	--	Peak	266.00	150	Horizontal	N/A
3**	5743.400	92.26	-1.19	--	--	AV	266.00	150	Horizontal	N/A
4	7359.663	49.29	-4.06	74.0	24.71	Peak	221.00	400	Horizontal	Pass
4**	7359.663	39.78	-4.06	54.0	14.22	AV	221.00	400	Horizontal	Pass
5	11915.388	51.18	1.49	74.0	22.82	Peak	110.00	150	Horizontal	Pass
5**	11915.388	40.45	1.49	54.0	13.55	AV	110.00	150	Horizontal	Pass
6	16084.799	53.75	1.53	74.0	20.25	Peak	347.00	200	Horizontal	Pass
6**	16084.799	45.73	1.53	54.0	8.27	AV	347.00	200	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1601.600	38.96	-17.34	74.0	35.04	Peak	122.00	200	Vertical	Pass
1**	1601.600	28.36	-17.34	54.0	25.64	AV	122.00	200	Vertical	Pass
2	4395.200	49.95	-3.54	74.0	24.05	Peak	360.00	300	Vertical	Pass
2**	4395.200	40.47	-3.54	54.0	13.53	AV	360.00	300	Vertical	Pass
3	5746.400	102.94	-1.33	--	--	Peak	281.00	100	Vertical	N/A
3**	5746.400	93.49	-1.33	--	--	AV	281.00	100	Vertical	N/A
4	7351.612	48.99	-3.85	74.0	25.01	Peak	0.00	300	Vertical	Pass
4**	7351.612	40.08	-3.85	54.0	13.92	AV	0.00	300	Vertical	Pass
5	10938.174	51.52	-0.04	74.0	22.48	Peak	252.00	200	Vertical	Pass
5**	10938.174	42.27	-0.04	54.0	11.73	AV	252.00	200	Vertical	Pass
6	16094.250	53.19	1.34	74.0	20.81	Peak	162.00	300	Vertical	Pass
6**	16094.250	45.04	1.34	54.0	8.96	AV	162.00	300	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1554.300	38.53	-17.13	74.0	35.47	Peak	50.00	300	Horizontal	Pass
1**	1554.300	28.67	-17.13	54.0	25.33	AV	50.00	300	Horizontal	Pass
2	4356.400	50.25	-2.36	74.0	23.75	Peak	285.00	400	Horizontal	Pass
2**	4356.400	41.61	-2.36	54.0	12.39	AV	285.00	400	Horizontal	Pass
3	5782.800	101.40	-0.98	--	--	Peak	79.00	200	Horizontal	N/A
3**	5782.800	92.50	-0.98	--	--	AV	79.00	200	Horizontal	N/A
4	7336.950	48.61	-3.48	74.0	25.39	Peak	360.00	300	Horizontal	Pass
4**	7336.950	39.19	-3.48	54.0	14.81	AV	360.00	300	Horizontal	Pass
5	10930.987	51.31	0.07	74.0	22.69	Peak	0.00	150	Horizontal	Pass
5**	10930.987	41.61	0.07	54.0	12.39	AV	0.00	150	Horizontal	Pass
6	16086.901	53.78	1.49	74.0	20.22	Peak	293.00	200	Horizontal	Pass
6**	16086.901	44.43	1.49	54.0	9.57	AV	293.00	200	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.900	38.39	-17.27	74.0	35.61	Peak	262.00	300	Vertical	Pass
1**	1624.900	29.55	-17.27	54.0	24.45	AV	262.00	300	Vertical	Pass
2	4344.800	50.21	-3.21	74.0	23.79	Peak	89.00	400	Vertical	Pass
2**	4344.800	41.30	-3.21	54.0	12.70	AV	89.00	400	Vertical	Pass
3	5787.000	104.74	-1.07	--	--	Peak	222.00	150	Vertical	N/A
3**	5787.000	97.24	-1.07	--	--	AV	222.00	150	Vertical	N/A
4	7351.325	49.94	-3.86	74.0	24.06	Peak	158.00	300	Vertical	Pass
4**	7351.325	40.52	-3.86	54.0	13.48	AV	158.00	300	Vertical	Pass
5	11708.675	52.20	0.58	74.0	21.80	Peak	141.00	200	Vertical	Pass
5**	11708.675	42.28	0.58	54.0	11.72	AV	141.00	200	Vertical	Pass
6	16103.963	54.14	1.02	74.0	19.86	Peak	360.00	300	Vertical	Pass
6**	16103.963	45.03	1.02	54.0	8.97	AV	360.00	300	Vertical	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1438.600	38.97	-16.90	74.0	35.03	Peak	19.00	400	Horizontal	Pass
1**	1438.600	29.73	-16.90	54.0	24.27	AV	19.00	400	Horizontal	Pass
2	4368.800	50.11	-2.75	74.0	23.89	Peak	161.00	100	Horizontal	Pass
2**	4368.800	41.83	-2.75	54.0	12.17	AV	161.00	100	Horizontal	Pass
3	5828.600	101.37	-1.23	--	--	Peak	201.00	100	Horizontal	N/A
3**	5828.600	92.82	-1.23	--	--	AV	201.00	100	Horizontal	N/A
4	7378.062	49.10	-3.71	74.0	24.90	Peak	15.00	200	Horizontal	Pass
4**	7378.062	39.69	-3.71	54.0	14.31	AV	15.00	200	Horizontal	Pass
5	10937.600	51.16	-0.04	74.0	22.84	Peak	64.00	200	Horizontal	Pass
5**	10937.600	42.45	-0.04	54.0	11.55	AV	64.00	200	Horizontal	Pass
6	16199.250	53.85	1.58	74.0	20.15	Peak	235.00	300	Horizontal	Pass
6**	16199.250	44.52	1.58	54.0	9.48	AV	235.00	300	Horizontal	Pass

11x20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	38.78	-17.19	74.0	35.22	Peak	186.00	100	Vertical	Pass
1**	1499.900	31.15	-17.19	54.0	22.85	AV	186.00	100	Vertical	Pass
2	4345.600	50.29	-2.90	74.0	23.71	Peak	275.00	100	Vertical	Pass
2**	4345.600	40.94	-2.90	54.0	13.06	AV	275.00	100	Vertical	Pass
3	5826.400	104.49	-1.47	--	--	Peak	213.00	200	Vertical	N/A
3**	5826.400	97.51	-1.47	--	--	AV	213.00	200	Vertical	N/A
4	7365.987	49.08	-4.02	74.0	24.92	Peak	92.00	300	Vertical	Pass
4**	7365.987	40.08	-4.02	54.0	13.92	AV	92.00	300	Vertical	Pass
5	11593.099	50.91	-0.18	74.0	23.09	Peak	283.00	100	Vertical	Pass
5**	11593.099	41.42	-0.18	54.0	12.58	AV	283.00	100	Vertical	Pass
6	16098.975	54.04	1.23	74.0	19.96	Peak	144.00	300	Vertical	Pass
6**	16098.975	44.95	1.23	54.0	9.05	AV	144.00	300	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1453.900	38.06	-17.20	74.0	35.94	Peak	145.00	200	Horizontal	Pass
1**	1453.900	29.19	-17.20	54.0	24.81	AV	145.00	200	Horizontal	Pass
2	4341.600	49.81	-3.65	74.0	24.19	Peak	225.00	300	Horizontal	Pass
2**	4341.600	41.03	-3.65	54.0	12.97	AV	225.00	300	Horizontal	Pass
3	5748.200	98.29	-1.57	--	--	Peak	205.00	200	Horizontal	N/A
3**	5748.200	90.49	-1.57	--	--	AV	205.00	200	Horizontal	N/A
4	7353.913	48.48	-3.92	74.0	25.52	Peak	13.00	100	Horizontal	Pass
4**	7353.913	39.94	-3.92	54.0	14.06	AV	13.00	100	Horizontal	Pass
5	10931.276	51.64	0.06	74.0	22.36	Peak	0.00	100	Horizontal	Pass
5**	10931.276	42.53	0.06	54.0	11.47	AV	0.00	100	Horizontal	Pass
6	15845.401	53.72	1.37	74.0	20.28	Peak	89.00	200	Horizontal	Pass
6**	15845.401	46.01	1.37	54.0	7.99	AV	89.00	200	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.300	38.33	-17.19	74.0	35.67	Peak	92.00	300	Vertical	Pass
1**	1500.300	30.78	-17.19	54.0	23.22	AV	92.00	300	Vertical	Pass
2	4356.800	50.30	-2.42	74.0	23.70	Peak	59.00	400	Vertical	Pass
2**	4356.800	41.20	-2.42	54.0	12.80	AV	59.00	400	Vertical	Pass
3	5756.600	102.30	-1.15	--	--	Peak	225.00	150	Vertical	N/A
3**	5756.600	93.21	-1.15	--	--	AV	225.00	150	Vertical	N/A
4	7281.175	49.01	-3.62	74.0	24.99	Peak	348.00	300	Vertical	Pass
4**	7281.175	39.99	-3.62	54.0	14.01	AV	348.00	300	Vertical	Pass
5	12225.599	51.11	1.31	74.0	22.89	Peak	14.00	200	Vertical	Pass
5**	12225.599	41.58	1.31	54.0	12.42	AV	14.00	200	Vertical	Pass
6	16121.026	54.49	0.65	74.0	19.51	Peak	164.00	100	Vertical	Pass
6**	16121.026	43.80	0.65	54.0	10.20	AV	164.00	100	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1547.300	38.38	-16.97	74.0	35.62	Peak	267.00	300	Horizontal	Pass
1**	1547.300	29.38	-16.97	54.0	24.62	AV	267.00	300	Horizontal	Pass
2	4357.200	49.72	-2.48	74.0	24.28	Peak	28.00	400	Horizontal	Pass
2**	4357.200	41.58	-2.48	54.0	12.42	AV	28.00	400	Horizontal	Pass
3	5785.600	98.90	-1.04	--	--	Peak	203.00	100	Horizontal	N/A
3**	5785.600	88.54	-1.04	--	--	AV	203.00	100	Horizontal	N/A
4	7335.513	48.83	-3.35	74.0	25.17	Peak	123.00	100	Horizontal	Pass
4**	7335.513	39.71	-3.35	54.0	14.29	AV	123.00	100	Horizontal	Pass
5	11709.825	51.28	0.62	74.0	22.72	Peak	139.00	150	Horizontal	Pass
5**	11709.825	41.40	0.62	54.0	12.60	AV	139.00	150	Horizontal	Pass
6	15839.100	53.56	1.45	74.0	20.44	Peak	142.00	200	Horizontal	Pass
6**	15839.100	44.78	1.45	54.0	9.22	AV	142.00	200	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.700	39.36	-17.19	74.0	34.64	Peak	96.00	300	Vertical	Pass
1**	1499.700	30.22	-17.19	54.0	23.78	AV	96.00	300	Vertical	Pass
2	4378.400	49.50	-2.91	74.0	24.50	Peak	307.00	200	Vertical	Pass
2**	4378.400	40.72	-2.91	54.0	13.28	AV	307.00	200	Vertical	Pass
3	5787.600	101.43	-1.26	--	--	Peak	225.00	100	Vertical	N/A
3**	5787.600	92.77	-1.26	--	--	AV	225.00	100	Vertical	N/A
4	7374.038	49.74	-3.75	74.0	24.26	Peak	60.00	300	Vertical	Pass
4**	7374.038	40.77	-3.75	54.0	13.23	AV	60.00	300	Vertical	Pass
5	10922.362	51.39	0.20	74.0	22.61	Peak	360.00	150	Vertical	Pass
5**	10922.362	41.65	0.20	54.0	12.35	AV	360.00	150	Vertical	Pass
6	15834.375	53.65	1.46	74.0	20.35	Peak	360.00	100	Vertical	Pass
6**	15834.375	44.36	1.46	54.0	9.64	AV	360.00	100	Vertical	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	38.75	-17.19	74.0	35.25	Peak	299.00	100	Horizontal	Pass
1**	1500.200	31.57	-17.19	54.0	22.43	AV	299.00	100	Horizontal	Pass
2	4357.600	50.26	-2.55	74.0	23.74	Peak	119.00	100	Horizontal	Pass
2**	4357.600	41.59	-2.55	54.0	12.41	AV	119.00	100	Horizontal	Pass
3	5764.600	95.73	-0.84	--	--	Peak	191.00	100	Horizontal	N/A
3**	5764.600	86.50	-0.84	--	--	AV	191.00	100	Horizontal	N/A
4	7348.163	48.97	-3.85	74.0	25.03	Peak	173.00	300	Horizontal	Pass
4**	7348.163	40.14	-3.85	54.0	13.86	AV	173.00	300	Horizontal	Pass
5	11935.799	51.45	1.69	74.0	22.55	Peak	29.00	200	Horizontal	Pass
5**	11935.799	41.75	1.69	54.0	12.25	AV	29.00	200	Horizontal	Pass
6	15844.350	53.90	1.38	74.0	20.10	Peak	235.00	300	Horizontal	Pass
6**	15844.350	44.93	1.38	54.0	9.07	AV	235.00	300	Horizontal	Pass

11x80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1467.300	38.44	-17.24	74.0	35.56	Peak	352.00	400	Vertical	Pass
1**	1467.300	29.49	-17.24	54.0	24.51	AV	352.00	400	Vertical	Pass
2	4356.800	50.07	-2.42	74.0	23.93	Peak	297.00	400	Vertical	Pass
2**	4356.800	41.97	-2.42	54.0	12.03	AV	297.00	400	Vertical	Pass
3	5776.000	99.08	-0.52	--	--	Peak	215.00	200	Vertical	N/A
3**	5776.000	90.61	-0.52	--	--	AV	215.00	200	Vertical	N/A
4	7372.025	49.19	-3.85	74.0	24.81	Peak	299.00	400	Vertical	Pass
4**	7372.025	39.62	-3.85	54.0	14.38	AV	299.00	400	Vertical	Pass
5	10935.012	51.61	-0.01	74.0	22.39	Peak	188.00	150	Vertical	Pass
5**	10935.012	42.02	-0.01	54.0	11.98	AV	188.00	150	Vertical	Pass
6	15811.276	54.12	2.14	74.0	19.88	Peak	328.00	300	Vertical	Pass
6**	15811.276	44.05	2.14	54.0	9.95	AV	328.00	300	Vertical	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1560.300	38.46	-17.34	74.0	35.54	Peak	315.00	100	Horizontal	Pass
1**	1560.300	29.01	-17.34	54.0	24.99	AV	315.00	100	Horizontal	Pass
2	4359.000	50.50	-2.68	74.0	23.50	Peak	316.00	300	Horizontal	Pass
2**	4359.000	40.97	-2.68	54.0	13.03	AV	316.00	300	Horizontal	Pass
3	5725.000	104.67	-1.24	--	--	Peak	161.00	200	Horizontal	N/A
3**	5725.000	97.70	-1.24	--	--	AV	161.00	200	Horizontal	N/A
4	7668.150	48.44	-2.28	74.0	25.56	Peak	332.00	200	Horizontal	Pass
4**	7668.150	40.07	-2.28	54.0	13.93	AV	332.00	200	Horizontal	Pass
5	12227.900	51.27	1.31	74.0	22.73	Peak	77.00	100	Horizontal	Pass
5**	12227.900	41.96	1.31	54.0	12.04	AV	77.00	100	Horizontal	Pass
6	15838.838	53.80	1.45	74.0	20.20	Peak	309.00	300	Horizontal	Pass
6**	15838.838	44.86	1.45	54.0	9.14	AV	309.00	300	Horizontal	Pass

11a, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1571.200	38.86	-17.28	74.0	35.14	Peak	275.00	200	Vertical	Pass
1**	1571.200	28.57	-17.28	54.0	25.43	AV	275.00	200	Vertical	Pass
2	4357.400	50.64	-2.52	74.0	23.36	Peak	344.00	200	Vertical	Pass
2**	4357.400	41.44	-2.52	54.0	12.56	AV	344.00	200	Vertical	Pass
3	5721.000	107.38	-1.45	--	--	Peak	222.00	100	Vertical	N/A
3**	5721.000	99.90	-1.45	--	--	AV	222.00	100	Vertical	N/A
4	7341.550	48.85	-3.65	74.0	25.15	Peak	205.00	300	Vertical	Pass
4**	7341.550	39.32	-3.65	54.0	14.68	AV	205.00	300	Vertical	Pass
5	11440.725	52.14	-0.07	74.0	21.86	Peak	157.00	100	Vertical	Pass
5**	11440.725	43.95	-0.07	54.0	10.05	AV	157.00	100	Vertical	Pass
6	15839.362	54.59	1.45	74.0	19.41	Peak	165.00	300	Vertical	Pass
6**	15839.362	44.80	1.45	54.0	9.20	AV	165.00	300	Vertical	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1573.100	39.20	-17.30	74.0	34.80	Peak	155.00	400	Horizontal	Pass
1**	1573.100	29.25	-17.30	54.0	24.75	AV	155.00	400	Horizontal	Pass
2	4347.400	50.74	-2.97	74.0	23.26	Peak	173.00	300	Horizontal	Pass
2**	4347.400	41.40	-2.97	54.0	12.60	AV	173.00	300	Horizontal	Pass
3	5719.200	104.44	-1.59	--	--	Peak	160.00	100	Horizontal	N/A
3**	5719.200	97.72	-1.59	--	--	AV	160.00	100	Horizontal	N/A
4	7359.375	48.74	-4.07	74.0	25.26	Peak	237.00	100	Horizontal	Pass
4**	7359.375	39.75	-4.07	54.0	14.25	AV	237.00	100	Horizontal	Pass
5	11206.700	51.47	-0.25	74.0	22.53	Peak	78.00	100	Horizontal	Pass
5**	11206.700	41.32	-0.25	54.0	12.68	AV	78.00	100	Horizontal	Pass
6	16199.513	53.57	1.58	74.0	20.43	Peak	327.00	400	Horizontal	Pass
6**	16199.513	44.47	1.58	54.0	9.53	AV	327.00	400	Horizontal	Pass

11n20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1499.900	39.10	-17.19	74.0	34.90	Peak	135.00	400	Vertical	Pass
1**	1499.900	31.51	-17.19	54.0	22.49	AV	135.00	400	Vertical	Pass
2	4061.200	49.86	-4.14	74.0	24.14	Peak	80.00	400	Vertical	Pass
2**	4061.200	39.61	-4.14	54.0	14.39	AV	80.00	400	Vertical	Pass
3	5721.000	106.76	-1.45	--	--	Peak	214.00	200	Vertical	N/A
3**	5721.000	99.66	-1.45	--	--	AV	214.00	200	Vertical	N/A
4	7595.412	48.64	-3.66	74.0	25.36	Peak	75.00	100	Vertical	Pass
4**	7595.412	38.45	-3.66	54.0	15.55	AV	75.00	100	Vertical	Pass
5	11431.238	52.28	-0.08	74.0	21.72	Peak	155.00	100	Vertical	Pass
5**	11431.238	41.46	-0.08	54.0	12.54	AV	155.00	100	Vertical	Pass
6	15819.938	53.79	1.88	74.0	20.21	Peak	145.00	300	Vertical	Pass
6**	15819.938	45.44	1.88	54.0	8.56	AV	145.00	300	Vertical	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1441.000	38.31	-17.31	74.0	35.69	Peak	138.00	100	Horizontal	Pass
1**	1441.000	29.06	-17.31	54.0	24.94	AV	138.00	100	Horizontal	Pass
2	4366.200	49.75	-2.95	74.0	24.25	Peak	262.00	400	Horizontal	Pass
2**	4366.200	41.21	-2.95	54.0	12.79	AV	262.00	400	Horizontal	Pass
3	5700.600	101.56	-0.86	--	--	Peak	169.00	100	Horizontal	N/A
3**	5700.600	94.85	-0.86	--	--	AV	169.00	100	Horizontal	N/A
4	7364.837	49.17	-4.02	74.0	24.83	Peak	0.00	300	Horizontal	Pass
4**	7364.837	40.00	-4.02	54.0	14.00	AV	0.00	300	Horizontal	Pass
5	12222.437	51.80	1.26	74.0	22.20	Peak	61.00	200	Horizontal	Pass
5**	12222.437	42.22	1.26	54.0	11.78	AV	61.00	200	Horizontal	Pass
6	15819.150	54.53	1.91	74.0	19.47	Peak	286.00	200	Horizontal	Pass
6**	15819.150	44.17	1.91	54.0	9.83	AV	286.00	200	Horizontal	Pass

11n40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1440.300	39.05	-17.15	74.0	34.95	Peak	104.00	400	Vertical	Pass
1**	1440.300	29.54	-17.15	54.0	24.46	AV	104.00	400	Vertical	Pass
2	4386.600	50.44	-3.02	74.0	23.56	Peak	236.00	400	Vertical	Pass
2**	4386.600	40.75	-3.02	54.0	13.25	AV	236.00	400	Vertical	Pass
3	5702.600	103.62	-1.02	--	--	Peak	225.00	100	Vertical	N/A
3**	5702.600	96.72	-1.02	--	--	AV	225.00	100	Vertical	N/A
4	7377.775	49.75	-3.71	74.0	24.25	Peak	250.00	100	Vertical	Pass
4**	7377.775	39.76	-3.71	54.0	14.24	AV	250.00	100	Vertical	Pass
5	11212.450	51.87	-0.20	74.0	22.13	Peak	90.00	200	Vertical	Pass
5**	11212.450	42.79	-0.20	54.0	11.21	AV	90.00	200	Vertical	Pass
6	16197.151	53.47	1.59	74.0	20.53	Peak	181.00	400	Vertical	Pass
6**	16197.151	44.29	1.59	54.0	9.71	AV	181.00	400	Vertical	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1544.500	38.08	-17.13	74.0	35.92	Peak	113.00	300	Horizontal	Pass
1**	1544.500	28.78	-17.13	54.0	25.22	AV	113.00	300	Horizontal	Pass
2	4367.000	50.05	-3.03	74.0	23.95	Peak	141.00	400	Horizontal	Pass
2**	4367.000	40.63	-3.03	54.0	13.37	AV	141.00	400	Horizontal	Pass
3	5721.000	100.82	-1.45	--	--	Peak	162.00	100	Horizontal	N/A
3**	5721.000	93.90	-1.45	--	--	AV	162.00	100	Horizontal	N/A
4	7369.438	48.90	-4.10	74.0	25.10	Peak	28.00	200	Horizontal	Pass
4**	7369.438	39.83	-4.10	54.0	14.17	AV	28.00	200	Horizontal	Pass
5	11215.325	51.04	-0.19	74.0	22.96	Peak	172.00	200	Horizontal	Pass
5**	11215.325	41.34	-0.19	54.0	12.66	AV	172.00	200	Horizontal	Pass
6	15833.588	53.73	1.46	74.0	20.27	Peak	293.00	200	Horizontal	Pass
6**	15833.588	45.43	1.46	54.0	8.57	AV	293.00	200	Horizontal	Pass

11ac20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1549.600	38.45	-17.38	74.0	35.55	Peak	48.00	100	Vertical	Pass
1**	1549.600	28.59	-17.38	54.0	25.41	AV	48.00	100	Vertical	Pass
2	4345.600	49.90	-2.90	74.0	24.10	Peak	155.00	400	Vertical	Pass
2**	4345.600	40.74	-2.90	54.0	13.26	AV	155.00	400	Vertical	Pass
3	5722.000	103.62	-1.44	--	--	Peak	216.00	100	Vertical	N/A
3**	5722.000	96.44	-1.44	--	--	AV	216.00	100	Vertical	N/A
4	7356.212	49.23	-4.10	74.0	24.77	Peak	301.00	200	Vertical	Pass
4**	7356.212	39.71	-4.10	54.0	14.29	AV	301.00	200	Vertical	Pass
5	11936.375	51.33	1.69	74.0	22.67	Peak	301.00	200	Vertical	Pass
5**	11936.375	41.16	1.69	54.0	12.84	AV	301.00	200	Vertical	Pass
6	15818.625	53.83	1.93	74.0	20.17	Peak	253.00	100	Vertical	Pass
6**	15818.625	45.26	1.93	54.0	8.74	AV	253.00	100	Vertical	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1468.000	38.86	-17.26	74.0	35.14	Peak	91.00	200	Horizontal	Pass
1**	1468.000	28.33	-17.26	54.0	25.67	AV	91.00	200	Horizontal	Pass
2	4383.200	49.70	-2.92	74.0	24.30	Peak	58.00	300	Horizontal	Pass
2**	4383.200	41.54	-2.92	54.0	12.46	AV	58.00	300	Horizontal	Pass
3	5700.400	100.28	-0.87	--	--	Peak	161.00	150	Horizontal	N/A
3**	5700.400	92.74	-0.87	--	--	AV	161.00	150	Horizontal	N/A
4	7377.200	48.87	-3.72	74.0	25.13	Peak	348.00	200	Horizontal	Pass
4**	7377.200	39.60	-3.72	54.0	14.40	AV	348.00	200	Horizontal	Pass
5	11842.076	50.94	1.15	74.0	23.06	Peak	124.00	100	Horizontal	Pass
5**	11842.076	40.29	1.15	54.0	13.71	AV	124.00	100	Horizontal	Pass
6	16099.500	54.57	1.21	74.0	19.43	Peak	34.00	300	Horizontal	Pass
6**	16099.500	44.83	1.21	54.0	9.17	AV	34.00	300	Horizontal	Pass

11ac40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.800	38.79	-17.26	74.0	35.21	Peak	155.00	300	Vertical	Pass
1**	1624.800	29.63	-17.26	54.0	24.37	AV	155.00	300	Vertical	Pass
2	4352.200	50.07	-3.14	74.0	23.93	Peak	274.00	400	Vertical	Pass
2**	4352.200	40.87	-3.14	54.0	13.13	AV	274.00	400	Vertical	Pass
3	5713.000	101.02	-1.68	--	--	Peak	223.00	100	Vertical	N/A
3**	5713.000	94.74	-1.68	--	--	AV	223.00	100	Vertical	N/A
4	7352.475	48.86	-3.84	74.0	25.14	Peak	136.00	400	Vertical	Pass
4**	7352.475	40.27	-3.84	54.0	13.73	AV	136.00	400	Vertical	Pass
5	10936.162	51.31	-0.02	74.0	22.69	Peak	215.00	150	Vertical	Pass
5**	10936.162	41.93	-0.02	54.0	12.07	AV	215.00	150	Vertical	Pass
6	15845.925	53.88	1.36	74.0	20.12	Peak	124.00	300	Vertical	Pass
6**	15845.925	44.63	1.36	54.0	9.37	AV	124.00	300	Vertical	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.200	38.70	-17.19	74.0	35.30	Peak	358.00	400	Horizontal	Pass
1**	1500.200	30.46	-17.19	54.0	23.54	AV	358.00	400	Horizontal	Pass
2	4362.000	50.26	-2.63	74.0	23.74	Peak	159.00	100	Horizontal	Pass
2**	4362.000	41.44	-2.63	54.0	12.56	AV	159.00	100	Horizontal	Pass
3	5669.200	97.29	-1.00	--	--	Peak	169.00	200	Horizontal	N/A
3**	5669.200	89.65	-1.00	--	--	AV	169.00	200	Horizontal	N/A
4	7359.088	49.62	-4.08	74.0	24.38	Peak	236.00	200	Horizontal	Pass
4**	7359.088	40.43	-4.08	54.0	13.57	AV	236.00	200	Horizontal	Pass
5	10917.188	51.43	0.21	74.0	22.57	Peak	0.00	200	Horizontal	Pass
5**	10917.188	42.80	0.21	54.0	11.20	AV	0.00	200	Horizontal	Pass
6	16092.937	53.35	1.37	74.0	20.65	Peak	126.00	100	Horizontal	Pass
6**	16092.937	44.43	1.37	54.0	9.57	AV	126.00	100	Horizontal	Pass

11ac80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1449.400	38.49	-17.21	74.0	35.51	Peak	311.00	300	Vertical	Pass
1**	1449.400	29.11	-17.21	54.0	24.89	AV	311.00	300	Vertical	Pass
2	4342.400	50.41	-3.65	74.0	23.59	Peak	303.00	200	Vertical	Pass
2**	4342.400	40.15	-3.65	54.0	13.85	AV	303.00	200	Vertical	Pass
3	5702.200	98.22	-0.96	--	--	Peak	223.00	200	Vertical	N/A
3**	5702.200	91.37	-0.96	--	--	AV	223.00	200	Vertical	N/A
4	7474.375	48.69	-4.23	74.0	25.31	Peak	172.00	100	Vertical	Pass
4**	7474.375	38.26	-4.23	54.0	15.74	AV	172.00	100	Vertical	Pass
5	10922.075	51.29	0.20	74.0	22.71	Peak	0.00	100	Vertical	Pass
5**	10922.075	42.29	0.20	54.0	11.71	AV	0.00	100	Vertical	Pass
6	15817.312	54.03	1.97	74.0	19.97	Peak	161.00	200	Vertical	Pass
6**	15817.312	44.39	1.97	54.0	9.61	AV	161.00	200	Vertical	Pass

11x20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.500	38.95	-17.20	74.0	35.05	Peak	243.00	100	Horizontal	Pass
1**	1500.500	31.36	-17.20	54.0	22.64	AV	243.00	100	Horizontal	Pass
2	4361.200	50.16	-2.64	74.0	23.84	Peak	38.00	300	Horizontal	Pass
2**	4361.200	41.21	-2.64	54.0	12.79	AV	38.00	300	Horizontal	Pass
3	5717.800	101.89	-1.63	--	--	Peak	163.00	150	Horizontal	N/A
3**	5717.800	91.53	-1.63	--	--	AV	163.00	150	Horizontal	N/A
4	7378.350	49.34	-3.69	74.0	24.66	Peak	30.00	400	Horizontal	Pass
4**	7378.350	40.06	-3.69	54.0	13.94	AV	30.00	400	Horizontal	Pass
5	10914.312	50.93	0.19	74.0	23.07	Peak	14.00	200	Horizontal	Pass
5**	10914.312	42.21	0.19	54.0	11.79	AV	14.00	200	Horizontal	Pass
6	15818.625	53.70	1.93	74.0	20.30	Peak	127.00	100	Horizontal	Pass
6**	15818.625	44.71	1.93	54.0	9.29	AV	127.00	100	Horizontal	Pass

11x20, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 144 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1620.200	38.59	-17.34	74.0	35.41	Peak	121.00	200	Vertical	Pass
1**	1620.200	28.64	-17.34	54.0	25.36	AV	121.00	200	Vertical	Pass
2	4357.400	50.11	-2.52	74.0	23.89	Peak	110.00	300	Vertical	Pass
2**	4357.400	42.34	-2.52	54.0	11.66	AV	110.00	300	Vertical	Pass
3	5722.400	104.82	-1.43	--	--	Peak	213.00	100	Vertical	N/A
3**	5722.400	96.23	-1.43	--	--	AV	213.00	100	Vertical	N/A
4	7364.263	49.15	-4.01	74.0	24.85	Peak	172.00	100	Vertical	Pass
4**	7364.263	41.06	-4.01	54.0	12.94	AV	172.00	100	Vertical	Pass
5	10623.938	50.85	-1.19	74.0	23.15	Peak	76.00	100	Vertical	Pass
5**	10623.938	40.63	-1.19	54.0	13.37	AV	76.00	100	Vertical	Pass
6	16100.287	54.53	1.19	74.0	19.47	Peak	218.00	100	Vertical	Pass
6**	16100.287	44.71	1.19	54.0	9.29	AV	218.00	100	Vertical	Pass

11ax40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1500.100	38.37	-17.19	74.0	35.63	Peak	58.00	300	Horizontal	Pass
1**	1500.100	30.22	-17.19	54.0	23.78	AV	58.00	300	Horizontal	Pass
2	4361.600	50.34	-2.63	74.0	23.66	Peak	349.00	400	Horizontal	Pass
2**	4361.600	41.62	-2.63	54.0	12.38	AV	349.00	400	Horizontal	Pass
3	5699.000	99.18	-0.87	--	--	Peak	163.00	150	Horizontal	N/A
3**	5699.000	90.82	-0.87	--	--	AV	163.00	150	Horizontal	N/A
4	7368.000	49.16	-4.04	74.0	24.84	Peak	348.00	200	Horizontal	Pass
4**	7368.000	39.28	-4.04	54.0	14.72	AV	348.00	200	Horizontal	Pass
5	10937.600	51.17	-0.04	74.0	22.83	Peak	0.00	100	Horizontal	Pass
5**	10937.600	41.66	-0.04	54.0	12.34	AV	0.00	100	Horizontal	Pass
6	15853.537	53.84	1.23	74.0	20.16	Peak	255.00	300	Horizontal	Pass
6**	15853.537	43.90	1.23	54.0	10.10	AV	255.00	300	Horizontal	Pass

11ax40, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 142 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1455.900	39.14	-16.97	74.0	34.86	Peak	188.00	400	Vertical	Pass
1**	1455.900	29.55	-16.97	54.0	24.45	AV	188.00	400	Vertical	Pass
2	4346.000	50.30	-2.86	74.0	23.70	Peak	307.00	400	Vertical	Pass
2**	4346.000	41.50	-2.86	54.0	12.50	AV	307.00	400	Vertical	Pass
3	5704.200	100.74	-1.25	--	--	Peak	215.00	150	Vertical	N/A
3**	5704.200	90.71	-1.25	--	--	AV	215.00	150	Vertical	N/A
4	7349.313	48.75	-3.86	74.0	25.25	Peak	60.00	200	Vertical	Pass
4**	7349.313	39.46	-3.86	54.0	14.54	AV	60.00	200	Vertical	Pass
5	11210.724	51.12	-0.21	74.0	22.88	Peak	172.00	150	Vertical	Pass
5**	11210.724	41.87	-0.21	54.0	12.13	AV	172.00	150	Vertical	Pass
6	16099.237	54.19	1.22	74.0	19.81	Peak	216.00	200	Vertical	Pass
6**	16099.237	45.72	1.22	54.0	8.28	AV	216.00	200	Vertical	Pass

11x80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1454.800	39.28	-17.09	74.0	34.72	Peak	182.00	400	Horizontal	Pass
1**	1454.800	28.84	-17.09	54.0	25.16	AV	182.00	400	Horizontal	Pass
2	4347.000	49.91	-2.94	74.0	24.09	Peak	288.00	100	Horizontal	Pass
2**	4347.000	41.34	-2.94	54.0	12.66	AV	288.00	100	Horizontal	Pass
3	5708.600	96.44	-1.51	--	--	Peak	164.00	200	Horizontal	N/A
3**	5708.600	87.49	-1.51	--	--	AV	164.00	200	Horizontal	N/A
4	7368.862	49.42	-4.07	74.0	24.58	Peak	184.00	400	Horizontal	Pass
4**	7368.862	40.19	-4.07	54.0	13.81	AV	184.00	400	Horizontal	Pass
5	10924.375	50.79	0.17	74.0	23.21	Peak	184.00	100	Horizontal	Pass
5**	10924.375	42.29	0.17	54.0	11.71	AV	184.00	100	Horizontal	Pass
6	16099.237	53.61	1.22	74.0	20.39	Peak	187.00	200	Horizontal	Pass
6**	16099.237	46.05	1.22	54.0	7.95	AV	187.00	200	Horizontal	Pass

11x80, U-NII-2C&U-NII-3, 1 GHz to 18 GHz, 138 Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.500	38.96	-17.53	74.0	35.04	Peak	101.00	400	Vertical	Pass
1**	1610.500	28.37	-17.53	54.0	25.63	AV	101.00	400	Vertical	Pass
2	4356.200	49.84	-2.42	74.0	24.16	Peak	178.00	300	Vertical	Pass
2**	4356.200	42.45	-2.42	54.0	11.55	AV	178.00	300	Vertical	Pass
3	5681.200	98.56	-0.84	--	--	Peak	221.00	150	Vertical	N/A
3**	5681.200	88.59	-0.84	--	--	AV	221.00	150	Vertical	N/A
4	7460.575	48.92	-3.75	74.0	25.08	Peak	34.00	200	Vertical	Pass
4**	7460.575	39.15	-3.75	54.0	14.85	AV	34.00	200	Vertical	Pass
5	11216.763	51.09	-0.19	74.0	22.91	Peak	50.00	200	Vertical	Pass
5**	11216.763	43.16	-0.19	54.0	10.84	AV	50.00	200	Vertical	Pass
6	15837.787	53.85	1.45	74.0	20.15	Peak	360.00	100	Vertical	Pass
6**	15837.787	44.69	1.45	54.0	9.31	AV	360.00	100	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.900	41.71	-14.46	88.2	46.49	Peak	243.00	150	Horizontal	Pass
1**	1992.900	31.35	-14.46	68.2	36.85	AV	243.00	150	Horizontal	Pass
2	4741.000	51.43	-3.12	74.0	22.57	Peak	130.00	350	Horizontal	Pass
2**	4741.000	41.66	-3.12	54.0	12.34	AV	130.00	350	Horizontal	Pass
3	5960.500	99.47	-1.49	--	--	Peak	290.00	150	Horizontal	N/A
3**	5960.500	89.94	-1.49	--	--	AV	290.00	150	Horizontal	N/A
4	7832.250	55.80	3.33	88.2	32.40	Peak	143.00	350	Horizontal	Pass
4**	7832.250	47.18	3.33	68.2	21.02	AV	143.00	350	Horizontal	Pass
5	11172.525	51.44	-1.33	74.0	22.56	Peak	238.00	400	Horizontal	Pass
5**	11172.525	41.58	-1.33	54.0	12.42	AV	238.00	400	Horizontal	Pass
6	15728.062	52.55	0.07	74.0	21.45	Peak	8.00	400	Horizontal	Pass
6**	15728.062	42.85	0.07	54.0	11.15	AV	8.00	400	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.000	43.85	-16.08	88.2	44.35	Peak	204.00	100	Vertical	Pass
1**	1830.000	33.00	-16.08	68.2	35.20	AV	204.00	100	Vertical	Pass
2	4794.750	51.78	-2.97	74.0	22.22	Peak	238.00	100	Vertical	Pass
2**	4794.750	41.35	-2.97	54.0	12.65	AV	238.00	100	Vertical	Pass
3	5957.250	101.11	-1.49	--	--	Peak	290.00	200	Vertical	N/A
3**	5957.250	93.24	-1.49	--	--	AV	290.00	200	Vertical	N/A
4	7541.250	56.69	2.10	74.0	17.31	Peak	5.00	300	Vertical	Pass
4**	7541.250	45.52	2.10	54.0	8.48	AV	5.00	300	Vertical	Pass
5	11145.925	51.54	-0.95	74.0	22.46	Peak	361.00	350	Vertical	Pass
5**	11145.925	42.15	-0.95	54.0	11.85	AV	361.00	350	Vertical	Pass
6	16761.262	52.21	-0.22	88.2	35.99	Peak	295.00	150	Vertical	Pass
6**	16761.262	42.32	-0.22	68.2	25.88	AV	295.00	150	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2092.100	41.60	-13.67	88.2	46.60	Peak	82.00	400	Horizontal	Pass
1**	2092.100	31.54	-13.67	68.2	36.66	AV	82.00	400	Horizontal	Pass
2	4766.500	51.71	-2.50	74.0	22.29	Peak	332.00	350	Horizontal	Pass
2**	4766.500	42.03	-2.50	54.0	11.97	AV	332.00	350	Horizontal	Pass
3	6180.250	97.48	-1.38	--	--	Peak	65.00	200	Horizontal	N/A
3**	6180.250	88.25	-1.38	--	--	AV	65.00	200	Horizontal	N/A
4	7880.750	55.77	2.82	88.2	32.43	Peak	316.00	150	Horizontal	Pass
4**	7880.750	46.20	2.82	68.2	22.00	AV	316.00	150	Horizontal	Pass
5	11120.275	51.60	-0.98	74.0	22.40	Peak	241.00	100	Horizontal	Pass
5**	11120.275	42.39	-0.98	54.0	11.61	AV	241.00	100	Horizontal	Pass
6	16344.674	53.12	0.69	88.2	35.08	Peak	163.00	400	Horizontal	Pass
6**	16344.674	43.75	0.69	68.2	24.45	AV	163.00	400	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.400	44.64	-16.17	88.2	43.56	Peak	147.00	350	Vertical	Pass
1**	1826.400	32.40	-16.17	68.2	35.80	AV	147.00	350	Vertical	Pass
2	4712.750	51.80	-2.78	74.0	22.20	Peak	8.00	100	Vertical	Pass
2**	4712.750	42.43	-2.78	54.0	11.57	AV	8.00	100	Vertical	Pass
3	6180.250	103.10	-1.38	--	--	Peak	130.00	100	Vertical	N/A
3**	6180.250	94.66	-1.38	--	--	AV	130.00	100	Vertical	N/A
4	7922.250	55.85	2.14	88.2	32.35	Peak	23.00	150	Vertical	Pass
4**	7922.250	46.37	2.14	68.2	21.83	AV	23.00	150	Vertical	Pass
5	11420.951	51.79	-1.91	74.0	22.21	Peak	361.00	100	Vertical	Pass
5**	11420.951	41.88	-1.91	54.0	12.12	AV	361.00	100	Vertical	Pass
6	16350.451	53.14	0.84	88.2	35.06	Peak	-1.00	300	Vertical	Pass
6**	16350.451	43.58	0.84	68.2	24.62	AV	-1.00	300	Vertical	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1962.500	41.19	-14.93	88.2	47.01	Peak	7.00	400	Horizontal	Pass
1**	1962.500	30.47	-14.93	68.2	37.73	AV	7.00	400	Horizontal	Pass
2	4777.000	51.01	-2.51	74.0	22.99	Peak	-1.00	100	Horizontal	Pass
2**	4777.000	42.27	-2.51	54.0	11.73	AV	-1.00	100	Horizontal	Pass
3	6410.000	95.74	-0.25	--	--	Peak	282.00	100	Horizontal	N/A
3**	6410.000	86.19	-0.25	--	--	AV	282.00	100	Horizontal	N/A
4	7928.750	56.36	2.44	88.2	31.84	Peak	-1.00	300	Horizontal	Pass
4**	7928.750	46.45	2.44	68.2	21.75	AV	-1.00	300	Horizontal	Pass
5	11172.287	52.09	-1.33	74.0	21.91	Peak	352.00	250	Horizontal	Pass
5**	11172.287	43.72	-1.33	54.0	10.28	AV	352.00	250	Horizontal	Pass
6	16331.813	53.11	0.33	88.2	35.09	Peak	358.00	250	Horizontal	Pass
6**	16331.813	43.25	0.33	68.2	24.95	AV	358.00	250	Horizontal	Pass

11ax20(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.800	44.88	-16.08	88.2	43.32	Peak	142.00	150	Vertical	Pass
1**	1829.800	33.98	-16.08	68.2	34.22	AV	142.00	150	Vertical	Pass
2	4813.750	51.61	-2.18	74.0	22.39	Peak	-2.00	100	Vertical	Pass
2**	4813.750	42.71	-2.18	54.0	11.29	AV	-2.00	100	Vertical	Pass
3	6414.750	101.68	-0.16	--	--	Peak	306.00	200	Vertical	N/A
3**	6414.750	93.64	-0.16	--	--	AV	306.00	200	Vertical	N/A
4	7925.000	55.38	2.18	88.2	32.82	Peak	-2.00	150	Vertical	Pass
4**	7925.000	46.22	2.18	68.2	21.98	AV	-2.00	150	Vertical	Pass
5	11130.013	52.03	-0.97	74.0	21.97	Peak	-3.00	400	Vertical	Pass
5**	11130.013	43.14	-0.97	54.0	10.86	AV	-3.00	400	Vertical	Pass
6	16319.737	53.15	-0.01	88.2	35.05	Peak	-1.00	300	Vertical	Pass
6**	16319.737	43.81	-0.01	68.2	24.39	AV	-1.00	300	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.900	41.57	-13.56	88.2	46.63	Peak	-3.00	300	Horizontal	Pass
1**	2095.900	32.79	-13.56	68.2	35.41	AV	-3.00	300	Horizontal	Pass
2	4718.000	51.47	-2.75	74.0	22.53	Peak	142.00	350	Horizontal	Pass
2**	4718.000	42.00	-2.75	54.0	12.00	AV	142.00	350	Horizontal	Pass
3	5961.250	96.34	-1.51	--	--	Peak	88.00	100	Horizontal	N/A
3**	5961.250	86.88	-1.51	--	--	AV	88.00	100	Horizontal	N/A
4	7394.250	55.69	0.88	74.0	18.31	Peak	-2.00	250	Horizontal	Pass
4**	7394.250	45.02	0.88	54.0	8.98	AV	-2.00	250	Horizontal	Pass
5	11130.488	51.44	-0.97	74.0	22.56	Peak	277.00	100	Horizontal	Pass
5**	11130.488	43.11	-0.97	54.0	10.89	AV	277.00	100	Horizontal	Pass
6	16316.325	53.64	-0.11	88.2	34.56	Peak	363.00	400	Horizontal	Pass
6**	16316.325	43.62	-0.11	68.2	24.58	AV	363.00	400	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1998.200	44.30	-14.38	88.2	43.90	Peak	165.00	400	Vertical	Pass
1**	1998.200	30.91	-14.38	68.2	37.29	AV	165.00	400	Vertical	Pass
2	2663.000	51.39	-10.16	88.2	36.81	Peak	215.00	100	Vertical	Pass
2**	2663.000	41.86	-10.16	68.2	26.34	AV	215.00	100	Vertical	Pass
3	5960.000	99.34	-1.50	--	--	Peak	101.00	100	Vertical	N/A
3**	5960.000	91.72	-1.50	--	--	AV	101.00	100	Vertical	N/A
4	7831.000	56.09	3.21	88.2	32.11	Peak	280.00	300	Vertical	Pass
4**	7831.000	46.48	3.21	68.2	21.72	AV	280.00	300	Vertical	Pass
5	11139.276	51.35	-0.96	74.0	22.65	Peak	197.00	400	Vertical	Pass
5**	11139.276	42.73	-0.96	54.0	11.27	AV	197.00	400	Vertical	Pass
6	15743.549	52.99	0.28	74.0	21.01	Peak	-1.00	100	Vertical	Pass
6**	15743.549	44.26	0.28	54.0	9.74	AV	-1.00	100	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.400	40.80	-14.50	88.2	47.40	Peak	253.00	200	Horizontal	Pass
1**	1994.400	30.99	-14.50	68.2	37.21	AV	253.00	200	Horizontal	Pass
2	4834.000	51.70	-2.07	74.0	22.30	Peak	363.00	200	Horizontal	Pass
2**	4834.000	41.98	-2.07	54.0	12.02	AV	363.00	200	Horizontal	Pass
3	6159.000	94.48	-1.54	--	--	Peak	85.00	100	Horizontal	N/A
3**	6159.000	85.15	-1.54	--	--	AV	85.00	100	Horizontal	N/A
4	7879.500	56.16	2.92	88.2	32.04	Peak	316.00	100	Horizontal	Pass
4**	7879.500	46.47	2.92	68.2	21.73	AV	316.00	100	Horizontal	Pass
5	11119.563	51.52	-0.99	74.0	22.48	Peak	314.00	350	Horizontal	Pass
5**	11119.563	42.70	-0.99	54.0	11.30	AV	314.00	350	Horizontal	Pass
6	15746.700	52.21	0.33	74.0	21.79	Peak	326.00	350	Horizontal	Pass
6**	15746.700	43.14	0.33	54.0	10.86	AV	326.00	350	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1996.000	44.14	-14.48	88.2	44.06	Peak	33.00	400	Vertical	Pass
1**	1996.000	31.39	-14.48	68.2	36.81	AV	33.00	400	Vertical	Pass
2	4786.000	51.20	-2.50	74.0	22.80	Peak	31.00	150	Vertical	Pass
2**	4786.000	42.46	-2.50	54.0	11.54	AV	31.00	150	Vertical	Pass
3	6175.000	100.16	-1.26	--	--	Peak	280.00	200	Vertical	N/A
3**	6175.000	91.35	-1.26	--	--	AV	280.00	200	Vertical	N/A
4	7925.250	55.91	2.18	88.2	32.29	Peak	-1.00	250	Vertical	Pass
4**	7925.250	46.07	2.18	68.2	22.13	AV	-1.00	250	Vertical	Pass
5	11132.151	51.74	-0.97	74.0	22.26	Peak	361.00	250	Vertical	Pass
5**	11132.151	43.36	-0.97	54.0	10.64	AV	361.00	250	Vertical	Pass
6	16475.137	52.37	0.44	88.2	35.83	Peak	91.00	350	Vertical	Pass
6**	16475.137	42.96	0.44	68.2	25.24	AV	91.00	350	Vertical	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.600	41.31	-16.07	88.2	46.89	Peak	256.00	150	Horizontal	Pass
1**	1830.600	31.55	-16.07	68.2	36.65	AV	256.00	150	Horizontal	Pass
2	4801.500	50.94	-2.85	74.0	23.06	Peak	236.00	400	Horizontal	Pass
2**	4801.500	41.97	-2.85	54.0	12.03	AV	236.00	400	Horizontal	Pass
3	6407.500	93.53	-0.15	--	--	Peak	70.00	100	Horizontal	N/A
3**	6407.500	86.69	-0.15	--	--	AV	70.00	100	Horizontal	N/A
4	7843.000	55.36	2.99	88.2	32.84	Peak	-1.00	100	Horizontal	Pass
4**	7843.000	46.62	2.99	68.2	21.58	AV	-1.00	100	Horizontal	Pass
5	11179.412	51.68	-1.45	74.0	22.32	Peak	158.00	350	Horizontal	Pass
5**	11179.412	42.71	-1.45	54.0	11.29	AV	158.00	350	Horizontal	Pass
6	17545.875	53.00	0.86	88.2	35.20	Peak	249.00	100	Horizontal	Pass
6**	17545.875	43.62	0.86	68.2	24.58	AV	249.00	100	Horizontal	Pass

11ax40(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1793.800	44.49	-16.26	88.2	43.71	Peak	188.00	250	Vertical	Pass
1**	1793.800	29.36	-16.26	68.2	38.84	AV	188.00	250	Vertical	Pass
2	4819.750	51.32	-1.81	74.0	22.68	Peak	362.00	400	Vertical	Pass
2**	4819.750	42.32	-1.81	54.0	11.68	AV	362.00	400	Vertical	Pass
3	6394.000	100.03	-0.92	--	--	Peak	282.00	150	Vertical	N/A
3**	6394.000	90.27	-0.92	--	--	AV	282.00	150	Vertical	N/A
4	7836.750	55.04	3.61	88.2	33.16	Peak	241.00	200	Vertical	Pass
4**	7836.750	46.29	3.61	68.2	21.91	AV	241.00	200	Vertical	Pass
5	11136.900	51.76	-0.96	74.0	22.24	Peak	361.00	400	Vertical	Pass
5**	11136.900	43.47	-0.96	54.0	10.53	AV	361.00	400	Vertical	Pass
6	16355.174	52.66	0.74	88.2	35.54	Peak	-1.00	100	Vertical	Pass
6**	16355.174	43.68	0.74	68.2	24.52	AV	-1.00	100	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1985.700	40.90	-14.48	88.2	47.30	Peak	170.00	350	Horizontal	Pass
1**	1985.700	30.65	-14.48	68.2	37.55	AV	170.00	350	Horizontal	Pass
2	4800.000	51.45	-2.85	74.0	22.55	Peak	-1.00	300	Horizontal	Pass
2**	4800.000	41.86	-2.85	54.0	12.14	AV	-1.00	300	Horizontal	Pass
3	6011.000	92.95	-1.44	--	200.05	Peak	293.00	150	Horizontal	N/A
3**	6011.000	81.44	-1.44	--	-81.44	AV	293.00	150	Horizontal	N/A
4	7914.500	55.18	1.88	88.2	33.02	Peak	293.00	350	Horizontal	Pass
4**	7914.500	45.47	1.88	68.2	22.73	AV	293.00	350	Horizontal	Pass
5	11133.813	52.39	-0.97	74.0	21.61	Peak	80.00	150	Horizontal	Pass
5**	11133.813	43.38	-0.97	54.0	10.62	AV	80.00	150	Horizontal	Pass
6	16344.150	53.26	0.68	88.2	34.94	Peak	168.00	150	Horizontal	Pass
6**	16344.150	43.32	0.68	68.2	24.88	AV	168.00	150	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.900	44.51	-16.08	88.2	43.69	Peak	186.00	400	Vertical	Pass
1**	1829.900	31.60	-16.08	68.2	36.60	AV	186.00	400	Vertical	Pass
2	4709.750	51.34	-2.71	74.0	22.66	Peak	-1.00	100	Vertical	Pass
2**	4709.750	42.33	-2.71	54.0	11.67	AV	-1.00	100	Vertical	Pass
3	5965.750	96.22	-1.37	--	-39.22	Peak	57.00	150	Vertical	N/A
3**	5965.750	86.48	-1.37	--	-86.48	AV	57.00	150	Vertical	N/A
4	7476.750	55.63	1.77	74.0	18.37	Peak	363.00	350	Vertical	Pass
4**	7476.750	46.29	1.77	54.0	7.71	AV	363.00	350	Vertical	Pass
5	11133.338	52.39	-0.97	74.0	21.61	Peak	295.00	300	Vertical	Pass
5**	11133.338	43.23	-0.97	54.0	10.77	AV	295.00	300	Vertical	Pass
6	15774.525	52.64	-0.30	74.0	21.36	Peak	186.00	300	Vertical	Pass
6**	15774.525	42.47	-0.30	54.0	11.53	AV	186.00	300	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2072.000	41.45	-13.64	88.2	46.75	Peak	204.00	200	Horizontal	Pass
1**	2072.000	31.38	-13.64	68.2	36.82	AV	204.00	200	Horizontal	Pass
2	4817.750	51.64	-1.72	74.0	22.36	Peak	-1.00	250	Horizontal	Pass
2**	4817.750	42.78	-1.72	54.0	11.22	AV	-1.00	250	Horizontal	Pass
3	6139.750	92.54	-1.11	--	--	Peak	83.00	150	Horizontal	N/A
3**	6139.750	82.68	-1.11	--	--	AV	83.00	150	Horizontal	N/A
4	7847.500	55.78	2.45	88.2	32.42	Peak	15.00	150	Horizontal	Pass
4**	7847.500	45.60	2.45	68.2	22.60	AV	15.00	150	Horizontal	Pass
5	11192.713	51.35	-1.67	74.0	22.65	Peak	352.00	300	Horizontal	Pass
5**	11192.713	42.84	-1.67	54.0	11.16	AV	352.00	300	Horizontal	Pass
6	15744.600	52.29	0.30	74.0	21.71	Peak	-1.00	250	Horizontal	Pass
6**	15744.600	43.15	0.30	54.0	10.85	AV	-1.00	250	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1331.300	43.78	-16.69	74.0	30.22	Peak	139.00	150	Vertical	Pass
1**	1331.300	31.33	-16.69	54.0	22.67	AV	139.00	150	Vertical	Pass
2	4799.250	50.84	-2.88	74.0	23.16	Peak	109.00	200	Vertical	Pass
2**	4799.250	42.08	-2.88	54.0	11.92	AV	109.00	200	Vertical	Pass
3	6164.500	97.60	-1.31	--	--	Peak	282.00	100	Vertical	N/A
3**	6164.500	87.39	-1.31	--	--	AV	282.00	100	Vertical	N/A
4	7859.250	55.60	2.18	88.2	32.60	Peak	2.00	150	Vertical	Pass
4**	7859.250	45.72	2.18	68.2	22.48	AV	2.00	150	Vertical	Pass
5	11056.862	52.10	-1.81	74.0	21.90	Peak	361.00	400	Vertical	Pass
5**	11056.862	42.87	-1.81	54.0	11.13	AV	361.00	400	Vertical	Pass
6	16207.388	52.54	0.19	88.2	35.66	Peak	197.00	150	Vertical	Pass
6**	16207.388	42.95	0.19	68.2	25.25	AV	197.00	150	Vertical	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.300	41.26	-14.44	88.2	46.94	Peak	235.00	200	Horizontal	Pass
1**	1992.300	31.55	-14.44	68.2	36.65	AV	235.00	200	Horizontal	Pass
2	4782.000	51.76	-2.64	74.0	22.24	Peak	349.00	350	Horizontal	Pass
2**	4782.000	42.28	-2.64	54.0	11.72	AV	349.00	350	Horizontal	Pass
3	6369.500	91.10	-1.62	--	--	Peak	67.00	200	Horizontal	N/A
3**	6369.500	82.56	-1.62	--	--	AV	67.00	200	Horizontal	N/A
4	7766.250	55.83	1.73	88.2	32.37	Peak	41.00	150	Horizontal	Pass
4**	7766.250	46.57	1.73	68.2	21.63	AV	41.00	150	Horizontal	Pass
5	11068.262	51.61	-1.60	74.0	22.39	Peak	-3.00	100	Horizontal	Pass
5**	11068.262	42.09	-1.60	54.0	11.91	AV	-3.00	100	Horizontal	Pass
6	16322.888	53.01	0.08	88.2	35.19	Peak	238.00	400	Horizontal	Pass
6**	16322.888	44.04	0.08	68.2	24.16	AV	238.00	400	Horizontal	Pass

11ax80(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.900	44.35	-16.09	88.2	43.85	Peak	201.00	400	Vertical	Pass
1**	1828.900	30.37	-16.09	68.2	37.83	AV	201.00	400	Vertical	Pass
2	4769.500	51.78	-2.44	74.0	22.22	Peak	363.00	400	Vertical	Pass
2**	4769.500	42.42	-2.44	54.0	11.58	AV	363.00	400	Vertical	Pass
3	6376.750	97.46	-1.42	--	--	Peak	284.00	150	Vertical	N/A
3**	6376.750	88.03	-1.42	--	--	AV	284.00	150	Vertical	N/A
4	7837.250	55.50	3.60	88.2	32.70	Peak	-1.00	400	Vertical	Pass
4**	7837.250	46.37	3.60	68.2	21.83	AV	-1.00	400	Vertical	Pass
5	11134.763	52.37	-0.97	74.0	21.63	Peak	184.00	250	Vertical	Pass
5**	11134.763	42.59	-0.97	54.0	11.41	AV	184.00	250	Vertical	Pass
6	16790.925	52.48	0.83	88.2	35.72	Peak	363.00	100	Vertical	Pass
6**	16790.925	43.15	0.83	68.2	25.05	AV	363.00	100	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2082.800	41.47	-14.12	88.2	46.73	Peak	316.00	150	Horizontal	Pass
1**	2082.800	31.91	-14.12	68.2	36.29	AV	316.00	150	Horizontal	Pass
2	4824.000	52.68	-1.77	74.0	21.32	Peak	361.00	300	Horizontal	Pass
2**	4824.000	41.67	-1.77	54.0	12.33	AV	361.00	300	Horizontal	Pass
3	6029.000	88.50	-1.34	--	--	Peak	272.00	100	Horizontal	N/A
3**	6029.000	79.30	-1.34	--	--	AV	272.00	100	Horizontal	N/A
4	7829.250	56.32	3.16	88.2	31.88	Peak	80.00	350	Horizontal	Pass
4**	7829.250	47.08	3.16	68.2	21.12	AV	80.00	350	Horizontal	Pass
5	11191.287	51.99	-1.65	74.0	22.01	Peak	-1.00	250	Horizontal	Pass
5**	11191.287	42.38	-1.65	54.0	11.62	AV	-1.00	250	Horizontal	Pass
6	15760.349	52.57	0.09	74.0	21.43	Peak	290.00	400	Horizontal	Pass
6**	15760.349	43.65	0.09	54.0	10.35	AV	290.00	400	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1794.200	44.98	-16.24	88.2	43.22	Peak	197.00	250	Vertical	Pass
1**	1794.200	30.33	-16.24	68.2	37.87	AV	197.00	250	Vertical	Pass
2	4740.250	51.87	-3.03	74.0	22.13	Peak	101.00	200	Vertical	Pass
2**	4740.250	41.91	-3.03	54.0	12.09	AV	101.00	200	Vertical	Pass
3	6081.750	93.96	-1.07	--	--	Peak	269.00	150	Vertical	N/A
3**	6081.750	83.85	-1.07	--	--	AV	269.00	150	Vertical	N/A
4	7837.500	55.37	3.56	88.2	32.83	Peak	269.00	150	Vertical	Pass
4**	7837.500	46.82	3.56	68.2	21.38	AV	269.00	150	Vertical	Pass
5	11194.375	51.84	-1.70	74.0	22.16	Peak	-1.00	100	Vertical	Pass
5**	11194.375	42.30	-1.70	54.0	11.70	AV	-1.00	100	Vertical	Pass
6	15750.112	52.67	0.37	74.0	21.33	Peak	272.00	350	Vertical	Pass
6**	15750.112	43.90	0.37	54.0	10.10	AV	272.00	350	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1991.600	41.11	-14.42	88.2	47.09	Peak	236.00	150	Horizontal	Pass
1**	1991.600	31.85	-14.42	68.2	36.35	AV	236.00	150	Horizontal	Pass
2	4827.500	51.95	-1.77	74.0	22.05	Peak	324.00	400	Horizontal	Pass
2**	4827.500	43.38	-1.77	54.0	10.62	AV	324.00	400	Horizontal	Pass
3	6181.250	88.25	-1.41	--	--	Peak	64.00	100	Horizontal	N/A
3**	6181.250	80.01	-1.41	--	--	AV	64.00	100	Horizontal	N/A
4	7542.750	55.97	2.02	74.0	18.03	Peak	295.00	200	Horizontal	Pass
4**	7542.750	46.34	2.02	54.0	7.66	AV	295.00	200	Horizontal	Pass
5	11187.250	51.41	-1.58	74.0	22.59	Peak	-1.00	200	Horizontal	Pass
5**	11187.250	42.85	-1.58	54.0	11.15	AV	-1.00	200	Horizontal	Pass
6	16347.563	52.51	0.78	88.2	35.69	Peak	290.00	200	Horizontal	Pass
6**	16347.563	43.24	0.78	68.2	24.96	AV	290.00	200	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.900	43.47	-16.09	88.2	44.73	Peak	13.00	350	Vertical	Pass
1**	1828.900	34.87	-16.09	68.2	33.33	AV	13.00	350	Vertical	Pass
2	4734.250	52.04	-3.04	74.0	21.96	Peak	282.00	100	Vertical	Pass
2**	4734.250	42.39	-3.04	54.0	11.61	AV	282.00	100	Vertical	Pass
3	6195.000	97.60	-1.31	--	--	Peak	282.00	100	Vertical	N/A
3**	6195.000	86.46	-1.31	--	--	AV	282.00	100	Vertical	N/A
4	7855.000	55.57	2.03	88.2	32.63	Peak	160.00	250	Vertical	Pass
4**	7855.000	46.07	2.03	68.2	22.13	AV	160.00	250	Vertical	Pass
5	11126.213	51.57	-0.98	74.0	22.43	Peak	339.00	400	Vertical	Pass
5**	11126.213	42.65	-0.98	54.0	11.35	AV	339.00	400	Vertical	Pass
6	16329.187	53.22	0.25	88.2	34.98	Peak	361.00	300	Vertical	Pass
6**	16329.187	43.62	0.25	68.2	24.58	AV	361.00	300	Vertical	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.900	41.08	-13.56	88.2	47.12	Peak	130.00	350	Horizontal	Pass
1**	2095.900	31.94	-13.56	68.2	36.26	AV	130.00	350	Horizontal	Pass
2	4805.000	51.72	-2.69	74.0	22.28	Peak	361.00	350	Horizontal	Pass
2**	4805.000	42.36	-2.69	54.0	11.64	AV	361.00	350	Horizontal	Pass
3	6309.750	88.53	-1.15	--	--	Peak	67.00	100	Horizontal	N/A
3**	6309.750	79.60	-1.15	--	--	AV	67.00	100	Horizontal	N/A
4	7855.250	55.46	2.06	88.2	32.74	Peak	134.00	100	Horizontal	Pass
4**	7855.250	45.36	2.06	68.2	22.84	AV	134.00	100	Horizontal	Pass
5	11190.813	51.73	-1.64	74.0	22.27	Peak	-1.00	400	Horizontal	Pass
5**	11190.813	42.22	-1.64	54.0	11.78	AV	-1.00	400	Horizontal	Pass
6	16813.500	52.97	1.06	88.2	35.23	Peak	223.00	150	Horizontal	Pass
6**	16813.500	42.41	1.06	68.2	25.79	AV	223.00	150	Horizontal	Pass

11ax160(SU), U-NII-5, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1329.200	45.40	-16.67	74.0	28.60	Peak	145.00	400	Vertical	Pass
1**	1329.200	32.85	-16.67	54.0	21.15	AV	145.00	400	Vertical	Pass
2	4767.750	52.02	-2.41	74.0	21.98	Peak	129.00	350	Vertical	Pass
2**	4767.750	42.36	-2.41	54.0	11.64	AV	129.00	350	Vertical	Pass
3	6297.000	94.21	-1.14	--	--	Peak	267.00	150	Vertical	N/A
3**	6297.000	85.42	-1.14	--	--	AV	267.00	150	Vertical	N/A
4	7915.000	55.70	1.92	88.2	32.50	Peak	2.00	100	Vertical	Pass
4**	7915.000	46.20	1.92	68.2	22.00	AV	2.00	100	Vertical	Pass
5	11070.638	51.83	-1.56	74.0	22.17	Peak	344.00	250	Vertical	Pass
5**	11070.638	42.11	-1.56	54.0	11.89	AV	344.00	250	Vertical	Pass
6	16350.713	52.55	0.83	88.2	35.65	Peak	361.00	150	Vertical	Pass
6**	16350.713	43.94	0.83	68.2	24.26	AV	361.00	150	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.600	41.77	-16.16	88.2	46.43	Peak	197.00	200	Horizontal	Pass
1**	1826.600	30.96	-16.16	68.2	37.24	AV	197.00	200	Horizontal	Pass
2	4809.250	51.86	-2.63	74.0	22.14	Peak	243.00	100	Horizontal	Pass
2**	4809.250	42.70	-2.63	54.0	11.30	AV	243.00	100	Horizontal	Pass
3	6429.250	95.32	-0.27	--	--	Peak	269.00	100	Horizontal	N/A
3**	6429.250	86.31	-0.27	--	--	AV	269.00	100	Horizontal	N/A
4	7510.000	55.87	1.76	74.0	18.13	Peak	116.00	200	Horizontal	Pass
4**	7510.000	46.00	1.76	54.0	8.00	AV	116.00	200	Horizontal	Pass
5	11188.912	51.56	-1.61	74.0	22.44	Peak	363.00	100	Horizontal	Pass
5**	11188.912	42.05	-1.61	54.0	11.95	AV	363.00	100	Horizontal	Pass
6	16795.387	52.56	0.99	88.2	35.64	Peak	10.00	250	Horizontal	Pass
6**	16795.387	43.29	0.99	68.2	24.91	AV	10.00	250	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.300	44.56	-16.08	88.2	43.64	Peak	347.00	150	Vertical	Pass
1**	1829.300	36.52	-16.08	68.2	31.68	AV	347.00	150	Vertical	Pass
2	4826.500	52.03	-1.80	74.0	21.97	Peak	361.00	200	Vertical	Pass
2**	4826.500	42.17	-1.80	54.0	11.83	AV	361.00	200	Vertical	Pass
3	6430.250	102.18	-0.39	--	--	Peak	119.00	150	Vertical	N/A
3**	6430.250	92.50	-0.39	--	--	AV	119.00	150	Vertical	N/A
4	7824.500	55.34	3.17	88.2	32.86	Peak	361.00	400	Vertical	Pass
4**	7824.500	47.14	3.17	68.2	21.06	AV	361.00	400	Vertical	Pass
5	11148.300	52.11	-0.95	74.0	21.89	Peak	223.00	250	Vertical	Pass
5**	11148.300	43.04	-0.95	54.0	10.96	AV	223.00	250	Vertical	Pass
6	16790.137	52.59	0.81	88.2	35.61	Peak	10.00	350	Vertical	Pass
6**	16790.137	43.24	0.81	68.2	24.96	AV	10.00	350	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.800	41.59	-13.49	88.2	46.61	Peak	104.00	250	Horizontal	Pass
1**	2098.800	32.27	-13.49	68.2	35.93	AV	104.00	250	Horizontal	Pass
2	4871.500	51.90	-2.64	74.0	22.10	Peak	111.00	150	Horizontal	Pass
2**	4871.500	41.89	-2.64	54.0	12.11	AV	111.00	150	Horizontal	Pass
3	6476.750	97.76	-0.84	--	--	Peak	56.00	150	Horizontal	N/A
3**	6476.750	86.97	-0.84	--	--	AV	56.00	150	Horizontal	N/A
4	7926.500	55.91	2.23	88.2	32.29	Peak	44.00	250	Horizontal	Pass
4**	7926.500	45.77	2.23	68.2	22.43	AV	44.00	250	Horizontal	Pass
5	11119.799	51.87	-0.98	74.0	22.13	Peak	129.00	150	Horizontal	Pass
5**	11119.799	42.57	-0.98	54.0	11.43	AV	129.00	150	Horizontal	Pass
6	16302.675	53.08	-0.50	88.2	35.12	Peak	134.00	400	Horizontal	Pass
6**	16302.675	43.78	-0.50	68.2	24.42	AV	134.00	400	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1797.700	45.84	-16.26	88.2	42.36	Peak	197.00	400	Vertical	Pass
1**	1797.700	30.08	-16.26	68.2	38.12	AV	197.00	400	Vertical	Pass
2	4779.000	51.44	-2.61	74.0	22.56	Peak	72.00	100	Vertical	Pass
2**	4779.000	42.35	-2.61	54.0	11.65	AV	72.00	100	Vertical	Pass
3	6470.500	103.07	-0.58	--	--	Peak	101.00	100	Vertical	N/A
3**	6470.500	94.82	-0.58	--	--	AV	101.00	100	Vertical	N/A
4	7837.000	56.38	3.63	88.2	31.82	Peak	361.00	150	Vertical	Pass
4**	7837.000	46.51	3.63	68.2	21.69	AV	361.00	150	Vertical	Pass
5	11071.825	51.53	-1.53	74.0	22.47	Peak	-1.00	100	Vertical	Pass
5**	11071.825	42.44	-1.53	54.0	11.56	AV	-1.00	100	Vertical	Pass
6	15750.112	53.29	0.37	74.0	20.71	Peak	-3.00	350	Vertical	Pass
6**	15750.112	43.41	0.37	54.0	10.59	AV	-3.00	350	Vertical	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.700	41.97	-14.51	88.2	46.23	Peak	244.00	250	Horizontal	Pass
1**	1994.700	31.24	-14.51	68.2	36.96	AV	244.00	250	Horizontal	Pass
2	5078.500	52.25	-1.86	74.0	21.75	Peak	116.00	100	Horizontal	Pass
2**	5078.500	42.63	-1.86	54.0	11.37	AV	116.00	100	Horizontal	Pass
3	6520.000	95.74	-0.95	--	--	Peak	75.00	200	Horizontal	N/A
3**	6520.000	88.10	-0.95	--	--	AV	75.00	200	Horizontal	N/A
4	7838.250	55.30	3.45	88.2	32.90	Peak	142.00	150	Horizontal	Pass
4**	7838.250	46.21	3.45	68.2	21.99	AV	142.00	150	Horizontal	Pass
5	11192.001	52.43	-1.66	74.0	21.57	Peak	70.00	400	Horizontal	Pass
5**	11192.001	42.74	-1.66	54.0	11.26	AV	70.00	400	Horizontal	Pass
6	16303.462	52.41	-0.48	88.2	35.79	Peak	361.00	200	Horizontal	Pass
6**	16303.462	42.71	-0.48	68.2	25.49	AV	361.00	200	Horizontal	Pass

11ax20(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.400	44.25	-16.08	88.2	43.95	Peak	363.00	400	Vertical	Pass
1**	1830.400	32.71	-16.08	68.2	35.49	AV	363.00	400	Vertical	Pass
2	4974.500	51.93	-2.67	74.0	22.07	Peak	114.00	200	Vertical	Pass
2**	4974.500	41.45	-2.67	54.0	12.55	AV	114.00	200	Vertical	Pass
3	6516.000	104.37	-1.20	--	--	Peak	262.00	100	Vertical	N/A
3**	6516.000	94.11	-1.20	--	--	AV	262.00	100	Vertical	N/A
4	7824.750	55.49	3.14	88.2	32.71	Peak	87.00	300	Vertical	Pass
4**	7824.750	46.62	3.14	68.2	21.58	AV	87.00	300	Vertical	Pass
5	11150.913	51.35	-0.96	74.0	22.65	Peak	-1.00	400	Vertical	Pass
5**	11150.913	42.63	-0.96	54.0	11.37	AV	-1.00	400	Vertical	Pass
6	16487.213	52.52	0.39	88.2	35.68	Peak	121.00	300	Vertical	Pass
6**	16487.213	43.37	0.39	68.2	24.83	AV	121.00	300	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1994.100	41.57	-14.49	88.2	46.63	Peak	363.00	300	Horizontal	Pass
1**	1994.100	32.54	-14.49	68.2	35.66	AV	363.00	300	Horizontal	Pass
2	4775.750	51.30	-2.52	74.0	22.70	Peak	362.00	250	Horizontal	Pass
2**	4775.750	42.10	-2.52	54.0	11.90	AV	362.00	250	Horizontal	Pass
3	6458.500	91.55	-0.86	--	--	Peak	69.00	200	Horizontal	N/A
3**	6458.500	83.99	-0.86	--	--	AV	69.00	200	Horizontal	N/A
4	7813.250	55.93	2.17	88.2	32.27	Peak	165.00	150	Horizontal	Pass
4**	7813.250	45.90	2.17	68.2	22.30	AV	165.00	150	Horizontal	Pass
5	11135.237	51.74	-0.97	74.0	22.26	Peak	-1.00	400	Horizontal	Pass
5**	11135.237	42.99	-0.97	54.0	11.01	AV	-1.00	400	Horizontal	Pass
6	16797.488	52.54	1.07	88.2	35.66	Peak	127.00	300	Horizontal	Pass
6**	16797.488	43.11	1.07	68.2	25.09	AV	127.00	300	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.300	44.81	-14.44	88.2	43.39	Peak	198.00	250	Vertical	Pass
1**	1992.300	31.42	-14.44	68.2	36.78	AV	198.00	250	Vertical	Pass
2	4771.750	51.55	-2.51	74.0	22.45	Peak	313.00	250	Vertical	Pass
2**	4771.750	42.52	-2.51	54.0	11.48	AV	313.00	250	Vertical	Pass
3	6441.500	99.20	-0.77	--	--	Peak	116.00	150	Vertical	N/A
3**	6441.500	89.44	-0.77	--	--	AV	116.00	150	Vertical	N/A
4	7824.000	55.30	3.14	88.2	32.90	Peak	-3.00	100	Vertical	Pass
4**	7824.000	46.03	3.14	68.2	22.17	AV	-3.00	100	Vertical	Pass
5	11128.350	52.06	-0.97	74.0	21.94	Peak	13.00	250	Vertical	Pass
5**	11128.350	42.96	-0.97	54.0	11.04	AV	13.00	250	Vertical	Pass
6	16339.951	52.91	0.56	88.2	35.29	Peak	361.00	150	Vertical	Pass
6**	16339.951	44.05	0.56	68.2	24.15	AV	361.00	150	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2075.600	41.10	-13.73	88.2	47.10	Peak	111.00	350	Horizontal	Pass
1**	2075.600	32.67	-13.73	68.2	35.53	AV	111.00	350	Horizontal	Pass
2	4793.750	51.63	-2.95	74.0	22.37	Peak	175.00	400	Horizontal	Pass
2**	4793.750	42.06	-2.95	54.0	11.94	AV	175.00	400	Horizontal	Pass
3	6499.000	95.15	-1.01	--	--	Peak	70.00	100	Horizontal	N/A
3**	6499.000	85.87	-1.01	--	--	AV	70.00	100	Horizontal	N/A
4	7489.000	55.87	1.40	74.0	18.13	Peak	40.00	250	Horizontal	Pass
4**	7489.000	45.98	1.40	54.0	8.02	AV	40.00	250	Horizontal	Pass
5	11120.987	51.42	-0.98	74.0	22.58	Peak	231.00	100	Horizontal	Pass
5**	11120.987	43.83	-0.98	54.0	10.17	AV	231.00	100	Horizontal	Pass
6	16335.750	53.78	0.44	88.2	34.42	Peak	10.00	300	Horizontal	Pass
6**	16335.750	43.80	0.44	68.2	24.40	AV	10.00	300	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.300	45.01	-16.08	88.2	43.19	Peak	188.00	400	Vertical	Pass
1**	1830.300	36.87	-16.08	68.2	31.33	AV	188.00	400	Vertical	Pass
2	4795.000	51.39	-2.97	74.0	22.61	Peak	273.00	150	Vertical	Pass
2**	4795.000	41.96	-2.97	54.0	12.04	AV	273.00	150	Vertical	Pass
3	6491.750	99.40	-0.55	--	--	Peak	98.00	100	Vertical	N/A
3**	6491.750	91.25	-0.55	--	--	AV	98.00	100	Vertical	N/A
4	7876.000	55.74	2.57	88.2	32.46	Peak	253.00	300	Vertical	Pass
4**	7876.000	45.94	2.57	68.2	22.26	AV	253.00	300	Vertical	Pass
5	11122.888	51.42	-0.98	74.0	22.58	Peak	135.00	150	Vertical	Pass
5**	11122.888	43.13	-0.98	54.0	10.87	AV	135.00	150	Vertical	Pass
6	16261.200	52.69	-0.95	88.2	35.51	Peak	351.00	400	Vertical	Pass
6**	16261.200	42.84	-0.95	68.2	25.36	AV	351.00	400	Vertical	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2098.700	41.65	-13.48	88.2	46.55	Peak	228.00	250	Horizontal	Pass
1**	2098.700	32.20	-13.48	68.2	36.00	AV	228.00	250	Horizontal	Pass
2	4815.750	51.26	-2.05	74.0	22.74	Peak	84.00	100	Horizontal	Pass
2**	4815.750	41.86	-2.05	54.0	12.14	AV	84.00	100	Horizontal	Pass
3	6529.500	94.30	-0.74	--	--	Peak	62.00	200	Horizontal	N/A
3**	6529.500	84.91	-0.74	--	--	AV	62.00	200	Horizontal	N/A
4	7365.750	55.10	0.47	74.0	18.90	Peak	355.00	100	Horizontal	Pass
4**	7365.750	45.38	0.47	54.0	8.62	AV	355.00	100	Horizontal	Pass
5	11177.275	51.47	-1.41	74.0	22.53	Peak	1.00	350	Horizontal	Pass
5**	11177.275	42.77	-1.41	54.0	11.23	AV	1.00	350	Horizontal	Pass
6	16311.338	53.07	-0.25	88.2	35.13	Peak	0.00	100	Horizontal	Pass
6**	16311.338	43.50	-0.25	68.2	24.70	AV	0.00	100	Horizontal	Pass

11ax40(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1796.500	47.14	-16.19	88.2	41.06	Peak	25.00	350	Vertical	Pass
1**	1796.500	29.76	-16.19	68.2	38.44	AV	25.00	350	Vertical	Pass
2	4792.000	51.27	-2.88	74.0	22.73	Peak	325.00	200	Vertical	Pass
2**	4792.000	41.36	-2.88	54.0	12.64	AV	325.00	200	Vertical	Pass
3	6520.500	99.86	-0.91	--	--	Peak	123.00	150	Vertical	N/A
3**	6520.500	90.36	-0.91	--	--	AV	123.00	150	Vertical	N/A
4	7928.750	55.15	2.44	88.2	33.05	Peak	360.00	100	Vertical	Pass
4**	7928.750	46.25	2.44	68.2	21.95	AV	360.00	100	Vertical	Pass
5	11185.112	51.91	-1.54	74.0	22.09	Peak	0.00	150	Vertical	Pass
5**	11185.112	43.55	-1.54	54.0	10.45	AV	0.00	150	Vertical	Pass
6	16327.349	52.08	0.20	88.2	36.12	Peak	289.00	400	Vertical	Pass
6**	16327.349	44.09	0.20	68.2	24.11	AV	289.00	400	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2095.100	41.71	-13.61	88.2	46.49	Peak	360.00	200	Horizontal	Pass
1**	2095.100	32.51	-13.61	68.2	35.69	AV	360.00	200	Horizontal	Pass
2	4816.750	52.22	-1.84	74.0	21.78	Peak	77.00	250	Horizontal	Pass
2**	4816.750	42.58	-1.84	54.0	11.42	AV	77.00	250	Horizontal	Pass
3	6449.750	91.65	-0.53	--	--	Peak	87.00	150	Horizontal	N/A
3**	6449.750	81.19	-0.53	--	--	AV	87.00	150	Horizontal	N/A
4	7841.750	55.41	3.08	88.2	32.79	Peak	287.00	400	Horizontal	Pass
4**	7841.750	46.66	3.08	68.2	21.54	AV	287.00	400	Horizontal	Pass
5	11133.100	51.94	-0.97	74.0	22.06	Peak	25.00	200	Horizontal	Pass
5**	11133.100	43.50	-0.97	54.0	10.50	AV	25.00	200	Horizontal	Pass
6	16332.862	52.54	0.36	88.2	35.66	Peak	305.00	350	Horizontal	Pass
6**	16332.862	43.59	0.36	68.2	24.61	AV	305.00	350	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.000	44.11	-16.10	88.2	44.09	Peak	356.00	150	Vertical	Pass
1**	1828.000	35.79	-16.10	68.2	32.41	AV	356.00	150	Vertical	Pass
2	4793.500	52.16	-2.94	74.0	21.84	Peak	274.00	150	Vertical	Pass
2**	4793.500	42.67	-2.94	54.0	11.33	AV	274.00	150	Vertical	Pass
3	6483.000	96.50	-0.89	--	--	Peak	274.00	150	Vertical	N/A
3**	6483.000	87.63	-0.89	--	--	AV	274.00	150	Vertical	N/A
4	7828.000	55.92	3.10	88.2	32.28	Peak	208.00	400	Vertical	Pass
4**	7828.000	46.41	3.10	68.2	21.79	AV	208.00	400	Vertical	Pass
5	11173.950	52.62	-1.35	74.0	21.38	Peak	360.00	400	Vertical	Pass
5**	11173.950	42.81	-1.35	54.0	11.19	AV	360.00	400	Vertical	Pass
6	15750.112	52.13	0.37	74.0	21.87	Peak	305.00	100	Vertical	Pass
6**	15750.112	42.50	0.37	54.0	11.50	AV	305.00	100	Vertical	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.600	41.51	-13.51	88.2	46.69	Peak	68.00	400	Horizontal	Pass
1**	2096.600	33.03	-13.51	68.2	35.17	AV	68.00	400	Horizontal	Pass
2	4707.500	51.53	-2.75	74.0	22.47	Peak	188.00	300	Horizontal	Pass
2**	4707.500	42.01	-2.75	54.0	11.99	AV	188.00	300	Horizontal	Pass
3	6537.750	90.95	-0.96	--	--	Peak	63.00	150	Horizontal	N/A
3**	6537.750	80.76	-0.96	--	--	AV	63.00	150	Horizontal	N/A
4	7924.000	55.12	2.16	88.2	33.08	Peak	206.00	100	Horizontal	Pass
4**	7924.000	46.67	2.16	68.2	21.53	AV	206.00	100	Horizontal	Pass
5	11142.600	52.79	-0.96	74.0	21.21	Peak	0.00	300	Horizontal	Pass
5**	11142.600	42.92	-0.96	54.0	11.08	AV	0.00	300	Horizontal	Pass
6	16338.900	52.06	0.53	88.2	36.14	Peak	310.00	150	Horizontal	Pass
6**	16338.900	42.27	0.53	68.2	25.93	AV	310.00	150	Horizontal	Pass

11ax80(SU), U-NII-6, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1798.500	47.54	-16.16	88.2	40.66	Peak	23.00	150	Vertical	Pass
1**	1798.500	29.59	-16.16	68.2	38.61	AV	23.00	150	Vertical	Pass
2	4750.750	51.92	-2.70	74.0	22.08	Peak	0.00	400	Vertical	Pass
2**	4750.750	42.43	-2.70	54.0	11.57	AV	0.00	400	Vertical	Pass
3	6555.000	97.91	-0.85	--	--	Peak	290.00	100	Vertical	N/A
3**	6555.000	88.06	-0.85	--	--	AV	290.00	100	Vertical	N/A
4	7760.750	55.16	1.68	88.2	33.04	Peak	290.00	100	Vertical	Pass
4**	7760.750	45.69	1.68	68.2	22.51	AV	290.00	100	Vertical	Pass
5	11074.201	51.59	-1.49	74.0	22.41	Peak	0.00	100	Vertical	Pass
5**	11074.201	41.90	-1.49	54.0	12.10	AV	0.00	100	Vertical	Pass
6	15738.825	53.81	0.22	74.0	20.19	Peak	173.00	400	Vertical	Pass
6**	15738.825	43.08	0.22	54.0	10.92	AV	173.00	400	Vertical	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2094.200	41.73	-13.63	88.2	46.47	Peak	134.00	400	Horizontal	Pass
1**	2094.200	32.20	-13.63	68.2	36.00	AV	134.00	400	Horizontal	Pass
2	4827.500	50.95	-1.77	74.0	23.05	Peak	276.00	150	Horizontal	Pass
2**	4827.500	42.46	-1.77	54.0	11.54	AV	276.00	150	Horizontal	Pass
3	6459.750	88.75	-0.82	--	--	Peak	69.00	100	Horizontal	N/A
3**	6459.750	77.63	-0.82	--	--	AV	69.00	100	Horizontal	N/A
4	7538.250	55.33	2.12	74.0	18.67	Peak	285.00	250	Horizontal	Pass
4**	7538.250	45.34	2.12	54.0	8.66	AV	285.00	250	Horizontal	Pass
5	11079.187	51.66	-1.40	74.0	22.34	Peak	0.00	250	Horizontal	Pass
5**	11079.187	41.95	-1.40	54.0	12.05	AV	0.00	250	Horizontal	Pass
6	16497.713	52.52	0.36	88.2	35.68	Peak	74.00	300	Horizontal	Pass
6**	16497.713	42.78	0.36	68.2	25.42	AV	74.00	300	Horizontal	Pass

11ax160(SU), U-NII-6, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1333.500	45.00	-16.68	74.0	29.00	Peak	205.00	250	Vertical	Pass
1**	1333.500	33.99	-16.68	54.0	20.01	AV	205.00	250	Vertical	Pass
2	4811.750	51.82	-2.42	74.0	22.18	Peak	360.00	400	Vertical	Pass
2**	4811.750	42.63	-2.42	54.0	11.37	AV	360.00	400	Vertical	Pass
3	6510.750	95.85	-1.28	--	--	Peak	118.00	200	Vertical	N/A
3**	6510.750	85.76	-1.28	--	--	AV	118.00	200	Vertical	N/A
4	7473.500	55.24	1.85	74.0	18.76	Peak	215.00	350	Vertical	Pass
4**	7473.500	46.82	1.85	54.0	7.18	AV	215.00	350	Vertical	Pass
5	11175.137	51.90	-1.37	74.0	22.10	Peak	271.00	400	Vertical	Pass
5**	11175.137	43.23	-1.37	54.0	10.77	AV	271.00	400	Vertical	Pass
6	16502.176	52.86	0.34	88.2	35.34	Peak	189.00	350	Vertical	Pass
6**	16502.176	43.46	0.34	68.2	24.74	AV	189.00	350	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.700	41.33	-16.08	88.2	46.87	Peak	303.00	400	Horizontal	Pass
1**	1829.700	31.30	-16.08	68.2	36.90	AV	303.00	400	Horizontal	Pass
2	4816.500	51.31	-1.90	74.0	22.69	Peak	195.00	400	Horizontal	Pass
2**	4816.500	42.04	-1.90	54.0	11.96	AV	195.00	400	Horizontal	Pass
3	6527.500	97.40	-0.87	--	--	Peak	67.00	200	Horizontal	N/A
3**	6527.500	86.06	-0.87	--	--	AV	67.00	200	Horizontal	N/A
4	7766.250	55.90	1.73	88.2	32.30	Peak	195.00	100	Horizontal	Pass
4**	7766.250	45.29	1.73	68.2	22.91	AV	195.00	100	Horizontal	Pass
5	11183.688	51.88	-1.52	74.0	22.12	Peak	192.00	200	Horizontal	Pass
5**	11183.688	41.99	-1.52	54.0	12.01	AV	192.00	200	Horizontal	Pass
6	16335.750	53.44	0.44	88.2	34.76	Peak	347.00	400	Horizontal	Pass
6**	16335.750	43.23	0.44	68.2	24.97	AV	347.00	400	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.700	45.03	-16.11	88.2	43.17	Peak	193.00	100	Vertical	Pass
1**	1827.700	31.80	-16.11	68.2	36.40	AV	193.00	100	Vertical	Pass
2	4705.750	51.50	-2.72	74.0	22.50	Peak	153.00	400	Vertical	Pass
2**	4705.750	42.43	-2.72	54.0	11.57	AV	153.00	400	Vertical	Pass
3	6535.750	103.29	-0.95	--	--	Peak	292.00	150	Vertical	N/A
3**	6535.750	93.53	-0.95	--	--	AV	292.00	150	Vertical	N/A
4	7836.500	55.68	3.59	88.2	32.52	Peak	64.00	150	Vertical	Pass
4**	7836.500	47.68	3.59	68.2	20.52	AV	64.00	150	Vertical	Pass
5	11187.724	52.13	-1.59	74.0	21.87	Peak	257.00	250	Vertical	Pass
5**	11187.724	41.93	-1.59	54.0	12.07	AV	257.00	250	Vertical	Pass
6	16348.875	52.99	0.81	88.2	35.21	Peak	269.00	400	Vertical	Pass
6**	16348.875	43.32	0.81	68.2	24.88	AV	269.00	400	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.700	42.04	-13.45	88.2	46.16	Peak	249.00	350	Horizontal	Pass
1**	2097.700	33.00	-13.45	68.2	35.20	AV	249.00	350	Horizontal	Pass
2	4759.500	51.56	-2.68	74.0	22.44	Peak	333.00	150	Horizontal	Pass
2**	4759.500	42.04	-2.68	54.0	11.96	AV	333.00	150	Horizontal	Pass
3	6719.500	97.48	-0.47	--	--	Peak	85.00	150	Horizontal	N/A
3**	6719.500	89.05	-0.47	--	--	AV	85.00	150	Horizontal	N/A
4	7894.250	55.67	2.28	88.2	32.53	Peak	85.00	400	Horizontal	Pass
4**	7894.250	45.86	2.28	68.2	22.34	AV	85.00	400	Horizontal	Pass
5	11207.437	52.37	-1.99	74.0	21.63	Peak	253.00	300	Horizontal	Pass
5**	11207.437	42.74	-1.99	54.0	11.26	AV	253.00	300	Horizontal	Pass
6	16804.574	52.78	1.12	88.2	35.42	Peak	54.00	300	Horizontal	Pass
6**	16804.574	42.92	1.12	68.2	25.28	AV	54.00	300	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.900	44.55	-16.09	88.2	43.65	Peak	217.00	200	Vertical	Pass
1**	1828.900	33.80	-16.09	68.2	34.40	AV	217.00	200	Vertical	Pass
2	4719.250	52.39	-2.82	74.0	21.61	Peak	245.00	300	Vertical	Pass
2**	4719.250	42.42	-2.82	54.0	11.58	AV	245.00	300	Vertical	Pass
3	6707.000	101.48	-0.46	--	--	Peak	313.00	100	Vertical	N/A
3**	6707.000	90.84	-0.46	--	--	AV	313.00	100	Vertical	N/A
4	7821.500	55.60	2.77	88.2	32.60	Peak	197.00	350	Vertical	Pass
4**	7821.500	46.43	2.77	68.2	21.77	AV	197.00	350	Vertical	Pass
5	11174.425	51.94	-1.36	74.0	22.06	Peak	157.00	350	Vertical	Pass
5**	11174.425	42.97	-1.36	54.0	11.03	AV	157.00	350	Vertical	Pass
6	16335.487	53.63	0.43	88.2	34.57	Peak	196.00	150	Vertical	Pass
6**	16335.487	43.56	0.43	68.2	24.64	AV	196.00	150	Vertical	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2090.000	41.42	-13.77	88.2	46.78	Peak	227.00	100	Horizontal	Pass
1**	2090.000	31.68	-13.77	68.2	36.52	AV	227.00	100	Horizontal	Pass
2	4770.250	51.06	-2.50	74.0	22.94	Peak	34.00	150	Horizontal	Pass
2**	4770.250	43.63	-2.50	54.0	10.37	AV	34.00	150	Horizontal	Pass
3	6848.500	98.55	-0.22	--	--	Peak	84.00	200	Horizontal	N/A
3**	6848.500	87.94	-0.22	--	--	AV	84.00	200	Horizontal	N/A
4	7825.250	55.91	3.08	88.2	32.29	Peak	334.00	400	Horizontal	Pass
4**	7825.250	48.03	3.08	68.2	20.17	AV	334.00	400	Horizontal	Pass
5	11175.850	51.46	-1.39	74.0	22.54	Peak	0.00	300	Horizontal	Pass
5**	11175.850	42.80	-1.39	54.0	11.20	AV	0.00	300	Horizontal	Pass
6	16322.625	53.72	0.07	88.2	34.48	Peak	137.00	300	Horizontal	Pass
6**	16322.625	42.90	0.07	68.2	25.30	AV	137.00	300	Horizontal	Pass

11ax20(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1901.300	44.09	-15.10	88.2	44.11	Peak	202.00	100	Vertical	Pass
1**	1901.300	35.28	-15.10	68.2	32.92	AV	202.00	100	Vertical	Pass
2	4665.000	51.71	-3.20	74.0	22.29	Peak	63.00	250	Vertical	Pass
2**	4665.000	41.42	-3.20	54.0	12.58	AV	63.00	250	Vertical	Pass
3	6849.750	102.79	-0.25	--	--	Peak	129.00	100	Vertical	N/A
3**	6849.750	93.94	-0.25	--	--	AV	129.00	100	Vertical	N/A
4	7905.500	55.76	2.32	88.2	32.44	Peak	270.00	300	Vertical	Pass
4**	7905.500	45.62	2.32	68.2	22.58	AV	270.00	300	Vertical	Pass
5	11131.912	51.27	-0.97	74.0	22.73	Peak	0.00	200	Vertical	Pass
5**	11131.912	43.09	-0.97	54.0	10.91	AV	0.00	200	Vertical	Pass
6	16319.475	53.13	-0.02	88.2	35.07	Peak	360.00	150	Vertical	Pass
6**	16319.475	43.46	-0.02	68.2	24.74	AV	360.00	150	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.400	42.21	-16.05	88.2	45.99	Peak	190.00	300	Horizontal	Pass
1**	1832.400	30.69	-16.05	68.2	37.51	AV	190.00	300	Horizontal	Pass
2	4761.750	52.35	-2.68	74.0	21.65	Peak	62.00	200	Horizontal	Pass
2**	4761.750	42.18	-2.68	54.0	11.82	AV	62.00	200	Horizontal	Pass
3	6559.250	94.79	-0.80	--	--	Peak	70.00	200	Horizontal	N/A
3**	6559.250	86.81	-0.80	--	--	AV	70.00	200	Horizontal	N/A
4	7924.750	55.46	2.18	88.2	32.74	Peak	344.00	100	Horizontal	Pass
4**	7924.750	46.59	2.18	68.2	21.61	AV	344.00	100	Horizontal	Pass
5	11128.350	51.45	-0.97	74.0	22.55	Peak	332.00	100	Horizontal	Pass
5**	11128.350	43.14	-0.97	54.0	10.86	AV	332.00	100	Horizontal	Pass
6	15760.349	52.98	0.09	74.0	21.02	Peak	360.00	150	Horizontal	Pass
6**	15760.349	43.69	0.09	54.0	10.31	AV	360.00	150	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.600	46.28	-16.16	88.2	41.92	Peak	193.00	200	Vertical	Pass
1**	1826.600	31.51	-16.16	68.2	36.69	AV	193.00	200	Vertical	Pass
2	4717.000	51.66	-2.78	74.0	22.34	Peak	360.00	250	Vertical	Pass
2**	4717.000	42.11	-2.78	54.0	11.89	AV	360.00	250	Vertical	Pass
3	6558.250	99.51	-0.70	--	--	Peak	120.00	200	Vertical	N/A
3**	6558.250	89.25	-0.70	--	--	AV	120.00	200	Vertical	N/A
4	7899.000	55.61	2.23	88.2	32.59	Peak	82.00	400	Vertical	Pass
4**	7899.000	45.82	2.23	68.2	22.38	AV	82.00	400	Vertical	Pass
5	11135.237	51.84	-0.97	74.0	22.16	Peak	179.00	200	Vertical	Pass
5**	11135.237	42.96	-0.97	54.0	11.04	AV	179.00	200	Vertical	Pass
6	16351.762	52.86	0.81	88.2	35.34	Peak	323.00	300	Vertical	Pass
6**	16351.762	42.78	0.81	68.2	25.42	AV	323.00	300	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.600	43.13	-14.48	88.2	45.07	Peak	157.00	150	Horizontal	Pass
1**	1993.600	31.07	-14.48	68.2	37.13	AV	157.00	150	Horizontal	Pass
2	4789.250	51.67	-2.81	74.0	22.33	Peak	125.00	150	Horizontal	Pass
2**	4789.250	42.22	-2.81	54.0	11.78	AV	125.00	150	Horizontal	Pass
3	6731.750	94.04	-0.94	--	--	Peak	107.00	200	Horizontal	N/A
3**	6731.750	85.09	-0.94	--	--	AV	107.00	200	Horizontal	N/A
4	7901.750	56.07	2.25	88.2	32.13	Peak	264.00	350	Horizontal	Pass
4**	7901.750	46.23	2.25	68.2	21.97	AV	264.00	350	Horizontal	Pass
5	11323.338	51.86	-2.25	74.0	22.14	Peak	121.00	250	Horizontal	Pass
5**	11323.338	41.44	-2.25	54.0	12.56	AV	121.00	250	Horizontal	Pass
6	16333.912	53.02	0.39	88.2	35.18	Peak	2.00	300	Horizontal	Pass
6**	16333.912	43.44	0.39	68.2	24.76	AV	2.00	300	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.600	44.92	-16.08	88.2	43.28	Peak	140.00	350	Vertical	Pass
1**	1829.600	36.12	-16.08	68.2	32.08	AV	140.00	350	Vertical	Pass
2	4708.750	51.33	-2.73	74.0	22.67	Peak	71.00	150	Vertical	Pass
2**	4708.750	42.01	-2.73	54.0	11.99	AV	71.00	150	Vertical	Pass
3	6719.750	102.78	-0.49	--	--	Peak	273.00	100	Vertical	N/A
3**	6719.750	91.25	-0.49	--	--	AV	273.00	100	Vertical	N/A
4	7518.500	55.87	1.99	74.0	18.13	Peak	307.00	100	Vertical	Pass
4**	7518.500	46.41	1.99	54.0	7.59	AV	307.00	100	Vertical	Pass
5	11131.201	51.72	-0.97	74.0	22.28	Peak	354.00	400	Vertical	Pass
5**	11131.201	42.84	-0.97	54.0	11.16	AV	354.00	400	Vertical	Pass
6	16506.113	52.83	0.31	88.2	35.37	Peak	303.00	400	Vertical	Pass
6**	16506.113	42.86	0.31	68.2	25.34	AV	303.00	400	Vertical	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2085.000	41.13	-14.08	88.2	47.07	Peak	251.00	350	Horizontal	Pass
1**	2085.000	31.91	-14.08	68.2	36.29	AV	251.00	350	Horizontal	Pass
2	4738.000	51.63	-2.93	74.0	22.37	Peak	203.00	200	Horizontal	Pass
2**	4738.000	41.63	-2.93	54.0	12.37	AV	203.00	200	Horizontal	Pass
3	6838.500	95.45	-0.01	--	--	Peak	96.00	200	Horizontal	N/A
3**	6838.500	87.32	-0.01	--	--	AV	96.00	200	Horizontal	N/A
4	7838.750	55.62	3.38	88.2	32.58	Peak	186.00	200	Horizontal	Pass
4**	7838.750	46.98	3.38	68.2	21.22	AV	186.00	200	Horizontal	Pass
5	11192.713	52.00	-1.67	74.0	22.00	Peak	289.00	100	Horizontal	Pass
5**	11192.713	42.78	-1.67	54.0	11.22	AV	289.00	100	Horizontal	Pass
6	16363.050	52.56	0.57	88.2	35.64	Peak	3.00	400	Horizontal	Pass
6**	16363.050	44.33	0.57	68.2	23.87	AV	3.00	400	Horizontal	Pass

11ax40(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.900	44.50	-16.09	88.2	43.70	Peak	359.00	200	Vertical	Pass
1**	1828.900	34.05	-16.09	68.2	34.15	AV	359.00	200	Vertical	Pass
2	4744.750	51.75	-2.90	74.0	22.25	Peak	0.00	350	Vertical	Pass
2**	4744.750	42.32	-2.90	54.0	11.68	AV	0.00	350	Vertical	Pass
3	6853.000	100.52	-0.27	--	--	Peak	98.00	150	Vertical	N/A
3**	6853.000	91.75	-0.27	--	--	AV	98.00	150	Vertical	N/A
4	7823.500	55.66	3.00	88.2	32.54	Peak	348.00	100	Vertical	Pass
4**	7823.500	47.73	3.00	68.2	20.47	AV	348.00	100	Vertical	Pass
5	11128.112	52.65	-0.97	74.0	21.35	Peak	35.00	250	Vertical	Pass
5**	11128.112	42.40	-0.97	54.0	11.60	AV	35.00	250	Vertical	Pass
6	16343.888	52.28	0.67	88.2	35.92	Peak	43.00	300	Vertical	Pass
6**	16343.888	44.06	0.67	68.2	24.14	AV	43.00	300	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1332.000	41.71	-16.70	74.0	32.29	Peak	210.00	250	Horizontal	Pass
1**	1332.000	29.36	-16.70	54.0	24.64	AV	210.00	250	Horizontal	Pass
2	4818.000	52.09	-1.73	74.0	21.91	Peak	301.00	200	Horizontal	Pass
2**	4818.000	42.49	-1.73	54.0	11.51	AV	301.00	200	Horizontal	Pass
3	6631.250	90.34	-0.92	--	--	Peak	97.00	100	Horizontal	N/A
3**	6631.250	81.76	-0.92	--	--	AV	97.00	100	Horizontal	N/A
4	7836.750	55.88	3.61	88.2	32.32	Peak	346.00	300	Horizontal	Pass
4**	7836.750	46.20	3.61	68.2	22.00	AV	346.00	300	Horizontal	Pass
5	14522.138	51.54	-0.65	88.2	36.66	Peak	48.00	100	Horizontal	Pass
5**	14522.138	40.91	-0.65	68.2	27.29	AV	48.00	100	Horizontal	Pass
6	16338.375	52.82	0.52	88.2	35.38	Peak	186.00	350	Horizontal	Pass
6**	16338.375	43.98	0.52	68.2	24.22	AV	186.00	350	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1796.000	44.36	-16.16	88.2	43.84	Peak	360.00	200	Vertical	Pass
1**	1796.000	31.30	-16.16	68.2	36.90	AV	360.00	200	Vertical	Pass
2	4767.750	51.50	-2.41	74.0	22.50	Peak	257.00	350	Vertical	Pass
2**	4767.750	42.59	-2.41	54.0	11.41	AV	257.00	350	Vertical	Pass
3	6622.750	96.35	-0.14	--	--	Peak	41.00	200	Vertical	N/A
3**	6622.750	86.09	-0.14	--	--	AV	41.00	200	Vertical	N/A
4	7709.750	55.61	1.93	74.0	18.39	Peak	193.00	250	Vertical	Pass
4**	7709.750	45.21	1.93	54.0	8.79	AV	193.00	250	Vertical	Pass
5	11389.838	52.11	-1.69	74.0	21.89	Peak	283.00	350	Vertical	Pass
5**	11389.838	42.10	-1.69	54.0	11.90	AV	283.00	350	Vertical	Pass
6	16102.912	52.55	0.08	74.0	21.45	Peak	227.00	300	Vertical	Pass
6**	16102.912	41.92	0.08	54.0	12.08	AV	227.00	300	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.800	42.06	-16.20	88.2	46.14	Peak	194.00	250	Horizontal	Pass
1**	1825.800	29.32	-16.20	68.2	38.88	AV	194.00	250	Horizontal	Pass
2	4708.250	51.77	-2.74	74.0	22.23	Peak	39.00	300	Horizontal	Pass
2**	4708.250	42.04	-2.74	54.0	11.96	AV	39.00	300	Horizontal	Pass
3	6709.000	92.26	-0.43	--	--	Peak	94.00	150	Horizontal	N/A
3**	6709.000	83.48	-0.43	--	--	AV	94.00	150	Horizontal	N/A
4	7828.000	55.50	3.10	88.2	32.70	Peak	128.00	350	Horizontal	Pass
4**	7828.000	46.32	3.10	68.2	21.88	AV	128.00	350	Horizontal	Pass
5	11153.762	51.61	-1.01	74.0	22.39	Peak	271.00	300	Horizontal	Pass
5**	11153.762	42.59	-1.01	54.0	11.41	AV	271.00	300	Horizontal	Pass
6	15750.375	52.62	0.36	74.0	21.38	Peak	222.00	300	Horizontal	Pass
6**	15750.375	43.51	0.36	54.0	10.49	AV	222.00	300	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1793.100	45.78	-16.27	88.2	42.42	Peak	360.00	250	Vertical	Pass
1**	1793.100	40.46	-16.27	68.2	27.74	AV	360.00	250	Vertical	Pass
2	4771.000	51.75	-2.53	74.0	22.25	Peak	77.00	400	Vertical	Pass
2**	4771.000	42.49	-2.53	54.0	11.51	AV	77.00	400	Vertical	Pass
3	6692.250	96.60	-0.61	--	--	Peak	259.00	150	Vertical	N/A
3**	6692.250	88.32	-0.61	--	--	AV	259.00	150	Vertical	N/A
4	7882.750	55.42	2.56	88.2	32.78	Peak	0.00	350	Vertical	Pass
4**	7882.750	46.10	2.56	68.2	22.10	AV	0.00	350	Vertical	Pass
5	11159.463	51.80	-1.11	74.0	22.20	Peak	8.00	300	Vertical	Pass
5**	11159.463	41.86	-1.11	54.0	12.14	AV	8.00	300	Vertical	Pass
6	16347.563	52.61	0.78	88.2	35.59	Peak	191.00	300	Vertical	Pass
6**	16347.563	43.22	0.78	68.2	24.98	AV	191.00	300	Vertical	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2096.600	41.15	-13.51	88.2	47.05	Peak	353.00	300	Horizontal	Pass
1**	2096.600	31.77	-13.51	68.2	36.43	AV	353.00	300	Horizontal	Pass
2	4819.000	50.99	-1.78	74.0	23.01	Peak	94.00	400	Horizontal	Pass
2**	4819.000	43.39	-1.78	54.0	10.61	AV	94.00	400	Horizontal	Pass
3	6798.000	92.96	-0.53	--	--	Peak	94.00	100	Horizontal	N/A
3**	6798.000	84.20	-0.53	--	--	AV	94.00	100	Horizontal	N/A
4	7894.500	55.26	2.28	88.2	32.94	Peak	56.00	400	Horizontal	Pass
4**	7894.500	45.46	2.28	68.2	22.74	AV	56.00	400	Horizontal	Pass
5	11145.925	51.40	-0.95	74.0	22.60	Peak	271.00	150	Horizontal	Pass
5**	11145.925	42.35	-0.95	54.0	11.65	AV	271.00	150	Horizontal	Pass
6	16688.287	52.41	0.93	88.2	35.79	Peak	191.00	400	Horizontal	Pass
6**	16688.287	42.95	0.93	68.2	25.25	AV	191.00	400	Horizontal	Pass

11ax80(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1996.000	44.65	-14.48	88.2	43.55	Peak	154.00	200	Vertical	Pass
1**	1996.000	32.17	-14.48	68.2	36.03	AV	154.00	200	Vertical	Pass
2	4758.000	51.64	-2.79	74.0	22.36	Peak	19.00	350	Vertical	Pass
2**	4758.000	42.38	-2.79	54.0	11.62	AV	19.00	350	Vertical	Pass
3	6807.750	98.13	-0.18	--	--	Peak	251.00	200	Vertical	N/A
3**	6807.750	88.63	-0.18	--	--	AV	251.00	200	Vertical	N/A
4	7931.750	55.78	2.35	88.2	32.42	Peak	10.00	250	Vertical	Pass
4**	7931.750	46.22	2.35	68.2	21.98	AV	10.00	250	Vertical	Pass
5	11129.538	51.82	-0.97	74.0	22.18	Peak	208.00	350	Vertical	Pass
5**	11129.538	42.42	-0.97	54.0	11.58	AV	208.00	350	Vertical	Pass
6	15736.200	52.59	0.18	74.0	21.41	Peak	1.00	250	Vertical	Pass
6**	15736.200	42.97	0.18	54.0	11.03	AV	1.00	250	Vertical	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.000	41.16	-16.07	88.2	47.04	Peak	189.00	150	Horizontal	Pass
1**	1831.000	34.34	-16.07	68.2	33.86	AV	189.00	150	Horizontal	Pass
2	4775.500	51.25	-2.53	74.0	22.75	Peak	0.00	100	Horizontal	Pass
2**	4775.500	42.30	-2.53	54.0	11.70	AV	0.00	100	Horizontal	Pass
3	6661.500	89.61	-0.84	--	--	Peak	95.00	100	Horizontal	N/A
3**	6661.500	78.11	-0.84	--	--	AV	95.00	100	Horizontal	N/A
4	7544.500	55.82	1.86	74.0	18.18	Peak	85.00	200	Horizontal	Pass
4**	7544.500	45.71	1.86	54.0	8.29	AV	85.00	200	Horizontal	Pass
5	11170.625	51.65	-1.30	74.0	22.35	Peak	314.00	200	Horizontal	Pass
5**	11170.625	42.07	-1.30	54.0	11.93	AV	314.00	200	Horizontal	Pass
6	16335.225	52.90	0.43	88.2	35.30	Peak	40.00	250	Horizontal	Pass
6**	16335.225	43.64	0.43	68.2	24.56	AV	40.00	250	Horizontal	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.900	45.18	-16.07	88.2	43.02	Peak	350.00	100	Vertical	Pass
1**	1830.900	33.18	-16.07	68.2	35.02	AV	350.00	100	Vertical	Pass
2	4745.500	52.36	-2.84	74.0	21.64	Peak	38.00	150	Vertical	Pass
2**	4745.500	42.19	-2.84	54.0	11.81	AV	38.00	150	Vertical	Pass
3	6675.000	94.00	-0.48	--	--	Peak	101.00	100	Vertical	N/A
3**	6675.000	85.04	-0.48	--	--	AV	101.00	100	Vertical	N/A
4	7837.750	55.74	3.53	88.2	32.46	Peak	261.00	350	Vertical	Pass
4**	7837.750	46.90	3.53	68.2	21.30	AV	261.00	350	Vertical	Pass
5	11062.799	51.74	-1.70	74.0	22.26	Peak	154.00	100	Vertical	Pass
5**	11062.799	43.35	-1.70	54.0	10.65	AV	154.00	100	Vertical	Pass
6	16780.687	52.35	0.47	88.2	35.85	Peak	251.00	250	Vertical	Pass
6**	16780.687	42.63	0.47	68.2	25.57	AV	251.00	250	Vertical	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1828.800	41.30	-16.09	88.2	46.90	Peak	195.00	400	Horizontal	Pass
1**	1828.800	29.88	-16.09	68.2	38.32	AV	195.00	400	Horizontal	Pass
2	4707.750	51.59	-2.74	74.0	22.41	Peak	329.00	150	Horizontal	Pass
2**	4707.750	42.15	-2.74	54.0	11.85	AV	329.00	150	Horizontal	Pass
3	6799.750	93.70	-0.47	--	--	Peak	96.00	150	Horizontal	N/A
3**	6799.750	82.13	-0.47	--	--	AV	96.00	150	Horizontal	N/A
4	7905.000	55.53	2.37	88.2	32.67	Peak	347.00	200	Horizontal	Pass
4**	7905.000	46.23	2.37	68.2	21.97	AV	347.00	200	Horizontal	Pass
5	11157.088	51.68	-1.07	74.0	22.32	Peak	100.00	150	Horizontal	Pass
5**	11157.088	42.55	-1.07	54.0	11.45	AV	100.00	150	Horizontal	Pass
6	15735.151	52.70	0.17	74.0	21.30	Peak	6.00	300	Horizontal	Pass
6**	15735.151	42.81	0.17	54.0	11.19	AV	6.00	300	Horizontal	Pass

11ax160(SU), U-NII-7, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1831.500	44.09	-16.07	88.2	44.11	Peak	206.00	400	Vertical	Pass
1**	1831.500	33.35	-16.07	68.2	34.85	AV	206.00	400	Vertical	Pass
2	4771.000	51.48	-2.53	74.0	22.52	Peak	94.00	400	Vertical	Pass
2**	4771.000	42.81	-2.53	54.0	11.19	AV	94.00	400	Vertical	Pass
3	6811.250	95.61	-0.10	--	--	Peak	261.00	100	Vertical	N/A
3**	6811.250	86.67	-0.10	--	--	AV	261.00	100	Vertical	N/A
4	7829.750	55.97	3.17	88.2	32.23	Peak	216.00	150	Vertical	Pass
4**	7829.750	45.86	3.17	68.2	22.34	AV	216.00	150	Vertical	Pass
5	11175.375	51.51	-1.38	74.0	22.49	Peak	19.00	200	Vertical	Pass
5**	11175.375	42.22	-1.38	54.0	11.78	AV	19.00	200	Vertical	Pass
6	16229.701	52.82	-0.46	88.2	35.38	Peak	100.00	100	Vertical	Pass
6**	16229.701	42.17	-0.46	68.2	26.03	AV	100.00	100	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.000	41.17	-13.48	88.2	47.03	Peak	333.00	200	Horizontal	Pass
1**	2097.000	33.16	-13.48	68.2	35.04	AV	333.00	200	Horizontal	Pass
2	4733.000	52.07	-2.92	74.0	21.93	Peak	175.00	350	Horizontal	Pass
2**	4733.000	42.81	-2.92	54.0	11.19	AV	175.00	350	Horizontal	Pass
3	6870.000	97.88	-0.34	--	--	Peak	87.00	150	Horizontal	N/A
3**	6870.000	89.24	-0.34	--	--	AV	87.00	150	Horizontal	N/A
4	7823.750	55.31	3.07	88.2	32.89	Peak	274.00	300	Horizontal	Pass
4**	7823.750	46.05	3.07	68.2	22.15	AV	274.00	300	Horizontal	Pass
5	11114.100	51.47	-0.99	74.0	22.53	Peak	360.00	350	Horizontal	Pass
5**	11114.100	42.91	-0.99	54.0	11.09	AV	360.00	350	Horizontal	Pass
6	16788.037	52.50	0.73	88.2	35.70	Peak	212.00	300	Horizontal	Pass
6**	16788.037	43.47	0.73	68.2	24.73	AV	212.00	300	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1796.000	46.19	-16.16	88.2	42.01	Peak	195.00	100	Vertical	Pass
1**	1796.000	30.12	-16.16	68.2	38.08	AV	195.00	100	Vertical	Pass
2	4786.750	51.75	-2.55	74.0	22.25	Peak	196.00	350	Vertical	Pass
2**	4786.750	41.88	-2.55	54.0	12.12	AV	196.00	350	Vertical	Pass
3	6880.000	103.38	-0.28	--	--	Peak	259.00	100	Vertical	N/A
3**	6880.000	92.64	-0.28	--	--	AV	259.00	100	Vertical	N/A
4	7834.750	55.71	3.46	88.2	32.49	Peak	116.00	300	Vertical	Pass
4**	7834.750	46.68	3.46	68.2	21.52	AV	116.00	300	Vertical	Pass
5	11399.099	51.47	-1.66	74.0	22.53	Peak	57.00	250	Vertical	Pass
5**	11399.099	41.87	-1.66	54.0	12.13	AV	57.00	250	Vertical	Pass
6	16361.213	52.42	0.61	88.2	35.78	Peak	22.00	200	Vertical	Pass
6**	16361.213	42.57	0.61	68.2	25.63	AV	22.00	200	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2091.800	40.98	-13.67	88.2	47.22	Peak	157.00	300	Horizontal	Pass
1**	2091.800	31.89	-13.67	68.2	36.31	AV	157.00	300	Horizontal	Pass
2	4775.000	51.39	-2.53	74.0	22.61	Peak	360.00	100	Horizontal	Pass
2**	4775.000	41.65	-2.53	54.0	12.35	AV	360.00	100	Horizontal	Pass
3	6990.250	95.84	-0.04	--	--	Peak	38.00	100	Horizontal	N/A
3**	6990.250	87.28	-0.04	--	--	AV	38.00	100	Horizontal	N/A
4	7837.500	55.56	3.56	88.2	32.64	Peak	213.00	350	Horizontal	Pass
4**	7837.500	46.78	3.56	68.2	21.42	AV	213.00	350	Horizontal	Pass
5	11176.325	51.34	-1.40	74.0	22.66	Peak	0.00	250	Horizontal	Pass
5**	11176.325	42.82	-1.40	54.0	11.18	AV	0.00	250	Horizontal	Pass
6	16704.037	52.35	0.75	88.2	35.85	Peak	349.00	250	Horizontal	Pass
6**	16704.037	44.97	0.75	68.2	23.23	AV	349.00	250	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.300	44.78	-14.47	88.2	43.42	Peak	161.00	150	Vertical	Pass
1**	1993.300	37.01	-14.47	68.2	31.19	AV	161.00	150	Vertical	Pass
2	4654.000	51.19	-2.89	74.0	22.81	Peak	106.00	300	Vertical	Pass
2**	4654.000	41.14	-2.89	54.0	12.86	AV	106.00	300	Vertical	Pass
3	6987.250	100.95	0.15	--	--	Peak	34.00	200	Vertical	N/A
3**	6987.250	91.55	0.15	--	--	AV	34.00	200	Vertical	N/A
4	7928.250	56.05	2.40	88.2	32.15	Peak	186.00	350	Vertical	Pass
4**	7928.250	47.04	2.40	68.2	21.16	AV	186.00	350	Vertical	Pass
5	11171.100	51.62	-1.31	74.0	22.38	Peak	8.00	200	Vertical	Pass
5**	11171.100	42.32	-1.31	54.0	11.68	AV	8.00	200	Vertical	Pass
6	16314.225	52.68	-0.17	88.2	35.52	Peak	248.00	100	Vertical	Pass
6**	16314.225	42.75	-0.17	68.2	25.45	AV	248.00	100	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2035.800	41.50	-14.18	88.2	46.70	Peak	208.00	250	Horizontal	Pass
1**	2035.800	32.37	-14.18	68.2	35.83	AV	208.00	250	Horizontal	Pass
2	4759.500	51.68	-2.68	74.0	22.32	Peak	254.00	100	Horizontal	Pass
2**	4759.500	42.43	-2.68	54.0	11.57	AV	254.00	100	Horizontal	Pass
3	7090.000	95.64	-0.22	--	--	Peak	67.00	150	Horizontal	N/A
3**	7090.000	87.11	-0.22	--	--	AV	67.00	150	Horizontal	N/A
4	7521.750	55.40	2.24	74.0	18.60	Peak	236.00	400	Horizontal	Pass
4**	7521.750	46.50	2.24	54.0	7.50	AV	236.00	400	Horizontal	Pass
5	11133.338	52.23	-0.97	74.0	21.77	Peak	223.00	250	Horizontal	Pass
5**	11133.338	42.86	-0.97	54.0	11.14	AV	223.00	250	Horizontal	Pass
6	16329.975	53.51	0.28	88.2	34.69	Peak	9.00	200	Horizontal	Pass
6**	16329.975	43.06	0.28	68.2	25.14	AV	9.00	200	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.400	45.18	-16.17	88.2	43.02	Peak	353.00	300	Vertical	Pass
1**	1826.400	36.77	-16.17	68.2	31.43	AV	353.00	300	Vertical	Pass
2	4836.000	52.31	-2.00	74.0	21.69	Peak	79.00	150	Vertical	Pass
2**	4836.000	42.24	-2.00	54.0	11.76	AV	79.00	150	Vertical	Pass
3	7091.250	99.91	-0.24	--	--	Peak	264.00	100	Vertical	N/A
3**	7091.250	92.53	-0.24	--	--	AV	264.00	100	Vertical	N/A
4	7820.250	55.37	3.01	88.2	32.83	Peak	354.00	200	Vertical	Pass
4**	7820.250	46.17	3.01	68.2	22.03	AV	354.00	200	Vertical	Pass
5	11060.901	52.00	-1.74	74.0	22.00	Peak	320.00	200	Vertical	Pass
5**	11060.901	42.11	-1.74	54.0	11.89	AV	320.00	200	Vertical	Pass
6	16341.787	54.03	0.61	88.2	34.17	Peak	51.00	400	Vertical	Pass
6**	16341.787	43.63	0.61	68.2	24.57	AV	51.00	400	Vertical	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2097.100	41.26	-13.47	88.2	46.94	Peak	334.00	100	Horizontal	Pass
1**	2097.100	32.55	-13.47	68.2	35.65	AV	334.00	100	Horizontal	Pass
2	4826.500	51.20	-1.80	74.0	22.80	Peak	360.00	400	Horizontal	Pass
2**	4826.500	41.90	-1.80	54.0	12.10	AV	360.00	400	Horizontal	Pass
3	7113.250	95.97	0.41	--	--	Peak	50.00	100	Horizontal	N/A
3**	7113.250	86.73	0.41	--	--	AV	50.00	100	Horizontal	N/A
4	7837.250	56.30	3.60	88.2	31.90	Peak	310.00	100	Horizontal	Pass
4**	7837.250	47.34	3.60	68.2	20.86	AV	310.00	100	Horizontal	Pass
5	11135.237	51.44	-0.97	74.0	22.56	Peak	254.00	400	Horizontal	Pass
5**	11135.237	42.35	-0.97	54.0	11.65	AV	254.00	400	Horizontal	Pass
6	16443.113	52.95	0.42	88.2	35.25	Peak	189.00	100	Horizontal	Pass
6**	16443.113	42.89	0.42	68.2	25.31	AV	189.00	100	Horizontal	Pass

11ax20(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1798.100	47.08	-16.23	88.2	41.12	Peak	202.00	100	Vertical	Pass
1**	1798.100	30.43	-16.23	68.2	37.77	AV	202.00	100	Vertical	Pass
2	4754.750	51.15	-2.86	74.0	22.85	Peak	348.00	100	Vertical	Pass
2**	4754.750	42.31	-2.86	54.0	11.69	AV	348.00	100	Vertical	Pass
3	7111.000	100.25	0.27	--	--	Peak	268.00	200	Vertical	N/A
3**	7111.000	91.79	0.27	--	--	AV	268.00	200	Vertical	N/A
4	7845.250	55.86	2.78	88.2	32.34	Peak	287.00	350	Vertical	Pass
4**	7845.250	46.82	2.78	68.2	21.38	AV	287.00	350	Vertical	Pass
5	11381.049	52.03	-1.73	74.0	21.97	Peak	21.00	350	Vertical	Pass
5**	11381.049	41.87	-1.73	54.0	12.13	AV	21.00	350	Vertical	Pass
6	16795.912	52.24	1.01	88.2	35.96	Peak	332.00	400	Vertical	Pass
6**	16795.912	43.45	1.01	68.2	24.75	AV	332.00	400	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1995.500	42.09	-14.52	88.2	46.11	Peak	0.00	200	Horizontal	Pass
1**	1995.500	31.56	-14.52	68.2	36.64	AV	0.00	200	Horizontal	Pass
2	4752.750	51.57	-2.85	74.0	22.43	Peak	242.00	300	Horizontal	Pass
2**	4752.750	42.48	-2.85	54.0	11.52	AV	242.00	300	Horizontal	Pass
3	6883.000	93.81	-0.03	--	--	Peak	264.00	100	Horizontal	N/A
3**	6883.000	84.23	-0.03	--	--	AV	264.00	100	Horizontal	N/A
4	7499.000	55.85	0.99	74.0	18.15	Peak	179.00	400	Horizontal	Pass
4**	7499.000	45.49	0.99	54.0	8.51	AV	179.00	400	Horizontal	Pass
5	11396.250	52.06	-1.67	74.0	21.94	Peak	195.00	300	Horizontal	Pass
5**	11396.250	41.99	-1.67	54.0	12.01	AV	195.00	300	Horizontal	Pass
6	16795.387	53.70	0.99	88.2	34.50	Peak	264.00	100	Horizontal	Pass
6**	16795.387	43.51	0.99	68.2	24.69	AV	264.00	100	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.300	45.38	-16.20	88.2	42.82	Peak	354.00	100	Vertical	Pass
1**	1825.300	35.02	-16.20	68.2	33.18	AV	354.00	100	Vertical	Pass
2	4828.500	51.68	-1.77	74.0	22.32	Peak	0.00	400	Vertical	Pass
2**	4828.500	41.97	-1.77	54.0	12.03	AV	0.00	400	Vertical	Pass
3	6892.500	98.53	0.08	--	--	Peak	266.00	150	Vertical	N/A
3**	6892.500	90.32	0.08	--	--	AV	266.00	150	Vertical	N/A
4	7922.750	55.44	2.15	88.2	32.76	Peak	106.00	200	Vertical	Pass
4**	7922.750	46.75	2.15	68.2	21.45	AV	106.00	200	Vertical	Pass
5	11130.488	51.92	-0.97	74.0	22.08	Peak	7.00	100	Vertical	Pass
5**	11130.488	42.57	-0.97	54.0	11.43	AV	7.00	100	Vertical	Pass
6	16788.301	52.64	0.74	88.2	35.56	Peak	118.00	300	Vertical	Pass
6**	16788.301	44.02	0.74	68.2	24.18	AV	118.00	300	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2084.000	41.23	-14.10	88.2	46.97	Peak	76.00	200	Horizontal	Pass
1**	2084.000	31.75	-14.10	68.2	36.45	AV	76.00	200	Horizontal	Pass
2	4769.500	51.63	-2.44	74.0	22.37	Peak	21.00	200	Horizontal	Pass
2**	4769.500	43.07	-2.44	54.0	10.93	AV	21.00	200	Horizontal	Pass
3	6999.750	95.11	-0.31	--	--	Peak	40.00	100	Horizontal	N/A
3**	6999.750	85.38	-0.31	--	--	AV	40.00	100	Horizontal	N/A
4	7827.500	55.67	3.05	88.2	32.53	Peak	21.00	300	Horizontal	Pass
4**	7827.500	46.75	3.05	68.2	21.45	AV	21.00	300	Horizontal	Pass
5	11133.100	52.02	-0.97	74.0	21.98	Peak	206.00	200	Horizontal	Pass
5**	11133.100	42.73	-0.97	54.0	11.27	AV	206.00	200	Horizontal	Pass
6	16470.412	52.82	0.45	88.2	35.38	Peak	222.00	200	Horizontal	Pass
6**	16470.412	42.91	0.45	68.2	25.29	AV	222.00	200	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1825.100	44.12	-16.18	88.2	44.08	Peak	351.00	400	Vertical	Pass
1**	1825.100	30.96	-16.18	68.2	37.24	AV	351.00	400	Vertical	Pass
2	4644.250	51.37	-3.24	74.0	22.63	Peak	14.00	400	Vertical	Pass
2**	4644.250	40.87	-3.24	54.0	13.13	AV	14.00	400	Vertical	Pass
3	7001.750	97.87	-0.23	--	--	Peak	275.00	100	Vertical	N/A
3**	7001.750	90.51	-0.23	--	--	AV	275.00	100	Vertical	N/A
4	7805.250	55.39	1.28	88.2	32.81	Peak	4.00	100	Vertical	Pass
4**	7805.250	44.90	1.28	68.2	23.30	AV	4.00	100	Vertical	Pass
5	11134.287	52.31	-0.97	74.0	21.69	Peak	9.00	300	Vertical	Pass
5**	11134.287	42.98	-0.97	54.0	11.02	AV	9.00	300	Vertical	Pass
6	16331.813	52.89	0.33	88.2	35.31	Peak	53.00	100	Vertical	Pass
6**	16331.813	43.44	0.33	68.2	24.76	AV	53.00	100	Vertical	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1832.200	41.60	-16.06	88.2	46.60	Peak	299.00	200	Horizontal	Pass
1**	1832.200	30.41	-16.06	68.2	37.79	AV	299.00	200	Horizontal	Pass
2	4772.500	51.41	-2.49	74.0	22.59	Peak	310.00	100	Horizontal	Pass
2**	4772.500	42.01	-2.49	54.0	11.99	AV	310.00	100	Horizontal	Pass
3	7077.500	93.01	0.30	--	--	Peak	50.00	100	Horizontal	N/A
3**	7077.500	84.07	0.30	--	--	AV	50.00	100	Horizontal	N/A
4	7452.750	55.86	1.30	74.0	18.14	Peak	347.00	300	Horizontal	Pass
4**	7452.750	45.63	1.30	54.0	8.37	AV	347.00	300	Horizontal	Pass
5	11049.975	51.88	-1.94	74.0	22.12	Peak	155.00	300	Horizontal	Pass
5**	11049.975	42.18	-1.94	54.0	11.82	AV	155.00	300	Horizontal	Pass
6	16528.687	52.83	0.17	88.2	35.37	Peak	360.00	100	Horizontal	Pass
6**	16528.687	42.52	0.17	68.2	25.68	AV	360.00	100	Horizontal	Pass

11ax40(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1791.600	44.95	-16.26	88.2	43.25	Peak	186.00	300	Vertical	Pass
1**	1791.600	31.21	-16.26	68.2	36.99	AV	186.00	300	Vertical	Pass
2	4827.750	51.49	-1.76	74.0	22.51	Peak	245.00	400	Vertical	Pass
2**	4827.750	42.26	-1.76	54.0	11.74	AV	245.00	400	Vertical	Pass
3	7081.250	97.51	0.28	--	--	Peak	264.00	150	Vertical	N/A
3**	7081.250	90.09	0.28	--	--	AV	264.00	150	Vertical	N/A
4	7516.250	55.91	2.05	74.0	18.09	Peak	96.00	200	Vertical	Pass
4**	7516.250	46.10	2.05	54.0	7.90	AV	96.00	200	Vertical	Pass
5	11053.062	51.71	-1.88	74.0	22.29	Peak	143.00	400	Vertical	Pass
5**	11053.062	41.57	-1.88	54.0	12.43	AV	143.00	400	Vertical	Pass
6	16458.864	53.59	0.50	88.2	34.61	Peak	121.00	300	Vertical	Pass
6**	16458.864	43.84	0.50	68.2	24.36	AV	121.00	300	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1953.000	41.30	-15.14	88.2	46.90	Peak	151.00	300	Horizontal	Pass
1**	1953.000	31.28	-15.14	68.2	36.92	AV	151.00	300	Horizontal	Pass
2	4768.500	51.68	-2.36	74.0	22.32	Peak	251.00	300	Horizontal	Pass
2**	4768.500	42.45	-2.36	54.0	11.55	AV	251.00	300	Horizontal	Pass
3	6846.500	91.19	-0.32	--	--	Peak	251.00	100	Horizontal	N/A
3**	6846.500	83.30	-0.32	--	--	AV	251.00	100	Horizontal	N/A
4	7929.250	55.60	2.47	88.2	32.60	Peak	7.00	100	Horizontal	Pass
4**	7929.250	47.12	2.47	68.2	21.08	AV	7.00	100	Horizontal	Pass
5	11135.000	51.95	-0.97	74.0	22.05	Peak	269.00	100	Horizontal	Pass
5**	11135.000	42.83	-0.97	54.0	11.17	AV	269.00	100	Horizontal	Pass
6	16495.088	53.36	0.37	88.2	34.84	Peak	220.00	400	Horizontal	Pass
6**	16495.088	43.95	0.37	68.2	24.25	AV	220.00	400	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1827.600	45.90	-16.11	88.2	42.30	Peak	360.00	400	Vertical	Pass
1**	1827.600	33.05	-16.11	68.2	35.15	AV	360.00	400	Vertical	Pass
2	4763.250	51.54	-2.64	74.0	22.46	Peak	65.00	100	Vertical	Pass
2**	4763.250	42.49	-2.64	54.0	11.51	AV	65.00	100	Vertical	Pass
3	6854.750	96.66	-0.17	--	--	Peak	273.00	200	Vertical	N/A
3**	6854.750	88.15	-0.17	--	--	AV	273.00	200	Vertical	N/A
4	7465.750	55.38	1.48	74.0	18.62	Peak	18.00	100	Vertical	Pass
4**	7465.750	45.82	1.48	54.0	8.18	AV	18.00	100	Vertical	Pass
5	11137.849	51.78	-0.96	74.0	22.22	Peak	190.00	200	Vertical	Pass
5**	11137.849	42.55	-0.96	54.0	11.45	AV	190.00	200	Vertical	Pass
6	16352.287	53.46	0.80	88.2	34.74	Peak	114.00	300	Vertical	Pass
6**	16352.287	44.25	0.80	68.2	23.95	AV	114.00	300	Vertical	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2091.500	41.45	-13.68	88.2	46.75	Peak	96.00	400	Horizontal	Pass
1**	2091.500	31.97	-13.68	68.2	36.23	AV	96.00	400	Horizontal	Pass
2	4720.500	51.80	-2.82	74.0	22.20	Peak	339.00	200	Horizontal	Pass
2**	4720.500	42.75	-2.82	54.0	11.25	AV	339.00	200	Horizontal	Pass
3	6941.000	93.10	0.05	--	--	Peak	33.00	150	Horizontal	N/A
3**	6941.000	83.02	0.05	--	--	AV	33.00	150	Horizontal	N/A
4	7458.750	55.43	1.53	74.0	18.57	Peak	14.00	200	Horizontal	Pass
4**	7458.750	45.60	1.53	54.0	8.40	AV	14.00	200	Horizontal	Pass
5	11152.575	51.89	-0.99	74.0	22.11	Peak	298.00	200	Horizontal	Pass
5**	11152.575	41.76	-0.99	54.0	12.24	AV	298.00	200	Horizontal	Pass
6	16780.162	52.79	0.45	88.2	35.41	Peak	269.00	100	Horizontal	Pass
6**	16780.162	42.64	0.45	68.2	25.56	AV	269.00	100	Horizontal	Pass

11ax80(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1993.200	44.78	-14.46	88.2	43.42	Peak	159.00	400	Vertical	Pass
1**	1993.200	33.30	-14.46	68.2	34.90	AV	159.00	400	Vertical	Pass
2	4721.250	52.32	-2.80	74.0	21.68	Peak	251.00	200	Vertical	Pass
2**	4721.250	42.77	-2.80	54.0	11.23	AV	251.00	200	Vertical	Pass
3	6943.250	98.83	0.21	--	--	Peak	286.00	100	Vertical	N/A
3**	6943.250	89.08	0.21	--	--	AV	286.00	100	Vertical	N/A
4	7837.250	55.25	3.60	88.2	32.95	Peak	0.00	300	Vertical	Pass
4**	7837.250	47.22	3.60	68.2	20.98	AV	0.00	300	Vertical	Pass
5	11139.512	51.48	-0.96	74.0	22.52	Peak	288.00	200	Vertical	Pass
5**	11139.512	42.59	-0.96	54.0	11.41	AV	288.00	200	Vertical	Pass
6	16336.800	52.60	0.47	88.2	35.60	Peak	126.00	100	Vertical	Pass
6**	16336.800	43.87	0.47	68.2	24.33	AV	126.00	100	Vertical	Pass

11x80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1992.400	41.54	-14.44	88.2	46.66	Peak	0.00	400	Horizontal	Pass
1**	1992.400	31.26	-14.44	68.2	36.94	AV	0.00	400	Horizontal	Pass
2	4783.500	51.86	-2.62	74.0	22.14	Peak	276.00	300	Horizontal	Pass
2**	4783.500	41.84	-2.62	54.0	12.16	AV	276.00	300	Horizontal	Pass
3	7020.000	92.20	-0.03	--	--	Peak	45.00	200	Horizontal	N/A
3**	7020.000	84.84	-0.03	--	--	AV	45.00	200	Horizontal	N/A
4	7878.750	55.45	2.84	88.2	32.75	Peak	360.00	200	Horizontal	Pass
4**	7878.750	46.82	2.84	68.2	21.38	AV	360.00	200	Horizontal	Pass
5	12612.963	52.21	-0.86	74.0	21.79	Peak	342.00	300	Horizontal	Pass
5**	12612.963	41.79	-0.86	54.0	12.21	AV	342.00	300	Horizontal	Pass
6	16507.162	52.96	0.30	88.2	35.24	Peak	287.00	300	Horizontal	Pass
6**	16507.162	43.55	0.30	68.2	24.65	AV	287.00	300	Horizontal	Pass

11x80(SU), U-NII-8, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1830.300	44.40	-16.08	88.2	43.80	Peak	183.00	200	Vertical	Pass
1**	1830.300	35.00	-16.08	68.2	33.20	AV	183.00	200	Vertical	Pass
2	4740.250	51.76	-3.03	74.0	22.24	Peak	165.00	100	Vertical	Pass
2**	4740.250	42.69	-3.03	54.0	11.31	AV	165.00	100	Vertical	Pass
3	7014.500	95.96	0.00	--	--	Peak	274.00	150	Vertical	N/A
3**	7014.500	87.18	0.00	--	--	AV	274.00	150	Vertical	N/A
4	7510.250	55.50	1.75	74.0	18.50	Peak	103.00	200	Vertical	Pass
4**	7510.250	46.64	1.75	54.0	7.36	AV	103.00	200	Vertical	Pass
5	11131.437	51.63	-0.97	74.0	22.37	Peak	360.00	200	Vertical	Pass
5**	11131.437	42.78	-0.97	54.0	11.22	AV	360.00	200	Vertical	Pass
6	16101.075	53.30	0.12	74.0	20.70	Peak	181.00	200	Vertical	Pass
6**	16101.075	43.15	0.12	54.0	10.85	AV	181.00	200	Vertical	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1829.600	41.78	-16.08	88.2	46.42	Peak	303.00	250	Horizontal	Pass
1**	1829.600	30.04	-16.08	68.2	38.16	AV	303.00	250	Horizontal	Pass
2	4696.750	51.54	-2.79	74.0	22.46	Peak	7.00	350	Horizontal	Pass
2**	4696.750	42.06	-2.79	54.0	11.94	AV	7.00	350	Horizontal	Pass
3	6981.750	87.27	0.43	--	--	Peak	60.00	100	Horizontal	N/A
3**	6981.750	76.25	0.43	--	--	AV	60.00	100	Horizontal	N/A
4	7834.250	55.40	3.44	88.2	32.80	Peak	174.00	150	Horizontal	Pass
4**	7834.250	46.06	3.44	68.2	22.14	AV	174.00	150	Horizontal	Pass
5	11190.100	51.13	-1.63	74.0	22.87	Peak	358.00	250	Horizontal	Pass
5**	11190.100	42.39	-1.63	54.0	11.61	AV	358.00	250	Horizontal	Pass
6	16795.125	52.99	0.98	88.2	35.21	Peak	0.00	200	Horizontal	Pass
6**	16795.125	43.64	0.98	68.2	24.56	AV	0.00	200	Horizontal	Pass

11ax160(SU), U-NII-8, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1826.400	45.04	-16.17	88.2	43.16	Peak	358.00	150	Vertical	Pass
1**	1826.400	32.37	-16.17	68.2	35.83	AV	358.00	150	Vertical	Pass
2	4692.250	50.94	-3.12	74.0	23.06	Peak	360.00	150	Vertical	Pass
2**	4692.250	41.89	-3.12	54.0	12.11	AV	360.00	150	Vertical	Pass
3	6933.500	91.29	-0.09	--	--	Peak	48.00	150	Vertical	N/A
3**	6933.500	81.52	-0.09	--	--	AV	48.00	150	Vertical	N/A
4	7824.500	55.61	3.17	88.2	32.59	Peak	278.00	350	Vertical	Pass
4**	7824.500	46.99	3.17	68.2	21.21	AV	278.00	350	Vertical	Pass
5	11134.050	52.25	-0.97	74.0	21.75	Peak	358.00	200	Vertical	Pass
5**	11134.050	43.40	-0.97	54.0	10.60	AV	358.00	200	Vertical	Pass
6	16495.875	53.07	0.36	88.2	35.13	Peak	305.00	300	Vertical	Pass
6**	16495.875	44.24	0.36	68.2	23.96	AV	305.00	300	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
802.11ax(HE40) (SU)	Low	Pass	
	High	Pass	
802.11ax(HE80) (SU)	Middle	Pass	
802.11ax(HE160) (SU)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
802.11ac(VHT80)	Middle	Pass	
802.11ax(HE20) (SU)	Low	Pass	
	High	Pass	
802.11ax(HE40) (SU)	Low	Pass	
	High	Pass	
802.11ax(HE80) (SU)	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass

	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
High		Pass	
802.11ax(HE80) (SU)	Low	Pass	
	High	Pass	
802.11ax(HE160) (SU)	Middle	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
High		Pass	
802.11ax(HE80) (SU)	Middle	Pass	


Test Band	Mode	Channel	Verdict
U-NII-2C & U-NII-3	802.11a	144	Pass
	802.11n(HT20)	144	Pass
	802.11n(HT40)	142	Pass
	802.11ac(VHT20)	144	Pass
	802.11ac(VHT40)	142	Pass
	802.11ac(VHT80)	138	Pass
	802.11ax(HE20)	144	Pass
	802.11ax(HE40)	142	Pass
	802.11ax(HE80)	138	Pass

Test Band	Mode	Channel	Verdict
U-NII-5	802.11ax(HE20)	Low	Pass
	802.11ax(HE40)	Low	Pass
	802.11ax(HE80)	Low	Pass
	802.11ax(HE160)	Low	Pass
U-NII-8	802.11ax(HE20)	Middle	Pass
		High	Pass
	802.11ax(HE40)	High	Pass
	802.11ax(HE80)	High	Pass
	802.11ax(HE160)	Middle	Pass

Test Data and Plots


Main Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.900	58.09	4.28	74.0	15.91	Peak	282.00	200	Horizontal	Pass
1**	5140.900	46.91	4.28	54.0	7.09	AV	282.00	200	Horizontal	Pass
2	5149.675	57.19	3.93	74.0	16.81	Peak	0.00	200	Horizontal	Pass
2**	5149.675	46.96	3.93	54.0	7.04	AV	0.00	200	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.44	4.22	74.0	17.56	Peak	80.00	200	Horizontal	Pass
1**	5350.000	46.07	4.22	54.0	7.93	AV	80.00	200	Horizontal	Pass
2	5428.155	58.94	4.04	74.0	15.06	Peak	3.00	200	Horizontal	Pass
2**	5428.155	46.75	4.04	54.0	7.25	AV	3.00	200	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5111.975	58.15	4.27	74.0	15.85	Peak	217.00	200	Horizontal	Pass
1**	5111.975	46.99	4.27	54.0	7.01	AV	217.00	200	Horizontal	Pass
2	5149.675	56.11	3.93	74.0	17.89	Peak	157.00	200	Horizontal	Pass
2**	5149.675	47.10	3.93	54.0	6.90	AV	157.00	200	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.04	4.22	74.0	17.96	Peak	259.00	100	Horizontal	Pass
1**	5350.000	46.48	4.22	54.0	7.52	AV	259.00	100	Horizontal	Pass
2	5456.370	58.83	5.67	74.0	15.17	Peak	358.00	100	Horizontal	Pass
2**	5456.370	47.53	5.67	54.0	6.47	AV	358.00	100	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.100	58.38	3.86	74.0	15.62	Peak	264.00	200	Horizontal	Pass
1**	5146.100	47.90	3.86	54.0	6.10	AV	264.00	200	Horizontal	Pass
2	5149.675	57.63	3.93	74.0	16.37	Peak	359.00	100	Horizontal	Pass
2**	5149.675	48.71	3.93	54.0	5.29	AV	359.00	100	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.77	4.21	74.0	18.23	Peak	0.00	100	Horizontal	Pass
1**	5350.055	46.02	4.21	54.0	7.98	AV	0.00	100	Horizontal	Pass
2	5447.185	59.12	5.38	74.0	14.88	Peak	319.00	200	Horizontal	Pass
2**	5447.185	47.38	5.38	54.0	6.62	AV	319.00	200	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.725	58.54	3.87	74.0	15.46	Peak	47.00	200	Horizontal	Pass
1**	5147.725	46.84	3.87	54.0	7.16	AV	47.00	200	Horizontal	Pass
2	5149.675	55.74	3.93	74.0	18.26	Peak	162.00	100	Horizontal	Pass
2**	5149.675	46.89	3.93	54.0	7.11	AV	162.00	100	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.82	4.21	74.0	18.18	Peak	360.00	100	Horizontal	Pass
1**	5350.055	45.91	4.21	54.0	8.09	AV	360.00	100	Horizontal	Pass
2	5449.990	59.21	5.47	74.0	14.79	Peak	294.00	200	Horizontal	Pass
2**	5449.990	47.48	5.47	54.0	6.52	AV	294.00	200	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4822.075	58.67	3.11	74.0	15.33	Peak	342.00	100	Horizontal	Pass
1**	4822.075	46.69	3.11	54.0	7.31	AV	342.00	100	Horizontal	Pass
2	5149.675	56.26	3.93	74.0	17.74	Peak	158.00	100	Horizontal	Pass
2**	5149.675	47.26	3.93	54.0	6.74	AV	158.00	100	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.02	4.22	74.0	17.98	Peak	164.00	200	Horizontal	Pass
1**	5350.000	46.13	4.22	54.0	7.87	AV	164.00	200	Horizontal	Pass
2	5428.045	58.83	4.03	74.0	15.17	Peak	129.00	200	Horizontal	Pass
2**	5428.045	47.30	4.03	54.0	6.70	AV	129.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.900	58.49	4.28	74.0	15.51	Peak	4.00	150	Horizontal	Pass
1**	5140.900	47.49	4.28	54.0	6.51	AV	4.00	150	Horizontal	Pass
2	5149.675	57.12	3.93	74.0	16.88	Peak	279.00	200	Horizontal	Pass
2**	5149.675	47.49	3.93	54.0	6.51	AV	279.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.57	4.22	74.0	18.43	Peak	185.00	100	Horizontal	Pass
1**	5350.000	46.27	4.22	54.0	7.73	AV	185.00	100	Horizontal	Pass
2	5433.930	59.38	4.62	74.0	14.62	Peak	172.00	200	Horizontal	Pass
2**	5433.930	47.22	4.62	54.0	6.78	AV	172.00	200	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5098.975	58.53	4.59	74.0	15.47	Peak	40.00	150	Horizontal	Pass
1**	5098.975	47.40	4.59	54.0	6.60	AV	40.00	150	Horizontal	Pass
2	5149.675	57.20	3.93	74.0	16.80	Peak	3.00	150	Horizontal	Pass
2**	5149.675	47.33	3.93	54.0	6.67	AV	3.00	150	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.40	4.21	74.0	17.60	Peak	296.00	200	Horizontal	Pass
1**	5350.055	45.88	4.21	54.0	8.12	AV	296.00	200	Horizontal	Pass
2	5457.085	59.00	5.72	74.0	15.00	Peak	2.00	200	Horizontal	Pass
2**	5457.085	47.60	5.72	54.0	6.40	AV	2.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5128.225	58.46	4.33	74.0	15.54	Peak	169.00	200	Horizontal	Pass
1**	5128.225	47.26	4.33	54.0	6.74	AV	169.00	200	Horizontal	Pass
2	5149.675	56.45	3.93	74.0	17.55	Peak	8.00	200	Horizontal	Pass
2**	5149.675	46.74	3.93	54.0	7.26	AV	8.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.78	4.21	74.0	18.22	Peak	77.00	100	Horizontal	Pass
1**	5350.055	46.40	4.21	54.0	7.60	AV	77.00	100	Horizontal	Pass
2	5413.635	58.89	3.96	74.0	15.11	Peak	246.00	100	Horizontal	Pass
2**	5413.635	46.73	3.96	54.0	7.27	AV	246.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5118.475	58.28	4.20	74.0	15.72	Peak	200.00	100	Horizontal	Pass
1**	5118.475	47.09	4.20	54.0	6.91	AV	200.00	100	Horizontal	Pass
2	5149.675	57.59	3.93	74.0	16.41	Peak	358.00	150	Horizontal	Pass
2**	5149.675	48.32	3.93	54.0	5.68	AV	358.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.04	4.21	74.0	17.96	Peak	191.00	100	Horizontal	Pass
1**	5350.055	46.29	4.21	54.0	7.71	AV	191.00	100	Horizontal	Pass
2	5445.260	58.95	5.50	74.0	15.05	Peak	153.00	200	Horizontal	Pass
2**	5445.260	47.88	5.50	54.0	6.12	AV	153.00	200	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.300	58.95	4.43	74.0	15.05	Peak	0.00	100	Horizontal	Pass
1**	5125.300	47.63	4.43	54.0	6.37	AV	0.00	100	Horizontal	Pass
2	5149.675	57.79	3.93	74.0	16.21	Peak	209.00	100	Horizontal	Pass
2**	5149.675	48.32	3.93	54.0	5.68	AV	209.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.16	4.22	74.0	17.84	Peak	231.00	100	Horizontal	Pass
1**	5350.000	46.06	4.22	54.0	7.94	AV	231.00	100	Horizontal	Pass
2	5456.755	58.94	5.70	74.0	15.06	Peak	41.00	150	Horizontal	Pass
2**	5456.755	47.49	5.70	54.0	6.51	AV	41.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.575	59.39	4.28	74.0	14.61	Peak	356.00	200	Horizontal	Pass
1**	5140.575	48.77	4.28	54.0	5.23	AV	356.00	200	Horizontal	Pass
2	5149.675	58.62	3.93	74.0	15.38	Peak	358.00	150	Horizontal	Pass
2**	5149.675	48.61	3.93	54.0	5.39	AV	358.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.68	4.21	74.0	17.32	Peak	277.00	200	Horizontal	Pass
1**	5350.055	46.15	4.21	54.0	7.85	AV	277.00	200	Horizontal	Pass
2	5458.570	59.09	5.46	74.0	14.91	Peak	0.00	150	Horizontal	Pass
2**	5458.570	47.67	5.46	54.0	6.33	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4867.250	57.83	3.14	74.0	16.17	Peak	50.00	100	Horizontal	Pass
1**	4867.250	45.88	3.14	54.0	8.12	AV	50.00	100	Horizontal	Pass
2	5149.675	57.16	3.93	74.0	16.84	Peak	214.00	150	Horizontal	Pass
2**	5149.675	46.70	3.93	54.0	7.30	AV	214.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.51	4.22	74.0	17.49	Peak	294.00	100	Horizontal	Pass
1**	5350.000	46.04	4.22	54.0	7.96	AV	294.00	100	Horizontal	Pass
2	5444.490	59.24	5.59	74.0	14.76	Peak	248.00	200	Horizontal	Pass
2**	5444.490	48.06	5.59	54.0	5.94	AV	248.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4801.600	58.51	4.04	74.0	15.49	Peak	45.00	200	Horizontal	Pass
1**	4801.600	46.66	4.04	54.0	7.34	AV	45.00	200	Horizontal	Pass
2	5149.675	56.26	3.93	74.0	17.74	Peak	66.00	150	Horizontal	Pass
2**	5149.675	46.69	3.93	54.0	7.31	AV	66.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.75	4.22	74.0	18.25	Peak	273.00	150	Horizontal	Pass
1**	5350.000	46.11	4.22	54.0	7.89	AV	273.00	150	Horizontal	Pass
2	5432.005	59.07	4.61	74.0	14.93	Peak	343.00	200	Horizontal	Pass
2**	5432.005	47.37	4.61	54.0	6.63	AV	343.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5099.950	58.57	4.54	74.0	15.43	Peak	106.00	100	Horizontal	Pass
1**	5099.950	46.96	4.54	54.0	7.04	AV	106.00	100	Horizontal	Pass
2	5149.675	56.51	3.93	74.0	17.49	Peak	228.00	200	Horizontal	Pass
2**	5149.675	46.72	3.93	54.0	7.28	AV	228.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.28	4.21	74.0	18.72	Peak	227.00	200	Horizontal	Pass
1**	5350.055	46.15	4.21	54.0	7.85	AV	227.00	200	Horizontal	Pass
2	5378.490	59.17	4.49	74.0	14.83	Peak	203.00	150	Horizontal	Pass
2**	5378.490	46.59	4.49	54.0	7.41	AV	203.00	150	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	59.90	3.93	74.0	14.10	Peak	223.00	100	Horizontal	Pass
1**	5149.675	46.94	3.93	54.0	7.06	AV	223.00	100	Horizontal	Pass
2	5149.675	59.90	3.93	74.0	14.10	Peak	223.00	150	Horizontal	Pass
2**	5149.675	46.94	3.93	54.0	7.06	AV	223.00	150	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.34	4.22	74.0	18.66	Peak	18.00	200	Horizontal	Pass
1**	5350.000	46.03	4.22	54.0	7.97	AV	18.00	200	Horizontal	Pass
2	5430.795	58.49	4.44	74.0	15.51	Peak	13.00	100	Horizontal	Pass
2**	5430.795	47.10	4.44	54.0	6.90	AV	13.00	100	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5015.450	58.40	3.20	74.0	15.60	Peak	360.00	200	Vertical	Pass
1**	5015.450	46.01	3.20	54.0	7.99	AV	360.00	200	Vertical	Pass
2	5149.675	56.27	3.93	74.0	17.73	Peak	136.00	200	Vertical	Pass
2**	5149.675	47.15	3.93	54.0	6.85	AV	136.00	200	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.12	4.21	74.0	17.88	Peak	233.00	100	Vertical	Pass
1**	5350.055	46.22	4.21	54.0	7.78	AV	233.00	100	Vertical	Pass
2	5454.665	59.11	5.58	74.0	14.89	Peak	24.00	200	Vertical	Pass
2**	5454.665	47.60	5.58	54.0	6.40	AV	24.00	200	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.550	58.59	4.30	74.0	15.41	Peak	131.00	200	Vertical	Pass
1**	5141.550	47.13	4.30	54.0	6.87	AV	131.00	200	Vertical	Pass
2	5149.675	56.63	3.93	74.0	17.37	Peak	225.00	150	Vertical	Pass
2**	5149.675	46.97	3.93	54.0	7.03	AV	225.00	150	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.94	4.21	74.0	18.06	Peak	290.00	150	Vertical	Pass
1**	5350.055	46.05	4.21	54.0	7.95	AV	290.00	150	Vertical	Pass
2	5412.975	58.80	4.05	74.0	15.20	Peak	314.00	150	Vertical	Pass
2**	5412.975	46.88	4.05	54.0	7.12	AV	314.00	150	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5115.875	58.39	4.20	74.0	15.61	Peak	24.00	100	Vertical	Pass
1**	5115.875	46.81	4.20	54.0	7.19	AV	24.00	100	Vertical	Pass
2	5149.675	56.82	3.93	74.0	17.18	Peak	89.00	200	Vertical	Pass
2**	5149.675	46.79	3.93	54.0	7.21	AV	89.00	200	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	63.16	4.22	74.0	10.84	Peak	241.00	150	Vertical	Pass
1**	5350.000	50.91	4.22	54.0	3.09	AV	241.00	150	Vertical	Pass
2	5351.650	63.46	4.17	74.0	10.54	Peak	241.00	150	Vertical	Pass
2**	5351.650	50.83	4.17	54.0	3.17	AV	241.00	150	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.075	58.36	4.31	74.0	15.64	Peak	101.00	150	Vertical	Pass
1**	5134.075	47.21	4.31	54.0	6.79	AV	101.00	150	Vertical	Pass
2	5149.675	57.35	3.93	74.0	16.65	Peak	83.00	200	Vertical	Pass
2**	5149.675	47.11	3.93	54.0	6.89	AV	83.00	200	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.34	4.21	74.0	17.66	Peak	237.00	100	Vertical	Pass
1**	5350.055	45.97	4.21	54.0	8.03	AV	237.00	100	Vertical	Pass
2	5434.700	59.17	4.63	74.0	14.83	Peak	287.00	200	Vertical	Pass
2**	5434.700	47.25	4.63	54.0	6.75	AV	287.00	200	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5131.150	58.60	4.38	74.0	15.40	Peak	338.00	200	Vertical	Pass
1**	5131.150	47.22	4.38	54.0	6.78	AV	338.00	200	Vertical	Pass
2	5149.675	57.08	3.93	74.0	16.92	Peak	289.00	150	Vertical	Pass
2**	5149.675	46.88	3.93	54.0	7.12	AV	289.00	150	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.86	4.22	74.0	18.14	Peak	340.00	100	Vertical	Pass
1**	5350.000	46.55	4.22	54.0	7.45	AV	340.00	100	Vertical	Pass
2	5350.385	59.00	4.20	74.0	15.00	Peak	241.00	200	Vertical	Pass
2**	5350.385	46.47	4.20	54.0	7.53	AV	241.00	200	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.550	58.29	4.51	74.0	15.71	Peak	222.00	150	Vertical	Pass
1**	5102.550	47.11	4.51	54.0	6.89	AV	222.00	150	Vertical	Pass
2	5149.675	55.95	3.93	74.0	18.05	Peak	275.00	100	Vertical	Pass
2**	5149.675	46.98	3.93	54.0	7.02	AV	275.00	100	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.04	4.22	74.0	17.96	Peak	292.00	200	Vertical	Pass
1**	5350.000	46.19	4.22	54.0	7.81	AV	292.00	200	Vertical	Pass
2	5362.815	58.68	4.80	74.0	15.32	Peak	270.00	150	Vertical	Pass
2**	5362.815	46.87	4.80	54.0	7.13	AV	270.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.250	57.99	4.26	74.0	16.01	Peak	305.00	150	Vertical	Pass
1**	5140.250	47.10	4.26	54.0	6.90	AV	305.00	150	Vertical	Pass
2	5149.675	56.82	3.93	74.0	17.18	Peak	196.00	100	Vertical	Pass
2**	5149.675	46.68	3.93	54.0	7.32	AV	196.00	100	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.67	4.21	74.0	16.33	Peak	258.00	100	Vertical	Pass
1**	5350.055	46.81	4.21	54.0	7.19	AV	258.00	100	Vertical	Pass
2	5447.680	58.82	5.40	74.0	15.18	Peak	290.00	150	Vertical	Pass
2**	5447.680	47.33	5.40	54.0	6.67	AV	290.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.025	58.17	4.56	74.0	15.83	Peak	279.00	200	Vertical	Pass
1**	5097.025	46.81	4.56	54.0	7.19	AV	279.00	200	Vertical	Pass
2	5149.675	56.59	3.93	74.0	17.41	Peak	62.00	150	Vertical	Pass
2**	5149.675	46.99	3.93	54.0	7.01	AV	62.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.07	4.21	74.0	15.93	Peak	33.00	200	Vertical	Pass
1**	5350.055	46.03	4.21	54.0	7.97	AV	33.00	200	Vertical	Pass
2	5442.675	59.28	5.28	74.0	14.72	Peak	190.00	150	Vertical	Pass
2**	5442.675	47.47	5.28	54.0	6.53	AV	190.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.900	58.19	4.34	74.0	15.81	Peak	101.00	200	Vertical	Pass
1**	5127.900	46.94	4.34	54.0	7.06	AV	101.00	200	Vertical	Pass
2	5149.675	56.52	3.93	74.0	17.48	Peak	7.00	100	Vertical	Pass
2**	5149.675	46.55	3.93	54.0	7.45	AV	7.00	100	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.69	4.22	74.0	18.31	Peak	245.00	150	Vertical	Pass
1**	5350.000	46.12	4.22	54.0	7.88	AV	245.00	150	Vertical	Pass
2	5450.320	58.44	5.47	74.0	15.56	Peak	153.00	150	Vertical	Pass
2**	5450.320	47.46	5.47	54.0	6.54	AV	153.00	150	Vertical	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5111.325	58.06	4.29	74.0	15.94	Peak	0.00	150	Horizontal	Pass
1**	5111.325	46.78	4.29	54.0	7.22	AV	0.00	150	Horizontal	Pass
2	5149.675	56.19	3.93	74.0	17.81	Peak	360.00	100	Horizontal	Pass
2**	5149.675	46.98	3.93	54.0	7.02	AV	360.00	100	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.48	4.21	74.0	18.52	Peak	37.00	150	Horizontal	Pass
1**	5350.055	45.88	4.21	54.0	8.12	AV	37.00	150	Horizontal	Pass
2	5457.800	58.91	5.60	74.0	15.09	Peak	81.00	100	Horizontal	Pass
2**	5457.800	47.54	5.60	54.0	6.46	AV	81.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5100.925	57.84	4.55	74.0	16.16	Peak	29.00	200	Horizontal	Pass
1**	5100.925	46.89	4.55	54.0	7.11	AV	29.00	200	Horizontal	Pass
2	5149.675	56.06	3.93	74.0	17.94	Peak	67.00	100	Horizontal	Pass
2**	5149.675	46.96	3.93	54.0	7.04	AV	67.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.20	4.21	74.0	16.80	Peak	224.00	200	Horizontal	Pass
1**	5350.055	46.20	4.21	54.0	7.80	AV	224.00	200	Horizontal	Pass
2	5351.980	59.65	4.16	74.0	14.35	Peak	220.00	200	Horizontal	Pass
2**	5351.980	46.09	4.16	54.0	7.91	AV	220.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	57.93	3.87	74.0	16.07	Peak	193.00	200	Horizontal	Pass
1**	5145.450	46.71	3.87	54.0	7.29	AV	193.00	200	Horizontal	Pass
2	5149.675	56.68	3.93	74.0	17.32	Peak	332.00	100	Horizontal	Pass
2**	5149.675	46.92	3.93	54.0	7.08	AV	332.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.58	4.22	74.0	17.42	Peak	341.00	150	Horizontal	Pass
1**	5350.000	46.26	4.22	54.0	7.74	AV	341.00	150	Horizontal	Pass
2	5453.070	58.89	5.66	74.0	15.11	Peak	280.00	150	Horizontal	Pass
2**	5453.070	47.75	5.66	54.0	6.25	AV	280.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.480	59.12	5.44	74.0	14.88	Peak	218.00	150	Horizontal	Pass
1**	5443.480	48.10	5.44	54.0	5.90	AV	218.00	150	Horizontal	Pass
2	5459.980	56.58	5.37	74.0	17.42	Peak	359.00	100	Horizontal	Pass
2**	5459.980	47.07	5.37	54.0	6.93	AV	359.00	100	Horizontal	Pass
3	5469.220	58.78	4.99	68.2	9.42	Peak	221.00	200	Horizontal	Pass
3**	5469.220	47.53	4.99	--	--	AV	221.00	200	Horizontal	N/A
4	5469.940	57.34	5.05	68.2	10.86	Peak	337.00	200	Horizontal	Pass
4**	5469.940	47.27	5.05	--	--	AV	337.00	200	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.22	4.76	68.2	11.98	Peak	19.00	150	Horizontal	Pass
2	5834.687	59.73	5.80	68.2	8.47	Peak	81.00	100	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.780	59.64	5.36	74.0	14.36	Peak	188.00	100	Horizontal	Pass
1**	5446.780	47.23	5.36	54.0	6.77	AV	188.00	100	Horizontal	Pass
2	5459.980	56.28	5.37	74.0	17.72	Peak	34.00	200	Horizontal	Pass
2**	5459.980	47.44	5.37	54.0	6.56	AV	34.00	200	Horizontal	Pass
3	5469.880	58.54	5.05	68.2	9.66	Peak	289.00	200	Horizontal	Pass
3**	5469.880	47.37	5.05	--	--	AV	289.00	200	Horizontal	N/A
4	5469.940	57.24	5.05	68.2	10.96	Peak	358.00	150	Horizontal	Pass
4**	5469.940	47.39	5.05	--	--	AV	358.00	150	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.04	4.76	68.2	11.16	Peak	252.00	100	Horizontal	Pass
2	5837.687	59.44	6.28	68.2	8.76	Peak	335.00	100	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5410.720	58.95	4.17	74.0	15.05	Peak	34.00	100	Horizontal	Pass
1**	5410.720	46.97	4.17	54.0	7.03	AV	34.00	100	Horizontal	Pass
2	5459.980	56.85	5.37	74.0	17.15	Peak	281.00	200	Horizontal	Pass
2**	5459.980	47.67	5.37	54.0	6.33	AV	281.00	200	Horizontal	Pass
3	5466.700	62.71	5.03	68.2	5.49	Peak	223.00	150	Horizontal	Pass
3**	5466.700	50.79	5.03	--	--	AV	223.00	150	Horizontal	N/A
4	5469.940	61.41	5.05	68.2	6.79	Peak	236.00	100	Horizontal	Pass
4**	5469.940	51.86	5.05	--	--	AV	236.00	100	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.64	4.76	68.2	11.56	Peak	287.00	100	Horizontal	Pass
2	5837.437	59.63	6.27	68.2	8.57	Peak	79.00	100	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5434.960	58.97	4.63	74.0	15.03	Peak	285.00	100	Horizontal	Pass
1**	5434.960	47.09	4.63	54.0	6.91	AV	285.00	100	Horizontal	Pass
2	5459.980	56.13	5.37	74.0	17.87	Peak	148.00	100	Horizontal	Pass
2**	5459.980	47.24	5.37	54.0	6.76	AV	148.00	100	Horizontal	Pass
3	5465.920	58.35	5.15	68.2	9.85	Peak	260.00	100	Horizontal	Pass
3**	5465.920	47.01	5.15	--	--	AV	260.00	100	Horizontal	N/A
4	5469.940	56.85	5.05	68.2	11.35	Peak	84.00	200	Horizontal	Pass
4**	5469.940	47.13	5.05	--	--	AV	84.00	200	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.77	4.77	68.2	10.43	Peak	153.00	150	Horizontal	Pass
2	5836.875	59.72	6.15	68.2	8.48	Peak	0.00	200	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5448.640	59.01	5.45	74.0	14.99	Peak	48.00	100	Horizontal	Pass
1**	5448.640	47.37	5.45	54.0	6.63	AV	48.00	100	Horizontal	Pass
2	5459.980	56.65	5.37	74.0	17.35	Peak	148.00	150	Horizontal	Pass
2**	5459.980	47.49	5.37	54.0	6.51	AV	148.00	150	Horizontal	Pass
3	5469.820	59.62	5.05	68.2	8.58	Peak	6.00	200	Horizontal	Pass
3**	5469.820	47.58	5.05	--	--	AV	6.00	200	Horizontal	N/A
4	5469.940	57.29	5.05	68.2	10.91	Peak	112.00	150	Horizontal	Pass
4**	5469.940	47.91	5.05	--	--	AV	112.00	150	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.39	4.76	68.2	10.81	Peak	160.00	100	Horizontal	Pass
2	5785.563	60.15	4.96	68.2	8.05	Peak	54.00	100	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.480	59.39	5.01	74.0	14.61	Peak	275.00	150	Horizontal	Pass
1**	5440.480	47.68	5.01	54.0	6.32	AV	275.00	150	Horizontal	Pass
2	5459.980	56.54	5.37	74.0	17.46	Peak	56.00	200	Horizontal	Pass
2**	5459.980	47.55	5.37	54.0	6.45	AV	56.00	200	Horizontal	Pass
3	5467.000	59.22	4.98	68.2	8.98	Peak	305.00	100	Horizontal	Pass
3**	5467.000	47.69	4.98	--	--	AV	305.00	100	Horizontal	N/A
4	5469.940	57.56	5.05	68.2	10.64	Peak	32.00	150	Horizontal	Pass
4**	5469.940	47.74	5.05	--	--	AV	32.00	150	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.87	4.76	68.2	11.33	Peak	11.00	150	Horizontal	Pass
2	5841.062	59.75	6.28	68.2	8.45	Peak	131.00	200	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.580	59.30	5.64	74.0	14.70	Peak	233.00	100	Horizontal	Pass
1**	5457.580	48.59	5.64	54.0	5.41	AV	233.00	100	Horizontal	Pass
2	5459.980	58.45	5.37	74.0	15.55	Peak	221.00	200	Horizontal	Pass
2**	5459.980	48.20	5.37	54.0	5.80	AV	221.00	200	Horizontal	Pass
3	5462.920	59.21	5.24	68.2	8.99	Peak	359.00	150	Horizontal	Pass
3**	5462.920	47.57	5.24	--	--	AV	359.00	150	Horizontal	N/A
4	5469.940	57.36	5.05	68.2	10.84	Peak	27.00	200	Horizontal	Pass
4**	5469.940	48.49	5.05	--	--	AV	27.00	200	Horizontal	N/A

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.74	4.76	68.2	11.46	Peak	67.00	100	Horizontal	Pass
2	5841.750	59.99	6.25	68.2	8.21	Peak	221.00	100	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.580	58.89	5.64	74.0	15.11	Peak	218.00	200	Horizontal	Pass
1**	5457.580	47.59	5.64	54.0	6.41	AV	218.00	200	Horizontal	Pass
2	5459.980	56.53	5.37	74.0	17.47	Peak	71.00	200	Horizontal	Pass
2**	5459.980	47.16	5.37	54.0	6.84	AV	71.00	200	Horizontal	Pass
3	5462.080	58.25	5.35	68.2	9.95	Peak	320.00	150	Horizontal	Pass
3**	5462.080	47.15	5.35	--	--	AV	320.00	150	Horizontal	N/A
4	5469.940	56.61	5.05	68.2	11.59	Peak	5.00	150	Horizontal	Pass
4**	5469.940	47.06	5.05	--	--	AV	5.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.03	4.76	68.2	11.17	Peak	340.00	150	Horizontal	Pass
2	5848.563	59.51	6.28	68.2	8.69	Peak	17.00	150	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5426.320	58.98	3.86	74.0	15.02	Peak	182.00	150	Horizontal	Pass
1**	5426.320	46.76	3.86	54.0	7.24	AV	182.00	150	Horizontal	Pass
2	5459.980	57.13	5.37	74.0	16.87	Peak	292.00	100	Horizontal	Pass
2**	5459.980	47.42	5.37	54.0	6.58	AV	292.00	100	Horizontal	Pass
3	5461.720	58.90	5.40	68.2	9.30	Peak	333.00	200	Horizontal	Pass
3**	5461.720	47.60	5.40	--	--	AV	333.00	200	Horizontal	N/A
4	5469.940	57.00	5.05	68.2	11.20	Peak	158.00	100	Horizontal	Pass
4**	5469.940	47.81	5.05	--	--	AV	158.00	100	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.13	4.77	68.2	11.07	Peak	154.00	100	Horizontal	Pass
2	5838.875	59.99	6.31	68.2	8.21	Peak	189.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.600	59.95	5.64	74.0	14.05	Peak	264.00	100	Horizontal	Pass
1**	5452.600	47.63	5.64	54.0	6.37	AV	264.00	100	Horizontal	Pass
2	5459.980	57.91	5.37	74.0	16.09	Peak	240.00	150	Horizontal	Pass
2**	5459.980	47.87	5.37	54.0	6.13	AV	240.00	150	Horizontal	Pass
3	5461.120	59.44	5.44	68.2	8.76	Peak	360.00	200	Horizontal	Pass
3**	5461.120	48.00	5.44	--	--	AV	360.00	200	Horizontal	N/A
4	5469.940	57.43	5.05	68.2	10.77	Peak	304.00	200	Horizontal	Pass
4**	5469.940	47.82	5.05	--	--	AV	304.00	200	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.23	4.76	68.2	10.97	Peak	126.00	150	Horizontal	Pass
2	5849.500	59.96	6.41	68.2	8.24	Peak	337.00	100	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.720	59.80	5.62	74.0	14.20	Peak	22.00	200	Horizontal	Pass
1**	5455.720	48.19	5.62	54.0	5.81	AV	22.00	200	Horizontal	Pass
2	5459.980	57.65	5.37	74.0	16.35	Peak	0.00	100	Horizontal	Pass
2**	5459.980	47.78	5.37	54.0	6.22	AV	0.00	100	Horizontal	Pass
3	5465.320	59.32	5.20	68.2	8.88	Peak	331.00	200	Horizontal	Pass
3**	5465.320	48.24	5.20	--	--	AV	331.00	200	Horizontal	N/A
4	5469.940	56.87	5.05	68.2	11.33	Peak	345.00	150	Horizontal	Pass
4**	5469.940	48.64	5.05	--	--	AV	345.00	150	Horizontal	N/A

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.23	4.76	68.2	11.97	Peak	345.00	200	Horizontal	Pass
2	5844.938	59.67	6.31	68.2	8.53	Peak	160.00	200	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.340	58.92	5.60	74.0	15.08	Peak	81.00	200	Horizontal	Pass
1**	5454.340	47.57	5.60	54.0	6.43	AV	81.00	200	Horizontal	Pass
2	5459.980	56.33	5.37	74.0	17.67	Peak	9.00	100	Horizontal	Pass
2**	5459.980	47.36	5.37	54.0	6.64	AV	9.00	100	Horizontal	Pass
3	5465.140	59.46	5.19	68.2	8.74	Peak	23.00	200	Horizontal	Pass
3**	5465.140	47.33	5.19	--	--	AV	23.00	200	Horizontal	N/A
4	5469.940	56.47	5.05	68.2	11.73	Peak	355.00	100	Horizontal	Pass
4**	5469.940	47.01	5.05	--	--	AV	355.00	100	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.12	4.76	68.2	11.08	Peak	270.00	100	Horizontal	Pass
2	5832.000	59.51	5.27	68.2	8.69	Peak	191.00	200	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.780	59.11	5.66	74.0	14.89	Peak	172.00	200	Horizontal	Pass
1**	5452.780	47.42	5.66	54.0	6.58	AV	172.00	200	Horizontal	Pass
2	5459.980	56.80	5.37	74.0	17.20	Peak	221.00	100	Horizontal	Pass
2**	5459.980	47.09	5.37	54.0	6.91	AV	221.00	100	Horizontal	Pass
3	5463.760	60.62	5.17	68.2	7.58	Peak	219.00	150	Horizontal	Pass
3**	5463.760	47.41	5.17	--	--	AV	219.00	150	Horizontal	N/A
4	5469.940	57.37	5.05	68.2	10.83	Peak	0.00	100	Horizontal	Pass
4**	5469.940	47.69	5.05	--	--	AV	0.00	100	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.77	4.77	68.2	11.43	Peak	80.00	150	Horizontal	Pass
2	5848.937	59.96	6.34	68.2	8.24	Peak	74.00	200	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5432.380	58.83	4.61	74.0	15.17	Peak	70.00	100	Horizontal	Pass
1**	5432.380	47.14	4.61	54.0	6.86	AV	70.00	100	Horizontal	Pass
2	5459.980	57.37	5.37	74.0	16.63	Peak	25.00	150	Horizontal	Pass
2**	5459.980	47.20	5.37	54.0	6.80	AV	25.00	150	Horizontal	Pass
3	5465.500	58.10	5.20	68.2	10.10	Peak	316.00	100	Horizontal	Pass
3**	5465.500	47.09	5.20	--	--	AV	316.00	100	Horizontal	N/A
4	5469.940	56.44	5.05	68.2	11.76	Peak	260.00	200	Horizontal	Pass
4**	5469.940	47.35	5.05	--	--	AV	260.00	200	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.54	4.77	68.2	11.66	Peak	315.00	200	Horizontal	Pass
2	5780.938	59.54	5.22	68.2	8.66	Peak	331.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5438.560	59.11	4.82	74.0	14.89	Peak	77.00	200	Horizontal	Pass
1**	5438.560	47.20	4.82	54.0	6.80	AV	77.00	200	Horizontal	Pass
2	5459.980	56.76	5.37	74.0	17.24	Peak	245.00	150	Horizontal	Pass
2**	5459.980	47.26	5.37	54.0	6.74	AV	245.00	150	Horizontal	Pass
3	5462.860	58.39	5.25	68.2	9.81	Peak	296.00	100	Horizontal	Pass
3**	5462.860	47.07	5.25	--	--	AV	296.00	100	Horizontal	N/A
4	5469.940	56.50	5.05	68.2	11.70	Peak	67.00	150	Horizontal	Pass
4**	5469.940	47.18	5.05	--	--	AV	67.00	150	Horizontal	N/A

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.43	4.77	68.2	10.77	Peak	315.00	100	Horizontal	Pass
2	5845.125	59.95	6.31	68.2	8.25	Peak	333.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5361.640	59.32	4.96	74.0	14.68	Peak	231.00	150	Horizontal	Pass
1**	5361.640	46.54	4.96	54.0	7.46	AV	231.00	150	Horizontal	Pass
2	5459.980	56.85	5.37	74.0	17.15	Peak	0.00	200	Horizontal	Pass
2**	5459.980	47.20	5.37	54.0	6.80	AV	0.00	200	Horizontal	Pass
3	5466.100	58.20	5.12	68.2	10.00	Peak	38.00	200	Horizontal	Pass
3**	5466.100	47.03	5.12	--	--	AV	38.00	200	Horizontal	N/A
4	5469.940	57.04	5.05	68.2	11.16	Peak	200.00	200	Horizontal	Pass
4**	5469.940	47.29	5.05	--	--	AV	200.00	200	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.35	4.55	68.3	10.95	Peak	290.00	150	Horizontal	Pass
2	5985.900	60.19	5.60	68.2	8.01	Peak	138.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5386.180	58.85	4.65	74.0	15.15	Peak	37.00	100	Horizontal	Pass
1**	5386.180	46.91	4.65	54.0	7.09	AV	37.00	100	Horizontal	Pass
2	5459.980	56.41	5.37	74.0	17.59	Peak	343.00	200	Horizontal	Pass
2**	5459.980	47.08	5.37	54.0	6.92	AV	343.00	200	Horizontal	Pass
3	5463.040	58.63	5.23	68.2	9.57	Peak	325.00	100	Horizontal	Pass
3**	5463.040	46.92	5.23	--	--	AV	325.00	100	Horizontal	N/A
4	5469.940	56.30	5.05	68.2	11.90	Peak	360.00	150	Horizontal	Pass
4**	5469.940	47.22	5.05	--	--	AV	360.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.79	4.55	68.3	11.51	Peak	208.00	200	Horizontal	Pass
2	5999.700	60.80	6.44	68.2	7.40	Peak	302.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5431.960	58.86	4.61	74.0	15.14	Peak	50.00	100	Horizontal	Pass
1**	5431.960	47.19	4.61	54.0	6.81	AV	50.00	100	Horizontal	Pass
2	5459.980	56.74	5.37	74.0	17.26	Peak	281.00	200	Horizontal	Pass
2**	5459.980	47.10	5.37	54.0	6.90	AV	281.00	200	Horizontal	Pass
3	5461.660	58.78	5.41	68.2	9.42	Peak	0.00	100	Horizontal	Pass
3**	5461.660	47.19	5.41	--	--	AV	0.00	100	Horizontal	N/A
4	5469.940	56.48	5.05	68.2	11.72	Peak	293.00	100	Horizontal	Pass
4**	5469.940	47.20	5.05	--	--	AV	293.00	100	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.97	4.55	68.3	11.33	Peak	97.00	100	Horizontal	Pass
2	5995.275	60.57	6.16	68.2	7.63	Peak	8.00	200	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.437	58.71	3.99	68.2	9.49	Peak	319.00	200	Horizontal	Pass
2	5650.000	56.42	4.48	68.2	11.78	Peak	6.00	150	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.97	4.55	68.3	11.33	Peak	78.00	150	Horizontal	Pass
2	5994.825	60.26	6.14	68.2	7.94	Peak	323.00	200	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.562	58.65	4.27	68.2	9.55	Peak	19.00	150	Horizontal	Pass
2	5650.000	56.01	4.48	68.2	12.19	Peak	177.00	200	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.38	4.55	68.3	10.92	Peak	215.00	100	Horizontal	Pass
2	5969.025	60.54	6.77	68.2	7.66	Peak	265.00	200	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5623.312	59.43	3.78	68.2	8.77	Peak	102.00	150	Horizontal	Pass
2	5650.000	56.58	4.48	68.2	11.62	Peak	79.00	200	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.11	4.55	68.3	11.19	Peak	172.00	100	Horizontal	Pass
2	5968.500	60.66	6.83	68.2	7.54	Peak	17.00	200	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.875	58.70	4.14	68.2	9.50	Peak	138.00	200	Horizontal	Pass
2	5650.000	56.40	4.48	68.2	11.80	Peak	196.00	100	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.79	4.55	68.3	11.51	Peak	296.00	200	Horizontal	Pass
2	5967.900	60.47	6.90	68.2	7.73	Peak	5.00	100	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5600.500	59.17	4.26	68.2	9.03	Peak	47.00	150	Horizontal	Pass
2	5650.000	55.94	4.48	68.2	12.26	Peak	243.00	100	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.60	4.55	68.3	10.70	Peak	360.00	200	Horizontal	Pass
2	5995.050	60.43	6.15	68.2	7.77	Peak	2.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.062	58.47	4.28	68.2	9.73	Peak	20.00	100	Horizontal	Pass
2	5650.000	56.58	4.48	68.2	11.62	Peak	51.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.61	4.55	68.3	11.69	Peak	82.00	100	Horizontal	Pass
2	5964.525	60.75	6.43	68.2	7.45	Peak	349.00	200	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.187	58.66	3.87	68.2	9.54	Peak	184.00	100	Horizontal	Pass
2	5650.000	56.16	4.48	68.2	12.04	Peak	187.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.65	4.55	68.3	10.65	Peak	360.00	150	Horizontal	Pass
2	5968.050	60.02	6.88	68.2	8.18	Peak	250.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.313	59.16	4.06	68.2	9.04	Peak	302.00	100	Horizontal	Pass
2	5650.000	56.15	4.48	68.2	12.05	Peak	165.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.91	4.55	68.3	11.39	Peak	124.00	150	Horizontal	Pass
2	5987.250	60.82	5.66	68.2	7.38	Peak	295.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5619.438	59.06	3.80	68.2	9.14	Peak	223.00	150	Horizontal	Pass
2	5650.000	55.55	4.48	68.2	12.65	Peak	272.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.64	4.55	68.3	11.66	Peak	163.00	200	Horizontal	Pass
2	5999.250	60.47	6.47	68.2	7.73	Peak	73.00	200	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.125	58.85	4.05	68.2	9.35	Peak	349.00	100	Horizontal	Pass
2	5650.000	57.41	4.48	68.2	10.79	Peak	333.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.57	4.55	68.3	10.73	Peak	279.00	100	Horizontal	Pass
2	5967.000	60.52	6.97	68.2	7.68	Peak	145.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.687	58.56	4.04	68.2	9.64	Peak	194.00	100	Horizontal	Pass
2	5650.000	56.50	4.48	68.2	11.70	Peak	51.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.04	4.55	68.3	10.26	Peak	50.00	100	Horizontal	Pass
2	5993.175	60.71	5.90	68.2	7.49	Peak	26.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.500	58.49	4.06	68.2	9.71	Peak	21.00	200	Horizontal	Pass
2	5650.000	56.38	4.48	68.2	11.82	Peak	46.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.21	4.55	68.3	11.09	Peak	79.00	100	Horizontal	Pass
2	5967.675	60.42	6.92	68.2	7.78	Peak	347.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.500	58.76	5.68	74.0	15.24	Peak	360.00	200	Horizontal	Pass
1**	5456.500	47.52	5.68	54.0	6.48	AV	360.00	200	Horizontal	Pass
2	5459.980	57.41	5.37	74.0	16.59	Peak	280.00	150	Horizontal	Pass
2**	5459.980	47.19	5.37	54.0	6.81	AV	280.00	150	Horizontal	Pass
3	5463.220	58.72	5.20	68.2	9.48	Peak	211.00	100	Horizontal	Pass
3**	5463.220	47.14	5.20	--	--	AV	211.00	100	Horizontal	N/A
4	5469.940	57.19	5.05	68.2	11.01	Peak	124.00	100	Horizontal	Pass
4**	5469.940	47.09	5.05	--	--	AV	124.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.46	4.55	68.3	10.84	Peak	304.00	100	Horizontal	Pass
2	5999.325	60.53	6.47	68.2	7.67	Peak	323.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5432.980	59.16	4.61	74.0	14.84	Peak	100.00	150	Horizontal	Pass
1**	5432.980	47.17	4.61	54.0	6.83	AV	100.00	150	Horizontal	Pass
2	5459.980	57.30	5.37	74.0	16.70	Peak	14.00	100	Horizontal	Pass
2**	5459.980	47.06	5.37	54.0	6.94	AV	14.00	100	Horizontal	Pass
3	5468.920	58.83	4.97	68.2	9.37	Peak	167.00	200	Horizontal	Pass
3**	5468.920	47.04	4.97	--	--	AV	167.00	200	Horizontal	N/A
4	5469.940	56.18	5.05	68.2	12.02	Peak	235.00	200	Horizontal	Pass
4**	5469.940	47.17	5.05	--	--	AV	235.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.76	4.55	68.3	11.54	Peak	20.00	150	Horizontal	Pass
2	5993.250	59.93	5.91	68.2	8.27	Peak	175.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.740	58.82	5.70	74.0	15.18	Peak	214.00	150	Horizontal	Pass
1**	5456.740	47.66	5.70	54.0	6.34	AV	214.00	150	Horizontal	Pass
2	5459.980	56.08	5.37	74.0	17.92	Peak	104.00	100	Horizontal	Pass
2**	5459.980	47.05	5.37	54.0	6.95	AV	104.00	100	Horizontal	Pass
3	5466.040	58.67	5.13	68.2	9.53	Peak	104.00	100	Horizontal	Pass
3**	5466.040	47.12	5.13	--	--	AV	104.00	100	Horizontal	N/A
4	5469.940	56.90	5.05	68.2	11.30	Peak	219.00	200	Horizontal	Pass
4**	5469.940	47.17	5.05	--	--	AV	219.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.16	4.55	68.3	11.14	Peak	164.00	150	Horizontal	Pass
2	5987.100	60.52	5.65	68.2	7.68	Peak	73.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.060	58.93	5.36	74.0	15.07	Peak	112.00	100	Horizontal	Pass
1**	5443.060	47.48	5.36	54.0	6.52	AV	112.00	100	Horizontal	Pass
2	5459.980	56.62	5.37	74.0	17.38	Peak	147.00	100	Horizontal	Pass
2**	5459.980	47.14	5.37	54.0	6.86	AV	147.00	100	Horizontal	Pass
3	5464.120	58.37	5.18	68.2	9.83	Peak	72.00	200	Horizontal	Pass
3**	5464.120	47.16	5.18	--	--	AV	72.00	200	Horizontal	N/A
4	5469.940	56.61	5.05	68.2	11.59	Peak	136.00	150	Horizontal	Pass
4**	5469.940	47.11	5.05	--	--	AV	136.00	150	Horizontal	N/A

U-NII-2C&U-NII-3 11ac20 CH144



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.89	4.55	68.3	11.41	Peak	311.00	200	Horizontal	Pass
2	5985.825	60.03	5.60	68.2	8.17	Peak	0.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 CH142



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.000	58.98	5.40	74.0	15.02	Peak	348.00	150	Horizontal	Pass
1**	5446.000	47.30	5.40	54.0	6.70	AV	348.00	150	Horizontal	Pass
2	5459.980	57.11	5.37	74.0	16.89	Peak	258.00	200	Horizontal	Pass
2**	5459.980	47.23	5.37	54.0	6.77	AV	258.00	200	Horizontal	Pass
3	5460.940	58.31	5.43	68.2	9.89	Peak	12.00	100	Horizontal	Pass
3**	5460.940	47.46	5.43	--	--	AV	12.00	100	Horizontal	N/A
4	5469.940	56.52	5.05	68.2	11.68	Peak	38.00	150	Horizontal	Pass
4**	5469.940	47.08	5.05	--	--	AV	38.00	150	Horizontal	N/A