



U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.12	4.55	68.3	11.18	Peak	64.00	100	Horizontal	Pass
2	5996.625	60.17	6.21	68.2	8.03	Peak	275.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.600	59.25	5.64	74.0	14.75	Peak	360.00	100	Horizontal	Pass
1**	5452.600	47.32	5.64	54.0	6.68	AV	360.00	100	Horizontal	Pass
2	5459.980	57.09	5.37	74.0	16.91	Peak	230.00	100	Horizontal	Pass
2**	5459.980	47.14	5.37	54.0	6.86	AV	230.00	100	Horizontal	Pass
3	5464.720	58.67	5.19	68.2	9.53	Peak	249.00	100	Horizontal	Pass
3**	5464.720	47.12	5.19	--	--	AV	249.00	100	Horizontal	N/A
4	5469.940	56.19	5.05	68.2	12.01	Peak	0.00	150	Horizontal	Pass
4**	5469.940	47.24	5.05	--	--	AV	0.00	150	Horizontal	N/A

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.49	4.55	68.3	10.81	Peak	107.00	100	Horizontal	Pass
2	5994.900	60.99	6.14	68.2	7.21	Peak	174.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.240	58.96	5.37	74.0	15.04	Peak	58.00	150	Horizontal	Pass
1**	5446.240	47.53	5.37	54.0	6.47	AV	58.00	150	Horizontal	Pass
2	5459.980	57.17	5.37	74.0	16.83	Peak	48.00	200	Horizontal	Pass
2**	5459.980	47.13	5.37	54.0	6.87	AV	48.00	200	Horizontal	Pass
3	5461.480	58.27	5.43	68.2	9.93	Peak	96.00	100	Horizontal	Pass
3**	5461.480	47.53	5.43	--	--	AV	96.00	100	Horizontal	N/A
4	5469.940	56.90	5.05	68.2	11.30	Peak	330.00	150	Horizontal	Pass
4**	5469.940	47.23	5.05	--	--	AV	330.00	150	Horizontal	N/A

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.01	4.55	68.3	11.29	Peak	216.00	100	Horizontal	Pass
2	5998.725	60.53	6.47	68.2	7.67	Peak	98.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.200	58.92	5.09	74.0	15.08	Peak	0.00	200	Horizontal	Pass
1**	5441.200	47.19	5.09	54.0	6.81	AV	0.00	200	Horizontal	Pass
2	5459.980	57.47	5.37	74.0	16.53	Peak	242.00	100	Horizontal	Pass
2**	5459.980	47.26	5.37	54.0	6.74	AV	242.00	100	Horizontal	Pass
3	5460.340	58.92	5.39	68.2	9.28	Peak	121.00	100	Horizontal	Pass
3**	5460.340	47.24	5.39	--	--	AV	121.00	100	Horizontal	N/A
4	5469.940	56.39	5.05	68.2	11.81	Peak	232.00	100	Horizontal	Pass
4**	5469.940	47.04	5.05	--	--	AV	232.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.92	4.55	68.3	11.38	Peak	39.00	200	Horizontal	Pass
2	5998.200	60.47	6.40	68.2	7.73	Peak	191.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.920	58.71	5.54	74.0	15.29	Peak	334.00	150	Horizontal	Pass
1**	5444.920	47.44	5.54	54.0	6.56	AV	334.00	150	Horizontal	Pass
2	5459.980	57.70	5.37	74.0	16.30	Peak	190.00	100	Horizontal	Pass
2**	5459.980	47.22	5.37	54.0	6.78	AV	190.00	100	Horizontal	Pass
3	5460.520	58.37	5.40	68.2	9.83	Peak	127.00	200	Horizontal	Pass
3**	5460.520	47.21	5.40	--	--	AV	127.00	200	Horizontal	N/A
4	5469.940	57.37	5.05	68.2	10.83	Peak	142.00	100	Horizontal	Pass
4**	5469.940	47.16	5.05	--	--	AV	142.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.89	4.55	68.3	10.41	Peak	350.00	100	Horizontal	Pass
2	5995.275	60.91	6.16	68.2	7.29	Peak	200.00	100	Horizontal	Pass

U-NII-5 11ax20(SU) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5622.400	59.72	4.78	88.2	28.48	Peak	0.00	100	Vertical	Pass
1**	5622.400	48.12	4.78	68.2	20.08	AV	0.00	100	Vertical	Pass
2	5924.788	56.03	3.47	88.2	32.17	Peak	3.00	150	Vertical	Pass
2**	5924.788	46.40	3.47	68.2	21.80	AV	3.00	150	Vertical	Pass

U-NII-5 11ax40(SU) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.963	59.68	4.74	88.2	28.52	Peak	197.00	100	Vertical	Pass
1**	5631.963	48.26	4.74	68.2	19.94	AV	197.00	100	Vertical	Pass
2	5924.788	56.68	3.47	88.2	31.52	Peak	153.00	100	Vertical	Pass
2**	5924.788	46.46	3.47	68.2	21.74	AV	153.00	100	Vertical	Pass

U-NII-5 11ax80(SU) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.350	59.74	4.83	88.2	28.46	Peak	187.00	150	Vertical	Pass
1**	5628.350	48.13	4.83	68.2	20.07	AV	187.00	150	Vertical	Pass
2	5924.788	56.57	3.47	88.2	31.63	Peak	3.00	150	Vertical	Pass
2**	5924.788	46.30	3.47	68.2	21.90	AV	3.00	150	Vertical	Pass

U-NII-5 11ax160(SU) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.225	59.76	4.72	88.2	28.44	Peak	336.00	0	Vertical	Pass
1**	5626.225	48.13	4.72	68.2	20.07	AV	336.00	0	Vertical	Pass
2	5924.788	56.09	3.47	88.2	32.11	Peak	137.00	150	Vertical	Pass
2**	5924.788	47.28	3.47	68.2	20.92	AV	137.00	150	Vertical	Pass

U-NII-5 11ax20(RU26) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5602.425	59.75	5.16	88.2	28.45	Peak	249.00	100	Vertical	Pass
1**	5602.425	48.17	5.16	68.2	20.03	AV	249.00	100	Vertical	Pass
2	5924.788	55.58	3.47	88.2	32.62	Peak	233.00	150	Vertical	Pass
2**	5924.788	46.35	3.47	68.2	21.85	AV	233.00	150	Vertical	Pass

U-NII-5 11ax40(RU26) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5677.225	59.76	4.10	88.2	28.44	Peak	354.00	100	Vertical	Pass
1**	5677.225	47.69	4.10	68.2	20.51	AV	354.00	100	Vertical	Pass
2	5924.788	55.19	3.47	88.2	33.01	Peak	170.00	150	Vertical	Pass
2**	5924.788	46.63	3.47	68.2	21.57	AV	170.00	150	Vertical	Pass

U-NII-5 11ax80(RU26) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.600	59.30	4.79	88.2	28.90	Peak	120.00	150	Vertical	Pass
1**	5632.600	48.24	4.79	68.2	19.96	AV	120.00	150	Vertical	Pass
2	5924.788	56.30	3.47	88.2	31.90	Peak	298.00	150	Vertical	Pass
2**	5924.788	46.53	3.47	68.2	21.67	AV	298.00	150	Vertical	Pass

U-NII-5 11ax160(RU26) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.950	60.13	4.57	88.2	28.07	Peak	261.00	0	Vertical	Pass
1**	5624.950	47.92	4.57	68.2	20.28	AV	261.00	0	Vertical	Pass
2	5924.788	55.21	3.47	88.2	32.99	Peak	326.00	200	Vertical	Pass
2**	5924.788	46.38	3.47	68.2	21.82	AV	326.00	200	Vertical	Pass

U-NII-8 11ax20(SU) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	69.94	6.90	88.2	18.26	Peak	329.00	200	Vertical	Pass
1**	7125.063	58.98	6.90	68.2	9.22	AV	329.00	200	Vertical	Pass
2	7125.562	71.17	6.91	88.2	17.03	Peak	313.00	150	Vertical	Pass
2**	7125.562	58.74	6.91	68.2	9.46	AV	313.00	150	Vertical	Pass

U-NII-8 11ax20(SU) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	71.83	6.89	88.2	16.37	Peak	319.00	100	Vertical	Pass
1**	7125.000	64.45	6.89	68.2	3.75	AV	319.00	100	Vertical	Pass
2	7125.188	68.32	6.91	88.2	19.88	Peak	332.00	200	Vertical	Pass
2**	7125.188	61.86	6.91	68.2	6.34	AV	332.00	200	Vertical	Pass

U-NII-8 11ax40(SU) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.39	6.90	88.2	28.81	Peak	260.00	100	Vertical	Pass
1**	7125.063	49.69	6.90	68.2	18.51	AV	260.00	100	Vertical	Pass
2	7199.500	63.99	10.24	88.2	24.21	Peak	29.00	100	Vertical	Pass
2**	7199.500	52.72	10.24	68.2	15.48	AV	29.00	100	Vertical	Pass

U-NII-8 11ax80(SU) CH215




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	60.40	6.90	88.2	27.80	Peak	4.00	200	Vertical	Pass
1**	7125.063	49.58	6.90	68.2	18.62	AV	4.00	200	Vertical	Pass
2	7197.750	63.90	10.24	88.2	24.30	Peak	85.00	200	Vertical	Pass
2**	7197.750	52.80	10.24	68.2	15.40	AV	85.00	200	Vertical	Pass

U-NII-8 11ax160(SU) CH207




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.24	6.89	88.2	28.96	Peak	53.00	150	Vertical	Pass
1**	7125.000	49.71	6.89	68.2	18.49	AV	53.00	150	Vertical	Pass
2	7196.750	63.75	10.13	88.2	24.45	Peak	96.00	150	Vertical	Pass
2**	7196.750	52.48	10.13	68.2	15.72	AV	96.00	150	Vertical	Pass

U-NII-8 11ax20(RU26) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	61.85	6.89	88.2	26.35	Peak	58.00	200	Vertical	Pass
1**	7125.000	53.14	6.89	68.2	15.06	AV	58.00	200	Vertical	Pass
2	7125.313	68.48	6.91	88.2	19.72	Peak	316.00	200	Vertical	Pass
2**	7125.313	51.62	6.91	68.2	16.58	AV	316.00	200	Vertical	Pass

U-NII-8 11ax20(RU26) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	72.25	6.89	88.2	15.95	Peak	318.00	150	Vertical	Pass
1**	7125.000	63.36	6.89	68.2	4.84	AV	318.00	150	Vertical	Pass
2	7125.313	67.95	6.91	88.2	20.25	Peak	326.00	200	Vertical	Pass
2**	7125.313	57.45	6.91	68.2	10.75	AV	326.00	200	Vertical	Pass

U-NII-8 11ax40(RU26) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	61.42	6.90	88.2	26.78	Peak	56.00	150	Vertical	Pass
1**	7125.063	49.74	6.90	68.2	18.46	AV	56.00	150	Vertical	Pass
2	7127.312	65.80	6.88	88.2	22.40	Peak	290.00	100	Vertical	Pass
2**	7127.312	49.51	6.88	68.2	18.69	AV	290.00	100	Vertical	Pass

U-NII-8 11ax80(RU26) CH215



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.48	6.89	88.2	28.72	Peak	238.00	150	Vertical	Pass
1**	7125.000	49.65	6.89	68.2	18.55	AV	238.00	150	Vertical	Pass
2	7200.875	63.85	10.02	88.2	24.35	Peak	344.00	150	Vertical	Pass
2**	7200.875	52.37	10.02	68.2	15.83	AV	344.00	150	Vertical	Pass


U-NII-8 11ax160(RU26) CH207



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.30	6.89	88.2	28.90	Peak	352.00	100	Vertical	Pass
1**	7125.000	49.73	6.89	68.2	18.47	AV	352.00	100	Vertical	Pass
2	7202.438	64.52	9.77	88.2	23.68	Peak	336.00	100	Vertical	Pass
2**	7202.438	52.16	9.77	68.2	16.04	AV	336.00	100	Vertical	Pass


Aux. Antenna

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4808.100	58.59	3.94	74.0	15.41	Peak	279.00	100	Horizontal	Pass
1**	4808.100	46.92	3.94	54.0	7.08	AV	279.00	100	Horizontal	Pass
2	5149.675	55.89	3.93	74.0	18.11	Peak	231.00	150	Horizontal	Pass
2**	5149.675	46.79	3.93	54.0	7.21	AV	231.00	150	Horizontal	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.76	4.21	74.0	18.24	Peak	18.00	100	Horizontal	Pass
1**	5350.055	46.16	4.21	54.0	7.84	AV	18.00	100	Horizontal	Pass
2	5453.290	58.90	5.65	74.0	15.10	Peak	298.00	100	Horizontal	Pass
2**	5453.290	47.31	5.65	54.0	6.69	AV	298.00	100	Horizontal	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4791.850	59.14	4.41	74.0	14.86	Peak	206.00	100	Horizontal	Pass
1**	4791.850	46.50	4.41	54.0	7.50	AV	206.00	100	Horizontal	Pass
2	5149.675	56.90	3.93	74.0	17.10	Peak	298.00	100	Horizontal	Pass
2**	5149.675	46.91	3.93	54.0	7.09	AV	298.00	100	Horizontal	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.12	4.21	74.0	17.88	Peak	296.00	100	Horizontal	Pass
1**	5350.055	46.09	4.21	54.0	7.91	AV	296.00	100	Horizontal	Pass
2	5442.895	59.44	5.33	74.0	14.56	Peak	30.00	100	Horizontal	Pass
2**	5442.895	47.74	5.33	54.0	6.26	AV	30.00	100	Horizontal	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4953.050	57.91	3.75	74.0	16.09	Peak	265.00	100	Horizontal	Pass
1**	4953.050	45.84	3.75	54.0	8.16	AV	265.00	100	Horizontal	Pass
2	5149.675	56.29	3.93	74.0	17.71	Peak	8.00	150	Horizontal	Pass
2**	5149.675	47.10	3.93	54.0	6.90	AV	8.00	150	Horizontal	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.98	4.22	74.0	18.02	Peak	160.00	150	Horizontal	Pass
1**	5350.000	46.07	4.22	54.0	7.93	AV	160.00	150	Horizontal	Pass
2	5431.840	59.65	4.61	74.0	14.35	Peak	125.00	100	Horizontal	Pass
2**	5431.840	47.37	4.61	54.0	6.63	AV	125.00	100	Horizontal	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4917.950	58.79	3.67	74.0	15.21	Peak	360.00	200	Horizontal	Pass
1**	4917.950	46.22	3.67	54.0	7.78	AV	360.00	200	Horizontal	Pass
2	5149.675	56.48	3.93	74.0	17.52	Peak	289.00	200	Horizontal	Pass
2**	5149.675	47.07	3.93	54.0	6.93	AV	289.00	200	Horizontal	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.27	4.22	74.0	17.73	Peak	138.00	100	Horizontal	Pass
1**	5350.000	46.20	4.22	54.0	7.80	AV	138.00	100	Horizontal	Pass
2	5445.535	59.53	5.46	74.0	14.47	Peak	174.00	150	Horizontal	Pass
2**	5445.535	47.59	5.46	54.0	6.41	AV	174.00	150	Horizontal	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5098.325	57.89	4.62	74.0	16.11	Peak	80.00	100	Horizontal	Pass
1**	5098.325	47.13	4.62	54.0	6.87	AV	80.00	100	Horizontal	Pass
2	5149.675	55.94	3.93	74.0	18.06	Peak	90.00	150	Horizontal	Pass
2**	5149.675	47.35	3.93	54.0	6.65	AV	90.00	150	Horizontal	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.62	4.22	74.0	18.38	Peak	123.00	150	Horizontal	Pass
1**	5350.000	46.44	4.22	54.0	7.56	AV	123.00	150	Horizontal	Pass
2	5390.535	58.84	4.51	74.0	15.16	Peak	83.00	200	Horizontal	Pass
2**	5390.535	47.05	4.51	54.0	6.95	AV	83.00	200	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4765.850	58.96	3.88	74.0	15.04	Peak	147.00	100	Horizontal	Pass
1**	4765.850	46.44	3.88	54.0	7.56	AV	147.00	100	Horizontal	Pass
2	5149.675	56.44	3.93	74.0	17.56	Peak	111.00	100	Horizontal	Pass
2**	5149.675	46.82	3.93	54.0	7.18	AV	111.00	100	Horizontal	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.52	4.21	74.0	16.48	Peak	245.00	100	Horizontal	Pass
1**	5350.055	45.97	4.21	54.0	8.03	AV	245.00	100	Horizontal	Pass
2	5441.905	59.47	5.16	74.0	14.53	Peak	112.00	100	Horizontal	Pass
2**	5441.905	47.41	5.16	54.0	6.59	AV	112.00	100	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5107.425	58.38	4.32	74.0	15.62	Peak	204.00	150	Horizontal	Pass
1**	5107.425	47.23	4.32	54.0	6.77	AV	204.00	150	Horizontal	Pass
2	5149.675	58.10	3.93	74.0	15.90	Peak	24.00	100	Horizontal	Pass
2**	5149.675	47.16	3.93	54.0	6.84	AV	24.00	100	Horizontal	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.89	4.22	74.0	18.11	Peak	263.00	200	Horizontal	Pass
1**	5350.000	46.23	4.22	54.0	7.77	AV	263.00	200	Horizontal	Pass
2	5440.585	58.85	5.02	74.0	15.15	Peak	278.00	200	Horizontal	Pass
2**	5440.585	47.67	5.02	54.0	6.33	AV	278.00	200	Horizontal	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.675	58.70	4.61	74.0	15.30	Peak	258.00	150	Horizontal	Pass
1**	5097.675	47.34	4.61	54.0	6.66	AV	258.00	150	Horizontal	Pass
2	5149.675	56.51	3.93	74.0	17.49	Peak	100.00	150	Horizontal	Pass
2**	5149.675	46.96	3.93	54.0	7.04	AV	100.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.82	4.21	74.0	18.18	Peak	10.00	200	Horizontal	Pass
1**	5350.055	46.22	4.21	54.0	7.78	AV	10.00	200	Horizontal	Pass
2	5456.755	59.06	5.70	74.0	14.94	Peak	341.00	100	Horizontal	Pass
2**	5456.755	47.31	5.70	54.0	6.69	AV	341.00	100	Horizontal	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.675	58.25	4.15	74.0	15.75	Peak	31.00	150	Horizontal	Pass
1**	5123.675	47.07	4.15	54.0	6.93	AV	31.00	150	Horizontal	Pass
2	5149.675	57.16	3.93	74.0	16.84	Peak	7.00	150	Horizontal	Pass
2**	5149.675	47.27	3.93	54.0	6.73	AV	7.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.21	4.22	74.0	17.79	Peak	66.00	200	Horizontal	Pass
1**	5350.000	46.22	4.22	54.0	7.78	AV	66.00	200	Horizontal	Pass
2	5456.315	58.90	5.67	74.0	15.10	Peak	14.00	100	Horizontal	Pass
2**	5456.315	47.64	5.67	54.0	6.36	AV	14.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.900	58.69	4.57	74.0	15.31	Peak	360.00	200	Horizontal	Pass
1**	5101.900	47.77	4.57	54.0	6.23	AV	360.00	200	Horizontal	Pass
2	5149.675	57.28	3.93	74.0	16.72	Peak	312.00	100	Horizontal	Pass
2**	5149.675	47.12	3.93	54.0	6.88	AV	312.00	100	Horizontal	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.84	4.22	74.0	18.16	Peak	45.00	100	Horizontal	Pass
1**	5350.000	46.14	4.22	54.0	7.86	AV	45.00	100	Horizontal	Pass
2	5449.000	59.24	5.45	74.0	14.76	Peak	359.00	150	Horizontal	Pass
2**	5449.000	47.53	5.45	54.0	6.47	AV	359.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.225	58.41	4.29	74.0	15.59	Peak	0.00	100	Horizontal	Pass
1**	5141.225	47.47	4.29	54.0	6.53	AV	0.00	100	Horizontal	Pass
2	5149.675	56.19	3.93	74.0	17.81	Peak	208.00	150	Horizontal	Pass
2**	5149.675	47.30	3.93	54.0	6.70	AV	208.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.08	4.22	74.0	17.92	Peak	255.00	100	Horizontal	Pass
1**	5350.000	46.22	4.22	54.0	7.78	AV	255.00	100	Horizontal	Pass
2	5420.675	59.35	3.57	74.0	14.65	Peak	49.00	200	Horizontal	Pass
2**	5420.675	46.43	3.57	54.0	7.57	AV	49.00	200	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4772.675	58.48	4.59	74.0	15.52	Peak	312.00	200	Horizontal	Pass
1**	4772.675	46.82	4.59	54.0	7.18	AV	312.00	200	Horizontal	Pass
2	5149.675	55.91	3.93	74.0	18.09	Peak	114.00	150	Horizontal	Pass
2**	5149.675	46.65	3.93	54.0	7.35	AV	114.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.87	4.21	74.0	18.13	Peak	359.00	150	Horizontal	Pass
1**	5350.055	46.26	4.21	54.0	7.74	AV	359.00	150	Horizontal	Pass
2	5444.655	59.18	5.57	74.0	14.82	Peak	301.00	100	Horizontal	Pass
2**	5444.655	47.87	5.57	54.0	6.13	AV	301.00	100	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4996.275	58.26	3.99	74.0	15.74	Peak	136.00	200	Horizontal	Pass
1**	4996.275	46.28	3.99	54.0	7.72	AV	136.00	200	Horizontal	Pass
2	5149.675	56.96	3.93	74.0	17.04	Peak	348.00	200	Horizontal	Pass
2**	5149.675	46.69	3.93	54.0	7.31	AV	348.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.67	4.22	74.0	18.33	Peak	121.00	200	Horizontal	Pass
1**	5350.000	45.94	4.22	54.0	8.06	AV	121.00	200	Horizontal	Pass
2	5453.950	59.73	5.62	74.0	14.27	Peak	206.00	150	Horizontal	Pass
2**	5453.950	47.45	5.62	54.0	6.55	AV	206.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5114.900	58.04	4.33	74.0	15.96	Peak	230.00	150	Horizontal	Pass
1**	5114.900	46.77	4.33	54.0	7.23	AV	230.00	150	Horizontal	Pass
2	5149.675	56.36	3.93	74.0	17.64	Peak	76.00	200	Horizontal	Pass
2**	5149.675	46.55	3.93	54.0	7.45	AV	76.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.12	4.21	74.0	17.88	Peak	12.00	200	Horizontal	Pass
1**	5350.055	46.00	4.21	54.0	8.00	AV	12.00	200	Horizontal	Pass
2	5433.105	58.67	4.61	74.0	15.33	Peak	33.00	100	Horizontal	Pass
2**	5433.105	47.27	4.61	54.0	6.73	AV	33.00	100	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5093.775	58.41	4.57	74.0	15.59	Peak	225.00	200	Horizontal	Pass
1**	5093.775	47.09	4.57	54.0	6.91	AV	225.00	200	Horizontal	Pass
2	5149.675	56.87	3.93	74.0	17.13	Peak	162.00	150	Horizontal	Pass
2**	5149.675	46.86	3.93	54.0	7.14	AV	162.00	150	Horizontal	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.30	4.22	74.0	17.70	Peak	309.00	150	Horizontal	Pass
1**	5350.000	46.39	4.22	54.0	7.61	AV	309.00	150	Horizontal	Pass
2	5441.080	58.60	5.08	74.0	15.40	Peak	109.00	100	Horizontal	Pass
2**	5441.080	47.29	5.08	54.0	6.71	AV	109.00	100	Horizontal	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.200	58.62	4.31	74.0	15.38	Peak	360.00	150	Horizontal	Pass
1**	5142.200	47.74	4.31	54.0	6.26	AV	360.00	150	Horizontal	Pass
2	5149.675	56.97	3.93	74.0	17.03	Peak	360.00	150	Horizontal	Pass
2**	5149.675	47.05	3.93	54.0	6.95	AV	360.00	150	Horizontal	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.76	4.21	74.0	18.24	Peak	115.00	150	Horizontal	Pass
1**	5350.055	46.30	4.21	54.0	7.70	AV	115.00	150	Horizontal	Pass
2	5459.065	59.34	5.37	74.0	14.66	Peak	72.00	100	Horizontal	Pass
2**	5459.065	47.25	5.37	54.0	6.75	AV	72.00	100	Horizontal	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5093.775	58.57	4.57	74.0	15.43	Peak	6.00	100	Horizontal	Pass
1**	5093.775	47.14	4.57	54.0	6.86	AV	6.00	100	Horizontal	Pass
2	5149.675	56.44	3.93	74.0	17.56	Peak	205.00	100	Horizontal	Pass
2**	5149.675	47.07	3.93	54.0	6.93	AV	205.00	100	Horizontal	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.38	4.22	74.0	17.62	Peak	336.00	150	Horizontal	Pass
1**	5350.000	46.10	4.22	54.0	7.90	AV	336.00	150	Horizontal	Pass
2	5458.405	59.26	5.49	74.0	14.74	Peak	49.00	150	Horizontal	Pass
2**	5458.405	47.56	5.49	54.0	6.44	AV	49.00	150	Horizontal	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.600	58.82	4.42	74.0	15.18	Peak	26.00	200	Horizontal	Pass
1**	5126.600	47.22	4.42	54.0	6.78	AV	26.00	200	Horizontal	Pass
2	5149.675	57.85	3.93	74.0	16.15	Peak	181.00	150	Horizontal	Pass
2**	5149.675	46.89	3.93	54.0	7.11	AV	181.00	150	Horizontal	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.15	4.21	74.0	17.85	Peak	50.00	150	Horizontal	Pass
1**	5350.055	46.10	4.21	54.0	7.90	AV	50.00	150	Horizontal	Pass
2	5448.615	58.91	5.45	74.0	15.09	Peak	68.00	200	Horizontal	Pass
2**	5448.615	47.36	5.45	54.0	6.64	AV	68.00	200	Horizontal	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5106.125	58.13	4.32	74.0	15.87	Peak	4.00	200	Horizontal	Pass
1**	5106.125	46.75	4.32	54.0	7.25	AV	4.00	200	Horizontal	Pass
2	5149.675	56.46	3.93	74.0	17.54	Peak	275.00	100	Horizontal	Pass
2**	5149.675	46.97	3.93	54.0	7.03	AV	275.00	100	Horizontal	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.68	4.22	74.0	17.32	Peak	71.00	200	Horizontal	Pass
1**	5350.000	46.21	4.22	54.0	7.79	AV	71.00	200	Horizontal	Pass
2	5453.840	58.64	5.62	74.0	15.36	Peak	307.00	150	Horizontal	Pass
2**	5453.840	47.57	5.62	54.0	6.43	AV	307.00	150	Horizontal	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4808.750	58.97	4.01	74.0	15.03	Peak	188.00	200	Horizontal	Pass
1**	4808.750	46.70	4.01	54.0	7.30	AV	188.00	200	Horizontal	Pass
2	5149.675	56.60	3.93	74.0	17.40	Peak	156.00	100	Horizontal	Pass
2**	5149.675	47.27	3.93	54.0	6.73	AV	156.00	100	Horizontal	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.82	4.21	74.0	17.18	Peak	134.00	150	Horizontal	Pass
1**	5350.055	46.12	4.21	54.0	7.88	AV	134.00	150	Horizontal	Pass
2	5457.415	58.77	5.67	74.0	15.23	Peak	146.00	150	Horizontal	Pass
2**	5457.415	47.47	5.67	54.0	6.53	AV	146.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5099.625	58.63	4.55	74.0	15.37	Peak	106.00	150	Horizontal	Pass
1**	5099.625	47.00	4.55	54.0	7.00	AV	106.00	150	Horizontal	Pass
2	5149.675	57.03	3.93	74.0	16.97	Peak	72.00	150	Horizontal	Pass
2**	5149.675	46.99	3.93	54.0	7.01	AV	72.00	150	Horizontal	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.30	4.22	74.0	17.70	Peak	189.00	150	Horizontal	Pass
1**	5350.000	46.07	4.22	54.0	7.93	AV	189.00	150	Horizontal	Pass
2	5448.340	58.58	5.43	74.0	15.42	Peak	320.00	100	Horizontal	Pass
2**	5448.340	47.20	5.43	54.0	6.80	AV	320.00	100	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.300	58.41	4.43	74.0	15.59	Peak	305.00	150	Horizontal	Pass
1**	5125.300	47.70	4.43	54.0	6.30	AV	305.00	150	Horizontal	Pass
2	5149.675	56.63	3.93	74.0	17.37	Peak	132.00	200	Horizontal	Pass
2**	5149.675	47.28	3.93	54.0	6.72	AV	132.00	200	Horizontal	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.88	4.22	74.0	18.12	Peak	87.00	100	Horizontal	Pass
1**	5350.000	46.46	4.22	54.0	7.54	AV	87.00	100	Horizontal	Pass
2	5445.590	58.48	5.45	74.0	15.52	Peak	15.00	200	Horizontal	Pass
2**	5445.590	47.52	5.45	54.0	6.48	AV	15.00	200	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5094.750	58.56	4.52	74.0	15.44	Peak	168.00	100	Horizontal	Pass
1**	5094.750	46.98	4.52	54.0	7.02	AV	168.00	100	Horizontal	Pass
2	5149.675	56.94	3.93	74.0	17.06	Peak	230.00	150	Horizontal	Pass
2**	5149.675	47.05	3.93	54.0	6.95	AV	230.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.80	4.21	74.0	18.20	Peak	95.00	100	Horizontal	Pass
1**	5350.055	45.90	4.21	54.0	8.10	AV	95.00	100	Horizontal	Pass
2	5443.555	58.65	5.45	74.0	15.35	Peak	46.00	150	Horizontal	Pass
2**	5443.555	47.55	5.45	54.0	6.45	AV	46.00	150	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.700	58.71	4.24	74.0	15.29	Peak	6.00	100	Horizontal	Pass
1**	5135.700	47.57	4.24	54.0	6.43	AV	6.00	100	Horizontal	Pass
2	5149.675	56.97	3.93	74.0	17.03	Peak	179.00	100	Horizontal	Pass
2**	5149.675	47.38	3.93	54.0	6.62	AV	179.00	100	Horizontal	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.99	4.21	74.0	18.01	Peak	82.00	200	Horizontal	Pass
1**	5350.055	46.01	4.21	54.0	7.99	AV	82.00	200	Horizontal	Pass
2	5454.115	59.53	5.61	74.0	14.47	Peak	285.00	150	Horizontal	Pass
2**	5454.115	47.49	5.61	54.0	6.51	AV	285.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4812.650	58.41	3.36	74.0	15.59	Peak	118.00	200	Horizontal	Pass
1**	4812.650	46.59	3.36	54.0	7.41	AV	118.00	200	Horizontal	Pass
2	5149.675	55.95	3.93	74.0	18.05	Peak	213.00	200	Horizontal	Pass
2**	5149.675	46.75	3.93	54.0	7.25	AV	213.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.00	4.22	74.0	18.00	Peak	32.00	150	Horizontal	Pass
1**	5350.000	46.13	4.22	54.0	7.87	AV	32.00	150	Horizontal	Pass
2	5433.875	58.68	4.62	74.0	15.32	Peak	277.00	100	Horizontal	Pass
2**	5433.875	46.94	4.62	54.0	7.06	AV	277.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4990.100	58.08	4.18	74.0	15.92	Peak	278.00	100	Horizontal	Pass
1**	4990.100	46.28	4.18	54.0	7.72	AV	278.00	100	Horizontal	Pass
2	5149.675	56.95	3.93	74.0	17.05	Peak	314.00	100	Horizontal	Pass
2**	5149.675	46.74	3.93	54.0	7.26	AV	314.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.71	4.21	74.0	18.29	Peak	321.00	100	Horizontal	Pass
1**	5350.055	46.00	4.21	54.0	8.00	AV	321.00	100	Horizontal	Pass
2	5447.405	58.69	5.39	74.0	15.31	Peak	154.00	200	Horizontal	Pass
2**	5447.405	47.57	5.39	54.0	6.43	AV	154.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.275	58.44	4.44	74.0	15.56	Peak	28.00	150	Horizontal	Pass
1**	5126.275	47.02	4.44	54.0	6.98	AV	28.00	150	Horizontal	Pass
2	5149.675	56.15	3.93	74.0	17.85	Peak	197.00	100	Horizontal	Pass
2**	5149.675	46.83	3.93	54.0	7.17	AV	197.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.02	4.21	74.0	17.98	Peak	62.00	100	Horizontal	Pass
1**	5350.055	46.27	4.21	54.0	7.73	AV	62.00	100	Horizontal	Pass
2	5448.395	58.92	5.44	74.0	15.08	Peak	271.00	150	Horizontal	Pass
2**	5448.395	47.26	5.44	54.0	6.74	AV	271.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5405.380	58.92	4.17	74.0	15.08	Peak	248.00	200	Horizontal	Pass
1**	5405.380	46.65	4.17	54.0	7.35	AV	248.00	200	Horizontal	Pass
2	5459.980	57.09	5.37	74.0	16.91	Peak	341.00	150	Horizontal	Pass
2**	5459.980	47.08	5.37	54.0	6.92	AV	341.00	150	Horizontal	Pass
3	5465.380	58.31	5.20	68.2	9.89	Peak	281.00	200	Horizontal	Pass
3**	5465.380	47.43	5.20	--	--	AV	281.00	200	Horizontal	N/A
4	5469.940	56.69	5.05	68.2	11.51	Peak	242.00	150	Horizontal	Pass
4**	5469.940	47.03	5.05	--	--	AV	242.00	150	Horizontal	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.73	4.77	68.2	11.47	Peak	112.00	200	Horizontal	Pass
2	5844.000	60.85	6.33	68.2	7.35	Peak	191.00	150	Horizontal	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.580	58.64	5.59	74.0	15.36	Peak	305.00	150	Horizontal	Pass
1**	5454.580	47.36	5.59	54.0	6.64	AV	305.00	150	Horizontal	Pass
2	5459.980	56.70	5.37	74.0	17.30	Peak	197.00	200	Horizontal	Pass
2**	5459.980	47.32	5.37	54.0	6.68	AV	197.00	200	Horizontal	Pass
3	5465.800	58.55	5.17	68.2	9.65	Peak	83.00	200	Horizontal	Pass
3**	5465.800	47.42	5.17	--	--	AV	83.00	200	Horizontal	N/A
4	5469.940	56.90	5.05	68.2	11.30	Peak	132.00	200	Horizontal	Pass
4**	5469.940	47.23	5.05	--	--	AV	132.00	200	Horizontal	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.96	4.77	68.2	11.24	Peak	337.00	100	Horizontal	Pass
2	5838.625	60.29	6.31	68.2	7.91	Peak	331.00	200	Horizontal	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.060	59.10	5.39	74.0	14.90	Peak	212.00	100	Horizontal	Pass
1**	5446.060	47.24	5.39	54.0	6.76	AV	212.00	100	Horizontal	Pass
2	5459.980	57.96	5.37	74.0	16.04	Peak	118.00	150	Horizontal	Pass
2**	5459.980	47.42	5.37	54.0	6.58	AV	118.00	150	Horizontal	Pass
3	5469.880	59.92	5.05	68.2	8.28	Peak	286.00	200	Horizontal	Pass
3**	5469.880	48.50	5.05	--	--	AV	286.00	200	Horizontal	N/A
4	5469.940	58.84	5.05	68.2	9.36	Peak	286.00	100	Horizontal	Pass
4**	5469.940	48.99	5.05	--	--	AV	286.00	100	Horizontal	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.33	4.76	68.2	10.87	Peak	99.00	100	Horizontal	Pass
2	5799.500	60.00	4.37	68.2	8.20	Peak	83.00	100	Horizontal	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.920	58.72	5.62	74.0	15.28	Peak	0.00	150	Horizontal	Pass
1**	5453.920	47.47	5.62	54.0	6.53	AV	0.00	150	Horizontal	Pass
2	5459.980	56.54	5.37	74.0	17.46	Peak	202.00	150	Horizontal	Pass
2**	5459.980	47.10	5.37	54.0	6.90	AV	202.00	150	Horizontal	Pass
3	5462.080	58.46	5.35	68.2	9.74	Peak	25.00	200	Horizontal	Pass
3**	5462.080	47.25	5.35	--	--	AV	25.00	200	Horizontal	N/A
4	5469.940	56.85	5.05	68.2	11.35	Peak	138.00	150	Horizontal	Pass
4**	5469.940	47.22	5.05	--	--	AV	138.00	150	Horizontal	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.61	4.77	68.2	11.59	Peak	309.00	100	Horizontal	Pass
2	5840.563	59.78	6.30	68.2	8.42	Peak	69.00	150	Horizontal	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.480	58.82	5.63	74.0	15.18	Peak	21.00	150	Horizontal	Pass
1**	5452.480	47.49	5.63	54.0	6.51	AV	21.00	150	Horizontal	Pass
2	5459.980	56.67	5.37	74.0	17.33	Peak	33.00	200	Horizontal	Pass
2**	5459.980	47.41	5.37	54.0	6.59	AV	33.00	200	Horizontal	Pass
3	5463.220	59.10	5.20	68.2	9.10	Peak	233.00	100	Horizontal	Pass
3**	5463.220	47.03	5.20	--	--	AV	233.00	100	Horizontal	N/A
4	5469.940	57.77	5.05	68.2	10.43	Peak	286.00	100	Horizontal	Pass
4**	5469.940	47.95	5.05	--	--	AV	286.00	100	Horizontal	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.20	4.76	68.2	11.00	Peak	329.00	150	Horizontal	Pass
2	5841.375	59.44	6.26	68.2	8.76	Peak	331.00	200	Horizontal	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5441.620	59.41	5.13	74.0	14.59	Peak	100.00	150	Horizontal	Pass
1**	5441.620	47.37	5.13	54.0	6.63	AV	100.00	150	Horizontal	Pass
2	5459.980	56.76	5.37	74.0	17.24	Peak	252.00	150	Horizontal	Pass
2**	5459.980	48.05	5.37	54.0	5.95	AV	252.00	150	Horizontal	Pass
3	5468.980	59.18	4.97	68.2	9.02	Peak	141.00	100	Horizontal	Pass
3**	5468.980	48.39	4.97	--	--	AV	141.00	100	Horizontal	N/A
4	5469.940	57.28	5.05	68.2	10.92	Peak	53.00	200	Horizontal	Pass
4**	5469.940	47.83	5.05	--	--	AV	53.00	200	Horizontal	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.62	4.76	68.2	11.58	Peak	124.00	100	Horizontal	Pass
2	5850.000	59.75	6.48	68.2	8.45	Peak	8.00	200	Horizontal	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5437.960	59.32	4.77	74.0	14.68	Peak	204.00	100	Horizontal	Pass
1**	5437.960	47.13	4.77	54.0	6.87	AV	204.00	100	Horizontal	Pass
2	5459.980	56.90	5.37	74.0	17.10	Peak	0.00	100	Horizontal	Pass
2**	5459.980	47.46	5.37	54.0	6.54	AV	0.00	100	Horizontal	Pass
3	5461.960	59.23	5.37	68.2	8.97	Peak	196.00	200	Horizontal	Pass
3**	5461.960	47.78	5.37	--	--	AV	196.00	200	Horizontal	N/A
4	5469.940	57.87	5.05	68.2	10.33	Peak	92.00	100	Horizontal	Pass
4**	5469.940	48.02	5.05	--	--	AV	92.00	100	Horizontal	N/A

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.75	4.76	68.2	11.45	Peak	0.00	100	Horizontal	Pass
2	5843.750	59.93	6.33	68.2	8.27	Peak	253.00	150	Horizontal	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.980	58.57	5.53	74.0	15.43	Peak	360.00	200	Horizontal	Pass
1**	5444.980	47.67	5.53	54.0	6.33	AV	360.00	200	Horizontal	Pass
2	5459.980	56.74	5.37	74.0	17.26	Peak	207.00	150	Horizontal	Pass
2**	5459.980	47.32	5.37	54.0	6.68	AV	207.00	150	Horizontal	Pass
3	5460.100	58.42	5.38	68.2	9.78	Peak	20.00	150	Horizontal	Pass
3**	5460.100	47.41	5.38	--	--	AV	20.00	150	Horizontal	N/A
4	5469.940	56.85	5.05	68.2	11.35	Peak	330.00	100	Horizontal	Pass
4**	5469.940	47.87	5.05	--	--	AV	330.00	100	Horizontal	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.88	4.77	68.2	11.32	Peak	164.00	150	Horizontal	Pass
2	5837.313	60.38	6.24	68.2	7.82	Peak	307.00	200	Horizontal	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5449.540	58.74	5.46	74.0	15.26	Peak	0.00	200	Horizontal	Pass
1**	5449.540	47.77	5.46	54.0	6.23	AV	0.00	200	Horizontal	Pass
2	5459.980	57.08	5.37	74.0	16.92	Peak	304.00	100	Horizontal	Pass
2**	5459.980	47.25	5.37	54.0	6.75	AV	304.00	100	Horizontal	Pass
3	5469.160	58.63	4.99	68.2	9.57	Peak	254.00	100	Horizontal	Pass
3**	5469.160	47.63	4.99	--	--	AV	254.00	100	Horizontal	N/A
4	5469.940	56.88	5.05	68.2	11.32	Peak	88.00	150	Horizontal	Pass
4**	5469.940	47.79	5.05	--	--	AV	88.00	150	Horizontal	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.40	4.77	68.2	10.80	Peak	150.00	200	Horizontal	Pass
2	5845.750	60.12	6.30	68.2	8.08	Peak	228.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.500	59.26	5.68	74.0	14.74	Peak	1.00	200	Horizontal	Pass
1**	5456.500	47.42	5.68	54.0	6.58	AV	1.00	200	Horizontal	Pass
2	5459.980	56.22	5.37	74.0	17.78	Peak	258.00	150	Horizontal	Pass
2**	5459.980	47.23	5.37	54.0	6.77	AV	258.00	150	Horizontal	Pass
3	5460.520	58.42	5.40	68.2	9.78	Peak	283.00	200	Horizontal	Pass
3**	5460.520	47.46	5.40	--	--	AV	283.00	200	Horizontal	N/A
4	5469.940	57.54	5.05	68.2	10.66	Peak	52.00	150	Horizontal	Pass
4**	5469.940	47.92	5.05	--	--	AV	52.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.77	4.77	68.2	11.43	Peak	203.00	150	Horizontal	Pass
2	5836.188	59.82	6.01	68.2	8.38	Peak	258.00	200	Horizontal	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5386.420	58.89	4.64	74.0	15.11	Peak	180.00	150	Horizontal	Pass
1**	5386.420	46.69	4.64	54.0	7.31	AV	180.00	150	Horizontal	Pass
2	5459.980	56.89	5.37	74.0	17.11	Peak	50.00	200	Horizontal	Pass
2**	5459.980	47.36	5.37	54.0	6.64	AV	50.00	200	Horizontal	Pass
3	5463.520	59.28	5.17	68.2	8.92	Peak	55.00	200	Horizontal	Pass
3**	5463.520	47.15	5.17	--	--	AV	55.00	200	Horizontal	N/A
4	5469.940	57.38	5.05	68.2	10.82	Peak	261.00	200	Horizontal	Pass
4**	5469.940	47.83	5.05	--	--	AV	261.00	200	Horizontal	N/A

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.55	4.77	68.2	10.65	Peak	233.00	150	Horizontal	Pass
2	5839.187	59.69	6.32	68.2	8.51	Peak	256.00	100	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5434.900	59.09	4.63	74.0	14.91	Peak	0.00	200	Horizontal	Pass
1**	5434.900	47.02	4.63	54.0	6.98	AV	0.00	200	Horizontal	Pass
2	5459.980	56.31	5.37	74.0	17.69	Peak	213.00	100	Horizontal	Pass
2**	5459.980	47.38	5.37	54.0	6.62	AV	213.00	100	Horizontal	Pass
3	5460.580	58.42	5.41	68.2	9.78	Peak	129.00	200	Horizontal	Pass
3**	5460.580	47.26	5.41	--	--	AV	129.00	200	Horizontal	N/A
4	5469.940	57.67	5.05	68.2	10.53	Peak	254.00	150	Horizontal	Pass
4**	5469.940	47.26	5.05	--	--	AV	254.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.07	4.76	68.2	11.13	Peak	248.00	150	Horizontal	Pass
2	5841.625	60.25	6.25	68.2	7.95	Peak	276.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.300	58.82	5.59	74.0	15.18	Peak	165.00	150	Horizontal	Pass
1**	5455.300	47.29	5.59	54.0	6.71	AV	165.00	150	Horizontal	Pass
2	5459.980	57.35	5.37	74.0	16.65	Peak	324.00	100	Horizontal	Pass
2**	5459.980	47.17	5.37	54.0	6.83	AV	324.00	100	Horizontal	Pass
3	5465.380	58.69	5.20	68.2	9.51	Peak	141.00	100	Horizontal	Pass
3**	5465.380	47.12	5.20	--	--	AV	141.00	100	Horizontal	N/A
4	5469.940	56.83	5.05	68.2	11.37	Peak	75.00	200	Horizontal	Pass
4**	5469.940	46.94	5.05	--	--	AV	75.00	200	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.69	4.76	68.2	10.51	Peak	339.00	200	Horizontal	Pass
2	5843.562	59.53	6.32	68.2	8.67	Peak	318.00	100	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.560	59.08	5.58	74.0	14.92	Peak	17.00	150	Horizontal	Pass
1**	5444.560	47.50	5.58	54.0	6.50	AV	17.00	150	Horizontal	Pass
2	5459.980	56.95	5.37	74.0	17.05	Peak	267.00	150	Horizontal	Pass
2**	5459.980	47.42	5.37	54.0	6.58	AV	267.00	150	Horizontal	Pass
3	5460.700	59.23	5.41	68.2	8.97	Peak	281.00	100	Horizontal	Pass
3**	5460.700	47.17	5.41	--	--	AV	281.00	100	Horizontal	N/A
4	5469.940	57.80	5.05	68.2	10.40	Peak	61.00	200	Horizontal	Pass
4**	5469.940	47.18	5.05	--	--	AV	61.00	200	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.03	4.77	68.2	11.17	Peak	26.00	200	Horizontal	Pass
2	5838.125	59.56	6.29	68.2	8.64	Peak	0.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.860	59.26	5.62	74.0	14.74	Peak	0.00	100	Horizontal	Pass
1**	5453.860	47.63	5.62	54.0	6.37	AV	0.00	100	Horizontal	Pass
2	5459.980	57.40	5.37	74.0	16.60	Peak	252.00	100	Horizontal	Pass
2**	5459.980	47.28	5.37	54.0	6.72	AV	252.00	100	Horizontal	Pass
3	5461.540	58.74	5.43	68.2	9.46	Peak	0.00	100	Horizontal	Pass
3**	5461.540	47.14	5.43	--	--	AV	0.00	100	Horizontal	N/A
4	5469.940	56.53	5.05	68.2	11.67	Peak	163.00	150	Horizontal	Pass
4**	5469.940	47.10	5.05	--	--	AV	163.00	150	Horizontal	N/A

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.87	4.76	68.2	11.33	Peak	9.00	200	Horizontal	Pass
2	5849.750	59.82	6.45	68.2	8.38	Peak	118.00	200	Horizontal	Pass

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.100	58.88	5.18	74.0	15.12	Peak	149.00	150	Horizontal	Pass
1**	5442.100	47.49	5.18	54.0	6.51	AV	149.00	150	Horizontal	Pass
2	5459.980	57.04	5.37	74.0	16.96	Peak	163.00	150	Horizontal	Pass
2**	5459.980	47.21	5.37	54.0	6.79	AV	163.00	150	Horizontal	Pass
3	5467.180	58.39	4.95	68.2	9.81	Peak	109.00	150	Horizontal	Pass
3**	5467.180	46.81	4.95	--	--	AV	109.00	150	Horizontal	N/A
4	5469.940	57.01	5.05	68.2	11.19	Peak	68.00	200	Horizontal	Pass
4**	5469.940	47.11	5.05	--	--	AV	68.00	200	Horizontal	N/A

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.32	4.55	68.3	11.98	Peak	271.00	150	Horizontal	Pass
2	5975.700	60.37	6.34	68.2	7.83	Peak	30.00	200	Horizontal	Pass

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.220	59.09	5.20	74.0	14.91	Peak	66.00	150	Horizontal	Pass
1**	5442.220	47.42	5.20	54.0	6.58	AV	66.00	150	Horizontal	Pass
2	5459.980	56.64	5.37	74.0	17.36	Peak	38.00	200	Horizontal	Pass
2**	5459.980	47.21	5.37	54.0	6.79	AV	38.00	200	Horizontal	Pass
3	5462.860	58.84	5.25	68.2	9.36	Peak	109.00	200	Horizontal	Pass
3**	5462.860	47.29	5.25	--	--	AV	109.00	200	Horizontal	N/A
4	5469.940	57.70	5.05	68.2	10.50	Peak	38.00	200	Horizontal	Pass
4**	5469.940	47.12	5.05	--	--	AV	38.00	200	Horizontal	N/A

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.81	4.55	68.3	11.49	Peak	275.00	150	Horizontal	Pass
2	5992.050	60.53	5.77	68.2	7.67	Peak	129.00	200	Horizontal	Pass

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.720	58.88	5.62	74.0	15.12	Peak	315.00	150	Horizontal	Pass
1**	5455.720	47.40	5.62	54.0	6.60	AV	315.00	150	Horizontal	Pass
2	5459.980	56.42	5.37	74.0	17.58	Peak	293.00	100	Horizontal	Pass
2**	5459.980	47.17	5.37	54.0	6.83	AV	293.00	100	Horizontal	Pass
3	5460.340	58.24	5.39	68.2	9.96	Peak	141.00	200	Horizontal	Pass
3**	5460.340	47.09	5.39	--	--	AV	141.00	200	Horizontal	N/A
4	5469.940	57.25	5.05	68.2	10.95	Peak	360.00	100	Horizontal	Pass
4**	5469.940	46.94	5.05	--	--	AV	360.00	100	Horizontal	N/A

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.76	4.55	68.3	11.54	Peak	27.00	100	Horizontal	Pass
2	5993.325	60.45	5.92	68.2	7.75	Peak	360.00	200	Horizontal	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5624.375	58.51	3.79	68.2	9.69	Peak	269.00	150	Horizontal	Pass
2	5650.000	56.02	4.48	68.2	12.18	Peak	359.00	200	Horizontal	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.35	4.55	68.3	10.95	Peak	247.00	200	Horizontal	Pass
2	5997.450	61.09	6.30	68.2	7.11	Peak	197.00	100	Horizontal	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5612.562	58.45	4.06	68.2	9.75	Peak	339.00	200	Horizontal	Pass
2	5650.000	56.18	4.48	68.2	12.02	Peak	339.00	200	Horizontal	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.58	4.55	68.3	11.72	Peak	24.00	200	Horizontal	Pass
2	5967.075	60.66	6.99	68.2	7.54	Peak	349.00	100	Horizontal	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5617.750	59.04	3.87	68.2	9.16	Peak	26.00	200	Horizontal	Pass
2	5650.000	56.20	4.48	68.2	12.00	Peak	222.00	100	Horizontal	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.15	4.55	68.3	11.15	Peak	0.00	100	Horizontal	Pass
2	5994.900	60.38	6.14	68.2	7.82	Peak	50.00	100	Horizontal	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.813	58.28	4.07	68.2	9.92	Peak	290.00	150	Horizontal	Pass
2	5650.000	56.18	4.48	68.2	12.02	Peak	296.00	200	Horizontal	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.20	4.55	68.3	11.10	Peak	68.00	200	Horizontal	Pass
2	5989.725	60.06	5.68	68.2	8.14	Peak	196.00	100	Horizontal	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5623.375	58.48	3.78	68.2	9.72	Peak	88.00	100	Horizontal	Pass
2	5650.000	55.76	4.48	68.2	12.44	Peak	233.00	150	Horizontal	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.71	4.55	68.3	11.59	Peak	245.00	150	Horizontal	Pass
2	5953.200	61.33	6.38	68.2	6.87	Peak	346.00	200	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5614.125	58.52	4.10	68.2	9.68	Peak	13.00	200	Horizontal	Pass
2	5650.000	56.85	4.48	68.2	11.35	Peak	360.00	150	Horizontal	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.11	4.55	68.3	11.19	Peak	54.00	150	Horizontal	Pass
2	5971.050	60.36	6.57	68.2	7.84	Peak	1.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.687	58.57	4.46	68.2	9.63	Peak	282.00	100	Horizontal	Pass
2	5650.000	58.12	4.48	68.2	10.08	Peak	6.00	100	Horizontal	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.17	4.55	68.3	11.13	Peak	318.00	150	Horizontal	Pass
2	5975.400	60.93	6.38	68.2	7.27	Peak	76.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.563	58.49	3.87	68.2	9.71	Peak	272.00	150	Horizontal	Pass
2	5650.000	56.20	4.48	68.2	12.00	Peak	326.00	200	Horizontal	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.09	4.55	68.3	11.21	Peak	230.00	200	Horizontal	Pass
2	5989.425	61.12	5.68	68.2	7.08	Peak	263.00	100	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.062	58.34	3.98	68.2	9.86	Peak	270.00	100	Horizontal	Pass
2	5650.000	55.99	4.48	68.2	12.21	Peak	5.00	200	Horizontal	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.15	4.55	68.3	11.15	Peak	321.00	150	Horizontal	Pass
2	5957.175	60.70	6.27	68.2	7.50	Peak	1.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5616.250	61.51	3.90	68.2	6.69	Peak	217.00	200	Horizontal	Pass
2	5650.000	55.99	4.48	68.2	12.21	Peak	144.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.18	4.55	68.3	11.12	Peak	0.00	200	Horizontal	Pass
2	5962.575	60.59	6.32	68.2	7.61	Peak	44.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5606.875	58.88	4.10	68.2	9.32	Peak	242.00	150	Horizontal	Pass
2	5650.000	56.08	4.48	68.2	12.12	Peak	220.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.84	4.55	68.3	11.46	Peak	198.00	150	Horizontal	Pass
2	5966.850	60.08	6.93	68.2	8.12	Peak	152.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5616.500	58.71	3.88	68.2	9.49	Peak	256.00	100	Horizontal	Pass
2	5650.000	56.27	4.48	68.2	11.93	Peak	276.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.14	4.55	68.3	11.16	Peak	58.00	200	Horizontal	Pass
2	5987.550	61.30	5.67	68.2	6.90	Peak	139.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5439.460	58.65	4.91	74.0	15.35	Peak	196.00	200	Horizontal	Pass
1**	5439.460	47.46	4.91	54.0	6.54	AV	196.00	200	Horizontal	Pass
2	5459.980	56.08	5.37	74.0	17.92	Peak	295.00	150	Horizontal	Pass
2**	5459.980	47.01	5.37	54.0	6.99	AV	295.00	150	Horizontal	Pass
3	5464.180	58.50	5.18	68.2	9.70	Peak	339.00	150	Horizontal	Pass
3**	5464.180	46.98	5.18	--	--	AV	339.00	150	Horizontal	N/A
4	5469.940	56.29	5.05	68.2	11.91	Peak	6.00	100	Horizontal	Pass
4**	5469.940	47.02	5.05	--	--	AV	6.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.87	4.55	68.3	11.43	Peak	244.00	150	Horizontal	Pass
2	5999.625	60.31	6.44	68.2	7.89	Peak	331.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.020	59.00	5.66	74.0	15.00	Peak	159.00	200	Horizontal	Pass
1**	5453.020	47.62	5.66	54.0	6.38	AV	159.00	200	Horizontal	Pass
2	5459.980	56.77	5.37	74.0	17.23	Peak	85.00	100	Horizontal	Pass
2**	5459.980	47.25	5.37	54.0	6.75	AV	85.00	100	Horizontal	Pass
3	5461.600	58.42	5.42	68.2	9.78	Peak	96.00	100	Horizontal	Pass
3**	5461.600	47.17	5.42	--	--	AV	96.00	100	Horizontal	N/A
4	5469.940	56.21	5.05	68.2	11.99	Peak	290.00	150	Horizontal	Pass
4**	5469.940	47.08	5.05	--	--	AV	290.00	150	Horizontal	N/A

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.82	4.55	68.3	10.48	Peak	126.00	150	Horizontal	Pass
2	5975.475	60.32	6.38	68.2	7.88	Peak	51.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.020	59.27	5.54	74.0	14.73	Peak	329.00	200	Horizontal	Pass
1**	5444.020	47.72	5.54	54.0	6.28	AV	329.00	200	Horizontal	Pass
2	5459.980	57.21	5.37	74.0	16.79	Peak	342.00	150	Horizontal	Pass
2**	5459.980	47.34	5.37	54.0	6.66	AV	342.00	150	Horizontal	Pass
3	5463.460	58.19	5.17	68.2	10.01	Peak	245.00	100	Horizontal	Pass
3**	5463.460	46.92	5.17	--	--	AV	245.00	100	Horizontal	N/A
4	5469.940	56.79	5.05	68.2	11.41	Peak	309.00	200	Horizontal	Pass
4**	5469.940	46.99	5.05	--	--	AV	309.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.76	4.55	68.3	11.54	Peak	261.00	200	Horizontal	Pass
2	5996.100	60.41	6.19	68.2	7.79	Peak	275.00	200	Horizontal	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5393.740	58.89	4.51	74.0	15.11	Peak	4.00	150	Horizontal	Pass
1**	5393.740	46.92	4.51	54.0	7.08	AV	4.00	150	Horizontal	Pass
2	5459.980	57.03	5.37	74.0	16.97	Peak	77.00	200	Horizontal	Pass
2**	5459.980	47.00	5.37	54.0	7.00	AV	77.00	200	Horizontal	Pass
3	5466.820	58.20	5.01	68.2	10.00	Peak	58.00	150	Horizontal	Pass
3**	5466.820	47.02	5.01	--	--	AV	58.00	150	Horizontal	N/A
4	5469.940	57.15	5.05	68.2	11.05	Peak	285.00	150	Horizontal	Pass
4**	5469.940	46.95	5.05	--	--	AV	285.00	150	Horizontal	N/A

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.41	4.55	68.3	10.89	Peak	105.00	150	Horizontal	Pass
2	5965.425	60.83	6.58	68.2	7.37	Peak	144.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.740	59.48	5.56	74.0	14.52	Peak	140.00	150	Horizontal	Pass
1**	5444.740	47.63	5.56	54.0	6.37	AV	140.00	150	Horizontal	Pass
2	5459.980	56.80	5.37	74.0	17.20	Peak	280.00	100	Horizontal	Pass
2**	5459.980	47.08	5.37	54.0	6.92	AV	280.00	100	Horizontal	Pass
3	5467.360	58.26	4.92	68.2	9.94	Peak	59.00	200	Horizontal	Pass
3**	5467.360	46.96	4.92	--	--	AV	59.00	200	Horizontal	N/A
4	5469.940	56.84	5.05	68.2	11.36	Peak	129.00	100	Horizontal	Pass
4**	5469.940	47.13	5.05	--	--	AV	129.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.75	4.55	68.3	11.55	Peak	5.00	150	Horizontal	Pass
2	5997.375	60.69	6.29	68.2	7.51	Peak	58.00	150	Horizontal	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5452.060	59.47	5.60	74.0	14.53	Peak	56.00	100	Horizontal	Pass
1**	5452.060	47.30	5.60	54.0	6.70	AV	56.00	100	Horizontal	Pass
2	5459.980	56.33	5.37	74.0	17.67	Peak	109.00	200	Horizontal	Pass
2**	5459.980	47.04	5.37	54.0	6.96	AV	109.00	200	Horizontal	Pass
3	5466.040	58.38	5.13	68.2	9.82	Peak	197.00	200	Horizontal	Pass
3**	5466.040	47.25	5.13	--	--	AV	197.00	200	Horizontal	N/A
4	5469.940	56.48	5.05	68.2	11.72	Peak	215.00	100	Horizontal	Pass
4**	5469.940	47.34	5.05	--	--	AV	215.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.95	4.55	68.3	11.35	Peak	358.00	150	Horizontal	Pass
2	5998.500	60.74	6.44	68.2	7.46	Peak	113.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.320	59.25	5.60	74.0	14.75	Peak	66.00	150	Horizontal	Pass
1**	5444.320	47.51	5.60	54.0	6.49	AV	66.00	150	Horizontal	Pass
2	5459.980	56.44	5.37	74.0	17.56	Peak	59.00	150	Horizontal	Pass
2**	5459.980	47.08	5.37	54.0	6.92	AV	59.00	150	Horizontal	Pass
3	5469.340	58.83	5.00	68.2	9.37	Peak	167.00	100	Horizontal	Pass
3**	5469.340	47.07	5.00	--	--	AV	167.00	100	Horizontal	N/A
4	5469.940	57.41	5.05	68.2	10.79	Peak	110.00	200	Horizontal	Pass
4**	5469.940	47.08	5.05	--	--	AV	110.00	200	Horizontal	N/A

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.78	4.55	68.3	11.52	Peak	163.00	200	Horizontal	Pass
2	5997.750	60.46	6.34	68.2	7.74	Peak	271.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5445.880	59.00	5.42	74.0	15.00	Peak	154.00	100	Horizontal	Pass
1**	5445.880	47.63	5.42	54.0	6.37	AV	154.00	100	Horizontal	Pass
2	5459.980	56.44	5.37	74.0	17.56	Peak	206.00	200	Horizontal	Pass
2**	5459.980	47.32	5.37	54.0	6.68	AV	206.00	200	Horizontal	Pass
3	5461.060	58.41	5.43	68.2	9.79	Peak	0.00	200	Horizontal	Pass
3**	5461.060	47.12	5.43	--	--	AV	0.00	200	Horizontal	N/A
4	5469.940	56.38	5.05	68.2	11.82	Peak	146.00	100	Horizontal	Pass
4**	5469.940	46.96	5.05	--	--	AV	146.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.60	4.55	68.3	10.70	Peak	82.00	100	Horizontal	Pass
2	5998.650	60.46	6.46	68.2	7.74	Peak	44.00	100	Horizontal	Pass

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5455.900	58.60	5.64	74.0	15.40	Peak	219.00	200	Horizontal	Pass
1**	5455.900	47.31	5.64	54.0	6.69	AV	219.00	200	Horizontal	Pass
2	5459.980	56.88	5.37	74.0	17.12	Peak	8.00	200	Horizontal	Pass
2**	5459.980	47.16	5.37	54.0	6.84	AV	8.00	200	Horizontal	Pass
3	5462.080	58.70	5.35	68.2	9.50	Peak	272.00	200	Horizontal	Pass
3**	5462.080	47.38	5.35	--	--	AV	272.00	200	Horizontal	N/A
4	5469.940	57.45	5.05	68.2	10.75	Peak	0.00	100	Horizontal	Pass
4**	5469.940	47.28	5.05	--	--	AV	0.00	100	Horizontal	N/A

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.89	4.55	68.3	11.41	Peak	360.00	100	Horizontal	Pass
2	5997.150	60.49	6.26	68.2	7.71	Peak	90.00	200	Horizontal	Pass

U-NII-5 11ax20(SU) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5593.925	59.46	4.66	88.2	28.74	Peak	311.00	0	Vertical	Pass
1**	5593.925	47.98	4.66	68.2	20.22	AV	311.00	0	Vertical	Pass
2	5924.788	56.74	3.47	88.2	31.46	Peak	331.00	150	Vertical	Pass
2**	5924.788	46.53	3.47	68.2	21.67	AV	331.00	150	Vertical	Pass

U-NII-5 11ax40(SU) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5602.000	59.74	5.18	88.2	28.46	Peak	119.00	200	Vertical	Pass
1**	5602.000	48.36	5.18	68.2	19.84	AV	119.00	200	Vertical	Pass
2	5924.788	56.01	3.47	88.2	32.19	Peak	174.00	100	Vertical	Pass
2**	5924.788	46.26	3.47	68.2	21.94	AV	174.00	100	Vertical	Pass

U-NII-5 11ax80(SU) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5850.413	60.36	5.35	88.2	27.84	Peak	292.00	200	Vertical	Pass
1**	5850.413	48.16	5.35	68.2	20.04	AV	292.00	200	Vertical	Pass
2	5924.788	56.16	3.47	88.2	32.04	Peak	217.00	200	Vertical	Pass
2**	5924.788	46.38	3.47	68.2	21.82	AV	217.00	200	Vertical	Pass

U-NII-5 11ax160(SU) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5629.625	59.89	4.81	88.2	28.31	Peak	71.00	100	Vertical	Pass
1**	5629.625	48.36	4.81	68.2	19.84	AV	71.00	100	Vertical	Pass
2	5924.788	56.09	3.47	88.2	32.11	Peak	21.00	200	Vertical	Pass
2**	5924.788	46.74	3.47	68.2	21.46	AV	21.00	200	Vertical	Pass

U-NII-5 11ax20(RU26) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5669.150	59.47	4.36	88.2	28.73	Peak	313.00	100	Vertical	Pass
1**	5669.150	48.35	4.36	68.2	19.85	AV	313.00	100	Vertical	Pass
2	5924.788	55.69	3.47	88.2	32.51	Peak	176.00	200	Vertical	Pass
2**	5924.788	46.69	3.47	68.2	21.51	AV	176.00	200	Vertical	Pass

U-NII-5 11ax40(RU26) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5763.075	59.81	4.27	88.2	28.39	Peak	197.00	100	Vertical	Pass
1**	5763.075	47.78	4.27	68.2	20.42	AV	197.00	100	Vertical	Pass
2	5924.788	56.07	3.47	88.2	32.13	Peak	288.00	100	Vertical	Pass
2**	5924.788	46.60	3.47	68.2	21.60	AV	288.00	100	Vertical	Pass

U-NII-5 11ax80(RU26) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5777.950	60.06	4.42	88.2	28.14	Peak	134.00	100	Vertical	Pass
1**	5777.950	47.63	4.42	68.2	20.57	AV	134.00	100	Vertical	Pass
2	5924.788	56.10	3.47	88.2	32.10	Peak	292.00	150	Vertical	Pass
2**	5924.788	46.41	3.47	68.2	21.79	AV	292.00	150	Vertical	Pass

U-NII-5 11ax160(RU26) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5660.650	59.81	4.40	88.2	28.39	Peak	298.00	100	Vertical	Pass
1**	5660.650	48.13	4.40	68.2	20.07	AV	298.00	100	Vertical	Pass
2	5924.788	55.94	3.47	88.2	32.26	Peak	122.00	100	Vertical	Pass
2**	5924.788	46.90	3.47	68.2	21.30	AV	122.00	100	Vertical	Pass

U-NII-8 11ax20(SU) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.72	6.90	88.2	28.48	Peak	6.00	100	Vertical	Pass
1**	7125.063	49.48	6.90	68.2	18.72	AV	6.00	100	Vertical	Pass
2	7199.938	64.15	10.17	88.2	24.05	Peak	167.00	200	Vertical	Pass
2**	7199.938	52.56	10.17	68.2	15.64	AV	167.00	200	Vertical	Pass

U-NII-8 11ax20(SU) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	72.13	6.89	88.2	16.07	Peak	242.00	150	Vertical	Pass
1**	7125.000	64.92	6.89	68.2	3.28	AV	242.00	150	Vertical	Pass
2	7125.125	69.85	6.91	88.2	18.35	Peak	242.00	150	Vertical	Pass
2**	7125.125	63.08	6.91	68.2	5.12	AV	242.00	150	Vertical	Pass

U-NII-8 11ax40(SU) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.13	6.89	88.2	29.07	Peak	82.00	150	Vertical	Pass
1**	7125.000	49.95	6.89	68.2	18.25	AV	82.00	150	Vertical	Pass
2	7199.125	63.95	10.24	88.2	24.25	Peak	139.00	150	Vertical	Pass
2**	7199.125	52.63	10.24	68.2	15.57	AV	139.00	150	Vertical	Pass

U-NII-8 11ax80(SU) CH215




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.14	6.90	88.2	29.06	Peak	141.00	150	Vertical	Pass
1**	7125.063	49.92	6.90	68.2	18.28	AV	141.00	150	Vertical	Pass
2	7200.062	63.46	10.15	88.2	24.74	Peak	21.00	200	Vertical	Pass
2**	7200.062	52.66	10.15	68.2	15.54	AV	21.00	200	Vertical	Pass

U-NII-8 11ax160(SU) CH207




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.13	6.90	88.2	29.07	Peak	3.00	200	Vertical	Pass
1**	7125.063	49.61	6.90	68.2	18.59	AV	3.00	200	Vertical	Pass
2	7195.562	64.09	9.94	88.2	24.11	Peak	137.00	100	Vertical	Pass
2**	7195.562	52.40	9.94	68.2	15.80	AV	137.00	100	Vertical	Pass

U-NII-8 11ax20(RU26) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.46	6.90	88.2	28.74	Peak	331.00	100	Vertical	Pass
1**	7125.063	49.49	6.90	68.2	18.71	AV	331.00	100	Vertical	Pass
2	7196.500	63.48	10.09	88.2	24.72	Peak	240.00	100	Vertical	Pass
2**	7196.500	52.21	10.09	68.2	15.99	AV	240.00	100	Vertical	Pass

U-NII-8 11ax20(RU26) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	72.19	6.89	88.2	16.01	Peak	244.00	150	Vertical	Pass
1**	7125.000	63.37	6.89	68.2	4.83	AV	244.00	150	Vertical	Pass
2	7125.188	69.57	6.91	88.2	18.63	Peak	52.00	100	Vertical	Pass
2**	7125.188	60.07	6.91	68.2	8.13	AV	52.00	100	Vertical	Pass

U-NII-8 11ax40(RU26) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.68	6.90	88.2	28.52	Peak	213.00	200	Vertical	Pass
1**	7125.063	49.92	6.90	68.2	18.28	AV	213.00	200	Vertical	Pass
2	7196.500	63.37	10.09	88.2	24.83	Peak	122.00	150	Vertical	Pass
2**	7196.500	52.35	10.09	68.2	15.85	AV	122.00	150	Vertical	Pass

U-NII-8 11ax80(RU26) CH215



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.24	6.90	88.2	28.96	Peak	338.00	200	Vertical	Pass
1**	7125.063	49.60	6.90	68.2	18.60	AV	338.00	200	Vertical	Pass
2	7199.063	63.81	10.24	88.2	24.39	Peak	104.00	150	Vertical	Pass
2**	7199.063	52.61	10.24	68.2	15.59	AV	104.00	150	Vertical	Pass


U-NII-8 11ax160(RU26) CH207



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	60.12	6.89	88.2	28.08	Peak	53.00	100	Vertical	Pass
1**	7125.000	49.37	6.89	68.2	18.83	AV	53.00	100	Vertical	Pass
2	7200.062	63.02	10.15	88.2	25.18	Peak	330.00	150	Vertical	Pass
2**	7200.062	52.55	10.15	68.2	15.65	AV	330.00	150	Vertical	Pass


MIMO

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.525	58.84	4.31	74.0	15.16	Peak	285.00	200	Vertical	Pass
1**	5142.525	47.26	4.31	54.0	6.74	AV	285.00	200	Vertical	Pass
2	5149.675	56.03	3.93	74.0	17.97	Peak	6.00	200	Vertical	Pass
2**	5149.675	46.64	3.93	54.0	7.36	AV	6.00	200	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.11	4.21	74.0	17.89	Peak	153.00	100	Vertical	Pass
1**	5350.055	46.20	4.21	54.0	7.80	AV	153.00	100	Vertical	Pass
2	5445.865	58.98	5.42	74.0	15.02	Peak	7.00	150	Vertical	Pass
2**	5445.865	47.58	5.42	54.0	6.42	AV	7.00	150	Vertical	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4988.150	58.07	4.17	74.0	15.93	Peak	115.00	150	Vertical	Pass
1**	4988.150	46.08	4.17	54.0	7.92	AV	115.00	150	Vertical	Pass
2	5149.675	56.76	3.93	74.0	17.24	Peak	178.00	150	Vertical	Pass
2**	5149.675	46.72	3.93	54.0	7.28	AV	178.00	150	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.74	4.21	74.0	18.26	Peak	245.00	100	Vertical	Pass
1**	5350.055	45.98	4.21	54.0	8.02	AV	245.00	100	Vertical	Pass
2	5451.035	58.77	5.51	74.0	15.23	Peak	235.00	100	Vertical	Pass
2**	5451.035	47.32	5.51	54.0	6.68	AV	235.00	100	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5142.525	58.14	4.31	74.0	15.86	Peak	308.00	100	Vertical	Pass
1**	5142.525	47.39	4.31	54.0	6.61	AV	308.00	100	Vertical	Pass
2	5149.675	57.51	3.93	74.0	16.49	Peak	234.00	150	Vertical	Pass
2**	5149.675	46.86	3.93	54.0	7.14	AV	234.00	150	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.80	4.22	74.0	18.20	Peak	180.00	150	Vertical	Pass
1**	5350.000	46.12	4.22	54.0	7.88	AV	180.00	150	Vertical	Pass
2	5451.090	58.86	5.51	74.0	15.14	Peak	318.00	100	Vertical	Pass
2**	5451.090	47.53	5.51	54.0	6.47	AV	318.00	100	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.225	57.91	4.29	74.0	16.09	Peak	331.00	150	Vertical	Pass
1**	5141.225	46.93	4.29	54.0	7.07	AV	331.00	150	Vertical	Pass
2	5149.675	56.53	3.93	74.0	17.47	Peak	188.00	100	Vertical	Pass
2**	5149.675	46.85	3.93	54.0	7.15	AV	188.00	100	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.36	4.21	74.0	18.64	Peak	181.00	200	Vertical	Pass
1**	5350.055	46.19	4.21	54.0	7.81	AV	181.00	200	Vertical	Pass
2	5439.265	58.62	4.89	74.0	15.38	Peak	360.00	100	Vertical	Pass
2**	5439.265	47.00	4.89	54.0	7.00	AV	360.00	100	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5093.125	57.88	4.53	74.0	16.12	Peak	316.00	100	Vertical	Pass
1**	5093.125	46.68	4.53	54.0	7.32	AV	316.00	100	Vertical	Pass
2	5149.675	57.01	3.93	74.0	16.99	Peak	234.00	150	Vertical	Pass
2**	5149.675	47.16	3.93	54.0	6.84	AV	234.00	150	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.13	4.22	74.0	17.87	Peak	168.00	200	Vertical	Pass
1**	5350.000	45.96	4.22	54.0	8.04	AV	168.00	200	Vertical	Pass
2	5451.365	58.85	5.53	74.0	15.15	Peak	177.00	150	Vertical	Pass
2**	5451.365	47.43	5.53	54.0	6.57	AV	177.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.500	58.49	4.13	74.0	15.51	Peak	79.00	150	Vertical	Pass
1**	5143.500	47.15	4.13	54.0	6.85	AV	79.00	150	Vertical	Pass
2	5149.675	56.38	3.93	74.0	17.62	Peak	135.00	200	Vertical	Pass
2**	5149.675	47.16	3.93	54.0	6.84	AV	135.00	200	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.60	4.22	74.0	18.40	Peak	359.00	150	Vertical	Pass
1**	5350.000	45.99	4.22	54.0	8.01	AV	359.00	150	Vertical	Pass
2	5443.830	58.43	5.51	74.0	15.57	Peak	189.00	150	Vertical	Pass
2**	5443.830	47.43	5.51	54.0	6.57	AV	189.00	150	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4772.350	58.23	4.49	74.0	15.77	Peak	108.00	100	Vertical	Pass
1**	4772.350	46.64	4.49	54.0	7.36	AV	108.00	100	Vertical	Pass
2	5149.675	57.79	3.93	74.0	16.21	Peak	45.00	150	Vertical	Pass
2**	5149.675	47.04	3.93	54.0	6.96	AV	45.00	150	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.96	4.21	74.0	18.04	Peak	330.00	100	Vertical	Pass
1**	5350.055	46.04	4.21	54.0	7.96	AV	330.00	100	Vertical	Pass
2	5455.545	58.85	5.61	74.0	15.15	Peak	10.00	100	Vertical	Pass
2**	5455.545	47.66	5.61	54.0	6.34	AV	10.00	100	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4790.875	58.28	4.31	74.0	15.72	Peak	165.00	150	Vertical	Pass
1**	4790.875	46.70	4.31	54.0	7.30	AV	165.00	150	Vertical	Pass
2	5149.675	56.84	3.93	74.0	17.16	Peak	342.00	100	Vertical	Pass
2**	5149.675	46.98	3.93	54.0	7.02	AV	342.00	100	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.45	4.21	74.0	17.55	Peak	246.00	150	Vertical	Pass
1**	5350.055	46.18	4.21	54.0	7.82	AV	246.00	150	Vertical	Pass
2	5452.685	59.24	5.65	74.0	14.76	Peak	296.00	150	Vertical	Pass
2**	5452.685	47.68	5.65	54.0	6.32	AV	296.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.500	57.84	4.13	74.0	16.16	Peak	335.00	100	Vertical	Pass
1**	5143.500	46.75	4.13	54.0	7.25	AV	335.00	100	Vertical	Pass
2	5149.675	55.81	3.93	74.0	18.19	Peak	55.00	200	Vertical	Pass
2**	5149.675	47.65	3.93	54.0	6.35	AV	55.00	200	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.26	4.21	74.0	17.74	Peak	100.00	200	Vertical	Pass
1**	5350.055	45.82	4.21	54.0	8.18	AV	100.00	200	Vertical	Pass
2	5458.405	58.84	5.49	74.0	15.16	Peak	144.00	150	Vertical	Pass
2**	5458.405	47.19	5.49	54.0	6.81	AV	144.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4978.725	58.26	4.38	74.0	15.74	Peak	18.00	150	Vertical	Pass
1**	4978.725	46.34	4.38	54.0	7.66	AV	18.00	150	Vertical	Pass
2	5149.675	56.45	3.93	74.0	17.55	Peak	271.00	200	Vertical	Pass
2**	5149.675	46.79	3.93	54.0	7.21	AV	271.00	200	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.33	4.21	74.0	18.67	Peak	128.00	100	Vertical	Pass
1**	5350.055	46.00	4.21	54.0	8.00	AV	128.00	100	Vertical	Pass
2	5447.625	58.85	5.40	74.0	15.15	Peak	352.00	200	Vertical	Pass
2**	5447.625	47.49	5.40	54.0	6.51	AV	352.00	200	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.675	58.77	4.61	74.0	15.23	Peak	93.00	150	Vertical	Pass
1**	5097.675	46.83	4.61	54.0	7.17	AV	93.00	150	Vertical	Pass
2	5149.675	56.69	3.93	74.0	17.31	Peak	300.00	150	Vertical	Pass
2**	5149.675	47.23	3.93	54.0	6.77	AV	300.00	150	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.20	4.21	74.0	17.80	Peak	49.00	150	Vertical	Pass
1**	5350.055	45.95	4.21	54.0	8.05	AV	49.00	150	Vertical	Pass
2	5445.205	58.84	5.50	74.0	15.16	Peak	92.00	200	Vertical	Pass
2**	5445.205	47.85	5.50	54.0	6.15	AV	92.00	200	Vertical	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4994.325	57.84	3.95	74.0	16.16	Peak	334.00	200	Horizontal	Pass
1**	4994.325	46.15	3.95	54.0	7.85	AV	334.00	200	Horizontal	Pass
2	5149.675	56.55	3.93	74.0	17.45	Peak	176.00	150	Horizontal	Pass
2**	5149.675	47.11	3.93	54.0	6.89	AV	176.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.91	4.21	74.0	18.09	Peak	171.00	100	Vertical	Pass
1**	5350.055	46.05	4.21	54.0	7.95	AV	171.00	100	Vertical	Pass
2	5445.150	59.62	5.51	74.0	14.38	Peak	124.00	150	Vertical	Pass
2**	5445.150	47.59	5.51	54.0	6.41	AV	124.00	150	Vertical	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.025	58.16	4.15	74.0	15.84	Peak	171.00	200	Vertical	Pass
1**	5123.025	46.65	4.15	54.0	7.35	AV	171.00	200	Vertical	Pass
2	5149.675	57.06	3.93	74.0	16.94	Peak	179.00	100	Vertical	Pass
2**	5149.675	46.71	3.93	54.0	7.29	AV	179.00	100	Vertical	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.35	4.21	74.0	17.65	Peak	289.00	100	Vertical	Pass
1**	5350.055	46.08	4.21	54.0	7.92	AV	289.00	100	Vertical	Pass
2	5443.445	59.13	5.43	74.0	14.87	Peak	335.00	100	Vertical	Pass
2**	5443.445	47.65	5.43	54.0	6.35	AV	335.00	100	Vertical	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4814.925	58.24	3.26	74.0	15.76	Peak	109.00	200	Vertical	Pass
1**	4814.925	46.33	3.26	54.0	7.67	AV	109.00	200	Vertical	Pass
2	5149.675	56.53	3.93	74.0	17.47	Peak	53.00	100	Vertical	Pass
2**	5149.675	46.69	3.93	54.0	7.31	AV	53.00	100	Vertical	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.26	4.21	74.0	17.74	Peak	165.00	100	Vertical	Pass
1**	5350.055	46.09	4.21	54.0	7.91	AV	165.00	100	Vertical	Pass
2	5440.475	58.90	5.01	74.0	15.10	Peak	184.00	200	Vertical	Pass
2**	5440.475	47.39	5.01	54.0	6.61	AV	184.00	200	Vertical	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.925	57.84	4.23	74.0	16.16	Peak	0.00	100	Vertical	Pass
1**	5139.925	47.15	4.23	54.0	6.85	AV	0.00	100	Vertical	Pass
2	5149.675	56.76	3.93	74.0	17.24	Peak	97.00	150	Vertical	Pass
2**	5149.675	47.23	3.93	54.0	6.77	AV	97.00	150	Vertical	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.66	4.22	74.0	17.34	Peak	14.00	100	Vertical	Pass
1**	5350.000	45.80	4.22	54.0	8.20	AV	14.00	100	Vertical	Pass
2	5455.380	58.73	5.60	74.0	15.27	Peak	30.00	200	Vertical	Pass
2**	5455.380	47.55	5.60	54.0	6.45	AV	30.00	200	Vertical	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5023.250	58.64	3.42	74.0	15.36	Peak	280.00	100	Vertical	Pass
1**	5023.250	46.16	3.42	54.0	7.84	AV	280.00	100	Vertical	Pass
2	5149.675	55.71	3.93	74.0	18.29	Peak	324.00	200	Vertical	Pass
2**	5149.675	47.13	3.93	54.0	6.87	AV	324.00	200	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.54	4.21	74.0	18.46	Peak	263.00	100	Vertical	Pass
1**	5350.055	45.84	4.21	54.0	8.16	AV	263.00	100	Vertical	Pass
2	5457.415	58.78	5.67	74.0	15.22	Peak	312.00	150	Vertical	Pass
2**	5457.415	47.37	5.67	54.0	6.63	AV	312.00	150	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5056.400	58.44	4.22	74.0	15.56	Peak	282.00	150	Vertical	Pass
1**	5056.400	46.24	4.22	54.0	7.76	AV	282.00	150	Vertical	Pass
2	5149.675	56.13	3.93	74.0	17.87	Peak	70.00	200	Vertical	Pass
2**	5149.675	46.71	3.93	54.0	7.29	AV	70.00	200	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.98	4.22	74.0	18.02	Peak	168.00	150	Vertical	Pass
1**	5350.000	46.15	4.22	54.0	7.85	AV	168.00	150	Vertical	Pass
2	5410.005	58.88	4.16	74.0	15.12	Peak	342.00	100	Vertical	Pass
2**	5410.005	47.05	4.16	54.0	6.95	AV	342.00	100	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5127.250	58.31	4.38	74.0	15.69	Peak	360.00	200	Vertical	Pass
1**	5127.250	47.00	4.38	54.0	7.00	AV	360.00	200	Vertical	Pass
2	5149.675	56.17	3.93	74.0	17.83	Peak	338.00	150	Vertical	Pass
2**	5149.675	46.51	3.93	54.0	7.49	AV	338.00	150	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.73	4.22	74.0	18.27	Peak	0.00	200	Vertical	Pass
1**	5350.000	46.24	4.22	54.0	7.76	AV	0.00	200	Vertical	Pass
2	5443.390	59.38	5.42	74.0	14.62	Peak	201.00	200	Vertical	Pass
2**	5443.390	47.80	5.42	54.0	6.20	AV	201.00	200	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.200	58.87	4.29	74.0	15.13	Peak	146.00	200	Vertical	Pass
1**	5129.200	46.83	4.29	54.0	7.17	AV	146.00	200	Vertical	Pass
2	5149.675	56.25	3.93	74.0	17.75	Peak	347.00	100	Vertical	Pass
2**	5149.675	46.94	3.93	54.0	7.06	AV	347.00	100	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.79	4.21	74.0	18.21	Peak	87.00	150	Vertical	Pass
1**	5350.055	46.27	4.21	54.0	7.73	AV	87.00	150	Vertical	Pass
2	5442.125	59.25	5.19	74.0	14.75	Peak	177.00	200	Vertical	Pass
2**	5442.125	47.37	5.19	54.0	6.63	AV	177.00	200	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5140.900	58.19	4.28	74.0	15.81	Peak	44.00	200	Vertical	Pass
1**	5140.900	46.87	4.28	54.0	7.13	AV	44.00	200	Vertical	Pass
2	5149.675	56.86	3.93	74.0	17.14	Peak	72.00	100	Vertical	Pass
2**	5149.675	46.61	3.93	54.0	7.39	AV	72.00	100	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.15	4.22	74.0	16.85	Peak	79.00	150	Vertical	Pass
1**	5350.000	46.07	4.22	54.0	7.93	AV	79.00	150	Vertical	Pass
2	5452.025	58.62	5.59	74.0	15.38	Peak	45.00	150	Vertical	Pass
2**	5452.025	47.30	5.59	54.0	6.70	AV	45.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.700	58.79	4.24	74.0	15.21	Peak	28.00	150	Vertical	Pass
1**	5135.700	47.16	4.24	54.0	6.84	AV	28.00	150	Vertical	Pass
2	5149.675	56.27	3.93	74.0	17.73	Peak	202.00	100	Vertical	Pass
2**	5149.675	47.19	3.93	54.0	6.81	AV	202.00	100	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.03	4.21	74.0	17.97	Peak	0.00	200	Vertical	Pass
1**	5350.055	46.03	4.21	54.0	7.97	AV	0.00	200	Vertical	Pass
2	5456.975	59.15	5.71	74.0	14.85	Peak	195.00	100	Vertical	Pass
2**	5456.975	47.40	5.71	54.0	6.60	AV	195.00	100	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5100.925	58.26	4.55	74.0	15.74	Peak	56.00	150	Vertical	Pass
1**	5100.925	46.94	4.55	54.0	7.06	AV	56.00	150	Vertical	Pass
2	5149.675	56.45	3.93	74.0	17.55	Peak	130.00	100	Vertical	Pass
2**	5149.675	46.73	3.93	54.0	7.27	AV	130.00	100	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.85	4.21	74.0	18.15	Peak	310.00	150	Vertical	Pass
1**	5350.055	46.08	4.21	54.0	7.92	AV	310.00	150	Vertical	Pass
2	5449.110	59.08	5.46	74.0	14.92	Peak	161.00	100	Vertical	Pass
2**	5449.110	47.44	5.46	54.0	6.56	AV	161.00	100	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5083.700	58.20	4.22	74.0	15.80	Peak	194.00	100	Vertical	Pass
1**	5083.700	46.29	4.22	54.0	7.71	AV	194.00	100	Vertical	Pass
2	5149.675	55.76	3.93	74.0	18.24	Peak	101.00	100	Vertical	Pass
2**	5149.675	46.68	3.93	54.0	7.32	AV	101.00	100	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.58	4.21	74.0	17.42	Peak	216.00	100	Vertical	Pass
1**	5350.055	46.32	4.21	54.0	7.68	AV	216.00	100	Vertical	Pass
2	5436.735	58.57	4.70	74.0	15.43	Peak	53.00	200	Vertical	Pass
2**	5436.735	46.92	4.70	54.0	7.08	AV	53.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.250	58.68	4.55	74.0	15.32	Peak	107.00	150	Vertical	Pass
1**	5101.250	46.86	4.55	54.0	7.14	AV	107.00	150	Vertical	Pass
2	5149.675	56.12	3.93	74.0	17.88	Peak	264.00	150	Vertical	Pass
2**	5149.675	46.68	3.93	54.0	7.32	AV	264.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.75	4.21	74.0	18.25	Peak	117.00	150	Vertical	Pass
1**	5350.055	46.10	4.21	54.0	7.90	AV	117.00	150	Vertical	Pass
2	5435.305	58.84	4.64	74.0	15.16	Peak	281.00	200	Vertical	Pass
2**	5435.305	47.49	4.64	54.0	6.51	AV	281.00	200	Vertical	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4812.650	58.41	3.36	74.0	15.59	Peak	118.00	200	Horizontal	Pass
1**	4812.650	46.59	3.36	54.0	7.41	AV	118.00	200	Horizontal	Pass
2	5149.675	55.95	3.93	74.0	18.05	Peak	213.00	200	Horizontal	Pass
2**	5149.675	46.75	3.93	54.0	7.25	AV	213.00	200	Horizontal	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.00	4.22	74.0	18.00	Peak	32.00	150	Horizontal	Pass
1**	5350.000	46.13	4.22	54.0	7.87	AV	32.00	150	Horizontal	Pass
2	5433.875	58.68	4.62	74.0	15.32	Peak	277.00	100	Horizontal	Pass
2**	5433.875	46.94	4.62	54.0	7.06	AV	277.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4990.100	58.08	4.18	74.0	15.92	Peak	278.00	100	Horizontal	Pass
1**	4990.100	46.28	4.18	54.0	7.72	AV	278.00	100	Horizontal	Pass
2	5149.675	56.95	3.93	74.0	17.05	Peak	314.00	100	Horizontal	Pass
2**	5149.675	46.74	3.93	54.0	7.26	AV	314.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.71	4.21	74.0	18.29	Peak	321.00	100	Horizontal	Pass
1**	5350.055	46.00	4.21	54.0	8.00	AV	321.00	100	Horizontal	Pass
2	5447.405	58.69	5.39	74.0	15.31	Peak	154.00	200	Horizontal	Pass
2**	5447.405	47.57	5.39	54.0	6.43	AV	154.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.275	58.44	4.44	74.0	15.56	Peak	28.00	150	Horizontal	Pass
1**	5126.275	47.02	4.44	54.0	6.98	AV	28.00	150	Horizontal	Pass
2	5149.675	56.15	3.93	74.0	17.85	Peak	197.00	100	Horizontal	Pass
2**	5149.675	46.83	3.93	54.0	7.17	AV	197.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.02	4.21	74.0	17.98	Peak	62.00	100	Horizontal	Pass
1**	5350.055	46.27	4.21	54.0	7.73	AV	62.00	100	Horizontal	Pass
2	5448.395	58.92	5.44	74.0	15.08	Peak	271.00	150	Horizontal	Pass
2**	5448.395	47.26	5.44	54.0	6.74	AV	271.00	150	Horizontal	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.240	58.97	5.37	74.0	15.03	Peak	322.00	150	Vertical	Pass
1**	5446.240	47.19	5.37	54.0	6.81	AV	322.00	150	Vertical	Pass
2	5459.980	57.22	5.37	74.0	16.78	Peak	300.00	200	Vertical	Pass
2**	5459.980	47.14	5.37	54.0	6.86	AV	300.00	200	Vertical	Pass
3	5465.260	58.89	5.20	68.2	9.31	Peak	342.00	150	Vertical	Pass
3**	5465.260	47.28	5.20	--	--	AV	342.00	150	Vertical	N/A
4	5469.940	56.82	5.05	68.2	11.38	Peak	131.00	150	Vertical	Pass
4**	5469.940	47.35	5.05	--	--	AV	131.00	150	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.06	4.76	68.2	11.14	Peak	198.00	150	Vertical	Pass
2	5840.000	59.75	6.32	68.2	8.45	Peak	281.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.880	58.90	5.58	74.0	15.10	Peak	154.00	100	Vertical	Pass
1**	5457.880	47.42	5.58	54.0	6.58	AV	154.00	100	Vertical	Pass
2	5459.980	56.02	5.37	74.0	17.98	Peak	304.00	100	Vertical	Pass
2**	5459.980	47.26	5.37	54.0	6.74	AV	304.00	100	Vertical	Pass
3	5468.860	58.22	4.96	68.2	9.98	Peak	81.00	100	Vertical	Pass
3**	5468.860	46.96	4.96	--	--	AV	81.00	100	Vertical	N/A
4	5469.940	56.30	5.05	68.2	11.90	Peak	312.00	150	Vertical	Pass
4**	5469.940	47.29	5.05	--	--	AV	312.00	150	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.11	4.76	68.2	11.09	Peak	334.00	100	Vertical	Pass
2	5763.562	59.56	5.19	68.2	8.64	Peak	316.00	200	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5392.600	58.85	4.56	74.0	15.15	Peak	286.00	200	Vertical	Pass
1**	5392.600	46.94	4.56	54.0	7.06	AV	286.00	200	Vertical	Pass
2	5459.980	57.44	5.37	74.0	16.56	Peak	124.00	200	Vertical	Pass
2**	5459.980	47.08	5.37	54.0	6.92	AV	124.00	200	Vertical	Pass
3	5469.700	58.68	5.04	68.2	9.52	Peak	195.00	200	Vertical	Pass
3**	5469.700	48.98	5.04	--	--	AV	195.00	200	Vertical	N/A
4	5469.940	59.13	5.05	68.2	9.07	Peak	104.00	150	Vertical	Pass
4**	5469.940	49.03	5.05	--	--	AV	104.00	150	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.53	4.76	68.2	11.67	Peak	331.00	200	Vertical	Pass
2	5840.250	59.38	6.31	68.2	8.82	Peak	213.00	150	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.680	59.68	5.57	74.0	14.32	Peak	27.00	150	Vertical	Pass
1**	5444.680	47.50	5.57	54.0	6.50	AV	27.00	150	Vertical	Pass
2	5459.980	56.46	5.37	74.0	17.54	Peak	324.00	150	Vertical	Pass
2**	5459.980	47.12	5.37	54.0	6.88	AV	324.00	150	Vertical	Pass
3	5468.980	58.63	4.97	68.2	9.57	Peak	199.00	150	Vertical	Pass
3**	5468.980	47.27	4.97	--	--	AV	199.00	150	Vertical	N/A
4	5469.940	56.54	5.05	68.2	11.66	Peak	200.00	200	Vertical	Pass
4**	5469.940	47.76	5.05	--	--	AV	200.00	200	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.18	4.76	68.2	12.02	Peak	309.00	150	Vertical	Pass
2	5839.875	59.63	6.32	68.2	8.57	Peak	106.00	100	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.440	58.86	5.68	74.0	15.14	Peak	105.00	150	Vertical	Pass
1**	5456.440	47.64	5.68	54.0	6.36	AV	105.00	150	Vertical	Pass
2	5459.980	56.51	5.37	74.0	17.49	Peak	175.00	150	Vertical	Pass
2**	5459.980	47.21	5.37	54.0	6.79	AV	175.00	150	Vertical	Pass
3	5468.140	58.45	4.90	68.2	9.75	Peak	102.00	150	Vertical	Pass
3**	5468.140	47.09	4.90	--	--	AV	102.00	150	Vertical	N/A
4	5469.940	56.85	5.05	68.2	11.35	Peak	360.00	200	Vertical	Pass
4**	5469.940	47.45	5.05	--	--	AV	360.00	200	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.90	4.76	68.2	11.30	Peak	215.00	200	Vertical	Pass
2	5850.000	59.34	6.48	68.2	8.86	Peak	335.00	100	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.740	58.94	5.63	74.0	15.06	Peak	0.00	150	Vertical	Pass
1**	5453.740	47.34	5.63	54.0	6.66	AV	0.00	150	Vertical	Pass
2	5459.980	57.21	5.37	74.0	16.79	Peak	231.00	200	Vertical	Pass
2**	5459.980	47.20	5.37	54.0	6.80	AV	231.00	200	Vertical	Pass
3	5469.460	58.46	5.02	68.2	9.74	Peak	322.00	200	Vertical	Pass
3**	5469.460	47.31	5.02	--	--	AV	322.00	200	Vertical	N/A
4	5469.940	57.60	5.05	68.2	10.60	Peak	194.00	150	Vertical	Pass
4**	5469.940	47.84	5.05	--	--	AV	194.00	150	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.89	4.77	68.2	11.31	Peak	206.00	200	Vertical	Pass
2	5842.563	59.57	6.28	68.2	8.63	Peak	47.00	100	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5458.060	59.17	5.55	74.0	14.83	Peak	43.00	150	Vertical	Pass
1**	5458.060	47.32	5.55	54.0	6.68	AV	43.00	150	Vertical	Pass
2	5459.980	56.21	5.37	74.0	17.79	Peak	49.00	200	Vertical	Pass
2**	5459.980	47.08	5.37	54.0	6.92	AV	49.00	200	Vertical	Pass
3	5465.920	58.53	5.15	68.2	9.67	Peak	350.00	150	Vertical	Pass
3**	5465.920	47.48	5.15	--	--	AV	350.00	150	Vertical	N/A
4	5469.940	57.34	5.05	68.2	10.86	Peak	186.00	150	Vertical	Pass
4**	5469.940	47.62	5.05	--	--	AV	186.00	150	Vertical	N/A

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.14	4.76	68.2	11.06	Peak	134.00	150	Vertical	Pass
2	5839.875	59.56	6.32	68.2	8.64	Peak	140.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5438.980	58.67	4.86	74.0	15.33	Peak	147.00	100	Vertical	Pass
1**	5438.980	47.21	4.86	54.0	6.79	AV	147.00	100	Vertical	Pass
2	5459.980	57.03	5.37	74.0	16.97	Peak	126.00	150	Vertical	Pass
2**	5459.980	47.15	5.37	54.0	6.85	AV	126.00	150	Vertical	Pass
3	5466.880	58.21	5.00	68.2	9.99	Peak	169.00	100	Vertical	Pass
3**	5466.880	47.12	5.00	--	--	AV	169.00	100	Vertical	N/A
4	5469.940	56.76	5.05	68.2	11.44	Peak	197.00	200	Vertical	Pass
4**	5469.940	47.44	5.05	--	--	AV	197.00	200	Vertical	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.78	4.76	68.2	11.42	Peak	107.00	200	Vertical	Pass
2	5843.875	60.75	6.33	68.2	7.45	Peak	179.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5436.040	59.16	4.66	74.0	14.84	Peak	232.00	200	Vertical	Pass
1**	5436.040	47.05	4.66	54.0	6.95	AV	232.00	200	Vertical	Pass
2	5459.980	56.62	5.37	74.0	17.38	Peak	301.00	200	Vertical	Pass
2**	5459.980	47.27	5.37	54.0	6.73	AV	301.00	200	Vertical	Pass
3	5469.340	58.55	5.00	68.2	9.65	Peak	59.00	200	Vertical	Pass
3**	5469.340	47.25	5.00	--	--	AV	59.00	200	Vertical	N/A
4	5469.940	57.66	5.05	68.2	10.54	Peak	117.00	150	Vertical	Pass
4**	5469.940	47.52	5.05	--	--	AV	117.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.61	4.76	68.2	10.59	Peak	7.00	150	Vertical	Pass
2	5839.437	59.71	6.33	68.2	8.49	Peak	221.00	100	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5396.920	58.58	4.35	74.0	15.42	Peak	296.00	100	Vertical	Pass
1**	5396.920	47.10	4.35	54.0	6.90	AV	296.00	100	Vertical	Pass
2	5459.980	56.75	5.37	74.0	17.25	Peak	259.00	200	Vertical	Pass
2**	5459.980	46.97	5.37	54.0	7.03	AV	259.00	200	Vertical	Pass
3	5465.680	58.41	5.19	68.2	9.79	Peak	32.00	150	Vertical	Pass
3**	5465.680	47.05	5.19	--	--	AV	32.00	150	Vertical	N/A
4	5469.940	56.29	5.05	68.2	11.91	Peak	183.00	200	Vertical	Pass
4**	5469.940	47.26	5.05	--	--	AV	183.00	200	Vertical	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.82	4.76	68.2	11.38	Peak	160.00	150	Vertical	Pass
2	5829.687	59.39	4.86	68.2	8.81	Peak	111.00	200	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5403.100	58.94	4.15	74.0	15.06	Peak	29.00	100	Vertical	Pass
1**	5403.100	47.10	4.15	54.0	6.90	AV	29.00	100	Vertical	Pass
2	5459.980	56.51	5.37	74.0	17.49	Peak	49.00	200	Vertical	Pass
2**	5459.980	47.02	5.37	54.0	6.98	AV	49.00	200	Vertical	Pass
3	5462.620	58.56	5.28	68.2	9.64	Peak	218.00	150	Vertical	Pass
3**	5462.620	47.11	5.28	--	--	AV	218.00	150	Vertical	N/A
4	5469.940	57.07	5.05	68.2	11.13	Peak	225.00	150	Vertical	Pass
4**	5469.940	47.20	5.05	--	--	AV	225.00	150	Vertical	N/A

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.18	4.76	68.2	10.02	Peak	187.00	100	Vertical	Pass
2	5837.938	60.00	6.28	68.2	8.20	Peak	140.00	100	Vertical	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5438.860	58.84	4.85	74.0	15.16	Peak	46.00	150	Vertical	Pass
1**	5438.860	47.04	4.85	54.0	6.96	AV	46.00	150	Vertical	Pass
2	5459.980	56.12	5.37	74.0	17.88	Peak	245.00	150	Vertical	Pass
2**	5459.980	47.19	5.37	54.0	6.81	AV	245.00	150	Vertical	Pass
3	5464.540	58.48	5.19	68.2	9.72	Peak	66.00	150	Vertical	Pass
3**	5464.540	46.93	5.19	--	--	AV	66.00	150	Vertical	N/A
4	5469.940	57.28	5.05	68.2	10.92	Peak	172.00	100	Vertical	Pass
4**	5469.940	47.10	5.05	--	--	AV	172.00	100	Vertical	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.48	4.76	68.2	11.72	Peak	177.00	200	Vertical	Pass
2	5845.188	59.55	6.31	68.2	8.65	Peak	123.00	150	Vertical	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5443.360	59.09	5.42	74.0	14.91	Peak	71.00	150	Vertical	Pass
1**	5443.360	47.29	5.42	54.0	6.71	AV	71.00	150	Vertical	Pass
2	5459.980	57.17	5.37	74.0	16.83	Peak	309.00	150	Vertical	Pass
2**	5459.980	47.13	5.37	54.0	6.87	AV	309.00	150	Vertical	Pass
3	5468.320	58.62	4.91	68.2	9.58	Peak	214.00	100	Vertical	Pass
3**	5468.320	46.92	4.91	--	--	AV	214.00	100	Vertical	N/A
4	5469.940	56.66	5.05	68.2	11.54	Peak	258.00	200	Vertical	Pass
4**	5469.940	46.95	5.05	--	--	AV	258.00	200	Vertical	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.75	4.76	68.2	11.45	Peak	253.00	100	Vertical	Pass
2	5810.438	59.73	4.53	68.2	8.47	Peak	134.00	100	Vertical	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5439.760	59.54	4.94	74.0	14.46	Peak	250.00	100	Vertical	Pass
1**	5439.760	47.21	4.94	54.0	6.79	AV	250.00	100	Vertical	Pass
2	5459.980	56.93	5.37	74.0	17.07	Peak	186.00	100	Vertical	Pass
2**	5459.980	47.03	5.37	54.0	6.97	AV	186.00	100	Vertical	Pass
3	5466.220	57.95	5.10	68.2	10.25	Peak	180.00	100	Vertical	Pass
3**	5466.220	47.08	5.10	--	--	AV	180.00	100	Vertical	N/A
4	5469.940	56.30	5.05	68.2	11.90	Peak	169.00	150	Vertical	Pass
4**	5469.940	47.08	5.05	--	--	AV	169.00	150	Vertical	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.97	4.77	68.2	11.23	Peak	34.00	100	Vertical	Pass
2	5849.125	59.86	6.36	68.2	8.34	Peak	97.00	150	Vertical	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5399.080	58.89	4.19	74.0	15.11	Peak	12.00	200	Vertical	Pass
1**	5399.080	46.79	4.19	54.0	7.21	AV	12.00	200	Vertical	Pass
2	5459.980	56.68	5.37	74.0	17.32	Peak	162.00	150	Vertical	Pass
2**	5459.980	47.03	5.37	54.0	6.97	AV	162.00	150	Vertical	Pass
3	5463.340	58.36	5.19	68.2	9.84	Peak	0.00	100	Vertical	Pass
3**	5463.340	47.33	5.19	--	--	AV	0.00	100	Vertical	N/A
4	5469.940	56.98	5.05	68.2	11.22	Peak	0.00	200	Vertical	Pass
4**	5469.940	47.00	5.05	--	--	AV	0.00	200	Vertical	N/A

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.26	4.76	68.2	10.94	Peak	60.00	200	Vertical	Pass
2	5787.000	59.52	4.93	68.2	8.68	Peak	58.00	150	Vertical	Pass

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5398.540	59.05	4.26	74.0	14.95	Peak	169.00	100	Vertical	Pass
1**	5398.540	46.46	4.26	54.0	7.54	AV	169.00	100	Vertical	Pass
2	5459.980	57.59	5.37	74.0	16.41	Peak	129.00	150	Vertical	Pass
2**	5459.980	46.96	5.37	54.0	7.04	AV	129.00	150	Vertical	Pass
3	5461.720	58.17	5.40	68.2	10.03	Peak	191.00	150	Vertical	Pass
3**	5461.720	47.29	5.40	--	--	AV	191.00	150	Vertical	N/A
4	5469.940	56.66	5.05	68.2	11.54	Peak	1.00	200	Vertical	Pass
4**	5469.940	47.23	5.05	--	--	AV	1.00	200	Vertical	N/A

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.57	4.55	68.3	10.73	Peak	89.00	200	Vertical	Pass
2	5969.250	60.28	6.74	68.2	7.92	Peak	74.00	150	Vertical	Pass

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5431.300	58.90	4.54	74.0	15.10	Peak	187.00	150	Vertical	Pass
1**	5431.300	47.19	4.54	54.0	6.81	AV	187.00	150	Vertical	Pass
2	5459.980	56.19	5.37	74.0	17.81	Peak	243.00	200	Vertical	Pass
2**	5459.980	47.00	5.37	54.0	7.00	AV	243.00	200	Vertical	Pass
3	5460.460	58.14	5.40	68.2	10.06	Peak	348.00	100	Vertical	Pass
3**	5460.460	47.11	5.40	--	--	AV	348.00	100	Vertical	N/A
4	5469.940	56.42	5.05	68.2	11.78	Peak	116.00	200	Vertical	Pass
4**	5469.940	46.95	5.05	--	--	AV	116.00	200	Vertical	N/A

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.47	4.55	68.3	10.83	Peak	99.00	150	Vertical	Pass
2	5966.175	60.86	6.77	68.2	7.34	Peak	356.00	200	Vertical	Pass

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5362.720	59.40	4.82	74.0	14.60	Peak	198.00	200	Vertical	Pass
1**	5362.720	46.41	4.82	54.0	7.59	AV	198.00	200	Vertical	Pass
2	5459.980	57.02	5.37	74.0	16.98	Peak	167.00	150	Vertical	Pass
2**	5459.980	47.10	5.37	54.0	6.90	AV	167.00	150	Vertical	Pass
3	5469.880	58.36	5.05	68.2	9.84	Peak	184.00	200	Vertical	Pass
3**	5469.880	47.41	5.05	--	--	AV	184.00	200	Vertical	N/A
4	5469.940	57.31	5.05	68.2	10.89	Peak	360.00	100	Vertical	Pass
4**	5469.940	46.96	5.05	--	--	AV	360.00	100	Vertical	N/A

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.27	4.55	68.3	11.03	Peak	222.00	150	Vertical	Pass
2	5967.075	60.35	6.99	68.2	7.85	Peak	208.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5611.438	58.74	4.11	68.2	9.46	Peak	146.00	200	Vertical	Pass
2	5650.000	56.16	4.48	68.2	12.04	Peak	303.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.79	4.55	68.3	11.51	Peak	109.00	100	Vertical	Pass
2	5973.300	61.13	6.41	68.2	7.07	Peak	221.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5625.750	58.97	3.85	68.2	9.23	Peak	39.00	100	Vertical	Pass
2	5650.000	56.34	4.48	68.2	11.86	Peak	156.00	100	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.41	4.55	68.3	11.89	Peak	182.00	150	Vertical	Pass
2	5997.075	61.22	6.25	68.2	6.98	Peak	100.00	200	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5613.250	59.07	4.07	68.2	9.13	Peak	360.00	100	Vertical	Pass
2	5650.000	55.80	4.48	68.2	12.40	Peak	0.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.26	4.55	68.3	11.04	Peak	278.00	200	Vertical	Pass
2	5992.950	60.76	5.86	68.2	7.44	Peak	148.00	200	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5613.750	58.80	4.09	68.2	9.40	Peak	65.00	100	Vertical	Pass
2	5650.000	55.86	4.48	68.2	12.34	Peak	187.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.43	4.55	68.3	11.87	Peak	286.00	150	Vertical	Pass
2	5996.775	60.60	6.22	68.2	7.60	Peak	69.00	100	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.813	59.34	4.14	68.2	8.86	Peak	310.00	200	Vertical	Pass
2	5650.000	56.55	4.48	68.2	11.65	Peak	97.00	200	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.80	4.55	68.3	11.50	Peak	260.00	200	Vertical	Pass
2	5972.775	60.39	6.45	68.2	7.81	Peak	28.00	100	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.750	58.53	4.14	68.2	9.67	Peak	75.00	150	Vertical	Pass
2	5650.000	56.32	4.48	68.2	11.88	Peak	303.00	200	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.17	4.55	68.3	11.13	Peak	91.00	200	Vertical	Pass
2	5969.175	60.55	6.75	68.2	7.65	Peak	253.00	200	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5605.750	58.57	4.12	68.2	9.63	Peak	31.00	150	Vertical	Pass
2	5650.000	55.89	4.48	68.2	12.31	Peak	156.00	200	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
Bandedge 1.1E+	5924.925	56.54	4.55	68.3	11.76	Peak	56.00	100	Vertical	Pass
1.0E+										
9										
8										
7										
6										
5										
4										
2	5995.950	60.52	6.18	68.2	7.68	Peak	94.00	200	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.188	58.74	4.04	68.2	9.46	Peak	234.00	100	Vertical	Pass
2	5650.000	56.24	4.48	68.2	11.96	Peak	317.00	200	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.33	4.55	68.3	10.97	Peak	246.00	200	Vertical	Pass
2	5968.575	61.05	6.82	68.2	7.15	Peak	120.00	200	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5615.000	58.34	4.04	68.2	9.86	Peak	51.00	150	Vertical	Pass
2	5650.000	56.38	4.48	68.2	11.82	Peak	204.00	100	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.83	4.55	68.3	11.47	Peak	204.00	150	Vertical	Pass
2	5967.450	61.44	6.95	68.2	6.76	Peak	186.00	100	Vertical	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5602.812	59.14	4.28	68.2	9.06	Peak	292.00	150	Vertical	Pass
2	5650.000	57.05	4.48	68.2	11.15	Peak	249.00	100	Vertical	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.17	4.55	68.3	12.13	Peak	254.00	150	Vertical	Pass
2	5994.675	61.08	6.12	68.2	7.12	Peak	226.00	100	Vertical	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5604.438	58.80	4.21	68.2	9.40	Peak	26.00	150	Vertical	Pass
2	5650.000	56.65	4.48	68.2	11.55	Peak	110.00	100	Vertical	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.19	4.55	68.3	10.11	Peak	197.00	100	Vertical	Pass
2	5979.150	60.28	5.62	68.2	7.92	Peak	213.00	200	Vertical	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5632.250	58.00	3.99	68.2	10.20	Peak	63.00	200	Vertical	Pass
2	5650.000	57.19	4.48	68.2	11.01	Peak	156.00	150	Vertical	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.02	4.55	68.3	11.28	Peak	69.00	150	Vertical	Pass
2	5976.825	60.23	6.03	68.2	7.97	Peak	6.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.500	58.65	5.59	74.0	15.35	Peak	272.00	150	Vertical	Pass
1**	5444.500	47.71	5.59	54.0	6.29	AV	272.00	150	Vertical	Pass
2	5459.980	56.69	5.37	74.0	17.31	Peak	120.00	150	Vertical	Pass
2**	5459.980	46.98	5.37	54.0	7.02	AV	120.00	150	Vertical	Pass
3	5461.840	58.29	5.39	68.2	9.91	Peak	194.00	150	Vertical	Pass
3**	5461.840	47.13	5.39	--	--	AV	194.00	150	Vertical	N/A
4	5469.940	56.90	5.05	68.2	11.30	Peak	238.00	100	Vertical	Pass
4**	5469.940	47.17	5.05	--	--	AV	238.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.45	4.55	68.3	10.85	Peak	6.00	200	Vertical	Pass
2	5999.775	61.45	6.43	68.2	6.75	Peak	48.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5393.380	59.07	4.56	74.0	14.93	Peak	217.00	100	Vertical	Pass
1**	5393.380	47.05	4.56	54.0	6.95	AV	217.00	100	Vertical	Pass
2	5459.980	57.14	5.37	74.0	16.86	Peak	247.00	100	Vertical	Pass
2**	5459.980	47.38	5.37	54.0	6.62	AV	247.00	100	Vertical	Pass
3	5469.880	58.27	5.05	68.2	9.93	Peak	210.00	100	Vertical	Pass
3**	5469.880	47.19	5.05	--	--	AV	210.00	100	Vertical	N/A
4	5469.940	56.84	5.05	68.2	11.36	Peak	343.00	150	Vertical	Pass
4**	5469.940	47.38	5.05	--	--	AV	343.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.15	4.55	68.3	11.15	Peak	315.00	200	Vertical	Pass
2	5967.675	60.24	6.92	68.2	7.96	Peak	249.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.400	59.42	5.23	74.0	14.58	Peak	119.00	150	Vertical	Pass
1**	5442.400	47.32	5.23	54.0	6.68	AV	119.00	150	Vertical	Pass
2	5459.980	56.80	5.37	74.0	17.20	Peak	356.00	200	Vertical	Pass
2**	5459.980	47.17	5.37	54.0	6.83	AV	356.00	200	Vertical	Pass
3	5466.040	58.81	5.13	68.2	9.39	Peak	284.00	100	Vertical	Pass
3**	5466.040	46.91	5.13	--	--	AV	284.00	100	Vertical	N/A
4	5469.940	56.91	5.05	68.2	11.29	Peak	150.00	200	Vertical	Pass
4**	5469.940	47.14	5.05	--	--	AV	150.00	200	Vertical	N/A

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.96	4.55	68.3	11.34	Peak	147.00	150	Vertical	Pass
2	5999.025	60.71	6.49	68.2	7.49	Peak	353.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5454.520	58.57	5.59	74.0	15.43	Peak	335.00	100	Vertical	Pass
1**	5454.520	47.34	5.59	54.0	6.66	AV	335.00	100	Vertical	Pass
2	5459.980	56.97	5.37	74.0	17.03	Peak	300.00	100	Vertical	Pass
2**	5459.980	47.07	5.37	54.0	6.93	AV	300.00	100	Vertical	Pass
3	5461.000	59.31	5.43	68.2	8.89	Peak	283.00	200	Vertical	Pass
3**	5461.000	47.11	5.43	--	--	AV	283.00	200	Vertical	N/A
4	5469.940	56.88	5.05	68.2	11.32	Peak	286.00	150	Vertical	Pass
4**	5469.940	47.07	5.05	--	--	AV	286.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.20	4.55	68.3	11.10	Peak	39.00	200	Vertical	Pass
2	5975.850	60.37	6.30	68.2	7.83	Peak	275.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5453.500	59.03	5.64	74.0	14.97	Peak	22.00	150	Vertical	Pass
1**	5453.500	47.53	5.64	54.0	6.47	AV	22.00	150	Vertical	Pass
2	5459.980	57.50	5.37	74.0	16.50	Peak	360.00	200	Vertical	Pass
2**	5459.980	47.05	5.37	54.0	6.95	AV	360.00	200	Vertical	Pass
3	5464.720	57.73	5.19	68.2	10.47	Peak	171.00	200	Vertical	Pass
3**	5464.720	47.09	5.19	--	--	AV	171.00	200	Vertical	N/A
4	5469.940	57.41	5.05	68.2	10.79	Peak	235.00	100	Vertical	Pass
4**	5469.940	46.94	5.05	--	--	AV	235.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	58.10	4.55	68.3	10.20	Peak	222.00	200	Vertical	Pass
2	5997.000	60.82	6.24	68.2	7.38	Peak	356.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5437.420	58.78	4.74	74.0	15.22	Peak	30.00	200	Vertical	Pass
1**	5437.420	47.04	4.74	54.0	6.96	AV	30.00	200	Vertical	Pass
2	5459.980	56.94	5.37	74.0	17.06	Peak	274.00	150	Vertical	Pass
2**	5459.980	47.02	5.37	54.0	6.98	AV	274.00	150	Vertical	Pass
3	5464.780	58.38	5.19	68.2	9.82	Peak	192.00	200	Vertical	Pass
3**	5464.780	47.10	5.19	--	--	AV	192.00	200	Vertical	N/A
4	5469.940	56.48	5.05	68.2	11.72	Peak	41.00	100	Vertical	Pass
4**	5469.940	47.18	5.05	--	--	AV	41.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.79	4.55	68.3	11.51	Peak	0.00	150	Vertical	Pass
2	5994.750	60.35	6.13	68.2	7.85	Peak	212.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5432.260	58.63	4.61	74.0	15.37	Peak	21.00	100	Vertical	Pass
1**	5432.260	47.07	4.61	54.0	6.93	AV	21.00	100	Vertical	Pass
2	5459.980	56.51	5.37	74.0	17.49	Peak	256.00	200	Vertical	Pass
2**	5459.980	47.05	5.37	54.0	6.95	AV	256.00	200	Vertical	Pass
3	5464.600	58.50	5.19	68.2	9.70	Peak	249.00	100	Vertical	Pass
3**	5464.600	47.38	5.19	--	--	AV	249.00	100	Vertical	N/A
4	5469.940	56.80	5.05	68.2	11.40	Peak	108.00	150	Vertical	Pass
4**	5469.940	47.10	5.05	--	--	AV	108.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.66	4.55	68.3	11.64	Peak	72.00	100	Vertical	Pass
2	5997.975	60.46	6.37	68.2	7.74	Peak	326.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5425.780	59.24	3.81	74.0	14.76	Peak	80.00	200	Vertical	Pass
1**	5425.780	46.64	3.81	54.0	7.36	AV	80.00	200	Vertical	Pass
2	5459.980	57.14	5.37	74.0	16.86	Peak	287.00	100	Vertical	Pass
2**	5459.980	47.11	5.37	54.0	6.89	AV	287.00	100	Vertical	Pass
3	5460.160	58.64	5.38	68.2	9.56	Peak	335.00	200	Vertical	Pass
3**	5460.160	47.18	5.38	--	--	AV	335.00	200	Vertical	N/A
4	5469.940	57.51	5.05	68.2	10.69	Peak	0.00	200	Vertical	Pass
4**	5469.940	46.99	5.05	--	--	AV	0.00	200	Vertical	N/A

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.64	4.55	68.3	11.66	Peak	0.00	200	Vertical	Pass
2	5986.500	60.57	5.64	68.2	7.63	Peak	58.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5438.440	58.70	4.81	74.0	15.30	Peak	34.00	100	Vertical	Pass
1**	5438.440	47.06	4.81	54.0	6.94	AV	34.00	100	Vertical	Pass
2	5459.980	56.90	5.37	74.0	17.10	Peak	297.00	150	Vertical	Pass
2**	5459.980	47.27	5.37	54.0	6.73	AV	297.00	150	Vertical	Pass
3	5466.880	58.21	5.00	68.2	9.99	Peak	182.00	200	Vertical	Pass
3**	5466.880	46.78	5.00	--	--	AV	182.00	200	Vertical	N/A
4	5469.940	56.12	5.05	68.2	12.08	Peak	315.00	100	Vertical	Pass
4**	5469.940	47.12	5.05	--	--	AV	315.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.01	4.55	68.3	11.29	Peak	190.00	150	Vertical	Pass
2	5998.575	60.46	6.45	68.2	7.74	Peak	360.00	150	Vertical	Pass

U-NII-5 11ax20(SU) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.638	59.39	4.92	88.2	28.81	Peak	260.00	100	Vertical	Pass
1**	5636.638	48.29	4.92	68.2	19.91	AV	260.00	100	Vertical	Pass
2	5924.788	56.24	3.47	88.2	31.96	Peak	109.00	150	Vertical	Pass
2**	5924.788	46.31	3.47	68.2	21.89	AV	109.00	150	Vertical	Pass

U-NII-5 11ax40(SU) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5768.813	59.52	4.50	88.2	28.68	Peak	189.00	100	Vertical	Pass
1**	5768.813	48.17	4.50	68.2	20.03	AV	189.00	100	Vertical	Pass
2	5924.788	56.02	3.47	88.2	32.18	Peak	72.00	150	Vertical	Pass
2**	5924.788	46.33	3.47	68.2	21.87	AV	72.00	150	Vertical	Pass

U-NII-5 11ax80(SU) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5598.813	60.31	5.10	88.2	27.89	Peak	353.00	0	Vertical	Pass
1**	5598.813	48.24	5.10	68.2	19.96	AV	353.00	0	Vertical	Pass
2	5924.788	56.03	3.47	88.2	32.17	Peak	309.00	150	Vertical	Pass
2**	5924.788	46.41	3.47	68.2	21.79	AV	309.00	150	Vertical	Pass

U-NII-5 11ax160(SU) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5785.812	59.67	4.41	88.2	28.53	Peak	134.00	200	Vertical	Pass
1**	5785.812	47.84	4.41	68.2	20.36	AV	134.00	200	Vertical	Pass
2	5924.788	56.17	3.47	88.2	32.03	Peak	12.00	100	Vertical	Pass
2**	5924.788	46.79	3.47	68.2	21.41	AV	12.00	100	Vertical	Pass

U-NII-5 11ax20(RU26) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5622.612	60.00	4.80	88.2	28.20	Peak	55.00	200	Vertical	Pass
1**	5622.612	48.13	4.80	68.2	20.07	AV	55.00	200	Vertical	Pass
2	5924.788	56.46	3.47	88.2	31.74	Peak	3.00	100	Vertical	Pass
2**	5924.788	46.56	3.47	68.2	21.64	AV	3.00	100	Vertical	Pass

U-NII-5 11ax40(RU26) CH3



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5773.700	59.76	4.40	88.2	28.44	Peak	137.00	100	Vertical	Pass
1**	5773.700	47.99	4.40	68.2	20.21	AV	137.00	100	Vertical	Pass
2	5924.788	55.83	3.47	88.2	32.37	Peak	186.00	200	Vertical	Pass
2**	5924.788	46.29	3.47	68.2	21.91	AV	186.00	200	Vertical	Pass

U-NII-5 11ax80(RU26) CH7



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.800	59.45	4.88	88.2	28.75	Peak	156.00	200	Vertical	Pass
1**	5608.800	47.75	4.88	68.2	20.45	AV	156.00	200	Vertical	Pass
2	5924.788	55.40	3.47	88.2	32.80	Peak	21.00	200	Vertical	Pass
2**	5924.788	46.45	3.47	68.2	21.75	AV	21.00	200	Vertical	Pass