



U-NII-5 11ax160(RU26) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5659.375	60.22	4.34	88.2	27.98	Peak	137.00	200	Vertical	Pass
1**	5659.375	48.24	4.34	68.2	19.96	AV	137.00	200	Vertical	Pass
2	5924.788	55.81	3.47	88.2	32.39	Peak	87.00	200	Vertical	Pass
2**	5924.788	46.33	3.47	68.2	21.87	AV	87.00	200	Vertical	Pass

U-NII-8 11ax20(SU) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	60.04	6.89	88.2	28.16	Peak	-3.00	100	Vertical	Pass
1**	7125.000	49.59	6.89	68.2	18.61	AV	-3.00	100	Vertical	Pass
2	7197.500	63.40	10.24	88.2	24.80	Peak	209.00	100	Vertical	Pass
2**	7197.500	52.86	10.24	68.2	15.34	AV	209.00	100	Vertical	Pass

U-NII-8 11ax20(SU) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	70.78	6.89	88.2	17.42	Peak	46.00	150	Vertical	Pass
1**	7125.000	64.35	6.89	68.2	3.85	AV	46.00	150	Vertical	Pass
2	7125.125	70.05	6.91	88.2	18.15	Peak	339.00	100	Vertical	Pass
2**	7125.125	61.88	6.91	68.2	6.32	AV	339.00	100	Vertical	Pass

U-NII-8 11ax40(SU) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	60.04	6.89	88.2	28.16	Peak	8.00	200	Vertical	Pass
1**	7125.000	49.60	6.89	68.2	18.60	AV	8.00	200	Vertical	Pass
2	7199.312	63.50	10.24	88.2	24.70	Peak	309.00	200	Vertical	Pass
2**	7199.312	52.78	10.24	68.2	15.42	AV	309.00	200	Vertical	Pass

U-NII-8 11ax80(SU) CH215




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.28	6.90	88.2	28.92	Peak	217.00	200	Vertical	Pass
1**	7125.063	49.51	6.90	68.2	18.69	AV	217.00	200	Vertical	Pass
2	7200.187	63.36	10.13	88.2	24.84	Peak	243.00	100	Vertical	Pass
2**	7200.187	52.42	10.13	68.2	15.78	AV	243.00	100	Vertical	Pass

U-NII-8 11ax160(SU) CH207




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	61.06	6.90	88.2	27.14	Peak	276.00	150	Vertical	Pass
1**	7125.063	49.72	6.90	68.2	18.48	AV	276.00	150	Vertical	Pass
2	7195.313	63.68	9.89	88.2	24.52	Peak	179.00	100	Vertical	Pass
2**	7195.313	52.05	9.89	68.2	16.15	AV	179.00	100	Vertical	Pass

U-NII-8 11ax20(RU26) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.75	6.90	88.2	28.45	Peak	39.00	150	Vertical	Pass
1**	7125.063	49.43	6.90	68.2	18.77	AV	39.00	150	Vertical	Pass
2	7196.625	63.83	10.11	88.2	24.37	Peak	0.00	200	Vertical	Pass
2**	7196.625	52.38	10.11	68.2	15.82	AV	0.00	200	Vertical	Pass

U-NII-8 11ax20(RU26) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	71.83	6.90	88.2	16.37	Peak	324.00	200	Vertical	Pass
1**	7125.063	63.06	6.90	68.2	5.14	AV	324.00	200	Vertical	Pass
2	7125.125	70.87	6.91	88.2	17.33	Peak	317.00	100	Vertical	Pass
2**	7125.125	62.11	6.91	68.2	6.09	AV	317.00	100	Vertical	Pass

U-NII-8 11ax40(RU26) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.20	6.89	88.2	29.00	Peak	222.00	200	Vertical	Pass
1**	7125.000	49.43	6.89	68.2	18.77	AV	222.00	200	Vertical	Pass
2	7197.562	64.10	10.24	88.2	24.10	Peak	85.00	150	Vertical	Pass
2**	7197.562	52.51	10.24	68.2	15.69	AV	85.00	150	Vertical	Pass

U-NII-8 11ax80(RU26) CH215



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.15	6.89	88.2	29.05	Peak	360.00	150	Vertical	Pass
1**	7125.000	49.48	6.89	68.2	18.72	AV	360.00	150	Vertical	Pass
2	7199.063	63.62	10.24	88.2	24.58	Peak	159.00	200	Vertical	Pass
2**	7199.063	52.86	10.24	68.2	15.34	AV	159.00	200	Vertical	Pass

U-NII-8 11ax160(RU26) CH207



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	60.01	6.89	88.2	28.19	Peak	106.00	100	Vertical	Pass
1**	7125.000	49.81	6.89	68.2	18.39	AV	106.00	100	Vertical	Pass
2	7200.563	63.62	10.07	88.2	24.58	Peak	238.00	200	Vertical	Pass
2**	7200.563	52.76	10.07	68.2	15.44	AV	238.00	200	Vertical	Pass

A.7 Contention Based Protocol

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
<input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation	<p>The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 0.96 dBi.</p> <p>The Regulated Threshold Level = -62 dBm + G (0.96 dBi) = -61.04 dBm</p>


Test Data

U-NII-5 (5925 MHz to 6425 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	37	6135	6135	-74.00	100%	-61.04	12.96	Pass
802.11ax (HE160)	47	6185	6110	-73.73	100%	-61.04	12.69	Pass
			6185	-72.43	90%	-61.04	11.39	Pass
			6260	-72.96	90%	-61.04	11.92	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 53




Date: 13 FEB 2023 16:06:06

802.11ax (HE160)-Channel 47 (Low Edge)




Date: 13 FEB 2023 16:06:37

802.11ax (HE160)-Channel 47 (Middle Edge)



Date: 13 FEB 2023 16:09:18


802.11ax (HE160)-Channel 47 (High Edge)



Date: 13 FEB 2023 16:09:52


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 53




Date: 13 FEB 2023 09:25:17

802.11ax (HE160)-Channel 47 (Low Edge)




Date: 13 FEB 2023 13:07:29

802.11ax (HE160)-Channel 47 (Middle Edge)



Date: 13 FEB 2023 09:34:52

802.11ax (HE160)-Channel 47 (High Edge)



Date: 13 FEB 2023 13:18:52

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
<input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 0.75 dBi. The Regulated Threshold Level = -62 dBm + G (0.75 dBi) = -61.25 dBm


Test Data

U-NII-6 (6425 MHz to 6525 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	97	6435	6435	-72.34	100%	-61.25	11.09	Pass
802.11ax (HE160)	111	6505	6430	-71.88	100%	-61.25	10.63	Pass
			6505	-68.16	100%	-61.25	6.91	Pass
			6580	-71.21	100%	-61.25	9.96	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 101




Date: 13 FEB 2023 16:06:42

802.11ax (HE160)-Channel 111 (Low Edge)




Date: 13 FEB 2023 16:10:42

802.11ax (HE160)-Channel 111 (Middle Edge)



Date: 13 FEB 2023 16:11:32


802.11ax (HE160)-Channel 111 (High Edge)




Date: 13 FEB 2023 16:12:10

Plots of EUT Tx waveform


802.11ax (HE20)-Channel 101




802.11ax (HE160)-Channel 111 (Low Edge)



802.11ax (HE160)-Channel 111 (Middle Edge)



802.11ax (HE160)-Channel 111 (High Edge)



Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
<input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 0.77 dBi. The Regulated Threshold Level = -62 dBm + G (0.77 dBi) = -61.23 dBm


Test Data

U-NII-7 (6425 MHz to 6875 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	129	6595	6595	-71.61	100%	-61.23	10.38	Pass
802.11ax (HE160)	143	6665	6590	-71.44	100%	-61.23	10.21	Pass
			6665	-68.20	90%	-61.23	6.97	Pass
			6740	-71.38	90%	-61.23	10.15	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 149




Date: 13 FEB 2023 16:07:33

802.11ax (HE160)-Channel 143 (Low Edge)




Date: 13 FEB 2023 16:12:44

802.11ax (HE160)-Channel 143 (Middle Edge)



Date: 13 FEB 2023 16:13:28


802.11ax (HE160)-Channel 143 (High Edge)



Date: 13 FEB 2023 16:14:02


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 149




Date: 13 FEB 2023 15:12:37

802.11ax (HE160)-Channel 143 (Low Edge)




Date: 13 FEB 2023 14:28:24

802.11ax (HE160)-Channel 143 (Middle Edge)



Date: 13 FEB 2023 10:17:31

802.11ax (HE160)-Channel 143 (High Edge)



Date: 13 FEB 2023 14:47:48

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
<input checked="" type="checkbox"/> Conducted <input type="checkbox"/> Radiation	<p>The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 1.56 dBi.</p> <p>The Regulated Threshold Level = -62 dBm + G (1.56 dBi) = -60.44 dBm</p>


Test Data

U-NII-8 (6875 MHz to 7125 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	193	6915	6915	-70.75	90%	-60.44	10.31	Pass
802.11ax (HE160)	207	6985	6910	-69.03	100%	-60.44	8.59	Pass
			6985	-66.22	90%	-60.44	5.78	Pass
			7060	-68.87	90%	-60.44	8.43	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 213




Date: 13 FEB 2023 16 08 02

802.11ax (HE160)-Channel 207 (Low Edge)




Date: 13 FEB 2023 16 14 35

802.11ax (HE160)-Channel 207 (Middle Edge)



Date: 13 FEB 2023 16 15 14


802.11ax (HE160)-Channel 207 (High Edge)




Date: 13 FEB 2023 16 15 52

Plots of EUT Tx waveform


802.11ax (HE20)-Channel 213




802.11ax (HE160)-Channel 207 (Low Edge)



802.11ax (HE160)-Channel 207 (Middle Edge)



802.11ax (HE160)-Channel 207 (High Edge)



A.8 In-Band Emissions

Main Antenna

11ax20(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.1	5919.9	-61.32	-69.01	-21.32	Pass
-30	-20	0.2	-29.82	5925.18	-61.67	-69.35	-21.88	Pass
-20	-11	0.2	-11.1	5943.9	-36.91	-44.59	-16.82	Pass
-11	-10	0.2	-11	5944	-36.03	-43.71	-16.03	Pass
10	11	0.2	10.940055	5965.940054	-36.94	-44.62	18.13	Pass
11	20	0.2	11.16	5966.16	-37.93	-45.61	17.79	Pass
20	30	0.2	29.58	5984.58	-62.31	-69.99	22.81	Pass
30	60	0.2	30.24	5985.24	-61.98	-69.67	21.98	Pass

11ax20(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.24	6144.76	-61.85	-69.41	-21.85	Pass
-30	-20	0.2	-29.82	6145.18	-62.2	-69.76	-22.42	Pass
-20	-11	0.2	-11.22	6163.78	-38.4	-45.96	-18.21	Pass
-11	-10	0.2	-11	6164	-37.69	-45.25	-17.69	Pass
10	11	0.2	11	6186	-37.72	-45.28	17.72	Pass
11	20	0.2	11.04	6186.04	-37.57	-45.13	17.54	Pass
20	30	0.2	29.76	6204.76	-61.86	-69.42	22.15	Pass
30	60	0.2	35.28	6210.28	-61.94	-69.49	21.94	Pass

11ax20(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.66	6384.34	-61.14	-68.86	-21.14	Pass
-30	-20	0.2	-20.52	6394.48	-46.23	-53.95	-17.6	Pass
-20	-11	0.2	-11.1	6403.9	-36.21	-43.93	-16.12	Pass
-11	-10	0.2	-10.940055	6404.059946	-35.02	-42.74	-16.22	Pass
10	11	0.2	11	6426	-36.37	-44.09	16.37	Pass
11	20	0.2	11	6426	-36.14	-43.87	16.14	Pass
20	30	0.2	20.34	6435.34	-47.91	-55.63	19.5	Pass
30	60	0.2	30.48	6445.48	-60.93	-68.65	20.93	Pass

11ax40(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-68.88	5896.12	-61.4	-65.84	-21.4	Pass
-60	-40	0.4	-44.28	5920.72	-51.9	-56.33	-21.33	Pass
-40	-21	0.4	-21	5944	-38.97	-43.4	-18.97	Pass
-21	-20	0.4	-21	5944	-38.97	-43.4	-18.97	Pass
20	21	0.4	21	5986	-40.68	-45.11	20.68	Pass
21	40	0.4	21	5986	-40.68	-45.11	20.68	Pass
40	60	0.4	59.52	6024.52	-62.68	-67.12	22.97	Pass
60	120	0.4	73.2	6038.2	-62.58	-67.01	22.58	Pass

11ax40(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.2	6103.8	-59.94	-66.1	-19.94	Pass
-60	-40	0.4	-59.04	6105.96	-59.58	-65.74	-20.16	Pass
-40	-21	0.4	-21	6144	-38.91	-45.08	-18.91	Pass
-21	-20	0.4	-21	6144	-38.91	-45.08	-18.91	Pass
20	21	0.4	21	6186	-40.14	-46.3	20.14	Pass
21	40	0.4	21	6186	-40.14	-46.3	20.14	Pass
40	60	0.4	59.16	6224.16	-59.64	-65.8	20.14	Pass
60	120	0.4	60.6	6225.6	-59.52	-65.68	19.52	Pass

11ax40(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.6	6344.4	-60.72	-65.6	-20.72	Pass
-60	-40	0.4	-41.16	6363.84	-45.41	-50.29	-16.71	Pass
-40	-21	0.4	-33.763118	6371.23688 2	-41.4	-46.28	-16.03	Pass
-21	-20	0.4	-21	6384	-36.68	-41.56	-16.68	Pass
20	21	0.4	21	6426	-38.34	-43.22	18.34	Pass
21	40	0.4	21	6426	-38.34	-43.22	18.34	Pass
40	60	0.4	59.88	6464.88	-59.77	-64.65	19.84	Pass
60	120	0.4	60	6465	-59.85	-64.73	19.85	Pass

11ax80(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-225.12	5759.88	-47.42	-51.47	-7.42	Pass
-120	-80	0.8	-87.84	5897.16	-48.76	-52.81	-18.41	Pass
-80	-41	0.8	-41.13943	5943.86057	-32.46	-36.51	-12.43	Pass
-41	-40	0.8	-41	5944	-32.69	-36.74	-12.69	Pass
40	41	0.8	41	6026	-34.88	-38.93	14.88	Pass
41	80	0.8	41	6026	-34.88	-38.93	14.88	Pass
80	120	0.8	118.08	6103.08	-61.23	-65.28	21.8	Pass
120	240	0.8	135.12	6120.12	-61.21	-65.26	21.21	Pass

11ax80(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.96	6024.04	-56.51	-62.29	-16.51	Pass
-120	-80	0.8	-119.28	6025.72	-56.49	-62.26	-16.7	Pass
-80	-41	0.8	-41.13943	6103.86057	-32.2	-37.97	-12.17	Pass
-41	-40	0.8	-41	6104	-32.82	-38.59	-12.82	Pass
40	41	0.8	41	6186	-34.06	-39.83	14.06	Pass
41	80	0.8	41.13943	6186.13943	-33.98	-39.76	13.95	Pass
80	120	0.8	119.76	6264.76	-57.58	-63.35	17.65	Pass
120	240	0.8	130.56	6275.56	-57.94	-63.71	17.94	Pass

11ax80(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.36	6261.64	-57.37	-62.25	-17.37	Pass
-120	-80	0.8	-85.2	6299.8	-43.62	-48.5	-14.06	Pass
-80	-41	0.8	-41	6344	-32.46	-37.34	-12.46	Pass
-41	-40	0.8	-41	6344	-32.46	-37.34	-12.46	Pass
40	41	0.8	41	6426	-34.08	-38.96	14.08	Pass
41	80	0.8	41.13943	6426.13943	-34.07	-38.95	14.04	Pass
80	120	0.8	91.92	6476.92	-47.67	-52.55	16.09	Pass
120	240	0.8	124.32	6509.32	-56.54	-61.42	16.54	Pass

11ax160(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-265.2	5759.8	-51.73	-55.78	-11.73	Pass
-255	-170	1.6	-196.35	5828.65	-44.35	-48.4	-12.63	Pass
-170	-86	1.6	-170	5855	-40.17	-44.22	-12.17	Pass
-86	-85	1.6	-86	5939	-38	-42.05	-18	Pass
85	86	1.6	86	6111	-41.77	-45.81	21.77	Pass
86	170	1.6	86.401799	6111.401799	-41.65	-45.7	21.61	Pass
170	255	1.6	255	6280	-58.73	-62.78	18.73	Pass
255	510	1.6	259.08	6284.08	-58.22	-62.27	18.22	Pass

11ax160(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-424.83	5760.17	-50.91	-57.46	-10.91	Pass
-255	-170	1.6	-253.47	5931.53	-53.26	-59.8	-13.47	Pass
-170	-86	1.6	-170	6015	-41.13	-47.68	-13.13	Pass
-86	-85	1.6	-86	6099	-37.88	-44.43	-17.88	Pass
85	86	1.6	86	6271	-39	-45.55	19	Pass
86	170	1.6	166.941529	6351.941529	-46.64	-53.18	18.93	Pass
170	255	1.6	250.41	6435.41	-54.64	-61.19	15.29	Pass
255	510	1.6	256.53	6441.53	-54.47	-61.02	14.47	Pass

11ax160(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-256.53	6088.47	-53.98	-59.25	-13.98	Pass
-255	-170	1.6	-181.56	6163.44	-41.7	-46.97	-12.07	Pass
-170	-86	1.6	-157.256372	6187.743628	-36.48	-41.75	-9.69	Pass
-86	-85	1.6	-86	6259	-33.54	-38.82	-13.54	Pass
85	86	1.6	86	6431	-34.96	-40.23	14.96	Pass
86	170	1.6	159.295352	6504.295352	-36.79	-42.06	9.8	Pass
170	255	1.6	175.44	6520.44	-40.68	-45.95	11.91	Pass
255	510	1.6	258.06	6603.06	-53.93	-59.2	13.93	Pass

11ax20(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.66	6404.34	-61.37	-68.93	-21.37	Pass
-30	-20	0.2	-20.46	6414.54	-47.17	-54.72	-18.62	Pass
-20	-11	0.2	-11.04	6423.96	-35.44	-43	-15.41	Pass
-11	-10	0.2	-11	6424	-36.29	-43.85	-16.29	Pass
10	11	0.2	11	6446	-36.52	-44.07	16.52	Pass
11	20	0.2	11	6446	-35.78	-43.34	15.78	Pass
20	30	0.2	30	6465	-61.13	-68.68	21.13	Pass
30	60	0.2	30	6465	-61.13	-68.68	21.13	Pass

11ax20(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.06	6444.94	-61.79	-69.56	-21.79	Pass
-30	-20	0.2	-21.84	6453.16	-51.18	-58.94	-20.97	Pass
-20	-11	0.2	-11	6464	-36.36	-44.13	-16.36	Pass
-11	-10	0.2	-11	6464	-36.61	-44.38	-16.61	Pass
10	11	0.2	11	6486	-36.98	-44.75	16.98	Pass
11	20	0.2	11.1	6486.1	-36.68	-44.45	16.59	Pass
20	30	0.2	30	6505	-61.72	-69.48	21.72	Pass
30	60	0.2	30	6505	-61.72	-69.48	21.72	Pass

11ax20(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.62	6483.38	-61.67	-69.51	-21.67	Pass
-30	-20	0.2	-29.88	6485.12	-62.33	-70.18	-22.48	Pass
-20	-11	0.2	-11	6504	-37.22	-45.06	-17.22	Pass
-11	-10	0.2	-11	6504	-36.27	-44.11	-16.27	Pass
10	11	0.2	11	6526	-37.66	-45.5	17.66	Pass
11	20	0.2	11	6526	-36.44	-44.29	16.44	Pass
20	30	0.2	30	6545	-62.23	-70.07	22.23	Pass
30	60	0.2	30.18	6545.18	-61.96	-69.8	21.96	Pass

11ax40(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.84	6384.16	-60.79	-65.49	-20.79	Pass
-60	-40	0.4	-40.56	6404.44	-46.12	-50.83	-17.79	Pass
-40	-21	0.4	-35.322339	6409.67766 1	-42.63	-47.34	-16.6	Pass
-21	-20	0.4	-21	6424	-37.06	-41.76	-17.06	Pass
20	21	0.4	21	6466	-38.73	-43.44	18.73	Pass
21	40	0.4	21	6466	-38.73	-43.44	18.73	Pass
40	60	0.4	59.88	6504.88	-60.79	-65.49	20.86	Pass
60	120	0.4	61.2	6506.2	-60.63	-65.33	20.63	Pass

11ax40(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.36	6421.64	-61.41	-65.81	-21.41	Pass
-60	-40	0.4	-40.44	6444.56	-46.39	-50.79	-18.13	Pass
-40	-21	0.4	-21.049475	6463.95052 5	-37.31	-41.71	-17.29	Pass
-21	-20	0.4	-21	6464	-37.5	-41.9	-17.5	Pass
20	21	0.4	21	6506	-39.42	-43.82	19.42	Pass
21	40	0.4	21.049475	6506.04947 5	-39.31	-43.71	19.29	Pass
40	60	0.4	59.64	6544.64	-61.52	-65.92	21.73	Pass
60	120	0.4	65.64	6550.64	-61.44	-65.84	21.44	Pass

11ax40(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.36	6464.64	-62.06	-66.45	-22.06	Pass
-60	-40	0.4	-41.52	6483.48	-48.57	-52.97	-19.66	Pass
-40	-21	0.4	-21	6504	-38.54	-42.93	-18.54	Pass
-21	-20	0.4	-21	6504	-38.54	-42.93	-18.54	Pass
20	21	0.4	21	6546	-39.81	-44.21	19.81	Pass
21	40	0.4	21	6546	-39.81	-44.21	19.81	Pass
40	60	0.4	59.76	6584.76	-62.35	-66.75	22.49	Pass
60	120	0.4	66.12	6591.12	-62.18	-66.58	22.18	Pass

11ax80(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-126.96	6338.04	-59.16	-63.96	-19.16	Pass
-120	-80	0.8	-81.84	6383.16	-44.17	-48.97	-15.62	Pass
-80	-41	0.8	-41	6424	-32.2	-37	-12.2	Pass
-41	-40	0.8	-41	6424	-32.2	-37	-12.2	Pass
40	41	0.8	41	6506	-34.04	-38.84	14.04	Pass
41	80	0.8	41	6506	-34.04	-38.84	14.04	Pass
80	120	0.8	117.36	6582.36	-58.69	-63.49	19.48	Pass
120	240	0.8	121.92	6586.92	-59.11	-63.91	19.11	Pass

11ax80(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-124.08	6420.92	-58.95	-63.35	-18.95	Pass
-120	-80	0.8	-89.76	6455.24	-48.62	-53.02	-17.7	Pass
-80	-41	0.8	-41	6504	-31.99	-36.38	-11.99	Pass
-41	-40	0.8	-41	6504	-31.99	-36.38	-11.99	Pass
40	41	0.8	41	6586	-34.72	-39.11	14.72	Pass
41	80	0.8	41	6586	-34.72	-39.11	14.72	Pass
80	120	0.8	119.04	6664.04	-60.12	-64.52	20.41	Pass
120	240	0.8	130.56	6675.56	-60.3	-64.69	20.3	Pass

11ax160(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-264.69	6240.31	-56.35	-60.84	-16.35	Pass
-255	-170	1.6	-179.52	6325.48	-42.64	-47.12	-13.3	Pass
-170	-86	1.6	- 169.490255	6335.50974 5	-39.38	-43.86	-11.43	Pass
-86	-85	1.6	-86	6419	-36.01	-40.49	-16.01	Pass
85	86	1.6	86	6591	-38.93	-43.42	18.93	Pass
86	170	1.6	86	6591	-38.93	-43.42	18.93	Pass
170	255	1.6	253.98	6758.98	-58.11	-62.6	18.26	Pass
255	510	1.6	281.01	6786.01	-57.77	-62.25	17.77	Pass

11ax20(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.12	6501.88	-62.01	-69.7	-22.01	Pass
-30	-20	0.2	-29.82	6505.18	-61.64	-69.33	-21.86	Pass
-20	-11	0.2	-11.04	6523.96	-35.9	-43.59	-15.86	Pass
-11	-10	0.2	-11	6524	-36.73	-44.42	-16.73	Pass
10	11	0.2	11	6546	-37.3	-44.99	17.3	Pass
11	20	0.2	11	6546	-36.75	-44.44	16.75	Pass
20	30	0.2	30	6565	-62.09	-69.79	22.09	Pass
30	60	0.2	30.06	6565.06	-61.89	-69.58	21.89	Pass

11ax20(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.32	6683.68	-61.23	-68.9	-21.23	Pass
-30	-20	0.2	-23.04	6691.96	-49.45	-57.13	-17.8	Pass
-20	-11	0.2	-11	6704	-35.16	-42.83	-15.16	Pass
-11	-10	0.2	-11	6704	-35.37	-43.04	-15.37	Pass
10	11	0.2	11	6726	-37.19	-44.87	17.19	Pass
11	20	0.2	11	6726	-36.08	-43.75	16.08	Pass
20	30	0.2	29.88	6744.88	-61.13	-68.8	21.27	Pass
30	60	0.2	34.2	6749.2	-61.45	-69.12	21.45	Pass

11ax20(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.18	6824.82	-58.66	-66.54	-18.66	Pass
-30	-20	0.2	-21.66	6833.34	-43.95	-51.83	-13.96	Pass
-20	-11	0.2	-19.26	6835.74	-41.26	-49.14	-13.92	Pass
-11	-10	0.2	-11	6844	-34.23	-42.11	-14.23	Pass
10	11	0.2	11	6866	-36.35	-44.24	16.35	Pass
11	20	0.2	11	6866	-36.42	-44.3	16.42	Pass
20	30	0.2	23.34	6878.34	-48.93	-56.81	16.92	Pass
30	60	0.2	30.9	6885.9	-60.15	-68.04	20.15	Pass

11ax40(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.44	6503.56	-61.37	-65.89	-21.37	Pass
-60	-40	0.4	-40.68	6524.32	-47.42	-51.95	-19.01	Pass
-40	-21	0.4	-21	6544	-38.03	-42.55	-18.03	Pass
-21	-20	0.4	-21	6544	-38.03	-42.55	-18.03	Pass
20	21	0.4	21	6586	-39.64	-44.16	19.64	Pass
21	40	0.4	21	6586	-39.64	-44.16	19.64	Pass
40	60	0.4	60	6625	-61.31	-65.84	21.31	Pass
60	120	0.4	60	6625	-61.31	-65.84	21.31	Pass

11ax40(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.88	6662.12	-59.69	-65.28	-19.69	Pass
-60	-40	0.4	-42.12	6682.88	-45.27	-50.86	-15.99	Pass
-40	-21	0.4	-37.241379	6687.75862 1	-42.63	-48.22	-15.79	Pass
-21	-20	0.4	-21	6704	-36.87	-42.46	-16.87	Pass
20	21	0.4	21	6746	-39.6	-45.19	19.6	Pass
21	40	0.4	21	6746	-39.6	-45.19	19.6	Pass
40	60	0.4	60	6785	-61.35	-66.94	21.35	Pass
60	120	0.4	65.76	6790.76	-60.67	-66.26	20.67	Pass

11ax40(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.92	6783.08	-56.39	-63.4	-16.39	Pass
-60	-40	0.4	-40.56	6804.44	-40.92	-47.94	-12.58	Pass
-40	-21	0.4	-35.082459	6809.91754 1	-38.38	-45.4	-12.45	Pass
-21	-20	0.4	-21	6824	-35.12	-42.13	-15.12	Pass
20	21	0.4	21	6866	-36.71	-43.73	16.71	Pass
21	40	0.4	36.161919	6881.16191 9	-42.18	-49.2	15.8	Pass
40	60	0.4	45.6	6890.6	-46.39	-53.4	15.03	Pass
60	120	0.4	60	6905	-57.35	-64.37	17.35	Pass

11ax80(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.48	6504.52	-57.52	-62.43	-17.52	Pass
-120	-80	0.8	-84.24	6540.76	-44.22	-49.13	-14.95	Pass
-80	-41	0.8	-41.13943	6583.86057	-32.3	-37.21	-12.28	Pass
-41	-40	0.8	-41	6584	-32.57	-37.48	-12.57	Pass
40	41	0.8	41	6666	-35.75	-40.65	15.75	Pass
41	80	0.8	41	6666	-35.75	-40.65	15.75	Pass
80	120	0.8	119.76	6744.76	-59.72	-64.62	19.79	Pass
120	240	0.8	127.2	6752.2	-59.39	-64.29	19.39	Pass

11ax80(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.2	6583.8	-57.01	-62.54	-17.01	Pass
-120	-80	0.8	-91.68	6613.32	-44.98	-50.51	-13.47	Pass
-80	-41	0.8	-41	6664	-31.7	-37.23	-11.7	Pass
-41	-40	0.8	-41	6664	-31.7	-37.23	-11.7	Pass
40	41	0.8	40.89955	6745.89955	-32.06	-37.59	14.07	Pass
41	80	0.8	41	6746	-34.14	-39.67	14.14	Pass
80	120	0.8	120	6825	-60.06	-65.58	20.06	Pass
120	240	0.8	123.12	6828.12	-59.21	-64.74	19.21	Pass

11ax80(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-127.2	6657.8	-56.62	-62.93	-16.62	Pass
-120	-80	0.8	-82.8	6702.2	-42.3	-48.62	-13.46	Pass
-80	-41	0.8	-41	6744	-30.88	-37.2	-10.88	Pass
-41	-40	0.8	-41	6744	-30.88	-37.2	-10.88	Pass
40	41	0.8	41	6826	-33.89	-40.2	13.89	Pass
41	80	0.8	41	6826	-33.89	-40.2	13.89	Pass
80	120	0.8	80.88	6865.88	-46.08	-52.4	17.82	Pass
120	240	0.8	122.4	6907.4	-58.13	-64.45	18.13	Pass

11ax160(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-262.65	6402.35	-56.65	-59.09	-16.65	Pass
-255	-170	1.6	-188.7	6476.3	-42.24	-44.68	-11.6	Pass
-170	-86	1.6	- 165.922039	6499.07796 1	-37.31	-39.76	-9.7	Pass
-86	-85	1.6	-86	6579	-34.89	-37.33	-14.89	Pass
85	86	1.6	86	6751	-40.75	-43.2	20.75	Pass
86	170	1.6	86	6751	-40.75	-43.2	20.75	Pass
170	255	1.6	255	6920	-59.86	-62.3	19.86	Pass
255	510	1.6	260.61	6925.61	-59.69	-62.13	19.69	Pass

11ax160(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-255.51	6569.49	-54.5	-56.45	-14.5	Pass
-255	-170	1.6	-199.41	6625.59	-43.13	-45.09	-10.98	Pass
-170	-86	1.6	- 168.470765	6656.52923 5	-37.83	-39.78	-9.98	Pass
-86	-85	1.6	-86	6739	-34.78	-36.74	-14.78	Pass
85	86	1.6	86	6911	-40.18	-42.14	20.18	Pass
86	170	1.6	86	6911	-40.18	-42.14	20.18	Pass
170	255	1.6	255	7080	-61.25	-63.2	21.25	Pass
255	510	1.6	479.4	7304.4	-60.95	-62.9	20.95	Pass

11ax20(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-57.84	6817.16	-60.99	-68.74	-20.99	Pass
-30	-20	0.2	-30	6845	-61.43	-69.18	-21.43	Pass
-20	-11	0.2	-11.04	6863.96	-36.93	-44.68	-16.89	Pass
-11	-10	0.2	-11	6864	-36.32	-44.07	-16.32	Pass
10	11	0.2	11	6886	-38.51	-46.26	18.51	Pass
11	20	0.2	11	6886	-37.57	-45.31	17.57	Pass
20	30	0.2	29.7	6904.7	-61.54	-69.29	21.9	Pass
30	60	0.2	30.66	6905.66	-61.17	-68.92	21.17	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.2	6963.8	-59.79	-67.55	-19.79	Pass
-30	-20	0.2	-30	6965	-60.25	-68	-20.25	Pass
-20	-11	0.2	-11	6984	-36.73	-44.48	-16.73	Pass
-11	-10	0.2	-11	6984	-35.18	-42.93	-15.18	Pass
10	11	0.2	11	7006	-37.28	-45.04	17.28	Pass
11	20	0.2	11	7006	-35.94	-43.69	15.94	Pass
20	30	0.2	29.88	7024.88	-61.27	-69.02	21.41	Pass
30	60	0.2	30.3	7025.3	-61.51	-69.26	21.51	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.6	7064.4	-56.79	-64.88	-16.79	Pass
-30	-20	0.2	-29.82	7065.18	-56.63	-64.71	-16.84	Pass
-20	-11	0.2	-11	7084	-34.47	-42.56	-14.47	Pass
-11	-10	0.2	-11	7084	-34.83	-42.92	-14.83	Pass
10	11	0.2	11	7106	-36.2	-44.29	16.2	Pass
11	20	0.2	11	7106	-34.91	-43	14.91	Pass
20	30	0.2	30	7125	-57.3	-65.39	17.3	Pass
30	60	0.2	30	7125	-57.3	-65.39	17.3	Pass

11ax20(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.12	7084.88	-56.02	-64.08	-16.02	Pass
-30	-20	0.2	-29.76	7085.24	-55.89	-63.95	-16.18	Pass
-20	-11	0.2	-11	7104	-34.36	-42.43	-14.36	Pass
-11	-10	0.2	-11	7104	-35.51	-43.57	-15.51	Pass
10	11	0.2	11	7126	-36.1	-44.16	16.1	Pass
11	20	0.2	11	7126	-35.94	-44	15.94	Pass
20	30	0.2	29.04	7144.04	-55.44	-63.5	16.59	Pass
30	60	0.2	30.36	7145.36	-57.03	-65.1	17.03	Pass

11ax40(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.96	6824.04	-60.24	-64.8	-20.24	Pass
-60	-40	0.4	-60	6825	-61.09	-65.66	-21.09	Pass
-40	-21	0.4	-21	6864	-37.98	-42.55	-17.98	Pass
-21	-20	0.4	-21	6864	-37.98	-42.55	-17.98	Pass
20	21	0.4	21	6906	-40.53	-45.1	20.53	Pass
21	40	0.4	21	6906	-40.53	-45.1	20.53	Pass
40	60	0.4	59.76	6944.76	-62.25	-66.82	22.39	Pass
60	120	0.4	63	6948	-61.85	-66.41	21.85	Pass

11ax40(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.36	6944.64	-56.16	-60.61	-16.16	Pass
-60	-40	0.4	-58.44	6946.56	-55.51	-59.96	-16.44	Pass
-40	-21	0.4	-21.049475	6983.95052 5	-35.15	-39.6	-15.12	Pass
-21	-20	0.4	-21	6984	-35.52	-39.97	-15.52	Pass
20	21	0.4	21	7026	-37.51	-41.97	17.51	Pass
21	40	0.4	21	7026	-37.51	-41.97	17.51	Pass
40	60	0.4	41.4	7046.4	-46.91	-51.36	18.07	Pass
60	120	0.4	60.72	7065.72	-59.23	-63.68	19.23	Pass

11ax40(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.36	7024.64	-49.54	-54.27	-9.54	Pass
-60	-40	0.4	-48	7037	-42.18	-46.91	-9.38	Pass
-40	-21	0.4	-38.92054	7046.07946	-38.06	-42.79	-10.51	Pass
-21	-20	0.4	-21	7064	-30.97	-35.7	-10.97	Pass
20	21	0.4	21	7106	-31.75	-36.48	11.75	Pass
21	40	0.4	32.803598	7117.803598	-35.43	-40.16	10.46	Pass
40	60	0.4	46.8	7131.8	-42.56	-47.29	10.48	Pass
60	120	0.4	60.48	7145.48	-51.45	-56.18	11.45	Pass

11ax80(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.72	6744.28	-52.45	-54.28	-12.45	Pass
-120	-80	0.8	-119.04	6745.96	-53.04	-54.87	-13.33	Pass
-80	-41	0.8	-41	6824	-31.59	-33.42	-11.59	Pass
-41	-40	0.8	-41	6824	-31.59	-33.42	-11.59	Pass
40	41	0.8	41	6906	-34.78	-36.61	14.78	Pass
41	80	0.8	41.13943	6906.13943	-34.29	-36.12	14.26	Pass
80	120	0.8	119.76	6984.76	-53.77	-55.6	13.84	Pass
120	240	0.8	122.88	6987.88	-53.28	-55.11	13.28	Pass

11ax80(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.48	6824.52	-50.34	-53.05	-10.34	Pass
-120	-80	0.8	-119.52	6825.48	-49.72	-52.43	-9.86	Pass
-80	-41	0.8	-41	6904	-31.1	-33.81	-11.1	Pass
-41	-40	0.8	-41	6904	-31.1	-33.81	-11.1	Pass
40	41	0.8	41	6986	-34.2	-36.92	14.2	Pass
41	80	0.8	41	6986	-34.2	-36.92	14.2	Pass
80	120	0.8	120	7065	-52.9	-55.62	12.9	Pass
120	240	0.8	120.72	7065.72	-52.46	-55.18	12.46	Pass

11ax80(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.72	6904.28	-43.77	-46.81	-3.77	Pass
-120	-80	0.8	-119.28	6905.72	-43.57	-46.62	-3.79	Pass
-80	-41	0.8	-78.08096	6946.91904	-33.8	-36.85	-6.2	Pass
-41	-40	0.8	-41	6984	-26.73	-29.77	-6.73	Pass
40	41	0.8	41	7066	-28.36	-31.4	8.36	Pass
41	80	0.8	77.841079	7102.841079	-34.88	-37.93	7.32	Pass
80	120	0.8	93.12	7118.12	-39.96	-43	8.02	Pass
120	240	0.8	122.88	7147.88	-50.06	-53.11	10.06	Pass

11ax160(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-255	6730	-44.63	-47.65	-4.63	Pass
-255	-170	1.6	-255	6730	-44.63	-47.65	-4.63	Pass
-170	-86	1.6	- 168.470765	6816.52923 5	-36.04	-39.07	-8.19	Pass
-86	-85	1.6	-86	6899	-32.97	-36	-12.97	Pass
85	86	1.6	86	7071	-34.15	-37.18	14.15	Pass
86	170	1.6	152.668666	7137.66866 6	-38.25	-41.27	11.9	Pass
170	255	1.6	177.48	7162.48	-43.41	-46.43	14.35	Pass
255	510	1.6	255	7240	-55.53	-58.56	15.53	Pass

Aux. Antenna

11ax20(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.3	5924.7	-61.42	-68.99	-21.42	Pass
-30	-20	0.2	-29.76	5925.24	-62.04	-69.61	-22.33	Pass
-20	-11	0.2	-11	5944	-35.86	-43.44	-15.86	Pass
-11	-10	0.2	-11	5944	-36.02	-43.59	-16.02	Pass
10	11	0.2	11	5966	-37.29	-44.86	17.29	Pass
11	20	0.2	11	5966	-37.45	-45.02	17.45	Pass
20	30	0.2	30	5985	-61.49	-69.06	21.49	Pass
30	60	0.2	30	5985	-61.49	-69.06	21.49	Pass

11ax20(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.2	6143.8	-62.03	-69.29	-22.03	Pass
-30	-20	0.2	-29.58	6145.42	-62.29	-69.56	-22.8	Pass
-20	-11	0.2	-11	6164	-37.33	-44.59	-17.33	Pass
-11	-10	0.2	-11	6164	-36.77	-44.04	-16.77	Pass
10	11	0.2	11	6186	-37.75	-45.02	17.75	Pass
11	20	0.2	11.1	6186.1	-37.23	-44.49	17.14	Pass
20	30	0.2	30	6205	-62.43	-69.69	22.43	Pass
30	60	0.2	32.28	6207.28	-62.25	-69.52	22.25	Pass

11ax20(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.52	6382.48	-61.93	-69.44	-21.93	Pass
-30	-20	0.2	-20.46	6394.54	-48.64	-56.14	-20.09	Pass
-20	-11	0.2	-11	6404	-35.36	-42.87	-15.36	Pass
-11	-10	0.2	-11	6404	-36.51	-44.02	-16.51	Pass
10	11	0.2	11	6426	-37.01	-44.52	17.01	Pass
11	20	0.2	11	6426	-37.14	-44.64	17.14	Pass
20	30	0.2	21.96	6436.96	-52.14	-59.65	21.79	Pass
30	60	0.2	31.8	6446.8	-61.6	-69.1	21.6	Pass

11ax40(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.28	5902.72	-61.08	-66.04	-21.08	Pass
-60	-40	0.4	-59.64	5905.36	-61.62	-66.57	-21.83	Pass
-40	-21	0.4	-21	5944	-38.89	-43.85	-18.89	Pass
-21	-20	0.4	-21	5944	-38.89	-43.85	-18.89	Pass
20	21	0.4	21	5986	-40.39	-45.34	20.39	Pass
21	40	0.4	21.049475	5986.049475	-40.25	-45.2	20.23	Pass
40	60	0.4	59.52	6024.52	-61.49	-66.44	21.78	Pass
60	120	0.4	60.48	6025.48	-61.68	-66.64	21.68	Pass

11ax40(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.56	6100.44	-62.07	-66.68	-22.07	Pass
-60	-40	0.4	-59.28	6105.72	-61.71	-66.31	-22.14	Pass
-40	-21	0.4	-21.049475	6143.950525	-38.73	-43.33	-18.71	Pass
-21	-20	0.4	-21	6144	-38.8	-43.4	-18.8	Pass
20	21	0.4	21	6186	-39.63	-44.24	19.63	Pass
21	40	0.4	21.049475	6186.049475	-39.56	-44.16	19.54	Pass
40	60	0.4	59.16	6224.16	-61.53	-66.14	22.04	Pass
60	120	0.4	67.32	6232.32	-61.83	-66.44	21.83	Pass

11ax40(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.24	6341.76	-59.94	-65.96	-19.94	Pass
-60	-40	0.4	-59.76	6345.24	-59.88	-65.9	-20.03	Pass
-40	-21	0.4	-21	6384	-37.92	-43.94	-17.92	Pass
-21	-20	0.4	-21	6384	-37.92	-43.94	-17.92	Pass
20	21	0.4	21	6426	-39.87	-45.88	19.87	Pass
21	40	0.4	21	6426	-39.87	-45.88	19.87	Pass
40	60	0.4	60	6465	-60.36	-66.38	20.36	Pass
60	120	0.4	61.08	6466.08	-59.99	-66.01	19.99	Pass

11ax80(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-225.12	5759.88	-56.46	-61.35	-16.46	Pass
-120	-80	0.8	-120	5865	-59.89	-64.78	-19.89	Pass
-80	-41	0.8	-41	5944	-33.51	-38.4	-13.51	Pass
-41	-40	0.8	-41	5944	-33.51	-38.4	-13.51	Pass
40	41	0.8	41	6026	-33.89	-38.77	13.89	Pass
41	80	0.8	41	6026	-33.89	-38.77	13.89	Pass
80	120	0.8	119.52	6104.52	-60.17	-65.06	20.32	Pass
120	240	0.8	123.84	6108.84	-59.97	-64.86	19.97	Pass

11ax80(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-235.68	5909.32	-57.84	-61.33	-17.84	Pass
-120	-80	0.8	-91.2	6053.8	-48.77	-52.25	-17.41	Pass
-80	-41	0.8	-41.13943	6103.86057	-32.98	-36.47	-12.95	Pass
-41	-40	0.8	-41	6104	-33.42	-36.91	-13.42	Pass
40	41	0.8	41	6186	-34.8	-38.29	14.8	Pass
41	80	0.8	41	6186	-34.8	-38.29	14.8	Pass
80	120	0.8	119.52	6264.52	-57.83	-61.32	17.98	Pass
120	240	0.8	131.28	6276.28	-57.91	-61.4	17.91	Pass

11ax80(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.44	6263.56	-57.46	-64.1	-17.46	Pass
-120	-80	0.8	-91.92	6293.08	-49.15	-55.79	-17.57	Pass
-80	-41	0.8	-41.13943	6343.86057	-33.54	-40.18	-13.51	Pass
-41	-40	0.8	-41	6344	-33.6	-40.25	-13.6	Pass
40	41	0.8	41	6426	-35.5	-42.14	15.5	Pass
41	80	0.8	41	6426	-35.5	-42.14	15.5	Pass
80	120	0.8	119.28	6504.28	-58.84	-65.48	19.05	Pass
120	240	0.8	122.64	6507.64	-58.8	-65.44	18.8	Pass

11ax160(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-264.69	5760.31	-57.07	-61.83	-17.07	Pass
-255	-170	1.6	-196.35	5828.65	-47.73	-52.49	-16.01	Pass
-170	-86	1.6	- 167.451274	5857.54872 6	-42.24	-47	-14.48	Pass
-86	-85	1.6	-86	5939	-37.25	-42.01	-17.25	Pass
85	86	1.6	86	6111	-39.12	-43.88	19.12	Pass
86	170	1.6	145.532234	6170.53223 4	-42.76	-47.52	17.09	Pass
170	255	1.6	254.49	6279.49	-57.03	-61.79	17.1	Pass
255	510	1.6	255.51	6280.51	-57.11	-61.87	17.11	Pass

11ax160(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-259.59	5925.41	-57.5	-61.57	-17.5	Pass
-255	-170	1.6	-174.93	6010.07	-44.18	-48.24	-15.48	Pass
-170	-86	1.6	- 168.470765	6016.52923 5	-41.33	-45.4	-13.47	Pass
-86	-85	1.6	-86	6099	-37.57	-41.64	-17.57	Pass
85	86	1.6	86	6271	-39.93	-43.99	19.93	Pass
86	170	1.6	86	6271	-39.93	-43.99	19.93	Pass
170	255	1.6	255	6440	-58.8	-62.87	18.8	Pass
255	510	1.6	255	6440	-58.8	-62.87	18.8	Pass

11ax160(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-255	6090	-56.02	-62.16	-16.02	Pass
-255	-170	1.6	-196.86	6148.14	-44.98	-51.12	-13.19	Pass
-170	-86	1.6	- 163.883059	6181.11694 2	-39.37	-45.5	-11.95	Pass
-86	-85	1.6	-86	6259	-36.6	-42.73	-16.6	Pass
85	86	1.6	86	6431	-39.92	-46.05	19.92	Pass
86	170	1.6	141.454273	6486.45427 3	-44.42	-50.55	19.14	Pass
170	255	1.6	254.49	6599.49	-57.5	-63.64	17.57	Pass
255	510	1.6	270.3	6615.3	-56.88	-63.01	16.88	Pass

11ax20(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.6	6404.4	-61.94	-69.36	-21.94	Pass
-30	-20	0.2	-21.84	6413.16	-49.91	-57.33	-19.7	Pass
-20	-11	0.2	-11.04	6423.96	-35.22	-42.64	-15.19	Pass
-11	-10	0.2	-11	6424	-35.86	-43.28	-15.86	Pass
10	11	0.2	11	6446	-36.73	-44.15	16.73	Pass
11	20	0.2	11.04	6446.04	-35.67	-43.09	15.64	Pass
20	30	0.2	20.76	6455.76	-50.39	-57.81	21.48	Pass
30	60	0.2	30.48	6465.48	-61.7	-69.12	21.7	Pass

11ax20(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.32	6443.68	-61.84	-69.55	-21.84	Pass
-30	-20	0.2	-22.08	6452.92	-49.28	-56.99	-18.79	Pass
-20	-11	0.2	-11.04	6463.96	-35.41	-43.12	-15.37	Pass
-11	-10	0.2	-11	6464	-35.55	-43.26	-15.55	Pass
10	11	0.2	11	6486	-36.37	-44.08	16.37	Pass
11	20	0.2	11.04	6486.04	-36.47	-44.18	16.44	Pass
20	30	0.2	21.9	6496.9	-50.78	-58.49	20.5	Pass
30	60	0.2	31.86	6506.86	-62.14	-69.85	22.14	Pass

11ax20(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.32	6483.68	-62.16	-69.81	-22.16	Pass
-30	-20	0.2	-21.72	6493.28	-49.03	-56.67	-18.97	Pass
-20	-11	0.2	-11	6504	-35.73	-43.37	-15.73	Pass
-11	-10	0.2	-10.940055	6504.05994 6	-35.69	-43.34	-16.89	Pass
10	11	0.2	11	6526	-36.64	-44.28	16.64	Pass
11	20	0.2	11	6526	-36.99	-44.63	16.99	Pass
20	30	0.2	21.12	6536.12	-51.12	-58.76	21.78	Pass
30	60	0.2	30.24	6545.24	-61.89	-69.53	21.89	Pass

11ax40(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.84	6384.16	-60.07	-65.76	-20.07	Pass
-60	-40	0.4	-43.8	6401.2	-50.25	-55.94	-19.97	Pass
-40	-21	0.4	-21	6424	-37.77	-43.47	-17.77	Pass
-21	-20	0.4	-21	6424	-37.77	-43.47	-17.77	Pass
20	21	0.4	21	6466	-39.9	-45.59	19.9	Pass
21	40	0.4	21.049475	6466.04947 5	-39.85	-45.54	19.83	Pass
40	60	0.4	59.88	6504.88	-60.53	-66.22	20.6	Pass
60	120	0.4	62.4	6507.4	-60.68	-66.37	20.68	Pass

11ax40(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.76	6422.24	-60.38	-66.2	-20.38	Pass
-60	-40	0.4	-41.52	6443.48	-49.01	-54.83	-20.1	Pass
-40	-21	0.4	-21	6464	-38.45	-44.27	-18.45	Pass
-21	-20	0.4	-21	6464	-38.45	-44.27	-18.45	Pass
20	21	0.4	21	6506	-39.71	-45.53	19.71	Pass
21	40	0.4	21	6506	-39.71	-45.53	19.71	Pass
40	60	0.4	59.28	6544.28	-60.48	-66.29	20.91	Pass
60	120	0.4	60.84	6545.84	-60.45	-66.27	20.45	Pass

11ax40(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.48	6464.52	-60.42	-65.65	-20.42	Pass
-60	-40	0.4	-40.44	6484.56	-46.67	-51.9	-18.4	Pass
-40	-21	0.4	-34.602699	6490.39730 1	-44.29	-49.52	-18.57	Pass
-21	-20	0.4	-21	6504	-38.6	-43.83	-18.6	Pass
20	21	0.4	21	6546	-39.65	-44.88	19.65	Pass
21	40	0.4	21.049475	6546.04947 5	-39.63	-44.86	19.61	Pass
40	60	0.4	59.76	6584.76	-60.86	-66.09	21.01	Pass
60	120	0.4	62.4	6587.4	-61.01	-66.25	21.01	Pass

11ax80(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120	6345	-57.29	-63.67	-17.29	Pass
-120	-80	0.8	-84.24	6380.76	-45.56	-51.94	-16.29	Pass
-80	-41	0.8	-41	6424	-33.45	-39.82	-13.45	Pass
-41	-40	0.8	-41	6424	-33.45	-39.82	-13.45	Pass
40	41	0.8	41	6506	-33.65	-40.03	13.65	Pass
41	80	0.8	41	6506	-33.65	-40.03	13.65	Pass
80	120	0.8	119.28	6584.28	-57.8	-64.18	18.01	Pass
120	240	0.8	126.48	6591.48	-57.8	-64.18	17.8	Pass

11ax80(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.36	6421.64	-59.55	-64.65	-19.55	Pass
-120	-80	0.8	-88.08	6456.92	-47.32	-52.43	-16.9	Pass
-80	-41	0.8	-41	6504	-33.32	-38.42	-13.32	Pass
-41	-40	0.8	-41	6504	-33.32	-38.42	-13.32	Pass
40	41	0.8	41	6586	-34.65	-39.76	14.65	Pass
41	80	0.8	41	6586	-34.65	-39.76	14.65	Pass
80	120	0.8	119.52	6664.52	-59.72	-64.83	19.86	Pass
120	240	0.8	124.56	6669.56	-60.02	-65.13	20.02	Pass

11ax160(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-257.55	6247.45	-55.38	-60.89	-15.38	Pass
-255	-170	1.6	-177.99	6327.01	-40.97	-46.48	-11.84	Pass
-170	-86	1.6	- 167.451274	6337.54872 6	-37.82	-43.33	-10.06	Pass
-86	-85	1.6	-86	6419	-34.58	-40.1	-14.58	Pass
85	86	1.6	86	6591	-37.23	-42.75	17.23	Pass
86	170	1.6	140.944528	6645.94452 8	-38.97	-44.49	13.74	Pass
170	255	1.6	172.89	6677.89	-45.12	-50.64	16.72	Pass
255	510	1.6	261.63	6766.63	-56.5	-62.01	16.5	Pass

11ax20(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.18	6504.82	-61.83	-69.67	-21.83	Pass
-30	-20	0.2	-21.66	6513.34	-50.12	-57.97	-20.12	Pass
-20	-11	0.2	-11	6524	-36.4	-44.25	-16.4	Pass
-11	-10	0.2	-11	6524	-36.6	-44.45	-16.6	Pass
10	11	0.2	11	6546	-37.4	-45.25	17.4	Pass
11	20	0.2	11.22	6546.22	-37.28	-45.13	17.09	Pass
20	30	0.2	29.76	6564.76	-62.02	-69.87	22.31	Pass
30	60	0.2	30.54	6565.54	-61.51	-69.36	21.51	Pass

11ax20(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.42	6684.58	-62.08	-69.57	-22.08	Pass
-30	-20	0.2	-29.76	6685.24	-62.26	-69.75	-22.55	Pass
-20	-11	0.2	-11	6704	-37.33	-44.82	-17.33	Pass
-11	-10	0.2	-11	6704	-36.13	-43.62	-16.13	Pass
10	11	0.2	11	6726	-37.31	-44.8	17.31	Pass
11	20	0.2	11.16	6726.16	-37.42	-44.91	17.28	Pass
20	30	0.2	29.4	6744.4	-62.18	-69.67	22.9	Pass
30	60	0.2	31.02	6746.02	-61.77	-69.26	21.77	Pass

11ax20(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30	6825	-61.58	-69.33	-21.58	Pass
-30	-20	0.2	-20.34	6834.66	-48.64	-56.38	-20.23	Pass
-20	-11	0.2	-11	6844	-35.83	-43.58	-15.83	Pass
-11	-10	0.2	-11	6844	-35.83	-43.57	-15.83	Pass
10	11	0.2	11	6866	-36.81	-44.56	16.81	Pass
11	20	0.2	11	6866	-36.41	-44.16	16.41	Pass
20	30	0.2	20.76	6875.76	-49.84	-57.59	20.93	Pass
30	60	0.2	30.06	6885.06	-61.73	-69.48	21.73	Pass

11ax40(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.32	6503.68	-61.57	-66.48	-21.57	Pass
-60	-40	0.4	-41.04	6523.96	-48.21	-53.13	-19.59	Pass
-40	-21	0.4	-21.169415	6543.83058 5	-38.42	-43.33	-18.35	Pass
-21	-20	0.4	-21	6544	-38.47	-43.39	-18.47	Pass
20	21	0.4	21	6586	-39.82	-44.74	19.82	Pass
21	40	0.4	21	6586	-39.82	-44.74	19.82	Pass
40	60	0.4	59.04	6624.04	-61.55	-66.47	22.13	Pass
60	120	0.4	62.52	6627.52	-61.55	-66.46	21.55	Pass

11ax40(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.6	6661.4	-61.68	-66.65	-21.68	Pass
-60	-40	0.4	-59.52	6665.48	-62.02	-66.99	-22.31	Pass
-40	-21	0.4	-21	6704	-38.23	-43.21	-18.23	Pass
-21	-20	0.4	-21	6704	-38.23	-43.21	-18.23	Pass
20	21	0.4	21	6746	-39.97	-44.95	19.97	Pass
21	40	0.4	21	6746	-39.97	-44.95	19.97	Pass
40	60	0.4	60	6785	-61.56	-66.53	21.56	Pass
60	120	0.4	66.96	6791.96	-61.49	-66.46	21.49	Pass

11ax40(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.44	6783.56	-59.96	-65.27	-19.96	Pass
-60	-40	0.4	-60	6785	-60.3	-65.6	-20.3	Pass
-40	-21	0.4	-21	6824	-37.67	-42.97	-17.67	Pass
-21	-20	0.4	-21	6824	-37.67	-42.97	-17.67	Pass
20	21	0.4	21	6866	-39.24	-44.55	19.24	Pass
21	40	0.4	21.049475	6866.049475	-39.12	-44.43	19.1	Pass
40	60	0.4	60	6905	-60.42	-65.72	20.42	Pass
60	120	0.4	60	6905	-60.42	-65.72	20.42	Pass

11ax80(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.68	6503.32	-60.04	-65.04	-20.04	Pass
-120	-80	0.8	-84.24	6540.76	-48.8	-53.8	-19.53	Pass
-80	-41	0.8	-41	6584	-34.15	-39.15	-14.15	Pass
-41	-40	0.8	-41	6584	-34.15	-39.15	-14.15	Pass
40	41	0.8	41	6666	-34.83	-39.83	14.83	Pass
41	80	0.8	41	6666	-34.83	-39.83	14.83	Pass
80	120	0.8	119.28	6744.28	-60.31	-65.3	20.52	Pass
120	240	0.8	172.08	6797.08	-60.19	-65.18	20.19	Pass

11ax80(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.48	6584.52	-59.44	-64.83	-19.44	Pass
-120	-80	0.8	-92.4	6612.6	-50.95	-56.34	-19.23	Pass
-80	-41	0.8	-41	6664	-32.43	-37.82	-12.43	Pass
-41	-40	0.8	-41	6664	-32.43	-37.82	-12.43	Pass
40	41	0.8	41	6746	-34.51	-39.9	14.51	Pass
41	80	0.8	41	6746	-34.51	-39.9	14.51	Pass
80	120	0.8	120	6825	-60.2	-65.59	20.2	Pass
120	240	0.8	121.44	6826.44	-59.33	-64.72	19.33	Pass

11ax80(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.12	6661.88	-57.61	-62.87	-17.61	Pass
-120	-80	0.8	-119.28	6665.72	-57.57	-62.84	-17.79	Pass
-80	-41	0.8	-41	6744	-32.3	-37.56	-12.3	Pass
-41	-40	0.8	-41	6744	-32.3	-37.56	-12.3	Pass
40	41	0.8	41	6826	-34.86	-40.12	14.86	Pass
41	80	0.8	41.13943	6826.13943	-34.64	-39.9	14.61	Pass
80	120	0.8	120	6905	-59.18	-64.44	19.18	Pass
120	240	0.8	122.16	6907.16	-58.92	-64.19	18.92	Pass

11ax160(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-257.55	6407.45	-56.95	-62.3	-16.95	Pass
-255	-170	1.6	-183.09	6481.91	-44.3	-49.64	-14.45	Pass
-170	-86	1.6	- 167.961019	6497.03898 1	-40.95	-46.3	-13.14	Pass
-86	-85	1.6	-86	6579	-37.24	-42.58	-17.24	Pass
85	86	1.6	86	6751	-41.11	-46.46	21.11	Pass
86	170	1.6	146.551724	6811.55172 4	-46.3	-51.65	20.54	Pass
170	255	1.6	255	6920	-57.97	-63.32	17.97	Pass
255	510	1.6	282.54	6947.54	-57.72	-63.07	17.72	Pass

11ax160(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-255.51	6569.49	-55.22	-60.41	-15.22	Pass
-255	-170	1.6	-186.15	6638.85	-43.51	-48.7	-13.23	Pass
-170	-86	1.6	- 166.941529	6658.05847 1	-39.54	-44.73	-11.83	Pass
-86	-85	1.6	-86	6739	-36.36	-41.55	-16.36	Pass
85	86	1.6	86	6911	-37.69	-42.88	17.69	Pass
86	170	1.6	153.688156	6978.68815 6	-39.61	-44.8	13.16	Pass
170	255	1.6	171.36	6996.36	-43.66	-48.85	15.46	Pass
255	510	1.6	265.2	7090.2	-57.11	-62.31	17.11	Pass

11ax20(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.6	6844.4	-60.85	-68.3	-20.85	Pass
-30	-20	0.2	-21.66	6853.34	-51.01	-58.45	-21.01	Pass
-20	-11	0.2	-11	6864	-36.21	-43.65	-16.21	Pass
-11	-10	0.2	-11	6864	-36.81	-44.25	-16.81	Pass
10	11	0.2	11	6886	-37.59	-45.04	17.59	Pass
11	20	0.2	11.04	6886.04	-36.31	-43.76	16.27	Pass
20	30	0.2	29.7	6904.7	-61.33	-68.78	21.69	Pass
30	60	0.2	30.6	6905.6	-61.48	-68.93	21.48	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.48	6964.52	-61.39	-68.86	-21.39	Pass
-30	-20	0.2	-23.22	6971.78	-53.24	-60.7	-21.37	Pass
-20	-11	0.2	-11.04	6983.96	-36.7	-44.17	-16.67	Pass
-11	-10	0.2	-11	6984	-35.89	-43.36	-15.89	Pass
10	11	0.2	11	7006	-37.29	-44.76	17.29	Pass
11	20	0.2	11.1	7006.1	-37.02	-44.49	16.93	Pass
20	30	0.2	29.88	7024.88	-61.33	-68.8	21.47	Pass
30	60	0.2	30.24	7025.24	-61.31	-68.78	21.31	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.98	7063.02	-61.13	-68.93	-21.13	Pass
-30	-20	0.2	-29.88	7065.12	-61.49	-69.29	-21.63	Pass
-20	-11	0.2	-11	7084	-36.66	-44.47	-16.66	Pass
-11	-10	0.2	-10.940055	7084.05994 6	-35.28	-43.08	-16.48	Pass
10	11	0.2	11	7106	-37.22	-45.02	17.22	Pass
11	20	0.2	11.04	7106.04	-37.14	-44.94	17.1	Pass
20	30	0.2	29.76	7124.76	-61.63	-69.43	21.92	Pass
30	60	0.2	30.42	7125.42	-61.3	-69.1	21.3	Pass

11ax20(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.36	7084.64	-61.07	-68.89	-21.07	Pass
-30	-20	0.2	-29.94	7085.06	-61.18	-69.01	-21.26	Pass
-20	-11	0.2	-11	7104	-37.42	-45.24	-17.42	Pass
-11	-10	0.2	-10.940055	7104.05994 6	-35.29	-43.11	-16.49	Pass
10	11	0.2	11	7126	-36.73	-44.55	16.73	Pass
11	20	0.2	11	7126	-36.16	-43.98	16.16	Pass
20	30	0.2	30	7145	-61.66	-69.48	21.66	Pass
30	60	0.2	34.14	7149.14	-61.34	-69.16	21.34	Pass

11ax40(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.88	6822.12	-59.17	-64.35	-19.17	Pass
-60	-40	0.4	-59.4	6825.6	-59.41	-64.58	-19.77	Pass
-40	-21	0.4	-21	6864	-37.69	-42.87	-17.69	Pass
-21	-20	0.4	-21	6864	-37.69	-42.87	-17.69	Pass
20	21	0.4	21	6906	-39.78	-44.96	19.78	Pass
21	40	0.4	21	6906	-39.78	-44.96	19.78	Pass
40	60	0.4	59.76	6944.76	-59.83	-65.01	19.98	Pass
60	120	0.4	60.36	6945.36	-59.78	-64.95	19.78	Pass

11ax40(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.68	6940.32	-60.45	-64.89	-20.45	Pass
-60	-40	0.4	-60	6945	-60.65	-65.09	-20.65	Pass
-40	-21	0.4	-21.049475	6983.95052 5	-38.23	-42.67	-18.21	Pass
-21	-20	0.4	-21	6984	-38.28	-42.72	-18.28	Pass
20	21	0.4	21	7026	-40.1	-44.54	20.1	Pass
21	40	0.4	21	7026	-40.1	-44.54	20.1	Pass
40	60	0.4	59.64	7064.64	-61.49	-65.93	21.71	Pass
60	120	0.4	61.56	7066.56	-61.34	-65.78	21.34	Pass

11ax40(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.92	7023.08	-60.72	-65.3	-20.72	Pass
-60	-40	0.4	-59.04	7025.96	-60.74	-65.31	-21.32	Pass
-40	-21	0.4	-21	7064	-38.35	-42.92	-18.35	Pass
-21	-20	0.4	-21	7064	-38.35	-42.92	-18.35	Pass
20	21	0.4	20.929535	7105.929535	-39.32	-43.89	20.73	Pass
21	40	0.4	21	7106	-40.79	-45.37	20.79	Pass
40	60	0.4	59.4	7144.4	-61.07	-65.65	21.43	Pass
60	120	0.4	61.44	7146.44	-61.08	-65.65	21.08	Pass

11ax80(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-125.04	6739.96	-56.96	-61.02	-16.96	Pass
-120	-80	0.8	-89.76	6775.24	-47.89	-51.95	-16.97	Pass
-80	-41	0.8	-41	6824	-31.8	-35.86	-11.8	Pass
-41	-40	0.8	-41	6824	-31.8	-35.86	-11.8	Pass
40	41	0.8	41	6906	-34.42	-38.48	14.42	Pass
41	80	0.8	41	6906	-34.42	-38.48	14.42	Pass
80	120	0.8	98.4	6963.4	-50.73	-54.79	17.21	Pass
120	240	0.8	120.48	6985.48	-58.71	-62.77	18.71	Pass

11ax80(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.96	6824.04	-50.73	-54.16	-10.73	Pass
-120	-80	0.8	-119.52	6825.48	-51.53	-54.96	-11.67	Pass
-80	-41	0.8	-41	6904	-32.05	-35.48	-12.05	Pass
-41	-40	0.8	-41	6904	-32.05	-35.48	-12.05	Pass
40	41	0.8	41	6986	-34.38	-37.81	14.38	Pass
41	80	0.8	41	6986	-34.38	-37.81	14.38	Pass
80	120	0.8	120	7065	-52.44	-55.87	12.44	Pass
120	240	0.8	239.04	7184.04	-52.03	-55.46	12.03	Pass

11ax80(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.44	6903.56	-51.83	-54.24	-11.83	Pass
-120	-80	0.8	-120	6905	-52.32	-54.72	-12.32	Pass
-80	-41	0.8	-41	6984	-32.32	-34.73	-12.32	Pass
-41	-40	0.8	-41	6984	-32.32	-34.73	-12.32	Pass
40	41	0.8	41	7066	-35.11	-37.51	15.11	Pass
41	80	0.8	41	7066	-35.11	-37.51	15.11	Pass
80	120	0.8	119.04	7144.04	-52.83	-55.23	13.11	Pass
120	240	0.8	232.56	7257.56	-52.49	-54.9	12.49	Pass

11ax160(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-258.57	6726.43	-53.41	-56.8	-13.41	Pass
-255	-170	1.6	-184.11	6800.89	-42.4	-45.8	-12.41	Pass
-170	-86	1.6	- 167.961019	6817.03898 1	-38.63	-42.02	-10.83	Pass
-86	-85	1.6	-86	6899	-35.7	-39.1	-15.7	Pass
85	86	1.6	86	7071	-36.85	-40.25	16.85	Pass
86	170	1.6	155.217391	7140.21739 1	-40.28	-43.68	13.69	Pass
170	255	1.6	171.36	7156.36	-44.46	-47.85	16.27	Pass
255	510	1.6	258.57	7243.57	-57.58	-60.98	17.58	Pass

MIMO-Main Antenna

11ax20(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.34	5922.66	-57.01	-67.75	-17.01	Pass
-30	-20	0.2	-21.12	5933.88	-41.26	-52	-11.92	Pass
-20	-11	0.2	-11.16	5943.84	-31.38	-42.12	-11.24	Pass
-11	-10	0.2	-10.940055	5944.059946	-31.5	-42.24	-12.7	Pass
10	11	0.2	11	5966	-32.46	-43.2	12.46	Pass
11	20	0.2	11.34	5966.34	-32.06	-42.8	11.76	Pass
20	30	0.2	20.1	5975.1	-39.63	-50.37	11.51	Pass
30	60	0.2	30.24	5985.24	-57.02	-67.76	17.02	Pass

11ax20(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.64	6142.36	-59.82	-70.16	-19.82	Pass
-30	-20	0.2	-29.94	6145.06	-60.31	-70.65	-20.38	Pass
-20	-11	0.2	-11	6164	-34.9	-45.24	-14.9	Pass
-11	-10	0.2	-11	6164	-36.74	-47.08	-16.74	Pass
10	11	0.2	10.880109	6185.880109	-36.11	-46.45	18.51	Pass
11	20	0.2	11	6186	-37.41	-47.75	17.41	Pass
20	30	0.2	29.7	6204.7	-59.91	-70.25	20.27	Pass
30	60	0.2	33.48	6208.48	-59.74	-70.08	19.74	Pass

11ax20(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.18	6384.82	-59.43	-70.02	-19.43	Pass
-30	-20	0.2	-29.82	6385.18	-59.81	-70.41	-20.03	Pass
-20	-11	0.2	-11.1	6403.9	-36.77	-47.37	-16.68	Pass
-11	-10	0.2	-11	6404	-36.97	-47.56	-16.97	Pass
10	11	0.2	11	6426	-37.69	-48.28	17.69	Pass
11	20	0.2	11.22	6426.22	-36.93	-47.53	16.74	Pass
20	30	0.2	29.76	6444.76	-59.66	-70.25	19.94	Pass
30	60	0.2	31.08	6446.08	-58.84	-69.44	18.84	Pass

11ax40(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-65.16	5899.84	-58.35	-66.07	-18.35	Pass
-60	-40	0.4	-59.76	5905.24	-58.83	-66.56	-18.98	Pass
-40	-21	0.4	-21	5944	-38.68	-46.4	-18.68	Pass
-21	-20	0.4	-21	5944	-38.68	-46.4	-18.68	Pass
20	21	0.4	21	5986	-40.59	-48.32	20.59	Pass
21	40	0.4	21	5986	-40.59	-48.32	20.59	Pass
40	60	0.4	59.88	6024.88	-60.07	-67.79	20.14	Pass
60	120	0.4	61.2	6026.2	-59.51	-67.23	19.51	Pass

11ax40(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.64	6102.36	-58.89	-66.94	-18.89	Pass
-60	-40	0.4	-60	6105	-59.51	-67.56	-19.51	Pass
-40	-21	0.4	-21	6144	-38.08	-46.13	-18.08	Pass
-21	-20	0.4	-21	6144	-38.08	-46.13	-18.08	Pass
20	21	0.4	21	6186	-40.4	-48.45	20.4	Pass
21	40	0.4	21.049475	6186.049475	-40.41	-48.46	20.39	Pass
40	60	0.4	59.64	6224.64	-59.37	-67.42	19.58	Pass
60	120	0.4	62.4	6227.4	-58.35	-66.4	18.35	Pass

11ax40(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-74.76	6330.24	-58.91	-66.65	-18.91	Pass
-60	-40	0.4	-59.64	6345.36	-59.28	-67.01	-19.49	Pass
-40	-21	0.4	-21	6384	-38.25	-45.98	-18.25	Pass
-21	-20	0.4	-21	6384	-38.25	-45.98	-18.25	Pass
20	21	0.4	21	6426	-39.2	-46.93	19.2	Pass
21	40	0.4	21	6426	-39.2	-46.93	19.2	Pass
40	60	0.4	59.4	6464.4	-59.25	-66.99	19.61	Pass
60	120	0.4	61.68	6466.68	-58.95	-66.69	18.95	Pass

11ax80(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-225.12	5759.88	-47.07	-51.93	-7.07	Pass
-120	-80	0.8	-120	5865	-59.53	-64.39	-19.53	Pass
-80	-41	0.8	-41.13943	5943.86057	-32.63	-37.49	-12.6	Pass
-41	-40	0.8	-41	5944	-32.86	-37.72	-12.86	Pass
40	41	0.8	41	6026	-35.29	-40.15	15.29	Pass
41	80	0.8	41.13943	6026.13943	-35	-39.86	14.97	Pass
80	120	0.8	119.76	6104.76	-60.43	-65.28	20.5	Pass
120	240	0.8	121.2	6106.2	-60.4	-65.26	20.4	Pass

11ax80(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-125.28	6019.72	-57.8	-62.7	-17.8	Pass
-120	-80	0.8	-116.88	6028.12	-57.96	-62.87	-18.89	Pass
-80	-41	0.8	-41	6104	-32.34	-37.25	-12.34	Pass
-41	-40	0.8	-41	6104	-32.34	-37.25	-12.34	Pass
40	41	0.8	41	6186	-35.69	-40.6	15.69	Pass
41	80	0.8	41.13943	6186.13943	-34.71	-39.62	14.68	Pass
80	120	0.8	118.8	6263.8	-59	-63.91	19.36	Pass
120	240	0.8	125.04	6270.04	-59.03	-63.94	19.03	Pass

11ax80(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.84	6261.16	-58.53	-63.33	-18.53	Pass
-120	-80	0.8	-84.72	6300.28	-45.41	-50.22	-16	Pass
-80	-41	0.8	-41	6344	-33.47	-38.28	-13.47	Pass
-41	-40	0.8	-41	6344	-33.47	-38.28	-13.47	Pass
40	41	0.8	41	6426	-34.14	-38.95	14.14	Pass
41	80	0.8	41	6426	-34.14	-38.95	14.14	Pass
80	120	0.8	97.44	6482.44	-50.65	-55.45	17.41	Pass
120	240	0.8	120.48	6505.48	-57.98	-62.78	17.98	Pass

11ax160(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-265.2	5759.8	-52.63	-54.98	-12.63	Pass
-255	-170	1.6	-198.9	5826.1	-46.91	-49.26	-14.83	Pass
-170	-86	1.6	- 166.431784	5858.56821 6	-41.58	-43.93	-13.92	Pass
-86	-85	1.6	-86	5939	-38.29	-40.64	-18.29	Pass
85	86	1.6	86	6111	-40.07	-42.41	20.07	Pass
86	170	1.6	86	6111	-40.07	-42.41	20.07	Pass
170	255	1.6	255	6280	-58.58	-60.93	18.58	Pass
255	510	1.6	257.04	6282.04	-58.51	-60.85	18.51	Pass

11ax160(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-425.34	5759.66	-51.94	-56.49	-11.94	Pass
-255	-170	1.6	-252.96	5932.04	-53.64	-58.19	-13.93	Pass
-170	-86	1.6	- 165.922039	6019.07796 1	-41.9	-46.44	-14.28	Pass
-86	-85	1.6	-86	6099	-38.42	-42.96	-18.42	Pass
85	86	1.6	86	6271	-38.32	-42.87	18.32	Pass
86	170	1.6	164.392804	6349.39280 4	-44.71	-49.26	17.24	Pass
170	255	1.6	253.47	6438.47	-54.96	-59.5	15.17	Pass
255	510	1.6	255.51	6440.51	-54.72	-59.27	14.72	Pass

11ax160(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-256.02	6088.98	-54.35	-57.79	-14.35	Pass
-255	-170	1.6	-192.78	6152.22	-43.17	-46.61	-11.96	Pass
-170	-86	1.6	- 162.353823	6182.64617 7	-36.78	-40.22	-9.51	Pass
-86	-85	1.6	-86	6259	-33.72	-37.16	-13.72	Pass
85	86	1.6	86	6431	-34.42	-37.86	14.42	Pass
86	170	1.6	162.863568	6507.86356 8	-36.92	-40.36	9.6	Pass
170	255	1.6	179.01	6524.01	-41.12	-44.56	11.85	Pass
255	510	1.6	257.55	6602.55	-53	-56.44	13	Pass

11ax20(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.44	6403.56	-59.08	-69.66	-19.08	Pass
-30	-20	0.2	-29.94	6405.06	-59.93	-70.52	-20.01	Pass
-20	-11	0.2	-11	6424	-36.57	-47.15	-16.57	Pass
-11	-10	0.2	-10.940055	6424.05994 6	-35.17	-45.75	-16.37	Pass
10	11	0.2	11	6446	-37.74	-48.32	17.74	Pass
11	20	0.2	11	6446	-37.16	-47.74	17.16	Pass
20	30	0.2	29.82	6464.82	-59.85	-70.43	20.06	Pass
30	60	0.2	52.14	6487.14	-59.58	-70.16	19.58	Pass

11ax20(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-42	6433	-59.68	-70.42	-19.68	Pass
-30	-20	0.2	-29.82	6445.18	-59.92	-70.66	-20.13	Pass
-20	-11	0.2	-11	6464	-35.65	-46.39	-15.65	Pass
-11	-10	0.2	-11	6464	-35.93	-46.67	-15.93	Pass
10	11	0.2	11	6486	-35.77	-46.51	15.77	Pass
11	20	0.2	11	6486	-34.96	-45.7	14.96	Pass
20	30	0.2	29.7	6504.7	-60.25	-70.99	20.61	Pass
30	60	0.2	38.34	6513.34	-60.08	-70.82	20.08	Pass

11ax20(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.06	6484.94	-59.49	-70.26	-19.49	Pass
-30	-20	0.2	-30	6485	-59.87	-70.65	-19.87	Pass
-20	-11	0.2	-11.1	6503.9	-36.51	-47.29	-16.43	Pass
-11	-10	0.2	-11	6504	-35.44	-46.21	-15.44	Pass
10	11	0.2	11	6526	-35.99	-46.76	15.99	Pass
11	20	0.2	11.16	6526.16	-35.93	-46.7	15.79	Pass
20	30	0.2	29.94	6544.94	-60.65	-71.42	20.72	Pass
30	60	0.2	51.48	6566.48	-60.16	-70.93	20.16	Pass

11ax40(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.16	6382.84	-59.68	-67.1	-19.68	Pass
-60	-40	0.4	-59.52	6385.48	-60.08	-67.51	-20.37	Pass
-40	-21	0.4	-21	6424	-38.72	-46.15	-18.72	Pass
-21	-20	0.4	-21	6424	-38.72	-46.15	-18.72	Pass
20	21	0.4	21	6466	-40.66	-48.08	20.66	Pass
21	40	0.4	21	6466	-40.66	-48.08	20.66	Pass
40	60	0.4	59.4	6504.4	-60.09	-67.51	20.45	Pass
60	120	0.4	62.4	6507.4	-59.66	-67.09	19.66	Pass

11ax40(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.92	6423.08	-58.98	-67.17	-18.98	Pass
-60	-40	0.4	-60	6425	-59.59	-67.78	-19.59	Pass
-40	-21	0.4	-21	6464	-38.5	-46.69	-18.5	Pass
-21	-20	0.4	-21	6464	-38.5	-46.69	-18.5	Pass
20	21	0.4	21	6506	-39.97	-48.16	19.97	Pass
21	40	0.4	21.049475	6506.049475	-39.97	-48.15	19.94	Pass
40	60	0.4	60	6545	-59.59	-67.78	19.59	Pass
60	120	0.4	63.36	6548.36	-59.2	-67.39	19.2	Pass

11ax40(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-71.52	6453.48	-59.44	-67.26	-19.44	Pass
-60	-40	0.4	-60	6465	-60.14	-67.97	-20.14	Pass
-40	-21	0.4	-21	6504	-38.5	-46.33	-18.5	Pass
-21	-20	0.4	-21	6504	-38.5	-46.33	-18.5	Pass
20	21	0.4	21	6546	-40.29	-48.12	20.29	Pass
21	40	0.4	21	6546	-40.29	-48.12	20.29	Pass
40	60	0.4	59.64	6584.64	-60.08	-67.91	20.3	Pass
60	120	0.4	61.2	6586.2	-59.51	-67.34	19.51	Pass

11ax80(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-135.84	6329.16	-59.57	-64.55	-19.57	Pass
-120	-80	0.8	-84	6381	-47.12	-52.1	-17.92	Pass
-80	-41	0.8	-41	6424	-32.84	-37.82	-12.84	Pass
-41	-40	0.8	-41	6424	-32.84	-37.82	-12.84	Pass
40	41	0.8	41	6506	-35.5	-40.48	15.5	Pass
41	80	0.8	41.37931	6506.37931	-35.45	-40.43	15.37	Pass
80	120	0.8	118.32	6583.32	-59.11	-64.08	19.61	Pass
120	240	0.8	120.96	6585.96	-59.11	-64.09	19.11	Pass

11ax80(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-133.2	6411.8	-59.4	-64.54	-19.4	Pass
-120	-80	0.8	-120	6425	-60.29	-65.43	-20.29	Pass
-80	-41	0.8	-41	6504	-32.85	-37.99	-12.85	Pass
-41	-40	0.8	-41	6504	-32.85	-37.99	-12.85	Pass
40	41	0.8	41	6586	-34.55	-39.69	14.55	Pass
41	80	0.8	41	6586	-34.55	-39.69	14.55	Pass
80	120	0.8	120	6665	-59.86	-64.99	19.86	Pass
120	240	0.8	121.2	6666.2	-59.42	-64.56	19.42	Pass

11ax160(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-262.14	6242.86	-57.48	-59.58	-17.48	Pass
-255	-170	1.6	-193.29	6311.71	-44.4	-46.5	-13.11	Pass
-170	-86	1.6	- 159.805097	6345.19490 3	-38.12	-40.22	-11.09	Pass
-86	-85	1.6	-86	6419	-35.58	-37.69	-15.58	Pass
85	86	1.6	86	6591	-39.19	-41.3	19.19	Pass
86	170	1.6	163.883059	6668.88305 8	-44.48	-46.58	17.06	Pass
170	255	1.6	197.37	6702.37	-50.35	-52.45	18.49	Pass
255	510	1.6	263.16	6768.16	-58.01	-60.11	18.01	Pass

11ax20(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-39.96	6495.04	-59.85	-70.56	-19.85	Pass
-30	-20	0.2	-29.58	6505.42	-60.08	-70.79	-20.59	Pass
-20	-11	0.2	-11.04	6523.96	-35.05	-45.76	-15.02	Pass
-11	-10	0.2	-11	6524	-35.72	-46.42	-15.72	Pass
10	11	0.2	11	6546	-36.05	-46.75	16.05	Pass
11	20	0.2	11.1	6546.1	-34.85	-45.55	14.76	Pass
20	30	0.2	29.94	6564.94	-60.4	-71.1	20.47	Pass
30	60	0.2	31.26	6566.26	-59.79	-70.5	19.79	Pass

11ax20(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-50.64	6664.36	-59.6	-70.26	-19.6	Pass
-30	-20	0.2	-29.88	6685.12	-59.92	-70.59	-20.06	Pass
-20	-11	0.2	-11.04	6703.96	-35.34	-46.01	-15.31	Pass
-11	-10	0.2	-11	6704	-35.55	-46.21	-15.55	Pass
10	11	0.2	11	6726	-36.26	-46.93	16.26	Pass
11	20	0.2	11	6726	-35.88	-46.55	15.88	Pass
20	30	0.2	29.88	6744.88	-59.56	-70.23	19.71	Pass
30	60	0.2	35.82	6750.82	-59.37	-70.04	19.37	Pass

11ax20(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-34.5	6820.5	-58.14	-69.14	-18.14	Pass
-30	-20	0.2	-21.48	6833.52	-45.9	-56.9	-16.12	Pass
-20	-11	0.2	-11	6844	-33.44	-44.44	-13.44	Pass
-11	-10	0.2	-11	6844	-33.83	-44.83	-13.83	Pass
10	11	0.2	11	6866	-34.84	-45.84	14.84	Pass
11	20	0.2	11	6866	-33.78	-44.78	13.78	Pass
20	30	0.2	21.66	6876.66	-46.84	-57.84	16.84	Pass
30	60	0.2	30.54	6885.54	-58.91	-69.92	18.91	Pass

11ax40(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-102.84	6462.16	-59.36	-67.29	-19.36	Pass
-60	-40	0.4	-60	6505	-59.73	-67.66	-19.73	Pass
-40	-21	0.4	-21	6544	-39.08	-47.01	-19.08	Pass
-21	-20	0.4	-21	6544	-39.08	-47.01	-19.08	Pass
20	21	0.4	21	6586	-40.38	-48.31	20.38	Pass
21	40	0.4	21	6586	-40.38	-48.31	20.38	Pass
40	60	0.4	59.4	6624.4	-59.15	-67.08	19.51	Pass
60	120	0.4	93.84	6658.84	-59.22	-67.15	19.22	Pass

11ax40(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.68	6660.32	-59.27	-67.03	-19.27	Pass
-60	-40	0.4	-60	6665	-59.84	-67.6	-19.84	Pass
-40	-21	0.4	-21.049475	6703.95052 5	-39.48	-47.23	-19.46	Pass
-21	-20	0.4	-21	6704	-39.48	-47.23	-19.48	Pass
20	21	0.4	21	6746	-40.77	-48.52	20.77	Pass
21	40	0.4	21	6746	-40.77	-48.52	20.77	Pass
40	60	0.4	59.4	6784.4	-58.84	-66.6	19.2	Pass
60	120	0.4	65.28	6790.28	-58.49	-66.25	18.49	Pass

11ax40(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.96	6784.04	-58.06	-66.08	-18.06	Pass
-60	-40	0.4	-60	6785	-58.95	-66.97	-18.95	Pass
-40	-21	0.4	-21	6824	-39.08	-47.1	-19.08	Pass
-21	-20	0.4	-21	6824	-39.08	-47.1	-19.08	Pass
20	21	0.4	21	6866	-41.16	-49.18	21.16	Pass
21	40	0.4	21	6866	-41.16	-49.18	21.16	Pass
40	60	0.4	60	6905	-59.38	-67.4	19.38	Pass
60	120	0.4	72.6	6917.6	-58.83	-66.86	18.83	Pass

11ax80(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-133.44	6491.56	-59.73	-64.62	-19.73	Pass
-120	-80	0.8	-120	6505	-60.14	-65.03	-20.14	Pass
-80	-41	0.8	-41	6584	-34.05	-38.94	-14.05	Pass
-41	-40	0.8	-41	6584	-34.05	-38.94	-14.05	Pass
40	41	0.8	41	6666	-34.7	-39.59	14.7	Pass
41	80	0.8	41	6666	-34.7	-39.59	14.7	Pass
80	120	0.8	120	6745	-59.67	-64.57	19.67	Pass
120	240	0.8	120	6745	-59.67	-64.57	19.67	Pass

11ax80(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.6	6581.4	-60	-64.78	-20	Pass
-120	-80	0.8	-92.16	6612.84	-50.44	-55.22	-18.8	Pass
-80	-41	0.8	-41	6664	-32.77	-37.54	-12.77	Pass
-41	-40	0.8	-41	6664	-32.77	-37.54	-12.77	Pass
40	41	0.8	41	6746	-36.24	-41.01	16.24	Pass
41	80	0.8	41	6746	-36.24	-41.01	16.24	Pass
80	120	0.8	120	6825	-60.7	-65.48	20.7	Pass
120	240	0.8	127.44	6832.44	-60.55	-65.32	20.55	Pass

11ax80(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-126.96	6658.04	-58.89	-63.6	-18.89	Pass
-120	-80	0.8	-92.64	6692.36	-50.53	-55.24	-18.74	Pass
-80	-41	0.8	-41	6744	-32.55	-37.26	-12.55	Pass
-41	-40	0.8	-41	6744	-32.55	-37.26	-12.55	Pass
40	41	0.8	41	6826	-35.95	-40.66	15.95	Pass
41	80	0.8	41.13943	6826.13943	-35.46	-40.17	15.44	Pass
80	120	0.8	118.8	6903.8	-60.32	-65.03	20.68	Pass
120	240	0.8	123.12	6908.12	-60.48	-65.19	20.48	Pass

11ax160(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-260.1	6404.9	-56.83	-58.94	-16.83	Pass
-255	-170	1.6	-182.58	6482.42	-41.6	-43.71	-11.82	Pass
-170	-86	1.6	-168.98051	6496.01949	-37.71	-39.82	-9.81	Pass
-86	-85	1.6	-86	6579	-35.09	-37.2	-15.09	Pass
85	86	1.6	86	6751	-41.5	-43.61	21.5	Pass
86	170	1.6	165.412294	6830.412294	-47.52	-49.63	19.96	Pass
170	255	1.6	251.94	6916.94	-59.98	-62.09	20.41	Pass
255	510	1.6	259.08	6924.08	-60.38	-62.49	20.38	Pass

11ax160(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-257.04	6567.96	-55.04	-57.14	-15.04	Pass
-255	-170	1.6	-198.9	6626.1	-43.45	-45.55	-11.37	Pass
-170	-86	1.6	- 169.490255	6655.50974 5	-38.27	-40.37	-10.32	Pass
-86	-85	1.6	-86	6739	-35.58	-37.68	-15.58	Pass
85	86	1.6	86	6911	-41.34	-43.44	21.34	Pass
86	170	1.6	159.805097	6984.80509 7	-48.12	-50.22	21.09	Pass
170	255	1.6	254.49	7079.49	-61.08	-63.18	21.15	Pass
255	510	1.6	256.53	7081.53	-61.03	-63.13	21.03	Pass

11ax20(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.24	6844.76	-57.9	-68.81	-17.9	Pass
-30	-20	0.2	-21.42	6853.58	-45.41	-56.32	-15.71	Pass
-20	-11	0.2	-11	6864	-33.67	-44.58	-13.67	Pass
-11	-10	0.2	-11	6864	-33.35	-44.26	-13.35	Pass
10	11	0.2	11	6886	-34.76	-45.67	14.76	Pass
11	20	0.2	11.1	6886.1	-34.03	-44.94	13.94	Pass
20	30	0.2	20.4	6895.4	-45.93	-56.84	17.45	Pass
30	60	0.2	31.32	6906.32	-58.48	-69.39	18.48	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.36	6964.64	-49.92	-60.84	-9.92	Pass
-30	-20	0.2	-22.2	6972.8	-39.92	-50.84	-9.28	Pass
-20	-11	0.2	-19.92	6975.08	-37.58	-48.5	-9.65	Pass
-11	-10	0.2	-11	6984	-30.99	-41.92	-10.99	Pass
10	11	0.2	11	7006	-32	-42.93	12	Pass
11	20	0.2	11.04	7006.04	-31.29	-42.21	11.25	Pass
20	30	0.2	21.48	7016.48	-40.68	-51.6	10.9	Pass
30	60	0.2	30.12	7025.12	-50.92	-61.85	10.92	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.84	7064.16	-58.43	-69.08	-18.43	Pass
-30	-20	0.2	-29.88	7065.12	-58.84	-69.49	-18.98	Pass
-20	-11	0.2	-11.16	7083.84	-37.05	-47.7	-16.91	Pass
-11	-10	0.2	-11	7084	-37.36	-48.01	-17.36	Pass
10	11	0.2	11	7106	-37.99	-48.63	17.99	Pass
11	20	0.2	11	7106	-37.85	-48.5	17.85	Pass
20	30	0.2	30	7125	-58.95	-69.6	18.95	Pass
30	60	0.2	30.06	7125.06	-58.41	-69.05	18.41	Pass

11ax20(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30	7085	-57.61	-68.33	-17.61	Pass
-30	-20	0.2	-29.94	7085.06	-57.43	-68.15	-17.5	Pass
-20	-11	0.2	-11.16	7103.84	-36	-46.73	-15.86	Pass
-11	-10	0.2	-11	7104	-36.33	-47.06	-16.33	Pass
10	11	0.2	10.940055	7125.940054	-36.25	-46.97	17.45	Pass
11	20	0.2	11.16	7126.16	-35.47	-46.2	15.33	Pass
20	30	0.2	30	7145	-58.16	-68.88	18.16	Pass
30	60	0.2	31.08	7146.08	-57.92	-68.64	17.92	Pass

11ax40(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-90	6795	-57.66	-65.73	-17.66	Pass
-60	-40	0.4	-59.76	6825.24	-57.84	-65.9	-17.98	Pass
-40	-21	0.4	-21	6864	-38.58	-46.64	-18.58	Pass
-21	-20	0.4	-21	6864	-38.58	-46.64	-18.58	Pass
20	21	0.4	21	6906	-41.36	-49.43	21.36	Pass
21	40	0.4	21	6906	-41.36	-49.43	21.36	Pass
40	60	0.4	60	6945	-59.55	-67.61	19.55	Pass
60	120	0.4	66.84	6951.84	-58.41	-66.47	18.41	Pass

11ax40(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.68	6943.32	-57.92	-65.44	-17.92	Pass
-60	-40	0.4	-58.8	6946.2	-58.32	-65.83	-19.04	Pass
-40	-21	0.4	-21	6984	-38.15	-45.66	-18.15	Pass
-21	-20	0.4	-21	6984	-38.15	-45.66	-18.15	Pass
20	21	0.4	21	7026	-41.05	-48.56	21.05	Pass
21	40	0.4	21	7026	-41.05	-48.56	21.05	Pass
40	60	0.4	59.76	7064.76	-59.75	-67.27	19.9	Pass
60	120	0.4	72.72	7077.72	-59.32	-66.84	19.32	Pass

11ax40(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63.24	7021.76	-57.2	-65.25	-17.2	Pass
-60	-40	0.4	-59.04	7025.96	-56.44	-64.49	-17.01	Pass
-40	-21	0.4	-21	7064	-37.13	-45.18	-17.13	Pass
-21	-20	0.4	-21	7064	-37.13	-45.18	-17.13	Pass
20	21	0.4	21	7106	-38.64	-46.7	18.64	Pass
21	40	0.4	21	7106	-38.64	-46.7	18.64	Pass
40	60	0.4	59.4	7144.4	-57.83	-65.88	18.19	Pass
60	120	0.4	63	7148	-57.8	-65.86	17.8	Pass

11ax80(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.36	6741.64	-57.75	-62.8	-17.75	Pass
-120	-80	0.8	-118.8	6746.2	-57.9	-62.95	-18.26	Pass
-80	-41	0.8	-41.13943	6823.86057	-33.02	-38.07	-12.99	Pass
-41	-40	0.8	-41	6824	-33.03	-38.08	-13.03	Pass
40	41	0.8	41	6906	-36.79	-41.84	16.79	Pass
41	80	0.8	41	6906	-36.79	-41.84	16.79	Pass
80	120	0.8	119.76	6984.76	-60.77	-65.81	20.84	Pass
120	240	0.8	120.96	6985.96	-60.09	-65.14	20.09	Pass

11ax80(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120	6825	-56.41	-61.49	-16.41	Pass
-120	-80	0.8	-120	6825	-56.41	-61.49	-16.41	Pass
-80	-41	0.8	-41	6904	-31.72	-36.8	-11.72	Pass
-41	-40	0.8	-41	6904	-31.72	-36.8	-11.72	Pass
40	41	0.8	41	6986	-35.64	-40.72	15.64	Pass
41	80	0.8	41	6986	-35.64	-40.72	15.64	Pass
80	120	0.8	119.28	7064.28	-60.26	-65.34	20.47	Pass
120	240	0.8	122.88	7067.88	-59.96	-65.05	19.96	Pass

11ax80(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.48	6904.52	-49.79	-54.55	-9.79	Pass
-120	-80	0.8	-120	6905	-50.03	-54.8	-10.03	Pass
-80	-41	0.8	-41.37931	6983.62069	-31.84	-36.61	-11.76	Pass
-41	-40	0.8	-41	6984	-32.16	-36.93	-12.16	Pass
40	41	0.8	41	7066	-33.21	-37.98	13.21	Pass
41	80	0.8	41	7066	-33.21	-37.98	13.21	Pass
80	120	0.8	91.92	7116.92	-45.87	-50.64	14.3	Pass
120	240	0.8	120.72	7145.72	-55.61	-60.38	15.61	Pass

11ax160(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-259.59	6725.41	-50.74	-55.64	-10.74	Pass
-255	-170	1.6	-190.23	6794.77	-40.22	-45.13	-9.36	Pass
-170	-86	1.6	- 162.353823	6822.64617 7	-36.38	-41.29	-9.11	Pass
-86	-85	1.6	-86	6899	-34.89	-39.8	-14.89	Pass
85	86	1.6	86	7071	-39.1	-44.01	19.1	Pass
86	170	1.6	151.13943	7136.13943	-43.51	-48.41	17.3	Pass
170	255	1.6	252.96	7237.96	-57.06	-61.97	17.35	Pass
255	510	1.6	289.17	7274.17	-57.09	-62	17.09	Pass

MIMO-Aux. Antenna

11ax20(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-36	5919	-58.88	-69.74	-18.88	Pass
-30	-20	0.2	-29.4	5925.6	-59.13	-70	-19.85	Pass
-20	-11	0.2	-11	5944	-36.51	-47.38	-16.51	Pass
-11	-10	0.2	-11	5944	-36.89	-47.76	-16.89	Pass
10	11	0.2	11	5966	-37.27	-48.14	17.27	Pass
11	20	0.2	11	5966	-36.96	-47.83	16.96	Pass
20	30	0.2	29.76	5984.76	-59.53	-70.4	19.81	Pass
30	60	0.2	30.48	5985.48	-59.44	-70.3	19.44	Pass

11ax20(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.44	6143.56	-59.19	-69.98	-19.19	Pass
-30	-20	0.2	-29.88	6145.12	-59.78	-70.57	-19.92	Pass
-20	-11	0.2	-11.1	6163.9	-36.27	-47.06	-16.18	Pass
-11	-10	0.2	-11	6164	-36.72	-47.51	-16.72	Pass
10	11	0.2	11	6186	-38.04	-48.83	18.04	Pass
11	20	0.2	11.22	6186.22	-38.75	-49.54	18.56	Pass
20	30	0.2	29.94	6204.94	-59.82	-70.61	19.9	Pass
30	60	0.2	57.06	6232.06	-59.4	-70.19	19.4	Pass

11ax20(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-37.02	6377.98	-59.52	-70.09	-19.52	Pass
-30	-20	0.2	-30	6385	-60.03	-70.59	-20.03	Pass
-20	-11	0.2	-11	6404	-36.41	-46.98	-16.41	Pass
-11	-10	0.2	-11	6404	-36.17	-46.74	-16.17	Pass
10	11	0.2	11	6426	-37.19	-47.75	17.19	Pass
11	20	0.2	11.22	6426.22	-37.32	-47.89	17.12	Pass
20	30	0.2	29.76	6444.76	-59.04	-69.61	19.33	Pass
30	60	0.2	35.88	6450.88	-59.43	-69.99	19.43	Pass

11ax40(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-79.08	5885.92	-58.96	-66.52	-18.96	Pass
-60	-40	0.4	-60	5905	-59.71	-67.27	-19.71	Pass
-40	-21	0.4	-21	5944	-39.06	-46.62	-19.06	Pass
-21	-20	0.4	-21	5944	-39.06	-46.62	-19.06	Pass
20	21	0.4	21	5986	-40.75	-48.31	20.75	Pass
21	40	0.4	21	5986	-40.75	-48.31	20.75	Pass
40	60	0.4	59.76	6024.76	-59.5	-67.07	19.65	Pass
60	120	0.4	61.8	6026.8	-59.62	-67.18	19.62	Pass

11ax40(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.92	6103.08	-59	-66.84	-19	Pass
-60	-40	0.4	-59.76	6105.24	-59.4	-67.25	-19.55	Pass
-40	-21	0.4	-21	6144	-38.53	-46.38	-18.53	Pass
-21	-20	0.4	-21	6144	-38.53	-46.38	-18.53	Pass
20	21	0.4	21	6186	-40.4	-48.24	20.4	Pass
21	40	0.4	21	6186	-40.4	-48.24	20.4	Pass
40	60	0.4	59.76	6224.76	-59.53	-67.37	19.67	Pass
60	120	0.4	63.72	6228.72	-58.85	-66.7	18.85	Pass

11ax40(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-72.84	6332.16	-59.01	-66.69	-19.01	Pass
-60	-40	0.4	-59.64	6345.36	-59.64	-67.32	-19.85	Pass
-40	-21	0.4	-21.049475	6383.95052 5	-37.61	-45.29	-17.59	Pass
-21	-20	0.4	-21	6384	-37.77	-45.46	-17.77	Pass
20	21	0.4	21	6426	-39.75	-47.43	19.75	Pass
21	40	0.4	21	6426	-39.75	-47.43	19.75	Pass
40	60	0.4	59.04	6464.04	-59.14	-66.82	19.72	Pass
60	120	0.4	60.96	6465.96	-59.21	-66.89	19.21	Pass

11ax80(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-225.12	5759.88	-56	-61.46	-16	Pass
-120	-80	0.8	-119.04	5865.96	-59.03	-64.49	-19.32	Pass
-80	-41	0.8	-41	5944	-33.17	-38.62	-13.17	Pass
-41	-40	0.8	-41	5944	-33.17	-38.62	-13.17	Pass
40	41	0.8	41	6026	-35.25	-40.71	15.25	Pass
41	80	0.8	41	6026	-35.25	-40.71	15.25	Pass
80	120	0.8	120	6105	-59.81	-65.26	19.81	Pass
120	240	0.8	120.96	6105.96	-59.42	-64.87	19.42	Pass

11ax80(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-125.76	6019.24	-59.6	-64.3	-19.6	Pass
-120	-80	0.8	-85.2	6059.8	-47.41	-52.1	-17.85	Pass
-80	-41	0.8	-41.13943	6103.86057	-32.19	-36.88	-12.16	Pass
-41	-40	0.8	-41	6104	-32.79	-37.49	-12.79	Pass
40	41	0.8	41	6186	-35.15	-39.85	15.15	Pass
41	80	0.8	41	6186	-35.15	-39.85	15.15	Pass
80	120	0.8	119.52	6264.52	-60.14	-64.83	20.28	Pass
120	240	0.8	139.2	6284.2	-60.12	-64.81	20.12	Pass

11ax80(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-130.56	6254.44	-56.65	-64.34	-16.65	Pass
-120	-80	0.8	-89.04	6295.96	-47.8	-55.48	-17.08	Pass
-80	-41	0.8	-41	6344	-32.15	-39.83	-12.15	Pass
-41	-40	0.8	-41	6344	-32.15	-39.83	-12.15	Pass
40	41	0.8	41	6426	-33.62	-41.31	13.62	Pass
41	80	0.8	41	6426	-33.62	-41.31	13.62	Pass
80	120	0.8	118.56	6503.56	-57.67	-65.36	18.1	Pass
120	240	0.8	142.08	6527.08	-57.82	-65.5	17.82	Pass

11ax160(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-264.69	5760.31	-56.32	-61.42	-16.32	Pass
-255	-170	1.6	-186.15	5838.85	-45.69	-50.79	-15.41	Pass
-170	-86	1.6	- 158.785607	5866.21439 3	-40.52	-45.62	-13.59	Pass
-86	-85	1.6	-86	5939	-37.02	-42.12	-17.02	Pass
85	86	1.6	86	6111	-39.26	-44.36	19.26	Pass
86	170	1.6	147.061469	6172.06146 9	-42.16	-47.26	16.34	Pass
170	255	1.6	253.47	6278.47	-56.94	-62.05	17.16	Pass
255	510	1.6	255	6280	-57.18	-62.28	17.18	Pass

11ax160(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-260.61	5924.39	-56.64	-61.65	-16.64	Pass
-255	-170	1.6	-189.21	5995.79	-45.64	-50.64	-14.93	Pass
-170	-86	1.6	-168.98051	6016.01949	-41.56	-46.56	-13.66	Pass
-86	-85	1.6	-86	6099	-37.74	-42.74	-17.74	Pass
85	86	1.6	86	6271	-41.51	-46.52	21.51	Pass
86	170	1.6	86	6271	-41.51	-46.52	21.51	Pass
170	255	1.6	254.49	6439.49	-58.41	-63.42	18.49	Pass
255	510	1.6	255.51	6440.51	-57.77	-62.77	17.77	Pass

11ax160(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-262.14	6082.86	-54.15	-61.27	-14.15	Pass
-255	-170	1.6	-189.21	6155.79	-44.63	-51.75	-13.92	Pass
-170	-86	1.6	- 169.490255	6175.50974 5	-40.07	-47.19	-12.12	Pass
-86	-85	1.6	-86	6259	-37.82	-44.94	-17.82	Pass
85	86	1.6	86	6431	-40.26	-47.38	20.26	Pass
86	170	1.6	160.314843	6505.31484 3	-44.16	-51.28	17.08	Pass
170	255	1.6	253.98	6598.98	-55.23	-62.35	15.37	Pass
255	510	1.6	261.63	6606.63	-55.31	-62.43	15.31	Pass

11ax20(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-35.88	6399.12	-59.8	-70.26	-19.8	Pass
-30	-20	0.2	-30	6405	-60.02	-70.47	-20.02	Pass
-20	-11	0.2	-11.1	6423.9	-35.36	-45.81	-15.27	Pass
-11	-10	0.2	-11	6424	-36.68	-47.13	-16.68	Pass
10	11	0.2	11	6446	-36.58	-47.04	16.58	Pass
11	20	0.2	11.04	6446.04	-36.07	-46.53	16.04	Pass
20	30	0.2	29.22	6464.22	-59.03	-69.48	19.96	Pass
30	60	0.2	30.54	6465.54	-59.98	-70.43	19.98	Pass

11ax20(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-56.58	6418.42	-59.36	-70.24	-19.36	Pass
-30	-20	0.2	-29.88	6445.12	-59.12	-70	-19.26	Pass
-20	-11	0.2	-11	6464	-36.66	-47.53	-16.66	Pass
-11	-10	0.2	-11	6464	-36.45	-47.33	-16.45	Pass
10	11	0.2	11	6486	-37.35	-48.23	17.35	Pass
11	20	0.2	11	6486	-36.7	-47.57	16.7	Pass
20	30	0.2	30	6505	-60.29	-71.17	20.29	Pass
30	60	0.2	37.62	6512.62	-59.88	-70.76	19.88	Pass

11ax20(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.96	6481.04	-59.37	-70.4	-19.37	Pass
-30	-20	0.2	-29.94	6485.06	-59.88	-70.91	-19.95	Pass
-20	-11	0.2	-11	6504	-36.89	-47.92	-16.89	Pass
-11	-10	0.2	-11	6504	-36.14	-47.17	-16.14	Pass
10	11	0.2	11	6526	-36.98	-48.01	16.98	Pass
11	20	0.2	11	6526	-36.76	-47.79	16.76	Pass
20	30	0.2	29.88	6544.88	-60.1	-71.13	20.24	Pass
30	60	0.2	56.52	6571.52	-59.35	-70.37	19.35	Pass

11ax40(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.36	6384.64	-59.47	-66.36	-19.47	Pass
-60	-40	0.4	-59.76	6385.24	-59.83	-66.72	-19.97	Pass
-40	-21	0.4	-21	6424	-38.32	-45.2	-18.32	Pass
-21	-20	0.4	-21	6424	-38.32	-45.2	-18.32	Pass
20	21	0.4	21	6466	-39.66	-46.55	19.66	Pass
21	40	0.4	21	6466	-39.66	-46.55	19.66	Pass
40	60	0.4	59.76	6504.76	-60.44	-67.32	20.58	Pass
60	120	0.4	61.56	6506.56	-59.92	-66.81	19.92	Pass

11ax40(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.92	6420.08	-59.24	-67.26	-19.24	Pass
-60	-40	0.4	-59.64	6425.36	-59.43	-67.46	-19.65	Pass
-40	-21	0.4	-21	6464	-38.16	-46.18	-18.16	Pass
-21	-20	0.4	-21	6464	-38.16	-46.18	-18.16	Pass
20	21	0.4	21	6506	-39.7	-47.73	19.7	Pass
21	40	0.4	21.049475	6506.049475	-39.28	-47.31	19.26	Pass
40	60	0.4	59.64	6544.64	-60.15	-68.18	20.37	Pass
60	120	0.4	63.72	6548.72	-59.83	-67.86	19.83	Pass

11ax40(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-105	6420	-58.9	-67.07	-18.9	Pass
-60	-40	0.4	-59.88	6465.12	-58.96	-67.13	-19.03	Pass
-40	-21	0.4	-21	6504	-38.62	-46.79	-18.62	Pass
-21	-20	0.4	-21	6504	-38.62	-46.79	-18.62	Pass
20	21	0.4	21	6546	-39.61	-47.79	19.61	Pass
21	40	0.4	21	6546	-39.61	-47.79	19.61	Pass
40	60	0.4	60	6585	-59.33	-67.51	19.33	Pass
60	120	0.4	79.2	6604.2	-58.98	-67.15	18.98	Pass

11ax80(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-129.36	6335.64	-57.47	-63.41	-17.47	Pass
-120	-80	0.8	-90.96	6374.04	-46.42	-52.36	-15.13	Pass
-80	-41	0.8	-41	6424	-32.09	-38.03	-12.09	Pass
-41	-40	0.8	-41	6424	-32.09	-38.03	-12.09	Pass
40	41	0.8	41	6506	-34.29	-40.23	14.29	Pass
41	80	0.8	41	6506	-34.29	-40.23	14.29	Pass
80	120	0.8	89.52	6554.52	-48.79	-54.73	17.93	Pass
120	240	0.8	120.96	6585.96	-58.66	-64.6	18.66	Pass

11ax80(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.2	6423.8	-58.24	-63.42	-18.24	Pass
-120	-80	0.8	-91.2	6453.8	-46.1	-51.28	-14.74	Pass
-80	-41	0.8	-41.13943	6503.86057	-31.99	-37.17	-11.96	Pass
-41	-40	0.8	-41	6504	-31.97	-37.15	-11.97	Pass
40	41	0.8	41	6586	-35.1	-40.28	15.1	Pass
41	80	0.8	41	6586	-35.1	-40.28	15.1	Pass
80	120	0.8	119.28	6664.28	-59.15	-64.33	19.36	Pass
120	240	0.8	123.84	6668.84	-59.34	-64.52	19.34	Pass

11ax160(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-258.57	6246.43	-53.6	-58.73	-13.6	Pass
-255	-170	1.6	-180.54	6324.46	-39.81	-44.94	-10.32	Pass
-170	-86	1.6	-170	6335	-36.26	-41.39	-8.26	Pass
-86	-85	1.6	-86	6419	-34.48	-39.61	-14.48	Pass
85	86	1.6	86	6591	-37.49	-42.62	17.49	Pass
86	170	1.6	150.629685	6655.629685	-39.27	-44.4	13.12	Pass
170	255	1.6	179.52	6684.52	-45.06	-50.19	15.72	Pass
255	510	1.6	270.81	6775.81	-56.84	-61.97	16.84	Pass

11ax20(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-37.32	6497.68	-59.44	-70.25	-19.44	Pass
-30	-20	0.2	-30	6505	-60.41	-71.22	-20.41	Pass
-20	-11	0.2	-11	6524	-35.47	-46.28	-15.47	Pass
-11	-10	0.2	-11	6524	-36.48	-47.29	-16.48	Pass
10	11	0.2	11	6546	-36.74	-47.55	16.74	Pass
11	20	0.2	11	6546	-35.61	-46.42	15.61	Pass
20	30	0.2	29.94	6564.94	-60.04	-70.85	20.11	Pass
30	60	0.2	31.02	6566.02	-59.78	-70.59	19.78	Pass

11ax20(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-54.24	6660.76	-59.53	-70.53	-19.53	Pass
-30	-20	0.2	-29.46	6685.54	-59.38	-70.38	-20.03	Pass
-20	-11	0.2	-11	6704	-34.77	-45.77	-14.77	Pass
-11	-10	0.2	-11	6704	-36.07	-47.07	-16.07	Pass
10	11	0.2	11	6726	-38	-49	18	Pass
11	20	0.2	11	6726	-38.12	-49.12	18.12	Pass
20	30	0.2	30	6745	-59.88	-70.88	19.88	Pass
30	60	0.2	53.52	6768.52	-59.23	-70.23	19.23	Pass

11ax20(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.68	6823.32	-58.76	-69.66	-18.76	Pass
-30	-20	0.2	-23.1	6831.9	-50.16	-61.06	-18.44	Pass
-20	-11	0.2	-11.04	6843.96	-34.85	-45.75	-14.81	Pass
-11	-10	0.2	-11	6844	-34.98	-45.88	-14.98	Pass
10	11	0.2	11	6866	-37.08	-47.97	17.08	Pass
11	20	0.2	11.16	6866.16	-37.55	-48.44	17.4	Pass
20	30	0.2	29.82	6884.82	-59.24	-70.13	19.45	Pass
30	60	0.2	30.6	6885.6	-59.3	-70.19	19.3	Pass

11ax40(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-117.36	6447.64	-59.11	-67.18	-19.11	Pass
-60	-40	0.4	-60	6505	-59.54	-67.61	-19.54	Pass
-40	-21	0.4	-21	6544	-38.44	-46.51	-18.44	Pass
-21	-20	0.4	-21	6544	-38.44	-46.51	-18.44	Pass
20	21	0.4	21	6586	-40.22	-48.29	20.22	Pass
21	40	0.4	21.049475	6586.049475	-40.08	-48.15	20.06	Pass
40	60	0.4	59.52	6624.52	-59.34	-67.41	19.63	Pass
60	120	0.4	63.6	6628.6	-59.18	-67.25	19.18	Pass

11ax40(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.2	6663.8	-59.56	-67.43	-19.56	Pass
-60	-40	0.4	-59.76	6665.24	-59.61	-67.48	-19.75	Pass
-40	-21	0.4	-21	6704	-38.33	-46.2	-18.33	Pass
-21	-20	0.4	-21	6704	-38.33	-46.2	-18.33	Pass
20	21	0.4	21	6746	-40.89	-48.76	20.89	Pass
21	40	0.4	21	6746	-40.89	-48.76	20.89	Pass
40	60	0.4	59.76	6784.76	-59.6	-67.47	19.75	Pass
60	120	0.4	63.24	6788.24	-58.83	-66.7	18.83	Pass

11ax40(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.8	6783.2	-57	-66	-17	Pass
-60	-40	0.4	-59.04	6785.96	-56.54	-65.54	-17.11	Pass
-40	-21	0.4	-21	6824	-37.45	-46.45	-17.45	Pass
-21	-20	0.4	-21	6824	-37.45	-46.45	-17.45	Pass
20	21	0.4	21	6866	-39.85	-48.85	19.85	Pass
21	40	0.4	21	6866	-39.85	-48.85	19.85	Pass
40	60	0.4	60	6905	-58.38	-67.38	18.38	Pass
60	120	0.4	60.72	6905.72	-57.98	-66.98	17.98	Pass

11ax80(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.68	6503.32	-58.69	-64.19	-18.69	Pass
-120	-80	0.8	-97.92	6527.08	-51.45	-56.95	-18.08	Pass
-80	-41	0.8	-41.13943	6583.86057	-32.14	-37.64	-12.11	Pass
-41	-40	0.8	-41	6584	-32.36	-37.85	-12.36	Pass
40	41	0.8	41	6666	-34.12	-39.62	14.12	Pass
41	80	0.8	41	6666	-34.12	-39.62	14.12	Pass
80	120	0.8	119.28	6744.28	-59.24	-64.74	19.46	Pass
120	240	0.8	127.68	6752.68	-59.32	-64.82	19.32	Pass

11ax80(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.72	6584.28	-58.01	-64.61	-18.01	Pass
-120	-80	0.8	-119.52	6585.48	-58.17	-64.78	-18.32	Pass
-80	-41	0.8	-41.13943	6663.86057	-32.33	-38.93	-12.3	Pass
-41	-40	0.8	-41	6664	-32.82	-39.43	-12.82	Pass
40	41	0.8	41	6746	-34.49	-41.09	14.49	Pass
41	80	0.8	41	6746	-34.49	-41.09	14.49	Pass
80	120	0.8	120	6825	-59.41	-66.01	19.41	Pass
120	240	0.8	122.64	6827.64	-59.26	-65.86	19.26	Pass

11ax80(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-124.8	6660.2	-56.02	-63.82	-16.02	Pass
-120	-80	0.8	-96.48	6688.52	-49.03	-56.83	-16.09	Pass
-80	-41	0.8	-41.13943	6743.86057	-31.61	-39.41	-11.58	Pass
-41	-40	0.8	-41	6744	-31.72	-39.52	-11.72	Pass
40	41	0.8	41	6826	-35.29	-43.1	15.29	Pass
41	80	0.8	41	6826	-35.29	-43.1	15.29	Pass
80	120	0.8	119.52	6904.52	-58.54	-66.35	18.69	Pass
120	240	0.8	135.6	6920.6	-58.13	-65.93	18.13	Pass

11ax160(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-257.04	6407.96	-55.19	-61.3	-15.19	Pass
-255	-170	1.6	-191.25	6473.75	-45.48	-51.59	-14.48	Pass
-170	-86	1.6	-168.98051	6496.01949	-41.42	-47.53	-13.51	Pass
-86	-85	1.6	-86	6579	-37.58	-43.69	-17.58	Pass
85	86	1.6	86	6751	-40.74	-46.85	20.74	Pass
86	170	1.6	86	6751	-40.74	-46.85	20.74	Pass
170	255	1.6	253.98	6918.98	-57.84	-63.95	17.98	Pass
255	510	1.6	260.1	6925.1	-57.34	-63.45	17.34	Pass

11ax160(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-261.63	6563.37	-51.57	-59.74	-11.57	Pass
-255	-170	1.6	-198.9	6626.1	-42.29	-50.47	-10.21	Pass
-170	-86	1.6	- 167.451274	6657.54872 6	-36.72	-44.9	-8.96	Pass
-86	-85	1.6	-86	6739	-33.91	-42.08	-13.91	Pass
85	86	1.6	86	6911	-38.72	-46.89	18.72	Pass
86	170	1.6	152.668666	6977.66866 6	-40.46	-48.64	14.11	Pass
170	255	1.6	254.49	7079.49	-55.55	-63.73	15.62	Pass
255	510	1.6	463.59	7288.59	-54.77	-62.94	14.77	Pass

11ax20(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.06	6844.94	-58.21	-68.89	-18.21	Pass
-30	-20	0.2	-30	6845	-58.22	-68.91	-18.22	Pass
-20	-11	0.2	-11.16	6863.84	-36	-46.68	-15.86	Pass
-11	-10	0.2	-11	6864	-35.68	-46.36	-15.68	Pass
10	11	0.2	11	6886	-36.58	-47.26	16.58	Pass
11	20	0.2	11	6886	-35.83	-46.52	15.83	Pass
20	30	0.2	29.76	6904.76	-58.67	-69.35	18.96	Pass
30	60	0.2	31.14	6906.14	-58.36	-69.04	18.36	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.74	6963.26	-57.92	-69.22	-17.92	Pass
-30	-20	0.2	-29.88	6965.12	-58.39	-69.7	-18.54	Pass
-20	-11	0.2	-11	6984	-36.69	-47.99	-16.69	Pass
-11	-10	0.2	-11	6984	-36.22	-47.52	-16.22	Pass
10	11	0.2	11	7006	-37.34	-48.64	17.34	Pass
11	20	0.2	11.22	7006.22	-36.79	-48.1	16.6	Pass
20	30	0.2	29.88	7024.88	-58.33	-69.63	18.47	Pass
30	60	0.2	30.24	7025.24	-57.66	-68.96	17.66	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.12	7061.88	-58.93	-69.68	-18.93	Pass
-30	-20	0.2	-29.1	7065.9	-58.44	-69.19	-19.52	Pass
-20	-11	0.2	-11	7084	-37.45	-48.2	-17.45	Pass
-11	-10	0.2	-11	7084	-36.3	-47.05	-16.3	Pass
10	11	0.2	11	7106	-37.22	-47.97	17.22	Pass
11	20	0.2	11	7106	-36.85	-47.6	16.85	Pass
20	30	0.2	30	7125	-59.42	-70.17	19.42	Pass
30	60	0.2	32.76	7127.76	-58.81	-69.56	18.81	Pass

11ax20(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.88	7082.12	-58.57	-69.35	-18.57	Pass
-30	-20	0.2	-29.7	7085.3	-58.69	-69.47	-19.05	Pass
-20	-11	0.2	-11.34	7103.66	-37.14	-47.92	-16.84	Pass
-11	-10	0.2	-11	7104	-36.35	-47.13	-16.35	Pass
10	11	0.2	11	7126	-37.53	-48.31	17.53	Pass
11	20	0.2	11.04	7126.04	-36.3	-47.08	16.26	Pass
20	30	0.2	29.82	7144.82	-58.6	-69.37	18.81	Pass
30	60	0.2	32.04	7147.04	-58.49	-69.27	18.49	Pass

11ax40(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.08	6823.92	-56.3	-65.14	-16.3	Pass
-60	-40	0.4	-59.52	6825.48	-55.98	-64.81	-16.26	Pass
-40	-21	0.4	-21.049475	6863.95052 5	-36.89	-45.72	-16.86	Pass
-21	-20	0.4	-21	6864	-37.08	-45.91	-17.08	Pass
20	21	0.4	21	6906	-39.32	-48.16	19.32	Pass
21	40	0.4	21.049475	6906.04947 5	-39.29	-48.12	19.27	Pass
40	60	0.4	59.52	6944.52	-56.87	-65.7	17.16	Pass
60	120	0.4	60.24	6945.24	-57.54	-66.38	17.54	Pass

11ax40(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.72	6944.28	-57.24	-65.68	-17.24	Pass
-60	-40	0.4	-59.88	6945.12	-57.48	-65.91	-17.55	Pass
-40	-21	0.4	-36.161919	6968.83808 1	-43.3	-51.73	-16.91	Pass
-21	-20	0.4	-21	6984	-37.56	-45.99	-17.56	Pass
20	21	0.4	21	7026	-39.64	-48.08	19.64	Pass
21	40	0.4	21	7026	-39.64	-48.08	19.64	Pass
40	60	0.4	59.4	7064.4	-58.22	-66.65	18.58	Pass
60	120	0.4	62.76	7067.76	-58.12	-66.55	18.12	Pass

11ax40(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-62.52	7022.48	-58.04	-66.39	-18.04	Pass
-60	-40	0.4	-60	7025	-58.97	-67.32	-18.97	Pass
-40	-21	0.4	-21.049475	7063.950525	-38.66	-47	-18.64	Pass
-21	-20	0.4	-21	7064	-38.68	-47.03	-18.68	Pass
20	21	0.4	21	7106	-40.35	-48.7	20.35	Pass
21	40	0.4	21	7106	-40.35	-48.7	20.35	Pass
40	60	0.4	59.52	7144.52	-58.08	-66.42	18.36	Pass
60	120	0.4	74.16	7159.16	-58.04	-66.39	18.04	Pass

11ax80(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.72	6744.28	-53.79	-61.91	-13.79	Pass
-120	-80	0.8	-117.84	6747.16	-52.69	-60.81	-13.34	Pass
-80	-41	0.8	-41.13943	6823.86057	-31.93	-40.05	-11.9	Pass
-41	-40	0.8	-41	6824	-32.03	-40.14	-12.03	Pass
40	41	0.8	41	6906	-35.19	-43.31	15.19	Pass
41	80	0.8	41	6906	-35.19	-43.31	15.19	Pass
80	120	0.8	118.8	6983.8	-55.92	-64.04	16.28	Pass
120	240	0.8	120.96	6985.96	-56.72	-64.84	16.72	Pass

11ax80(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.72	6824.28	-53.09	-61.87	-13.09	Pass
-120	-80	0.8	-119.52	6825.48	-53.57	-62.34	-13.71	Pass
-80	-41	0.8	-41	6904	-31.34	-40.12	-11.34	Pass
-41	-40	0.8	-41	6904	-31.34	-40.12	-11.34	Pass
40	41	0.8	41	6986	-34	-42.77	14	Pass
41	80	0.8	41	6986	-34	-42.77	14	Pass
80	120	0.8	119.28	7064.28	-55.57	-64.34	15.79	Pass
120	240	0.8	121.92	7066.92	-55.42	-64.19	15.42	Pass

11ax80(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-132.24	6892.76	-55.18	-62.9	-15.18	Pass
-120	-80	0.8	-120	6905	-55.64	-63.36	-15.64	Pass
-80	-41	0.8	-41.13943	6983.86057	-32.79	-40.51	-12.77	Pass
-41	-40	0.8	-41	6984	-33.38	-41.1	-13.38	Pass
40	41	0.8	41	7066	-34.82	-42.54	14.82	Pass
41	80	0.8	41	7066	-34.82	-42.54	14.82	Pass
80	120	0.8	118.08	7143.08	-55.69	-63.4	16.26	Pass
120	240	0.8	123.6	7148.6	-55.5	-63.21	15.5	Pass

11ax160(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-256.53	6728.47	-49.01	-57.71	-9.01	Pass
-255	-170	1.6	-251.94	6733.06	-48.66	-57.36	-9.09	Pass
-170	-86	1.6	- 165.922039	6819.07796 1	-35.84	-44.54	-8.23	Pass
-86	-85	1.6	-86	6899	-34.16	-42.86	-14.16	Pass
85	86	1.6	86	7071	-35.61	-44.31	15.61	Pass
86	170	1.6	156.236882	7141.23688 2	-38.71	-47.41	12.02	Pass
170	255	1.6	254.49	7239.49	-52.54	-61.24	12.61	Pass
255	510	1.6	261.12	7246.12	-52.81	-61.51	12.81	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-EC22C0484-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-EC22C0484-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-EC22C0484-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--