

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1030.250	43.58	-15.93	74.0	30.42	Peak	360.00	150	Horizontal	Pass
1**	1030.250	29.71	-15.93	54.0	24.29	AV	360.00	150	Horizontal	Pass
2	1383.750	41.41	-15.51	74.0	32.59	Peak	192.00	150	Horizontal	Pass
2**	1383.750	29.80	-15.51	54.0	24.20	AV	192.00	150	Horizontal	Pass
3	4679.000	50.57	-2.28	74.0	23.43	Peak	0.00	150	Horizontal	Pass
3**	4679.000	39.58	-2.28	54.0	14.42	AV	0.00	150	Horizontal	Pass
4	5766.000	91.60	0.29	--	159.40	Peak	251.00	150	Horizontal	N/A
4**	5766.000	83.07	0.29	--	-83.07	AV	251.00	150	Horizontal	N/A
5	10940.488	49.51	-1.34	74.0	24.49	Peak	3.00	150	Horizontal	Pass
5**	10940.488	38.52	-1.34	54.0	15.48	AV	3.00	150	Horizontal	Pass
6	15719.663	51.26	1.35	74.0	22.74	Peak	227.00	150	Horizontal	Pass
6**	15719.663	41.52	1.35	54.0	12.48	AV	227.00	150	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1018.500	46.50	-15.77	74.0	27.50	Peak	257.00	150	Vertical	Pass
1**	1018.500	30.62	-15.77	54.0	23.38	AV	257.00	150	Vertical	Pass
2	1330.250	47.29	-15.52	74.0	26.71	Peak	129.00	150	Vertical	Pass
2**	1330.250	36.37	-15.52	54.0	17.63	AV	129.00	150	Vertical	Pass
3	4276.000	49.07	-2.36	74.0	24.93	Peak	202.00	150	Vertical	Pass
3**	4276.000	38.60	-2.36	54.0	15.40	AV	202.00	150	Vertical	Pass
4	5766.000	95.10	0.29	--	9.90	Peak	105.00	150	Vertical	N/A
4**	5766.000	85.35	0.29	--	-85.35	AV	105.00	150	Vertical	N/A
5	11817.338	49.50	-1.14	74.0	24.50	Peak	347.00	150	Vertical	Pass
5**	11817.338	39.49	-1.14	54.0	14.51	AV	347.00	150	Vertical	Pass
6	15893.175	51.88	1.63	74.0	22.12	Peak	309.00	150	Vertical	Pass
6**	15893.175	40.76	1.63	54.0	13.24	AV	309.00	150	Vertical	Pass

11ax20 (RU26), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.000	47.14	-15.57	74.0	26.86	Peak	18.00	150	Horizontal	Pass
1**	1065.000	37.85	-15.57	54.0	16.15	AV	18.00	150	Horizontal	Pass
2	1330.250	43.79	-15.52	74.0	30.21	Peak	144.00	150	Horizontal	Pass
2**	1330.250	33.28	-15.52	54.0	20.72	AV	144.00	150	Horizontal	Pass
3	3872.000	48.42	-4.22	74.0	25.58	Peak	346.00	150	Horizontal	Pass
3**	3872.000	37.80	-4.22	54.0	16.20	AV	346.00	150	Horizontal	Pass
4	5776.500	105.23	0.39	--		Peak	265.00	150	Horizontal	N/A
4**	5776.500	98.81	0.39	--	-98.81	AV	265.00	150	Horizontal	N/A
5	12453.599	50.54	-0.28	74.0	23.46	Peak	133.00	150	Horizontal	Pass
5**	12453.599	40.19	-0.28	54.0	13.81	AV	133.00	150	Horizontal	Pass
6	15670.050	51.87	1.75	74.0	22.13	Peak	16.00	150	Horizontal	Pass
6**	15670.050	41.43	1.75	54.0	12.57	AV	16.00	150	Horizontal	Pass

11ax20 (RU26), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1065.250	51.30	-15.57	74.0	22.70	Peak	311.00	150	Vertical	Pass
1**	1065.250	39.33	-15.57	54.0	14.67	AV	311.00	150	Vertical	Pass
2	1329.000	49.84	-15.51	74.0	24.16	Peak	118.00	150	Vertical	Pass
2**	1329.000	36.63	-15.51	54.0	17.37	AV	118.00	150	Vertical	Pass
3	4021.000	48.26	-3.09	74.0	25.74	Peak	360.00	150	Vertical	Pass
3**	4021.000	37.33	-3.09	54.0	16.67	AV	360.00	150	Vertical	Pass
4	5777.000	111.91	0.39	--	57.09	Peak	169.00	150	Vertical	N/A
4**	5777.000	104.15	0.39	--	-104.15	AV	169.00	150	Vertical	N/A
5	12174.775	49.69	-1.35	74.0	24.31	Peak	329.00	150	Vertical	Pass
5**	12174.775	39.41	-1.35	54.0	14.59	AV	329.00	150	Vertical	Pass
6	15674.250	53.43	1.73	74.0	20.57	Peak	0.00	150	Vertical	Pass
6**	15674.250	42.38	1.73	54.0	11.62	AV	0.00	150	Vertical	Pass

11ax40 (RU484), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1063.000	47.58	-15.58	74.0	26.42	Peak	6.00	150	Horizontal	Pass
1**	1063.000	38.52	-15.58	54.0	15.48	AV	6.00	150	Horizontal	Pass
2	1329.750	44.87	-15.52	74.0	29.13	Peak	147.00	150	Horizontal	Pass
2**	1329.750	35.85	-15.52	54.0	18.15	AV	147.00	150	Horizontal	Pass
3	4199.500	49.56	-2.50	74.0	24.44	Peak	286.00	150	Horizontal	Pass
3**	4199.500	38.06	-2.50	54.0	15.94	AV	286.00	150	Horizontal	Pass
4	5741.000	97.37	-0.15	--	-22.37	Peak	75.00	150	Horizontal	N/A
4**	5741.000	88.51	-0.15	--	-88.51	AV	75.00	150	Horizontal	N/A
5	11407.175	49.70	-1.61	74.0	24.30	Peak	360.00	150	Horizontal	Pass
5**	11407.175	39.28	-1.61	54.0	14.72	AV	360.00	150	Horizontal	Pass
6	15975.862	51.64	1.13	74.0	22.36	Peak	16.00	150	Horizontal	Pass
6**	15975.862	40.59	1.13	54.0	13.41	AV	16.00	150	Horizontal	Pass

11ax40 (RU484), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1062.750	49.57	-15.58	74.0	24.43	Peak	328.00	150	Vertical	Pass
1**	1062.750	41.21	-15.58	54.0	12.79	AV	328.00	150	Vertical	Pass
2	1327.750	45.37	-15.50	74.0	28.63	Peak	91.00	150	Vertical	Pass
2**	1327.750	34.86	-15.50	54.0	19.14	AV	91.00	150	Vertical	Pass
3	4206.000	48.62	-2.25	74.0	25.38	Peak	0.00	150	Vertical	Pass
3**	4206.000	37.94	-2.25	54.0	16.06	AV	0.00	150	Vertical	Pass
4	5740.500	102.58	-0.17	--	15.42	Peak	118.00	150	Vertical	N/A
4**	5740.500	94.05	-0.17	--	-94.05	AV	118.00	150	Vertical	N/A
5	11733.737	49.84	-1.12	74.0	24.16	Peak	58.00	150	Vertical	Pass
5**	11733.737	39.09	-1.12	54.0	14.91	AV	58.00	150	Vertical	Pass
6	15675.037	51.64	1.54	74.0	22.36	Peak	119.00	150	Vertical	Pass
6**	15675.037	41.35	1.54	54.0	12.65	AV	119.00	150	Vertical	Pass

11ax80 (RU996), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1153.750	45.31	-15.39	74.0	28.69	Peak	353.00	150	Horizontal	Pass
1**	1153.750	30.39	-15.39	54.0	23.61	AV	353.00	150	Horizontal	Pass
2	1328.000	47.80	-15.50	74.0	26.20	Peak	134.00	150	Horizontal	Pass
2**	1328.000	32.14	-15.50	54.0	21.86	AV	134.00	150	Horizontal	Pass
3	4304.500	48.99	-2.69	74.0	25.01	Peak	358.00	150	Horizontal	Pass
3**	4304.500	38.59	-2.69	54.0	15.41	AV	358.00	150	Horizontal	Pass
4	5753.000	91.68	0.00	--	47.32	Peak	139.00	150	Horizontal	N/A
4**	5753.000	82.76	0.00	--	-82.76	AV	139.00	150	Horizontal	N/A
5	12386.150	50.90	-0.82	74.0	23.10	Peak	157.00	150	Horizontal	Pass
5**	12386.150	40.26	-0.82	54.0	13.74	AV	157.00	150	Horizontal	Pass
6	15665.849	51.66	1.58	74.0	22.34	Peak	124.00	150	Horizontal	Pass
6**	15665.849	41.66	1.58	54.0	12.34	AV	124.00	150	Horizontal	Pass

11ax80 (RU996), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Over Limit (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.500	48.06	-15.26	74.0	25.94	Peak	360.00	150	Vertical	Pass
1**	1195.500	32.02	-15.26	54.0	21.98	AV	360.00	150	Vertical	Pass
2	1466.000	42.90	-15.48	74.0	31.10	Peak	129.00	150	Vertical	Pass
2**	1466.000	28.45	-15.48	54.0	25.55	AV	129.00	150	Vertical	Pass
3	4212.500	49.36	-2.42	74.0	24.64	Peak	203.00	150	Vertical	Pass
3**	4212.500	38.53	-2.42	54.0	15.47	AV	203.00	150	Vertical	Pass
4	5749.000	91.20	-0.02	--	-15.20	Peak	76.00	150	Vertical	N/A
4**	5749.000	81.90	-0.02	--	-81.90	AV	76.00	150	Vertical	N/A
5	11063.987	50.20	-1.19	74.0	23.80	Peak	184.00	150	Vertical	Pass
5**	11063.987	38.96	-1.19	54.0	15.04	AV	184.00	150	Vertical	Pass
6	15715.463	52.14	1.20	74.0	21.86	Peak	0.00	150	Vertical	Pass
6**	15715.463	41.53	1.20	54.0	12.47	AV	0.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass


	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Low	Pass
		High	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass

Note 1: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots

Main Antenna


U-NII-1 11a Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.93	5.21	74.0	12.07	Peak	316.00	150	Horizontal	Pass
1**	5150.000	51.65	5.21	54.0	2.35	AV	316.00	150	Horizontal	Pass
2	5148.050	62.52	5.26	74.0	11.48	Peak	321.00	150	Horizontal	Pass
2**	5148.050	50.86	5.26	54.0	3.14	AV	321.00	150	Horizontal	Pass


U-NII-1 11a High Channel

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.20	5.40	74.0	17.80	Peak	138.00	150	Horizontal	Pass
1**	5350.000	46.14	5.40	54.0	7.86	AV	138.00	150	Horizontal	Pass
2	5362.650	57.99	5.68	74.0	16.01	Peak	34.00	150	Horizontal	Pass
2**	5362.650	46.15	5.68	54.0	7.85	AV	34.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.40	5.21	74.0	11.60	Peak	333.99	150	Vertical	Pass
1**	5150.000	51.91	5.21	54.0	2.09	AV	333.99	150	Vertical	Pass
2	5147.400	64.67	5.29	74.0	9.33	Peak	222.00	150	Vertical	Pass
2**	5147.400	50.76	5.29	54.0	3.24	AV	222.00	150	Vertical	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.85	5.40	74.0	18.15	Peak	314.00	150	Vertical	Pass
1**	5350.000	46.14	5.40	54.0	7.86	AV	314.00	150	Vertical	Pass
2	5384.980	58.14	5.70	74.0	15.86	Peak	229.00	150	Vertical	Pass
2**	5384.980	46.43	5.70	54.0	7.57	AV	229.00	150	Vertical	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.55	5.21	74.0	15.45	Peak	342.99	150	Vertical	Pass
1**	5150.000	48.37	5.21	54.0	5.63	AV	342.99	150	Vertical	Pass
2	5148.700	60.05	5.23	74.0	13.95	Peak	285.00	150	Vertical	Pass
2**	5148.700	47.60	5.23	54.0	6.40	AV	285.00	150	Vertical	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.26	5.40	74.0	17.74	Peak	4.00	150	Vertical	Pass
1**	5350.000	45.88	5.40	54.0	8.12	AV	4.00	150	Vertical	Pass
2	5454.610	58.40	5.48	74.0	15.60	Peak	202.00	150	Vertical	Pass
2**	5454.610	46.19	5.48	54.0	7.81	AV	202.00	150	Vertical	Pass

U-NII-1 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.86	5.21	74.0	15.14	Peak	319.96	150	Horizontal	Pass
1**	5150.000	47.04	5.21	54.0	6.96	AV	319.96	150	Horizontal	Pass
2	5115.550	60.71	5.19	74.0	13.29	Peak	313.00	150	Horizontal	Pass
2**	5115.550	47.66	5.19	54.0	6.34	AV	313.00	150	Horizontal	Pass

U-NII-1 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.46	5.40	74.0	16.54	Peak	190.00	150	Vertical	Pass
1**	5350.000	46.88	5.40	54.0	7.12	AV	190.00	150	Vertical	Pass
2	5394.330	65.11	5.63	74.0	8.89	Peak	246.00	150	Vertical	Pass
2**	5394.330	49.53	5.63	54.0	4.47	AV	246.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.31	5.21	74.0	10.69	Peak	309.98	150	Vertical	Pass
1**	5150.000	51.63	5.21	54.0	2.37	AV	309.98	150	Vertical	Pass
2	5139.600	64.26	5.61	74.0	9.74	Peak	303.00	150	Vertical	Pass
2**	5139.600	47.87	5.61	54.0	6.13	AV	303.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.73	5.40	74.0	18.27	Peak	110.00	150	Horizontal	Pass
1**	5350.000	46.14	5.40	54.0	7.86	AV	110.00	150	Horizontal	Pass
2	5355.280	57.95	5.55	74.0	16.05	Peak	187.00	150	Horizontal	Pass
2**	5355.280	46.07	5.55	54.0	7.93	AV	187.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.99	5.21	74.0	12.01	Peak	359.99	150	Horizontal	Pass
1**	5150.000	50.97	5.21	54.0	3.03	AV	359.99	150	Horizontal	Pass
2	5149.350	65.90	5.21	74.0	8.10	Peak	306.00	150	Horizontal	Pass
2**	5149.350	50.20	5.21	54.0	3.80	AV	306.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.92	5.40	74.0	18.08	Peak	186.00	150	Vertical	Pass
1**	5350.000	45.98	5.40	54.0	8.02	AV	186.00	150	Vertical	Pass
2	5398.290	57.81	5.73	74.0	16.19	Peak	172.00	150	Vertical	Pass
2**	5398.290	46.15	5.73	54.0	7.85	AV	172.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.02	5.21	74.0	12.98	Peak	359.99	150	Horizontal	Pass
1**	5150.000	50.15	5.21	54.0	3.85	AV	359.99	150	Horizontal	Pass
2	5132.450	66.07	5.30	74.0	7.93	Peak	306.00	150	Horizontal	Pass
2**	5132.450	52.79	5.30	54.0	1.21	AV	306.00	150	Horizontal	Pass

U-NII-1 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.33	5.40	74.0	16.67	Peak	68.00	150	Vertical	Pass
1**	5350.000	46.63	5.40	54.0	7.37	AV	68.00	150	Vertical	Pass
2	5393.010	65.89	5.61	74.0	8.11	Peak	224.00	150	Vertical	Pass
2**	5393.010	50.17	5.61	54.0	3.83	AV	224.00	150	Vertical	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.01	5.21	74.0	16.99	Peak	322.99	150	Horizontal	Pass
1**	5150.000	45.69	5.21	54.0	8.31	AV	322.99	150	Horizontal	Pass
2	5144.150	58.13	5.42	74.0	15.87	Peak	352.00	150	Horizontal	Pass
2**	5144.150	46.18	5.42	54.0	7.82	AV	352.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.62	5.40	74.0	18.38	Peak	117.00	150	Horizontal	Pass
1**	5350.000	46.08	5.40	54.0	7.92	AV	117.00	150	Horizontal	Pass
2	5424.690	58.02	5.33	74.0	15.98	Peak	63.00	150	Horizontal	Pass
2**	5424.690	45.96	5.33	54.0	8.04	AV	63.00	150	Horizontal	Pass


U-NII-1 11ax40 (RU484) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.31	5.21	74.0	12.69	Peak	327.98	150	Vertical	Pass
1**	5150.000	49.96	5.21	54.0	4.04	AV	327.98	150	Vertical	Pass
2	5148.700	62.08	5.23	74.0	11.92	Peak	241.00	150	Vertical	Pass
2**	5148.700	49.22	5.23	54.0	4.78	AV	241.00	150	Vertical	Pass


U-NII-1 11ax40 (RU484) High Channel

Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.33	5.40	74.0	17.67	Peak	360.00	150	Horizontal	Pass
1**	5350.000	46.05	5.40	54.0	7.95	AV	360.00	150	Horizontal	Pass
2	5356.820	58.27	5.61	74.0	15.73	Peak	102.00	150	Horizontal	Pass
2**	5356.820	46.19	5.61	54.0	7.81	AV	102.00	150	Horizontal	Pass

U-NII-1 11ax80 (RU996) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.79	5.21	74.0	13.21	Peak	301.96	150	Horizontal	Pass
1**	5150.000	48.01	5.21	54.0	5.99	AV	301.96	150	Horizontal	Pass
2	5147.400	61.93	5.29	74.0	12.07	Peak	347.00	150	Horizontal	Pass
2**	5147.400	47.80	5.29	54.0	6.20	AV	347.00	150	Horizontal	Pass


U-NII-1 11ax160 (RU996*2) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.35	5.40	74.0	13.65	Peak	236.00	150	Vertical	Pass
1**	5350.000	47.69	5.40	54.0	6.31	AV	236.00	150	Vertical	Pass
2	5393.120	70.04	5.61	74.0	3.96	Peak	212.00	150	Vertical	Pass
2**	5393.120	53.22	5.61	54.0	0.78	AV	212.00	150	Vertical	Pass

U-NII-2A 11a Low Channel


Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.13	5.21	74.0	17.87	Peak	135.99	150	Horizontal	Pass
1**	5150.000	46.33	5.21	54.0	7.67	AV	135.99	150	Horizontal	Pass
2	5085.000	58.28	4.85	74.0	15.72	Peak	2.00	150	Horizontal	Pass
2**	5085.000	46.39	4.85	54.0	7.61	AV	2.00	150	Horizontal	Pass


U-NII-2A 11a High Channel

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.37	5.40	74.0	16.63	Peak	237.00	150	Vertical	Pass
1**	5350.000	47.19	5.40	54.0	6.81	AV	237.00	150	Vertical	Pass
2	5350.220	58.00	5.41	74.0	16.00	Peak	218.00	150	Vertical	Pass
2**	5350.220	47.46	5.41	54.0	6.54	AV	218.00	150	Vertical	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.60	5.21	74.0	17.40	Peak	3.06	150	Horizontal	Pass
1**	5150.000	46.25	5.21	54.0	7.75	AV	3.06	150	Horizontal	Pass
2	5115.550	57.92	5.19	74.0	16.08	Peak	360.00	150	Horizontal	Pass
2**	5115.550	46.60	5.19	54.0	7.40	AV	360.00	150	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.21	5.40	74.0	17.79	Peak	102.00	150	Vertical	Pass
1**	5350.000	46.09	5.40	54.0	7.91	AV	102.00	150	Vertical	Pass
2	5456.590	58.90	5.46	74.0	15.10	Peak	68.00	150	Vertical	Pass
2**	5456.590	45.97	5.46	54.0	8.03	AV	68.00	150	Vertical	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.60	5.21	74.0	17.40	Peak	150.02	150	Horizontal	Pass
1**	5150.000	46.23	5.21	54.0	7.77	AV	150.02	150	Horizontal	Pass
2	5106.450	58.14	5.08	74.0	15.86	Peak	76.00	150	Horizontal	Pass
2**	5106.450	46.57	5.08	54.0	7.43	AV	76.00	150	Horizontal	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.24	5.40	74.0	14.76	Peak	9.00	150	Horizontal	Pass
1**	5350.000	47.38	5.40	54.0	6.62	AV	9.00	150	Horizontal	Pass
2	5351.540	59.84	5.44	74.0	14.16	Peak	327.00	150	Horizontal	Pass
2**	5351.540	47.10	5.44	54.0	6.90	AV	327.00	150	Horizontal	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.62	5.40	74.0	16.38	Peak	193.00	150	Horizontal	Pass
1**	5350.000	46.75	5.40	54.0	7.25	AV	193.00	150	Horizontal	Pass
2	5366.720	60.85	5.49	74.0	13.15	Peak	294.00	150	Horizontal	Pass
2**	5366.720	46.71	5.49	54.0	7.29	AV	294.00	150	Horizontal	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.42	5.21	74.0	16.58	Peak	290.94	150	Vertical	Pass
1**	5150.000	46.44	5.21	54.0	7.56	AV	290.94	150	Vertical	Pass
2	5119.450	58.58	5.16	74.0	15.42	Peak	345.00	150	Vertical	Pass
2**	5119.450	46.66	5.16	54.0	7.34	AV	345.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.78	5.40	74.0	15.22	Peak	185.00	150	Vertical	Pass
1**	5350.000	47.80	5.40	54.0	6.20	AV	185.00	150	Vertical	Pass
2	5362.210	58.27	5.69	74.0	15.73	Peak	302.00	150	Vertical	Pass
2**	5362.210	46.32	5.69	54.0	7.68	AV	302.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.40	5.21	74.0	17.60	Peak	0.07	150	Horizontal	Pass
1**	5150.000	46.36	5.21	54.0	7.64	AV	0.07	150	Horizontal	Pass
2	5133.750	58.34	5.39	74.0	15.66	Peak	3.00	150	Horizontal	Pass
2**	5133.750	46.49	5.39	54.0	7.51	AV	3.00	150	Horizontal	Pass

U-NII-2A 11ax40 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.06	5.40	74.0	13.94	Peak	172.00	150	Horizontal	Pass
1**	5350.000	49.96	5.40	54.0	4.04	AV	172.00	150	Horizontal	Pass
2	5350.330	62.67	5.41	74.0	11.33	Peak	157.00	150	Horizontal	Pass
2**	5350.330	48.09	5.41	54.0	5.91	AV	157.00	150	Horizontal	Pass


U-NII-2A 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.30	5.40	74.0	17.70	Peak	222.00	150	Vertical	Pass
1**	5350.000	47.30	5.40	54.0	6.70	AV	222.00	150	Vertical	Pass
2	5369.030	60.69	5.41	74.0	13.31	Peak	188.00	150	Vertical	Pass
2**	5369.030	47.02	5.41	54.0	6.98	AV	188.00	150	Vertical	Pass


U-NII-2A 11ax20 (RU26) Low Channel

Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.78	5.21	74.0	17.22	Peak	292.01	150	Vertical	Pass
1**	5150.000	46.47	5.21	54.0	7.53	AV	292.01	150	Vertical	Pass
2	5066.800	58.31	5.17	74.0	15.69	Peak	25.00	150	Vertical	Pass
2**	5066.800	46.82	5.17	54.0	7.18	AV	25.00	150	Vertical	Pass


U-NII-2A 11ax20 (RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.44	5.40	74.0	18.56	Peak	187.00	150	Horizontal	Pass
1**	5350.000	46.23	5.40	54.0	7.77	AV	187.00	150	Horizontal	Pass
2	5446.470	58.24	5.61	74.0	15.76	Peak	23.00	150	Horizontal	Pass
2**	5446.470	45.94	5.61	54.0	8.06	AV	23.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU484) Low Channel


Bandedge_FCC-WIFI_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.13	5.21	74.0	16.87	Peak	350.93	150	Vertical	Pass
1**	5150.000	46.47	5.21	54.0	7.53	AV	350.93	150	Vertical	Pass
2	5103.850	58.33	5.19	74.0	15.67	Peak	268.00	150	Vertical	Pass
2**	5103.850	46.50	5.19	54.0	7.50	AV	268.00	150	Vertical	Pass

U-NII-2A 11ax40 (RU484) High Channel


Bandedge_FCC-WIFI_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.34	5.40	74.0	11.66	Peak	200.00	150	Vertical	Pass
1**	5350.000	52.63	5.40	54.0	1.37	AV	200.00	150	Vertical	Pass
2	5351.540	64.21	5.44	74.0	9.79	Peak	205.00	150	Vertical	Pass
2**	5351.540	52.11	5.44	54.0	1.89	AV	205.00	150	Vertical	Pass


U-NII-2A 11ax80 (RU996) Middle Channel

Bandedge_FCC-WIFI_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	62.73	5.40	74.0	11.27	Peak	265.00	150	Vertical	Pass
1**	5350.000	50.85	5.40	54.0	3.15	AV	265.00	150	Vertical	Pass
2	5350.110	65.91	5.40	74.0	8.09	Peak	206.00	150	Vertical	Pass
2**	5350.110	52.99	5.40	54.0	1.01	AV	206.00	150	Vertical	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.94	5.38	68.2	13.26	Peak	255.08	150	Horizontal	Pass
1**	5460.000	45.51	5.38	54.0	8.49	AV	255.08	150	Horizontal	Pass
2	5461.480	57.21	5.44	68.2	10.99	Peak	360.00	150	Horizontal	Pass
2**	5461.480	45.56	5.44	--	-45.56	AV	360.00	150	Horizontal	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.77	6.57	68.2	10.43	Peak	114.00	150	Horizontal	Pass
2	5785.500	59.49	6.85	68.2	8.71	Peak	16.00	150	Horizontal	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.07	5.38	68.2	12.13	Peak	216.04	150	Horizontal	Pass
1**	5460.000	45.67	5.38	54.0	8.33	AV	216.04	150	Horizontal	Pass
2	5461.600	56.88	5.44	68.2	11.32	Peak	50.00	150	Horizontal	Pass
2**	5461.600	45.80	5.44	--	-45.80	AV	50.00	150	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.53	6.57	68.2	9.67	Peak	237.00	150	Vertical	Pass
2	5815.000	59.80	6.97	68.2	8.40	Peak	137.00	150	Vertical	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.59	5.38	68.2	12.61	Peak	207.03	150	Vertical	Pass
1**	5460.000	45.60	5.38	54.0	8.40	AV	207.03	150	Vertical	Pass
2	5464.840	56.83	5.58	68.2	11.37	Peak	118.00	150	Vertical	Pass
2**	5464.840	45.71	5.58	--	-45.71	AV	118.00	150	Vertical	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.10	6.57	68.2	10.10	Peak	230.00	150	Horizontal	Pass
2	5832.750	59.34	7.17	68.2	8.86	Peak	33.00	150	Horizontal	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.95	5.38	68.2	12.25	Peak	204.83	150	Vertical	Pass
1**	5460.000	46.12	5.38	54.0	7.88	AV	204.83	150	Vertical	Pass
2	5469.040	57.13	5.80	68.2	11.07	Peak	221.00	150	Vertical	Pass
2**	5469.040	46.62	5.80	--	-46.62	AV	221.00	150	Vertical	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.61	6.57	68.2	10.59	Peak	202.00	150	Horizontal	Pass
2	5840.500	59.94	7.22	68.2	8.26	Peak	28.00	150	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.82	5.38	68.2	12.38	Peak	294.19	150	Horizontal	Pass
1**	5460.000	45.99	5.38	54.0	8.01	AV	294.19	150	Horizontal	Pass
2	5465.200	56.70	5.59	68.2	11.50	Peak	308.00	150	Horizontal	Pass
2**	5465.200	45.75	5.59	--	-45.75	AV	308.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.82	5.38	68.2	12.38	Peak	192.87	150	Horizontal	Pass
1**	5460.000	45.67	5.38	54.0	8.33	AV	192.87	150	Horizontal	Pass
2	5468.440	57.02	5.76	68.2	11.18	Peak	138.00	150	Horizontal	Pass
2**	5468.440	46.04	5.76	--	-46.04	AV	138.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.15	6.57	68.2	10.05	Peak	127.00	150	Vertical	Pass
2	5839.250	59.96	7.19	68.2	8.24	Peak	60.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)		Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.26	5.38	68.2	11.94	Peak	14.65	150	Vertical	Pass
1**	5460.000	45.70	5.38	54.0	8.30	AV	14.65	150	Vertical	Pass
2	5462.800	57.19	5.50	68.2	11.01	Peak	95.00	150	Vertical	Pass
2**	5462.800	45.68	5.50	--	-45.68	AV	95.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.46	6.57	68.2	10.74	Peak	104.00	150	Horizontal	Pass
2	5822.125	59.96	7.14	68.2	8.24	Peak	15.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.05	5.38	68.2	12.15	Peak	101.35	150	Horizontal	Pass
1**	5460.000	45.82	5.38	54.0	8.18	AV	101.35	150	Horizontal	Pass
2	5465.200	56.62	5.59	68.2	11.58	Peak	360.00	150	Horizontal	Pass
2**	5465.200	45.88	5.59	--	-45.88	AV	360.00	150	Horizontal	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.32	6.57	68.2	10.88	Peak	0.00	150	Horizontal	Pass
2	5848.000	59.89	6.94	68.2	8.31	Peak	298.00	150	Horizontal	Pass

U-NII-2C 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.15	5.38	68.2	12.05	Peak	61.61	150	Vertical	Pass
1**	5460.000	45.89	5.38	54.0	8.11	AV	61.61	150	Vertical	Pass
2	5469.640	58.77	5.80	68.2	9.43	Peak	58.00	150	Vertical	Pass
2**	5469.640	46.46	5.80	--	-46.46	AV	58.00	150	Vertical	N/A

U-NII-2C 11ax20 (RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.99	5.38	68.2	13.21	Peak	218.13	150	Horizontal	Pass
1**	5460.000	45.07	5.38	54.0	8.93	AV	218.13	150	Horizontal	Pass
2	5463.640	56.77	5.54	68.2	11.43	Peak	235.00	150	Horizontal	Pass
2**	5463.640	44.99	5.54	--	-44.99	AV	235.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.34	6.57	68.2	10.86	Peak	9.00	150	Horizontal	Pass
2	5848.625	59.66	6.93	68.2	8.54	Peak	328.00	150	Horizontal	Pass

U-NII-2C 11ax40 (RU484) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.54	5.38	68.2	13.66	Peak	134.91	150	Vertical	Pass
1**	5460.000	45.38	5.38	54.0	8.62	AV	134.91	150	Vertical	Pass
2	5467.360	57.15	5.67	68.2	11.05	Peak	360.00	150	Vertical	Pass
2**	5467.360	46.08	5.67	--	-46.08	AV	360.00	150	Vertical	N/A

U-NII-2C 11ax40 (RU484) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.89	6.57	68.2	10.31	Peak	167.00	150	Horizontal	Pass
2	5729.875	59.86	6.37	68.2	8.34	Peak	39.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU996) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.44	5.38	68.2	12.76	Peak	208.02	150	Vertical	Pass
1**	5460.000	45.12	5.38	54.0	8.88	AV	208.02	150	Vertical	Pass
2	5469.160	57.21	5.80	68.2	10.99	Peak	185.00	150	Vertical	Pass
2**	5469.160	45.61	5.80	--	-45.61	AV	185.00	150	Vertical	N/A

U-NII-2C 11ax80 (RU996) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.84	6.57	68.2	10.36	Peak	360.00	150	Horizontal	Pass
2	5737.500	59.98	6.31	68.2	8.22	Peak	71.00	150	Horizontal	Pass

U-NII-2C 11ax160 (RU996*2) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.48	5.38	68.2	10.72	Peak	128.56	150	Vertical	Pass
1**	5460.000	48.10	5.38	54.0	5.90	AV	128.56	150	Vertical	Pass
2	5466.640	61.19	5.63	68.2	7.01	Peak	312.00	150	Vertical	Pass
2**	5466.640	49.37	5.63	--	-49.37	AV	312.00	150	Vertical	N/A

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.41	5.94	68.2	11.79	Peak	163.96	150	Vertical	Pass
2	5639.000	58.46	5.90	68.2	9.74	Peak	135.00	150	Vertical	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.24	7.83	68.2	9.96	Peak	158.00	150	Horizontal	Pass
2	5940.750	59.99	7.35	68.2	8.21	Peak	203.00	150	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.78	5.94	68.2	11.42	Peak	27.14	150	Vertical	Pass
2	5636.625	58.84	5.88	68.2	9.36	Peak	360.00	150	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.07	7.83	68.2	10.13	Peak	46.96	150	Horizontal	Pass
2	5946.000	60.15	7.44	68.2	8.05	Peak	242.00	150	Horizontal	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.09	5.94	68.2	11.11	Peak	351.81	150	Horizontal	Pass
2	5619.875	59.05	5.91	68.2	9.15	Peak	168.00	150	Horizontal	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.80	7.83	68.2	9.40	Peak	5.45	150	Vertical	Pass
2	5951.850	60.49	7.46	68.2	7.71	Peak	360.00	150	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.75	5.94	68.2	11.45	Peak	103.89	150	Horizontal	Pass
2	5646.500	58.86	5.97	68.2	9.34	Peak	58.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.82	5.94	68.2	11.38	Peak	44.17	150	Horizontal	Pass
2	5646.625	58.87	5.97	68.2	9.33	Peak	329.00	150	Horizontal	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.85	7.83	68.2	10.35	Peak	0.33	150	Horizontal	Pass
2	5934.750	60.38	7.51	68.2	7.82	Peak	175.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.12	5.94	68.2	11.08	Peak	291.98	150	Vertical	Pass
2	5630.250	58.87	5.83	68.2	9.33	Peak	354.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.69	7.83	68.2	10.51	Peak	0.00	150	Horizontal	Pass
2	5969.850	60.27	7.60	68.2	7.93	Peak	72.00	150	Horizontal	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.02	5.94	68.2	11.18	Peak	9.28	150	Vertical	Pass
2	5632.625	58.71	5.85	68.2	9.49	Peak	196.00	150	Vertical	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.76	5.94	68.2	11.44	Peak	322.98	150	Horizontal	Pass
2	5649.320	58.36	5.95	68.2	9.84	Peak	204.00	150	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.10	7.83	68.2	11.10	Peak	264.96	150	Horizontal	Pass
2	5943.000	60.40	7.40	68.2	7.80	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ax40 (RU484) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.76	5.94	68.2	11.44	Peak	240.94	150	Vertical	Pass
2	5622.625	58.74	5.92	68.2	9.46	Peak	131.00	150	Vertical	Pass

U-NII-3 11ax40 (RU484) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.01	7.83	68.2	11.19	Peak	6.32	150	Vertical	Pass
2	5944.650	60.10	7.40	68.2	8.10	Peak	80.00	150	Vertical	Pass


U-NII-3 11ax80 (RU996) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.56	5.94	68.2	10.64	Peak	290.80	150	Horizontal	Pass
2	5645.750	59.08	6.00	68.2	9.12	Peak	284.00	150	Horizontal	Pass


Aux Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	61.01	5.21	74.0	12.99	Peak	9.02	150	Vertical	Pass
1**	5150.000	51.37	5.21	54.0	2.63	AV	9.02	150	Vertical	Pass
2	5149.350	63.29	5.21	74.0	10.71	Peak	87.00	150	Vertical	Pass
2**	5149.350	50.34	5.21	54.0	3.66	AV	87.00	150	Vertical	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.76	5.40	74.0	18.24	Peak	176.00	150	Horizontal	Pass
1**	5350.000	45.50	5.40	54.0	8.50	AV	176.00	150	Horizontal	Pass
2	5403.570	57.78	5.53	74.0	16.22	Peak	206.00	150	Horizontal	Pass
2**	5403.570	45.89	5.53	54.0	8.11	AV	206.00	150	Horizontal	Pass

U-NII-1 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.55	5.21	74.0	15.45	Peak	92.00	150	Horizontal	Pass
1**	5150.000	48.68	5.21	54.0	5.32	AV	92.00	150	Horizontal	Pass
2	5146.750	59.26	5.33	74.0	14.74	Peak	107.00	150	Horizontal	Pass
2**	5146.750	47.23	5.33	54.0	6.77	AV	107.00	150	Horizontal	Pass

U-NII-1 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.40	5.40	74.0	18.60	Peak	2.00	150	Vertical	Pass
1**	5350.000	45.54	5.40	54.0	8.46	AV	2.00	150	Vertical	Pass
2	5394.880	57.24	5.65	74.0	16.76	Peak	360.00	150	Vertical	Pass
2**	5394.880	45.72	5.65	54.0	8.28	AV	360.00	150	Vertical	Pass

U-NII-1 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.59	5.21	74.0	17.41	Peak	359.96	150	Horizontal	Pass
1**	5150.000	47.29	5.21	54.0	6.71	AV	359.96	150	Horizontal	Pass
2	5133.750	58.41	5.39	74.0	15.59	Peak	207.00	150	Horizontal	Pass
2**	5133.750	46.21	5.39	54.0	7.79	AV	207.00	150	Horizontal	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.68	5.40	74.0	17.32	Peak	360.00	150	Vertical	Pass
1**	5350.000	45.80	5.40	54.0	8.20	AV	360.00	150	Vertical	Pass
2	5398.070	58.09	5.73	74.0	15.91	Peak	360.00	150	Vertical	Pass
2**	5398.070	46.00	5.73	54.0	8.00	AV	360.00	150	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.61	5.21	74.0	17.39	Peak	351.96	150	Vertical	Pass
1**	5150.000	47.54	5.21	54.0	6.46	AV	351.96	150	Vertical	Pass
2	5138.300	60.19	5.56	74.0	13.81	Peak	137.00	150	Vertical	Pass
2**	5138.300	48.73	5.56	54.0	5.27	AV	137.00	150	Vertical	Pass

U-NII-1 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.65	5.40	74.0	18.35	Peak	208.00	150	Vertical	Pass
1**	5350.000	46.02	5.40	54.0	7.98	AV	208.00	150	Vertical	Pass
2	5392.020	58.82	5.58	74.0	15.18	Peak	360.00	150	Vertical	Pass
2**	5392.020	46.11	5.58	54.0	7.89	AV	360.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	65.96	5.21	74.0	8.04	Peak	95.01	150	Horizontal	Pass
1**	5150.000	50.75	5.21	54.0	3.25	AV	95.01	150	Horizontal	Pass
2	5148.700	61.57	5.23	74.0	12.43	Peak	123.00	150	Horizontal	Pass
2**	5148.700	50.89	5.23	54.0	3.11	AV	123.00	150	Horizontal	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.14	5.40	74.0	17.86	Peak	76.00	150	Vertical	Pass
1**	5350.000	45.78	5.40	54.0	8.22	AV	76.00	150	Vertical	Pass
2	5361.110	58.05	5.70	74.0	15.95	Peak	83.00	150	Vertical	Pass
2**	5361.110	46.20	5.70	54.0	7.80	AV	83.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.32	5.21	74.0	16.68	Peak	161.99	150	Horizontal	Pass
1**	5150.000	47.25	5.21	54.0	6.75	AV	161.99	150	Horizontal	Pass
2	5140.250	61.14	5.60	74.0	12.86	Peak	96.00	150	Horizontal	Pass
2**	5140.250	47.58	5.60	54.0	6.42	AV	96.00	150	Horizontal	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.64	5.40	74.0	17.36	Peak	203.00	150	Horizontal	Pass
1**	5350.000	45.81	5.40	54.0	8.19	AV	203.00	150	Horizontal	Pass
2	5361.550	58.18	5.71	74.0	15.82	Peak	0.00	150	Horizontal	Pass
2**	5361.550	46.25	5.71	54.0	7.75	AV	0.00	150	Horizontal	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.68	5.21	74.0	16.32	Peak	85.98	150	Vertical	Pass
1**	5150.000	47.83	5.21	54.0	6.17	AV	85.98	150	Vertical	Pass
2	5137.650	61.67	5.53	74.0	12.33	Peak	21.00	150	Vertical	Pass
2**	5137.650	47.53	5.53	54.0	6.47	AV	21.00	150	Vertical	Pass

U-NII-1 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.99	5.40	74.0	18.01	Peak	137.00	150	Vertical	Pass
1**	5350.000	45.82	5.40	54.0	8.18	AV	137.00	150	Vertical	Pass
2	5406.760	59.52	5.34	74.0	14.48	Peak	8.00	150	Vertical	Pass
2**	5406.760	46.64	5.34	54.0	7.36	AV	8.00	150	Vertical	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.34	5.21	74.0	13.66	Peak	23.01	150	Vertical	Pass
1**	5150.000	46.92	5.21	54.0	7.08	AV	23.01	150	Vertical	Pass
2	5098.000	58.87	5.39	74.0	15.13	Peak	87.00	150	Vertical	Pass
2**	5098.000	46.69	5.39	54.0	7.31	AV	87.00	150	Vertical	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.32	5.40	74.0	17.68	Peak	264.00	150	Vertical	Pass
1**	5350.000	45.76	5.40	54.0	8.24	AV	264.00	150	Vertical	Pass
2	5359.460	58.71	5.68	74.0	15.29	Peak	58.00	150	Vertical	Pass
2**	5359.460	46.21	5.68	54.0	7.79	AV	58.00	150	Vertical	Pass

U-NII-1 11ax40 (RU484) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.47	5.21	74.0	10.53	Peak	303.00	150	Horizontal	Pass
1**	5150.000	53.49	5.21	54.0	0.51	AV	303.00	150	Horizontal	Pass
2	5148.050	64.67	5.26	74.0	9.33	Peak	303.00	150	Horizontal	Pass
2**	5148.050	52.55	5.26	54.0	1.45	AV	303.00	150	Horizontal	Pass

U-NII-1 11ax40 (RU484) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.06	5.40	74.0	17.94	Peak	62.00	150	Vertical	Pass
1**	5350.000	45.98	5.40	54.0	8.02	AV	62.00	150	Vertical	Pass
2	5425.570	58.06	5.32	74.0	15.94	Peak	99.00	150	Vertical	Pass
2**	5425.570	45.81	5.32	54.0	8.19	AV	99.00	150	Vertical	Pass

U-NII-1 11ax80 (RU996) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	62.56	5.21	74.0	11.44	Peak	360.00	150	Vertical	Pass
1**	5150.000	51.13	5.21	54.0	2.87	AV	360.00	150	Vertical	Pass
2	5146.750	63.66	5.33	74.0	10.34	Peak	88.00	150	Vertical	Pass
2**	5146.750	51.10	5.33	54.0	2.90	AV	88.00	150	Vertical	Pass

U-NII-1 11ax160 (RU996*2) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.15	5.40	74.0	16.85	Peak	139.00	150	Horizontal	Pass
1**	5350.000	46.04	5.40	54.0	7.96	AV	139.00	150	Horizontal	Pass
2	5395.980	68.08	5.70	74.0	5.92	Peak	139.00	150	Horizontal	Pass
2**	5395.980	49.79	5.70	54.0	4.21	AV	139.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.23	5.21	74.0	16.77	Peak	136.01	150	Vertical	Pass
1**	5150.000	45.56	5.21	54.0	8.44	AV	136.01	150	Vertical	Pass
2	5073.950	57.71	5.14	74.0	16.29	Peak	23.00	150	Vertical	Pass
2**	5073.950	46.08	5.14	54.0	7.92	AV	23.00	150	Vertical	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.16	5.40	74.0	9.84	Peak	360.00	150	Vertical	Pass
1**	5350.000	49.56	5.40	54.0	4.44	AV	360.00	150	Vertical	Pass
2	5350.880	65.01	5.42	74.0	8.99	Peak	357.00	150	Vertical	Pass
2**	5350.880	49.46	5.42	54.0	4.54	AV	357.00	150	Vertical	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.36	5.21	74.0	18.64	Peak	319.97	150	Horizontal	Pass
1**	5150.000	45.85	5.21	54.0	8.15	AV	319.97	150	Horizontal	Pass
2	5059.650	57.82	5.16	74.0	16.18	Peak	345.00	150	Horizontal	Pass
2**	5059.650	45.78	5.16	54.0	8.22	AV	345.00	150	Horizontal	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.09	5.40	74.0	12.91	Peak	0.00	150	Vertical	Pass
1**	5350.000	48.34	5.40	54.0	5.66	AV	0.00	150	Vertical	Pass
2	5353.520	65.33	5.49	74.0	8.67	Peak	0.00	150	Vertical	Pass
2**	5353.520	47.40	5.49	54.0	6.60	AV	0.00	150	Vertical	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.35	5.21	74.0	17.65	Peak	293.94	150	Vertical	Pass
1**	5150.000	46.21	5.21	54.0	7.79	AV	293.94	150	Vertical	Pass
2	5084.350	58.45	4.84	74.0	15.55	Peak	41.00	150	Vertical	Pass
2**	5084.350	46.16	4.84	54.0	7.84	AV	41.00	150	Vertical	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.74	5.40	74.0	18.26	Peak	62.00	150	Vertical	Pass
1**	5350.000	45.94	5.40	54.0	8.06	AV	62.00	150	Vertical	Pass
2	5450.100	58.75	5.59	74.0	15.25	Peak	360.00	150	Vertical	Pass
2**	5450.100	46.11	5.59	54.0	7.89	AV	360.00	150	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.20	5.40	74.0	15.80	Peak	2.00	150	Vertical	Pass
1**	5350.000	47.09	5.40	54.0	6.91	AV	2.00	150	Vertical	Pass
2	5353.520	59.78	5.49	74.0	14.22	Peak	49.00	150	Vertical	Pass
2**	5353.520	47.11	5.49	54.0	6.89	AV	49.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.95	5.21	74.0	17.05	Peak	357.94	150	Vertical	Pass
1**	5150.000	46.38	5.21	54.0	7.62	AV	357.94	150	Vertical	Pass
2	5098.650	58.29	5.42	74.0	15.71	Peak	360.00	150	Vertical	Pass
2**	5098.650	46.66	5.42	54.0	7.34	AV	360.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.73	5.40	74.0	13.27	Peak	360.00	150	Vertical	Pass
1**	5350.000	49.15	5.40	54.0	4.85	AV	360.00	150	Vertical	Pass
2	5350.220	64.13	5.41	74.0	9.87	Peak	36.00	150	Vertical	Pass
2**	5350.220	48.92	5.41	54.0	5.08	AV	36.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.02	5.21	74.0	16.98	Peak	23.03	150	Vertical	Pass
1**	5150.000	46.32	5.21	54.0	7.68	AV	23.03	150	Vertical	Pass
2	5114.900	58.22	5.20	74.0	15.78	Peak	351.00	150	Vertical	Pass
2**	5114.900	46.53	5.20	54.0	7.47	AV	351.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.97	5.40	74.0	17.03	Peak	360.00	150	Vertical	Pass
1**	5350.000	47.02	5.40	54.0	6.98	AV	360.00	150	Vertical	Pass
2	5354.510	61.43	5.52	74.0	12.57	Peak	96.00	150	Vertical	Pass
2**	5354.510	46.84	5.52	54.0	7.16	AV	96.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.06	5.40	74.0	17.94	Peak	101.00	150	Vertical	Pass
1**	5350.000	46.16	5.40	54.0	7.84	AV	101.00	150	Vertical	Pass
2	5450.430	57.64	5.59	74.0	16.36	Peak	218.00	150	Vertical	Pass
2**	5450.430	45.98	5.59	54.0	8.02	AV	218.00	150	Vertical	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	56.55	5.21	74.0	17.45	Peak	27.99	150	Vertical	Pass
1**	5150.000	46.18	5.21	54.0	7.82	AV	27.99	150	Vertical	Pass
2	5114.900	57.54	5.20	74.0	16.46	Peak	193.00	150	Vertical	Pass
2**	5114.900	46.44	5.20	54.0	7.56	AV	193.00	150	Vertical	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.92	5.40	74.0	14.08	Peak	0.00	150	Vertical	Pass
1**	5350.000	46.93	5.40	54.0	7.07	AV	0.00	150	Vertical	Pass
2	5350.110	61.66	5.40	74.0	12.34	Peak	25.00	150	Vertical	Pass
2**	5350.110	46.18	5.40	54.0	7.82	AV	25.00	150	Vertical	Pass

U-NII-2A 11ax40 (RU484) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	57.00	5.21	74.0	17.00	Peak	359.95	150	Horizontal	Pass
1**	5150.000	46.49	5.21	54.0	7.51	AV	359.95	150	Horizontal	Pass
2	5144.800	58.13	5.42	74.0	15.87	Peak	360.00	150	Horizontal	Pass
2**	5144.800	46.77	5.42	54.0	7.23	AV	360.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU484) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	64.24	5.40	74.0	9.76	Peak	21.00	150	Vertical	Pass
1**	5350.000	52.83	5.40	54.0	1.17	AV	21.00	150	Vertical	Pass
2	5352.640	66.48	5.47	74.0	7.52	Peak	21.00	150	Vertical	Pass
2**	5352.640	51.93	5.47	54.0	2.07	AV	21.00	150	Vertical	Pass

U-NII-2A 11ax80 (RU996) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.39	5.40	74.0	13.61	Peak	96.00	150	Vertical	Pass
1**	5350.000	51.80	5.40	54.0	2.20	AV	96.00	150	Vertical	Pass
2	5360.230	63.63	5.70	74.0	10.37	Peak	96.00	150	Vertical	Pass
2**	5360.230	51.78	5.70	54.0	2.22	AV	96.00	150	Vertical	Pass

U-NII-2C 11a Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.75	5.38	68.2	13.45	Peak	165.45	150	Vertical	Pass
1**	5460.000	44.95	5.38	54.0	9.05	AV	165.45	150	Vertical	Pass
2	5461.240	56.18	5.43	68.2	12.02	Peak	0.00	150	Vertical	Pass
2**	5461.240	45.15	5.43	--	-45.15	AV	0.00	150	Vertical	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.38	6.57	68.2	10.82	Peak	105.00	150	Vertical	Pass
2	5725.500	59.33	6.56	68.2	8.87	Peak	0.00	150	Vertical	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.89	5.38	68.2	13.31	Peak	237.10	150	Horizontal	Pass
1**	5460.000	45.07	5.38	54.0	8.93	AV	237.10	150	Horizontal	Pass
2	5465.800	56.64	5.61	68.2	11.56	Peak	51.00	150	Horizontal	Pass
2**	5465.800	45.12	5.61	--	-45.12	AV	51.00	150	Horizontal	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.44	6.57	68.2	10.76	Peak	354.00	150	Vertical	Pass
2	5804.500	59.71	6.52	68.2	8.49	Peak	206.00	150	Vertical	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.13	5.38	68.2	13.07	Peak	309.64	150	Horizontal	Pass
1**	5460.000	45.05	5.38	54.0	8.95	AV	309.64	150	Horizontal	Pass
2	5467.120	56.50	5.65	68.2	11.70	Peak	63.00	150	Horizontal	Pass
2**	5467.120	45.26	5.65	--	-45.26	AV	63.00	150	Horizontal	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.01	6.57	68.2	10.19	Peak	234.00	150	Horizontal	Pass
2	5764.000	59.69	6.69	68.2	8.51	Peak	76.00	150	Horizontal	Pass

U-NII-2C 11ac80 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.15	5.38	68.2	13.05	Peak	270.48	150	Vertical	Pass
1**	5460.000	45.00	5.38	54.0	9.00	AV	270.48	150	Vertical	Pass
2	5464.600	56.56	5.57	68.2	11.64	Peak	325.00	150	Vertical	Pass
2**	5464.600	45.18	5.57	--	-45.18	AV	325.00	150	Vertical	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.87	6.57	68.2	10.33	Peak	0.00	150	Horizontal	Pass
2	5848.750	59.48	6.92	68.2	8.72	Peak	258.00	150	Horizontal	Pass

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.87	5.38	68.2	13.33	Peak	207.07	150	Horizontal	Pass
1**	5460.000	44.95	5.38	54.0	9.05	AV	207.07	150	Horizontal	Pass
2	5466.880	56.44	5.64	68.2	11.76	Peak	125.00	150	Horizontal	Pass
2**	5466.880	45.05	5.64	--	-45.05	AV	125.00	150	Horizontal	N/A

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.83	5.38	68.2	13.37	Peak	198.84	150	Vertical	Pass
1**	5460.000	44.96	5.38	54.0	9.04	AV	198.84	150	Vertical	Pass
2	5463.400	56.29	5.53	68.2	11.91	Peak	360.00	150	Vertical	Pass
2**	5463.400	45.30	5.53	--	-45.30	AV	360.00	150	Vertical	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.57	6.57	68.2	10.63	Peak	41.00	150	Vertical	Pass
2	5764.625	59.80	6.70	68.2	8.40	Peak	9.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)		Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.20	5.38	68.2	13.00	Peak	309.39	150	Vertical	Pass
1**	5460.000	44.99	5.38	54.0	9.01	AV	309.39	150	Vertical	Pass
2	5464.600	56.40	5.57	68.2	11.80	Peak	111.00	150	Vertical	Pass
2**	5464.600	45.05	5.57	--	-45.05	AV	111.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.69	6.57	68.2	10.51	Peak	5.00	150	Horizontal	Pass
2	5810.625	59.57	6.71	68.2	8.63	Peak	354.00	150	Horizontal	Pass

U-NII-2C 11ax80 (SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.83	5.38	68.2	13.37	Peak	149.27	150	Vertical	Pass
1**	5460.000	44.95	5.38	54.0	9.05	AV	149.27	150	Vertical	Pass
2	5464.960	56.58	5.59	68.2	11.62	Peak	52.00	150	Vertical	Pass
2**	5464.960	45.23	5.59	--	-45.23	AV	52.00	150	Vertical	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.16	6.57	68.2	11.04	Peak	106.00	150	Vertical	Pass
2	5728.500	59.46	6.45	68.2	8.74	Peak	360.00	150	Vertical	Pass

U-NII-2C 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.38	5.38	68.2	12.82	Peak	265.85	150	Vertical	Pass
1**	5460.000	45.10	5.38	54.0	8.90	AV	265.85	150	Vertical	Pass
2	5467.480	57.29	5.68	68.2	10.91	Peak	68.00	150	Vertical	Pass
2**	5467.480	45.34	5.68	--	-45.34	AV	68.00	150	Vertical	N/A

U-NII-2C 11ax20 (RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.24	5.38	68.2	12.96	Peak	173.20	150	Horizontal	Pass
1**	5460.000	45.07	5.38	54.0	8.93	AV	173.20	150	Horizontal	Pass
2	5463.280	56.59	5.52	68.2	11.61	Peak	266.00	150	Horizontal	Pass
2**	5463.280	45.30	5.52	--	-45.30	AV	266.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.19	6.57	68.2	10.01	Peak	297.00	150	Vertical	Pass
2	5754.875	60.28	6.48	68.2	7.92	Peak	5.00	150	Vertical	Pass

U-NII-2C 11ax40 (RU484) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	55.13	5.38	68.2	13.07	Peak	142.37	150	Vertical	Pass
1**	5460.000	45.17	5.38	54.0	8.83	AV	142.37	150	Vertical	Pass
2	5468.080	57.47	5.73	68.2	10.73	Peak	197.00	150	Vertical	Pass
2**	5468.080	45.74	5.73	--	-45.74	AV	197.00	150	Vertical	N/A

U-NII-2C 11ax40 (RU484) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.62	6.57	68.2	10.58	Peak	55.00	150	Horizontal	Pass
2	5814.125	60.03	6.91	68.2	8.17	Peak	342.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU996) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.99	5.38	68.2	13.21	Peak	160.68	150	Vertical	Pass
1**	5460.000	45.30	5.38	54.0	8.70	AV	160.68	150	Vertical	Pass
2	5461.840	56.81	5.45	68.2	11.39	Peak	136.00	150	Vertical	Pass
2**	5461.840	45.18	5.45	--	-45.18	AV	136.00	150	Vertical	N/A

U-NII-2C 11ax80 (RU996) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.90	6.57	68.2	10.30	Peak	143.00	150	Vertical	Pass
2	5845.250	59.60	7.03	68.2	8.60	Peak	178.00	150	Vertical	Pass

U-NII-2C 11ax160 (RU996*2) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	57.93	5.38	68.2	10.27	Peak	137.34	150	Horizontal	Pass
	5460.000	46.55	5.38	54.0	7.45	AV	137.34	150	Horizontal	Pass
2	5461.720	59.03	5.45	68.2	9.17	Peak	135.00	150	Horizontal	Pass
2**	5461.720	46.84	5.45	--	-46.84	AV	135.00	150	Horizontal	N/A

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.64	5.94	68.2	11.56	Peak	247.75	150	Vertical	Pass
2	5636.125	58.72	5.87	68.2	9.48	Peak	360.00	150	Vertical	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.00	7.83	68.2	11.20	Peak	260.10	150	Horizontal	Pass
2	5969.700	59.89	7.60	68.2	8.31	Peak	104.00	150	Horizontal	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.11	5.94	68.2	11.09	Peak	277.09	150	Vertical	Pass
2	5621.250	58.52	5.91	68.2	9.68	Peak	343.00	150	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.72	7.83	68.2	10.48	Peak	222.18	150	Vertical	Pass
2	5937.750	59.85	7.41	68.2	8.35	Peak	78.00	150	Vertical	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.08	5.94	68.2	11.12	Peak	345.68	150	Vertical	Pass
2	5646.375	59.23	5.98	68.2	8.97	Peak	311.00	150	Vertical	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.38	7.83	68.2	10.82	Peak	163.84	150	Horizontal	Pass
2	5949.150	60.21	7.54	68.2	7.99	Peak	196.00	150	Horizontal	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.58	5.94	68.2	10.62	Peak	315.79	150	Vertical	Pass
2	5637.375	59.07	5.89	68.2	9.13	Peak	162.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.32	5.94	68.2	10.88	Peak	8.17	150	Vertical	Pass
2	5645.875	58.67	6.00	68.2	9.53	Peak	342.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.48	7.83	68.2	10.72	Peak	12.22	150	Horizontal	Pass
2	5989.800	60.41	7.96	68.2	7.79	Peak	206.00	150	Horizontal	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.69	5.94	68.2	11.51	Peak	15.33	150	Vertical	Pass
2	5648.500	58.59	5.96	68.2	9.61	Peak	360.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.60	7.83	68.2	9.60	Peak	199.06	150	Vertical	Pass
2	5953.800	60.64	7.43	68.2	7.56	Peak	331.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.62	5.94	68.2	11.58	Peak	359.95	150	Vertical	Pass
2	5632.375	59.34	5.85	68.2	8.86	Peak	98.00	150	Vertical	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	58.21	5.94	68.2	9.99	Peak	41.30	150	Vertical	Pass
2	5630.500	59.20	5.83	68.2	9.00	Peak	360.00	150	Vertical	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	58.21	7.83	68.2	9.99	Peak	359.94	150	Vertical	Pass
2	5991.150	60.47	7.95	68.2	7.73	Peak	204.00	150	Vertical	Pass

U-NII-3 11ax40 (RU484) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	57.01	5.94	68.2	11.19	Peak	187.14	150	Vertical	Pass
2	5620.875	59.27	5.90	68.2	8.93	Peak	7.00	150	Vertical	Pass

U-NII-3 11ax40 (RU484) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.46	7.83	68.2	10.74	Peak	172.99	150	Horizontal	Pass
2	5958.600	60.31	7.27	68.2	7.89	Peak	0.00	150	Horizontal	Pass

U-NII-3 11ax80 (RU996) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.95	5.94	68.2	11.25	Peak	0.14	150	Horizontal	Pass
2	5616.500	58.91	5.94	68.2	9.29	Peak	27.00	150	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH2440056-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH2440056-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH2440056-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--