



22.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




22.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




22.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	6.94	13	Pass




22.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




22.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	3.56	13	Pass




22.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	4.27	13	Pass




22.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




22.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)



22.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




22.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




22.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	6.09	13	Pass




22.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	6.33	13	Pass



22.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




22.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




23. n66 15kHz

23.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




23.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.22	13	Pass




23.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.48	13	Pass



23.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




23.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




23.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.23	13	Pass




23.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




23.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




23.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




23.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




23.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)



23.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




23.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




23.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.67	13	Pass




23.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




23.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




23.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




23.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




23.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




23.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




23.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




23.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




23.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




23.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




23.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




23.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




23.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




23.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)



23.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




23.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




24. n71 15kHz


24.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




24.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




24.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




24.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




24.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




24.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




24.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




24.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




24.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



24.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




24.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




24.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	4.17	13	Pass




24.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




24.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




24.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




24.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




24.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




24.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




24.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



24.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




24.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




24.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
688	0.1	4.31	13	Pass




24.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




24.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




24.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




24.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




24.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




24.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)



24.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




24.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




25. n38_PC3


25.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




25.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




25.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




25.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




25.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




25.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




25.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




25.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)




25.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



25.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




25.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




25.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	4.17	13	Pass




25.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




25.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




25.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




25.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




25.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




25.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)




25.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




25.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




25.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




25.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




25.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




25.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




25.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




25.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




25.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




25.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)



25.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




25.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




26. n41


26.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




26.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




26.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




26.4. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




26.5. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




26.6. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




26.7. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




26.8. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)




26.9. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




26.10. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




26.11. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




26.12. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




26.13. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




26.14. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




26.15. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




26.16. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




26.17. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




26.18. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)




26.19. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




26.20. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




26.21. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




26.22. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




26.23. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




26.24. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




26.25. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




26.26. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




26.27. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




26.28. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)



26.29. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




26.30. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




27. n77 30kHz(3450-3550)

27.1. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)



27.2. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)



27.3. Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

