



U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5084.025	58.32	4.22	74.0	15.68	Peak	6.00	150	Vertical	Pass
1**	5084.025	47.11	4.22	54.0	6.89	AV	6.00	150	Vertical	Pass
2	5149.675	56.49	4.06	74.0	17.51	Peak	67.00	150	Vertical	Pass
2**	5149.675	47.29	4.06	54.0	6.71	AV	67.00	150	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.77	5.11	74.0	15.23	Peak	139.00	100	Vertical	Pass
1**	5350.000	48.34	5.11	54.0	5.66	AV	139.00	100	Vertical	Pass
2	5402.965	59.91	4.64	74.0	14.09	Peak	106.00	200	Vertical	Pass
2**	5402.965	47.94	4.64	54.0	6.06	AV	106.00	200	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.025	58.73	4.47	74.0	15.27	Peak	283.00	150	Vertical	Pass
1**	5123.025	47.26	4.47	54.0	6.74	AV	283.00	150	Vertical	Pass
2	5149.675	56.81	4.06	74.0	17.19	Peak	69.00	100	Vertical	Pass
2**	5149.675	47.48	4.06	54.0	6.52	AV	69.00	100	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.22	5.10	74.0	15.78	Peak	337.00	150	Vertical	Pass
1**	5350.055	48.41	5.10	54.0	5.59	AV	337.00	150	Vertical	Pass
2	5402.415	59.35	4.66	74.0	14.65	Peak	35.00	200	Vertical	Pass
2**	5402.415	48.00	4.66	54.0	6.00	AV	35.00	200	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5069.725	58.55	4.31	74.0	15.45	Peak	306.00	150	Vertical	Pass
1**	5069.725	47.03	4.31	54.0	6.97	AV	306.00	150	Vertical	Pass
2	5149.675	56.70	4.06	74.0	17.30	Peak	0.00	200	Vertical	Pass
2**	5149.675	47.35	4.06	54.0	6.65	AV	0.00	200	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.74	5.10	74.0	15.26	Peak	195.00	200	Vertical	Pass
1**	5350.055	48.48	5.10	54.0	5.52	AV	195.00	200	Vertical	Pass
2	5355.720	59.62	4.57	74.0	14.38	Peak	252.00	200	Vertical	Pass
2**	5355.720	47.74	4.57	54.0	6.26	AV	252.00	200	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5061.600	58.63	4.07	74.0	15.37	Peak	340.00	150	Vertical	Pass
1**	5061.600	46.59	4.07	54.0	7.41	AV	340.00	150	Vertical	Pass
2	5149.675	57.09	4.06	74.0	16.91	Peak	117.00	100	Vertical	Pass
2**	5149.675	47.29	4.06	54.0	6.71	AV	117.00	100	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.02	5.10	74.0	15.98	Peak	359.00	100	Vertical	Pass
1**	5350.055	48.45	5.10	54.0	5.55	AV	359.00	100	Vertical	Pass
2	5385.475	59.82	4.59	74.0	14.18	Peak	340.00	200	Vertical	Pass
2**	5385.475	47.65	4.59	54.0	6.35	AV	340.00	200	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5072.325	59.17	4.37	74.0	14.83	Peak	333.00	150	Vertical	Pass
1**	5072.325	47.30	4.37	54.0	6.70	AV	333.00	150	Vertical	Pass
2	5149.675	57.59	4.06	74.0	16.41	Peak	130.00	200	Vertical	Pass
2**	5149.675	47.41	4.06	54.0	6.59	AV	130.00	200	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.42	5.10	74.0	15.58	Peak	42.00	100	Vertical	Pass
1**	5350.055	48.36	5.10	54.0	5.64	AV	42.00	100	Vertical	Pass
2	5396.695	59.94	4.74	74.0	14.06	Peak	184.00	200	Vertical	Pass
2**	5396.695	47.93	4.74	54.0	6.07	AV	184.00	200	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.675	58.61	4.50	74.0	15.39	Peak	79.00	200	Vertical	Pass
1**	5123.675	47.31	4.50	54.0	6.69	AV	79.00	200	Vertical	Pass
2	5149.675	58.11	4.06	74.0	15.89	Peak	52.00	100	Vertical	Pass
2**	5149.675	47.39	4.06	54.0	6.61	AV	52.00	100	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.46	5.11	74.0	15.54	Peak	225.00	200	Vertical	Pass
1**	5350.000	48.21	5.11	54.0	5.79	AV	225.00	200	Vertical	Pass
2	5401.700	59.48	4.67	74.0	14.52	Peak	6.00	100	Vertical	Pass
2**	5401.700	47.80	4.67	54.0	6.20	AV	6.00	100	Vertical	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.700	58.39	4.45	74.0	15.61	Peak	6.00	150	Vertical	Pass
1**	5122.700	47.49	4.45	54.0	6.51	AV	6.00	150	Vertical	Pass
2	5149.675	56.39	4.06	74.0	17.61	Peak	37.00	200	Vertical	Pass
2**	5149.675	47.27	4.06	54.0	6.73	AV	37.00	200	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.82	5.10	74.0	16.18	Peak	283.00	100	Vertical	Pass
1**	5350.055	48.17	5.10	54.0	5.83	AV	283.00	100	Vertical	Pass
2	5398.345	59.70	4.72	74.0	14.30	Peak	142.00	200	Vertical	Pass
2**	5398.345	47.72	4.72	54.0	6.28	AV	142.00	200	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4784.700	58.57	2.73	74.0	15.43	Peak	311.00	200	Vertical	Pass
1**	4784.700	46.38	2.73	54.0	7.62	AV	311.00	200	Vertical	Pass
2	5149.675	56.67	4.06	74.0	17.33	Peak	284.00	100	Vertical	Pass
2**	5149.675	47.03	4.06	54.0	6.97	AV	284.00	100	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.78	5.10	74.0	15.22	Peak	261.00	200	Vertical	Pass
1**	5350.055	48.42	5.10	54.0	5.58	AV	261.00	200	Vertical	Pass
2	5353.355	60.02	4.82	74.0	13.98	Peak	83.00	200	Vertical	Pass
2**	5353.355	48.04	4.82	54.0	5.96	AV	83.00	200	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.325	59.26	4.51	74.0	14.74	Peak	74.00	200	Vertical	Pass
1**	5124.325	47.71	4.51	54.0	6.29	AV	74.00	200	Vertical	Pass
2	5149.675	56.79	4.06	74.0	17.21	Peak	310.00	200	Vertical	Pass
2**	5149.675	47.95	4.06	54.0	6.05	AV	310.00	200	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.64	5.10	74.0	16.36	Peak	164.00	150	Vertical	Pass
1**	5350.055	48.25	5.10	54.0	5.75	AV	164.00	150	Vertical	Pass
2	5358.305	59.66	4.66	74.0	14.34	Peak	245.00	200	Vertical	Pass
2**	5358.305	48.15	4.66	54.0	5.85	AV	245.00	200	Vertical	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5098.650	58.26	4.19	74.0	15.74	Peak	237.00	200	Vertical	Pass
1**	5098.650	47.15	4.19	54.0	6.85	AV	237.00	200	Vertical	Pass
2	5149.675	57.76	4.06	74.0	16.24	Peak	155.00	100	Vertical	Pass
2**	5149.675	47.02	4.06	54.0	6.98	AV	155.00	100	Vertical	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.79	5.10	74.0	16.21	Peak	360.00	100	Vertical	Pass
1**	5350.055	48.33	5.10	54.0	5.67	AV	360.00	100	Vertical	Pass
2	5363.970	59.42	4.45	74.0	14.58	Peak	73.00	200	Vertical	Pass
2**	5363.970	47.23	4.45	54.0	6.77	AV	73.00	200	Vertical	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5072.000	58.58	4.35	74.0	15.42	Peak	176.00	100	Vertical	Pass
1**	5072.000	47.42	4.35	54.0	6.58	AV	176.00	100	Vertical	Pass
2	5149.675	57.56	4.06	74.0	16.44	Peak	135.00	200	Vertical	Pass
2**	5149.675	47.02	4.06	54.0	6.98	AV	135.00	200	Vertical	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.52	5.10	74.0	15.48	Peak	307.00	200	Vertical	Pass
1**	5350.055	48.22	5.10	54.0	5.78	AV	307.00	200	Vertical	Pass
2	5388.225	59.22	4.46	74.0	14.78	Peak	156.00	200	Vertical	Pass
2**	5388.225	47.67	4.46	54.0	6.33	AV	156.00	200	Vertical	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.350	58.78	4.50	74.0	15.22	Peak	354.00	100	Vertical	Pass
1**	5123.350	47.21	4.50	54.0	6.79	AV	354.00	100	Vertical	Pass
2	5149.675	56.92	4.06	74.0	17.08	Peak	360.00	100	Vertical	Pass
2**	5149.675	46.95	4.06	54.0	7.05	AV	360.00	100	Vertical	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.46	5.11	74.0	15.54	Peak	230.00	150	Vertical	Pass
1**	5350.000	48.42	5.11	54.0	5.58	AV	230.00	150	Vertical	Pass
2	5383.990	59.71	4.64	74.0	14.29	Peak	271.00	150	Vertical	Pass
2**	5383.990	47.70	4.64	54.0	6.30	AV	271.00	150	Vertical	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.700	58.74	3.99	74.0	15.26	Peak	55.00	150	Vertical	Pass
1**	5135.700	47.10	3.99	54.0	6.90	AV	55.00	150	Vertical	Pass
2	5149.675	56.34	4.06	74.0	17.66	Peak	244.00	100	Vertical	Pass
2**	5149.675	47.01	4.06	54.0	6.99	AV	244.00	100	Vertical	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.59	5.10	74.0	15.41	Peak	127.00	200	Vertical	Pass
1**	5350.055	48.44	5.10	54.0	5.56	AV	127.00	200	Vertical	Pass
2	5357.920	59.13	4.63	74.0	14.87	Peak	6.00	100	Vertical	Pass
2**	5357.920	47.60	4.63	54.0	6.40	AV	6.00	100	Vertical	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5115.225	58.65	4.40	74.0	15.35	Peak	64.00	100	Vertical	Pass
1**	5115.225	47.09	4.40	54.0	6.91	AV	64.00	100	Vertical	Pass
2	5149.675	56.79	4.06	74.0	17.21	Peak	134.00	150	Vertical	Pass
2**	5149.675	47.01	4.06	54.0	6.99	AV	134.00	150	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.39	5.11	74.0	15.61	Peak	256.00	100	Vertical	Pass
1**	5350.000	48.35	5.11	54.0	5.65	AV	256.00	100	Vertical	Pass
2	5386.245	59.62	4.57	74.0	14.38	Peak	66.00	100	Vertical	Pass
2**	5386.245	47.95	4.57	54.0	6.05	AV	66.00	100	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5117.500	58.29	4.43	74.0	15.71	Peak	345.00	200	Vertical	Pass
1**	5117.500	47.32	4.43	54.0	6.68	AV	345.00	200	Vertical	Pass
2	5149.675	57.22	4.06	74.0	16.78	Peak	335.00	200	Vertical	Pass
2**	5149.675	47.39	4.06	54.0	6.61	AV	335.00	200	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.68	5.11	74.0	16.32	Peak	96.00	100	Vertical	Pass
1**	5350.000	48.41	5.11	54.0	5.59	AV	96.00	100	Vertical	Pass
2	5353.080	59.65	4.86	74.0	14.35	Peak	171.00	200	Vertical	Pass
2**	5353.080	48.02	4.86	54.0	5.98	AV	171.00	200	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5119.775	58.38	4.46	74.0	15.62	Peak	288.00	150	Vertical	Pass
1**	5119.775	47.37	4.46	54.0	6.63	AV	288.00	150	Vertical	Pass
2	5149.675	56.72	4.06	74.0	17.28	Peak	202.00	200	Vertical	Pass
2**	5149.675	47.23	4.06	54.0	6.77	AV	202.00	200	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.72	5.10	74.0	16.28	Peak	59.00	200	Vertical	Pass
1**	5350.055	48.27	5.10	54.0	5.73	AV	59.00	200	Vertical	Pass
2	5350.330	59.68	5.07	74.0	14.32	Peak	328.00	200	Vertical	Pass
2**	5350.330	48.51	5.07	54.0	5.49	AV	328.00	200	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5070.050	58.62	4.28	74.0	15.38	Peak	360.00	150	Vertical	Pass
1**	5070.050	46.95	4.28	54.0	7.05	AV	360.00	150	Vertical	Pass
2	5149.675	56.53	4.06	74.0	17.47	Peak	161.00	200	Vertical	Pass
2**	5149.675	47.27	4.06	54.0	6.73	AV	161.00	200	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.29	5.11	74.0	15.71	Peak	247.00	100	Vertical	Pass
1**	5350.000	48.44	5.11	54.0	5.56	AV	247.00	100	Vertical	Pass
2	5406.705	59.33	4.55	74.0	14.67	Peak	360.00	100	Vertical	Pass
2**	5406.705	47.45	4.55	54.0	6.55	AV	360.00	100	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5124.650	58.79	4.51	74.0	15.21	Peak	191.00	200	Vertical	Pass
1**	5124.650	47.45	4.51	54.0	6.55	AV	191.00	200	Vertical	Pass
2	5149.675	56.48	4.06	74.0	17.52	Peak	341.00	100	Vertical	Pass
2**	5149.675	47.10	4.06	54.0	6.90	AV	341.00	100	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.58	5.11	74.0	15.42	Peak	257.00	100	Vertical	Pass
1**	5350.000	48.42	5.11	54.0	5.58	AV	257.00	100	Vertical	Pass
2	5405.110	59.32	4.61	74.0	14.68	Peak	199.00	150	Vertical	Pass
2**	5405.110	47.53	4.61	54.0	6.47	AV	199.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.950	58.93	4.52	74.0	15.07	Peak	315.00	200	Vertical	Pass
1**	5125.950	47.51	4.52	54.0	6.49	AV	315.00	200	Vertical	Pass
2	5149.675	57.06	4.06	74.0	16.94	Peak	0.00	150	Vertical	Pass
2**	5149.675	47.30	4.06	54.0	6.70	AV	0.00	150	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.30	5.10	74.0	15.70	Peak	258.00	200	Vertical	Pass
1**	5350.055	48.43	5.10	54.0	5.57	AV	258.00	200	Vertical	Pass
2	5375.355	59.20	4.56	74.0	14.80	Peak	125.00	100	Vertical	Pass
2**	5375.355	47.49	4.56	54.0	6.51	AV	125.00	100	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5099.300	59.08	4.16	74.0	14.92	Peak	360.00	150	Vertical	Pass
1**	5099.300	47.26	4.16	54.0	6.74	AV	360.00	150	Vertical	Pass
2	5149.675	56.70	4.06	74.0	17.30	Peak	300.00	100	Vertical	Pass
2**	5149.675	47.24	4.06	54.0	6.76	AV	300.00	100	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.49	5.10	74.0	16.51	Peak	152.00	200	Vertical	Pass
1**	5350.055	48.22	5.10	54.0	5.78	AV	152.00	200	Vertical	Pass
2	5379.315	59.54	4.79	74.0	14.46	Peak	76.00	100	Vertical	Pass
2**	5379.315	47.78	4.79	54.0	6.22	AV	76.00	100	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5126.925	58.80	4.52	74.0	15.20	Peak	312.00	100	Vertical	Pass
1**	5126.925	47.70	4.52	54.0	6.30	AV	312.00	100	Vertical	Pass
2	5149.675	57.33	4.06	74.0	16.67	Peak	1.00	200	Vertical	Pass
2**	5149.675	47.06	4.06	54.0	6.94	AV	1.00	200	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.85	5.10	74.0	16.15	Peak	360.00	150	Vertical	Pass
1**	5350.055	48.27	5.10	54.0	5.73	AV	360.00	150	Vertical	Pass
2	5409.015	59.64	4.39	74.0	14.36	Peak	223.00	200	Vertical	Pass
2**	5409.015	47.80	4.39	54.0	6.20	AV	223.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.375	58.71	4.42	74.0	15.29	Peak	235.00	100	Vertical	Pass
1**	5122.375	47.72	4.42	54.0	6.28	AV	235.00	100	Vertical	Pass
2	5149.675	58.14	4.06	74.0	15.86	Peak	142.00	200	Vertical	Pass
2**	5149.675	47.29	4.06	54.0	6.71	AV	142.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.81	5.11	74.0	16.19	Peak	190.00	200	Vertical	Pass
1**	5350.000	48.46	5.11	54.0	5.54	AV	190.00	200	Vertical	Pass
2	5352.530	59.52	4.91	74.0	14.48	Peak	161.00	150	Vertical	Pass
2**	5352.530	48.16	4.91	54.0	5.84	AV	161.00	150	Vertical	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5134.725	58.54	3.98	74.0	15.46	Peak	244.00	100	Vertical	Pass
1**	5134.725	46.90	3.98	54.0	7.10	AV	244.00	100	Vertical	Pass
2	5149.675	56.24	4.06	74.0	17.76	Peak	226.00	100	Vertical	Pass
2**	5149.675	46.92	4.06	54.0	7.08	AV	226.00	100	Vertical	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.32	5.11	74.0	14.68	Peak	246.00	100	Vertical	Pass
1**	5350.000	48.38	5.11	54.0	5.62	AV	246.00	100	Vertical	Pass
2	5380.745	59.60	4.63	74.0	14.40	Peak	0.00	150	Vertical	Pass
2**	5380.745	47.73	4.63	54.0	6.27	AV	0.00	150	Vertical	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5118.475	58.51	4.48	74.0	15.49	Peak	65.00	200	Vertical	Pass
1**	5118.475	47.29	4.48	54.0	6.71	AV	65.00	200	Vertical	Pass
2	5149.675	57.99	4.06	74.0	16.01	Peak	172.00	200	Vertical	Pass
2**	5149.675	47.05	4.06	54.0	6.95	AV	172.00	200	Vertical	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.78	5.11	74.0	16.22	Peak	329.00	200	Vertical	Pass
1**	5350.000	48.32	5.11	54.0	5.68	AV	329.00	200	Vertical	Pass
2	5366.665	59.52	4.40	74.0	14.48	Peak	117.00	200	Vertical	Pass
2**	5366.665	47.28	4.40	54.0	6.72	AV	117.00	200	Vertical	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.025	58.53	4.47	74.0	15.47	Peak	258.00	100	Vertical	Pass
1**	5123.025	47.20	4.47	54.0	6.80	AV	258.00	100	Vertical	Pass
2	5149.675	56.53	4.06	74.0	17.47	Peak	37.00	150	Vertical	Pass
2**	5149.675	47.24	4.06	54.0	6.76	AV	37.00	150	Vertical	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.53	5.10	74.0	15.47	Peak	74.00	200	Vertical	Pass
1**	5350.055	48.17	5.10	54.0	5.83	AV	74.00	200	Vertical	Pass
2	5396.640	59.95	4.74	74.0	14.05	Peak	184.00	200	Vertical	Pass
2**	5396.640	47.66	4.74	54.0	6.34	AV	184.00	200	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5396.320	60.14	4.73	74.0	13.86	Peak	251.00	150	Vertical	Pass
1**	5396.320	48.02	4.73	54.0	5.98	AV	251.00	150	Vertical	Pass
2	5459.980	56.55	4.04	74.0	17.45	Peak	57.00	100	Vertical	Pass
2**	5459.980	46.72	4.04	54.0	7.28	AV	57.00	100	Vertical	Pass
3	5469.280	57.94	4.02	68.2	10.26	Peak	74.00	150	Vertical	Pass
3**	5469.280	46.58	4.02	--	--	AV	74.00	150	Vertical	N/A
4	5469.940	56.59	4.06	68.2	11.61	Peak	52.00	200	Vertical	Pass
4**	5469.940	46.57	4.06	--	--	AV	52.00	200	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.96	3.93	68.2	11.24	Peak	212.00	200	Vertical	Pass
2	5774.000	59.62	4.37	68.2	8.58	Peak	28.00	200	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5371.240	59.60	4.53	74.0	14.40	Peak	249.00	150	Vertical	Pass
1**	5371.240	47.55	4.53	54.0	6.45	AV	249.00	150	Vertical	Pass
2	5459.980	57.44	4.04	74.0	16.56	Peak	40.00	100	Vertical	Pass
2**	5459.980	46.61	4.04	54.0	7.39	AV	40.00	100	Vertical	Pass
3	5468.980	57.48	4.01	68.2	10.72	Peak	134.00	200	Vertical	Pass
3**	5468.980	46.71	4.01	--	--	AV	134.00	200	Vertical	N/A
4	5469.940	55.92	4.06	68.2	12.28	Peak	244.00	150	Vertical	Pass
4**	5469.940	46.68	4.06	--	--	AV	244.00	150	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.74	3.93	68.2	10.46	Peak	278.00	200	Vertical	Pass
2	5849.812	59.67	5.37	68.2	8.53	Peak	69.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.040	58.97	4.94	74.0	15.03	Peak	0.00	200	Vertical	Pass
1**	5352.040	47.93	4.94	54.0	6.07	AV	0.00	200	Vertical	Pass
2	5459.980	56.02	4.04	74.0	17.98	Peak	43.00	150	Vertical	Pass
2**	5459.980	46.71	4.04	54.0	7.29	AV	43.00	150	Vertical	Pass
3	5468.980	57.81	4.01	68.2	10.39	Peak	357.00	150	Vertical	Pass
3**	5468.980	46.34	4.01	--	--	AV	357.00	150	Vertical	N/A
4	5469.940	56.36	4.06	68.2	11.84	Peak	38.00	150	Vertical	Pass
4**	5469.940	46.60	4.06	--	--	AV	38.00	150	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.64	3.92	68.2	9.56	Peak	346.00	200	Vertical	Pass
2	5843.125	59.45	5.08	68.2	8.75	Peak	276.00	200	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.620	60.73	4.66	74.0	13.27	Peak	137.00	150	Vertical	Pass
1**	5381.620	47.88	4.66	54.0	6.12	AV	137.00	150	Vertical	Pass
2	5459.980	55.86	4.04	74.0	18.14	Peak	62.00	150	Vertical	Pass
2**	5459.980	46.62	4.04	54.0	7.38	AV	62.00	150	Vertical	Pass
3	5468.620	58.50	3.99	68.2	9.70	Peak	123.00	200	Vertical	Pass
3**	5468.620	46.44	3.99	--	--	AV	123.00	200	Vertical	N/A
4	5469.940	55.95	4.06	68.2	12.25	Peak	25.00	150	Vertical	Pass
4**	5469.940	46.89	4.06	--	--	AV	25.00	150	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.42	3.92	68.2	10.78	Peak	122.00	200	Vertical	Pass
2	5788.188	59.64	4.48	68.2	8.56	Peak	103.00	100	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5358.460	59.21	4.67	74.0	14.79	Peak	64.00	200	Vertical	Pass
1**	5358.460	47.82	4.67	54.0	6.18	AV	64.00	200	Vertical	Pass
2	5459.980	56.12	4.04	74.0	17.88	Peak	40.00	200	Vertical	Pass
2**	5459.980	46.66	4.04	54.0	7.34	AV	40.00	200	Vertical	Pass
3	5468.980	57.94	4.01	68.2	10.26	Peak	245.00	100	Vertical	Pass
3**	5468.980	46.68	4.01	--	--	AV	245.00	100	Vertical	N/A
4	5469.940	56.33	4.06	68.2	11.87	Peak	257.00	150	Vertical	Pass
4**	5469.940	46.46	4.06	--	--	AV	257.00	150	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.58	3.92	68.2	10.62	Peak	293.00	150	Vertical	Pass
2	5789.750	59.99	4.40	68.2	8.21	Peak	339.00	200	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5401.780	59.37	4.67	74.0	14.63	Peak	86.00	150	Vertical	Pass
1**	5401.780	47.66	4.67	54.0	6.34	AV	86.00	150	Vertical	Pass
2	5459.980	56.96	4.04	74.0	17.04	Peak	273.00	100	Vertical	Pass
2**	5459.980	46.90	4.04	54.0	7.10	AV	273.00	100	Vertical	Pass
3	5462.500	57.67	3.97	68.2	10.53	Peak	66.00	100	Vertical	Pass
3**	5462.500	46.74	3.97	--	--	AV	66.00	100	Vertical	N/A
4	5469.940	55.62	4.06	68.2	12.58	Peak	0.00	150	Vertical	Pass
4**	5469.940	46.63	4.06	--	--	AV	0.00	150	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.98	3.92	68.2	11.22	Peak	349.00	100	Vertical	Pass
2	5803.188	59.58	4.25	68.2	8.62	Peak	210.00	200	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5394.880	59.47	4.65	74.0	14.53	Peak	310.00	200	Vertical	Pass
1**	5394.880	47.92	4.65	54.0	6.08	AV	310.00	200	Vertical	Pass
2	5459.980	56.06	4.04	74.0	17.94	Peak	37.00	100	Vertical	Pass
2**	5459.980	46.73	4.04	54.0	7.27	AV	37.00	100	Vertical	Pass
3	5464.120	57.69	3.98	68.2	10.51	Peak	127.00	200	Vertical	Pass
3**	5464.120	46.49	3.98	--	--	AV	127.00	200	Vertical	N/A
4	5469.940	56.32	4.06	68.2	11.88	Peak	315.00	150	Vertical	Pass
4**	5469.940	46.87	4.06	--	--	AV	315.00	150	Vertical	N/A

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.70	3.93	68.2	10.50	Peak	39.00	150	Vertical	Pass
2	5789.437	59.68	4.42	68.2	8.52	Peak	360.00	100	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5363.500	59.47	4.45	74.0	14.53	Peak	296.00	200	Vertical	Pass
1**	5363.500	47.60	4.45	54.0	6.40	AV	296.00	200	Vertical	Pass
2	5459.980	56.94	4.04	74.0	17.06	Peak	150.00	100	Vertical	Pass
2**	5459.980	46.67	4.04	54.0	7.33	AV	150.00	100	Vertical	Pass
3	5460.640	57.47	3.96	68.2	10.73	Peak	162.00	100	Vertical	Pass
3**	5460.640	46.73	3.96	--	--	AV	162.00	100	Vertical	N/A
4	5469.940	56.95	4.06	68.2	11.25	Peak	0.00	100	Vertical	Pass
4**	5469.940	46.63	4.06	--	--	AV	0.00	100	Vertical	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.34	3.93	68.2	10.86	Peak	142.00	150	Vertical	Pass
2	5845.437	60.04	5.27	68.2	8.16	Peak	225.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5359.000	59.34	4.71	74.0	14.66	Peak	117.00	150	Vertical	Pass
1**	5359.000	47.82	4.71	54.0	6.18	AV	117.00	150	Vertical	Pass
2	5459.980	56.27	4.04	74.0	17.73	Peak	174.00	150	Vertical	Pass
2**	5459.980	46.57	4.04	54.0	7.43	AV	174.00	150	Vertical	Pass
3	5460.280	57.69	4.00	68.2	10.51	Peak	285.00	150	Vertical	Pass
3**	5460.280	46.77	4.00	--	--	AV	285.00	150	Vertical	N/A
4	5469.940	56.17	4.06	68.2	12.03	Peak	293.00	150	Vertical	Pass
4**	5469.940	46.58	4.06	--	--	AV	293.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.11	3.93	68.2	11.09	Peak	310.00	100	Vertical	Pass
2	5847.938	59.94	5.47	68.2	8.26	Peak	96.00	100	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.37	5.11	74.0	14.63	Peak	123.00	200	Vertical	Pass
1**	5350.000	48.34	5.11	54.0	5.66	AV	123.00	200	Vertical	Pass
2	5459.980	55.84	4.04	74.0	18.16	Peak	67.00	200	Vertical	Pass
2**	5459.980	46.72	4.04	54.0	7.28	AV	67.00	200	Vertical	Pass
3	5461.120	58.04	3.91	68.2	10.16	Peak	118.00	100	Vertical	Pass
3**	5461.120	46.51	3.91	--	--	AV	118.00	100	Vertical	N/A
4	5469.940	56.78	4.06	68.2	11.42	Peak	349.00	150	Vertical	Pass
4**	5469.940	46.59	4.06	--	--	AV	349.00	150	Vertical	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.09	3.92	68.2	11.11	Peak	164.00	100	Vertical	Pass
2	5788.125	59.32	4.48	68.2	8.88	Peak	307.00	200	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.600	60.18	5.03	74.0	13.82	Peak	166.00	100	Vertical	Pass
1**	5350.600	48.12	5.03	54.0	5.88	AV	166.00	100	Vertical	Pass
2	5459.980	56.37	4.04	74.0	17.63	Peak	15.00	200	Vertical	Pass
2**	5459.980	46.73	4.04	54.0	7.27	AV	15.00	200	Vertical	Pass
3	5461.720	57.57	3.92	68.2	10.63	Peak	191.00	150	Vertical	Pass
3**	5461.720	46.42	3.92	--	--	AV	191.00	150	Vertical	N/A
4	5469.940	57.30	4.06	68.2	10.90	Peak	65.00	100	Vertical	Pass
4**	5469.940	46.84	4.06	--	--	AV	65.00	100	Vertical	N/A

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.14	3.93	68.2	11.06	Peak	355.00	150	Vertical	Pass
2	5848.563	60.60	5.45	68.2	7.60	Peak	215.00	150	Vertical	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5359.900	59.29	4.67	74.0	14.71	Peak	147.00	100	Vertical	Pass
1**	5359.900	47.75	4.67	54.0	6.25	AV	147.00	100	Vertical	Pass
2	5459.980	57.22	4.04	74.0	16.78	Peak	266.00	200	Vertical	Pass
2**	5459.980	46.67	4.04	54.0	7.33	AV	266.00	200	Vertical	Pass
3	5460.460	57.76	3.98	68.2	10.44	Peak	246.00	100	Vertical	Pass
3**	5460.460	46.76	3.98	--	--	AV	246.00	100	Vertical	N/A
4	5469.940	56.60	4.06	68.2	11.60	Peak	298.00	150	Vertical	Pass
4**	5469.940	46.27	4.06	--	--	AV	298.00	150	Vertical	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.79	3.92	68.2	11.41	Peak	64.00	150	Vertical	Pass
2	5845.188	59.93	5.27	68.2	8.27	Peak	6.00	150	Vertical	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5383.120	59.48	4.68	74.0	14.52	Peak	3.00	100	Vertical	Pass
1**	5383.120	47.83	4.68	54.0	6.17	AV	3.00	100	Vertical	Pass
2	5459.980	56.07	4.04	74.0	17.93	Peak	45.00	150	Vertical	Pass
2**	5459.980	46.61	4.04	54.0	7.39	AV	45.00	150	Vertical	Pass
3	5466.280	57.75	3.90	68.2	10.45	Peak	37.00	100	Vertical	Pass
3**	5466.280	46.43	3.90	--	--	AV	37.00	100	Vertical	N/A
4	5469.940	56.69	4.06	68.2	11.51	Peak	147.00	100	Vertical	Pass
4**	5469.940	46.32	4.06	--	--	AV	147.00	100	Vertical	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.14	3.92	68.2	12.06	Peak	276.00	100	Vertical	Pass
2	5845.813	59.65	5.27	68.2	8.55	Peak	71.00	200	Vertical	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5400.280	59.42	4.65	74.0	14.58	Peak	249.00	200	Vertical	Pass
1**	5400.280	47.54	4.65	54.0	6.46	AV	249.00	200	Vertical	Pass
2	5459.980	56.19	4.04	74.0	17.81	Peak	0.00	200	Vertical	Pass
2**	5459.980	46.82	4.04	54.0	7.18	AV	0.00	200	Vertical	Pass
3	5467.900	57.60	3.96	68.2	10.60	Peak	259.00	100	Vertical	Pass
3**	5467.900	46.33	3.96	--	--	AV	259.00	100	Vertical	N/A
4	5469.940	55.72	4.06	68.2	12.48	Peak	178.00	200	Vertical	Pass
4**	5469.940	46.37	4.06	--	--	AV	178.00	200	Vertical	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.98	3.92	68.2	11.22	Peak	261.00	150	Vertical	Pass
2	5796.250	59.80	4.00	68.2	8.40	Peak	259.00	200	Vertical	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5381.620	59.37	4.66	74.0	14.63	Peak	171.00	200	Vertical	Pass
1**	5381.620	47.57	4.66	54.0	6.43	AV	171.00	200	Vertical	Pass
2	5459.980	55.44	4.04	74.0	18.56	Peak	0.00	100	Vertical	Pass
2**	5459.980	46.64	4.04	54.0	7.36	AV	0.00	100	Vertical	Pass
3	5466.460	57.93	3.90	68.2	10.27	Peak	288.00	150	Vertical	Pass
3**	5466.460	46.26	3.90	--	--	AV	288.00	150	Vertical	N/A
4	5469.940	55.80	4.06	68.2	12.40	Peak	0.00	100	Vertical	Pass
4**	5469.940	46.33	4.06	--	--	AV	0.00	100	Vertical	N/A

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.41	3.92	68.2	10.79	Peak	71.00	150	Vertical	Pass
2	5767.250	59.56	4.47	68.2	8.64	Peak	74.00	100	Vertical	Pass

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5354.080	59.29	4.71	74.0	14.71	Peak	220.00	200	Vertical	Pass
1**	5354.080	47.82	4.71	54.0	6.18	AV	220.00	200	Vertical	Pass
2	5459.980	56.95	4.04	74.0	17.05	Peak	147.00	100	Vertical	Pass
2**	5459.980	46.78	4.04	54.0	7.22	AV	147.00	100	Vertical	Pass
3	5462.140	57.83	3.95	68.2	10.37	Peak	91.00	150	Vertical	Pass
3**	5462.140	46.31	3.95	--	--	AV	91.00	150	Vertical	N/A
4	5469.940	55.73	4.06	68.2	12.47	Peak	360.00	150	Vertical	Pass
4**	5469.940	46.30	4.06	--	--	AV	360.00	150	Vertical	N/A

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.27	3.49	68.3	11.03	Peak	30.00	150	Vertical	Pass
2	5960.175	58.82	3.82	68.2	9.38	Peak	101.00	150	Vertical	Pass

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5395.180	59.27	4.68	74.0	14.73	Peak	197.00	150	Vertical	Pass
1**	5395.180	47.73	4.68	54.0	6.27	AV	197.00	150	Vertical	Pass
2	5459.980	56.88	4.04	74.0	17.12	Peak	0.00	200	Vertical	Pass
2**	5459.980	46.66	4.04	54.0	7.34	AV	0.00	200	Vertical	Pass
3	5460.820	58.09	3.94	68.2	10.11	Peak	55.00	100	Vertical	Pass
3**	5460.820	46.65	3.94	--	--	AV	55.00	100	Vertical	N/A
4	5469.940	56.31	4.06	68.2	11.89	Peak	360.00	100	Vertical	Pass
4**	5469.940	46.55	4.06	--	--	AV	360.00	100	Vertical	N/A

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.65	3.49	68.3	12.65	Peak	118.00	200	Vertical	Pass
2	5939.775	59.08	4.39	68.2	9.12	Peak	36.00	100	Vertical	Pass

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.740	59.09	4.95	74.0	14.91	Peak	305.00	200	Vertical	Pass
1**	5351.740	47.91	4.95	54.0	6.09	AV	305.00	200	Vertical	Pass
2	5459.980	56.57	4.04	74.0	17.43	Peak	312.00	150	Vertical	Pass
2**	5459.980	46.68	4.04	54.0	7.32	AV	312.00	150	Vertical	Pass
3	5465.380	57.66	3.88	68.2	10.54	Peak	42.00	100	Vertical	Pass
3**	5465.380	46.47	3.88	--	--	AV	42.00	100	Vertical	N/A
4	5469.940	56.44	4.06	68.2	11.76	Peak	139.00	150	Vertical	Pass
4**	5469.940	46.46	4.06	--	--	AV	139.00	150	Vertical	N/A

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.97	3.49	68.3	12.33	Peak	184.00	200	Vertical	Pass
2	5940.750	58.68	4.41	68.2	9.52	Peak	305.00	150	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.812	59.88	4.91	68.2	8.32	Peak	332.00	200	Vertical	Pass
2	5650.000	56.93	4.41	68.2	11.27	Peak	201.00	150	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.85	3.49	68.3	12.45	Peak	30.00	150	Vertical	Pass
2	5948.475	58.75	3.81	68.2	9.45	Peak	316.00	150	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5623.187	59.83	4.77	68.2	8.37	Peak	340.00	150	Vertical	Pass
2	5650.000	56.63	4.41	68.2	11.57	Peak	293.00	150	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.29	3.49	68.3	13.01	Peak	28.00	150	Vertical	Pass
2	5969.625	59.25	4.10	68.2	8.95	Peak	322.00	200	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.563	59.57	4.70	68.2	8.63	Peak	288.00	150	Vertical	Pass
2	5650.000	56.85	4.41	68.2	11.35	Peak	258.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.29	3.49	68.3	12.01	Peak	356.00	200	Vertical	Pass
2	5945.400	59.04	4.17	68.2	9.16	Peak	290.00	100	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.750	59.58	4.84	68.2	8.62	Peak	279.00	100	Vertical	Pass
2	5650.000	57.51	4.41	68.2	10.69	Peak	298.00	100	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.00	3.49	68.3	12.30	Peak	0.00	100	Vertical	Pass
2	5941.050	58.53	4.42	68.2	9.67	Peak	180.00	100	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.562	60.57	4.75	68.2	7.63	Peak	306.00	150	Vertical	Pass
2	5650.000	57.15	4.41	68.2	11.05	Peak	33.00	200	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.58	3.49	68.3	12.72	Peak	324.00	200	Vertical	Pass
2	5935.875	58.65	4.22	68.2	9.55	Peak	310.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.750	59.60	4.96	68.2	8.60	Peak	73.00	150	Vertical	Pass
2	5650.000	56.99	4.41	68.2	11.21	Peak	225.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.95	3.49	68.3	12.35	Peak	334.00	150	Vertical	Pass
2	5936.325	58.65	4.23	68.2	9.55	Peak	106.00	150	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.250	59.40	4.32	68.2	8.80	Peak	154.00	100	Vertical	Pass
2	5650.000	57.33	4.41	68.2	10.87	Peak	360.00	200	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.51	3.49	68.3	11.79	Peak	51.00	100	Vertical	Pass
2	5938.725	58.50	4.34	68.2	9.70	Peak	91.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.250	59.41	5.19	68.2	8.79	Peak	0.00	200	Vertical	Pass
2	5650.000	57.61	4.41	68.2	10.59	Peak	247.00	100	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.07	3.49	68.3	12.23	Peak	183.00	200	Vertical	Pass
2	5946.900	58.78	4.02	68.2	9.42	Peak	356.00	100	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.688	59.52	4.56	68.2	8.68	Peak	86.00	100	Vertical	Pass
2	5650.000	56.94	4.41	68.2	11.26	Peak	300.00	200	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.91	3.49	68.3	12.39	Peak	93.00	200	Vertical	Pass
2	5975.625	58.84	4.09	68.2	9.36	Peak	327.00	100	Vertical	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.250	59.30	4.92	68.2	8.90	Peak	149.00	200	Vertical	Pass
2	5650.000	57.37	4.41	68.2	10.83	Peak	35.00	150	Vertical	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.49	3.49	68.3	11.81	Peak	150.00	100	Vertical	Pass
2	5942.775	59.33	4.30	68.2	8.87	Peak	234.00	200	Vertical	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.125	59.91	4.91	68.2	8.29	Peak	166.00	150	Vertical	Pass
2	5650.000	57.79	4.41	68.2	10.41	Peak	346.00	150	Vertical	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.97	3.49	68.3	12.33	Peak	123.00	100	Vertical	Pass
2	5942.625	58.92	4.32	68.2	9.28	Peak	77.00	100	Vertical	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5645.625	59.21	4.31	68.2	8.99	Peak	66.00	200	Vertical	Pass
2	5650.000	57.04	4.41	68.2	11.16	Peak	276.00	150	Vertical	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.02	3.49	68.3	12.28	Peak	291.00	200	Vertical	Pass
2	5934.525	58.42	4.24	68.2	9.78	Peak	262.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5395.360	60.03	4.70	74.0	13.97	Peak	196.00	100	Vertical	Pass
1**	5395.360	48.92	4.70	54.0	5.08	AV	196.00	100	Vertical	Pass
2	5459.980	57.40	4.04	74.0	16.60	Peak	6.00	150	Vertical	Pass
2**	5459.980	47.82	4.04	54.0	6.18	AV	6.00	150	Vertical	Pass
3	5460.280	58.85	4.00	68.2	9.35	Peak	47.00	200	Vertical	Pass
3**	5460.280	47.34	4.00	--	--	AV	47.00	200	Vertical	N/A
4	5469.940	57.38	4.06	68.2	10.82	Peak	120.00	100	Vertical	Pass
4**	5469.940	47.26	4.06	--	--	AV	120.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.13	3.49	68.3	12.17	Peak	76.00	150	Vertical	Pass
2	5940.150	59.89	4.40	68.2	8.31	Peak	145.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.400	60.34	4.92	74.0	13.66	Peak	348.00	100	Vertical	Pass
1**	5352.400	48.83	4.92	54.0	5.17	AV	348.00	100	Vertical	Pass
2	5459.980	58.52	4.04	74.0	15.48	Peak	287.00	100	Vertical	Pass
2**	5459.980	47.42	4.04	54.0	6.58	AV	287.00	100	Vertical	Pass
3	5467.420	59.00	3.94	68.2	9.20	Peak	124.00	100	Vertical	Pass
3**	5467.420	47.39	3.94	--	--	AV	124.00	100	Vertical	N/A
4	5469.940	56.85	4.06	68.2	11.35	Peak	168.00	150	Vertical	Pass
4**	5469.940	47.39	4.06	--	--	AV	168.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.36	3.49	68.3	10.94	Peak	211.00	150	Vertical	Pass
2	5979.375	59.59	3.98	68.2	8.61	Peak	291.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5378.980	60.32	4.83	74.0	13.68	Peak	190.00	200	Vertical	Pass
1**	5378.980	48.63	4.83	54.0	5.37	AV	190.00	200	Vertical	Pass
2	5459.980	56.72	4.04	74.0	17.28	Peak	301.00	150	Vertical	Pass
2**	5459.980	47.58	4.04	54.0	6.42	AV	301.00	150	Vertical	Pass
3	5463.520	59.01	4.03	68.2	9.19	Peak	227.00	200	Vertical	Pass
3**	5463.520	47.41	4.03	--	--	AV	227.00	200	Vertical	N/A
4	5469.940	56.94	4.06	68.2	11.26	Peak	50.00	100	Vertical	Pass
4**	5469.940	47.53	4.06	--	--	AV	50.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.84	3.49	68.3	11.46	Peak	296.00	150	Vertical	Pass
2	5936.550	59.54	4.23	68.2	8.66	Peak	45.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5393.320	60.34	4.49	74.0	13.66	Peak	359.00	100	Vertical	Pass
1**	5393.320	48.28	4.49	54.0	5.72	AV	359.00	100	Vertical	Pass
2	5459.980	56.99	4.04	74.0	17.01	Peak	359.00	200	Vertical	Pass
2**	5459.980	47.69	4.04	54.0	6.31	AV	359.00	200	Vertical	Pass
3	5466.520	58.62	3.91	68.2	9.58	Peak	67.00	150	Vertical	Pass
3**	5466.520	47.29	3.91	--	--	AV	67.00	150	Vertical	N/A
4	5469.940	57.58	4.06	68.2	10.62	Peak	18.00	150	Vertical	Pass
4**	5469.940	47.42	4.06	--	--	AV	18.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.21	3.49	68.3	11.09	Peak	71.00	150	Vertical	Pass
2	5941.125	59.97	4.42	68.2	8.23	Peak	0.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5396.080	60.16	4.73	74.0	13.84	Peak	103.00	150	Vertical	Pass
1**	5396.080	48.92	4.73	54.0	5.08	AV	103.00	150	Vertical	Pass
2	5459.980	58.00	4.04	74.0	16.00	Peak	318.00	100	Vertical	Pass
2**	5459.980	47.68	4.04	54.0	6.32	AV	318.00	100	Vertical	Pass
3	5466.040	58.82	3.89	68.2	9.38	Peak	196.00	100	Vertical	Pass
3**	5466.040	47.27	3.89	--	--	AV	196.00	100	Vertical	N/A
4	5469.940	58.53	4.06	68.2	9.67	Peak	220.00	150	Vertical	Pass
4**	5469.940	47.33	4.06	--	--	AV	220.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.98	3.49	68.3	10.32	Peak	193.00	150	Vertical	Pass
2	5944.650	59.57	4.19	68.2	8.63	Peak	234.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.320	60.09	4.98	74.0	13.91	Peak	140.00	150	Vertical	Pass
1**	5351.320	48.81	4.98	54.0	5.19	AV	140.00	150	Vertical	Pass
2	5459.980	56.67	4.04	74.0	17.33	Peak	267.00	100	Vertical	Pass
2**	5459.980	47.41	4.04	54.0	6.59	AV	267.00	100	Vertical	Pass
3	5469.340	58.69	4.02	68.2	9.51	Peak	101.00	150	Vertical	Pass
3**	5469.340	47.34	4.02	--	--	AV	101.00	150	Vertical	N/A
4	5469.940	56.79	4.06	68.2	11.41	Peak	161.00	100	Vertical	Pass
4**	5469.940	47.23	4.06	--	--	AV	161.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.39	3.49	68.3	11.91	Peak	267.00	200	Vertical	Pass
2	5940.000	59.89	4.40	68.2	8.31	Peak	0.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5399.020	60.20	4.68	74.0	13.80	Peak	213.00	200	Vertical	Pass
1**	5399.020	48.46	4.68	54.0	5.54	AV	213.00	200	Vertical	Pass
2	5459.980	56.86	4.04	74.0	17.14	Peak	305.00	100	Vertical	Pass
2**	5459.980	47.41	4.04	54.0	6.59	AV	305.00	100	Vertical	Pass
3	5461.540	58.51	3.91	68.2	9.69	Peak	81.00	150	Vertical	Pass
3**	5461.540	47.33	3.91	--	--	AV	81.00	150	Vertical	N/A
4	5469.940	56.72	4.06	68.2	11.48	Peak	166.00	150	Vertical	Pass
4**	5469.940	47.49	4.06	--	--	AV	166.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.31	3.49	68.3	11.99	Peak	34.00	200	Vertical	Pass
2	5934.825	59.45	4.23	68.2	8.75	Peak	246.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5361.580	60.37	4.53	74.0	13.63	Peak	152.00	200	Vertical	Pass
1**	5361.580	48.42	4.53	54.0	5.58	AV	152.00	200	Vertical	Pass
2	5459.980	57.11	4.04	74.0	16.89	Peak	310.00	200	Vertical	Pass
2**	5459.980	47.72	4.04	54.0	6.28	AV	310.00	200	Vertical	Pass
3	5466.040	58.57	3.89	68.2	9.63	Peak	327.00	200	Vertical	Pass
3**	5466.040	47.34	3.89	--	--	AV	327.00	200	Vertical	N/A
4	5469.940	58.94	4.06	68.2	9.26	Peak	132.00	100	Vertical	Pass
4**	5469.940	47.43	4.06	--	--	AV	132.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.46	3.49	68.3	10.84	Peak	117.00	200	Vertical	Pass
2	5938.275	59.91	4.31	68.2	8.29	Peak	335.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5401.540	60.57	4.67	74.0	13.43	Peak	161.00	150	Vertical	Pass
1**	5401.540	48.50	4.67	54.0	5.50	AV	161.00	150	Vertical	Pass
2	5459.980	57.10	4.04	74.0	16.90	Peak	178.00	200	Vertical	Pass
2**	5459.980	47.58	4.04	54.0	6.42	AV	178.00	200	Vertical	Pass
3	5462.500	58.49	3.97	68.2	9.71	Peak	100.00	150	Vertical	Pass
3**	5462.500	47.69	3.97	--	--	AV	100.00	150	Vertical	N/A
4	5469.940	56.87	4.06	68.2	11.33	Peak	349.00	150	Vertical	Pass
4**	5469.940	47.26	4.06	--	--	AV	349.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.89	3.49	68.3	11.41	Peak	47.00	100	Vertical	Pass
2	5939.175	59.77	4.37	68.2	8.43	Peak	325.00	150	Vertical	Pass

U-NII-5 11ax20(SU) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5626.862	59.52	4.79	88.2	28.68	Peak	181.00	150	Vertical	Pass
1**	5626.862	47.98	4.79	68.2	20.22	AV	181.00	150	Vertical	Pass
2	5924.788	55.68	3.47	88.2	32.52	Peak	169.00	150	Vertical	Pass
2**	5924.788	46.37	3.47	68.2	21.83	AV	169.00	150	Vertical	Pass

U-NII-5 11ax40(SU) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5803.450	59.99	4.27	88.2	28.21	Peak	259.00	200	Vertical	Pass
1**	5803.450	47.87	4.27	68.2	20.33	AV	259.00	200	Vertical	Pass
2	5924.788	55.90	3.47	88.2	32.30	Peak	99.00	200	Vertical	Pass
2**	5924.788	46.35	3.47	68.2	21.85	AV	99.00	200	Vertical	Pass

U-NII-5 11ax80(SU) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5610.713	59.84	4.83	88.2	28.36	Peak	232.00	200	Vertical	Pass
1**	5610.713	47.43	4.83	68.2	20.77	AV	232.00	200	Vertical	Pass
2	5924.788	55.70	3.47	88.2	32.50	Peak	113.00	150	Vertical	Pass
2**	5924.788	46.50	3.47	68.2	21.70	AV	113.00	150	Vertical	Pass

U-NII-5 11ax160(SU) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.737	59.30	4.46	88.2	28.90	Peak	0.00	200	Vertical	Pass
1**	5641.737	47.60	4.46	68.2	20.60	AV	0.00	200	Vertical	Pass
2	5924.788	57.04	3.47	88.2	31.16	Peak	104.00	150	Vertical	Pass
2**	5924.788	46.55	3.47	68.2	21.65	AV	104.00	150	Vertical	Pass

U-NII-5 11ax20(RU26) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.462	59.35	4.58	88.2	28.85	Peak	229.00	200	Vertical	Pass
1**	5640.462	47.84	4.58	68.2	20.36	AV	229.00	200	Vertical	Pass
2	5924.788	56.65	3.47	88.2	31.55	Peak	300.00	200	Vertical	Pass
2**	5924.788	45.99	3.47	68.2	22.21	AV	300.00	200	Vertical	Pass

U-NII-5 11ax40(RU26) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5847.437	59.13	5.42	88.2	29.07	Peak	112.00	200	Vertical	Pass
1**	5847.437	48.27	5.42	68.2	19.93	AV	112.00	200	Vertical	Pass
2	5924.788	56.72	3.47	88.2	31.48	Peak	187.00	200	Vertical	Pass
2**	5924.788	46.40	3.47	68.2	21.80	AV	187.00	200	Vertical	Pass

U-NII-5 11ax80(RU26) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.375	59.63	4.88	88.2	28.57	Peak	145.00	150	Vertical	Pass
1**	5608.375	47.60	4.88	68.2	20.60	AV	145.00	150	Vertical	Pass
2	5924.788	55.40	3.47	88.2	32.80	Peak	62.00	150	Vertical	Pass
2**	5924.788	46.34	3.47	68.2	21.86	AV	62.00	150	Vertical	Pass

U-NII-5 11ax160(RU26) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.487	59.49	4.85	88.2	28.71	Peak	309.00	150	Vertical	Pass
1**	5637.487	47.95	4.85	68.2	20.25	AV	309.00	150	Vertical	Pass
2	5924.788	56.92	3.47	88.2	31.28	Peak	358.00	200	Vertical	Pass
2**	5924.788	46.13	3.47	68.2	22.07	AV	358.00	200	Vertical	Pass

U-NII-8 11ax20(SU) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.26	6.89	88.2	28.94	Peak	256.00	100	Vertical	Pass
1**	7125.000	49.69	6.89	68.2	18.51	AV	256.00	100	Vertical	Pass
2	7196.562	63.50	10.10	88.2	24.70	Peak	0.00	200	Vertical	Pass
2**	7196.562	52.55	10.10	68.2	15.65	AV	0.00	200	Vertical	Pass

U-NII-8 11ax20(SU) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	68.99	6.89	88.2	19.21	Peak	283.00	200	Vertical	Pass
1**	7125.000	63.32	6.89	68.2	4.88	AV	283.00	200	Vertical	Pass
2	7125.125	68.34	6.91	88.2	19.86	Peak	308.00	150	Vertical	Pass
2**	7125.125	61.64	6.91	68.2	6.56	AV	308.00	150	Vertical	Pass

U-NII-8 11ax40(SU) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.82	6.90	88.2	28.38	Peak	260.00	150	Vertical	Pass
1**	7125.063	49.79	6.90	68.2	18.41	AV	260.00	150	Vertical	Pass
2	7206.375	63.62	8.94	88.2	24.58	Peak	304.00	100	Vertical	Pass
2**	7206.375	51.49	8.94	68.2	16.71	AV	304.00	100	Vertical	Pass

U-NII-8 11ax80(SU) CH215




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.10	6.89	88.2	29.10	Peak	18.00	150	Vertical	Pass
1**	7125.000	49.69	6.89	68.2	18.51	AV	18.00	150	Vertical	Pass
2	7199.312	64.50	10.24	88.2	23.70	Peak	186.00	100	Vertical	Pass
2**	7199.312	52.49	10.24	68.2	15.71	AV	186.00	100	Vertical	Pass

U-NII-8 11ax160(SU) CH207




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	60.16	6.90	88.2	28.04	Peak	139.00	100	Vertical	Pass
1**	7125.063	49.52	6.90	68.2	18.68	AV	139.00	100	Vertical	Pass
2	7192.250	64.05	9.77	88.2	24.15	Peak	217.00	150	Vertical	Pass
2**	7192.250	51.58	9.77	68.2	16.62	AV	217.00	150	Vertical	Pass

U-NII-8 11ax20(RU26) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.19	6.90	88.2	29.01	Peak	279.00	100	Vertical	Pass
1**	7125.063	49.62	6.90	68.2	18.58	AV	279.00	100	Vertical	Pass
2	7199.500	64.31	10.24	88.2	23.89	Peak	178.00	150	Vertical	Pass
2**	7199.500	52.74	10.24	68.2	15.46	AV	178.00	150	Vertical	Pass

U-NII-8 11ax20(RU26) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	71.27	6.90	88.2	16.93	Peak	284.00	150	Vertical	Pass
1**	7125.063	63.27	6.90	68.2	4.93	AV	284.00	150	Vertical	Pass
2	7125.125	70.41	6.91	88.2	17.79	Peak	303.00	150	Vertical	Pass
2**	7125.125	62.34	6.91	68.2	5.86	AV	303.00	150	Vertical	Pass

U-NII-8 11ax40(RU26) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	60.76	6.90	88.2	27.44	Peak	290.00	100	Vertical	Pass
1**	7125.063	49.84	6.90	68.2	18.36	AV	290.00	100	Vertical	Pass
2	7125.750	64.02	6.90	88.2	24.18	Peak	287.00	200	Vertical	Pass
2**	7125.750	49.63	6.90	68.2	18.57	AV	287.00	200	Vertical	Pass

U-NII-8 11ax80(RU26) CH215



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.76	6.90	88.2	28.44	Peak	0.00	150	Vertical	Pass
1**	7125.063	50.05	6.90	68.2	18.15	AV	0.00	150	Vertical	Pass
2	7199.563	64.12	10.23	88.2	24.08	Peak	143.00	100	Vertical	Pass
2**	7199.563	52.35	10.23	68.2	15.85	AV	143.00	100	Vertical	Pass


U-NII-8 11ax160(RU26) CH207



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	58.95	6.89	88.2	29.25	Peak	360.00	100	Vertical	Pass
1**	7125.000	49.63	6.89	68.2	18.57	AV	360.00	100	Vertical	Pass
2	7200.250	63.25	10.12	88.2	24.95	Peak	201.00	100	Vertical	Pass
2**	7200.250	52.28	10.12	68.2	15.92	AV	201.00	100	Vertical	Pass


MIMO

U-NII-1 11a CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5130.825	58.85	4.28	74.0	15.15	Peak	174.00	200	Vertical	Pass
1**	5130.825	47.43	4.28	54.0	6.57	AV	174.00	200	Vertical	Pass
2	5149.675	56.98	4.06	74.0	17.02	Peak	132.00	150	Vertical	Pass
2**	5149.675	47.25	4.06	54.0	6.75	AV	132.00	150	Vertical	Pass

U-NII-1 11a CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.27	5.10	74.0	15.73	Peak	360.00	200	Vertical	Pass
1**	5350.055	48.69	5.10	54.0	5.31	AV	360.00	200	Vertical	Pass
2	5426.230	59.83	4.12	74.0	14.17	Peak	232.00	100	Vertical	Pass
2**	5426.230	47.29	4.12	54.0	6.71	AV	232.00	100	Vertical	Pass

U-NII-1 11n20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.225	58.38	4.17	74.0	15.62	Peak	242.00	100	Vertical	Pass
1**	5076.225	46.89	4.17	54.0	7.11	AV	242.00	100	Vertical	Pass
2	5149.675	56.31	4.06	74.0	17.69	Peak	86.00	150	Vertical	Pass
2**	5149.675	47.11	4.06	54.0	6.89	AV	86.00	150	Vertical	Pass

U-NII-1 11n20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.46	5.10	74.0	15.54	Peak	360.00	100	Vertical	Pass
1**	5350.055	48.31	5.10	54.0	5.69	AV	360.00	100	Vertical	Pass
2	5350.825	59.98	5.01	74.0	14.02	Peak	300.00	200	Vertical	Pass
2**	5350.825	48.10	5.01	54.0	5.90	AV	300.00	200	Vertical	Pass

U-NII-1 11n40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.625	58.53	4.52	74.0	15.47	Peak	15.00	100	Vertical	Pass
1**	5125.625	47.45	4.52	54.0	6.55	AV	15.00	100	Vertical	Pass
2	5149.675	57.83	4.06	74.0	16.17	Peak	339.00	200	Vertical	Pass
2**	5149.675	47.05	4.06	54.0	6.95	AV	339.00	200	Vertical	Pass

U-NII-1 11n40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.97	5.10	74.0	16.03	Peak	337.00	150	Vertical	Pass
1**	5350.055	48.43	5.10	54.0	5.57	AV	337.00	150	Vertical	Pass
2	5400.050	59.40	4.65	74.0	14.60	Peak	37.00	100	Vertical	Pass
2**	5400.050	47.63	4.65	54.0	6.37	AV	37.00	100	Vertical	Pass

U-NII-1 11ac20 CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5086.300	58.78	4.12	74.0	15.22	Peak	232.00	100	Vertical	Pass
1**	5086.300	46.80	4.12	54.0	7.20	AV	232.00	100	Vertical	Pass
2	5149.675	56.86	4.06	74.0	17.14	Peak	79.00	150	Vertical	Pass
2**	5149.675	47.24	4.06	54.0	6.76	AV	79.00	150	Vertical	Pass

U-NII-1 11ac20 CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.22	5.10	74.0	15.78	Peak	198.00	100	Vertical	Pass
1**	5350.055	48.44	5.10	54.0	5.56	AV	198.00	100	Vertical	Pass
2	5396.585	59.58	4.74	74.0	14.42	Peak	360.00	100	Vertical	Pass
2**	5396.585	47.93	4.74	54.0	6.07	AV	360.00	100	Vertical	Pass

U-NII-1 11ac40 CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.675	58.53	4.50	74.0	15.47	Peak	40.00	100	Vertical	Pass
1**	5123.675	47.44	4.50	54.0	6.56	AV	40.00	100	Vertical	Pass
2	5149.675	56.90	4.06	74.0	17.10	Peak	203.00	200	Vertical	Pass
2**	5149.675	47.09	4.06	54.0	6.91	AV	203.00	200	Vertical	Pass

U-NII-1 11ac40 CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.50	5.11	74.0	15.50	Peak	278.00	100	Vertical	Pass
1**	5350.000	48.22	5.11	54.0	5.78	AV	278.00	100	Vertical	Pass
2	5352.475	59.97	4.91	74.0	14.03	Peak	123.00	150	Vertical	Pass
2**	5352.475	48.29	4.91	54.0	5.71	AV	123.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5093.775	58.75	4.15	74.0	15.25	Peak	120.00	200	Vertical	Pass
1**	5093.775	47.11	4.15	54.0	6.89	AV	120.00	200	Vertical	Pass
2	5149.675	56.46	4.06	74.0	17.54	Peak	139.00	150	Vertical	Pass
2**	5149.675	47.47	4.06	54.0	6.53	AV	139.00	150	Vertical	Pass

U-NII-1 11ac80 CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.89	5.11	74.0	16.11	Peak	181.00	150	Vertical	Pass
1**	5350.000	48.48	5.11	54.0	5.52	AV	181.00	150	Vertical	Pass
2	5396.035	59.70	4.72	74.0	14.30	Peak	135.00	100	Vertical	Pass
2**	5396.035	47.66	4.72	54.0	6.34	AV	135.00	100	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	58.88	4.10	74.0	15.12	Peak	108.00	200	Vertical	Pass
1**	5146.425	47.13	4.10	54.0	6.87	AV	108.00	200	Vertical	Pass
2	5149.675	56.77	4.06	74.0	17.23	Peak	139.00	150	Vertical	Pass
2**	5149.675	47.18	4.06	54.0	6.82	AV	139.00	150	Vertical	Pass

U-NII-1 11ac160 CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.85	5.10	74.0	16.15	Peak	360.00	100	Vertical	Pass
1**	5350.055	48.28	5.10	54.0	5.72	AV	360.00	100	Vertical	Pass
2	5359.735	59.44	4.69	74.0	14.56	Peak	344.00	100	Vertical	Pass
2**	5359.735	47.81	4.69	54.0	6.19	AV	344.00	100	Vertical	Pass

U-NII-1 11ax20 (SU) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5112.300	58.78	4.30	74.0	15.22	Peak	286.00	100	Vertical	Pass
1**	5112.300	47.27	4.30	54.0	6.73	AV	286.00	100	Vertical	Pass
2	5149.675	56.63	4.06	74.0	17.37	Peak	106.00	150	Vertical	Pass
2**	5149.675	47.21	4.06	54.0	6.79	AV	106.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.17	5.10	74.0	14.83	Peak	262.00	100	Vertical	Pass
1**	5350.055	48.30	5.10	54.0	5.70	AV	262.00	100	Vertical	Pass
2	5381.790	59.31	4.67	74.0	14.69	Peak	128.00	150	Vertical	Pass
2**	5381.790	47.51	4.67	54.0	6.49	AV	128.00	150	Vertical	Pass

U-NII-1 11ax40 (SU) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	58.59	4.11	74.0	15.41	Peak	126.00	200	Vertical	Pass
1**	5147.400	47.56	4.11	54.0	6.44	AV	126.00	200	Vertical	Pass
2	5149.675	56.96	4.06	74.0	17.04	Peak	109.00	200	Vertical	Pass
2**	5149.675	47.18	4.06	54.0	6.82	AV	109.00	200	Vertical	Pass

U-NII-1 11ax40 (SU) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.16	5.10	74.0	15.84	Peak	140.00	200	Vertical	Pass
1**	5350.055	48.26	5.10	54.0	5.74	AV	140.00	200	Vertical	Pass
2	5350.660	59.19	5.03	74.0	14.81	Peak	360.00	200	Vertical	Pass
2**	5350.660	48.08	5.03	54.0	5.92	AV	360.00	200	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5107.425	58.51	4.43	74.0	15.49	Peak	318.00	100	Vertical	Pass
1**	5107.425	47.45	4.43	54.0	6.55	AV	318.00	100	Vertical	Pass
2	5149.675	56.24	4.06	74.0	17.76	Peak	320.00	150	Vertical	Pass
2**	5149.675	47.28	4.06	54.0	6.72	AV	320.00	150	Vertical	Pass

U-NII-1 11ax80 (SU) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.06	5.11	74.0	15.94	Peak	190.00	200	Vertical	Pass
1**	5350.000	48.44	5.11	54.0	5.56	AV	190.00	200	Vertical	Pass
2	5369.965	59.94	4.44	74.0	14.06	Peak	85.00	100	Vertical	Pass
2**	5369.965	47.49	4.44	54.0	6.51	AV	85.00	100	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5122.050	58.82	4.39	74.0	15.18	Peak	134.00	100	Vertical	Pass
1**	5122.050	47.48	4.39	54.0	6.52	AV	134.00	100	Vertical	Pass
2	5149.675	56.42	4.06	74.0	17.58	Peak	310.00	200	Vertical	Pass
2**	5149.675	47.10	4.06	54.0	6.90	AV	310.00	200	Vertical	Pass

U-NII-1 11ax160 (SU) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.52	5.11	74.0	15.48	Peak	359.00	150	Vertical	Pass
1**	5350.000	48.40	5.11	54.0	5.60	AV	359.00	150	Vertical	Pass
2	5379.315	59.90	4.79	74.0	14.10	Peak	186.00	200	Vertical	Pass
2**	5379.315	47.82	4.79	54.0	6.18	AV	186.00	200	Vertical	Pass

U-NII-1 11ax20 (RU26) CH36




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	58.39	4.11	74.0	15.61	Peak	0.00	100	Vertical	Pass
1**	5147.400	46.96	4.11	54.0	7.04	AV	0.00	100	Vertical	Pass
2	5149.675	56.34	4.06	74.0	17.66	Peak	11.00	100	Vertical	Pass
2**	5149.675	47.16	4.06	54.0	6.84	AV	11.00	100	Vertical	Pass

U-NII-1 11ax20 (RU26) CH48




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.49	5.11	74.0	15.51	Peak	95.00	150	Vertical	Pass
1**	5350.000	48.56	5.11	54.0	5.44	AV	95.00	150	Vertical	Pass
2	5412.150	59.71	4.24	74.0	14.29	Peak	280.00	100	Vertical	Pass
2**	5412.150	47.20	4.24	54.0	6.80	AV	280.00	100	Vertical	Pass

U-NII-1 11ax40 (RU26) CH38




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5109.050	58.33	4.46	74.0	15.67	Peak	166.00	150	Vertical	Pass
1**	5109.050	47.48	4.46	54.0	6.52	AV	166.00	150	Vertical	Pass
2	5149.675	56.64	4.06	74.0	17.36	Peak	356.00	200	Vertical	Pass
2**	5149.675	47.05	4.06	54.0	6.95	AV	356.00	200	Vertical	Pass

U-NII-1 11ax40 (RU26) CH46




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.44	5.10	74.0	16.56	Peak	211.00	100	Vertical	Pass
1**	5350.055	48.14	5.10	54.0	5.86	AV	211.00	100	Vertical	Pass
2	5397.575	59.13	4.76	74.0	14.87	Peak	55.00	150	Vertical	Pass
2**	5397.575	47.83	4.76	54.0	6.17	AV	55.00	150	Vertical	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5095.075	58.20	4.16	74.0	15.80	Peak	47.00	100	Vertical	Pass
1**	5095.075	47.00	4.16	54.0	7.00	AV	47.00	100	Vertical	Pass
2	5149.675	56.42	4.06	74.0	17.58	Peak	98.00	200	Vertical	Pass
2**	5149.675	46.99	4.06	54.0	7.01	AV	98.00	200	Vertical	Pass

U-NII-1 11ax80 (RU26) CH42




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.67	5.10	74.0	15.33	Peak	229.00	100	Vertical	Pass
1**	5350.055	48.07	5.10	54.0	5.93	AV	229.00	100	Vertical	Pass
2	5399.005	59.14	4.68	74.0	14.86	Peak	178.00	150	Vertical	Pass
2**	5399.005	47.72	4.68	54.0	6.28	AV	178.00	150	Vertical	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5113.275	58.80	4.27	74.0	15.20	Peak	242.00	150	Vertical	Pass
1**	5113.275	47.21	4.27	54.0	6.79	AV	242.00	150	Vertical	Pass
2	5149.675	56.29	4.06	74.0	17.71	Peak	220.00	100	Vertical	Pass
2**	5149.675	46.54	4.06	54.0	7.46	AV	220.00	100	Vertical	Pass

U-NII-1 11ax160 (RU26) CH50




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.21	5.10	74.0	15.79	Peak	61.00	200	Vertical	Pass
1**	5350.055	48.11	5.10	54.0	5.89	AV	61.00	200	Vertical	Pass
2	5352.200	59.45	4.93	74.0	14.55	Peak	206.00	150	Vertical	Pass
2**	5352.200	47.88	4.93	54.0	6.12	AV	206.00	150	Vertical	Pass

U-NII-2A 11a CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5110.675	59.36	4.53	74.0	14.64	Peak	64.00	150	Vertical	Pass
1**	5110.675	48.20	4.53	54.0	5.80	AV	64.00	150	Vertical	Pass
2	5149.675	57.57	4.06	74.0	16.43	Peak	235.00	100	Vertical	Pass
2**	5149.675	48.23	4.06	54.0	5.77	AV	235.00	100	Vertical	Pass

U-NII-2A 11a CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.97	5.11	74.0	15.03	Peak	32.00	100	Vertical	Pass
1**	5350.000	49.34	5.11	54.0	4.66	AV	32.00	100	Vertical	Pass
2	5350.715	60.43	5.02	74.0	13.57	Peak	225.00	200	Vertical	Pass
2**	5350.715	48.96	5.02	54.0	5.04	AV	225.00	200	Vertical	Pass

U-NII-2A 11n20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5121.400	59.51	4.34	74.0	14.49	Peak	22.00	150	Vertical	Pass
1**	5121.400	48.64	4.34	54.0	5.36	AV	22.00	150	Vertical	Pass
2	5149.675	57.32	4.06	74.0	16.68	Peak	266.00	200	Vertical	Pass
2**	5149.675	48.26	4.06	54.0	5.74	AV	266.00	200	Vertical	Pass

U-NII-2A 11n20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.74	5.11	74.0	15.26	Peak	30.00	100	Vertical	Pass
1**	5350.000	49.06	5.11	54.0	4.94	AV	30.00	100	Vertical	Pass
2	5355.445	60.23	4.56	74.0	13.77	Peak	16.00	200	Vertical	Pass
2**	5355.445	48.35	4.56	54.0	5.65	AV	16.00	200	Vertical	Pass

U-NII-2A 11n40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5110.675	60.11	4.53	74.0	13.89	Peak	232.00	150	Vertical	Pass
1**	5110.675	48.33	4.53	54.0	5.67	AV	232.00	150	Vertical	Pass
2	5149.675	57.95	4.06	74.0	16.05	Peak	57.00	200	Vertical	Pass
2**	5149.675	47.99	4.06	54.0	6.01	AV	57.00	200	Vertical	Pass

U-NII-2A 11n40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.97	5.10	74.0	15.03	Peak	318.00	100	Vertical	Pass
1**	5350.055	49.18	5.10	54.0	4.82	AV	318.00	100	Vertical	Pass
2	5351.485	60.17	4.97	74.0	13.83	Peak	246.00	100	Vertical	Pass
2**	5351.485	49.00	4.97	54.0	5.00	AV	246.00	100	Vertical	Pass

U-NII-2A 11ac20 CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5144.800	59.21	3.93	74.0	14.79	Peak	232.00	100	Vertical	Pass
1**	5144.800	47.85	3.93	54.0	6.15	AV	232.00	100	Vertical	Pass
2	5149.675	58.31	4.06	74.0	15.69	Peak	59.00	100	Vertical	Pass
2**	5149.675	48.27	4.06	54.0	5.73	AV	59.00	100	Vertical	Pass

U-NII-2A 11ac20 CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.16	5.10	74.0	14.84	Peak	206.00	200	Vertical	Pass
1**	5350.055	49.15	5.10	54.0	4.85	AV	206.00	200	Vertical	Pass
2	5398.015	60.37	4.73	74.0	13.63	Peak	0.00	100	Vertical	Pass
2**	5398.015	48.76	4.73	54.0	5.24	AV	0.00	100	Vertical	Pass

U-NII-2A 11ac40 CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5067.125	59.56	4.35	74.0	14.44	Peak	83.00	150	Vertical	Pass
1**	5067.125	48.09	4.35	54.0	5.91	AV	83.00	150	Vertical	Pass
2	5149.675	57.72	4.06	74.0	16.28	Peak	93.00	100	Vertical	Pass
2**	5149.675	48.40	4.06	54.0	5.60	AV	93.00	100	Vertical	Pass

U-NII-2A 11ac40 CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.04	5.11	74.0	13.96	Peak	295.00	100	Vertical	Pass
1**	5350.000	49.16	5.11	54.0	4.84	AV	295.00	100	Vertical	Pass
2	5388.005	60.87	4.47	74.0	13.13	Peak	222.00	200	Vertical	Pass
2**	5388.005	48.65	4.47	54.0	5.35	AV	222.00	200	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.350	59.97	4.50	74.0	14.03	Peak	267.00	150	Vertical	Pass
1**	5123.350	48.40	4.50	54.0	5.60	AV	267.00	150	Vertical	Pass
2	5149.675	57.39	4.06	74.0	16.61	Peak	44.00	100	Vertical	Pass
2**	5149.675	47.92	4.06	54.0	6.08	AV	44.00	100	Vertical	Pass

U-NII-2A 11ac80 CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.06	5.10	74.0	14.94	Peak	50.00	150	Vertical	Pass
1**	5350.055	49.18	5.10	54.0	4.82	AV	50.00	150	Vertical	Pass
2	5358.690	60.25	4.69	74.0	13.75	Peak	213.00	200	Vertical	Pass
2**	5358.690	48.68	4.69	54.0	5.32	AV	213.00	200	Vertical	Pass

U-NII-2A 11ax20 (SU) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5141.550	59.65	3.76	74.0	14.35	Peak	28.00	100	Vertical	Pass
1**	5141.550	47.69	3.76	54.0	6.31	AV	28.00	100	Vertical	Pass
2	5149.675	58.52	4.06	74.0	15.48	Peak	28.00	150	Vertical	Pass
2**	5149.675	48.16	4.06	54.0	5.84	AV	28.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.76	5.10	74.0	14.24	Peak	206.00	100	Vertical	Pass
1**	5350.055	48.96	5.10	54.0	5.04	AV	206.00	100	Vertical	Pass
2	5353.025	60.47	4.87	74.0	13.53	Peak	145.00	200	Vertical	Pass
2**	5353.025	48.87	4.87	54.0	5.13	AV	145.00	200	Vertical	Pass

U-NII-2A 11ax40 (SU) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5073.300	59.72	4.24	74.0	14.28	Peak	360.00	150	Vertical	Pass
1**	5073.300	47.81	4.24	54.0	6.19	AV	360.00	150	Vertical	Pass
2	5149.675	57.58	4.06	74.0	16.42	Peak	91.00	200	Vertical	Pass
2**	5149.675	48.00	4.06	54.0	6.00	AV	91.00	200	Vertical	Pass

U-NII-2A 11ax40 (SU) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.42	5.11	74.0	15.58	Peak	318.00	200	Vertical	Pass
1**	5350.000	49.51	5.11	54.0	4.49	AV	318.00	200	Vertical	Pass
2	5402.360	60.19	4.66	74.0	13.81	Peak	49.00	200	Vertical	Pass
2**	5402.360	48.54	4.66	54.0	5.46	AV	49.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5097.350	59.24	4.22	74.0	14.76	Peak	342.00	100	Vertical	Pass
1**	5097.350	47.95	4.22	54.0	6.05	AV	342.00	100	Vertical	Pass
2	5149.675	58.99	4.06	74.0	15.01	Peak	320.00	200	Vertical	Pass
2**	5149.675	47.98	4.06	54.0	6.02	AV	320.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.12	5.11	74.0	14.88	Peak	86.00	200	Vertical	Pass
1**	5350.000	49.42	5.11	54.0	4.58	AV	86.00	200	Vertical	Pass
2	5399.280	59.98	4.66	74.0	14.02	Peak	340.00	150	Vertical	Pass
2**	5399.280	48.44	4.66	54.0	5.56	AV	340.00	150	Vertical	Pass

U-NII-2A 11ax20 (RU26) CH52




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5116.850	58.39	4.41	74.0	15.61	Peak	59.00	150	Vertical	Pass
1**	5116.850	47.05	4.41	54.0	6.95	AV	59.00	150	Vertical	Pass
2	5149.675	56.54	4.06	74.0	17.46	Peak	11.00	150	Vertical	Pass
2**	5149.675	47.12	4.06	54.0	6.88	AV	11.00	150	Vertical	Pass

U-NII-2A 11ax20 (RU26) CH64




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.99	5.10	74.0	16.01	Peak	298.00	100	Vertical	Pass
1**	5350.055	48.17	5.10	54.0	5.83	AV	298.00	100	Vertical	Pass
2	5382.725	59.43	4.70	74.0	14.57	Peak	157.00	100	Vertical	Pass
2**	5382.725	47.89	4.70	54.0	6.11	AV	157.00	100	Vertical	Pass

U-NII-2A 11ax40 (RU26) CH54




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.675	59.16	3.96	74.0	14.84	Peak	57.00	150	Vertical	Pass
1**	5136.675	46.82	3.96	54.0	7.18	AV	57.00	150	Vertical	Pass
2	5149.675	56.82	4.06	74.0	17.18	Peak	279.00	150	Vertical	Pass
2**	5149.675	47.02	4.06	54.0	6.98	AV	279.00	150	Vertical	Pass

U-NII-2A 11ax40 (RU26) CH62




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.28	5.10	74.0	15.72	Peak	335.00	100	Vertical	Pass
1**	5350.055	48.20	5.10	54.0	5.80	AV	335.00	100	Vertical	Pass
2	5353.080	59.12	4.86	74.0	14.88	Peak	42.00	100	Vertical	Pass
2**	5353.080	47.90	4.86	54.0	6.10	AV	42.00	100	Vertical	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5123.025	58.05	4.47	74.0	15.95	Peak	335.00	100	Vertical	Pass
1**	5123.025	47.25	4.47	54.0	6.75	AV	335.00	100	Vertical	Pass
2	5149.675	56.97	4.06	74.0	17.03	Peak	88.00	200	Vertical	Pass
2**	5149.675	47.02	4.06	54.0	6.98	AV	88.00	200	Vertical	Pass

U-NII-2A 11ax80 (RU26) CH58




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.36	5.10	74.0	15.64	Peak	342.00	200	Vertical	Pass
1**	5350.055	48.25	5.10	54.0	5.75	AV	342.00	200	Vertical	Pass
2	5352.475	59.05	4.91	74.0	14.95	Peak	8.00	100	Vertical	Pass
2**	5352.475	47.86	4.91	54.0	6.14	AV	8.00	100	Vertical	Pass

U-NII-2C 11a CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5372.920	60.51	4.56	74.0	13.49	Peak	338.00	100	Vertical	Pass
1**	5372.920	48.29	4.56	54.0	5.71	AV	338.00	100	Vertical	Pass
2	5459.980	57.50	4.04	74.0	16.50	Peak	271.00	200	Vertical	Pass
2**	5459.980	47.40	4.04	54.0	6.60	AV	271.00	200	Vertical	Pass
3	5462.500	59.25	3.97	68.2	8.95	Peak	174.00	150	Vertical	Pass
3**	5462.500	47.41	3.97	--	--	AV	174.00	150	Vertical	N/A
4	5469.940	57.47	4.06	68.2	10.73	Peak	38.00	200	Vertical	Pass
4**	5469.940	47.28	4.06	--	--	AV	38.00	200	Vertical	N/A

U-NII-2C 11a CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.79	3.93	68.2	10.41	Peak	129.00	150	Vertical	Pass
2	5846.375	60.55	5.32	68.2	7.65	Peak	71.00	150	Vertical	Pass

U-NII-2C 11n20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5395.720	60.28	4.72	74.0	13.72	Peak	360.00	200	Vertical	Pass
1**	5395.720	48.58	4.72	54.0	5.42	AV	360.00	200	Vertical	Pass
2	5459.980	57.03	4.04	74.0	16.97	Peak	267.00	100	Vertical	Pass
2**	5459.980	47.65	4.04	54.0	6.35	AV	267.00	100	Vertical	Pass
3	5464.000	58.96	3.99	68.2	9.24	Peak	106.00	200	Vertical	Pass
3**	5464.000	47.51	3.99	--	--	AV	106.00	200	Vertical	N/A
4	5469.940	57.87	4.06	68.2	10.33	Peak	360.00	100	Vertical	Pass
4**	5469.940	47.46	4.06	--	--	AV	360.00	100	Vertical	N/A

U-NII-2C 11n20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.21	3.92	68.2	9.99	Peak	115.00	200	Vertical	Pass
2	5786.625	60.22	4.46	68.2	7.98	Peak	313.00	150	Vertical	Pass

U-NII-2C 11n40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5372.260	59.96	4.58	74.0	14.04	Peak	240.00	100	Vertical	Pass
1**	5372.260	48.49	4.58	54.0	5.51	AV	240.00	100	Vertical	Pass
2	5459.980	56.87	4.04	74.0	17.13	Peak	166.00	150	Vertical	Pass
2**	5459.980	47.54	4.04	54.0	6.46	AV	166.00	150	Vertical	Pass
3	5468.200	59.33	3.98	68.2	8.87	Peak	252.00	100	Vertical	Pass
3**	5468.200	47.30	3.98	--	--	AV	252.00	100	Vertical	N/A
4	5469.940	57.20	4.06	68.2	11.00	Peak	161.00	100	Vertical	Pass
4**	5469.940	47.29	4.06	--	--	AV	161.00	100	Vertical	N/A

U-NII-2C 11n40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.04	3.93	68.2	10.16	Peak	196.00	150	Vertical	Pass
2	5848.750	60.24	5.44	68.2	7.96	Peak	256.00	100	Vertical	Pass

U-NII-2C 11ac20 CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.300	60.22	4.20	74.0	13.78	Peak	347.00	100	Vertical	Pass
1**	5428.300	47.95	4.20	54.0	6.05	AV	347.00	100	Vertical	Pass
2	5459.980	56.89	4.04	74.0	17.11	Peak	15.00	100	Vertical	Pass
2**	5459.980	47.48	4.04	54.0	6.52	AV	15.00	100	Vertical	Pass
3	5468.620	58.80	3.99	68.2	9.40	Peak	91.00	200	Vertical	Pass
3**	5468.620	47.23	3.99	--	--	AV	91.00	200	Vertical	N/A
4	5469.940	57.02	4.06	68.2	11.18	Peak	40.00	100	Vertical	Pass
4**	5469.940	47.42	4.06	--	--	AV	40.00	100	Vertical	N/A

U-NII-2C 11ac20 CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.72	3.92	68.2	9.48	Peak	79.00	200	Vertical	Pass
2	5826.687	60.27	4.33	68.2	7.93	Peak	123.00	150	Vertical	Pass

U-NII-2C 11ac40 CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5397.040	60.56	4.75	74.0	13.44	Peak	204.00	200	Vertical	Pass
1**	5397.040	48.76	4.75	54.0	5.24	AV	204.00	200	Vertical	Pass
2	5459.980	56.60	4.04	74.0	17.40	Peak	289.00	150	Vertical	Pass
2**	5459.980	47.39	4.04	54.0	6.61	AV	289.00	150	Vertical	Pass
3	5461.060	58.36	3.91	68.2	9.84	Peak	314.00	200	Vertical	Pass
3**	5461.060	47.56	3.91	--	--	AV	314.00	200	Vertical	N/A
4	5469.940	57.59	4.06	68.2	10.61	Peak	0.00	200	Vertical	Pass
4**	5469.940	47.20	4.06	--	--	AV	0.00	200	Vertical	N/A

U-NII-2C 11ac40 CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.83	3.93	68.2	10.37	Peak	161.00	200	Vertical	Pass
2	5847.750	60.47	5.46	68.2	7.73	Peak	32.00	200	Vertical	Pass

U-NII-2C 11ac80 CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5434.660	60.47	4.33	74.0	13.53	Peak	8.00	200	Vertical	Pass
1**	5434.660	47.87	4.33	54.0	6.13	AV	8.00	200	Vertical	Pass
2	5459.980	57.51	4.04	74.0	16.49	Peak	293.00	200	Vertical	Pass
2**	5459.980	47.37	4.04	54.0	6.63	AV	293.00	200	Vertical	Pass
3	5460.640	58.58	3.96	68.2	9.62	Peak	33.00	150	Vertical	Pass
3**	5460.640	47.60	3.96	--	--	AV	33.00	150	Vertical	N/A
4	5469.940	56.72	4.06	68.2	11.48	Peak	295.00	150	Vertical	Pass
4**	5469.940	47.49	4.06	--	--	AV	295.00	150	Vertical	N/A

U-NII-2C 11ac80 CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.26	3.92	68.2	10.94	Peak	196.00	200	Vertical	Pass
2	5846.875	60.71	5.37	68.2	7.49	Peak	0.00	100	Vertical	Pass

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5396.620	60.45	4.74	74.0	13.55	Peak	82.00	100	Vertical	Pass
1**	5396.620	48.56	4.74	54.0	5.44	AV	82.00	100	Vertical	Pass
2	5459.980	58.39	4.04	74.0	15.61	Peak	159.00	200	Vertical	Pass
2**	5459.980	47.34	4.04	54.0	6.66	AV	159.00	200	Vertical	Pass
3	5465.920	58.71	3.88	68.2	9.49	Peak	84.00	150	Vertical	Pass
3**	5465.920	47.42	3.88	--	--	AV	84.00	150	Vertical	N/A
4	5469.940	56.69	4.06	68.2	11.51	Peak	0.00	200	Vertical	Pass
4**	5469.940	47.37	4.06	--	--	AV	0.00	200	Vertical	N/A

U-NII-2C 11ac160 CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.63	3.92	68.2	9.57	Peak	276.00	100	Vertical	Pass
2	5820.063	61.76	4.53	68.2	6.44	Peak	93.00	100	Vertical	Pass

U-NII-2C 11ax20 (SU) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.940	60.75	4.88	74.0	13.25	Peak	71.00	150	Vertical	Pass
1**	5352.940	48.92	4.88	54.0	5.08	AV	71.00	150	Vertical	Pass
2	5459.980	56.72	4.04	74.0	17.28	Peak	86.00	200	Vertical	Pass
2**	5459.980	47.70	4.04	54.0	6.30	AV	86.00	200	Vertical	Pass
3	5465.500	58.71	3.87	68.2	9.49	Peak	115.00	100	Vertical	Pass
3**	5465.500	47.35	3.87	--	--	AV	115.00	100	Vertical	N/A
4	5469.940	57.50	4.06	68.2	10.70	Peak	303.00	100	Vertical	Pass
4**	5469.940	47.55	4.06	--	--	AV	303.00	100	Vertical	N/A

U-NII-2C 11ax20 (SU) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.52	3.93	68.2	9.68	Peak	140.00	100	Vertical	Pass
2	5768.937	60.62	4.51	68.2	7.58	Peak	213.00	150	Vertical	Pass

U-NII-2C 11ax40 (SU) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5394.700	60.50	4.64	74.0	13.50	Peak	117.00	100	Vertical	Pass
1**	5394.700	48.59	4.64	54.0	5.41	AV	117.00	100	Vertical	Pass
2	5459.980	57.45	4.04	74.0	16.55	Peak	360.00	100	Vertical	Pass
2**	5459.980	47.77	4.04	54.0	6.23	AV	360.00	100	Vertical	Pass
3	5466.940	59.36	3.92	68.2	8.84	Peak	106.00	200	Vertical	Pass
3**	5466.940	47.17	3.92	--	--	AV	106.00	200	Vertical	N/A
4	5469.940	57.44	4.06	68.2	10.76	Peak	169.00	150	Vertical	Pass
4**	5469.940	47.20	4.06	--	--	AV	169.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.90	3.93	68.2	10.30	Peak	120.00	200	Vertical	Pass
2	5845.687	61.01	5.27	68.2	7.19	Peak	360.00	150	Vertical	Pass

U-NII-2C 11ax80 (SU) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5360.440	60.65	4.63	74.0	13.35	Peak	201.00	200	Vertical	Pass
1**	5360.440	48.59	4.63	54.0	5.41	AV	201.00	200	Vertical	Pass
2	5459.980	56.76	4.04	74.0	17.24	Peak	91.00	200	Vertical	Pass
2**	5459.980	47.47	4.04	54.0	6.53	AV	91.00	200	Vertical	Pass
3	5468.200	59.37	3.98	68.2	8.83	Peak	75.00	100	Vertical	Pass
3**	5468.200	47.60	3.98	--	--	AV	75.00	100	Vertical	N/A
4	5469.940	56.67	4.06	68.2	11.53	Peak	165.00	100	Vertical	Pass
4**	5469.940	47.29	4.06	--	--	AV	165.00	100	Vertical	N/A

U-NII-2C 11ax80 (SU) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.05	3.93	68.2	10.15	Peak	30.00	200	Vertical	Pass
2	5844.625	60.37	5.26	68.2	7.83	Peak	335.00	150	Vertical	Pass

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.680	60.51	4.96	74.0	13.49	Peak	6.00	100	Vertical	Pass
1**	5351.680	48.89	4.96	54.0	5.11	AV	6.00	100	Vertical	Pass
2	5459.980	57.66	4.04	74.0	16.34	Peak	201.00	200	Vertical	Pass
2**	5459.980	47.45	4.04	54.0	6.55	AV	201.00	200	Vertical	Pass
3	5467.840	58.84	3.96	68.2	9.36	Peak	239.00	100	Vertical	Pass
3**	5467.840	47.39	3.96	--	--	AV	239.00	100	Vertical	N/A
4	5469.940	57.21	4.06	68.2	10.99	Peak	39.00	100	Vertical	Pass
4**	5469.940	47.12	4.06	--	--	AV	39.00	100	Vertical	N/A

U-NII-2C 11ax160 (SU) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	58.15	3.92	68.2	10.05	Peak	63.00	100	Vertical	Pass
2	5848.000	60.18	5.48	68.2	8.02	Peak	212.00	200	Vertical	Pass

U-NII-2C 11ax20 (RU26) CH100




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5356.840	59.91	4.58	74.0	14.09	Peak	0.00	200	Vertical	Pass
1**	5356.840	47.62	4.58	54.0	6.38	AV	0.00	200	Vertical	Pass
2	5459.980	56.64	4.04	74.0	17.36	Peak	210.00	200	Vertical	Pass
2**	5459.980	46.89	4.04	54.0	7.11	AV	210.00	200	Vertical	Pass
3	5461.120	57.72	3.91	68.2	10.48	Peak	0.00	200	Vertical	Pass
3**	5461.120	46.56	3.91	--	--	AV	0.00	200	Vertical	N/A
4	5469.940	56.50	4.06	68.2	11.70	Peak	310.00	200	Vertical	Pass
4**	5469.940	46.60	4.06	--	--	AV	310.00	200	Vertical	N/A

U-NII-2C 11ax20 (RU26) CH140




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	56.06	3.92	68.2	12.14	Peak	360.00	100	Vertical	Pass
2	5847.125	59.41	5.39	68.2	8.79	Peak	311.00	100	Vertical	Pass

U-NII-2C 11ax40 (RU26) CH102




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.600	60.05	5.03	74.0	13.95	Peak	242.00	150	Vertical	Pass
1**	5350.600	48.03	5.03	54.0	5.97	AV	242.00	150	Vertical	Pass
2	5459.980	56.02	4.04	74.0	17.98	Peak	258.00	150	Vertical	Pass
2**	5459.980	46.72	4.04	54.0	7.28	AV	258.00	150	Vertical	Pass
3	5467.900	57.79	3.96	68.2	10.41	Peak	258.00	150	Vertical	Pass
3**	5467.900	46.52	3.96	--	--	AV	258.00	150	Vertical	N/A
4	5469.940	55.70	4.06	68.2	12.50	Peak	242.00	100	Vertical	Pass
4**	5469.940	46.71	4.06	--	--	AV	242.00	100	Vertical	N/A

U-NII-2C 11ax40 (RU26) CH134




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	57.73	3.92	68.2	10.47	Peak	35.00	200	Vertical	Pass
2	5771.687	59.44	4.44	68.2	8.76	Peak	134.00	150	Vertical	Pass

U-NII-2C 11ax80 (RU26) CH106




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5351.260	59.49	4.98	74.0	14.51	Peak	278.00	100	Vertical	Pass
1**	5351.260	47.94	4.98	54.0	6.06	AV	278.00	100	Vertical	Pass
2	5459.980	56.50	4.04	74.0	17.50	Peak	34.00	150	Vertical	Pass
2**	5459.980	46.91	4.04	54.0	7.09	AV	34.00	150	Vertical	Pass
3	5466.280	58.89	3.90	68.2	9.31	Peak	0.00	200	Vertical	Pass
3**	5466.280	46.33	3.90	--	--	AV	0.00	200	Vertical	N/A
4	5469.940	57.55	4.06	68.2	10.65	Peak	0.00	150	Vertical	Pass
4**	5469.940	46.81	4.06	--	--	AV	0.00	150	Vertical	N/A

U-NII-2C 11ax80 (RU26) CH122




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.54	3.93	68.2	11.66	Peak	45.00	100	Vertical	Pass
2	5849.688	60.00	5.38	68.2	8.20	Peak	86.00	200	Vertical	Pass

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5384.260	59.09	4.63	74.0	14.91	Peak	218.00	200	Vertical	Pass
1**	5384.260	47.44	4.63	54.0	6.56	AV	218.00	200	Vertical	Pass
2	5459.980	56.42	4.04	74.0	17.58	Peak	227.00	100	Vertical	Pass
2**	5459.980	46.71	4.04	54.0	7.29	AV	227.00	100	Vertical	Pass
3	5460.220	58.19	4.01	68.2	10.01	Peak	246.00	200	Vertical	Pass
3**	5460.220	46.79	4.01	--	--	AV	246.00	200	Vertical	N/A
4	5469.940	56.43	4.06	68.2	11.77	Peak	105.00	200	Vertical	Pass
4**	5469.940	46.55	4.06	--	--	AV	105.00	200	Vertical	N/A

U-NII-2C 11ax160 (RU26) CH114




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.59	3.93	68.2	11.61	Peak	20.00	100	Vertical	Pass
2	5844.375	59.64	5.26	68.2	8.56	Peak	279.00	100	Vertical	Pass

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5353.840	59.44	4.74	74.0	14.56	Peak	300.00	150	Vertical	Pass
1**	5353.840	47.84	4.74	54.0	6.16	AV	300.00	150	Vertical	Pass
2	5459.980	56.55	4.04	74.0	17.45	Peak	137.00	200	Vertical	Pass
2**	5459.980	46.80	4.04	54.0	7.20	AV	137.00	200	Vertical	Pass
3	5464.420	58.86	3.96	68.2	9.34	Peak	76.00	200	Vertical	Pass
3**	5464.420	46.51	3.96	--	--	AV	76.00	200	Vertical	N/A
4	5469.940	56.64	4.06	68.2	11.56	Peak	84.00	150	Vertical	Pass
4**	5469.940	46.33	4.06	--	--	AV	84.00	150	Vertical	N/A

U-NII-2C 11ax20 (RU26) CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.15	3.49	68.3	12.15	Peak	154.00	150	Vertical	Pass
2	5940.000	59.61	4.40	68.2	8.59	Peak	212.00	100	Vertical	Pass

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5387.440	59.64	4.52	74.0	14.36	Peak	98.00	150	Vertical	Pass
1**	5387.440	47.55	4.52	54.0	6.45	AV	98.00	150	Vertical	Pass
2	5459.980	55.97	4.04	74.0	18.03	Peak	191.00	200	Vertical	Pass
2**	5459.980	46.70	4.04	54.0	7.30	AV	191.00	200	Vertical	Pass
3	5461.900	57.52	3.93	68.2	10.68	Peak	28.00	100	Vertical	Pass
3**	5461.900	46.62	3.93	--	--	AV	28.00	100	Vertical	N/A
4	5469.940	55.79	4.06	68.2	12.41	Peak	334.00	200	Vertical	Pass
4**	5469.940	46.59	4.06	--	--	AV	334.00	200	Vertical	N/A

U-NII-2C 11ax40 (RU26) CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.16	3.49	68.3	12.14	Peak	35.00	100	Vertical	Pass
2	5933.250	58.97	4.29	68.2	9.23	Peak	272.00	150	Vertical	Pass

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5357.560	59.49	4.61	74.0	14.51	Peak	347.00	100	Vertical	Pass
1**	5357.560	47.83	4.61	54.0	6.17	AV	347.00	100	Vertical	Pass
2	5459.980	56.20	4.04	74.0	17.80	Peak	0.00	200	Vertical	Pass
2**	5459.980	46.65	4.04	54.0	7.35	AV	0.00	200	Vertical	Pass
3	5461.960	57.84	3.94	68.2	10.36	Peak	251.00	150	Vertical	Pass
3**	5461.960	46.47	3.94	--	--	AV	251.00	150	Vertical	N/A
4	5469.940	56.15	4.06	68.2	12.05	Peak	208.00	150	Vertical	Pass
4**	5469.940	46.54	4.06	--	--	AV	208.00	150	Vertical	N/A

U-NII-2C 11ax80 (RU26) CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.65	3.49	68.3	12.65	Peak	264.00	200	Vertical	Pass
2	5978.400	58.86	3.98	68.2	9.34	Peak	233.00	200	Vertical	Pass

U-NII-3 11a CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.313	60.58	5.11	68.2	7.62	Peak	72.00	100	Vertical	Pass
2	5650.000	57.59	4.41	68.2	10.61	Peak	360.00	200	Vertical	Pass

U-NII-3 11a CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.07	3.49	68.3	12.23	Peak	239.00	150	Vertical	Pass
2	5935.350	59.39	4.22	68.2	8.81	Peak	85.00	200	Vertical	Pass

U-NII-3 11n20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5603.375	60.59	5.10	68.2	7.61	Peak	47.00	200	Vertical	Pass
2	5650.000	57.73	4.41	68.2	10.47	Peak	69.00	100	Vertical	Pass

U-NII-3 11n20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.99	3.49	68.3	11.31	Peak	269.00	150	Vertical	Pass
2	5933.925	59.51	4.26	68.2	8.69	Peak	49.00	100	Vertical	Pass

U-NII-3 11n40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5623.813	59.96	4.69	68.2	8.24	Peak	255.00	150	Vertical	Pass
2	5650.000	57.94	4.41	68.2	10.26	Peak	316.00	150	Vertical	Pass

U-NII-3 11n40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.22	3.49	68.3	11.08	Peak	276.00	150	Vertical	Pass
2	5948.700	59.36	3.77	68.2	8.84	Peak	313.00	100	Vertical	Pass

U-NII-3 11ac20 CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5608.500	60.10	4.88	68.2	8.10	Peak	360.00	150	Vertical	Pass
2	5650.000	58.04	4.41	68.2	10.16	Peak	322.00	150	Vertical	Pass

U-NII-3 11ac20 CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.57	3.49	68.3	11.73	Peak	353.00	200	Vertical	Pass
2	5932.950	59.74	4.29	68.2	8.46	Peak	196.00	150	Vertical	Pass

U-NII-3 11ac40 CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5623.500	60.72	4.73	68.2	7.48	Peak	174.00	100	Vertical	Pass
2	5650.000	58.45	4.41	68.2	9.75	Peak	274.00	150	Vertical	Pass

U-NII-3 11ac40 CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.36	3.49	68.3	10.94	Peak	342.00	200	Vertical	Pass
2	5945.400	59.67	4.17	68.2	8.53	Peak	154.00	150	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5639.813	60.40	4.63	68.2	7.80	Peak	300.00	200	Vertical	Pass
2	5650.000	59.59	4.41	68.2	8.61	Peak	171.00	100	Vertical	Pass

U-NII-3 11ac80 CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.77	3.49	68.3	11.53	Peak	0.00	100	Vertical	Pass
2	5942.325	60.00	4.35	68.2	8.20	Peak	149.00	200	Vertical	Pass

U-NII-3 11ax20 (SU) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5601.937	60.62	5.19	68.2	7.58	Peak	347.00	150	Vertical	Pass
2	5650.000	58.37	4.41	68.2	9.83	Peak	81.00	200	Vertical	Pass

U-NII-3 11ax20 (SU) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.48	3.49	68.3	11.82	Peak	25.00	200	Vertical	Pass
2	5987.775	59.54	3.84	68.2	8.66	Peak	334.00	200	Vertical	Pass

U-NII-3 11ax40 (SU) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5618.937	60.23	4.57	68.2	7.97	Peak	76.00	100	Vertical	Pass
2	5650.000	58.00	4.41	68.2	10.20	Peak	222.00	200	Vertical	Pass

U-NII-3 11ax40 (SU) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.22	3.49	68.3	12.08	Peak	0.00	200	Vertical	Pass
2	5943.000	59.30	4.28	68.2	8.90	Peak	23.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5606.188	60.24	4.92	68.2	7.96	Peak	67.00	100	Vertical	Pass
2	5650.000	57.76	4.41	68.2	10.44	Peak	43.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.83	3.49	68.3	11.47	Peak	20.00	150	Vertical	Pass
2	5974.350	59.38	4.00	68.2	8.82	Peak	211.00	100	Vertical	Pass

U-NII-3 11ax20 (RU26) CH149




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5616.375	59.29	4.70	68.2	8.91	Peak	91.00	100	Vertical	Pass
2	5650.000	56.81	4.41	68.2	11.39	Peak	359.00	150	Vertical	Pass

U-NII-3 11ax20 (RU26) CH165




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.45	3.49	68.3	11.85	Peak	86.00	100	Vertical	Pass
2	5940.000	59.13	4.40	68.2	9.07	Peak	207.00	100	Vertical	Pass

U-NII-3 11ax40 (RU26) CH151




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.187	59.35	4.60	68.2	8.85	Peak	0.00	150	Vertical	Pass
2	5650.000	57.40	4.41	68.2	10.80	Peak	360.00	150	Vertical	Pass

U-NII-3 11ax40 (RU26) CH159




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.42	3.49	68.3	11.88	Peak	98.00	100	Vertical	Pass
2	5939.775	59.00	4.39	68.2	9.20	Peak	40.00	200	Vertical	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5631.000	59.16	4.70	68.2	9.04	Peak	274.00	100	Vertical	Pass
2	5650.000	58.09	4.41	68.2	10.11	Peak	77.00	100	Vertical	Pass

U-NII-3 11ax80 (RU26) CH155




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.29	3.49	68.3	13.01	Peak	67.00	200	Vertical	Pass
2	5940.150	58.78	4.40	68.2	9.42	Peak	35.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5352.220	60.04	4.93	74.0	13.96	Peak	0.00	100	Vertical	Pass
1**	5352.220	48.91	4.93	54.0	5.09	AV	0.00	100	Vertical	Pass
2	5459.980	57.94	4.04	74.0	16.06	Peak	301.00	100	Vertical	Pass
2**	5459.980	47.39	4.04	54.0	6.61	AV	301.00	100	Vertical	Pass
3	5464.060	59.57	3.98	68.2	8.63	Peak	0.00	150	Vertical	Pass
3**	5464.060	47.41	3.98	--	--	AV	0.00	150	Vertical	N/A
4	5469.940	57.20	4.06	68.2	11.00	Peak	33.00	150	Vertical	Pass
4**	5469.940	47.39	4.06	--	--	AV	33.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11a CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.56	3.49	68.3	11.74	Peak	305.00	100	Vertical	Pass
2	5940.600	59.78	4.41	68.2	8.42	Peak	234.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5404.600	60.29	4.61	74.0	13.71	Peak	350.00	100	Vertical	Pass
1**	5404.600	48.48	4.61	54.0	5.52	AV	350.00	100	Vertical	Pass
2	5459.980	57.50	4.04	74.0	16.50	Peak	360.00	150	Vertical	Pass
2**	5459.980	47.64	4.04	54.0	6.36	AV	360.00	150	Vertical	Pass
3	5462.800	58.98	3.99	68.2	9.22	Peak	177.00	150	Vertical	Pass
3**	5462.800	47.46	3.99	--	--	AV	177.00	150	Vertical	N/A
4	5469.940	57.00	4.06	68.2	--	Peak	103.00	150	Vertical	Pass
4**	5469.940	47.22	4.06	--	--	AV	103.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11n20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.76	3.49	68.3	11.54	Peak	166.00	100	Vertical	Pass
2	5973.075	59.51	3.95	68.2	8.69	Peak	100.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5378.080	60.43	4.86	74.0	13.57	Peak	205.00	100	Vertical	Pass
1**	5378.080	48.77	4.86	54.0	5.23	AV	205.00	100	Vertical	Pass
2	5459.980	57.27	4.04	74.0	16.73	Peak	94.00	200	Vertical	Pass
2**	5459.980	47.63	4.04	54.0	6.37	AV	94.00	200	Vertical	Pass
3	5462.920	58.71	4.00	68.2	9.49	Peak	232.00	100	Vertical	Pass
3**	5462.920	47.33	4.00	--	--	AV	232.00	100	Vertical	N/A
4	5469.940	56.61	4.06	68.2	11.59	Peak	120.00	150	Vertical	Pass
4**	5469.940	47.35	4.06	--	--	AV	120.00	150	Vertical	N/A

U-NII-2C&U-NII-3 11n40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.67	3.49	68.3	11.63	Peak	9.00	150	Vertical	Pass
2	5940.150	59.35	4.40	68.2	8.85	Peak	97.00	200	Vertical	Pass

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.900	60.35	5.00	74.0	13.65	Peak	327.00	200	Vertical	Pass
1**	5350.900	49.09	5.00	54.0	4.91	AV	327.00	200	Vertical	Pass
2	5459.980	57.49	4.04	74.0	16.51	Peak	37.00	200	Vertical	Pass
2**	5459.980	47.43	4.04	54.0	6.57	AV	37.00	200	Vertical	Pass
3	5460.580	58.44	3.97	68.2	9.76	Peak	144.00	150	Vertical	Pass
3**	5460.580	47.64	3.97	--	--	AV	144.00	150	Vertical	N/A
4	5469.940	56.85	4.06	68.2	11.35	Peak	88.00	100	Vertical	Pass
4**	5469.940	47.29	4.06	--	--	AV	88.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11ac20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.96	3.49	68.3	11.34	Peak	295.00	150	Vertical	Pass
2	5936.625	59.62	4.23	68.2	8.58	Peak	252.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5357.380	60.33	4.60	74.0	13.67	Peak	261.00	150	Vertical	Pass
1**	5357.380	48.91	4.60	54.0	5.09	AV	261.00	150	Vertical	Pass
2	5459.980	57.71	4.04	74.0	16.29	Peak	306.00	200	Vertical	Pass
2**	5459.980	47.62	4.04	54.0	6.38	AV	306.00	200	Vertical	Pass
3	5464.120	58.46	3.98	68.2	9.74	Peak	84.00	150	Vertical	Pass
3**	5464.120	47.70	3.98	--	--	AV	84.00	150	Vertical	N/A
4	5469.940	57.18	4.06	68.2	11.02	Peak	244.00	200	Vertical	Pass
4**	5469.940	47.29	4.06	--	--	AV	244.00	200	Vertical	N/A

U-NII-2C&U-NII-3 11ac40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.37	3.49	68.3	11.93	Peak	222.00	150	Vertical	Pass
2	5964.900	59.84	3.92	68.2	8.36	Peak	198.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5363.020	60.55	4.47	74.0	13.45	Peak	264.00	200	Vertical	Pass
1**	5363.020	48.71	4.47	54.0	5.29	AV	264.00	200	Vertical	Pass
2	5459.980	56.85	4.04	74.0	17.15	Peak	240.00	150	Vertical	Pass
2**	5459.980	47.49	4.04	54.0	6.51	AV	240.00	150	Vertical	Pass
3	5462.260	58.86	3.96	68.2	9.34	Peak	150.00	200	Vertical	Pass
3**	5462.260	47.58	3.96	--	--	AV	150.00	200	Vertical	N/A
4	5469.940	57.02	4.06	68.2	11.18	Peak	351.00	200	Vertical	Pass
4**	5469.940	47.35	4.06	--	--	AV	351.00	200	Vertical	N/A

U-NII-2C&U-NII-3 11ac80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.65	3.49	68.3	11.65	Peak	220.00	150	Vertical	Pass
2	5943.150	59.84	4.27	68.2	8.36	Peak	98.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5401.120	60.30	4.66	74.0	13.70	Peak	181.00	150	Vertical	Pass
1**	5401.120	48.62	4.66	54.0	5.38	AV	181.00	150	Vertical	Pass
2	5459.980	57.70	4.04	74.0	16.30	Peak	122.00	150	Vertical	Pass
2**	5459.980	47.97	4.04	54.0	6.03	AV	122.00	150	Vertical	Pass
3	5466.640	58.75	3.91	68.2	9.45	Peak	342.00	200	Vertical	Pass
3**	5466.640	47.23	3.91	--	--	AV	342.00	200	Vertical	N/A
4	5469.940	57.74	4.06	68.2	10.46	Peak	3.00	100	Vertical	Pass
4**	5469.940	47.34	4.06	--	--	AV	3.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11ax20 CH144




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	56.86	3.49	68.3	11.44	Peak	360.00	150	Vertical	Pass
2	5937.300	60.44	4.24	68.2	7.76	Peak	27.00	100	Vertical	Pass

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5400.100	60.18	4.65	74.0	13.82	Peak	85.00	100	Vertical	Pass
1**	5400.100	48.58	4.65	54.0	5.42	AV	85.00	100	Vertical	Pass
2	5459.980	56.50	4.04	74.0	17.50	Peak	268.00	150	Vertical	Pass
2**	5459.980	47.45	4.04	54.0	6.55	AV	268.00	150	Vertical	Pass
3	5464.660	58.51	3.94	68.2	9.69	Peak	360.00	100	Vertical	Pass
3**	5464.660	47.33	3.94	--	--	AV	360.00	100	Vertical	N/A
4	5469.940	57.30	4.06	68.2	10.90	Peak	73.00	200	Vertical	Pass
4**	5469.940	47.32	4.06	--	--	AV	73.00	200	Vertical	N/A

U-NII-2C&U-NII-3 11ax40 CH142




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.27	3.49	68.3	11.03	Peak	228.00	100	Vertical	Pass
2	5938.950	59.82	4.35	68.2	8.38	Peak	132.00	150	Vertical	Pass

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.480	60.32	5.05	74.0	13.68	Peak	25.00	150	Vertical	Pass
1**	5350.480	48.89	5.05	54.0	5.11	AV	25.00	150	Vertical	Pass
2	5459.980	56.11	4.04	74.0	17.89	Peak	134.00	100	Vertical	Pass
2**	5459.980	47.65	4.04	54.0	6.35	AV	134.00	100	Vertical	Pass
3	5463.700	58.92	4.01	68.2	9.28	Peak	259.00	200	Vertical	Pass
3**	5463.700	47.41	4.01	--	--	AV	259.00	200	Vertical	N/A
4	5469.940	56.97	4.06	68.2	11.23	Peak	69.00	100	Vertical	Pass
4**	5469.940	47.29	4.06	--	--	AV	69.00	100	Vertical	N/A

U-NII-2C&U-NII-3 11ax80 CH138




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	57.68	3.49	68.3	10.62	Peak	342.00	150	Vertical	Pass
2	5972.550	59.75	3.98	68.2	8.45	Peak	237.00	150	Vertical	Pass

U-NII-5 11ax20(SU) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5659.163	59.31	4.33	88.2	28.89	Peak	208.00	100	Vertical	Pass
1**	5659.163	47.73	4.33	68.2	20.47	AV	208.00	100	Vertical	Pass
2	5924.788	56.30	3.47	88.2	31.90	Peak	302.00	100	Vertical	Pass
2**	5924.788	46.40	3.47	68.2	21.80	AV	302.00	100	Vertical	Pass

U-NII-5 11ax40(SU) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5638.125	59.92	4.79	88.2	28.28	Peak	319.00	200	Vertical	Pass
1**	5638.125	48.00	4.79	68.2	20.20	AV	319.00	200	Vertical	Pass
2	5924.788	55.36	3.47	88.2	32.84	Peak	220.00	100	Vertical	Pass
2**	5924.788	46.27	3.47	68.2	21.93	AV	220.00	100	Vertical	Pass

U-NII-5 11ax80(SU) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5844.888	59.53	5.26	88.2	28.67	Peak	114.00	150	Vertical	Pass
1**	5844.888	47.94	5.26	68.2	20.26	AV	114.00	150	Vertical	Pass
2	5924.788	56.82	3.47	88.2	31.38	Peak	322.00	100	Vertical	Pass
2**	5924.788	46.12	3.47	68.2	22.08	AV	322.00	100	Vertical	Pass

U-NII-5 11ax160(SU) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5760.312	59.51	4.20	88.2	28.69	Peak	346.00	150	Vertical	Pass
1**	5760.312	47.23	4.20	68.2	20.97	AV	346.00	150	Vertical	Pass
2	5924.788	55.45	3.47	88.2	32.75	Peak	197.00	100	Vertical	Pass
2**	5924.788	46.08	3.47	68.2	22.12	AV	197.00	100	Vertical	Pass

U-NII-5 11ax20(RU26) CH1




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.513	59.30	4.94	88.2	28.90	Peak	337.00	150	Vertical	Pass
1**	5634.513	47.96	4.94	68.2	20.24	AV	337.00	150	Vertical	Pass
2	5924.788	55.57	3.47	88.2	32.63	Peak	102.00	150	Vertical	Pass
2**	5924.788	46.03	3.47	68.2	22.17	AV	102.00	150	Vertical	Pass

U-NII-5 11ax40(RU26) CH3




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5854.875	59.54	4.99	88.2	28.66	Peak	277.00	100	Vertical	Pass
1**	5854.875	47.80	4.99	68.2	20.40	AV	277.00	100	Vertical	Pass
2	5924.788	55.60	3.47	88.2	32.60	Peak	332.00	150	Vertical	Pass
2**	5924.788	46.35	3.47	68.2	21.85	AV	332.00	150	Vertical	Pass

U-NII-5 11ax80(RU26) CH7




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.425	59.00	4.94	88.2	29.20	Peak	223.00	100	Vertical	Pass
1**	5636.425	48.34	4.94	68.2	19.86	AV	223.00	100	Vertical	Pass
2	5924.788	56.00	3.47	88.2	32.20	Peak	280.00	200	Vertical	Pass
2**	5924.788	46.36	3.47	68.2	21.84	AV	280.00	200	Vertical	Pass

U-NII-5 11ax160(RU26) CH15




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5706.763	59.52	3.94	88.2	28.68	Peak	100.00	100	Vertical	Pass
1**	5706.763	47.24	3.94	68.2	20.96	AV	100.00	100	Vertical	Pass
2	5924.788	55.82	3.47	88.2	32.38	Peak	251.00	150	Vertical	Pass
2**	5924.788	46.47	3.47	68.2	21.73	AV	251.00	150	Vertical	Pass

U-NII-8 11ax20(SU) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.50	6.90	88.2	28.70	Peak	247.00	150	Vertical	Pass
1**	7125.063	49.51	6.90	68.2	18.69	AV	247.00	150	Vertical	Pass
2	7198.875	64.59	10.24	88.2	23.61	Peak	181.00	200	Vertical	Pass
2**	7198.875	52.50	10.24	68.2	15.70	AV	181.00	200	Vertical	Pass

U-NII-8 11ax20(SU) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	71.06	6.89	88.2	17.14	Peak	297.00	200	Vertical	Pass
1**	7125.000	64.19	6.89	68.2	4.01	AV	297.00	200	Vertical	Pass
2	7125.188	71.26	6.91	88.2	16.94	Peak	288.00	100	Vertical	Pass
2**	7125.188	61.03	6.91	68.2	7.17	AV	288.00	100	Vertical	Pass

U-NII-8 11ax40(SU) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.49	6.90	88.2	28.71	Peak	104.00	100	Vertical	Pass
1**	7125.063	49.59	6.90	68.2	18.61	AV	104.00	100	Vertical	Pass
2	7200.187	64.00	10.13	88.2	24.20	Peak	126.00	100	Vertical	Pass
2**	7200.187	52.46	10.13	68.2	15.74	AV	126.00	100	Vertical	Pass

U-NII-8 11ax80(SU) CH215




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.97	6.89	88.2	28.23	Peak	226.00	100	Vertical	Pass
1**	7125.000	49.71	6.89	68.2	18.49	AV	226.00	100	Vertical	Pass
2	7195.188	64.03	9.88	88.2	24.17	Peak	294.00	150	Vertical	Pass
2**	7195.188	51.88	9.88	68.2	16.32	AV	294.00	150	Vertical	Pass

U-NII-8 11ax160(SU) CH207




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.36	6.89	88.2	28.84	Peak	101.00	200	Vertical	Pass
1**	7125.000	49.68	6.89	68.2	18.52	AV	101.00	200	Vertical	Pass
2	7199.063	63.59	10.24	88.2	24.61	Peak	187.00	100	Vertical	Pass
2**	7199.063	52.54	10.24	68.2	15.66	AV	187.00	100	Vertical	Pass

U-NII-8 11ax20(RU26) CH229




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.36	6.89	88.2	28.84	Peak	337.00	100	Vertical	Pass
1**	7125.000	49.63	6.89	68.2	18.57	AV	337.00	100	Vertical	Pass
2	7196.625	63.63	10.11	88.2	24.57	Peak	114.00	200	Vertical	Pass
2**	7196.625	52.13	10.11	68.2	16.07	AV	114.00	200	Vertical	Pass

U-NII-8 11ax20(RU26) CH233




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	73.91	6.89	88.2	14.29	Peak	305.00	150	Vertical	Pass
1**	7125.000	64.21	6.89	68.2	3.99	AV	305.00	150	Vertical	Pass
2	7125.188	70.80	6.91	88.2	17.40	Peak	290.00	200	Vertical	Pass
2**	7125.188	61.01	6.91	68.2	7.19	AV	290.00	200	Vertical	Pass

U-NII-8 11ax40(RU26) CH227




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	59.58	6.90	88.2	28.62	Peak	254.00	150	Vertical	Pass
1**	7125.063	49.76	6.90	68.2	18.44	AV	254.00	150	Vertical	Pass
2	7193.438	63.52	9.83	88.2	24.68	Peak	21.00	150	Vertical	Pass
2**	7193.438	51.93	9.83	68.2	16.27	AV	21.00	150	Vertical	Pass

U-NII-8 11ax80(RU26) CH215



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.063	60.15	6.90	88.2	28.05	Peak	199.00	100	Vertical	Pass
1**	7125.063	49.84	6.90	68.2	18.36	AV	199.00	100	Vertical	Pass
2	7197.063	63.68	10.18	88.2	24.52	Peak	360.00	200	Vertical	Pass
2**	7197.063	52.15	10.18	68.2	16.05	AV	360.00	200	Vertical	Pass

U-NII-8 11ax160(RU26) CH207



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	7125.000	59.84	6.89	88.2	28.36	Peak	0.00	200	Vertical	Pass
1**	7125.000	49.48	6.89	68.2	18.72	AV	0.00	200	Vertical	Pass
2	7198.250	63.97	10.24	88.2	24.23	Peak	205.00	150	Vertical	Pass
2**	7198.250	52.25	10.24	68.2	15.95	AV	205.00	150	Vertical	Pass

A.7 Contention Based Protocol

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted ☐ Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 0.96 dBi. The Regulated Threshold Level = -62 dBm + G (0.96 dBi) = -61.04 dBm


Test Data

U-NII-5 (5925 MHz to 6425 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	37	6135	6135	-72.13	90%	-61.04	11.09	Pass
802.11ax (HE160)	47	6185	6110	-70.26	100%	-61.04	9.22	Pass
			6185	-65.72	90%	-61.04	4.68	Pass
			6260	-69.84	100%	-61.04	8.80	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 53




Date: 8 FEB 2023 14:13:07

802.11ax (HE160)-Channel 47 (Low Edge)




Date: 8 FEB 2023 14:18:42

802.11ax (HE160)-Channel 47 (Middle Edge)



Date: 8 FEB 2023 14:19:45


802.11ax (HE160)-Channel 47 (High Edge)



Date: 8 FEB 2023 14:20:39


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 53




Date: 8 FEB 2023 14:08:56

802.11ax (HE160)-Channel 47 (Low Edge)




Date: 8 FEB 2023 10:03:47

802.11ax (HE160)-Channel 47 (Middle Edge)



Date: 8 FEB 2023 08:03:50

802.11ax (HE160)-Channel 47 (High Edge)



Date: 8 FEB 2023 10:10:01

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level


Test Method	Interference threshold level
☒ Conducted ☐ Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 0.75 dBi. The Regulated Threshold Level = -62 dBm + G (0.75 dBi) = -61.25 dBm

Test Data

U-NII-6 (6425 MHz to 6525 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	97	6435	6435	-70.41	100%	-61.25	9.16	Pass
802.11ax (HE160)	111	6505	6430	-69.15	100%	-61.25	7.90	Pass
			6505	-66.20	90%	-61.25	4.95	Pass
			6580	-69.55	100%	-61.25	8.30	Pass


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 101




Date: 8 FEB 2023 13:44:58

802.11ax (HE160)-Channel 111 (Low Edge)




Date: 8 FEB 2023 10:22:10

802.11ax (HE160)-Channel 111 (Middle Edge)



Date: 8 FEB 2023 09:49:05

802.11ax (HE160)-Channel 111 (High Edge)



Date: 8 FEB 2023 12:24:56

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted ☐ Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 0.77 dBi. The Regulated Threshold Level = -62 dBm + G (0.77 dBi) = -61.23 dBm


Test Data

U-NII-7 (6425 MHz to 6875 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	129	6595	6595	-70.71	100%	-61.23	9.48	Pass
802.11ax (HE160)	143	6665	6590	-70.10	100%	-61.23	8.87	Pass
			6665	-66.66	100%	-61.23	5.43	Pass
			6740	-70.15	90%	-61.23	8.92	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 149




Date: 8 FEB 2023 14:15:20

802.11ax (HE160)-Channel 143 (Low Edge)




Date: 8 FEB 2023 14:24:46

802.11ax (HE160)-Channel 143 (Middle Edge)



Date: 8 FEB 2023 14:26:10


802.11ax (HE160)-Channel 143 (High Edge)



Date: 8 FEB 2023 14:27:04


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 149




Date: 8 FEB 2023 13:53:49

802.11ax (HE160)-Channel 143 (Low Edge)




Date: 8 FEB 2023 12:35:13

802.11ax (HE160)-Channel 143 (Middle Edge)



Date: 8 FEB 2023 09:22:45

802.11ax (HE160)-Channel 143 (High Edge)



Date: 8 FEB 2023 12:43:31

Interference Signals used for Tests

Interference Signals Type	Bandwidth (MHz)
AWGN	10

Regulated Threshold Level

Test Method	Interference threshold level
☒ Conducted ☐ Radiation	The Regulated Threshold Level = -62 dBm (assumes a 0 dBi receive antenna) and minimum antenna gain is 1.56 dBi. The Regulated Threshold Level = -62 dBm + G (1.56 dBi) = -60.44 dBm


Test Data

U-NII-8 (6875 MHz to 7125 MHz)								
Operation Mode	Channel Number	Channel Frequency (MHz)	AWGN Signal Frequency (MHz)	Measured Detection Level (dBm)	Detection Rate	Regulated Threshold Level (dBm)	Margin (dB)	Verdict
802.11ax (HE20)	193	6915	6915	-69.86	100%	-60.44	9.42	Pass
802.11ax (HE160)	207	6985	6910	-68.77	100%	-60.44	8.33	Pass
			6985	-64.01	100%	-60.44	3.57	Pass
			7060	-66.27	100%	-60.44	5.83	Pass

Test Plots


Plots of Incumbent signal(AWGN) Level

802.11ax (HE20)-Channel 213




Date: 8 FEB 2023 14:16:54

802.11ax (HE160)-Channel 207 (Low Edge)




Date: 8 FEB 2023 14:27:54

802.11ax (HE160)-Channel 207 (Middle Edge)



Date: 8 FEB 2023 14:28:45


802.11ax (HE160)-Channel 207 (High Edge)



Date: 8 FEB 2023 14:29:56


Plots of EUT Tx waveform

802.11ax (HE20)-Channel 213




Date: 8 FEB 2023 13:59:43

802.11ax (HE160)-Channel 207 (Low Edge)




Date: 8 FEB 2023 12:56:22

802.11ax (HE160)-Channel 207 (Middle Edge)



Date: 8 FEB 2023 09:34:16

802.11ax (HE160)-Channel 207 (High Edge)



Date: 8 FEB 2023 13:14:29

A.8 In-Band Emissions

Main Antenna

11ax20(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.3	5924.7	-60.53	-68.24	-20.53	Pass
-30	-20	0.2	-22.68	5932.32	-50.35	-58.07	-19.14	Pass
-20	-11	0.2	-11	5944	-37.05	-44.76	-17.05	Pass
-11	-10	0.2	-11	5944	-36.87	-44.59	-16.87	Pass
10	11	0.2	10.940055	5965.940054	-35.38	-43.1	16.58	Pass
11	20	0.2	11.1	5966.1	-35.84	-43.56	15.75	Pass
20	30	0.2	21.9	5976.9	-50.59	-58.31	20.31	Pass
30	60	0.2	30.42	5985.42	-60.72	-68.44	20.72	Pass

11ax20(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.14	6143.86	-62.19	-69.65	-22.19	Pass
-30	-20	0.2	-20.04	6154.96	-48.19	-55.65	-20.14	Pass
-20	-11	0.2	-11.1	6163.9	-36.73	-44.19	-16.64	Pass
-11	-10	0.2	-11	6164	-36.47	-43.93	-16.47	Pass
10	11	0.2	11	6186	-37.13	-44.59	17.13	Pass
11	20	0.2	11.04	6186.04	-36.29	-43.75	16.25	Pass
20	30	0.2	29.88	6204.88	-61.96	-69.41	22.1	Pass
30	60	0.2	37.8	6212.8	-61.69	-69.15	21.69	Pass

11ax20(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.44	6383.56	-62.05	-69.48	-22.05	Pass
-30	-20	0.2	-30	6385	-62.78	-70.22	-22.78	Pass
-20	-11	0.2	-11	6404	-35.67	-43.11	-15.67	Pass
-11	-10	0.2	-11	6404	-37.44	-44.88	-17.44	Pass
10	11	0.2	11	6426	-37.18	-44.62	17.18	Pass
11	20	0.2	11	6426	-36.38	-43.82	16.38	Pass
20	30	0.2	29.76	6444.76	-61.99	-69.42	22.28	Pass
30	60	0.2	31.44	6446.44	-62.06	-69.49	22.06	Pass

11ax40(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.84	5904.16	-58.97	-63.59	-18.97	Pass
-60	-40	0.4	-41.52	5923.48	-46.66	-51.28	-17.75	Pass
-40	-21	0.4	-33.883058	5931.116942	-42.7	-47.32	-17.27	Pass
-21	-20	0.4	-21	5944	-37.93	-42.55	-17.93	Pass
20	21	0.4	21	5986	-38.26	-42.88	18.26	Pass
21	40	0.4	21.049475	5986.049475	-38.18	-42.8	18.16	Pass
40	60	0.4	57	6022	-57.47	-62.09	19.27	Pass
60	120	0.4	61.44	6026.44	-59.42	-64.04	19.42	Pass

11ax40(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.48	6104.52	-61.67	-66.61	-21.67	Pass
-60	-40	0.4	-40.2	6124.8	-44.77	-49.71	-16.65	Pass
-40	-21	0.4	-36.161919	6128.838081	-42.63	-47.57	-16.24	Pass
-21	-20	0.4	-21	6144	-37.04	-41.98	-17.04	Pass
20	21	0.4	21	6186	-38.17	-43.12	18.17	Pass
21	40	0.4	21.049475	6186.049475	-38.12	-43.06	18.1	Pass
40	60	0.4	59.88	6224.88	-61.95	-66.89	22.02	Pass
60	120	0.4	62.04	6227.04	-61.02	-65.97	21.02	Pass

11ax40(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-63	6342	-61.68	-66.01	-21.68	Pass
-60	-40	0.4	-59.16	6345.84	-61.94	-66.27	-22.44	Pass
-40	-21	0.4	-21	6384	-39.13	-43.47	-19.13	Pass
-21	-20	0.4	-21	6384	-39.13	-43.47	-19.13	Pass
20	21	0.4	21	6426	-39.79	-44.12	19.79	Pass
21	40	0.4	21	6426	-39.79	-44.12	19.79	Pass
40	60	0.4	59.52	6464.52	-61.79	-66.12	22.08	Pass
60	120	0.4	60.36	6465.36	-61.54	-65.88	21.54	Pass

11ax80(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-225.12	5759.88	-50.47	-54.87	-10.47	Pass
-120	-80	0.8	-102.48	5882.52	-48.75	-53.15	-14.01	Pass
-80	-41	0.8	-41	5944	-32.74	-37.14	-12.74	Pass
-41	-40	0.8	-41	5944	-32.74	-37.14	-12.74	Pass
40	41	0.8	41	6026	-33.82	-38.22	13.82	Pass
41	80	0.8	41	6026	-33.82	-38.22	13.82	Pass
80	120	0.8	120	6105	-56.13	-60.52	16.13	Pass
120	240	0.8	121.68	6106.68	-55.92	-60.32	15.92	Pass

11ax80(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.72	6024.28	-57.53	-61.39	-17.53	Pass
-120	-80	0.8	-84	6061	-42.85	-46.72	-13.65	Pass
-80	-41	0.8	-74.002999	6070.99700 1	-39.87	-43.74	-13.1	Pass
-41	-40	0.8	-41	6104	-33.12	-36.99	-13.12	Pass
40	41	0.8	41	6186	-33.97	-37.84	13.97	Pass
41	80	0.8	41	6186	-33.97	-37.84	13.97	Pass
80	120	0.8	119.28	6264.28	-56.93	-60.8	17.14	Pass
120	240	0.8	120.96	6265.96	-57.65	-61.51	17.65	Pass

11ax80(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.96	6264.04	-60.06	-63.83	-20.06	Pass
-120	-80	0.8	-88.8	6296.2	-48.38	-52.16	-17.74	Pass
-80	-41	0.8	-41	6344	-32.54	-36.31	-12.54	Pass
-41	-40	0.8	-41	6344	-32.54	-36.31	-12.54	Pass
40	41	0.8	41	6426	-33.84	-37.61	13.84	Pass
41	80	0.8	41.13943	6426.13943	-33.42	-37.2	13.39	Pass
80	120	0.8	118.56	6503.56	-60.18	-63.96	20.61	Pass
120	240	0.8	125.76	6510.76	-60.42	-64.2	20.42	Pass

11ax160(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-265.2	5759.8	-51.72	-56.21	-11.72	Pass
-255	-170	1.6	-191.76	5833.24	-42.32	-46.81	-11.24	Pass
-170	-86	1.6	- 159.295352	5865.70464 8	-36	-40.5	-9.02	Pass
-86	-85	1.6	-86	5939	-33.74	-38.24	-13.74	Pass
85	86	1.6	86	6111	-37.53	-42.03	17.53	Pass
86	170	1.6	162.863568	6187.86356 8	-39.29	-43.79	11.97	Pass
170	255	1.6	182.07	6207.07	-43.01	-47.51	13.3	Pass
255	510	1.6	258.06	6283.06	-52.99	-57.49	12.99	Pass

11ax160(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-424.83	5760.17	-54.26	-58.28	-14.26	Pass
-255	-170	1.6	-178.5	6006.5	-41.81	-45.84	-12.61	Pass
-170	-86	1.6	- 164.902549	6020.09745 1	-37.91	-41.94	-10.39	Pass
-86	-85	1.6	-86	6099	-34.26	-38.28	-14.26	Pass
85	86	1.6	86	6271	-38.59	-42.62	18.59	Pass
86	170	1.6	168.470765	6353.47076 5	-44.33	-48.36	16.47	Pass
170	255	1.6	252.45	6437.45	-55.01	-59.04	15.37	Pass
255	510	1.6	255.51	6440.51	-55.57	-59.59	15.57	Pass

11ax160(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-258.57	6086.43	-57.85	-61.73	-17.85	Pass
-255	-170	1.6	-191.25	6153.75	-44.23	-48.11	-13.23	Pass
-170	-86	1.6	- 158.785607	6186.21439 3	-38.67	-42.55	-11.73	Pass
-86	-85	1.6	-86	6259	-36.03	-39.91	-16.03	Pass
85	86	1.6	86	6431	-39.47	-43.35	19.47	Pass
86	170	1.6	86.401799	6431.40179 9	-39.48	-43.36	19.44	Pass
170	255	1.6	255	6600	-57.85	-61.73	17.85	Pass
255	510	1.6	257.55	6602.55	-57.36	-61.24	17.36	Pass

11ax20(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.12	6404.88	-61.7	-69.36	-21.7	Pass
-30	-20	0.2	-30	6405	-62.06	-69.73	-22.06	Pass
-20	-11	0.2	-11.1	6423.9	-36.83	-44.49	-16.74	Pass
-11	-10	0.2	-11	6424	-36.9	-44.56	-16.9	Pass
10	11	0.2	11	6446	-36.32	-43.98	16.32	Pass
11	20	0.2	11	6446	-37.21	-44.88	17.21	Pass
20	30	0.2	30	6465	-61.54	-69.21	21.54	Pass
30	60	0.2	30	6465	-61.54	-69.21	21.54	Pass

11ax20(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.3	6441.7	-62.13	-70.11	-22.13	Pass
-30	-20	0.2	-29.88	6445.12	-61.95	-69.93	-22.09	Pass
-20	-11	0.2	-11	6464	-37.17	-45.15	-17.17	Pass
-11	-10	0.2	-11	6464	-36.85	-44.83	-16.85	Pass
10	11	0.2	11	6486	-36.85	-44.83	16.85	Pass
11	20	0.2	11.16	6486.16	-36.03	-44.01	15.89	Pass
20	30	0.2	29.94	6504.94	-62.13	-70.11	22.2	Pass
30	60	0.2	30.72	6505.72	-62.13	-70.11	22.13	Pass

11ax20(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.68	6483.32	-61.83	-69.94	-21.83	Pass
-30	-20	0.2	-30	6485	-62.12	-70.23	-22.12	Pass
-20	-11	0.2	-11.04	6503.96	-35.41	-43.53	-15.38	Pass
-11	-10	0.2	-11	6504	-36.83	-44.95	-16.83	Pass
10	11	0.2	11	6526	-36.07	-44.18	16.07	Pass
11	20	0.2	11.1	6526.1	-36.74	-44.86	16.66	Pass
20	30	0.2	29.76	6544.76	-62.68	-70.79	22.97	Pass
30	60	0.2	34.74	6549.74	-62.35	-70.46	22.35	Pass

11ax40(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-102.96	6342.04	-61.7	-66.52	-21.7	Pass
-60	-40	0.4	-59.4	6385.6	-61.69	-66.51	-22.05	Pass
-40	-21	0.4	-21	6424	-39.38	-44.2	-19.38	Pass
-21	-20	0.4	-21	6424	-39.38	-44.2	-19.38	Pass
20	21	0.4	21	6466	-39.04	-43.86	19.04	Pass
21	40	0.4	21	6466	-39.04	-43.86	19.04	Pass
40	60	0.4	59.76	6504.76	-61.74	-66.56	21.88	Pass
60	120	0.4	67.44	6512.44	-61.7	-66.52	21.7	Pass

11ax40(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.48	6424.52	-61.56	-66.36	-21.56	Pass
-60	-40	0.4	-59.52	6425.48	-62.01	-66.81	-22.3	Pass
-40	-21	0.4	-21	6464	-39.2	-44	-19.2	Pass
-21	-20	0.4	-21	6464	-39.2	-44	-19.2	Pass
20	21	0.4	21	6506	-39.53	-44.34	19.53	Pass
21	40	0.4	21	6506	-39.53	-44.34	19.53	Pass
40	60	0.4	59.88	6544.88	-62.08	-66.89	22.16	Pass
60	120	0.4	63.6	6548.6	-61.94	-66.74	21.94	Pass

11ax40(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.84	6464.16	-61.8	-66.26	-21.8	Pass
-60	-40	0.4	-59.52	6465.48	-62.22	-66.68	-22.51	Pass
-40	-21	0.4	-21	6504	-39.03	-43.49	-19.03	Pass
-21	-20	0.4	-21	6504	-39.03	-43.49	-19.03	Pass
20	21	0.4	21	6546	-39.39	-43.85	19.39	Pass
21	40	0.4	21	6546	-39.39	-43.85	19.39	Pass
40	60	0.4	60	6585	-62.44	-66.91	22.44	Pass
60	120	0.4	63	6588	-62.24	-66.7	22.24	Pass

11ax80(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-127.68	6337.32	-60.2	-64.37	-20.2	Pass
-120	-80	0.8	-80.64	6384.36	-46.55	-50.71	-18.36	Pass
-80	-41	0.8	-41	6424	-33.74	-37.91	-13.74	Pass
-41	-40	0.8	-41	6424	-33.74	-37.91	-13.74	Pass
40	41	0.8	41	6506	-34.34	-38.5	14.34	Pass
41	80	0.8	41.13943	6506.13943	-34.06	-38.23	14.03	Pass
80	120	0.8	117.6	6582.6	-60.36	-64.52	21.08	Pass
120	240	0.8	130.32	6595.32	-60.58	-64.74	20.58	Pass

11ax80(SU), U-NII-6, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-121.44	6423.56	-58.21	-62.7	-18.21	Pass
-120	-80	0.8	-83.04	6461.96	-47.04	-51.54	-18.13	Pass
-80	-41	0.8	-41.13943	6503.86057	-32.48	-36.98	-12.45	Pass
-41	-40	0.8	-41	6504	-33.61	-38.1	-13.61	Pass
40	41	0.8	41	6586	-33.81	-38.3	13.81	Pass
41	80	0.8	41	6586	-33.81	-38.3	13.81	Pass
80	120	0.8	119.52	6664.52	-59.16	-63.66	19.31	Pass
120	240	0.8	123.84	6668.84	-59	-63.5	19	Pass

11ax160(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-265.71	6239.29	-57.5	-61.77	-17.5	Pass
-255	-170	1.6	-186.66	6318.34	-44.16	-48.43	-13.81	Pass
-170	-86	1.6	- 167.961019	6337.03898 1	-40.06	-44.33	-12.26	Pass
-86	-85	1.6	-86	6419	-37.41	-41.68	-17.41	Pass
85	86	1.6	86	6591	-39.58	-43.85	19.58	Pass
86	170	1.6	142.983508	6647.98350 8	-44.51	-48.78	19.08	Pass
170	255	1.6	255	6760	-58.37	-62.64	18.37	Pass
255	510	1.6	270.81	6775.81	-57.86	-62.13	17.86	Pass

11ax20(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33	6502	-62.06	-69.82	-22.06	Pass
-30	-20	0.2	-21.24	6513.76	-50.98	-58.73	-21.49	Pass
-20	-11	0.2	-11.1	6523.9	-36.65	-44.41	-16.56	Pass
-11	-10	0.2	-11	6524	-35.79	-43.55	-15.79	Pass
10	11	0.2	11	6546	-36.69	-44.45	16.69	Pass
11	20	0.2	11.04	6546.04	-36.65	-44.4	16.61	Pass
20	30	0.2	29.28	6564.28	-62.04	-69.8	22.9	Pass
30	60	0.2	31.56	6566.56	-62.16	-69.91	22.16	Pass

11ax20(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.12	6684.88	-61.47	-68.81	-21.47	Pass
-30	-20	0.2	-22.2	6692.8	-50.36	-57.7	-19.72	Pass
-20	-11	0.2	-11	6704	-36.67	-44.01	-16.67	Pass
-11	-10	0.2	-11	6704	-36.65	-43.99	-16.65	Pass
10	11	0.2	11	6726	-36.75	-44.09	16.75	Pass
11	20	0.2	11.1	6726.1	-36.33	-43.66	16.24	Pass
20	30	0.2	29.58	6744.58	-61.44	-68.78	21.94	Pass
30	60	0.2	30.72	6745.72	-61.36	-68.7	21.36	Pass

11ax20(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.48	6824.52	-60.57	-68.97	-20.57	Pass
-30	-20	0.2	-21.78	6833.22	-46.76	-55.16	-16.63	Pass
-20	-11	0.2	-11	6844	-35.59	-43.99	-15.59	Pass
-11	-10	0.2	-11	6844	-35.24	-43.64	-15.24	Pass
10	11	0.2	11	6866	-36.7	-45.1	16.7	Pass
11	20	0.2	11	6866	-36.51	-44.9	16.51	Pass
20	30	0.2	29.82	6884.82	-61.29	-69.69	21.51	Pass
30	60	0.2	31.32	6886.32	-60.68	-69.08	20.68	Pass

11ax40(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.12	6504.88	-61.89	-66.11	-21.89	Pass
-60	-40	0.4	-42.48	6522.52	-51.42	-55.64	-21.93	Pass
-40	-21	0.4	-21	6544	-38.47	-42.69	-18.47	Pass
-21	-20	0.4	-21	6544	-38.47	-42.69	-18.47	Pass
20	21	0.4	21	6586	-40.1	-44.32	20.1	Pass
21	40	0.4	21	6586	-40.1	-44.32	20.1	Pass
40	60	0.4	59.04	6624.04	-61.59	-65.81	22.17	Pass
60	120	0.4	62.88	6627.88	-62.39	-66.61	22.39	Pass

11ax40(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.48	6664.52	-59.72	-66.13	-19.72	Pass
-60	-40	0.4	-40.32	6684.68	-47.47	-53.88	-19.28	Pass
-40	-21	0.4	-21	6704	-37.79	-44.19	-17.79	Pass
-21	-20	0.4	-21	6704	-37.79	-44.19	-17.79	Pass
20	21	0.4	21	6746	-39.35	-45.76	19.35	Pass
21	40	0.4	21	6746	-39.35	-45.76	19.35	Pass
40	60	0.4	60	6785	-59.87	-66.27	19.87	Pass
60	120	0.4	63.12	6788.12	-59.81	-66.22	19.81	Pass

11ax40(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-105.72	6739.28	-58.25	-66.27	-18.25	Pass
-60	-40	0.4	-41.16	6803.84	-46.11	-54.14	-17.42	Pass
-40	-21	0.4	-35.082459	6809.91754 1	-43.51	-51.54	-17.58	Pass
-21	-20	0.4	-21	6824	-37.9	-45.92	-17.9	Pass
20	21	0.4	21	6866	-40.07	-48.1	20.07	Pass
21	40	0.4	21	6866	-40.07	-48.1	20.07	Pass
40	60	0.4	59.64	6904.64	-58.99	-67.01	19.21	Pass
60	120	0.4	65.88	6910.88	-58.9	-66.92	18.9	Pass

11ax80(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-120.24	6504.76	-58.98	-64.02	-18.98	Pass
-120	-80	0.8	-83.76	6541.24	-46.32	-51.37	-17.2	Pass
-80	-41	0.8	-41.13943	6583.86057	-31.21	-36.25	-11.18	Pass
-41	-40	0.8	-41	6584	-32.27	-37.31	-12.27	Pass
40	41	0.8	41	6666	-34.93	-39.98	14.93	Pass
41	80	0.8	41.13943	6666.13943	-34.7	-39.74	14.67	Pass
80	120	0.8	119.04	6744.04	-59.54	-64.59	19.83	Pass
120	240	0.8	124.56	6749.56	-59.66	-64.7	19.66	Pass

11ax80(SU), U-NII-7, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.12	6581.88	-58.24	-64.2	-18.24	Pass
-120	-80	0.8	-80.88	6624.12	-44.19	-50.16	-15.93	Pass
-80	-41	0.8	-41	6664	-31.94	-37.9	-11.94	Pass
-41	-40	0.8	-41	6664	-31.94	-37.9	-11.94	Pass
40	41	0.8	41	6746	-35.96	-41.92	15.96	Pass
41	80	0.8	41	6746	-35.96	-41.92	15.96	Pass
80	120	0.8	120	6825	-59.24	-65.21	19.24	Pass
120	240	0.8	130.32	6835.32	-58.57	-64.54	18.57	Pass

11ax80(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-124.8	6660.2	-57.09	-64.53	-17.09	Pass
-120	-80	0.8	-84.48	6700.52	-44.45	-51.89	-15.1	Pass
-80	-41	0.8	-41.13943	6743.86057	-32.86	-40.3	-12.83	Pass
-41	-40	0.8	-41	6744	-32.89	-40.33	-12.89	Pass
40	41	0.8	41	6826	-35.32	-42.77	15.32	Pass
41	80	0.8	41	6826	-35.32	-42.77	15.32	Pass
80	120	0.8	119.28	6904.28	-57.98	-65.43	18.2	Pass
120	240	0.8	132.24	6917.24	-57.82	-65.26	17.82	Pass

11ax160(SU), U-NII-7, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-259.08	6405.92	-56.01	-61.58	-16.01	Pass
-255	-170	1.6	-181.05	6483.95	-42.02	-47.59	-12.46	Pass
-170	-86	1.6	- 160.824588	6504.17541 2	-37.68	-43.25	-10.55	Pass
-86	-85	1.6	-86	6579	-35.62	-41.19	-15.62	Pass
85	86	1.6	86	6751	-40.03	-45.6	20.03	Pass
86	170	1.6	148.590705	6813.59070 5	-43.37	-48.94	17.41	Pass
170	255	1.6	253.47	6918.47	-57.68	-63.25	17.89	Pass
255	510	1.6	260.61	6925.61	-57.52	-63.09	17.52	Pass

11ax160(SU), U-NII-7, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-259.59	6565.41	-53.25	-61.41	-13.25	Pass
-255	-170	1.6	-197.37	6627.63	-42.57	-50.73	-10.71	Pass
-170	-86	1.6	- 164.902549	6660.09745 1	-36.45	-44.61	-8.94	Pass
-86	-85	1.6	-86	6739	-33.59	-41.75	-13.59	Pass
85	86	1.6	86	6911	-39.74	-47.91	19.74	Pass
86	170	1.6	86	6911	-39.74	-47.91	19.74	Pass
170	255	1.6	255	7080	-55.09	-63.25	15.09	Pass
255	510	1.6	492.66	7317.66	-54.83	-63	14.83	Pass

11ax20(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.66	6844.34	-60.34	-68.48	-20.34	Pass
-30	-20	0.2	-23.76	6851.24	-49.02	-57.17	-16.51	Pass
-20	-11	0.2	-11	6864	-36.26	-44.41	-16.26	Pass
-11	-10	0.2	-11	6864	-35.36	-43.51	-15.36	Pass
10	11	0.2	11	6886	-36.39	-44.54	16.39	Pass
11	20	0.2	11.04	6886.04	-35.42	-43.56	15.38	Pass
20	30	0.2	30	6905	-60.58	-68.72	20.58	Pass
30	60	0.2	30.24	6905.24	-60.44	-68.58	20.44	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.3	6964.7	-58.5	-68.49	-18.5	Pass
-30	-20	0.2	-22.38	6972.62	-45.16	-55.15	-14.3	Pass
-20	-11	0.2	-11	6984	-34	-43.99	-14	Pass
-11	-10	0.2	-11	6984	-34.9	-44.89	-14.9	Pass
10	11	0.2	11	7006	-34.88	-44.87	14.88	Pass
11	20	0.2	11	7006	-34.82	-44.81	14.82	Pass
20	30	0.2	20.52	7015.52	-44.69	-54.68	16.06	Pass
30	60	0.2	30.48	7025.48	-59.02	-69.01	19.02	Pass

11ax20(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-32.88	7062.12	-59.14	-69.42	-19.14	Pass
-30	-20	0.2	-22.44	7072.56	-49.26	-59.54	-18.33	Pass
-20	-11	0.2	-11	7084	-36.91	-47.19	-16.91	Pass
-11	-10	0.2	-11	7084	-35.79	-46.07	-15.79	Pass
10	11	0.2	11	7106	-36.25	-46.53	16.25	Pass
11	20	0.2	11.04	7106.04	-35.86	-46.14	15.82	Pass
20	30	0.2	30	7125	-59.67	-69.95	19.67	Pass
30	60	0.2	31.74	7126.74	-59.12	-69.4	19.12	Pass

11ax20(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.72	7081.28	-58.79	-69.46	-18.79	Pass
-30	-20	0.2	-29.94	7085.06	-58.94	-69.61	-19.01	Pass
-20	-11	0.2	-11.1	7103.9	-35.72	-46.39	-15.64	Pass
-11	-10	0.2	-11	7104	-36.11	-46.78	-16.11	Pass
10	11	0.2	11	7126	-37.09	-47.76	17.09	Pass
11	20	0.2	11	7126	-36.04	-46.72	16.04	Pass
20	30	0.2	29.76	7144.76	-58.86	-69.53	19.14	Pass
30	60	0.2	48.78	7163.78	-58.88	-69.55	18.88	Pass

11ax40(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-60.84	6824.16	-57.42	-65.76	-17.42	Pass
-60	-40	0.4	-40.08	6844.92	-43.98	-52.32	-15.94	Pass
-40	-21	0.4	-36.281859	6848.71814 1	-42.42	-50.76	-15.99	Pass
-21	-20	0.4	-21	6864	-37.29	-45.62	-17.29	Pass
20	21	0.4	21	6906	-38.4	-46.73	18.4	Pass
21	40	0.4	21	6906	-38.4	-46.73	18.4	Pass
40	60	0.4	59.4	6944.4	-58.19	-66.52	18.55	Pass
60	120	0.4	67.44	6952.44	-58.01	-66.34	18.01	Pass

11ax40(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-61.44	6943.56	-56.4	-66.16	-16.4	Pass
-60	-40	0.4	-43.08	6961.92	-44.19	-53.96	-14.34	Pass
-40	-21	0.4	-35.202399	6969.79760 1	-40.24	-50.01	-14.26	Pass
-21	-20	0.4	-21	6984	-36.05	-45.82	-16.05	Pass
20	21	0.4	21	7026	-36.1	-45.87	16.1	Pass
21	40	0.4	21	7026	-36.1	-45.87	16.1	Pass
40	60	0.4	42.36	7047.36	-45.34	-55.11	15.92	Pass
60	120	0.4	63.6	7068.6	-56.88	-66.65	16.88	Pass

11ax40(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-95.4	6989.6	-56.24	-66.42	-16.24	Pass
-60	-40	0.4	-42.84	7042.16	-46.39	-56.57	-16.69	Pass
-40	-21	0.4	-37.241379	7047.75862 1	-44.26	-54.44	-17.42	Pass
-21	-20	0.4	-21	7064	-38.24	-48.42	-18.24	Pass
20	21	0.4	21	7106	-37.45	-47.63	17.45	Pass
21	40	0.4	21	7106	-37.45	-47.63	17.45	Pass
40	60	0.4	59.52	7144.52	-56.64	-66.82	16.93	Pass
60	120	0.4	102.6	7187.6	-56.22	-66.4	16.22	Pass

11ax80(SU), U-NII-8, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.84	6741.16	-55.26	-63.19	-15.26	Pass
-120	-80	0.8	-89.76	6775.24	-45.22	-53.15	-14.29	Pass
-80	-41	0.8	-41	6824	-32.19	-40.13	-12.19	Pass
-41	-40	0.8	-41	6824	-32.19	-40.13	-12.19	Pass
40	41	0.8	41	6906	-34.71	-42.64	14.71	Pass
41	80	0.8	41	6906	-34.71	-42.64	14.71	Pass
80	120	0.8	116.88	6981.88	-56.81	-64.75	17.75	Pass
120	240	0.8	123.84	6988.84	-57.19	-65.13	17.19	Pass

11ax80(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-128.16	6816.84	-54.08	-63.49	-14.08	Pass
-120	-80	0.8	-83.04	6861.96	-41.11	-50.51	-12.2	Pass
-80	-41	0.8	-70.644678	6874.35532 2	-37.92	-47.32	-11.83	Pass
-41	-40	0.8	-41	6904	-32.34	-41.75	-12.34	Pass
40	41	0.8	41	6986	-32.67	-42.08	12.67	Pass
41	80	0.8	41	6986	-32.67	-42.08	12.67	Pass
80	120	0.8	118.08	7063.08	-55.38	-64.78	15.95	Pass
120	240	0.8	126.72	7071.72	-55.01	-64.42	15.01	Pass

11ax80(SU), U-NII-8, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-123.36	6901.64	-53.93	-64.11	-13.93	Pass
-120	-80	0.8	-88.08	6936.92	-43.5	-53.68	-13.07	Pass
-80	-41	0.8	-41	6984	-31.24	-41.43	-11.24	Pass
-41	-40	0.8	-41	6984	-31.24	-41.43	-11.24	Pass
40	41	0.8	41	7066	-32.43	-42.62	12.43	Pass
41	80	0.8	41	7066	-32.43	-42.62	12.43	Pass
80	120	0.8	119.52	7144.52	-54.9	-65.09	15.04	Pass
120	240	0.8	237.6	7262.6	-54.28	-64.47	14.28	Pass

11ax160(SU), U-NII-8, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-267.24	6717.76	-51.01	-60.71	-11.01	Pass
-255	-170	1.6	-198.39	6786.61	-43	-52.7	-10.99	Pass
-170	-86	1.6	-168.98051	6816.01949	-37.4	-47.1	-9.5	Pass
-86	-85	1.6	-86	6899	-32.62	-42.32	-12.62	Pass
85	86	1.6	86	7071	-34.93	-44.63	14.93	Pass
86	170	1.6	86	7071	-34.93	-44.63	14.93	Pass
170	255	1.6	253.98	7238.98	-52.43	-62.12	12.57	Pass
255	510	1.6	256.02	7241.02	-51.87	-61.57	11.87	Pass

Aux. Antenna

11ax20(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-49.02	5905.98	-61.09	-68.66	-21.09	Pass
-30	-20	0.2	-29.58	5925.42	-60.73	-68.3	-21.23	Pass
-20	-11	0.2	-11	5944	-36.82	-44.4	-16.82	Pass
-11	-10	0.2	-10.940055	5944.059946	-36.01	-43.59	-17.21	Pass
10	11	0.2	11	5966	-36.93	-44.51	16.93	Pass
11	20	0.2	11.04	5966.04	-35.32	-42.89	15.28	Pass
20	30	0.2	29.88	5984.88	-61.49	-69.07	21.64	Pass
30	60	0.2	32.28	5987.28	-61.15	-68.73	21.15	Pass

11ax20(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.32	6143.68	-61.44	-69.2	-21.44	Pass
-30	-20	0.2	-21.18	6153.82	-49.07	-56.82	-19.65	Pass
-20	-11	0.2	-11.16	6163.84	-37.3	-45.06	-17.16	Pass
-11	-10	0.2	-11	6164	-36.35	-44.11	-16.35	Pass
10	11	0.2	11	6186	-35.87	-43.62	15.87	Pass
11	20	0.2	11	6186	-35.75	-43.5	15.75	Pass
20	30	0.2	21.54	6196.54	-50.28	-58.03	20.43	Pass
30	60	0.2	31.08	6206.08	-60.7	-68.46	20.7	Pass

11ax20(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-30.24	6384.76	-60.99	-68.62	-20.99	Pass
-30	-20	0.2	-29.58	6385.42	-61.14	-68.78	-21.65	Pass
-20	-11	0.2	-11.04	6403.96	-37.25	-44.88	-17.21	Pass
-11	-10	0.2	-10.940055	6404.05994 6	-35.88	-43.52	-17.08	Pass
10	11	0.2	11	6426	-36.16	-43.8	16.16	Pass
11	20	0.2	11	6426	-36.3	-43.93	16.3	Pass
20	30	0.2	29.88	6444.88	-61.16	-68.8	21.31	Pass
30	60	0.2	30.72	6445.72	-60.89	-68.53	20.89	Pass

11ax40(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-77.4	5887.6	-60.09	-65.98	-20.09	Pass
-60	-40	0.4	-60	5905	-60.4	-66.29	-20.4	Pass
-40	-21	0.4	-21	5944	-39.41	-45.3	-19.41	Pass
-21	-20	0.4	-21	5944	-39.41	-45.3	-19.41	Pass
20	21	0.4	21	5986	-40.41	-46.3	20.41	Pass
21	40	0.4	21.049475	5986.04947 5	-40.31	-46.19	20.29	Pass
40	60	0.4	60	6025	-61.3	-67.18	21.3	Pass
60	120	0.4	64.44	6029.44	-60.78	-66.67	20.78	Pass

11ax40(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-64.8	6100.2	-59.66	-66.92	-19.66	Pass
-60	-40	0.4	-60	6105	-60.1	-67.36	-20.1	Pass
-40	-21	0.4	-21	6144	-38.56	-45.82	-18.56	Pass
-21	-20	0.4	-21	6144	-38.56	-45.82	-18.56	Pass
20	21	0.4	21	6186	-39.48	-46.74	19.48	Pass
21	40	0.4	21	6186	-39.48	-46.74	19.48	Pass
40	60	0.4	60	6225	-59.71	-66.97	19.71	Pass
60	120	0.4	66.36	6231.36	-59.05	-66.31	19.05	Pass

11ax40(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-120	-60	0.4	-74.88	6330.12	-58.79	-66.47	-18.79	Pass
-60	-40	0.4	-59.04	6345.96	-58.91	-66.59	-19.49	Pass
-40	-21	0.4	-21	6384	-38.85	-46.53	-18.85	Pass
-21	-20	0.4	-21	6384	-38.85	-46.53	-18.85	Pass
20	21	0.4	20.929535	6425.929535	-37.85	-45.52	19.26	Pass
21	40	0.4	21	6426	-39.39	-47.06	19.39	Pass
40	60	0.4	59.88	6464.88	-59.87	-67.54	19.94	Pass
60	120	0.4	93.48	6498.48	-58.96	-66.63	18.96	Pass

11ax80(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-225.12	5759.88	-53.72	-59.77	-13.72	Pass
-120	-80	0.8	-119.28	5865.72	-58.87	-64.92	-19.08	Pass
-80	-41	0.8	-41	5944	-32.51	-38.57	-12.51	Pass
-41	-40	0.8	-41	5944	-32.51	-38.57	-12.51	Pass
40	41	0.8	41	6026	-34.52	-40.58	14.52	Pass
41	80	0.8	41	6026	-34.52	-40.58	14.52	Pass
80	120	0.8	120	6105	-59.8	-65.85	19.8	Pass
120	240	0.8	160.8	6145.8	-59.26	-65.31	19.26	Pass

11ax80(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-130.08	6014.92	-57.38	-64.5	-17.38	Pass
-120	-80	0.8	-118.56	6026.44	-57.44	-64.57	-17.88	Pass
-80	-41	0.8	-41.13943	6103.86057	-34.09	-41.21	-14.06	Pass
-41	-40	0.8	-41	6104	-34.14	-41.26	-14.14	Pass
40	41	0.8	41	6186	-34.76	-41.88	14.76	Pass
41	80	0.8	41	6186	-34.76	-41.88	14.76	Pass
80	120	0.8	119.04	6264.04	-57.22	-64.34	17.51	Pass
120	240	0.8	121.68	6266.68	-56.83	-63.95	16.83	Pass

11ax80(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-240	-120	0.8	-122.16	6262.84	-56.96	-64.48	-16.96	Pass
-120	-80	0.8	-119.76	6265.24	-57.03	-64.55	-17.1	Pass
-80	-41	0.8	-41	6344	-33.42	-40.95	-13.42	Pass
-41	-40	0.8	-41	6344	-33.42	-40.95	-13.42	Pass
40	41	0.8	41	6426	-33.42	-40.95	13.42	Pass
41	80	0.8	41	6426	-33.42	-40.95	13.42	Pass
80	120	0.8	119.76	6504.76	-57.97	-65.5	18.04	Pass
120	240	0.8	120.96	6505.96	-57.62	-65.14	17.62	Pass

11ax160(SU), U-NII-5, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-265.2	5759.8	-54.11	-60.58	-14.11	Pass
-255	-170	1.6	-255	5770	-55.3	-61.77	-15.3	Pass
-170	-86	1.6	- 169.490255	5855.50974 5	-44.51	-50.98	-16.56	Pass
-86	-85	1.6	-86	5939	-39.22	-45.69	-19.22	Pass
85	86	1.6	86	6111	-40.25	-46.72	20.25	Pass
86	170	1.6	86	6111	-40.25	-46.72	20.25	Pass
170	255	1.6	250.41	6275.41	-54.85	-61.32	15.49	Pass
255	510	1.6	267.24	6292.24	-55.27	-61.74	15.27	Pass

11ax160(SU), U-NII-5, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-425.34	5759.66	-53.92	-61.34	-13.92	Pass
-255	-170	1.6	-255	5930	-55.41	-62.83	-15.41	Pass
-170	-86	1.6	- 167.451274	6017.54872 6	-42.38	-49.8	-14.62	Pass
-86	-85	1.6	-86	6099	-36.91	-44.33	-16.91	Pass
85	86	1.6	86	6271	-37.15	-44.57	17.15	Pass
86	170	1.6	128.2009	6313.2009	-38.19	-45.61	14.17	Pass
170	255	1.6	254.49	6439.49	-55.06	-62.48	15.13	Pass
255	510	1.6	269.28	6454.28	-54.81	-62.23	14.81	Pass

11ax160(SU), U-NII-5, High Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-510	-255	1.6	-463.59	5881.41	-54.62	-62.21	-14.62	Pass
-255	-170	1.6	-253.98	6091.02	-55.42	-63.01	-15.56	Pass
-170	-86	1.6	- 156.236882	6188.76311 8	-41.6	-49.19	-14.91	Pass
-86	-85	1.6	-86	6259	-38.14	-45.73	-18.14	Pass
85	86	1.6	86	6431	-39.03	-46.62	19.03	Pass
86	170	1.6	154.197901	6499.19790 1	-44.73	-52.32	18.24	Pass
170	255	1.6	255	6600	-55.3	-62.89	15.3	Pass
255	510	1.6	430.95	6775.95	-54.92	-62.51	14.92	Pass

11ax20(SU), U-NII-6, Low Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-33.6	6401.4	-61.57	-69.42	-21.57	Pass
-30	-20	0.2	-22.32	6412.68	-51.9	-59.75	-21.12	Pass
-20	-11	0.2	-11	6424	-36.57	-44.42	-16.57	Pass
-11	-10	0.2	-11	6424	-36.28	-44.13	-16.28	Pass
10	11	0.2	11	6446	-36.84	-44.69	16.84	Pass
11	20	0.2	11.04	6446.04	-37.14	-44.99	17.1	Pass
20	30	0.2	29.82	6464.82	-62.03	-69.88	22.25	Pass
30	60	0.2	30.96	6465.96	-61.4	-69.25	21.4	Pass

11ax20(SU), U-NII-6, Middle Channel

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Frequency Rel (MHz)	Frequency Abs (MHz)	Power Rel (dB)	Power Abs (dBm)	Margin (dB)	Verdict
-60	-30	0.2	-31.14	6443.86	-61.64	-69.7	-21.64	Pass
-30	-20	0.2	-21.9	6453.1	-52.24	-60.31	-21.96	Pass
-20	-11	0.2	-11	6464	-36.68	-44.74	-16.68	Pass
-11	-10	0.2	-11	6464	-36.43	-44.49	-16.43	Pass
10	11	0.2	11	6486	-36.61	-44.68	16.61	Pass
11	20	0.2	11	6486	-36.21	-44.28	16.21	Pass
20	30	0.2	29.46	6504.46	-61.15	-69.21	21.8	Pass
30	60	0.2	31.5	6506.5	-61.79	-69.85	21.79	Pass