
L3 Allin1 router

Simple manual

1. Product ID:

1.1



1.2 Product spec

Material: ABS plastic material

Input: 5V1A

Battery capacity: 2500mAh

2. WiFi Functions

2.1 Internet connection

a. plug in the cable for internet connection

b. Press the" power button" to turn on the WIFI, searching WIFI name: mt76285152, password: 12345678; the LED of "Ethernet status" flashes slowly means WIFI connected successfully.

2.2 USB C Data port

Open IP address in browser: 192.168.1.1, key in user name:root,password:198277, connect with type-c U disk, go to system and choose "mount points", will read U Disk ROM 16M/RAM:32M, then means it works.

3. Reset setting

Use one pin to press the "Reset" button for 3~4 seconds (blue light flashes quickly on the power button for seconds , then it is done)

FCC Warning

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.