


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.36	-13	Pass	2985
30	1000	0.1	RMS	879.388	-54.63	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.89	-13	Pass	830
1830	1920	1	RMS	1850.25	23.95	60	Pass	601
1920	3000	1	RMS	2662.688	-39.06	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.06	-13	Pass	9000
12000	20000	1	RMS	19859.982	-28.33	-13	Pass	8000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.94	-13	Pass	2985
30	1000	0.1	RMS	993.799	-54.68	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.9	-13	Pass	830
1830	1920	1	RMS	1851.15	23.99	60	Pass	601
1920	3000	1	RMS	2671.696	-39.05	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.18	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.25	-13	Pass	8000



1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.83	-13	Pass	2985
30	1000	0.1	RMS	912.191	-54.7	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.94	-13	Pass	830
1830	1920	1	RMS	1850.25	23.05	60	Pass	601
1920	3000	1	RMS	2667.692	-39.03	-13	Pass	1080
3000	12000	1	RMS	11920.991	-46.12	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.36	-13	Pass	8000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.12	-13	Pass	2985
30	1000	0.1	RMS	992.099	-54.63	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.86	-13	Pass	830
1830	1920	1	RMS	1851.15	22.88	60	Pass	601
1920	3000	1	RMS	2413.457	-38.77	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.26	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.15	-13	Pass	8000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.82	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.4	-13	Pass	2985
30	1000	0.1	RMS	979.098	-54.86	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.93	-13	Pass	830
1830	1920	1	RMS	1879.5	23.75	60	Pass	601
1920	3000	1	RMS	2408.452	-37.91	-13	Pass	1080
3000	12000	1	RMS	11937.993	-46.19	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.28	-13	Pass	8000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.52	-13	Pass	2985
30	1000	0.1	RMS	940.294	-54.57	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.9	-13	Pass	830
1830	1920	1	RMS	1880.4	23.65	60	Pass	601
1920	3000	1	RMS	2666.691	-39.04	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.19	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.18	-13	Pass	8000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.45	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.54	-13	Pass	2985
30	1000	0.1	RMS	921.992	-54.46	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.92	-13	Pass	830
1830	1920	1	RMS	1879.5	23.14	60	Pass	601
1920	3000	1	RMS	2666.691	-39.1	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.25	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.38	-13	Pass	8000



1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.92	-13	Pass	2985
30	1000	0.1	RMS	980.298	-54.48	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.94	-13	Pass	830
1830	1920	1	RMS	1880.4	23.01	60	Pass	601
1920	3000	1	RMS	2669.694	-39.03	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.15	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.35	-13	Pass	8000



1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.58	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.25	-13	Pass	2985
30	1000	0.1	RMS	994.799	-54.71	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.91	-13	Pass	830
1830	1920	1	RMS	1908.9	23.8	60	Pass	601
1920	3000	1	RMS	2669.694	-38.96	-13	Pass	1080
3000	12000	1	RMS	11919.991	-46.16	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.17	-13	Pass	8000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.62	-13	Pass	2985
30	1000	0.1	RMS	939.594	-54.68	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.9	-13	Pass	830
1830	1920	1	RMS	1909.8	23.37	60	Pass	601
1920	3000	1	RMS	2669.694	-39.01	-13	Pass	1080
3000	12000	1	RMS	11922.991	-46.19	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.17	-13	Pass	8000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.19	-13	Pass	2985
30	1000	0.1	RMS	926.792	-54.81	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.88	-13	Pass	830
1830	1920	1	RMS	1908.9	22.03	60	Pass	601
1920	3000	1	RMS	2667.692	-39.01	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.07	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.32	-13	Pass	8000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39	-13	Pass	2985
30	1000	0.1	RMS	829.482	-49.97	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.9	-13	Pass	830
1830	1920	1	RMS	1909.8	22.35	60	Pass	601
1920	3000	1	RMS	2413.457	-36.11	-13	Pass	1080
3000	12000	1	RMS	11922.991	-46.21	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.32	-13	Pass	8000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.11	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.95	-13	Pass	2985
30	1000	0.1	RMS	902.49	-54.61	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.86	-13	Pass	830
1830	1920	1	RMS	1850.25	23.71	60	Pass	601
1920	3000	1	RMS	2670.695	-39.04	-13	Pass	1080
3000	12000	1	RMS	11902.989	-46.16	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.31	-13	Pass	8000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.03	-13	Pass	2985
30	1000	0.1	RMS	809.18	-54.8	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.91	-13	Pass	830
1830	1920	1	RMS	1852.8	23.73	60	Pass	601
1920	3000	1	RMS	2671.696	-39.05	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.22	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.34	-13	Pass	8000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.97	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.84	-13	Pass	2985
30	1000	0.1	RMS	948.195	-54.86	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.92	-13	Pass	830
1830	1920	1	RMS	1850.25	22.58	60	Pass	601
1920	3000	1	RMS	2666.691	-39.09	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.17	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.25	-13	Pass	8000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.06	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.87	-13	Pass	2985
30	1000	0.1	RMS	975.197	-54.48	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.9	-13	Pass	830
1830	1920	1	RMS	1852.8	22.61	60	Pass	601
1920	3000	1	RMS	2768.786	-39.03	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.12	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.4	-13	Pass	8000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.53	-13	Pass	2985
30	1000	0.1	RMS	982.498	-54.87	-13	Pass	9700
1000	1830	1	RMS	1803.969	-43.89	-13	Pass	830
1830	1920	1	RMS	1878.75	24.04	60	Pass	601
1920	3000	1	RMS	2408.452	-37.63	-13	Pass	1080
3000	12000	1	RMS	3411.046	-41.35	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.35	-13	Pass	8000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.23	-13	Pass	2985
30	1000	0.1	RMS	872.687	-54.65	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.92	-13	Pass	830
1830	1920	1	RMS	1881.3	23.61	60	Pass	601
1920	3000	1	RMS	2671.696	-39.04	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.06	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.26	-13	Pass	8000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.97	-13	Pass	2985
30	1000	0.1	RMS	891.289	-54.91	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.89	-13	Pass	830
1830	1920	1	RMS	1878.75	23.62	60	Pass	601
1920	3000	1	RMS	2668.693	-38.94	-13	Pass	1080
3000	12000	1	RMS	11916.991	-46.19	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.34	-13	Pass	8000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.57	-13	Pass	2985
30	1000	0.1	RMS	979.498	-54.59	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.88	-13	Pass	830
1830	1920	1	RMS	1881.3	23.68	60	Pass	601
1920	3000	1	RMS	2669.694	-39.03	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.19	-13	Pass	9000
12000	20000	1	RMS	19842.98	-28.36	-13	Pass	8000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.94	-13	Pass	2985
30	1000	0.1	RMS	900.99	-54.59	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.89	-13	Pass	830
1830	1920	1	RMS	1907.25	23.46	60	Pass	601
1920	3000	1	RMS	2670.695	-39.01	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.22	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.28	-13	Pass	8000



1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.88	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.04	-13	Pass	2985
30	1000	0.1	RMS	896.689	-54.64	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.87	-13	Pass	830
1830	1920	1	RMS	1909.8	23.84	60	Pass	601
1920	3000	1	RMS	2666.691	-39.06	-13	Pass	1080
3000	12000	1	RMS	11928.992	-46.29	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.42	-13	Pass	8000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.98	-13	Pass	2985
30	1000	0.1	RMS	954.995	-54.61	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.91	-13	Pass	830
1830	1920	1	RMS	1907.25	22.21	60	Pass	601
1920	3000	1	RMS	2672.697	-39	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.23	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.31	-13	Pass	8000



1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.51	-13	Pass	2985
30	1000	0.1	RMS	901.19	-54.72	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.9	-13	Pass	830
1830	1920	1	RMS	1909.8	22.17	60	Pass	601
1920	3000	1	RMS	2667.692	-39.04	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.28	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.34	-13	Pass	8000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.7	-13	Pass	2985
30	1000	0.1	RMS	893.189	-54.85	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.86	-13	Pass	830
1830	1920	1	RMS	1850.4	23.6	60	Pass	601
1920	3000	1	RMS	2668.693	-39.04	-13	Pass	1080
3000	12000	1	RMS	11920.991	-46.27	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.29	-13	Pass	8000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.78	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.63	-13	Pass	2985
30	1000	0.1	RMS	891.189	-54.76	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.85	-13	Pass	830
1830	1920	1	RMS	1854.6	23.63	60	Pass	601
1920	3000	1	RMS	2673.698	-39.03	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.23	-13	Pass	9000
12000	20000	1	RMS	19840.98	-28.43	-13	Pass	8000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.34	-13	Pass	2985
30	1000	0.1	RMS	827.882	-53.79	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.93	-13	Pass	830
1830	1920	1	RMS	1850.4	22.3	60	Pass	601
1920	3000	1	RMS	2671.696	-39	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.21	-13	Pass	9000
12000	20000	1	RMS	19836.98	-28.33	-13	Pass	8000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.46	-13	Pass	2985
30	1000	0.1	RMS	998.8	-54.74	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.9	-13	Pass	830
1830	1920	1	RMS	1854.75	22.12	60	Pass	601
1920	3000	1	RMS	2670.695	-39.01	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.27	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.4	-13	Pass	8000



1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.04	-13	Pass	2985
30	1000	0.1	RMS	988.699	-54.68	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.84	-13	Pass	830
1830	1920	1	RMS	1877.85	23.61	60	Pass	601
1920	3000	1	RMS	2663.689	-38.98	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.19	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.25	-13	Pass	8000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.14	-13	Pass	2985
30	1000	0.1	RMS	916.591	-54.49	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.89	-13	Pass	830
1830	1920	1	RMS	1882.2	23.71	60	Pass	601
1920	3000	1	RMS	2669.694	-39.01	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.12	-13	Pass	9000
12000	20000	1	RMS	19856.982	-28.23	-13	Pass	8000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.66	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.29	-13	Pass	2985
30	1000	0.1	RMS	985.298	-54.72	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.85	-13	Pass	830
1830	1920	1	RMS	1877.85	22.85	60	Pass	601
1920	3000	1	RMS	2675.7	-39.04	-13	Pass	1080
3000	12000	1	RMS	11898.989	-46.22	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.3	-13	Pass	8000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.55	-13	Pass	2985
30	1000	0.1	RMS	988.599	-54.73	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.87	-13	Pass	830
1830	1920	1	RMS	1882.2	22.9	60	Pass	601
1920	3000	1	RMS	2665.69	-39.01	-13	Pass	1080
3000	12000	1	RMS	11899.989	-46.22	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.22	-13	Pass	8000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.87	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.12	-13	Pass	2985
30	1000	0.1	RMS	923.592	-54.63	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.87	-13	Pass	830
1830	1920	1	RMS	1905.3	23.37	60	Pass	601
1920	3000	1	RMS	2670.695	-39.02	-13	Pass	1080
3000	12000	1	RMS	11915.991	-46.22	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.22	-13	Pass	8000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.95	-13	Pass	2985
30	1000	0.1	RMS	871.687	-54.7	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.92	-13	Pass	830
1830	1920	1	RMS	1909.65	23.53	60	Pass	601
1920	3000	1	RMS	2670.695	-39.04	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.05	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.26	-13	Pass	8000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.62	-13	Pass	2985
30	1000	0.1	RMS	928.693	-54.48	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.9	-13	Pass	830
1830	1920	1	RMS	1905.3	22.45	60	Pass	601
1920	3000	1	RMS	2409.453	-38.33	-13	Pass	1080
3000	12000	1	RMS	11906.99	-46.11	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.33	-13	Pass	8000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.16	-13	Pass	2985
30	1000	0.1	RMS	992.299	-54.75	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.92	-13	Pass	830
1830	1920	1	RMS	1909.65	22.1	60	Pass	601
1920	3000	1	RMS	2410.454	-38.62	-13	Pass	1080
3000	12000	1	RMS	11923.992	-46.18	-13	Pass	9000
12000	20000	1	RMS	19850.981	-28.39	-13	Pass	8000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.46	-13	Pass	2985
30	1000	0.1	RMS	998.3	-54.75	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.86	-13	Pass	830
1830	1920	1	RMS	1850.55	23.75	60	Pass	601
1920	3000	1	RMS	2671.696	-38.97	-13	Pass	1080
3000	12000	1	RMS	11930.992	-46.17	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.22	-13	Pass	8000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.92	-13	Pass	2985
30	1000	0.1	RMS	977.798	-54.61	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.89	-13	Pass	830
1830	1920	1	RMS	1859.4	24.03	60	Pass	601
1920	3000	1	RMS	2671.696	-39.02	-13	Pass	1080
3000	12000	1	RMS	11924.992	-45.87	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.33	-13	Pass	8000



1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.98	-13	Pass	2985
30	1000	0.1	RMS	886.088	-54.66	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.86	-13	Pass	830
1830	1920	1	RMS	1850.55	23.13	60	Pass	601
1920	3000	1	RMS	2408.452	-37.28	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.12	-13	Pass	9000
12000	20000	1	RMS	19852.982	-28.4	-13	Pass	8000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.06	-13	Pass	601
0.15	30	0.01	RMS	0.17	-40.43	-13	Pass	2985
30	1000	0.1	RMS	978.498	-54.81	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.94	-13	Pass	830
1830	1920	1	RMS	1859.4	23.08	60	Pass	601
1920	3000	1	RMS	2669.694	-39	-13	Pass	1080
3000	12000	1	RMS	11905.99	-46.13	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.27	-13	Pass	8000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.01	-13	Pass	2985
30	1000	0.1	RMS	951.595	-54.64	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.88	-13	Pass	830
1830	1920	1	RMS	1875.6	23.65	60	Pass	601
1920	3000	1	RMS	2409.453	-36.83	-13	Pass	1080
3000	12000	1	RMS	11911.99	-46.2	-13	Pass	9000
12000	20000	1	RMS	19834.979	-28.31	-13	Pass	8000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.66	-13	Pass	601
0.15	30	0.01	RMS	0.17	-39.39	-13	Pass	2985
30	1000	0.1	RMS	941.794	-54.7	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.86	-13	Pass	830
1830	1920	1	RMS	1884.45	24.02	60	Pass	601
1920	3000	1	RMS	2670.695	-38.97	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.23	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.26	-13	Pass	8000



1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.17	-40.15	-13	Pass	2985
30	1000	0.1	RMS	896.889	-54.52	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.89	-13	Pass	830
1830	1920	1	RMS	1875.6	22.53	60	Pass	601
1920	3000	1	RMS	2671.696	-39.06	-13	Pass	1080
3000	12000	1	RMS	11909.99	-46.05	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.27	-13	Pass	8000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.88	-13	Pass	2985
30	1000	0.1	RMS	833.683	-51.98	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.91	-13	Pass	830
1830	1920	1	RMS	1884.45	22.26	60	Pass	601
1920	3000	1	RMS	2671.696	-38.95	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.11	-13	Pass	9000
12000	20000	1	RMS	19857.982	-28.26	-13	Pass	8000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.99	-13	Pass	2985
30	1000	0.1	RMS	982.098	-54.62	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.88	-13	Pass	830
1830	1920	1	RMS	1900.65	23.66	60	Pass	601
1920	3000	1	RMS	2673.698	-38.97	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.09	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.41	-13	Pass	8000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.89	-13	Pass	2985
30	1000	0.1	RMS	906.09	-54.68	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.82	-13	Pass	830
1830	1920	1	RMS	1909.35	23.51	60	Pass	601
1920	3000	1	RMS	2672.697	-38.94	-13	Pass	1080
3000	12000	1	RMS	11913.99	-46.12	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.39	-13	Pass	8000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.86	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.94	-13	Pass	2985
30	1000	0.1	RMS	946.695	-54.82	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.9	-13	Pass	830
1830	1920	1	RMS	1900.65	22.19	60	Pass	601
1920	3000	1	RMS	2668.693	-38.99	-13	Pass	1080
3000	12000	1	RMS	11908.99	-46.18	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.36	-13	Pass	8000




1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39	-13	Pass	2985
30	1000	0.1	RMS	897.489	-54.72	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.88	-13	Pass	830
1830	1920	1	RMS	1909.5	22.16	60	Pass	601
1920	3000	1	RMS	2669.694	-39.03	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.09	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.35	-13	Pass	8000



1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.31	-13	Pass	2985
30	1000	0.1	RMS	973.297	-54.76	-13	Pass	9700
1000	1830	1	RMS	1806.972	-43.86	-13	Pass	830
1830	1920	1	RMS	1850.85	23.64	60	Pass	601
1920	3000	1	RMS	2670.695	-39	-13	Pass	1080
3000	12000	1	RMS	11922.991	-46.25	-13	Pass	9000
12000	20000	1	RMS	19863.983	-28.34	-13	Pass	8000




1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.17	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.17	-13	Pass	2985
30	1000	0.1	RMS	881.288	-54.42	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.81	-13	Pass	830
1830	1920	1	RMS	1864.2	23.61	60	Pass	601
1920	3000	1	RMS	2407.451	-38.58	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.14	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.25	-13	Pass	8000



1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.73	-13	Pass	2985
30	1000	0.1	RMS	994.299	-54.67	-13	Pass	9700
1000	1830	1	RMS	1802.967	-43.89	-13	Pass	830
1830	1920	1	RMS	1850.85	22.36	60	Pass	601
1920	3000	1	RMS	2667.692	-39.01	-13	Pass	1080
3000	12000	1	RMS	11928.992	-46.18	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.32	-13	Pass	8000



1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.97	-13	Pass	2985
30	1000	0.1	RMS	888.689	-54.29	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.87	-13	Pass	830
1830	1920	1	RMS	1864.2	22.36	60	Pass	601
1920	3000	1	RMS	2671.696	-38.97	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.22	-13	Pass	9000
12000	20000	1	RMS	19841.98	-28.42	-13	Pass	8000



1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.58	-13	Pass	2985
30	1000	0.1	RMS	963.396	-54.52	-13	Pass	9700
1000	1830	1	RMS	1802.967	-43.84	-13	Pass	830
1830	1920	1	RMS	1873.35	23.5	60	Pass	601
1920	3000	1	RMS	2668.693	-39	-13	Pass	1080
3000	12000	1	RMS	11924.992	-46.23	-13	Pass	9000
12000	20000	1	RMS	19837.98	-28.39	-13	Pass	8000




1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.88	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.46	-13	Pass	2985
30	1000	0.1	RMS	907.69	-54.72	-13	Pass	9700
1000	1830	1	RMS	1812.979	-43.81	-13	Pass	830
1830	1920	1	RMS	1886.7	23.53	60	Pass	601
1920	3000	1	RMS	2670.695	-39.03	-13	Pass	1080
3000	12000	1	RMS	11903.989	-46.18	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.29	-13	Pass	8000




1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.5	-13	Pass	2985
30	1000	0.1	RMS	941.494	-54.66	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.86	-13	Pass	830
1830	1920	1	RMS	1873.35	22.26	60	Pass	601
1920	3000	1	RMS	2669.694	-39.01	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.22	-13	Pass	9000
12000	20000	1	RMS	19844.981	-28.28	-13	Pass	8000




1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.23	-13	Pass	2985
30	1000	0.1	RMS	952.295	-54.73	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.81	-13	Pass	830
1830	1920	1	RMS	1886.7	22.35	60	Pass	601
1920	3000	1	RMS	2669.694	-39	-13	Pass	1080
3000	12000	1	RMS	11910.99	-46.18	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.23	-13	Pass	8000




1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.32	-13	Pass	2985
30	1000	0.1	RMS	996.7	-54.39	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.84	-13	Pass	830
1830	1920	1	RMS	1895.85	23.45	60	Pass	601
1920	3000	1	RMS	2408.452	-38.04	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.19	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.2	-13	Pass	8000



1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.66	-13	Pass	2985
30	1000	0.1	RMS	861.786	-54.41	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.86	-13	Pass	830
1830	1920	1	RMS	1909.2	23.31	60	Pass	601
1920	3000	1	RMS	2664.69	-38.96	-13	Pass	1080
3000	12000	1	RMS	11901.989	-45.97	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.22	-13	Pass	8000




1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.85	-13	Pass	2985
30	1000	0.1	RMS	942.694	-54.82	-13	Pass	9700
1000	1830	1	RMS	1813.981	-43.88	-13	Pass	830
1830	1920	1	RMS	1895.85	22.11	60	Pass	601
1920	3000	1	RMS	2672.697	-38.99	-13	Pass	1080
3000	12000	1	RMS	11907.99	-46.15	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.16	-13	Pass	8000



1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.89	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.66	-13	Pass	2985
30	1000	0.1	RMS	901.09	-54.68	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.86	-13	Pass	830
1830	1920	1	RMS	1909.2	22.11	60	Pass	601
1920	3000	1	RMS	2671.696	-38.98	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.16	-13	Pass	9000
12000	20000	1	RMS	19853.982	-28.25	-13	Pass	8000



1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.76	-13	Pass	2985
30	1000	0.1	RMS	967.297	-54.66	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.81	-13	Pass	830
1830	1920	1	RMS	1851.15	23.73	60	Pass	601
1920	3000	1	RMS	2667.692	-39	-13	Pass	1080
3000	12000	1	RMS	11919.991	-46.18	-13	Pass	9000
12000	20000	1	RMS	19857.982	-28.34	-13	Pass	8000




1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.68	-13	Pass	2985
30	1000	0.1	RMS	927.493	-54.44	-13	Pass	9700
1000	1830	1	RMS	1810.977	-43.84	-13	Pass	830
1830	1920	1	RMS	1868.85	24.07	60	Pass	601
1920	3000	1	RMS	2669.694	-39.02	-13	Pass	1080
3000	12000	1	RMS	11926.992	-46.2	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.33	-13	Pass	8000




1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.4	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.61	-13	Pass	2985
30	1000	0.1	RMS	997.6	-54.59	-13	Pass	9700
1000	1830	1	RMS	1826.996	-43.87	-13	Pass	830
1830	1920	1	RMS	1851.15	22.77	60	Pass	601
1920	3000	1	RMS	2670.695	-38.97	-13	Pass	1080
3000	12000	1	RMS	11917.991	-46.16	-13	Pass	9000
12000	20000	1	RMS	19845.981	-28.33	-13	Pass	8000




1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.47	-13	Pass	2985
30	1000	0.1	RMS	911.591	-54.43	-13	Pass	9700
1000	1830	1	RMS	1807.973	-43.82	-13	Pass	830
1830	1920	1	RMS	1868.85	22.87	60	Pass	601
1920	3000	1	RMS	2669.694	-38.96	-13	Pass	1080
3000	12000	1	RMS	11904.989	-46.04	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.39	-13	Pass	8000




1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.35	-13	Pass	2985
30	1000	0.1	RMS	924.192	-54.5	-13	Pass	9700
1000	1830	1	RMS	1811.978	-43.86	-13	Pass	830
1830	1920	1	RMS	1871.1	23.76	60	Pass	601
1920	3000	1	RMS	2670.695	-38.93	-13	Pass	1080
3000	12000	1	RMS	11901.989	-46.08	-13	Pass	9000
12000	20000	1	RMS	19858.982	-28.26	-13	Pass	8000



1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.07	-13	Pass	2985
30	1000	0.1	RMS	868.886	-54.34	-13	Pass	9700
1000	1830	1	RMS	1808.975	-43.83	-13	Pass	830
1830	1920	1	RMS	1888.95	23.43	60	Pass	601
1920	3000	1	RMS	2668.693	-39.02	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46.17	-13	Pass	9000
12000	20000	1	RMS	19843.98	-28.33	-13	Pass	8000




1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.18	-13	Pass	2985
30	1000	0.1	RMS	899.39	-54.59	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.86	-13	Pass	830
1830	1920	1	RMS	1871.1	23.21	60	Pass	601
1920	3000	1	RMS	2674.699	-38.97	-13	Pass	1080
3000	12000	1	RMS	11928.992	-46.22	-13	Pass	9000
12000	20000	1	RMS	19854.982	-28.3	-13	Pass	8000




1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.42	-13	Pass	2985
30	1000	0.1	RMS	926.992	-54.61	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.76	-13	Pass	830
1830	1920	1	RMS	1888.95	23.15	60	Pass	601
1920	3000	1	RMS	2673.698	-38.99	-13	Pass	1080
3000	12000	1	RMS	11892.988	-46.08	-13	Pass	9000
12000	20000	1	RMS	19846.981	-28.19	-13	Pass	8000




1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.83	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.67	-13	Pass	2985
30	1000	0.1	RMS	881.688	-54.83	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.84	-13	Pass	830
1830	1920	1	RMS	1891.05	24.06	60	Pass	601
1920	3000	1	RMS	2669.694	-39.02	-13	Pass	1080
3000	12000	1	RMS	11912.99	-46	-13	Pass	9000
12000	20000	1	RMS	19847.981	-28.32	-13	Pass	8000



1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.18	-13	Pass	2985
30	1000	0.1	RMS	896.489	-54.71	-13	Pass	9700
1000	1830	1	RMS	1818.987	-43.91	-13	Pass	830
1830	1920	1	RMS	1908.9	23.24	60	Pass	601
1920	3000	1	RMS	2664.69	-38.98	-13	Pass	1080
3000	12000	1	RMS	11933.993	-46.2	-13	Pass	9000
12000	20000	1	RMS	19851.981	-28.36	-13	Pass	8000




1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.82	-13	Pass	2985
30	1000	0.1	RMS	945.094	-54.71	-13	Pass	9700
1000	1830	1	RMS	1805.971	-43.9	-13	Pass	830
1830	1920	1	RMS	1891.05	22.98	60	Pass	601
1920	3000	1	RMS	2670.695	-38.99	-13	Pass	1080
3000	12000	1	RMS	11918.991	-46.26	-13	Pass	9000
12000	20000	1	RMS	19848.981	-28.43	-13	Pass	8000



1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.08	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.49	-13	Pass	2985
30	1000	0.1	RMS	898.29	-54.62	-13	Pass	9700
1000	1830	1	RMS	1809.976	-43.84	-13	Pass	830
1830	1920	1	RMS	1908.9	22.41	60	Pass	601
1920	3000	1	RMS	2663.689	-39	-13	Pass	1080
3000	12000	1	RMS	11906.99	-45.98	-13	Pass	9000
12000	20000	1	RMS	19849.981	-28.35	-13	Pass	8000



END