


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band5


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.53	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.22	-13	Pass	2985
30	814	0.1	RMS	810.8	-55.24	-13	Pass	7840
814	860	0.1	RMS	824.273	21.24	60	Pass	601
860	1000	0.1	RMS	996.698	-56.57	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.71	-13	Pass	2000
3000	10000	1	RMS	5772.396	-49.43	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.73	-13	Pass	2985
30	814	0.1	RMS	806.199	-55.44	-13	Pass	7840
814	860	0.1	RMS	825.117	21.1	60	Pass	601
860	1000	0.1	RMS	898.928	-56.57	-13	Pass	1400
1000	3000	1	RMS	2671.836	-37.87	-13	Pass	2000
3000	10000	1	RMS	5763.395	-49.51	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.21	-13	Pass	2985
30	814	0.1	RMS	813.1	-55.35	-13	Pass	7840
814	860	0.1	RMS	824.273	20.24	60	Pass	601
860	1000	0.1	RMS	998.999	-56.58	-13	Pass	1400
1000	3000	1	RMS	2673.837	-37.85	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.45	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.65	-13	Pass	2985
30	814	0.1	RMS	799.098	-55.47	-13	Pass	7840
814	860	0.1	RMS	825.117	19.85	60	Pass	601
860	1000	0.1	RMS	920.143	-56.56	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.79	-13	Pass	2000
3000	10000	1	RMS	5494.356	-43.8	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.77	-13	Pass	2985
30	814	0.1	RMS	748.892	-55.56	-13	Pass	7840
814	860	0.1	RMS	836.08	21.4	60	Pass	601
860	1000	0.1	RMS	991.794	-56.55	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.79	-13	Pass	2000
3000	10000	1	RMS	5774.396	-49.51	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.69	-13	Pass	2985
30	814	0.1	RMS	808.599	-55.28	-13	Pass	7840
814	860	0.1	RMS	836.923	21.34	60	Pass	601
860	1000	0.1	RMS	902.43	-56.53	-13	Pass	1400
1000	3000	1	RMS	2407.704	-35.42	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.46	-13	Pass	7000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.03	-13	Pass	2985
30	814	0.1	RMS	805.099	-55.34	-13	Pass	7840
814	860	0.1	RMS	836.08	20.41	60	Pass	601
860	1000	0.1	RMS	992.695	-56.61	-13	Pass	1400
1000	3000	1	RMS	2414.707	-34.42	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.52	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.69	-13	Pass	2985
30	814	0.1	RMS	773.595	-55.44	-13	Pass	7840
814	860	0.1	RMS	836.923	20.13	60	Pass	601
860	1000	0.1	RMS	996.097	-56.68	-13	Pass	1400
1000	3000	1	RMS	2677.839	-37.8	-13	Pass	2000
3000	10000	1	RMS	3410.059	-42.2	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.35	-13	Pass	2985
30	814	0.1	RMS	770.694	-55.41	-13	Pass	7840
814	860	0.1	RMS	847.887	21.14	60	Pass	601
860	1000	0.1	RMS	890.522	-56.51	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.76	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.38	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.46	-13	Pass	2985
30	814	0.1	RMS	771.695	-55.2	-13	Pass	7840
814	860	0.1	RMS	848.73	21.27	60	Pass	601
860	1000	0.1	RMS	981.787	-56.73	-13	Pass	1400
1000	3000	1	RMS	2666.833	-37.8	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.32	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.24	-13	Pass	2985
30	814	0.1	RMS	810.2	-55.32	-13	Pass	7840
814	860	0.1	RMS	847.887	20.38	60	Pass	601
860	1000	0.1	RMS	896.426	-56.66	-13	Pass	1400
1000	3000	1	RMS	2663.832	-37.78	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.54	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.51	-13	Pass	2985
30	814	0.1	RMS	805.899	-55.41	-13	Pass	7840
814	860	0.1	RMS	848.73	20.84	60	Pass	601
860	1000	0.1	RMS	896.226	-56.64	-13	Pass	1400
1000	3000	1	RMS	2671.836	-37.74	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.35	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.07	-13	Pass	2985
30	814	0.1	RMS	807.699	-55.18	-13	Pass	7840
814	860	0.1	RMS	824.273	21.17	60	Pass	601
860	1000	0.1	RMS	882.816	-56.58	-13	Pass	1400
1000	3000	1	RMS	2662.831	-37.8	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.42	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.42	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.45	-13	Pass	2985
30	814	0.1	RMS	800.898	-55.03	-13	Pass	7840
814	860	0.1	RMS	826.727	21.08	60	Pass	601
860	1000	0.1	RMS	896.526	-56.58	-13	Pass	1400
1000	3000	1	RMS	2662.831	-37.75	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.5	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.37	-13	Pass	2985
30	814	0.1	RMS	810.8	-55.22	-13	Pass	7840
814	860	0.1	RMS	824.273	19.99	60	Pass	601
860	1000	0.1	RMS	998.999	-56.55	-13	Pass	1400
1000	3000	1	RMS	2665.833	-37.83	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.49	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.52	-13	Pass	2985
30	814	0.1	RMS	811.1	-55.29	-13	Pass	7840
814	860	0.1	RMS	826.727	19.77	60	Pass	601
860	1000	0.1	RMS	946.262	-56.54	-13	Pass	1400
1000	3000	1	RMS	2413.707	-36.01	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.36	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.63	-13	Pass	2985
30	814	0.1	RMS	796.698	-55.45	-13	Pass	7840
814	860	0.1	RMS	835.237	21.26	60	Pass	601
860	1000	0.1	RMS	975.482	-57.04	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.82	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.27	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.79	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.98	-13	Pass	2985
30	814	0.1	RMS	778.095	-55.32	-13	Pass	7840
814	860	0.1	RMS	837.767	21.43	60	Pass	601
860	1000	0.1	RMS	896.526	-57.25	-13	Pass	1400
1000	3000	1	RMS	2668.834	-37.77	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.42	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.48	-13	Pass	2985
30	814	0.1	RMS	792.497	-55.46	-13	Pass	7840
814	860	0.1	RMS	835.237	20.74	60	Pass	601
860	1000	0.1	RMS	899.728	-57.23	-13	Pass	1400
1000	3000	1	RMS	2661.831	-37.82	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.49	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.93	-13	Pass	2985
30	814	0.1	RMS	807.099	-55.24	-13	Pass	7840
814	860	0.1	RMS	837.767	21.14	60	Pass	601
860	1000	0.1	RMS	900.429	-57.16	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.77	-13	Pass	2000
3000	10000	1	RMS	5752.393	-45.23	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.24	-13	Pass	2985
30	814	0.1	RMS	806.399	-55.4	-13	Pass	7840
814	860	0.1	RMS	846.277	21.29	60	Pass	601
860	1000	0.1	RMS	997.198	-57.19	-13	Pass	1400
1000	3000	1	RMS	2667.834	-37.75	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.44	-13	Pass	7000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.09	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.47	-13	Pass	2985
30	814	0.1	RMS	808.599	-55.38	-13	Pass	7840
814	860	0.1	RMS	848.73	21.16	60	Pass	601
860	1000	0.1	RMS	918.642	-57.18	-13	Pass	1400
1000	3000	1	RMS	2415.708	-37.45	-13	Pass	2000
3000	10000	1	RMS	5758.394	-49.5	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.67	-13	Pass	2985
30	814	0.1	RMS	808.699	-55.2	-13	Pass	7840
814	860	0.1	RMS	846.277	19.68	60	Pass	601
860	1000	0.1	RMS	991.894	-57.24	-13	Pass	1400
1000	3000	1	RMS	2664.832	-37.8	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.35	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.7	-13	Pass	2985
30	814	0.1	RMS	813.1	-55.25	-13	Pass	7840
814	860	0.1	RMS	848.73	20.05	60	Pass	601
860	1000	0.1	RMS	902.43	-57.28	-13	Pass	1400
1000	3000	1	RMS	2408.704	-36.85	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.13	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.46	-13	Pass	2985
30	814	0.1	RMS	779.296	-55.38	-13	Pass	7840
814	860	0.1	RMS	824.35	21.18	60	Pass	601
860	1000	0.1	RMS	897.627	-57.26	-13	Pass	1400
1000	3000	1	RMS	2672.836	-37.7	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.46	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.04	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.99	-13	Pass	2985
30	814	0.1	RMS	811.3	-55.29	-13	Pass	7840
814	860	0.1	RMS	828.643	20.96	60	Pass	601
860	1000	0.1	RMS	879.014	-57.15	-13	Pass	1400
1000	3000	1	RMS	2768.884	-37.79	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.48	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.38	-13	Pass	2985
30	814	0.1	RMS	806.699	-55.44	-13	Pass	7840
814	860	0.1	RMS	824.35	20.13	60	Pass	601
860	1000	0.1	RMS	992.495	-57.32	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.68	-13	Pass	2000
3000	10000	1	RMS	5759.394	-49.44	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.81	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.46	-13	Pass	2985
30	814	0.1	RMS	808.499	-55.38	-13	Pass	7840
814	860	0.1	RMS	828.643	19.94	60	Pass	601
860	1000	0.1	RMS	885.418	-57.22	-13	Pass	1400
1000	3000	1	RMS	2667.834	-37.74	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.44	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.53	-13	Pass	2985
30	814	0.1	RMS	789.397	-55.1	-13	Pass	7840
814	860	0.1	RMS	834.317	20.94	60	Pass	601
860	1000	0.1	RMS	994.196	-57.07	-13	Pass	1400
1000	3000	1	RMS	2667.834	-37.74	-13	Pass	2000
3000	10000	1	RMS	5770.396	-48.74	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.95	-13	Pass	2985
30	814	0.1	RMS	789.397	-55.58	-13	Pass	7840
814	860	0.1	RMS	838.687	20.89	60	Pass	601
860	1000	0.1	RMS	901.73	-57.22	-13	Pass	1400
1000	3000	1	RMS	2668.834	-37.76	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.27	-13	Pass	7000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.85	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.47	-13	Pass	2985
30	814	0.1	RMS	813.7	-55.44	-13	Pass	7840
814	860	0.1	RMS	834.317	20.37	60	Pass	601
860	1000	0.1	RMS	997.198	-57.21	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.76	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.39	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.84	-13	Pass	2985
30	814	0.1	RMS	812.6	-55.5	-13	Pass	7840
814	860	0.1	RMS	838.687	20.53	60	Pass	601
860	1000	0.1	RMS	881.816	-57.17	-13	Pass	1400
1000	3000	1	RMS	2668.834	-37.66	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.37	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.02	-13	Pass	2985
30	814	0.1	RMS	814	-55.29	-13	Pass	7840
814	860	0.1	RMS	844.36	21.13	60	Pass	601
860	1000	0.1	RMS	894.224	-57.19	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.66	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.35	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.45	-13	Pass	2985
30	814	0.1	RMS	810.6	-55.32	-13	Pass	7840
814	860	0.1	RMS	848.653	21.52	60	Pass	601
860	1000	0.1	RMS	908.435	-57.17	-13	Pass	1400
1000	3000	1	RMS	2668.834	-37.78	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.47	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.9	-13	Pass	2985
30	814	0.1	RMS	809.299	-55.37	-13	Pass	7840
814	860	0.1	RMS	844.36	20.36	60	Pass	601
860	1000	0.1	RMS	903.131	-57.21	-13	Pass	1400
1000	3000	1	RMS	2667.834	-37.7	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.31	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.31	-13	Pass	2985
30	814	0.1	RMS	813.8	-54.82	-13	Pass	7840
814	860	0.1	RMS	848.653	20.48	60	Pass	601
860	1000	0.1	RMS	943.86	-57.14	-13	Pass	1400
1000	3000	1	RMS	2668.834	-37.78	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.34	-13	Pass	7000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.4	-13	Pass	2985
30	814	0.1	RMS	806.999	-50.09	-13	Pass	7840
814	860	0.1	RMS	824.58	21.53	60	Pass	601
860	1000	0.1	RMS	999.9	-57.16	-13	Pass	1400
1000	3000	1	RMS	2667.834	-37.79	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.44	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.35	-13	Pass	2985
30	814	0.1	RMS	812.3	-55.34	-13	Pass	7840
814	860	0.1	RMS	833.397	21.49	60	Pass	601
860	1000	0.1	RMS	921.744	-57.08	-13	Pass	1400
1000	3000	1	RMS	2673.837	-37.76	-13	Pass	2000
3000	10000	1	RMS	5763.395	-47.28	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.18	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.63	-13	Pass	2985
30	814	0.1	RMS	806.899	-50.36	-13	Pass	7840
814	860	0.1	RMS	824.58	20.1	60	Pass	601
860	1000	0.1	RMS	906.833	-57.12	-13	Pass	1400
1000	3000	1	RMS	2674.837	-37.81	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.32	-13	Pass	7000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.18	-13	Pass	2985
30	814	0.1	RMS	811.5	-55.31	-13	Pass	7840
814	860	0.1	RMS	833.397	19.96	60	Pass	601
860	1000	0.1	RMS	898.227	-57.17	-13	Pass	1400
1000	3000	1	RMS	2671.836	-37.76	-13	Pass	2000
3000	10000	1	RMS	5771.396	-47.41	-13	Pass	7000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.17	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.64	-13	Pass	2985
30	814	0.1	RMS	798.598	-55.31	-13	Pass	7840
814	860	0.1	RMS	832.093	21.43	60	Pass	601
860	1000	0.1	RMS	997.498	-57.15	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.71	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.51	-13	Pass	7000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.81	-13	Pass	2985
30	814	0.1	RMS	799.198	-55.3	-13	Pass	7840
814	860	0.1	RMS	840.91	21.28	60	Pass	601
860	1000	0.1	RMS	919.843	-57.21	-13	Pass	1400
1000	3000	1	RMS	2410.705	-36.02	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.36	-13	Pass	7000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.52	-13	Pass	2985
30	814	0.1	RMS	814	-55	-13	Pass	7840
814	860	0.1	RMS	832.093	19.96	60	Pass	601
860	1000	0.1	RMS	907.734	-57.29	-13	Pass	1400
1000	3000	1	RMS	2408.704	-35.04	-13	Pass	2000
3000	10000	1	RMS	5742.392	-49.14	-13	Pass	7000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-41.58	-13	Pass	2985
30	814	0.1	RMS	810.1	-55.01	-13	Pass	7840
814	860	0.1	RMS	840.91	20.17	60	Pass	601
860	1000	0.1	RMS	900.329	-57.06	-13	Pass	1400
1000	3000	1	RMS	2414.707	-36.32	-13	Pass	2000
3000	10000	1	RMS	5760.394	-47.7	-13	Pass	7000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.68	-13	Pass	601
0.15	30	0.01	RMS	0.15	-38.75	-13	Pass	2985
30	814	0.1	RMS	745.091	-55.58	-13	Pass	7840
814	860	0.1	RMS	858.39	-57.37	60	Pass	601
860	1000	0.1	RMS	993.495	-57.22	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.72	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.38	-13	Pass	7000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.99	-13	Pass	2985
30	814	0.1	RMS	787.497	-55.32	-13	Pass	7840
814	860	0.1	RMS	853.637	-57.29	60	Pass	601
860	1000	0.1	RMS	901.43	-57.21	-13	Pass	1400
1000	3000	1	RMS	2672.836	-37.76	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.54	-13	Pass	7000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.57	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.67	-13	Pass	2985
30	814	0.1	RMS	790.997	-55.42	-13	Pass	7840
814	860	0.1	RMS	859.08	-57.32	60	Pass	601
860	1000	0.1	RMS	904.932	-57.29	-13	Pass	1400
1000	3000	1	RMS	2413.707	-34.43	-13	Pass	2000
3000	10000	1	RMS	5743.392	-48.98	-13	Pass	7000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.7	-13	Pass	2985
30	814	0.1	RMS	812.7	-55.44	-13	Pass	7840
814	860	0.1	RMS	852.487	-57.32	60	Pass	601
860	1000	0.1	RMS	903.931	-57.26	-13	Pass	1400
1000	3000	1	RMS	2414.707	-36.11	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.52	-13	Pass	7000



END