


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band26


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.27	-13	Pass	2985
30	805	0.1	RMS	766.895	-55.99	-13	Pass	7750
805	860	0.1	RMS	824.25	21.42	60	Pass	601
860	1000	0.1	RMS	894.124	-56.79	-13	Pass	1400
1000	3000	1	RMS	2667.834	-37.82	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.62	-13	Pass	7000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.77	-13	Pass	2985
30	805	0.1	RMS	798.799	-56.05	-13	Pass	7750
805	860	0.1	RMS	825.167	21.37	60	Pass	601
860	1000	0.1	RMS	998.599	-56.74	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.84	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.57	-13	Pass	7000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.34	-13	Pass	2985
30	805	0.1	RMS	785.798	-56.03	-13	Pass	7750
805	860	0.1	RMS	824.25	19.83	60	Pass	601
860	1000	0.1	RMS	899.028	-56.84	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.85	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.59	-13	Pass	7000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.52	-13	Pass	2985
30	805	0.1	RMS	788.498	-56.1	-13	Pass	7750
805	860	0.1	RMS	825.167	19.81	60	Pass	601
860	1000	0.1	RMS	993.595	-56.75	-13	Pass	1400
1000	3000	1	RMS	2673.837	-37.85	-13	Pass	2000
3000	10000	1	RMS	5810.401	-47.31	-13	Pass	7000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.08	-13	Pass	2985
30	805	0.1	RMS	801.4	-55.96	-13	Pass	7750
805	860	0.1	RMS	847.808	20.82	60	Pass	601
860	1000	0.1	RMS	898.427	-56.76	-13	Pass	1400
1000	3000	1	RMS	2671.836	-37.85	-13	Pass	2000
3000	10000	1	RMS	5267.324	-46.79	-13	Pass	7000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.71	-13	Pass	2985
30	805	0.1	RMS	798.799	-55.96	-13	Pass	7750
805	860	0.1	RMS	848.725	21.03	60	Pass	601
860	1000	0.1	RMS	900.629	-56.73	-13	Pass	1400
1000	3000	1	RMS	2668.834	-37.84	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.6	-13	Pass	7000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.67	-13	Pass	2985
30	805	0.1	RMS	801.2	-56.09	-13	Pass	7750
805	860	0.1	RMS	847.808	19.99	60	Pass	601
860	1000	0.1	RMS	997.498	-56.75	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.83	-13	Pass	2000
3000	10000	1	RMS	3402.057	-44.47	-13	Pass	7000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.69	-13	Pass	2985
30	805	0.1	RMS	797.999	-56.13	-13	Pass	7750
805	860	0.1	RMS	848.725	20.38	60	Pass	601
860	1000	0.1	RMS	998.699	-56.75	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.84	-13	Pass	2000
3000	10000	1	RMS	5766.395	-48.12	-13	Pass	7000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.44	-13	Pass	2985
30	805	0.1	RMS	798.299	-56.11	-13	Pass	7750
805	860	0.1	RMS	824.25	21.09	60	Pass	601
860	1000	0.1	RMS	987.991	-56.75	-13	Pass	1400
1000	3000	1	RMS	2668.834	-37.82	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.57	-13	Pass	7000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.19	-13	Pass	2985
30	805	0.1	RMS	788.398	-55.99	-13	Pass	7750
805	860	0.1	RMS	826.725	20.74	60	Pass	601
860	1000	0.1	RMS	999.5	-56.71	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.85	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.55	-13	Pass	7000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.06	-13	Pass	2985
30	805	0.1	RMS	770.095	-56.17	-13	Pass	7750
805	860	0.1	RMS	824.25	19.88	60	Pass	601
860	1000	0.1	RMS	995.197	-56.74	-13	Pass	1400
1000	3000	1	RMS	2674.837	-37.85	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.57	-13	Pass	7000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.35	-13	Pass	2985
30	805	0.1	RMS	804.3	-55.98	-13	Pass	7750
805	860	0.1	RMS	826.725	19.45	60	Pass	601
860	1000	0.1	RMS	990.393	-56.76	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.84	-13	Pass	2000
3000	10000	1	RMS	5741.392	-49.45	-13	Pass	7000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.85	-13	Pass	2985
30	805	0.1	RMS	787.198	-56.04	-13	Pass	7750
805	860	0.1	RMS	846.25	21.21	60	Pass	601
860	1000	0.1	RMS	898.728	-56.75	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.79	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.6	-13	Pass	7000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.13	-13	Pass	2985
30	805	0.1	RMS	801.8	-55.98	-13	Pass	7750
805	860	0.1	RMS	848.725	20.69	60	Pass	601
860	1000	0.1	RMS	905.232	-56.76	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.84	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.55	-13	Pass	7000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.65	-13	Pass	2985
30	805	0.1	RMS	797.599	-55.99	-13	Pass	7750
805	860	0.1	RMS	846.25	20.83	60	Pass	601
860	1000	0.1	RMS	883.016	-56.78	-13	Pass	1400
1000	3000	1	RMS	2668.834	-37.8	-13	Pass	2000
3000	10000	1	RMS	5244.321	-48.02	-13	Pass	7000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.17	-13	Pass	2985
30	805	0.1	RMS	800.799	-55.92	-13	Pass	7750
805	860	0.1	RMS	848.725	20.55	60	Pass	601
860	1000	0.1	RMS	985.89	-56.75	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.81	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.51	-13	Pass	7000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47	-13	Pass	601
0.15	30	0.01	RMS	0.16	-40.57	-13	Pass	2985
30	805	0.1	RMS	803.8	-55.78	-13	Pass	7750
805	860	0.1	RMS	824.342	21.02	60	Pass	601
860	1000	0.1	RMS	900.229	-56.73	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.83	-13	Pass	2000
3000	10000	1	RMS	5765.395	-49.58	-13	Pass	7000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.14	-13	Pass	2985
30	805	0.1	RMS	801.7	-56.07	-13	Pass	7750
805	860	0.1	RMS	828.65	20.87	60	Pass	601
860	1000	0.1	RMS	901.63	-56.8	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.81	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.48	-13	Pass	7000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.37	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.81	-13	Pass	2985
30	805	0.1	RMS	799.899	-56.04	-13	Pass	7750
805	860	0.1	RMS	824.342	19.74	60	Pass	601
860	1000	0.1	RMS	992.795	-56.69	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.85	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.58	-13	Pass	7000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.34	-13	Pass	2985
30	805	0.1	RMS	804.5	-56.1	-13	Pass	7750
805	860	0.1	RMS	828.65	19.64	60	Pass	601
860	1000	0.1	RMS	894.525	-56.76	-13	Pass	1400
1000	3000	1	RMS	2667.834	-37.84	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.56	-13	Pass	7000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.69	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.45	-13	Pass	2985
30	805	0.1	RMS	788.798	-56.13	-13	Pass	7750
805	860	0.1	RMS	844.325	21.01	60	Pass	601
860	1000	0.1	RMS	896.326	-56.75	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.76	-13	Pass	2000
3000	10000	1	RMS	5770.396	-49.57	-13	Pass	7000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.6	-13	Pass	2985
30	805	0.1	RMS	802.4	-56.13	-13	Pass	7750
805	860	0.1	RMS	848.633	21.07	60	Pass	601
860	1000	0.1	RMS	899.728	-56.77	-13	Pass	1400
1000	3000	1	RMS	2668.834	-37.85	-13	Pass	2000
3000	10000	1	RMS	5764.395	-49.59	-13	Pass	7000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.72	-13	Pass	601
0.15	30	0.01	RMS	0.16	-39.97	-13	Pass	2985
30	805	0.1	RMS	804	-55.98	-13	Pass	7750
805	860	0.1	RMS	844.325	20.35	60	Pass	601
860	1000	0.1	RMS	895.025	-56.7	-13	Pass	1400
1000	3000	1	RMS	2667.834	-37.78	-13	Pass	2000
3000	10000	1	RMS	5763.395	-49.57	-13	Pass	7000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.92	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.08	-13	Pass	2985
30	805	0.1	RMS	803.8	-56	-13	Pass	7750
805	860	0.1	RMS	848.633	20.47	60	Pass	601
860	1000	0.1	RMS	990.593	-56.78	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.85	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.54	-13	Pass	7000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.6	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.13	-13	Pass	2985
30	805	0.1	RMS	802.5	-56.15	-13	Pass	7750
805	860	0.1	RMS	824.617	21.31	60	Pass	601
860	1000	0.1	RMS	997.498	-56.76	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.81	-13	Pass	2000
3000	10000	1	RMS	5761.394	-49.56	-13	Pass	7000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.5	-13	Pass	2985
30	805	0.1	RMS	801.2	-55.93	-13	Pass	7750
805	860	0.1	RMS	833.417	21.18	60	Pass	601
860	1000	0.1	RMS	923.145	-56.7	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.83	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.59	-13	Pass	7000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.5	-13	Pass	2985
30	805	0.1	RMS	791.398	-56.08	-13	Pass	7750
805	860	0.1	RMS	824.617	19.71	60	Pass	601
860	1000	0.1	RMS	899.428	-56.72	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.83	-13	Pass	2000
3000	10000	1	RMS	5766.395	-49.56	-13	Pass	7000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.03	-13	Pass	2985
30	805	0.1	RMS	792.198	-55.99	-13	Pass	7750
805	860	0.1	RMS	833.417	19.85	60	Pass	601
860	1000	0.1	RMS	899.528	-56.78	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.79	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.54	-13	Pass	7000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.55	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.29	-13	Pass	2985
30	805	0.1	RMS	803.1	-55.9	-13	Pass	7750
805	860	0.1	RMS	839.558	21.08	60	Pass	601
860	1000	0.1	RMS	999.5	-56.79	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.84	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.56	-13	Pass	7000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.03	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.78	-13	Pass	2985
30	805	0.1	RMS	792.698	-55.76	-13	Pass	7750
805	860	0.1	RMS	848.45	20.99	60	Pass	601
860	1000	0.1	RMS	893.324	-56.7	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.82	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.59	-13	Pass	7000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.89	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.03	-13	Pass	2985
30	805	0.1	RMS	789.598	-56.05	-13	Pass	7750
805	860	0.1	RMS	839.558	19.57	60	Pass	601
860	1000	0.1	RMS	986.891	-56.82	-13	Pass	1400
1000	3000	1	RMS	2667.834	-37.81	-13	Pass	2000
3000	10000	1	RMS	5768.395	-49.54	-13	Pass	7000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.25	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.22	-13	Pass	2985
30	805	0.1	RMS	803.9	-56.14	-13	Pass	7750
805	860	0.1	RMS	848.45	19.53	60	Pass	601
860	1000	0.1	RMS	996.297	-56.77	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.82	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.56	-13	Pass	7000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.99	-13	Pass	2985
30	805	0.1	RMS	805	-56	-13	Pass	7750
805	860	0.1	RMS	824.8	20.48	60	Pass	601
860	1000	0.1	RMS	898.327	-56.66	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.78	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.58	-13	Pass	7000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.39	-13	Pass	2985
30	805	0.1	RMS	798.499	-56	-13	Pass	7750
805	860	0.1	RMS	838.183	20.94	60	Pass	601
860	1000	0.1	RMS	996.998	-56.72	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.84	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.59	-13	Pass	7000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.33	-13	Pass	2985
30	805	0.1	RMS	788.498	-56.04	-13	Pass	7750
805	860	0.1	RMS	824.892	19.04	60	Pass	601
860	1000	0.1	RMS	996.798	-56.78	-13	Pass	1400
1000	3000	1	RMS	2668.834	-37.85	-13	Pass	2000
3000	10000	1	RMS	5759.394	-49.56	-13	Pass	7000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.79	-13	Pass	2985
30	805	0.1	RMS	788.898	-56.08	-13	Pass	7750
805	860	0.1	RMS	838.183	19.84	60	Pass	601
860	1000	0.1	RMS	906.233	-56.73	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.87	-13	Pass	2000
3000	10000	1	RMS	5763.395	-49.56	-13	Pass	7000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.05	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.1	-13	Pass	2985
30	805	0.1	RMS	803.9	-56.01	-13	Pass	7750
805	860	0.1	RMS	857.983	-57.49	60	Pass	601
860	1000	0.1	RMS	998.299	-56.84	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.86	-13	Pass	2000
3000	10000	1	RMS	5762.395	-49.61	-13	Pass	7000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.07	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.73	-13	Pass	2985
30	805	0.1	RMS	787.798	-56.18	-13	Pass	7750
805	860	0.1	RMS	858.167	-57.41	60	Pass	601
860	1000	0.1	RMS	999.8	-56.83	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.83	-13	Pass	2000
3000	10000	1	RMS	5760.394	-49.58	-13	Pass	7000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-40.64	-13	Pass	2985
30	805	0.1	RMS	792.398	-55.97	-13	Pass	7750
805	860	0.1	RMS	834.883	19.84	60	Pass	601
860	1000	0.1	RMS	899.728	-56.74	-13	Pass	1400
1000	3000	1	RMS	2669.835	-37.82	-13	Pass	2000
3000	10000	1	RMS	5767.395	-49.59	-13	Pass	7000



1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-39.67	-13	Pass	2985
30	805	0.1	RMS	799.799	-56.12	-13	Pass	7750
805	860	0.1	RMS	848.175	20.08	60	Pass	601
860	1000	0.1	RMS	996.197	-56.8	-13	Pass	1400
1000	3000	1	RMS	2670.835	-37.88	-13	Pass	2000
3000	10000	1	RMS	5769.396	-49.57	-13	Pass	7000



END