





































































Aglent Spectrum Analyzer - Swegt SA D. RU SF 500 AC STOREPLIE Center Freq 5.775000000 GHz PNO: Fast →→ IFGinitum #Atten: 30 dB	ALIGNAUTO 05:11:07 PM M# 25, 2024 #Avg Type: RMS TRACE 12:34 5 5 Avg[Hold: 100/100 TyPe DET P P P P	Frequency	
Ref Offset 1 dB 10 dBldiv Ref 20.00 dBm	ΔMkr3 82.40 MHz 1.583 dB	Auto Tune	
	20075-000 then	Center Freq 5.775000000 GHz	
1000 1000 1000 1000 1000	Allowed and a second and a se	Start Freq 5.695000000 GHz	
		<b>Stop Freq</b> 5.855000000 GHz	
	Span 160.0 MHz Sweep 1.000 ms (1001 pts)	<b>CF Step</b> 16.00000 MHz <u>Auto</u> Man	
1 N 1 f 5.734.20 GHz 28.602.48 m   2 N 1 f 5.778.68 GHz 1.985 dBm   3 Δ1 1 f 62.40 MHz (Δ) 1.885 dB   4 1 f (Δ) 62.40 MHz (Δ) 1.883 dB   4 5     1.985 dB		<b>Freq Offset</b> 0 Hz	
	STATUS		
11AC80MIMO_	_Ant2_5775		
Aglent Spectrum Analyzer - Swept SA 2. R to 55 500 Ac   SENSERLEE  Center Freq 5.775000000 GHz PNIC Fast →→ Trig-Free Run #Fdaticus d B	ALIGNAUTO 05:13:24 PM Mar 25, 2024 #Avg Type: RMS TRACE 12, 2, 44 5 0 Avg[Hold: 100/100 TYPE Mar 25, 2024 Det P.P.P.P.P.P.P.	Frequency	
Ref Offset 1 dB 10 dB/diy Ref 20.00 dBm	ΔMkr3 81.76 MHz -2.017 dB	Auto Tune	
		Center Freq 5.775000000 GHz	
500 500 400 <b>1</b>	301 301 301 301 301 301 301 301 301 301	Start Freq 5.695000000 GHz	
		<b>Stop Freq</b> 5.855000000 GHz	
Center 5.77500 GHz #Res BW 820 kHz #VBW 2.7 MHz	Span 160.0 MHz Sweep 1.000 ms (1001 pts)	CF Step 16.00000 MHz Auto Man	
MRF MODE TRC SCL X Y FUNCT   1 N 1 f 5.734.68 GHz -24.067 dBm -24.067 dBm   2 N 1 f 5.788.92 GHz -3.396 dBm   3 Δ1 1 f 6.181.96 MHz (Δ) -20.017 dB	TION FUNCTION WIDTH FUNCTION VALUE	Freq Offset	
4 Δ1 1 f (Δ) 81.76 MHz (Δ) -2.017 dB 4 5 6		0 Hz	
	~		



## 6dB Bandwidth

Test Mode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
	Ant1	5745	15.640	5737.080	5752.720	0.5	PASS
	Ant2	5745	15.240	5737.480	5752.720	0.5	PASS
11A	Ant1	5785	15.040	5777.440	5792.480	0.5	PASS
ПА	Ant2	5785	15.400	5777.440	5792.840	0.5	PASS
	Ant1	5825	16.320	5816.800	5833.120	0.5	PASS
	Ant2	5825	15.240	5817.240	5832.480	0.5	PASS
Ant	Ant1	5745	13.760	5738.680	5752.440	0.5	PASS
	Ant2	5745	15.640	5736.840	5752.480	0.5	PASS
11N20MIMO	Ant1	5785	13.800	5778.640	5792.440	0.5	PASS
	Ant2	5785	14.760	5777.080	5791.840	0.5	PASS
	Ant1	5825	16.800	5816.560	5833.360	0.5	PASS
	Ant2	5825	15.760	5817.080	5832.840	0.5	PASS
Ar	Ant1	5755	35.120	5737.400	5772.520	0.5	PASS
11N40MIMO	Ant2	5755	32.720	5738.440	5771.160	0.5	PASS
	Ant1	5795	34.960	5777.480	5812.440	0.5	PASS
	Ant2	5795	32.720	5778.600	5811.320	0.5	PASS
	Ant1	5745	15.080	5737.440	5752.520	0.5	PASS
	Ant2	5745	16.840	5736.520	5753.360	0.5	PASS
11AC20MIMO	Ant1	5785	15.920	5777.200	5793.120	0.5	PASS
TACZOWINIO	Ant2	5785	16.520	5776.840	5793.360	0.5	PASS
	Ant1	5825	16.520	5816.800	5833.320	0.5	PASS
	Ant2	5825	16.280	5816.800	5833.080	0.5	PASS
	Ant1	5755	33.840	5737.400	5771.240	0.5	PASS
11AC40MIMO	Ant2	5755	34.960	5737.480	5772.440	0.5	PASS
	Ant1	5795	34.960	5777.480	5812.440	0.5	PASS
	Ant2	5795	35.120	5777.400	5812.520	0.5	PASS
11AC80MIMO	Ant1	5775	75.200	5737.400	5812.600	0.5	PASS
	Ant2	5775	75.040	5737.400	5812.440	0.5	PASS





EN

Tel.: (86)755-27521059 中国国家认证认可监督管理委员会















