




Rev.: 01

Page: 129 of 261






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980





Rev.: 01

Page: 130 of 261





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980





Rev.: 01

Page: 131 of 261





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C


or email: CN\_Doccheck@sgs\_com John d/Na. Five, hu. Flansheng Road, Suchou Indastel Park, Suchou Area, China (Jängsa) Plk/Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000





Rev.: 01

Page: 132 of 261





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980



Report No.: SEWA2209000044RG04

Rev.: 01

Page: 133 of 261





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C


or email: CN\_Doccheck@sgs\_com John d/Na. Fiyek, th. Flunsheng Road, Suchou Indastell Park, Suchou Area, China (Jángsa) Plk Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区湾胜路1号的6号厂房南部 鄭樂: 215000





Rev.: 01

Page: 134 of 261





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C


or email: CM\_Doccheck@egs.com Sudnith& Feyn, tho. (Runsherg Read, Sudou Indasteil Park, Sudrou Area, China (Jangsu) Plot Free Trade Zone 中国・苏州・中国(江苏)自由贸易は強区苏州片区苏州工业园区园胜路1号的6号「房南部 邮集: 215000





Rev.: 01

Page: 135 of 261






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C





Rev.: 01

Page: 136 of 261





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Conditions-and-Conditions-And-Conditions-and-Conditions-And-C


or email: CN. <u>Doccheck @sgs.com</u> South of No. Fleat, No. 1, Flansheng Rosel, Subus Indastie Park, Suchou Area, Chine (Jángsu) Pital Free Trade Zone 215000 中国 - 新州 - 中国 (江苏) 自由贸易试验区苏州 | 上国区河通胜路(日安か号) 房南部 単編: 215000





Rev.: 01

Page: 137 of 261





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents as the subject to Terms and Conditions [Telectronic Document as full the subject or the subject of the subject

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路(号的6号厂房南部 邮编: 215000



Report No.: SEWA2209000044RG04


Rev.: 01

Page: 138 of 261

### **Radiated Spurious Emissions**

### Radiated emission below 1GHz

Worst case Mode: 11n40\_Channel 62



Final	Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	45.7625	39.12	-36.20	13.63	16.56	40.00	23.44	215	350	Horizontal
2	92.3225	42.22	-36.27	9.60	15.55	43.50	27.95	145	114	Horizontal
3	136.215	39.26	-35.58	13.24	16.91	43.50	26.59	125	308	Horizontal
4	178.41	43.19	-35.22	14.64	22.61	43.50	20.89	251	341	Horizontal
5	194.415	47.89	-35.31	11.23	23.82	43.50	19.68	138	11	Horizontal
6	291.415	51.29	-34.09	12.59	29.79	46.00	16.21	192	1	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit



Report No.: SEWA2209000044RG04

Rev.: 01

Page: 139 of 261



Fina	l Data List									
NO.	Frequency [MHz]	Reading [dBµV]	Factor [dB]	AF [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	45.2775	45.36	-36.20	13.64	22.80	40.00	17.20	145	79	Vertical
2	60.555	38.25	-36.41	12.64	14.49	40.00	25.51	126	318	Vertical
3	87.9575	41.29	-36.27	9.41	14.43	40.00	25.57	291	11	Vertical
4	108.085	39.16	-36.08	10.94	14.03	43.50	29.47	142	338	Vertical
5	148.5825	38.21	-35.28	13.78	16.71	43.50	26.79	135	245	Vertical
6	291.415	42.20	-34.09	12.59	20.70	46.00	25.30	180	89	Vertical

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading( $dB\mu V$ ) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit( $dB\mu V/m$ ) – Value( $dB\mu V/m$ )

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sps.com/en/Terms-and-Conditions.appx.and">http://www.sps.com/en/Terms-and-Conditions.appx.and</a>, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-anDocuments systems and the state of the state of

or email: CN\_DocCheck(図sgs\_com | Sound vNa. Five, No. Runsheng Road, Suchou Indastell Park, Suchou Area, China (Jiangsu) Plxt Free Trade Zone 中国・苏州・中国(江苏)自由贸易试验区苏州上区苏州工业园区海胜路(号的6号) 房南部 - 邮線: 215000




Report No.: SEWA2209000044RG04

Rev.: 01

Page: 140 of 261

### **Transmitter emission Above 1GHz**

### 802.11a\_Channel 36



Data	List									
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6906.3333	56.52	35.97	-43.84	48.65	68.30	19.65	145	141	Horizontal
2	7398.9167	37.19	36.49	-42.80	30.88	54.00	23.12	256	93	Horizontal
3	10360.0000	32.21	38.85	-38.82	32.24	68.30	36.06	236	357	Horizontal
4	11249.5	24.18	39.11	-36.91	26.38	54.00	27.62	216	191	Horizontal
5	15540.0000	28.44	38.52	-34.81	32.15	74.00	41.85	145	6	Horizontal
6	15540.0000	20.41	38.52	-34.81	24.12	54.00	29.88	192	6	Horizontal






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 141 of 261

### 802.11a\_Channel 36



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6906.3333	55.76	35.97	-43.84	47.89	68.30	20.41	256	191	Vertical				
2	8404.6875	36.03	37.34	-41.39	31.98	54.00	22.02	214	239	Vertical				
3	10360.0000	32.91	38.85	-38.82	32.94	68.30	35.36	136	168	Vertical				
4	11247.5833	25.04	39.11	-36.90	27.25	54.00	26.75	266	1	Vertical				
5	15540.0000	28.94	38.52	-34.81	32.65	74.00	41.35	145	288	Vertical				
6	15540.0000	20.89	38.52	-34.81	24.60	54.00	29.40	285	288	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 142 of 261

### 802.11a\_Channel 44



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6960	54.72	36.03	-43.35	47.40	68.30	20.90	254	214	Horizontal				
2	8323.2292	32.93	37.23	-41.75	28.41	54.00	25.59	169	264	Horizontal				
3	10400.0000	32.23	38.86	-38.72	32.37	68.30	35.93	281	0	Horizontal				
4	11249.9792	24.54	39.11	-36.91	26.74	54.00	27.26	196	336	Horizontal				
5	15600.0000	29.30	38.44	-34.37	33.37	74.00	40.63	174	288	Horizontal				
6	15600.0000	20.51	38.44	-34.37	24.58	54.00	29.42	142	190	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 143 of 261

### 802.11a\_Channel 44



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6960	55.51	36.03	-43.35	48.19	68.30	20.11	248	166	Vertical				
2	7540.75	37.01	36.42	-42.99	30.43	54.00	23.57	198	166	Vertical				
3	10400.0000	32.71	38.86	-38.72	32.85	68.30	35.45	155	93	Vertical				
4	11312.75	24.17	39.11	-37.27	26.01	54.00	27.99	122	356	Vertical				
5	15600.0000	28.07	38.44	-34.37	32.14	74.00	41.86	174	190	Vertical				
6	15600.0000	20.49	38.44	-34.37	24.56	54.00	29.44	162	190	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 144 of 261

### 802.11a\_Channel 48



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6986.8333	53.71	36.06	-43.11	46.66	68.30	21.64	256	238	Horizontal				
2	8403.7292	35.53	37.34	-41.39	31.48	54.00	22.52	236	356	Horizontal				
3	10480.0000	32.23	38.94	-38.75	32.42	68.30	35.88	142	286	Horizontal				
4	11251.4167	24.17	39.11	-36.92	26.36	54.00	27.64	169	356	Horizontal				
5	15720.0000	29.02	38.30	-33.22	34.10	74.00	39.90	192	44	Horizontal				
6	15720.0000	19.86	38.30	-33.22	24.94	54.00	29.06	158	68	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 145 of 261

### 802.11a\_Channel 48



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6986.3542	55.40	36.06	-43.11	48.35	68.30	19.95	216	189	Vertical				
2	8344.7917	33.14	37.26	-41.65	28.75	54.00	25.25	154	141	Vertical				
3	10480.0000	31.84	38.94	-38.75	32.03	68.30	36.27	129	214	Vertical				
4	11299.3333	25.47	39.11	-37.23	27.35	54.00	26.65	258	165	Vertical				
5	15720.0000	28.96	38.30	-33.22	34.04	74.00	39.96	146	117	Vertical				
6	15720.0000	20.50	38.30	-33.22	25.58	54.00	28.42	239	0	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 146 of 261

### 802.11a\_Channel 52



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7013.1875	52.52	36.11	-43.08	45.56	68.30	22.74	284	42	Horizontal				
2	8313.6458	32.79	37.22	-41.80	28.21	54.00	25.79	145	67	Horizontal				
3	10520.0000	31.33	38.98	-38.61	31.70	68.30	36.60	256	0	Horizontal				
4	11247.5833	24.49	39.11	-36.90	26.70	54.00	27.30	236	19	Horizontal				
5	15780.0000	29.90	38.22	-33.10	35.02	74.00	38.98	291	139	Horizontal				
6	15780.0000	21.04	38.22	-33.10	26.16	54.00	27.84	140	91	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 147 of 261

### 802.11a\_Channel 52



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7013.1875	54.26	36.11	-43.08	47.30	68.30	21.00	284	189	Vertical				
2	7411.375	38.04	36.48	-42.83	31.69	54.00	22.31	165	189	Vertical				
3	10520.0000	32.00	38.98	-38.61	32.37	68.30	35.93	129	90	Vertical				
4	11145.5208	23.92	39.10	-37.23	25.79	54.00	28.21	174	42	Vertical				
5	15780.0000	30.28	38.22	-33.10	35.40	74.00	38.60	153	0	Vertical				
6	15780.0000	21.23	38.22	-33.10	26.35	54.00	27.65	216	141	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 148 of 261

### 802.11a\_Channel 60



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7066.375	50.78	36.25	-43.43	43.60	68.30	24.70	245	44	Horizontal				
2	7614.5417	36.67	36.42	-42.77	30.32	54.00	23.68	263	0	Horizontal				
3	10600.0000	24.08	39.06	-38.01	25.13	54.00	28.87	196	213	Horizontal				
4	10600.0000	31.86	39.06	-38.01	32.91	74.00	41.09	258	189	Horizontal				
5	15900.0000	21.37	38.03	-34.13	25.27	54.00	28.73	148	44	Horizontal				
6	15900.0000	30.65	38.03	-34.13	34.55	74.00	39.45	175	0	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 149 of 261

### 802.11a\_Channel 60



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7066.375	50.49	36.25	-43.43	43.31	68.30	24.99	258	190	Vertical				
2	8400.8542	35.42	37.33	-41.37	31.38	54.00	22.62	146	190	Vertical				
3	10600.0000	24.42	39.06	-38.01	25.47	54.00	28.53	266	166	Vertical				
4	10600.0000	33.10	39.06	-38.01	34.15	74.00	39.85	235	190	Vertical				
5	15900.0000	22.39	38.03	-34.13	26.29	54.00	27.71	291	44	Vertical				
6	15900.0000	30.18	38.03	-34.13	34.08	74.00	39.92	144	0	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 150 of 261

### 802.11a\_Channel 64



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7433.8958	46.71	36.47	-42.92	40.26	74.00	33.74	215	116	Horizontal				
2	7540.2708	37.47	36.42	-43.00	30.89	54.00	23.11	236	0	Horizontal				
3	10640.0000	24.37	39.09	-37.80	25.66	54.00	28.34	145	69	Horizontal				
4	10640.0000	32.15	39.09	-37.80	33.44	74.00	40.56	295	93	Horizontal				
5	15960.0000	22.63	37.93	-34.63	25.93	54.00	28.07	126	190	Horizontal				
6	15960.0000	30.14	37.93	-34.63	33.44	74.00	40.56	302	69	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 151 of 261

### 802.11a\_Channel 64



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7521.5833	37.91	36.43	-43.08	31.26	54.00	22.74	255	6	Vertical				
2	7576.2083	46.77	36.40	-42.84	40.33	74.00	33.67	162	193	Vertical				
3	10640.0000	24.45	39.09	-37.80	25.74	54.00	28.26	132	70	Vertical				
4	10640.0000	33.08	39.09	-37.80	34.37	74.00	39.63	142	70	Vertical				
5	15960.0000	22.30	37.93	-34.63	25.60	54.00	28.40	189	288	Vertical				
6	15960.0000	30.53	37.93	-34.63	33.83	74.00	40.17	143	1	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 152 of 261

### 802.11a\_Channel 100



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7458.3333	38.30	36.46	-43.01	31.75	54.00	22.25	258	4	Horizontal				
2	7513.9167	46.91	36.43	-43.11	40.23	74.00	33.77	147	0	Horizontal				
3	11000.0000	24.40	39.07	-37.59	25.88	54.00	28.12	176	136	Horizontal				
4	11000.0000	31.52	39.07	-37.59	33.00	74.00	41.00	194	335	Horizontal				
5	15809.25	23.17	38.18	-33.16	28.20	54.00	25.80	128	4	Horizontal				
6	16500.0000	32.50	37.93	-34.28	36.14	68.30	32.16	136	0	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 153 of 261

### 802.11a\_Channel 100



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7441.0833	38.53	36.47	-42.95	32.05	54.00	21.95	254	310	Vertical				
2	7450.1875	46.99	36.46	-42.98	40.47	74.00	33.53	163	212	Vertical				
3	11000.0000	23.63	39.07	-37.59	25.11	54.00	28.89	194	82	Vertical				
4	11000.0000	32.11	39.07	-37.59	33.59	74.00	40.41	258	286	Vertical				
5	15788.1667	23.20	38.21	-33.08	28.33	54.00	25.67	146	186	Vertical				
6	16500.0000	33.12	37.93	-34.28	36.76	68.30	31.54	192	310	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 154 of 261

### 802.11a\_Channel 116



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7429.1042	47.20	36.48	-42.90	40.77	74.00	33.23	215	20	Horizontal				
2	7647.125	37.44	36.48	-42.84	31.08	54.00	22.92	145	43	Horizontal				
3	11160.0000	23.71	39.10	-37.06	25.76	54.00	28.24	255	0	Horizontal				
4	11160.0000	33.44	39.10	-37.06	35.49	74.00	38.51	236	20	Horizontal				
5	15791.0417	23.17	38.21	-33.08	28.30	54.00	25.70	195	334	Horizontal				
6	16740.0000	31.29	38.31	-34.77	34.83	68.30	33.47	148	116	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 155 of 261

### 802.11a\_Channel 116



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8401.3333	35.73	37.33	-41.38	31.69	54.00	22.31	213	95	Vertical				
2	8410.4375	46.55	37.35	-41.41	42.49	74.00	31.51	236	357	Vertical				
3	11160.0000	32.40	39.10	-37.06	34.45	74.00	39.55	145	44	Vertical				
4	11160.0000	23.90	39.10	-37.06	25.95	54.00	28.05	251	68	Vertical				
5	15829.8542	23.58	38.15	-33.38	28.35	54.00	25.65	126	1	Vertical				
6	16740.0000	32.50	38.31	-34.77	36.04	68.30	32.26	156	287	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 156 of 261

### 802.11a\_Channel 140



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8410.4375	36.61	37.35	-41.41	32.55	54.00	21.45	216	68	Horizontal				
2	8411.875	45.04	37.35	-41.42	40.97	74.00	33.03	145	44	Horizontal				
3	11400.0000	24.71	39.11	-37.51	26.31	54.00	27.69	261	239	Horizontal				
4	11400.0000	32.26	39.11	-37.51	33.86	74.00	40.14	136	68	Horizontal				
5	15808.2917	23.76	38.19	-33.15	28.80	54.00	25.20	299	44	Horizontal				
6	17100.0000	30.41	38.56	-33.74	35.22	68.30	33.08	150	20	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 157 of 261

### 802.11a\_Channel 140



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8340	44.04	37.26	-41.67	39.63	74.00	34.37	210	311	Vertical				
2	8408.5208	36.50	37.35	-41.41	32.44	54.00	21.56	163	68	Vertical				
3	11400.0000	24.52	39.11	-37.51	26.12	54.00	27.88	145	240	Vertical				
4	11400.0000	33.68	39.11	-37.51	35.28	74.00	38.72	215	118	Vertical				
5	15827.9375	23.99	38.15	-33.36	28.78	54.00	25.22	192	166	Vertical				
6	17100.0000	30.63	38.56	-33.74	35.44	68.30	32.86	133	190	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 158 of 261

### 802.11a\_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7660.0625	47.88	36.51	-42.87	41.52	74.00	32.48	254	336	Horizontal				
2	7660.5417	42.97	36.51	-42.87	36.61	54.00	17.39	163	336	Horizontal				
3	11490.0000	31.73	39.01	-36.61	34.13	74.00	39.87	233	336	Horizontal				
4	11490.0000	23.74	39.01	-36.61	26.14	54.00	27.86	261	68	Horizontal				
5	15861	24.06	38.10	-33.71	28.44	54.00	25.56	169	68	Horizontal				
6	17235.0000	34.27	38.65	-34.96	37.97	68.30	30.33	184	239	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 159 of 261

### 802.11a\_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7659.5833	48.72	36.51	-42.87	42.36	74.00	31.64	256	169	Vertical				
2	7660.5417	44.42	36.51	-42.87	38.06	54.00	15.94	148	169	Vertical				
3	11490.0000	24.56	39.01	-36.61	26.96	54.00	27.04	152	0	Vertical				
4	11490.0000	33.23	39.01	-36.61	35.63	74.00	38.37	129	217	Vertical				
5	15812.6042	24.00	38.18	-33.19	28.98	54.00	25.02	211	1	Vertical				
6	17235.0000	34.21	38.65	-34.96	37.91	68.30	30.39	213	169	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 160 of 261

### 802.11a\_Channel 157



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8412.8333	45.07	37.36	-41.43	41.00	74.00	33.00	215	189	Horizontal				
2	8417.1458	36.44	37.37	-41.44	32.36	54.00	21.64	142	310	Horizontal				
3	11570.0000	29.90	38.92	-36.84	31.98	74.00	42.02	136	357	Horizontal				
4	11570.0000	22.91	38.92	-36.84	24.99	54.00	29.01	266	357	Horizontal				
5	15808.7708	23.71	38.19	-33.15	28.74	54.00	25.26	100	41	Horizontal				
6	17355.0000	33.48	38.80	-35.00	37.28	68.30	31.02	195	0	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 161 of 261

### 802.11a\_Channel 157



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7713.25	49.37	36.61	-42.90	43.08	74.00	30.92	256	168	Vertical				
2	7713.7292	45.31	36.61	-42.90	39.02	54.00	14.98	236	168	Vertical				
3	11570.0000	22.59	38.92	-36.84	24.67	54.00	29.33	216	70	Vertical				
4	11570.0000	31.59	38.92	-36.84	33.67	74.00	40.33	145	1	Vertical				
5	15861.9583	24.51	38.09	-33.72	28.88	54.00	25.12	192	70	Vertical				
6	17355.0000	32.27	38.80	-35.00	36.07	68.30	32.23	155	264	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 162 of 261

### 802.11a\_Channel 165



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7418.0833	47.54	36.48	-42.86	41.16	74.00	32.84	256	266	Horizontal
2	7532.125	38.53	36.42	-43.03	31.92	54.00	22.08	142	47	Horizontal
3	11650.0000	20.45	38.85	-36.53	22.77	54.00	31.23	136	47	Horizontal
4	11650.0000	28.09	38.85	-36.53	30.41	74.00	43.59	266	7	Horizontal
5	15801.1042	23.53	38.20	-33.07	28.66	54.00	25.34	125	0	Horizontal
6	17475.0000	31.09	39.11	-34.07	36.13	68.30	32.17	193	217	Horizontal






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 163 of 261

### 802.11a\_Channel 165



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	7427.1875	48.01	36.48	-42.89	41.59	74.00	32.41	253	169	Vertical
2	7666.7708	37.54	36.52	-42.88	31.18	54.00	22.82	152	118	Vertical
3	11650.0000	28.99	38.85	-36.53	31.31	74.00	42.69	145	193	Vertical
4	11650.0000	20.74	38.85	-36.53	23.06	54.00	30.94	129	214	Vertical
5	15870.5833	24.19	38.08	-33.82	28.45	54.00	25.55	166	311	Vertical
6	17475.0000	30.80	39.11	-34.07	35.84	68.30	32.46	142	238	Vertical






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 164 of 261

### 802.11n20\_Channel 36



Data	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	
1	6906.8125	58.09	35.97	-43.84	50.22	68.30	18.08	256	194	Horizontal	
2	8424.8125	36.60	37.38	-41.48	32.51	54.00	21.49	142	147	Horizontal	
3	10360.0000	34.20	38.85	-38.82	34.23	68.30	34.07	136	97	Horizontal	
4	11163.7292	25.42	39.10	-37.02	27.51	54.00	26.49	266	194	Horizontal	
5	15540.0000	28.46	38.52	-34.81	32.17	74.00	41.83	291	359	Horizontal	
6	15540.0000	20.71	38.52	-34.81	24.42	54.00	29.58	148	24	Horizontal	






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 165 of 261

### 802.11n20\_Channel 36



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6906.8125	60.23	35.97	-43.84	52.36	68.30	15.94	253	194	Vertical				
2	7385.0208	37.71	36.50	-42.87	31.34	54.00	22.66	163	268	Vertical				
3	10360.0000	34.08	38.85	-38.82	34.11	68.30	34.19	122	170	Vertical				
4	11351.0833	25.63	39.11	-37.37	27.37	54.00	26.63	196	23	Vertical				
5	15540.0000	28.30	38.52	-34.81	32.01	74.00	41.99	148	194	Vertical				
6	15540.0000	20.29	38.52	-34.81	24.00	54.00	30.00	126	97	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 166 of 261

### 802.11n20\_Channel 44



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6960	54.29	36.03	-43.35	46.97	68.30	21.33	241	196	Horizontal				
2	7452.1042	37.36	36.46	-42.99	30.84	54.00	23.16	165	98	Horizontal				
3	10400.0000	32.41	38.86	-38.72	32.55	68.30	35.75	195	360	Horizontal				
4	11241.8333	25.11	39.11	-36.86	27.36	54.00	26.64	135	295	Horizontal				
5	15600.0000	28.78	38.44	-34.37	32.85	74.00	41.15	258	170	Horizontal				
6	15600.0000	19.71	38.44	-34.37	23.78	54.00	30.22	197	359	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 167 of 261

### 802.11n20\_Channel 44



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6960	56.20	36.03	-43.35	48.88	68.30	19.42	256	170	Vertical				
2	8354.8542	33.72	37.27	-41.60	29.40	54.00	24.60	142	267	Vertical				
3	10400.0000	32.23	38.86	-38.72	32.37	68.30	35.93	136	120	Vertical				
4	11216.9167	24.77	39.11	-36.71	27.17	54.00	26.83	269	290	Vertical				
5	15600.0000	20.33	38.44	-34.37	24.40	54.00	29.60	258	72	Vertical				
6	15600.0000	28.48	38.44	-34.37	32.55	74.00	41.45	149	3	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 168 of 261

### 802.11n20\_Channel 48



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6986.8333	53.44	36.06	-43.11	46.39	68.30	21.91	254	47	Horizontal				
2	7451.625	36.82	36.46	-42.99	30.30	54.00	23.70	123	215	Horizontal				
3	10480.0000	32.04	38.94	-38.75	32.23	68.30	36.07	263	313	Horizontal				
4	11241.8333	24.61	39.11	-36.86	26.86	54.00	27.14	251	23	Horizontal				
5	15720.0000	28.18	38.30	-33.22	33.26	74.00	40.74	195	145	Horizontal				
6	15720.0000	20.35	38.30	-33.22	25.43	54.00	28.57	184	353	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 169 of 261

### 802.11n20\_Channel 48



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6986.3542	56.12	36.06	-43.11	49.07	68.30	19.23	284	194	Vertical				
2	7388.375	37.38	36.50	-42.85	31.02	54.00	22.98	195	49	Vertical				
3	10480.0000	32.12	38.94	-38.75	32.31	68.30	35.99	147	49	Vertical				
4	11242.3125	24.56	39.11	-36.87	26.80	54.00	27.20	163	360	Vertical				
5	15720.0000	27.71	38.30	-33.22	32.79	74.00	41.21	253	360	Vertical				
6	15720.0000	20.18	38.30	-33.22	25.26	54.00	28.74	146	268	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 170 of 261

### 802.11n20\_Channel 52



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7013.1875	52.63	36.11	-43.08	45.67	68.30	22.63	216	219	Horizontal				
2	7526.8542	38.22	36.43	-43.05	31.59	54.00	22.41	145	48	Horizontal				
3	10520.0000	32.78	38.98	-38.61	33.15	68.30	35.15	136	48	Horizontal				
4	11234.1667	24.74	39.11	-36.82	27.03	54.00	26.97	265	48	Horizontal				
5	15780.0000	30.17	38.22	-33.10	35.29	74.00	38.71	258	24	Horizontal				
6	15780.0000	21.32	38.22	-33.10	26.44	54.00	27.56	196	360	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 171 of 261

### 802.11n20\_Channel 52



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7013.1875	54.22	36.11	-43.08	47.26	68.30	21.04	248	195	Vertical				
2	7435.3333	38.21	36.47	-42.92	31.76	54.00	22.24	168	121	Vertical				
3	10520.0000	34.20	38.98	-38.61	34.57	68.30	33.73	147	219	Vertical				
4	11245.1875	24.97	39.11	-36.88	27.20	54.00	26.80	192	147	Vertical				
5	15780.0000	31.84	38.22	-33.10	36.96	74.00	37.04	142	171	Vertical				
6	15780.0000	21.48	38.22	-33.10	26.60	54.00	27.40	138	195	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 172 of 261

### 802.11n20\_Channel 60



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7066.375	50.19	36.25	-43.43	43.01	68.30	25.29	254	47	Horizontal				
2	7539.7917	38.14	36.42	-43.00	31.56	54.00	22.44	192	360	Horizontal				
3	10600.0000	24.68	39.06	-38.01	25.73	54.00	28.27	120	218	Horizontal				
4	10600.0000	33.70	39.06	-38.01	34.75	74.00	39.25	132	24	Horizontal				
5	15900.0000	22.27	38.03	-34.13	26.17	54.00	27.83	152	360	Horizontal				
6	15900.0000	30.48	38.03	-34.13	34.38	74.00	39.62	146	339	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 173 of 261

### 802.11n20\_Channel 60



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7066.375	52.14	36.25	-43.43	44.96	68.30	23.34	246	195	Vertical				
2	7402.2708	37.96	36.49	-42.80	31.65	54.00	22.35	235	50	Vertical				
3	10600.0000	33.59	39.06	-38.01	34.64	74.00	39.36	159	195	Vertical				
4	10600.0000	24.83	39.06	-38.01	25.88	54.00	28.12	196	195	Vertical				
5	15900.0000	22.46	38.03	-34.13	26.36	54.00	27.64	148	98	Vertical				
6	15900.0000	30.37	38.03	-34.13	34.27	74.00	39.73	175	98	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 174 of 261

### 802.11n20\_Channel 64



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7190	47.26	36.57	-43.62	40.22	68.30	28.08	256	268	Horizontal				
2	7375.9167	37.81	36.50	-42.92	31.39	54.00	22.61	145	339	Horizontal				
3	10640.0000	25.84	39.09	-37.80	27.13	54.00	26.87	233	194	Horizontal				
4	10640.0000	34.39	39.09	-37.80	35.68	74.00	38.32	100	121	Horizontal				
5	15960.0000	22.12	37.93	-34.63	25.42	54.00	28.58	142	47	Horizontal				
6	15960.0000	30.38	37.93	-34.63	33.68	74.00	40.32	192	145	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 175 of 261

### 802.11n20\_Channel 64



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7093.2083	49.81	36.32	-43.61	42.52	68.30	25.78	175	219	Vertical				
2	7397	38.07	36.49	-42.81	31.76	54.00	22.24	194	267	Vertical				
3	10640.0000	26.25	39.09	-37.80	27.54	54.00	26.46	163	169	Vertical				
4	10640.0000	34.32	39.09	-37.80	35.61	74.00	38.39	185	243	Vertical				
5	15960.0000	22.60	37.93	-34.63	25.90	54.00	28.10	251	4	Vertical				
6	15960.0000	30.36	37.93	-34.63	33.66	74.00	40.34	145	360	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 176 of 261

### 802.11n20\_Channel 100



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	8045.3125	45.94	37.03	-41.77	41.19	74.00	32.81	245	341	Horizontal				
2	8380.7292	35.44	37.31	-41.47	31.28	54.00	22.72	165	341	Horizontal				
3	11000.0000	31.98	39.07	-37.59	33.46	74.00	40.54	128	360	Horizontal				
4	11000.0000	22.97	39.07	-37.59	24.45	54.00	29.55	135	145	Horizontal				
5	15852.8542	23.79	38.11	-33.63	28.27	54.00	25.73	196	341	Horizontal				
6	16500.0000	33.37	37.93	-34.28	37.01	68.30	31.29	175	316	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 177 of 261

### 802.11n20\_Channel 100



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7333.75	40.57	36.53	-43.15	33.95	54.00	20.05	254	48	Vertical				
2	7592.5	46.94	36.39	-42.77	40.56	74.00	33.44	136	243	Vertical				
3	11000.0000	23.70	39.07	-37.59	25.18	54.00	28.82	166	70	Vertical				
4	11000.0000	30.95	39.07	-37.59	32.43	74.00	41.57	254	48	Vertical				
5	15876.3333	24.08	38.07	-33.88	28.27	54.00	25.73	125	289	Vertical				
6	16500.0000	32.36	37.93	-34.28	36.00	68.30	32.30	188	169	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 178 of 261

### 802.11n20\_Channel 116



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7549.8542	37.90	36.42	-42.96	31.36	54.00	22.64	236	359	Horizontal				
2	7688.3333	46.89	36.56	-42.93	40.53	74.00	33.47	251	73	Horizontal				
3	11000.0000	23.67	39.07	-37.59	25.15	54.00	28.85	163	195	Horizontal				
4	11000.0000	31.68	39.07	-37.59	33.16	74.00	40.84	142	354	Horizontal				
5	15813.0833	23.48	38.18	-33.20	28.46	54.00	25.54	251	73	Horizontal				
6	16500.0000	33.28	37.93	-34.28	36.92	68.30	31.38	163	268	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 179 of 261

### 802.11n20\_Channel 116



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7440.125	47.58	36.47	-42.94	41.11	74.00	32.89	214	46	Vertical				
2	7440.6042	41.25	36.47	-42.94	34.78	54.00	19.22	236	191	Vertical				
3	11000.0000	23.69	39.07	-37.59	25.17	54.00	28.83	198	240	Vertical				
4	11000.0000	32.73	39.07	-37.59	34.21	74.00	39.79	251	359	Vertical				
5	15801.1042	23.14	38.20	-33.07	28.27	54.00	25.73	145	3	Vertical				
6	16500.0000	32.67	37.93	-34.28	36.31	68.30	31.99	182	93	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 180 of 261

### 802.11n20\_Channel 140



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7374.9583	48.99	36.50	-42.93	42.57	74.00	31.43	156	265	Horizontal				
2	7600.1667	41.20	36.39	-42.74	34.85	54.00	19.15	142	353	Horizontal				
3	11400.0000	25.30	39.11	-37.51	26.90	54.00	27.10	148	97	Horizontal				
4	11400.0000	33.38	39.11	-37.51	34.98	74.00	39.02	198	289	Horizontal				
5	15792.9583	23.70	38.21	-33.07	28.83	54.00	25.17	126	47	Horizontal				
6	17100.0000	31.70	38.56	-33.74	36.51	68.30	31.79	235	194	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 181 of 261

### 802.11n20\_Channel 140



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7600.1667	49.82	36.39	-42.74	43.47	74.00	30.53	215	171	Vertical				
2	7600.1667	43.50	36.39	-42.74	37.15	54.00	16.85	196	171	Vertical				
3	11400.0000	25.41	39.11	-37.51	27.01	54.00	26.99	183	359	Vertical				
4	11400.0000	34.17	39.11	-37.51	35.77	74.00	38.23	148	50	Vertical				
5	17100.0000	23.27	38.56	-33.74	28.08	-	-	236	219	Vertical				
6	17100.0000	31.73	38.56	-33.74	36.54	68.30	31.76	251	24	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 182 of 261

### 802.11n20\_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7477.5	47.32	36.45	-43.08	40.69	74.00	33.31	284	147	Horizontal				
2	8098.9792	34.57	37.04	-41.35	30.27	54.00	23.73	156	319	Horizontal				
3	11490.0000	31.89	39.01	-36.61	34.29	74.00	39.71	251	245	Horizontal				
4	11490.0000	23.48	39.01	-36.61	25.88	54.00	28.12	236	319	Horizontal				
5	15827.9375	23.72	38.15	-33.36	28.51	54.00	25.49	169	295	Horizontal				
6	17235.0000	34.13	38.65	-34.96	37.83	68.30	30.47	192	74	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 183 of 261

### 802.11n20\_Channel 149



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7659.5833	49.69	36.51	-42.87	43.33	74.00	30.67	214	170	Vertical				
2	7660.5417	44.98	36.51	-42.87	38.62	54.00	15.38	132	170	Vertical				
3	11490.0000	23.33	39.01	-36.61	25.73	54.00	28.27	251	73	Vertical				
4	11490.0000	31.96	39.01	-36.61	34.36	74.00	39.64	263	340	Vertical				
5	15798.2292	23.22	38.20	-33.06	28.36	54.00	25.64	196	218	Vertical				
6	17235.0000	35.04	38.65	-34.96	38.74	68.30	29.56	154	218	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 184 of 261

### 802.11n20\_Channel 157



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7454.0208	48.17	36.46	-43.00	41.64	74.00	32.36	245	145	Horizontal				
2	7713.7292	42.25	36.61	-42.90	35.96	54.00	18.04	132	339	Horizontal				
3	11570.0000	29.35	38.92	-36.84	31.43	74.00	42.57	158	3	Horizontal				
4	11570.0000	22.70	38.92	-36.84	24.78	54.00	29.22	266	316	Horizontal				
5	15827.9375	23.70	38.15	-33.36	28.49	54.00	25.51	195	216	Horizontal				
6	17355.0000	32.39	38.80	-35.00	36.19	68.30	32.11	142	354	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 185 of 261

### 802.11n20\_Channel 157



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7713.25	48.77	36.61	-42.90	42.48	74.00	31.52	248	170	Vertical				
2	7713.7292	44.86	36.61	-42.90	38.57	54.00	15.43	168	170	Vertical				
3	11570.0000	21.98	38.92	-36.84	24.06	54.00	29.94	216	194	Vertical				
4	11570.0000	30.56	38.92	-36.84	32.64	74.00	41.36	153	194	Vertical				
5	15804.9375	24.22	38.19	-33.11	29.30	54.00	24.70	296	72	Vertical				
6	17355.0000	33.94	38.80	-35.00	37.74	68.30	30.56	251	170	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 186 of 261

### 802.11n20\_Channel 165



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7431.5	38.06	36.47	-42.91	31.62	54.00	22.38	248	267	Horizontal				
2	7542.1875	48.59	36.42	-42.99	42.02	74.00	31.98	156	243	Horizontal				
3	11650.0000	20.15	38.85	-36.53	22.47	54.00	31.53	251	359	Horizontal				
4	11650.0000	28.92	38.85	-36.53	31.24	74.00	42.76	236	354	Horizontal				
5	15809.25	23.79	38.18	-33.16	28.82	54.00	25.18	192	4	Horizontal				
6	17475.0000	30.51	39.11	-34.07	35.55	68.30	32.75	136	316	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 187 of 261

### 802.11n20\_Channel 165



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	7438.6875	38.09	36.47	-42.94	31.62	54.00	22.38	263	339	Vertical				
2	7766.4375	49.01	36.71	-42.70	43.02	68.30	25.28	251	192	Vertical				
3	11650.0000	28.51	38.85	-36.53	30.83	74.00	43.17	196	192	Vertical				
4	11650.0000	21.49	38.85	-36.53	23.81	54.00	30.19	145	97	Vertical				
5	15818.8333	23.61	38.17	-33.26	28.52	54.00	25.48	185	73	Vertical				
6	17475.0000	31.39	39.11	-34.07	36.43	68.30	31.87	149	219	Vertical				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 188 of 261

### 802.11n40\_Channel 38



Data	Data List													
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity				
1	6919.75	58.22	35.98	-43.72	50.48	68.30	17.82	248	194	Horizontal				
2	7398.4375	38.37	36.49	-42.80	32.06	54.00	21.94	163	118	Horizontal				
3	10380.0000	35.19	38.86	-38.77	35.28	68.30	33.02	251	265	Horizontal				
4	11225.0625	26.40	39.11	-36.76	28.75	54.00	25.25	126	360	Horizontal				
5	15570.0000	29.01	38.48	-34.59	32.90	74.00	41.10	135	218	Horizontal				
6	15570.0000	20.61	38.48	-34.59	24.50	54.00	29.50	199	3	Horizontal				






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 189 of 261

### 802.11n40\_Channel 38



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6919.75	60.10	35.98	-43.72	52.36	68.30	15.94	256	196	Vertical
2	7476.5417	38.62	36.45	-43.08	31.99	54.00	22.01	185	75	Vertical
3	10380.0000	36.45	38.86	-38.77	36.54	68.30	31.76	136	341	Vertical
4	11285.4375	26.83	39.11	-37.14	28.80	54.00	25.20	236	294	Vertical
5	15570.0000	29.50	38.48	-34.59	33.39	74.00	40.61	264	4	Vertical
6	15570.0000	21.35	38.48	-34.59	25.24	54.00	28.76	198	49	Vertical






Report No.: SEWA2209000044RG04

Rev.: 01

Page: 190 of 261

### 802.11n40\_Channel 46



Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6973.4167	54.37	36.05	-43.23	47.19	68.30	21.11	245	72	Horizontal
2	7433.4167	38.31	36.47	-42.92	31.87	54.00	22.13	136	360	Horizontal
3	10460.0000	33.49	38.92	-38.74	33.67	68.30	34.63	256	219	Horizontal
4	11291.6667	26.75	39.11	-37.18	28.68	54.00	25.32	195	243	Horizontal
5	15690.0000	30.11	38.33	-33.37	35.08	74.00	38.92	148	360	Horizontal
6	15690.0000	21.02	38.33	-33.37	25.99	54.00	28.01	192	359	Horizontal

