

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 1 of 115

TEST REPORT

Application No.: SUCR2401000003TL
Applicant: KonnectONE, Inc
Address of Applicant: 40 Lake Bellevue Drive, Suite 340, Bellevue, Washington 98005, U.S.A
Manufacturer: KonnectONE, Inc
Address of Manufacturer: 40 Lake Bellevue Drive, Suite 340, Bellevue, Washington 98005, U.S.A
EUT Description: CPE
Model No.: K868CPE
Trade Mark: Moxee
FCC ID: 2APQU-K868CPE
Standards: FCC 47 CFR Part 2, Subpart J
FCC 47 CFR Part 15, Subpart E
Date of Receipt: 2023/01/03
Date of Test: 2024/01/03 to 2024/01/18
Date of Issue: 2024/01/29

Test Result :	PASS *
----------------------	---------------

* In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Well Wei

Well Wei
Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved. No part of this document may be reproduced, stored in a retrieval system or transmitted, in whole or in part, in any form or by any means, without the prior written permission of the Company. Any advice or recommendation given by the Company or its employees or agents in the course of the performance of its obligations hereunder is given in the course of its business only and within the limits of its instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 2 of 115

1 Version

Revision Record

Version	Chapter	Date	Modifier	Remark
01		2024/01/29		Original

Prepared By	 (Ives Cheng) / Test Engineer
Checked By	 (Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any reference in this document to 'SGS' is to the Company and not to its Client, unless the context otherwise requires. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

2 Test Summary

Test Item	Band ^[1]	FCC rules No.	Test Requirements	Test Result	Result																				
Dynamic Frequency Selection	Band II-A Band II-C	15.407	<p>DFS Detection Thresholds:</p> <table border="1"> <tr><td>Maximum Transmit Power</td><td>Value (See Notes 1, 2, and 3)</td></tr> <tr><td>EIRP ≥ 200 milliwatt</td><td>-64 dBm</td></tr> <tr><td>EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz</td><td>-62 dBm</td></tr> <tr><td>EIRP ≥ 200 milliwatt that do not meet the power spectral density requirement</td><td>-64 dBm</td></tr> </table> <p>Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna. Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response. Note 3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.</p> <p>DFS Response Requirement:</p> <table border="1"> <tr><td>Parameter</td><td>Value</td></tr> <tr><td>Non-occupancy period</td><td>Minimum 30 minutes</td></tr> <tr><td>Channel Availability Check Time</td><td>60 seconds</td></tr> <tr><td>Channel Move Time</td><td>10 seconds See Note 1</td></tr> <tr><td>Channel Closing Transmission Time</td><td>200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period See Notes 1 and 2</td></tr> <tr><td>U-NII Detection Bandwidth</td><td>Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.</td></tr> </table> <p>Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst. Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions. Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.</p>	Maximum Transmit Power	Value (See Notes 1, 2, and 3)	EIRP ≥ 200 milliwatt	-64 dBm	EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz	-62 dBm	EIRP ≥ 200 milliwatt that do not meet the power spectral density requirement	-64 dBm	Parameter	Value	Non-occupancy period	Minimum 30 minutes	Channel Availability Check Time	60 seconds	Channel Move Time	10 seconds See Note 1	Channel Closing Transmission Time	200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period See Notes 1 and 2	U-NII Detection Bandwidth	Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.	Clause 4.1	PASS
Maximum Transmit Power	Value (See Notes 1, 2, and 3)																								
EIRP ≥ 200 milliwatt	-64 dBm																								
EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz	-62 dBm																								
EIRP ≥ 200 milliwatt that do not meet the power spectral density requirement	-64 dBm																								
Parameter	Value																								
Non-occupancy period	Minimum 30 minutes																								
Channel Availability Check Time	60 seconds																								
Channel Move Time	10 seconds See Note 1																								
Channel Closing Transmission Time	200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period See Notes 1 and 2																								
U-NII Detection Bandwidth	Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.																								

Note 1:

Band II-A: 5250-5350MHz

Band II-C: 5470-5725MHz

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability arising out of this document is limited to the terms of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Contents

1	Version	2
2	Test Summary	3
3	General Information	5
3.1	Details of Client	5
3.2	Test Location	5
3.3	Test Facility	5
3.4	General Description of EUT	6
3.5	Test Environment and Mode	8
3.6	Description of Support Units	8
3.7	Worst-case configuration and mode	8
4	Test results and Measurement Data	9
4.1	Dynamic Frequency Selection	9
4.1.1	DFS Measurement Configuration	9
4.1.2	DFS Threshold level	9
4.1.3	Power-on cycle	9
4.1.4	User Access Restrictions	9
4.1.5	Channel Loading/Data Streaming	9
4.1.6	Conducted Setup of Calibration of DFS Detection Threshold Level	10
4.1.7	Test Setup	10
4.1.8	Test Procedures	11
4.1.9	Applicability of DFS Requirements Prior to Use of a Channel	18
4.1.10	Applicability of DFS Requirements During Normal Operation	18
4.1.11	DFS Detection Thresholds	19
4.1.12	Response Requirements	19
4.1.13	Short Pulse Radar Test Waveforms	20
4.1.14	Long Pulse Radar Test Waveform	22
4.1.15	Frequency Hopping Radar Test Waveform	22
5	Measurement Uncertainty (95% confidence levels, k=2)	23
6	Equipment List	24
7	Photographs - Setup Photos	25



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues, may be reproduced or advised to any third party without the prior written approval of the Company. Any advice or information given by the Company or its employees or agents, or any information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

3 General Information

3.1 Details of Client

Applicant:	KonnectONE, Inc
Address of Applicant:	40 Lake Bellevue Drive, Suite 340, Bellevue, Washington 98005, U.S.A
Manufacturer:	KonnectONE, Inc
Address of Manufacturer:	40 Lake Bellevue Drive, Suite 340, Bellevue, Washington 98005, U.S.A

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Ives Cheng

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **A2LA (Certificate No. 6336.01)**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• **Innovation, Science and Economic Development Canada**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• **FCC –Designation Number: CN1312**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any reference in this document to 'SGS' is to the company which issued this document and not necessarily to the company which performed the work. The information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

3.4 General Description of EUT

EUT Description:	CPE	
Model No.:	K868CPE	
Trade Mark:	Moxee	
Hardware Version:	K868CPE_MB_V1.00	
Software Version:	K868CPE_EQ100_C277_V0201	
Power Supply:	12V	
IMEI:	860662054426370	
WLAN Mode Supported:	802.11a:	20 MHz channel bandwidth
	802.11n:	20 MHz / 40 MHz channel bandwidth
	802.11ac:	20 MHz / 40 MHz / 80 MHz MHz channel bandwidth
Operation Frequency:	5250MHz to 5350MHz 5470MHz to 5725MHz	
Modulation Type:	802.11a:	OFDM (BPSK, QPSK, 16QAM, 64QAM)
	802.11n:	OFDM (BPSK, QPSK, 16QAM, 64QAM)
	802.11ac:	OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)
Channel Spacing:	20MHz:	802.11a/n(HT20)/ac(VHT20)
	40MHz:	802.11n(HT40)/ac(VHT40)
	80MHz:	802.11ac(VHT80)
Antenna Type:	External Antenna	
Antenna Gain:	5250MHz to 5350MHz: 1.5dBi(Ant0); 1.49dBi(Ant1); 5470MHz to 5725MHz: 1.5dBi(Ant0); 1.49dBi(Ant1);	
	Note: The antenna gain are derived from the gain information report provided by the manufacturer.	
Smart System:	<input checked="" type="checkbox"/> SISO	802.11a
	<input checked="" type="checkbox"/> MIMO	802.11n/ac: 2Tx & 2Rx
	<input type="checkbox"/> Diversity	CDD:802.11a: 2Tx & 2Rx
DFS Function:	<input checked="" type="checkbox"/> Master	
	<input type="checkbox"/> Slave with radar detection	<input type="checkbox"/> Slave without radar detection
RF Cable:	2dB	
Remark:	As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues, may be reproduced or transmitted in whole or in part without the prior written permission of the Company. Any advice or recommendation given by the Company is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 7 of 115

Remark:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as below:

Frequency range over which device operates	Number of Measurement Frequencies Required	Location of Measurement Frequency in Band of Operation
1 MHz or less	1	centre
1 MHz to 10 MHz	2	1 near high end, 1 near low end
Greater than 10 MHz	3	1 near high end, 1 near centre

For UNII Band II-A:

Mode	Channel	Frequency(MHz)
IEEE 802.11a/n/ac/ax 20MHz	The Lowest channel	5260
	The Middle channel	5280
	The Highest channel	5320
IEEE 802.11n/ac/ax 40MHz	The Lowest channel	5270
	The Highest channel	5310
IEEE 802.11ac/ax 80MHz	The Middle channel	5290

For UNII Band II-C:

Mode	Channel	Frequency(MHz)
IEEE 802.11a/n/ac/ax 20MHz	The Lowest channel	5500
	The Middle channel	5580
	The Highest channel	5700
IEEE 802.11n/ac/ax 40MHz	The Lowest channel	5510
	The Middle channel	5550
	The Highest channel	5670
IEEE 802.11ac/ax 80MHz	The Lowest channel	5530
	The Highest channel	5610

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability arising out of this document is limited to the sum of the fees paid by the Client to the Company at the time of its instruction only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 8 of 115

3.5 Test Environment and Mode

Environment Parameter	101 kPa Selected Values During Tests	
Relative Humidity	44-46 % RH Ambient	
Value	Temperature(°C)	Voltage(V)
NTNV	22~23	12

Remark:

NV: Normal Voltage

NT: Normal Temperature

3.6 Description of Support Units

The EUT has been tested as an independent unit.

3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

Modulation Type	SISO - Data Rate	CDD/MIMO - Data Rate
802.11a	6 Mbps	/
802.11n (HT 20)	/	MCS0 (13 Mbps)
802.11n (HT 40)	/	MCS0 (27 Mbps)
802.11ac (VHT 20)	/	MCS0 (13 Mbps)
802.11ac (VHT 40)	/	MCS0 (27 Mbps)
802.11ac (VHT 80)	/	MCS0 (58.5 Mbps)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction clause, may be reproduced or advised that the information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 9 of 115

4 Test results and Measurement Data

4.1 Dynamic Frequency Selection

4.1.1 DFS Measurement Configuration

Test Condition	Conducted Measurement Use 50Ohms to connect cable/connector calibration and testing, Use Ant0 port for testing. Refer to Section 4.11.7 for test connection.
----------------	---

4.1.2 DFS Threshold level

DFS Threshold level:(-64)dBm	<input checked="" type="checkbox"/> At the antenna connector <input type="checkbox"/> In front of the antenna
The Interference Radar Detection Threshold Level is: (Band II-A: -64dBm + 1.50dBi + 0dB = -62.50dBm); (Band II-C: -64dBm + 1.50dBi + 0dB = -62.50dBm)	
That had been taken into account the output power range and antenna gain.	

4.1.3 Power-on cycle

The time required for the Master Device and/or Client Device to complete its power-on cycle(67.385S).

4.1.4 User Access Restrictions

DFS Controls(Hardware or software) related to radar detection are NOT accessible to the user. Manufacturer statement confirming that information regarding the parameters of the detected Radar Waveforms is not available to the end user.

4.1.5 Channel Loading/Data Streaming

<input type="checkbox"/>	The data file(MPEG-4) has been transmitting in a streaming mode.
<input checked="" type="checkbox"/>	Software to ping the client is permitted to simulate data transfer with random ping intervals.
<input checked="" type="checkbox"/>	Minimum channel loading of approximately 17%.
<input type="checkbox"/>	Unicast protocol has been used.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability arising out of this document is limited to the sum paid by the Client to the Company for this document at the time of its issue/reception only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com


South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

4.1.6 Conducted Setup of Calibration of DFS Detection Threshold Level



4.1.7 Test Setup



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company in respect of the information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
 Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

4.1.8 Test Procedures

4.1.8.1 U-NII Detection Bandwidth

Adjust the equipment to produce a single *Burst* of any one of the Short Pulse Radar Types 0 – 4 in **Table 5** at the center frequency of the UUT *Operating Channel* at the specified *DFS Detection Threshold* level found in **Table 3**.

Set the UUT up as a standalone device (no associated Client or Master, as appropriate) and no traffic. Frame based systems will be set to a talk/listen ratio reflecting the worst case (maximum) that is user configurable during this test.

Generate a single radar *Burst*, and note the response of the UUT. Repeat for a minimum of 10 trials. The UUT must detect the *Radar Waveform* within the DFS band using the specified *U-NII Detection Bandwidth* criterion shown in **Table 4**. In cases where the channel bandwidth may exceed past the DFS band edge on specific channels (i.e., 802.11ac or wideband frame based systems) select a channel that has the entire emission bandwidth within the DFS band. If this is not possible, test the detection BW to the DFS band edge. Starting at the center frequency of the UUT operating *Channel*, increase the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Repeat this measurement in 1MHz steps at frequencies 5 MHz below where the detection rate begins to fall. Record the highest frequency (denote as FH) at which detection is greater than or equal to the *U-NII Detection Bandwidth* criterion. Recording the detection rate at frequencies above FH is not required to demonstrate compliance.

Starting at the center frequency of the UUT operating *Channel*, decrease the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Repeat this measurement in 1MHz steps at frequencies 5 MHz above where the detection rate begins to fall. Record the lowest frequency (denote as FL) at which detection is greater than or equal to the *U-NII Detection Bandwidth* criterion. Recording the detection rate at frequencies below FL is not required to demonstrate compliance.

The *U-NII Detection Bandwidth* is calculated as follows:

U-NII Detection Bandwidth = FH – FL

The *U-NII Detection Bandwidth* must meet the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Otherwise, the UUT does not comply with DFS requirements. This is essential to ensure that the UUT is capable of detecting *Radar Waveforms* across the same frequency spectrum that contains the significant energy from the system. In the case that the *U-NII Detection Bandwidth* is greater than or equal to the 99 percent power bandwidth for the measured FH and FL, the test can be truncated and the *U-NII Detection Bandwidth* can be reported as the measured FH and FL.

4.1.8.2 Performance Requirements Check

The following tests must be performed for U-NII device certification: Initial *Channel Startup Check* with a radar *Burst* at start of *Channel Availability Check* and with a radar *Burst* at end of *Channel Availability Check*; *In-Service Monitoring*; and the 30 minute *Non-Occupancy Period*.

4.1.8.3 Initial Channel Availability Check Time

The Initial *Channel Availability Check Time* tests that the UUT does not emit beacon, control, or data signals on the test *Channel* until the power-up sequence has been completed and the U-NII device checks for *Radar Waveforms* for one minute on the test *Channel*. This test does not use any *Radar Waveforms* and only needs to be performed one time.

a) The U-NII devices will be powered on and be instructed to operate on the appropriate U-NII *Channel* that must incorporate DFS functions. At the same time the UUT is powered on, the spectrum analyzer will be set to zero span mode with a 3 MHz RBW and 3 MHz VBW on the *Channel* occupied by the radar (Chr) with a 2.5 minute sweep time. The spectrum analyzer's sweep will be started at the same time power is applied to the U-NII device.

b) The UUT should not transmit any beacon or data transmissions until at least 1 minute after the completion of the power-on cycle.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved by the Company. Any rights not granted herein are reserved. Any advice or recommendation given or any information contained hereon reflects the Company's findings at the time of its investigation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1444, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 12 of 115

c) Confirm that the UUT initiates transmission on the channel

This measurement can be used to determine the length of the power-on cycle if it is not supplied by the manufacturer. If the spectrum analyzer sweep is started at the same time the UUT is powered on and the UUT does not begin transmissions until it has completed the cycle, the power-on time can be determined by comparing the two times.

4.1.8.4 Radar Burst at the Beginning of the Channel Availability Check Time

The steps below define the procedure to verify successful radar detection on the test *Channel* during a period equal to the *Channel Availability Check Time* and avoidance of operation on that *Channel* when a radar *Burst* with a level equal to the *DFS Detection Threshold* + 1 dB occurs at the beginning of the *Channel Availability Check Time*. This is illustrated in **Figure 15**.

- a) The *Radar Waveform* generator and UUT are connected using the applicable test setup described in the sections on configuration for Conducted Tests (7.2) or Radiated Tests (7.3) and the power of the UUT is switched off.
- b) The UUT is powered on at T_0 . T_1 denotes the instant when the UUT has completed its power-up sequence (T_{power_up}). The *Channel Availability Check Time* commences on *Chr* at instant T_1 and will end no sooner than $T_1 + T_{ch_avail_check}$.
- c) A single *Burst* of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window starting at T_1 . An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.
- d) Visual indication or measured results on the UUT of successful detection of the radar *Burst* will be recorded and reported. Observation of *Chr* for UUT emissions will continue for 2.5 minutes after the radar *Burst* has been generated.
- e) Verify that during the 2.5 minute measurement window no UUT transmissions occurred on *Chr*. The *Channel Availability Check* results will be recorded.




Figure 15: Example of timing for radar testing at the beginning of the Channel Availability Check Time



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
All rights are reserved. The information contained herein is the intellectual property of the Company and is held in confidence. Any disclosure or use of the information is prohibited without the express written consent of the Company.
The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 13 of 115

4.1.8.5 Radar Burst at the End of the Channel Availability Check Time

The steps below define the procedure to verify successful radar detection on the test *Channel* during a period equal to the *Channel Availability Check Time* and avoidance of operation on that *Channel* when a radar *Burst* with a level equal to the *DFS Detection Threshold* + 1dB occurs at the end of the *Channel Availability Check Time*. This is illustrated in **Figure 16**.

- The *Radar Waveform* generator and UUT are connected using the applicable test setup described in the sections for Conducted Tests (7.2) or Radiated Tests (7.3) and the power of the UUT is switched off.
- The UUT is powered on at T_0 . T_1 denotes the instant when the UUT has completed its power-up sequence (T_{power_up}). The *Channel Availability Check Time* commences on Chr at instant T_1 and will end no sooner than $T_1 + T_{ch_avail_check}$.
- A single *Burst* of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window starting at $T_1 + 54$ seconds. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.
- Visual indication or measured results on the UUT of successful detection of the radar *Burst* will be recorded and reported. Observation of Chr for UUT emissions will continue for 2.5 minutes after the radar *Burst* has been generated.
- Verify that during the 2.5 minute measurement window no UUT transmissions occurred on Chr . The *Channel Availability Check* results will be recorded.




Figure 16: Example of timing for radar testing towards the end of the Channel Availability Check Time

4.1.8.6 In-Service Monitoring for Channel Move Time, Channel Closing Transmission Time and Non-Occupancy Period

These tests define how the following DFS parameters are verified during *In-Service Monitoring*:

- *Channel Closing Transmission Time*
- *Channel Move Time*
- *Non-Occupancy Period*



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved. No part of this document may be reproduced, stored in a retrieval system or transmitted, in whole or in part, or otherwise communicated, without the prior written permission of the Company. Any advice or other information contained herein is given in good faith and is based on the information available to the Company at the time of its preparation only, and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 14 of 115

The steps below define the procedure to determine the above mentioned parameters when a radar *Burst* with a level equal to the *DFS Detection Threshold* + 1dB is generated on the *Operating Channel* of the U-NII device (*In- Service Monitoring*).

- a) One frequency will be chosen from the *Operating Channels* of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands. For 802.11 devices, the test frequency must contain control signals. This can be verified by disabling channel loading and monitoring the spectrum analyzer. If no control signals are detected, another frequency must be selected within the emission bandwidth where control signals are detected.
- b) In case the UUT is a U-NII device operating as a *Client Device* (with or without DFS), a U-NII device operating as a *Master Device* will be used to allow the UUT (Client device) to *Associate* with the *Master Device*. In case the UUT is a *Master Device*, a U-NII device operating as a *Client Device* will be used and it is assumed that the *Client* will *Associate* with the UUT (Master). In both cases for conducted tests, the *Radar Waveform* generator will be connected to the *Master Device*. For radiated tests, the emissions of the *Radar Waveform* generator will be directed towards the *Master Device*. If the *Master Device* has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing.
- c) Stream the channel loading test file from the *Master Device* to the *Client Device* on the test *Channel* for the entire period of the test.
- d) At time T0 the *Radar Waveform* generator sends a *Burst* of pulses for one of the Radar Type 0 in **Table 5** at levels defined in **Table 3**, on the *Operating Channel*. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.
- e) Observe the transmissions of the UUT at the end of the radar *Burst* on the *Operating Channel* for duration greater than 10 seconds. Measure and record the transmissions from the UUT during the observation time (*Channel Move Time*). Measure and record the *Channel Move Time* and *Channel Closing Transmission Time* if radar detection occurs. **Figure 17** illustrates *Channel Closing Transmission Time*.
- f) When operating as a *Master Device*, monitor the UUT for more than 30 minutes following instant T2 to verify that the UUT does not resume any transmissions on this *Channel*. Perform this test once and record the measurement result.
- g) In case the UUT is a U-NII device operating as a *Client Device* with *In-Service Monitoring*, perform steps a) to f).




Figure 17: Example of Channel Closing Transmission Time & Channel Closing Time

4.1.8.7 Statistical Performance Check

The steps below define the procedure to determine the minimum percentage of successful detection requirements found in **Tables 5-7** when a radar burst with a level equal to the *DFS Detection Threshold + 1dB* is generated on the *Operating Channel* of the U-NII device (*In- Service Monitoring*).

- a) One frequency will be chosen from the *Operating Channels* of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands.
- b) In case the UUT is a U-NII device operating as a *Client Device* (with or without Radar Detection), a U-NII device operating as a *Master Device* will be used to allow the UUT (Client device) to *Associate* with the *Master Device*. In case the UUT is a *Master Device*, a U-NII device operating as a *Client Device* will be used and it is assumed that the *Client* will *Associate* with the UUT (Master). In both cases for conducted tests, the



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 15 of 115

Radar Waveform generator will be connected to the *Master Device*. For radiated tests, the emissions of the Radar Waveform generator will be directed towards the *Master Device*. If the *Master Device* has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing.

c) Stream the channel loading test file from the *Master Device* to the *Client Device* on the test *Channel* for the entire period of the test.

d) At time T0 the *Radar Waveform* generator sends the individual waveform for each of the Radar Types 1- 6 in **Tables 5-7**, at levels defined in **Table 3**, on the *Operating Channel*. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.

e) Observe the transmissions of the UUT at the end of the Burst on the *Operating Channel* for duration greater than 10 seconds for Radar Type 0 to ensure detection occurs.

f) Observe the transmissions of the UUT at the end of the Burst on the *Operating Channel* for duration greater than 22 seconds for Long Pulse Radar Type 5 to ensure detection occurs.

g) In case the UUT is a U-NII device operating as a *Client Device* with *In-Service Monitoring*, perform steps a to f).

4.1.8.8 Short Pulse Radar Test

Once the performance requirements check is complete, statistical data will be gathered, to determine the ability of the device to detect the radar test waveforms (Short Pulse Radar Types 1-4) found in **Table 5**. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trials. The percentage of successful detection is calculated by:

$$\frac{\text{TotalWaveformDetections}}{\text{TotalWaveformTrials}} \times 100 = \text{Percentage of Successful Detection Radar Waveform N} = PdN$$

In addition an aggregate minimum percentage of successful detection across all Short Pulse Radar Types 1-4 is required and is calculated as follows:

$$\frac{P_d 1 + P_d 2 + P_d 3 + P_d 4}{4}$$

The minimum number of trials, minimum percentage of successful detection and the aggregate minimum percentage of successful detection are found in **Table 5**.

4.1.8.9 Long Pulse Radar Test

Statistical data will be gathered to determine the ability of the device to detect the Long Pulse Radar Type 5 found in **Table 6**. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trials.

Three subsets of trials will be performed with a minimum of ten trials per subset. The subset of trials differ in where the Long Pulse Type 5 Signal is tuned in frequency:

a) the *Channel* center frequency (Figure 18);

b) tuned frequencies such that 90% of the Long Pulse Type 5 frequency modulation is within the low edge of the UUT *Occupied Bandwidth* (Figure 19); and

c) tuned frequencies such that 90% of the Long Pulse Type 5 frequency modulation is within the high edge of the UUT *Occupied Bandwidth* (Figure 20).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues defined thereto, may be reproduced or transmitted in whole or in part, in any form or by any means, without the prior written permission of the Company. Any advice or recommendation given by the Company is based on the information available to the Company at the time of its issuance only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 16 of 115




Figure 18: Example of the Relationship Between Long Pulse Type 5 Signal and the U-NII channel when the Signal is Tuned to the UUT Channel Center Frequency




Figure 19: Example of the Relationship Between Long Pulse Type 5 Signal and the U-NII channel when the Signal is Tuned so that 90% of the Radar Signal Overlaps with the Low Edge of the UUT Occupied Bandwidth




Figure 20: Example of the Relationship Between Long Pulse Type 5 Signal and the U-NII channel when the Signal is Tuned so that 90% of the Radar Signal Overlaps with the High Edge of the UUT Occupied Bandwidth

For subset case 1: the center frequency of the signal generator will remain fixed at the center of the UUT Channel.



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
 Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any reference in this document to SGS should be advised that the information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 China • 苏州 • 中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 17 of 115

For subset case 2: to retain 90% frequency overlap between the radar signal and the UUT *Occupied Bandwidth*, the center frequency of the signal generator will vary for each of the ten trials in subset case 2. The center frequency of the signal generator for each trial is calculated by:

$$FL + (0.4 * \text{Chirp Width [in MHz]})$$

For subset case 3: to retain 90% frequency overlap between the radar signal and the UUT *Occupied Bandwidth*, the center frequency of the signal generator will vary for each of the ten trials in subset case 3. The center frequency of the signal generator for each trial is calculated by:

$$FH - (0.4 * \text{Chirp Width [in MHz]})$$

The percentage of successful detection is calculated by dividing the sum of the detections for the three subsets by the sum of trials for the three subsets:

$$\frac{\text{TotalWaveformDetections}}{\text{TotalWaveformTrials}} \times 100$$

4.1.8.10 Frequency Hopping Radar Test

Statistical data will be gathered to determine the ability of the device to detect the Frequency Hopping radar test signal (radar type 6) found in **Table 7**. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trial runs. The probability of successful detection is calculated by:

$$\frac{\text{TotalWaveformDetections}}{\text{TotalWaveformTrials}} \times 100$$



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability of the Company arising out of the information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

4.1.9 Applicability of DFS Requirements Prior to Use of a Channel

Requirement	DFS Operational mode		
	Master	Client Without Radar Detection	Client With Radar Detection
Non-Occupancy Period	Yes	Not required	Yes
DFS Detection Threshold	Yes	Not required	Yes
Channel Availability Check Time	Yes	Not required	Not required
U-NII Detection Bandwidth	Yes	Not required	Yes

4.1.10 Applicability of DFS Requirements During Normal Operation

Requirement	DFS Operational mode	
	Master Device or Client with Radar Detection	Client Without Radar Detection
DFS Detection Threshold	Yes	Not required
Channel Availability Check Time	Yes	Yes
Channel Move Time	Yes	Yes
U-NII Detection Bandwidth	Yes	Not required

Additional requirements for devices with multiple bandwidth modes	Master Device or Client with Radar Detection	Client Without Radar Detection
U-NII Detection Bandwidth and Statistical Performance Check	All BW modes must be tested	Not required
Channel Move Time and Channel Closing Transmission Time	Test using widest BW mode available	Test using the widest BW mode available for the link
All other tests	Any single BW mode	Not required

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any advice or recommendation given by the Company or its employees is for information only and is not a substitute for specific advice in respect of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

4.1.11 DFS Detection Thresholds

Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Maximum Transmit Power	Value (See Notes 1, 2, and 3)
EIRP \geq 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz	-62 dBm
EIRP < 200 milliwatt that do not meet the power spectral density requirement	-64 dBm

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.

4.1.12 Response Requirements

Table 4: DFS Response Requirement Values

Parameter	Value
Non-occupancy period	Minimum 30 minutes
Channel Availability Check Time	60 seconds
Channel Move Time	10 seconds See Note 1.
Channel Closing Transmission Time	200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period. See Notes 1 and 2.
U-NII Detection Bandwidth	Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues set out therein, may be reproduced or copied without the prior written permission of the Company. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 20 of 115

4.1.13 Short Pulse Radar Test Waveforms

Table 5 – Short Pulse Radar Test Waveforms

Radar Type	Pulse Width (μsec)	PRI(μsec)	Number of Pulses	Minimum Percentage of Successful Detection	Minimum Number of Trials
0	1	1428	18	See Note 1	See Note 1
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a	Roundup $\left\lceil \left(\frac{1}{360} \right) \cdot \left(\frac{19 \cdot 10^6}{\text{PRI}_{\mu\text{sec}}} \right) \right\rceil$	60%	30
		Test B: 15 unique PRI values randomly selected within the range of 518-3066 μsec, with a minimum increment of 1 μsec, excluding PRI values selected in Test A			
2	1-5	150-230	23-29	60%	30
3	6-10	200-500	16-18	60%	30
4	11-20	200-500	12-16	60%	30
Aggregate (Radar Types 1-4)				80%	120

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.

A minimum of 30 unique waveforms are required for each of the Short Pulse Radar Types 2 through 4. If more than 30 waveforms are used for Short Pulse Radar Types 2 through 4, then each additional waveform must also be unique and not repeated from the previous waveforms. If more than 30 waveforms are used for Short Pulse Radar Type 1, then each additional waveform is generated with Test B and must also be unique and not repeated from the previous waveforms in Tests A or B.

For example if in Short Pulse Radar Type 1 Test B a PRI of 3066 μsec is selected, the number of pulses

would be 6 1 19 10 Roundup $\left\lceil \left(\frac{1}{360} \right) \cdot \left(\frac{19 \cdot 10^6}{3066} \right) \right\rceil$ Round up {17.2} = 18.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues, may be reproduced or advised to any third party without the prior written approval of the Company. Any advice or recommendation given by the Company or its employees or agents, or any information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No.6 Plant, No.1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 21 of 115

Table 5a - Pulse Repetition Intervals Values for Test A

Pulse Repetition Frequency Number	Pulse Repetition Frequency (Pulses Per Second)	Pulse Repetition Interval (Microseconds)
1	1930.5	518
2	1858.7	538
3	1792.1	558
4	1730.1	578
5	1672.2	598
6	1618.1	618
7	1567.4	638
8	1519.8	658
9	1474.9	678
10	1432.7	698
11	1392.8	718
12	1355	738
13	1319.3	758
14	1285.3	778
15	1253.1	798
16	1222.5	818
17	1193.3	838
18	1165.6	858
19	1139	878
20	1113.6	898
21	1089.3	918
22	1066.1	938
23	326.2	3066

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4.

For example, the following table indicates how to compute the aggregate of percentage of successful detections.

Radar Type	Number of Trials	Number of Successful Detections	Minimum Percentage of Successful Detection
1	35	29	82.9%
2	30	18	60%
3	30	27	90%
4	50	44	88%

Aggregate $(82.9\% + 60\% + 90\% + 88\%)/4 = 80.2\%$

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability arising out of this document is limited to the sum paid by the Client to the Company for this document at the time of its issue/reception only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

4.1.14 Long Pulse Radar Test Waveform

Table 6 – Long Pulse Radar Test Waveform

Radar Type	Pulse Width (μsec)	Chirp Width (MHz)	PRI (μsec)	Number of Pulses per Burst	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
5	50-100	5-20	1000-2000	1-3	8-20	80%	30

Each waveform is defined as follows:

- 1) The transmission period for the Long Pulse Radar test signal is 12 seconds.
- 2) There are a total of 8 to 20 Bursts in the 12 second period, with the number of Bursts being randomly chosen. This number is Burst Count.
- 3) Each Burst consists of 1 to 3 pulses, with the number of pulses being randomly chosen. Each Burst within the 12 second sequence may have a different number of pulses.
- 4) The pulse width is between 50 and 100 microseconds, with the pulse width being randomly chosen. Each pulse within a Burst will have the same pulse width. Pulses in different Bursts may have different pulse widths.
- 5) Each pulse has a linear frequency modulated chirp between 5 and 20 MHz, with the chirp width being randomly chosen. Each pulse within a transmission period will have the same chirp width. The chirp is centered on the pulse. For example, with a radar frequency of 5300 MHz and a 20 MHz chirped signal, the chirp starts at 5290 MHz and ends at 5310 MHz.
- 6) If more than one pulse is present in a Burst, the time between the pulses will be between 1000 and 2000 microseconds, with the time being randomly chosen. If three pulses are present in a Burst, the random time interval between the first and second pulses is chosen independently of the random time interval between the second and third pulses.
- 7) The 12 second transmission period is divided into even intervals. The number of intervals is equal to Burst Count. Each interval is of length $(12,000,000 / \text{Burst Count})$ microseconds. Each interval contains one Burst. The start time for the Burst, relative to the beginning of the interval, is between 1 and $[(12,000,000 / \text{Burst Count}) - (\text{Total Burst Length}) + (\text{One Random PRI Interval})]$ microseconds, with the start time being randomly chosen. The step interval for the start time is 1 microsecond. The start time for each Burst is chosen randomly.

4.1.15 Frequency Hopping Radar Test Waveform

Table 7 – Frequency Hopping Radar Test Waveform

Radar Type	Pulse Width (μsec)	Chirp Width (MHz)	PRI (μsec)	Number of Pulses per Burst	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
6	1	333	9	0.333	300	70%	30

For the Frequency Hopping Radar Type, the same Burst parameters are used for each waveform. The hopping sequence is different for each waveform and a 100-length segment is selected from the hopping sequence defined by the following algorithm: If a segment does not contain at least 1 frequency within the U-NII Detection Bandwidth of the UUT, then that segment is not used.

The detailed test data see: **Appendix**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues, may be reproduced or transmitted in whole or in part without the prior written permission of the Company. Any advice or recommendation given by the Company is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 23 of 115

5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Radio Frequency	±1.0 %

Remark:
The U_{lab} (lab Uncertainty) is less than $U_{cisp/ETSI}$ (CISPR/ETSI Uncertainty), so the test results
– compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
– non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability of the Company arising out of the information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

6 Equipment List

RF Test Equipment					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Shielding Room	Brilliant-emc	N/A	SUWI-04-01-06	2021/05/08	2024/05/07
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2023/02/06	2024/02/05
Signal Analyzer	ROHDE& SCHWARZ	FSV3030	SUWI-01-02-02	2023/05/11	2024/05/10
Measurement Software	Tonscend	JS1120-3 Test System V 3.3.20	SUWI-02-09-09	NCR	NCR
Measurement Software	TST	TST-272 V2.0	SUWI-03-55-03	NCR	NCR
Signal Analyzer	ROHDE& SCHWARZ	FSW43	SUWI-01-02-04	2023/05/11	2024/05/10
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2023/02/06	2024/02/05
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2023/02/06	2024/02/05
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2023/11/21	2024/11/20
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2023/11/21	2024/11/20
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2023/02/06	2024/02/05
Signal Generator	ROHDE&SCHWARZ	SMM100A	SUWI-01-07-04	2023/02/16	2024/02/15
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-07	2023/11/21	2024/11/20

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction clause, may be reproduced or copied. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 25 of 115

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company in respect of the information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 26 of 115

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company in respect of the information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 27 of 115

Signal Calibration

SC

Test Result

Mode	Bandwidth (MHz)	Frequency (MHz)	Band: 2C			Verdict
			Type	Trial Id	Signal Calibration	
			Result	Limit		
802.11ac (VHT80)	80	5530	0	0	Refer To Test Graph	Pass
			1	0	Refer To Test Graph	Pass
			2	0	Refer To Test Graph	Pass
			3	0	Refer To Test Graph	Pass
			4	0	Refer To Test Graph	Pass
			5	0	Refer To Test Graph	Pass
			6	0	Refer To Test Graph	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability arising out of this document, including the liability of the Company, shall be limited to the sum of the fees received by the Company for the provision of the services contained herein and the costs of any investigation and/or legal proceedings at the time of its inception only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 28 of 115

Test Graph



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
 Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability arising out of this document is limited to the terms and conditions set out in this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04


Rev.: 01

Page: 29 of 115

Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType2_Trial0



Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType3_Trial0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any liability is limited to the amount of the fees paid to the Company for the specific document in question at the time of its instruction only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04


Rev.: 01

Page: 30 of 115

Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType4_Trial0



Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType5_Trial0



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any liability is limited to the amount of the fees paid by the Client to the Company at the time of its instruction only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 31 of 115

Signal Calibration_802.11ac(VHT80)_2C_5530MHz_RadarType6_Trial0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability arising out of this document is limited to the terms of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 32 of 115

Channel Loading (Payload) Payload

Test Result

Mode	Bandwidth (MHz)	Frequency (MHz)	Band: 2C		Verdict
			Result	Limit	
802.11ac (VHT20)	20	5500	20.77	>=17	Pass
802.11ac (VHT40)	40	5510	30.36	>=17	Pass
802.11ac (VHT80)	80	5530	33.81	>=17	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability arising out of or in respect of this document shall not exceed the fee charged for its preparation at the time of its instruction only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 33 of 115

Test Graph



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
 Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any liability is limited to the amount of the fees paid by the Client to the Company for the issuance of this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 34 of 115

Channel Loading (Payload)_802.11ac(VHT80)_2C_5530MHz

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability arising out of or in respect of this document is limited to the terms of the engagement and, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR240100003TL04
Rev.: 01
Page: 35 of 115

U-NII Detection Bandwidth

20MHz_5500MHz

Test Result

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Detection Bandwidth (MHz)				Verdict
			FL	FH	Result	Limit	
802.11ac (VHT20)	20	5500	5490.000	5510.000	20.000	17.726	Pass

20MHz_5500MHz_Data

Test Result

Band: 2C / Bandwidth: 20MHz / Frequency: 5500MHz / RadarType: 0														
Frequency (MHz)	Trial Number and Detection result (Y: Detected; N: Non-detected)									Detection Probability (%)			Verdict	
	0	1	2	3	4	5	6	7	8	9	Result	FL/FH	Limit	
5485	N	N	N	N	N	N	N	N	N	N	0.00	/	/	Pass
5490	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	FL	>=60	Pass
5495	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5505	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5510	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	FH	>=60	Pass
5515	Y	N	N	N	N	N	N	N	N	N	10.00	/	/	Pass

40MHz_5510MHz

Test Result

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Detection Bandwidth (MHz)				Verdict
			FL	FH	Result	Limit	
802.11ac (VHT40)	40	5510	5490.000	5530.000	40.000	35.979	Pass

40MHz 5510MHz Data

Test Result

Band: 2C / Bandwidth: 40MHz / Frequency: 5510MHz / RadarType: 0														
Frequency (MHz)	Trial Number and Detection result (Y: Detected; N: Non-detected)										Detection Probability (%)			Verdict
	0	1	2	3	4	5	6	7	8	9	Result	FL/FH	Limit	
5485	N	N	N	N	N	N	N	N	N	N	0.00	/	/	Pass
5490	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	FL	>=60	Pass
5495	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5500	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5505	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5515	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5520	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5525	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5530	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	FH	>=60	Pass
5535	N	N	N	N	N	N	N	N	N	N	0.00	/	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 36 of 115

80MHz_5530MHz**Test Result**

Mode	Bandwidth (MHz)	Frequency (MHz)	Band: 2C				Verdict
			FL	FH	Result	Limit	
			5490.000	5570.000	80.000	75.892	
802.11ac (VHT80)	80	5530					Pass

80MHz_5530MHz_Data**Test Result**

Frequency (MHz)	Band: 2C / Bandwidth: 80MHz / Frequency: 5530MHz / RadarType: 0									Detection Probability (%)			Verdict	
	0	1	2	3	4	5	6	7	8	9	Result	FL/FH	Limit	
5485	N	N	N	N	N	N	N	N	N	N	0.00	/	/	Pass
5490	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	FL	>=60	Pass
5495	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5500	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5505	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5510	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5515	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5520	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5525	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5535	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5540	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5545	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5550	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5555	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5560	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5565	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	/	>=60	Pass
5570	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	100.00	FH	>=60	Pass
5575	N	N	N	N	N	N	N	N	N	N	0.00	/	/	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document shall be limited to the sum of its fees received hereunder and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 37 of 115

Channel Available Check_init**CAC_init****Test Result**

Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check_init (s)		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	107.52	>=60	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any advice or recommendation given by the Company in this document does not constitute a warranty and the Company's sole responsibility is to its Client and this document does not exonerate parties to a Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 38 of 115

Test Graph

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any liability is limited to the amount of the fees paid by the Client to the Company for the issuance of this document only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 39 of 115

Channel Available Check_Beginning

CAC_Begin

Test Result

Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check_Beginning		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any advice or recommendation given by the Company or its employees in respect of Client's product or its test is for information only and is not a specification of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 40 of 115

Test Graph



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any liability is limited to the amount of the fees paid by the Client to the Company for the issuance of this document only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 41 of 115

Channel Available Check_Ending**CAC_End****Test Result**

Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Available Check_Ending		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability of the Company arising out of the information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 42 of 115

Test Graph



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any liability is limited to the amount of the fees paid by the Client to the Company for the issuance of this document only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 43 of 115

Channel Move Time and Closing Transmission Time

CMT_CTT

Test Result

Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Move Time and Closing Transmission Time		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any liability of the Company arising out of the information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com


SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 44 of 115

Test Graph



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined thereon. Any liability is limited to the amount of the fees paid by the Client to the Company for the issuance of this document only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 45 of 115

Non-Occupancy Period Period Test Result

Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11ac (VHT80)	80	5530	Refer To Test Graph		Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out thereon. Any advice or recommendation given by the Company in this document is given in the course of a professional relationship and is intended to reflect the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 46 of 115

Test Graph



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
All rights are reserved. No part of this document may be reproduced, stored in a retrieval system or transmitted, in whole or in part, in any form or by any means, without the prior written permission of the Company. Any advice or information contained in this document is given in good faith and is intended for the Client's information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 47 of 115

Statistical Performance Check

SPC

Test Result

Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal Type	Detection Probability (%)		Verdict
				Result	Limit	
802.11ac (VHT20)	20	5500	1	96.67	>=60	Pass
			2	93.33	>=60	Pass
			3	90.00	>=60	Pass
			4	96.67	>=60	Pass
			ADP ¹	94.17	>=80	Pass
			5	96.67	>=80	Pass
			6	96.67	>=70	Pass
802.11ac (VHT40)	40	5510	1	93.33	>=60	Pass
			2	73.33	>=60	Pass
			3	100.00	>=60	Pass
			4	100.00	>=60	Pass
			ADP ¹	91.67	>=80	Pass
			5	100.00	>=80	Pass
			6	100.00	>=70	Pass
802.11ac (VHT80)	80	5530	1	86.67	>=60	Pass
			2	76.67	>=60	Pass
			3	76.67	>=60	Pass
			4	83.33	>=60	Pass
			ADP ¹	80.83	>=80	Pass
			5	86.67	>=80	Pass
			6	100.00	>=70	Pass

Note1: Aggregate Detection Probability of Type 1 ~ Type 4 (%)

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document shall be limited to the sum of the fees paid by the Client to the Company for this document. The information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
 t (86-512) 62992980 t (86-512) 62992980
 www.sgsgroup.com.cn
 sgs.china@sgs.com

SPC_Data
Test Result

Mode	Bandwidth (MHz)	Frequency (MHz)	Trial Id	Band: 2C					
				1	2	3	4	5	6
802.11ac (VHT20)	20	5500	0	Y	Y	Y	Y	Y	Y
			1	Y	Y	Y	Y	Y	Y
			2	Y	Y	Y	Y	Y	Y
			3	Y	Y	Y	Y	Y	Y
			4	Y	Y	Y	Y	Y	Y
			5	Y	Y	Y	Y	Y	Y
			6	Y	Y	Y	Y	Y	Y
			7	Y	Y	Y	Y	Y	Y
			8	Y	Y	Y	Y	Y	Y
			9	Y	Y	Y	Y	Y	Y
			10	Y	Y	Y	Y	Y	Y
			11	Y	Y	Y	Y	Y	Y
			12	Y	Y	Y	Y	Y	Y
			13	Y	Y	Y	Y	Y	Y
			14	Y	Y	Y	Y	Y	Y
			15	Y	Y	Y	Y	Y	Y
			16	Y	Y	Y	Y	Y	Y
			17	Y	Y	Y	Y	Y	Y
			18	Y	Y	Y	Y	Y	Y
			19	Y	Y	Y	Y	Y	Y
			20	Y	Y	N	Y	Y	Y
			21	Y	Y	Y	Y	Y	Y
			22	Y	Y	Y	Y	Y	Y
			23	Y	Y	Y	Y	Y	Y
			24	Y	N	Y	Y	Y	Y
			25	N	N	N	Y	N	Y
			26	Y	Y	Y	Y	Y	Y
			27	Y	Y	N	Y	Y	N
			28	Y	Y	Y	Y	Y	Y
			29	Y	Y	Y	N	Y	Y
802.11ac (VHT40)	40	5510	0	Y	Y	Y	Y	Y	Y
			1	Y	N	Y	Y	Y	Y
			2	Y	Y	Y	Y	Y	Y
			3	Y	Y	Y	Y	Y	Y
			4	Y	Y	Y	Y	Y	Y
			5	Y	N	Y	Y	Y	Y
			6	Y	Y	Y	Y	Y	Y
			7	Y	N	Y	Y	Y	Y
			8	N	N	Y	Y	Y	Y
			9	Y	Y	Y	Y	Y	Y
			10	Y	Y	Y	Y	Y	Y
			11	Y	Y	Y	Y	Y	Y
			12	Y	Y	Y	Y	Y	Y
			13	Y	N	Y	Y	Y	Y
			14	Y	Y	Y	Y	Y	Y
			15	Y	Y	Y	Y	Y	Y
			16	Y	Y	Y	Y	Y	Y
			17	Y	Y	Y	Y	Y	Y
			18	N	Y	Y	Y	Y	Y

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any liability arising from this document is limited to the terms of the contract and, in particular, the Company's sole responsibility is to its Client at the time of its issue/reception only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 49 of 115

			19	Y	N	Y	Y	Y	Y
			20	Y	Y	Y	Y	Y	Y
			21	Y	N	Y	Y	Y	Y
			22	Y	Y	Y	Y	Y	Y
			23	Y	Y	Y	Y	Y	Y
			24	Y	Y	Y	Y	Y	Y
			25	Y	Y	Y	Y	Y	Y
			26	Y	Y	Y	Y	Y	Y
			27	Y	N	Y	Y	Y	Y
			28	Y	Y	Y	Y	Y	Y
			29	Y	Y	Y	Y	Y	Y
			0	Y	N	N	Y	N	Y
			1	Y	Y	Y	Y	Y	Y
			2	Y	Y	N	N	Y	Y
			3	Y	Y	N	Y	N	Y
			4	N	Y	Y	Y	N	Y
			5	Y	N	Y	Y	Y	Y
			6	Y	N	Y	Y	N	Y
			7	Y	Y	N	Y	Y	Y
			8	Y	Y	Y	Y	Y	Y
			9	N	Y	Y	N	Y	Y
			10	Y	Y	Y	Y	Y	Y
			11	Y	Y	N	Y	Y	Y
			12	Y	Y	Y	Y	Y	Y
			13	Y	Y	Y	Y	Y	Y
			14	Y	Y	Y	N	Y	Y
			15	Y	Y	Y	Y	Y	Y
			16	N	Y	Y	Y	Y	Y
			17	Y	Y	Y	N	Y	Y
			18	Y	Y	Y	Y	Y	Y
			19	Y	Y	N	Y	Y	Y
			20	Y	Y	N	Y	Y	Y
			21	Y	Y	Y	N	Y	Y
			22	Y	Y	Y	Y	Y	Y
			23	Y	Y	Y	Y	Y	Y
			24	Y	N	Y	Y	Y	Y
			25	Y	N	Y	Y	Y	Y
			26	Y	Y	Y	Y	Y	Y
			27	N	N	Y	Y	Y	Y
			28	Y	N	Y	Y	Y	Y
			29	Y	Y	Y	Y	Y	Y

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document shall be limited to the sum of the fees and charges paid by the Client to the Company for this document. The Company's sole responsibility is to its Client and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Appendix Radar Test Waveforms

Radar Type 0

Trial List							
	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)	
Download	0	Type 0	1.0	1428.0	18	25704.0	
Download	1	Type 0	1.0	1428.0	18	25704.0	
Download	2	Type 0	1.0	1428.0	18	25704.0	
Download	3	Type 0	1.0	1428.0	18	25704.0	
Download	4	Type 0	1.0	1428.0	18	25704.0	
Download	5	Type 0	1.0	1428.0	18	25704.0	
Download	6	Type 0	1.0	1428.0	18	25704.0	
Download	7	Type 0	1.0	1428.0	18	25704.0	
Download	8	Type 0	1.0	1428.0	18	25704.0	
Download	9	Type 0	1.0	1428.0	18	25704.0	
Download	10	Type 0	1.0	1428.0	18	25704.0	
Download	11	Type 0	1.0	1428.0	18	25704.0	
Download	12	Type 0	1.0	1428.0	18	25704.0	
Download	13	Type 0	1.0	1428.0	18	25704.0	
Download	14	Type 0	1.0	1428.0	18	25704.0	
Download	15	Type 0	1.0	1428.0	18	25704.0	
Download	16	Type 0	1.0	1428.0	18	25704.0	
Download	17	Type 0	1.0	1428.0	18	25704.0	
Download	18	Type 0	1.0	1428.0	18	25704.0	
Download	19	Type 0	1.0	1428.0	18	25704.0	
Download	20	Type 0	1.0	1428.0	18	25704.0	
Download	21	Type 0	1.0	1428.0	18	25704.0	
Download	22	Type 0	1.0	1428.0	18	25704.0	
Download	23	Type 0	1.0	1428.0	18	25704.0	
Download	24	Type 0	1.0	1428.0	18	25704.0	
Download	25	Type 0	1.0	1428.0	18	25704.0	
Download	26	Type 0	1.0	1428.0	18	25704.0	
Download	27	Type 0	1.0	1428.0	18	25704.0	
Download	28	Type 0	1.0	1428.0	18	25704.0	
Download	29	Type 0	1.0	1428.0	18	25704.0	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved. No part of this document may be reproduced, stored in a retrieval system or transmitted, in whole or in part, in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the Company. Any advice or information contained herein reflects the Company's findings at the time of its investigation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 51 of 115

Radar Type 1

Trial List						
	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 1	1.0	938.0	57	53466.0
Download	1	Type 1	1.0	698.0	76	53048.0
Download	2	Type 1	1.0	618.0	86	53148.0
Download	3	Type 1	1.0	538.0	99	53262.0
Download	4	Type 1	1.0	878.0	61	53558.0
Download	5	Type 1	1.0	3066.0	18	55188.0
Download	6	Type 1	1.0	638.0	83	52954.0
Download	7	Type 1	1.0	918.0	58	53244.0
Download	8	Type 1	1.0	838.0	63	52794.0
Download	9	Type 1	1.0	858.0	62	53196.0
Download	10	Type 1	1.0	798.0	67	53466.0
Download	11	Type 1	1.0	718.0	74	53132.0
Download	12	Type 1	1.0	578.0	92	53176.0
Download	13	Type 1	1.0	598.0	89	53222.0
Download	14	Type 1	1.0	558.0	95	53010.0
Download	15	Type 1	1.0	2536.0	21	53256.0
Download	16	Type 1	1.0	966.0	55	53130.0
Download	17	Type 1	1.0	827.0	64	52928.0
Download	18	Type 1	1.0	2501.0	22	55022.0
Download	19	Type 1	1.0	2595.0	21	54495.0
Download	20	Type 1	1.0	1114.0	48	53472.0
Download	21	Type 1	1.0	1302.0	41	53382.0
Download	22	Type 1	1.0	3045.0	18	54810.0
Download	23	Type 1	1.0	1624.0	33	53592.0
Download	24	Type 1	1.0	2878.0	19	54682.0
Download	25	Type 1	1.0	1027.0	52	53404.0
Download	26	Type 1	1.0	2485.0	22	54670.0
Download	27	Type 1	1.0	1600.0	33	52800.0
Download	28	Type 1	1.0	1172.0	46	53912.0
Download	29	Type 1	1.0	1177.0	45	52965.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability arising from this document is limited to the sum paid by the Client and/or the amount of any work carried out by the Company. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
 Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Radar Type 2

Trial List						
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Number of Pulses	Waveform Length (μs)
Download	0	Type 2	3.2	179.0	26	4654.0
Download	1	Type 2	1.1	207.0	23	4761.0
Download	2	Type 2	2.1	230.0	24	5520.0
Download	3	Type 2	4.8	200.0	29	5800.0
Download	4	Type 2	3.9	214.0	28	5992.0
Download	5	Type 2	2.9	222.0	26	5772.0
Download	6	Type 2	3.2	204.0	26	5304.0
Download	7	Type 2	2.5	192.0	25	4800.0
Download	8	Type 2	3.1	164.0	26	4264.0
Download	9	Type 2	1.2	156.0	23	3588.0
Download	10	Type 2	3.9	210.0	27	5670.0
Download	11	Type 2	4.6	201.0	29	5829.0
Download	12	Type 2	3.2	162.0	26	4212.0
Download	13	Type 2	2.2	197.0	25	4925.0
Download	14	Type 2	4.5	163.0	29	4727.0
Download	15	Type 2	3.0	203.0	26	5278.0
Download	16	Type 2	5.0	168.0	29	4872.0
Download	17	Type 2	2.4	217.0	25	5425.0
Download	18	Type 2	2.9	191.0	26	4966.0
Download	19	Type 2	2.3	166.0	25	4150.0
Download	20	Type 2	3.7	150.0	27	4050.0
Download	21	Type 2	2.2	176.0	25	4400.0
Download	22	Type 2	4.9	195.0	29	5655.0
Download	23	Type 2	2.9	202.0	26	5252.0
Download	24	Type 2	2.5	178.0	25	4450.0
Download	25	Type 2	1.1	206.0	23	4738.0
Download	26	Type 2	3.8	155.0	27	4185.0
Download	27	Type 2	4.7	157.0	29	4553.0
Download	28	Type 2	2.4	224.0	25	5600.0
Download	29	Type 2	4.2	159.0	28	4452.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN_DocCheck@sgs.com



Radar Type 3

Trial List							
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Number of Pulses	Waveform Length (μs)	
Download	0	Type 3	8.2	355.0	17	6035.0	
Download	1	Type 3	6.1	487.0	16	7792.0	
Download	2	Type 3	7.1	344.0	16	5504.0	
Download	3	Type 3	9.8	288.0	18	5184.0	
Download	4	Type 3	8.9	230.0	18	4140.0	
Download	5	Type 3	7.9	432.0	17	7344.0	
Download	6	Type 3	8.2	207.0	17	3519.0	
Download	7	Type 3	7.5	443.0	17	7531.0	
Download	8	Type 3	8.1	439.0	17	7463.0	
Download	9	Type 3	6.2	223.0	16	3568.0	
Download	10	Type 3	8.9	208.0	18	3744.0	
Download	11	Type 3	9.6	463.0	18	8334.0	
Download	12	Type 3	8.2	441.0	17	7497.0	
Download	13	Type 3	7.2	323.0	16	5168.0	
Download	14	Type 3	9.5	297.0	18	5346.0	
Download	15	Type 3	8.0	412.0	17	7004.0	
Download	16	Type 3	10.0	324.0	18	5832.0	
Download	17	Type 3	7.4	271.0	17	4607.0	
Download	18	Type 3	7.9	349.0	17	5933.0	
Download	19	Type 3	7.3	409.0	16	6544.0	
Download	20	Type 3	8.7	373.0	18	6714.0	
Download	21	Type 3	7.2	254.0	16	4064.0	
Download	22	Type 3	9.9	274.0	18	4932.0	
Download	23	Type 3	7.9	278.0	17	4726.0	
Download	24	Type 3	7.5	317.0	17	5389.0	
Download	25	Type 3	6.1	260.0	16	4160.0	
Download	26	Type 3	8.8	211.0	18	3798.0	
Download	27	Type 3	9.7	272.0	18	4896.0	
Download	28	Type 3	7.4	264.0	17	4488.0	
Download	29	Type 3	9.2	284.0	18	5112.0	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability arising out of or in connection with this document is limited to the sum paid by the Client. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 54 of 115

Radar Type 4

Trial List							
	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)	
Download	0	Type 4	16.0	355.0	14	4970.0	
Download	1	Type 4	11.3	487.0	12	5844.0	
Download	2	Type 4	13.5	344.0	13	4472.0	
Download	3	Type 4	19.4	288.0	16	4608.0	
Download	4	Type 4	17.5	230.0	15	3450.0	
Download	5	Type 4	15.3	432.0	14	6048.0	
Download	6	Type 4	15.9	207.0	14	2898.0	
Download	7	Type 4	14.3	443.0	13	5759.0	
Download	8	Type 4	15.8	439.0	14	6146.0	
Download	9	Type 4	11.5	223.0	12	2676.0	
Download	10	Type 4	17.4	208.0	15	3120.0	
Download	11	Type 4	19.0	463.0	16	7408.0	
Download	12	Type 4	16.0	441.0	14	6174.0	
Download	13	Type 4	13.8	323.0	13	4199.0	
Download	14	Type 4	18.9	297.0	16	4752.0	
Download	15	Type 4	15.5	412.0	14	5768.0	
Download	16	Type 4	19.9	324.0	16	5184.0	
Download	17	Type 4	14.1	271.0	13	3523.0	
Download	18	Type 4	15.2	349.0	14	4886.0	
Download	19	Type 4	13.8	409.0	13	5317.0	
Download	20	Type 4	17.1	373.0	15	5595.0	
Download	21	Type 4	13.8	254.0	13	3302.0	
Download	22	Type 4	19.8	274.0	16	4384.0	
Download	23	Type 4	15.3	278.0	14	3892.0	
Download	24	Type 4	14.5	317.0	13	4121.0	
Download	25	Type 4	11.3	260.0	12	3120.0	
Download	26	Type 4	17.3	211.0	15	3165.0	
Download	27	Type 4	19.2	272.0	16	4352.0	
Download	28	Type 4	14.2	264.0	13	3432.0	
Download	29	Type 4	18.2	284.0	15	4260.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. All rights are reserved. No part of this document may be reproduced, stored in a retrieval system or transmitted in whole or in part, in any form or by any means, without the prior written permission of the Company. Any advice or recommendation given by the Company in this document is given in the course of its business and is not a representation of its technical or other expertise. Any statement of fact or opinion contained in this document is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
 Wireless Laboratory
 South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 55 of 115

Radar Type 5 - All

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
<input checked="" type="checkbox"/>	Download 0	Type 5	15	0.8000000	12.0000000	5.500000000			
<input checked="" type="checkbox"/>	Download 1	Type 5	8	1.5000000	12.0000000	5.500000000			
<input checked="" type="checkbox"/>	Download 2	Type 5	11	1.0909091	12.0000000	5.500000000			
<input checked="" type="checkbox"/>	Download 3	Type 5	20	0.6000000	12.0000000	5.500000000			
<input checked="" type="checkbox"/>	Download 4	Type 5	17	0.7058824	12.0000000	5.500000000			
<input checked="" type="checkbox"/>	Download 5	Type 5	14	0.8571429	12.0000000	5.500000000			
<input checked="" type="checkbox"/>	Download 6	Type 5	15	0.8000000	12.0000000	5.500000000			
<input checked="" type="checkbox"/>	Download 7	Type 5	12	1.0000000	12.0000000	5.500000000			
<input checked="" type="checkbox"/>	Download 8	Type 5	14	0.8571429	12.0000000	5.500000000			
<input checked="" type="checkbox"/>	Download 9	Type 5	8	1.5000000	12.0000000	5.500000000			
<input checked="" type="checkbox"/>	Download 10	Type 5	17	0.7058824	12.0000000	5.503900000			
<input checked="" type="checkbox"/>	Download 11	Type 5	19	0.6315789	12.0000000	5.505100000			
<input checked="" type="checkbox"/>	Download 12	Type 5	15	0.8000000	12.0000000	5.502700000			
<input checked="" type="checkbox"/>	Download 13	Type 5	12	1.0000000	12.0000000	5.501500000			
<input checked="" type="checkbox"/>	Download 14	Type 5	19	0.6315789	12.0000000	5.504700000			
<input checked="" type="checkbox"/>	Download 15	Type 5	14	0.8571429	12.0000000	5.502300000			
<input checked="" type="checkbox"/>	Download 16	Type 5	20	0.6000000	12.0000000	5.505500000			
<input checked="" type="checkbox"/>	Download 17	Type 5	12	1.0000000	12.0000000	5.501500000			
<input checked="" type="checkbox"/>	Download 18	Type 5	14	0.8571429	12.0000000	5.502300000			
<input checked="" type="checkbox"/>	Download 19	Type 5	12	1.0000000	12.0000000	5.501500000			
<input checked="" type="checkbox"/>	Download 20	Type 5	16	0.7500000	12.0000000	5.496500000			
<input checked="" type="checkbox"/>	Download 21	Type 5	12	1.0000000	12.0000000	5.498900000			
<input checked="" type="checkbox"/>	Download 22	Type 5	20	0.6000000	12.0000000	5.494500000			
<input checked="" type="checkbox"/>	Download 23	Type 5	14	0.8571429	12.0000000	5.497700000			
<input checked="" type="checkbox"/>	Download 24	Type 5	13	0.9230769	12.0000000	5.498100000			
<input checked="" type="checkbox"/>	Download 25	Type 5	8	1.5000000	12.0000000	5.500500000			
<input checked="" type="checkbox"/>	Download 26	Type 5	17	0.7058824	12.0000000	5.496100000			
<input checked="" type="checkbox"/>	Download 27	Type 5	19	0.6315789	12.0000000	5.494900000			
<input checked="" type="checkbox"/>	Download 28	Type 5	12	1.0000000	12.0000000	5.498500000			
<input checked="" type="checkbox"/>	Download 29	Type 5	18	0.6666667	12.0000000	5.495700000			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company arising out of the performance of this document shall be in accordance with the terms and conditions set out in this document only and, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 56 of 115

Radar Type 5 - Trial 0

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
<input checked="" type="checkbox"/> Download	0	Type 5	15	0.8000000	12.0000000	5.500000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	636185.0	77.8	13	2	1665.0	1477.0	—	
		1	32674.0	51.9	13	1	1074.0	—	—	
		2	226294.0	63.8	13	1	1584.0	—	—	
		3	417976.0	96.6	13	3	1682.0	1786.0	1843.0	
		4	611152.0	85.9	13	3	1795.0	1215.0	1729.0	
		5	8789.0	73.7	13	2	1198.0	1549.0	—	
		6	201917.0	77.2	13	2	1837.0	1819.0	—	
		7	395530.0	68.4	13	2	1587.0	1114.0	—	
		8	588564.0	76.7	13	2	2000.0	1155.0	—	
		9	783794.0	53.2	13	1	1147.0	—	—	
		10	177933.0	85.7	13	3	1433.0	1695.0	1394.0	
		11	370624.0	94.3	13	3	1670.0	1426.0	1935.0	
		12	564893.0	77.6	13	2	1294.0	1671.0	—	
		13	759583.0	65.7	13	1	1512.0	—	—	
		14	154262.0	93.5	13	3	1444.0	1130.0	1468.0	
<input checked="" type="checkbox"/> Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
<input checked="" type="checkbox"/> Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
<input checked="" type="checkbox"/> Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
<input checked="" type="checkbox"/> Download	4	Type 5	17	0.7058824	12.0000000	5.500000000				
<input checked="" type="checkbox"/> Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
<input checked="" type="checkbox"/> Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
<input checked="" type="checkbox"/> Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
<input checked="" type="checkbox"/> Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
<input checked="" type="checkbox"/> Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
<input checked="" type="checkbox"/> Download	10	Type 5	17	0.7058824	12.0000000	5.503900000				
<input checked="" type="checkbox"/> Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
<input checked="" type="checkbox"/> Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
<input checked="" type="checkbox"/> Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
<input checked="" type="checkbox"/> Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues set forth therein, may be reproduced or transmitted in any form or by any means without the prior written permission of the Company. Any advice or recommendation given by the Company in the course of its business is given in the course of its business only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 57 of 115

Radar Type 5 - Trial 1

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
■	Download 0	Type 5	15	0.8000000	12.0000000	5.500000000			
■	Download 1	Type 5	8	1.5000000	12.0000000	5.500000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	653020.0	75.0	5	2	1880.0	1527.0	—
		1	1015643.0	99.4	5	3	1401.0	1262.0	1257.0
		2	1379398.0	67.4	5	2	1531.0	1403.0	—
		3	245489.0	73.6	5	2	1449.0	1041.0	—
		4	609113.0	65.9	5	1	1432.0	—	—
		5	970852.0	83.8	5	3	1356.0	1292.0	1419.0
		6	1335913.0	65.5	5	1	1543.0	—	—
		7	200406.0	98.6	5	3	1548.0	1796.0	1728.0
■	Download 2	Type 5	11	1.0909091	12.0000000	5.500000000			
■	Download 3	Type 5	20	0.6000000	12.0000000	5.500000000			
■	Download 4	Type 5	17	0.7058824	12.0000000	5.500000000			
■	Download 5	Type 5	14	0.8571429	12.0000000	5.500000000			
■	Download 6	Type 5	15	0.8000000	12.0000000	5.500000000			
■	Download 7	Type 5	12	1.0000000	12.0000000	5.500000000			
■	Download 8	Type 5	14	0.8571429	12.0000000	5.500000000			
■	Download 9	Type 5	8	1.5000000	12.0000000	5.500000000			
■	Download 10	Type 5	17	0.7058824	12.0000000	5.503900000			
■	Download 11	Type 5	19	0.6315789	12.0000000	5.505100000			
■	Download 12	Type 5	15	0.8000000	12.0000000	5.502700000			
■	Download 13	Type 5	12	1.0000000	12.0000000	5.501500000			
■	Download 14	Type 5	19	0.6315789	12.0000000	5.504700000			
■	Download 15	Type 5	14	0.8571429	12.0000000	5.502300000			
■	Download 16	Type 5	20	0.6000000	12.0000000	5.505500000			
■	Download 17	Type 5	12	1.0000000	12.0000000	5.501500000			
■	Download 18	Type 5	14	0.8571429	12.0000000	5.502300000			
■	Download 19	Type 5	12	1.0000000	12.0000000	5.501500000			
■	Download 20	Type 5	16	0.7500000	12.0000000	5.496500000			
■	Download 21	Type 5	20	0.6000000	12.0000000	5.499200000			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed online, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to the Terms and Conditions at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues contained therein. Any party to this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUCR2401000003TL04

Rev.: 01

Page: 58 of 115

Radar Type 5 - Trial 2

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	0	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	1	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	2	Type 5	11	1.0909091	12.0000000	5.500000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	409565.0	73.8	9	2	1806.0	1538.0	—
		1	673692.0	69.5	9	2	1117.0	1649.0	—
		2	938562.0	51.9	9	1	1651.0	—	—
		3	113209.0	84.6	9	3	1976.0	1032.0	1271.0
		4	376726.0	95.4	9	3	1060.0	1903.0	1388.0
		5	641212.0	68.0	9	2	1368.0	1351.0	—
		6	903714.0	89.6	9	3	1338.0	1514.0	1573.0
		7	80863.0	81.9	9	2	1022.0	1689.0	—
		8	344067.0	88.3	9	3	1810.0	1330.0	1838.0
		9	609331.0	53.7	9	1	1597.0	—	—
		10	871542.0	91.3	9	3	1961.0	1106.0	1001.0
Download	3	Type 5	20	0.6000000	12.0000000	5.500000000			
Download	4	Type 5	17	0.7058824	12.0000000	5.500000000			
Download	5	Type 5	14	0.8571429	12.0000000	5.500000000			
Download	6	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	7	Type 5	12	1.0000000	12.0000000	5.500000000			
Download	8	Type 5	14	0.8571429	12.0000000	5.500000000			
Download	9	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	10	Type 5	17	0.7058824	12.0000000	5.503900000			
Download	11	Type 5	19	0.6315789	12.0000000	5.505100000			
Download	12	Type 5	15	0.8000000	12.0000000	5.502700000			
Download	13	Type 5	12	1.0000000	12.0000000	5.501500000			
Download	14	Type 5	19	0.6315789	12.0000000	5.504700000			
Download	15	Type 5	14	0.8571429	12.0000000	5.502300000			
Download	16	Type 5	20	0.6000000	12.0000000	5.505500000			
Download	17	Type 5	12	1.0000000	12.0000000	5.501500000			
Download	18	Type 5	14	0.8571429	12.0000000	5.502300000			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability arising from this document is limited to the terms of this document only and, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 59 of 115

Radar Type 5 - Trial 3

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
■	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000		
■	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000		
■	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000		
■	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000		
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	26541.0	68.1	19	2	1339.0	1355.0	—
		1	171821.0	58.7	19	1	1251.0	—	—
		2	316229.0	75.3	19	2	1136.0	1640.0	—
		3	461864.0	56.4	19	1	1753.0	—	—
		4	8677.0	99.7	19	3	1196.0	1708.0	1159.0
		5	153995.0	57.7	19	1	1013.0	—	—
		6	299238.0	59.5	19	1	1072.0	—	—
		7	443177.0	80.0	19	2	1482.0	1369.0	—
		8	587671.0	82.0	19	2	1993.0	1197.0	—
		9	135674.0	82.8	19	2	1883.0	1005.0	—
		10	279928.0	88.0	19	3	1061.0	1928.0	1101.0
		11	424279.0	93.2	19	3	1207.0	1907.0	1223.0
		12	570132.0	70.4	19	2	1526.0	1360.0	—
		13	117439.0	95.3	19	3	1171.0	1955.0	1775.0
		14	262502.0	81.9	19	2	1690.0	1545.0	—
		15	406573.0	98.5	19	3	1975.0	1169.0	1062.0
		16	553328.0	65.0	19	1	1767.0	—	—
		17	99799.0	85.4	19	3	1011.0	1637.0	1425.0
		18	244095.0	91.6	19	3	1878.0	1445.0	1325.0
		19	390012.0	67.3	19	2	1091.0	1218.0	—
■	Download	4	Type 5	17	0.7058824	12.0000000	5.500000000		
■	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000		
■	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000		
■	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000		
■	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000		
■	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000		
■	Download	10	Type 5	17	0.7058824	12.0000000	5.503900000		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed online, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to the Terms and Conditions at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues contained therein. Any party to this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Wireless Laboratory

or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Radar Type 5 - Trial 4

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
■	Download 0	Type 5	15	0.8000000	12.0000000	5.500000000				
■	Download 1	Type 5	8	1.5000000	12.0000000	5.500000000				
■	Download 2	Type 5	11	1.0909091	12.0000000	5.500000000				
■	Download 3	Type 5	20	0.6000000	12.0000000	5.500000000				
■	Download 4	Type 5	17	0.7058824	12.0000000	5.500000000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	629614.0	67.9	16	2	1320.0	1133.0	—	
		1	96856.0	62.3	16	1	1957.0	—	—	
		2	267719.0	53.3	16	1	1592.0	—	—	
		3	436784.0	90.0	16	3	1900.0	1153.0	1346.0	
		4	608289.0	77.1	16	2	1166.0	1646.0	—	
		5	75610.0	83.9	16	3	1278.0	1232.0	1459.0	
		6	245638.0	89.1	16	3	1240.0	1384.0	1939.0	
		7	416355.0	81.8	16	2	1833.0	1676.0	—	
		8	588736.0	50.3	16	1	1075.0	—	—	
		9	54571.0	87.1	16	3	1116.0	1996.0	1756.0	
		10	225175.0	71.3	16	2	1225.0	1815.0	—	
		11	394825.0	97.5	16	3	1884.0	1465.0	1132.0	
		12	565361.0	90.6	16	3	1561.0	1040.0	1354.0	
		13	33643.0	86.3	16	3	1596.0	1183.0	1792.0	
		14	203957.0	97.6	16	3	1365.0	1073.0	1361.0	
		15	373812.0	84.7	16	3	1021.0	1718.0	1854.0	
		16	544060.0	99.7	16	3	1150.0	1244.0	1988.0	
■	Download 5	Type 5	14	0.8571429	12.0000000	5.500000000				
■	Download 6	Type 5	15	0.8000000	12.0000000	5.500000000				
■	Download 7	Type 5	12	1.0000000	12.0000000	5.500000000				
■	Download 8	Type 5	14	0.8571429	12.0000000	5.500000000				
■	Download 9	Type 5	8	1.5000000	12.0000000	5.500000000				
■	Download 10	Type 5	17	0.7058824	12.0000000	5.503900000				
■	Download 11	Type 5	19	0.6315789	12.0000000	5.505100000				
■	Download 12	Type 5	15	0.8000000	12.0000000	5.502700000				
■	Download 13	Type 5	12	1.0000000	12.0000000	5.501500000				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed online, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to the Terms and Conditions at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues contained therein. Any party to this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUCR2401000003TL04

Rev.: 01

Page: 61 of 115

Radar Type 5 - Trial 5

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
■	Download 0	Type 5	15	0.8000000	12.0000000	5.500000000			
■	Download 1	Type 5	8	1.5000000	12.0000000	5.500000000			
■	Download 2	Type 5	11	1.0909091	12.0000000	5.500000000			
■	Download 3	Type 5	20	0.6000000	12.0000000	5.500000000			
■	Download 4	Type 5	17	0.7058824	12.0000000	5.500000000			
■	Download 5	Type 5	14	0.8571429	12.0000000	5.500000000			
		Burst ID	Burst Offset (us)	Pulse Width (ns)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (ns)	PRI-2 (ns)	PRI-3 (ns)
		0	15438.0	92.9	12	3	1085.0	1564.0	1407.0
		1	222486.0	67.7	12	2	1744.0	1747.0	—
		2	430731.0	65.8	12	1	1092.0	—	—
		3	637784.0	56.3	12	1	1851.0	—	—
		4	845342.0	53.7	12	1	1727.0	—	—
		5	196720.0	83.5	12	3	1679.0	1930.0	1025.0
		6	404955.0	65.8	12	1	1519.0	—	—
		7	610711.0	85.9	12	3	1134.0	1034.0	1808.0
		8	818057.0	76.3	12	2	1606.0	1926.0	—
		9	171459.0	81.5	12	2	1891.0	1714.0	—
		10	377969.0	89.4	12	3	1310.0	1594.0	1827.0
		11	586875.0	63.4	12	1	1568.0	—	—
		12	792834.0	69.6	12	2	1307.0	1925.0	—
		13	146044.0	74.5	12	2	1264.0	1846.0	—
■	Download 6	Type 5	15	0.8000000	12.0000000	5.500000000			
■	Download 7	Type 5	12	1.0000000	12.0000000	5.500000000			
■	Download 8	Type 5	14	0.8571429	12.0000000	5.500000000			
■	Download 9	Type 5	8	1.5000000	12.0000000	5.500000000			
■	Download 10	Type 5	17	0.7058824	12.0000000	5.503900000			
■	Download 11	Type 5	19	0.6315789	12.0000000	5.505100000			
■	Download 12	Type 5	15	0.8000000	12.0000000	5.502700000			
■	Download 13	Type 5	12	1.0000000	12.0000000	5.501500000			
■	Download 14	Type 5	19	0.6315789	12.0000000	5.504700000			
■	Download 15	Type 5	14	0.8571429	12.0000000	5.502300000			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed online, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to the Terms and Conditions at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues contained therein. Any party to this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Wireless Laboratory Technical Services (Shanghai) Co., Ltd.

or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

Member of the SCS Group (SCS SA)

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 62 of 115

Radar Type 5 - Trial 6

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	0	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	1	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	2	Type 5	11	1.0909091	12.0000000	5.500000000			
Download	3	Type 5	20	0.6000000	12.0000000	5.500000000			
Download	4	Type 5	17	0.7058824	12.0000000	5.500000000			
Download	5	Type 5	14	0.8571429	12.0000000	5.500000000			
Download	6	Type 5	15	0.8000000	12.0000000	5.500000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	329022.0	96.6	13	3	1182.0	1609.0	1581.0
		1	521718.0	96.7	13	3	1829.0	1799.0	1154.0
		2	714222.0	86.5	13	3	1923.0	1396.0	1885.0
		3	112450.0	73.3	13	2	1908.0	1318.0	—
		4	306283.0	55.8	13	1	1688.0	—	—
		5	500239.0	55.4	13	1	1145.0	—	—
		6	690932.0	85.3	13	3	1336.0	1504.0	1820.0
		7	88645.0	79.4	13	2	1344.0	1893.0	—
		8	282508.0	65.7	13	1	1476.0	—	—
		9	475842.0	68.6	13	2	1008.0	1028.0	—
		10	667887.0	77.7	13	2	1972.0	1835.0	—
		11	64845.0	79.6	13	2	1882.0	1331.0	—
		12	257755.0	94.9	13	3	1830.0	1070.0	1349.0
		13	452335.0	61.4	13	1	1451.0	—	—
		14	643395.0	90.6	13	3	1233.0	1562.0	1887.0
Download	7	Type 5	12	1.0000000	12.0000000	5.500000000			
Download	8	Type 5	14	0.8571429	12.0000000	5.500000000			
Download	9	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	10	Type 5	17	0.7058824	12.0000000	5.503900000			
Download	11	Type 5	19	0.6315789	12.0000000	5.505100000			
Download	12	Type 5	15	0.8000000	12.0000000	5.502700000			
Download	13	Type 5	12	1.0000000	12.0000000	5.501500000			
Download	14	Type 5	19	0.6315789	12.0000000	5.504700000			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted, in whole or in part, in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the Company. The Company is not bound by any information contained herein unless it is specifically advised that the information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 63 of 115

Radar Type 5 - Trial 7

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	0	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	1	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	2	Type 5	11	1.0909091	12.0000000	5.500000000			
Download	3	Type 5	20	0.6000000	12.0000000	5.500000000			
Download	4	Type 5	17	0.7058824	12.0000000	5.500000000			
Download	5	Type 5	14	0.8571429	12.0000000	5.500000000			
Download	6	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	7	Type 5	12	1.0000000	12.0000000	5.500000000			
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	51446.0	52.6	10	1	1210.0	—	—	
	1	292696.0	84.1	10	3	1314.0	1725.0	1529.0	
	2	533989.0	97.7	10	3	1139.0	1868.0	1805.0	
	3	775564.0	97.3	10	3	1341.0	1446.0	1755.0	
	4	21542.0	98.8	10	3	1544.0	1386.0	1302.0	
	5	263385.0	72.2	10	2	1771.0	1184.0	—	
	6	505581.0	67.6	10	2	1175.0	1027.0	—	
	7	747058.0	75.7	10	2	1026.0	1871.0	—	
	8	989976.0	60.9	10	1	1798.0	—	—	
	9	234024.0	64.2	10	1	1138.0	—	—	
	10	475207.0	78.8	10	2	1784.0	1604.0	—	
	11	715825.0	87.5	10	3	1511.0	1712.0	1683.0	
Download	8	Type 5	14	0.8571429	12.0000000	5.500000000			
Download	9	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	10	Type 5	17	0.7058824	12.0000000	5.503900000			
Download	11	Type 5	19	0.6315789	12.0000000	5.505100000			
Download	12	Type 5	15	0.8000000	12.0000000	5.502700000			
Download	13	Type 5	12	1.0000000	12.0000000	5.501500000			
Download	14	Type 5	19	0.6315789	12.0000000	5.504700000			
Download	15	Type 5	14	0.8571429	12.0000000	5.502300000			
Download	16	Type 5	20	0.6000000	12.0000000	5.505500000			
Download	17	Type 5	12	1.0000000	12.0000000	5.501500000			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted, in whole or in part, in any form or by any means, electronic, mechanical, photocopying or otherwise, without the prior written permission of the Company. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 64 of 115

Radar Type 5 - Trial 8

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	0	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	1	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	2	Type 5	11	1.0909091	12.0000000	5.500000000			
Download	3	Type 5	20	0.6000000	12.0000000	5.500000000			
Download	4	Type 5	17	0.7058824	12.0000000	5.500000000			
Download	5	Type 5	14	0.8571429	12.0000000	5.500000000			
Download	6	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	7	Type 5	12	1.0000000	12.0000000	5.500000000			
Download	8	Type 5	14	0.8571429	12.0000000	5.500000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	823112.0	54.1	13	1	1415.0	—	—
		1	174965.0	50.7	13	1	1221.0	—	—
		2	382216.0	52.3	13	1	1974.0	—	—
		3	587395.0	99.8	13	3	1558.0	1696.0	1949.0
		4	796897.0	68.4	13	2	1014.0	1099.0	—
		5	149042.0	80.8	13	2	1736.0	1505.0	—
		6	356750.0	62.5	13	1	1778.0	—	—
		7	563824.0	74.8	13	2	1149.0	1204.0	—
		8	772314.0	50.8	13	1	1049.0	—	—
		9	123796.0	54.0	13	1	1417.0	—	—
		10	331215.0	63.0	13	1	1730.0	—	—
		11	537402.0	91.8	13	3	1143.0	1270.0	1347.0
		12	744805.0	79.3	13	2	1274.0	1992.0	—
		13	98172.0	64.3	13	1	1937.0	—	—
Download	9	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	10	Type 5	17	0.7058824	12.0000000	5.503900000			
Download	11	Type 5	19	0.6315789	12.0000000	5.505100000			
Download	12	Type 5	15	0.8000000	12.0000000	5.502700000			
Download	13	Type 5	12	1.0000000	12.0000000	5.501500000			
Download	14	Type 5	19	0.6315789	12.0000000	5.504700000			
Download	15	Type 5	14	0.8571429	12.0000000	5.502300000			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction clause, may be reproduced or transmitted in whole or in part without the prior written permission of the Company. Any advice or recommendation given by the Company in the course of its business is given in the course of its instruction only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 65 of 115

Radar Type 5 - Trial 9

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	0	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	1	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	2	Type 5	11	1.0909091	12.0000000	5.500000000			
Download	3	Type 5	20	0.6000000	12.0000000	5.500000000			
Download	4	Type 5	17	0.7058824	12.0000000	5.500000000			
Download	5	Type 5	14	0.8571429	12.0000000	5.500000000			
Download	6	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	7	Type 5	12	1.0000000	12.0000000	5.500000000			
Download	8	Type 5	14	0.8571429	12.0000000	5.500000000			
Download	9	Type 5	8	1.5000000	12.0000000	5.500000000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	535615.0	63.4	6	1	1043.0	—	—
		1	898668.0	52.0	6	1	1863.0	—	—
		2	1259235.0	97.2	6	3	1973.0	1605.0	1583.0
		3	127106.0	78.7	6	2	1466.0	1743.0	—
		4	490358.0	74.2	6	2	1280.0	1219.0	—
		5	852409.0	88.7	6	3	1293.0	1934.0	1273.0
		6	1217152.0	54.3	6	1	1991.0	—	—
		7	82296.0	95.4	6	3	1580.0	1555.0	1791.0
Download	10	Type 5	17	0.7058824	12.0000000	5.503900000			
Download	11	Type 5	19	0.6315789	12.0000000	5.505100000			
Download	12	Type 5	15	0.8000000	12.0000000	5.502700000			
Download	13	Type 5	12	1.0000000	12.0000000	5.501500000			
Download	14	Type 5	19	0.6315789	12.0000000	5.504700000			
Download	15	Type 5	14	0.8571429	12.0000000	5.502300000			
Download	16	Type 5	20	0.6000000	12.0000000	5.505500000			
Download	17	Type 5	12	1.0000000	12.0000000	5.501500000			
Download	18	Type 5	14	0.8571429	12.0000000	5.502300000			
Download	19	Type 5	12	1.0000000	12.0000000	5.501500000			
Download	20	Type 5	16	0.7500000	12.0000000	5.496500000			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document shall be limited to the sum of the fees paid by the Client to the Company for this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 66 of 115

Radar Type 5 - Trial 10

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	0	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	1	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	2	Type 5	11	1.0909091	12.0000000	5.500000000			
Download	3	Type 5	20	0.6000000	12.0000000	5.500000000			
Download	4	Type 5	17	0.7058824	12.0000000	5.500000000			
Download	5	Type 5	14	0.8517429	12.0000000	5.500000000			
Download	6	Type 5	15	0.8000000	12.0000000	5.500000000			
Download	7	Type 5	12	1.0000000	12.0000000	5.500000000			
Download	8	Type 5	14	0.8517429	12.0000000	5.500000000			
Download	9	Type 5	8	1.5000000	12.0000000	5.500000000			
Download	10	Type 5	17	0.7058824	12.0000000	5.503900000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	209249.0	73.7	16	2	1208.0	1497.0	—
		1	378386.0	97.4	16	3	1942.0	1754.0	1613.0
		2	548411.0	91.7	16	3	1999.0	1702.0	1482.0
		3	17733.0	66.2	16	1	1393.0	—	—
		4	187952.0	70.8	16	2	1968.0	1821.0	—
		5	359277.0	52.3	16	1	1740.0	—	—
		6	528886.0	78.9	16	2	1308.0	1984.0	—
		7	700166.0	70.9	16	2	1050.0	1358.0	—
		8	167197.0	75.6	16	2	1437.0	1430.0	—
		9	338262.0	59.1	16	1	1697.0	—	—
		10	508324.0	77.0	16	2	1397.0	1304.0	—
		11	678689.0	67.9	16	2	1803.0	1083.0	—
		12	146031.0	81.2	16	2	1720.0	1932.0	—
		13	316923.0	78.7	16	2	1247.0	1121.0	—
		14	488056.0	63.3	16	1	1634.0	—	—
		15	657326.0	68.9	16	2	1849.0	1423.0	—
		16	125509.0	59.3	16	1	1093.0	—	—
Download	11	Type 5	19	0.6315789	12.0000000	5.505100000			
Download	12	Type 5	15	0.8000000	12.0000000	5.502700000			
Download	13	Type 5	12	1.0000000	12.0000000	5.501500000			

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document, whether based in contract, tort (including negligence), or otherwise, is limited to the value of the services provided hereunder. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 67 of 115

Radar Type 5 - Trial 11

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	263736.0	98.9	19	3	1381.0	1680.0	1488.0	
		1	416459.0	82.3	19	2	1716.0	1855.0	—	
		2	567902.0	86.7	19	3	1211.0	1400.0	1919.0	
		3	92979.0	89.7	19	3	1861.0	1068.0	1282.0	
		4	245155.0	98.6	19	3	1507.0	1194.0	1461.0	
		5	397609.0	71.1	19	2	1921.0	1789.0	—	
		6	551431.0	55.9	19	1	1947.0	—	—	
		7	74413.0	67.9	19	2	1350.0	1372.0	—	
		8	226559.0	84.4	19	3	1203.0	1107.0	1443.0	
		9	380056.0	58.8	19	1	1715.0	—	—	
		10	533408.0	65.6	19	1	1017.0	—	—	
		11	55547.0	78.5	19	2	1911.0	1704.0	—	
		12	207876.0	82.3	19	2	1845.0	1686.0	—	
		13	359771.0	90.1	19	3	1938.0	1071.0	1266.0	
		14	511297.0	90.2	19	3	1989.0	1089.0	1950.0	
		15	36803.0	83.1	19	2	1943.0	1406.0	—	
		16	189652.0	58.8	19	1	1742.0	—	—	
		17	341809.0	77.0	19	2	1187.0	1657.0	—	
		18	495737.0	55.0	19	1	1012.0	—	—	
Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
Download	20	Type 5	16	0.7500000	12.0000000	5.496500000				
Download	21	Type 5	12	1.0000000	12.0000000	5.498900000				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company arising out of this document is limited to the supply of services and the advice contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 68 of 115

Radar Type 5 - Trial 12

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
<input checked="" type="checkbox"/> Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	22911.0	58.1	13	1	1929.0	—	—	
		1	216473.0	52.1	13	1	1910.0	—	—	
		2	410004.0	59.9	13	1	1971.0	—	—	
		3	603671.0	60.2	13	1	1812.0	—	—	
		4	794160.0	95.9	13	3	1399.0	1906.0	1608.0	
		5	192251.0	79.9	13	2	1626.0	1859.0	—	
		6	385590.0	78.5	13	2	1238.0	1917.0	—	
		7	579862.0	53.8	13	1	1763.0	—	—	
		8	773423.0	64.7	13	1	1800.0	—	—	
		9	168898.0	61.4	13	1	1390.0	—	—	
		10	361606.0	83.2	13	2	1692.0	1858.0	—	
		11	553866.0	84.7	13	3	1533.0	1677.0	1638.0	
		12	747241.0	88.7	13	3	1703.0	1528.0	1058.0	
		13	144710.0	78.3	13	2	1258.0	1951.0	—	
		14	337856.0	69.3	13	2	1731.0	1717.0	—	
<input checked="" type="checkbox"/> Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
<input checked="" type="checkbox"/> Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
<input checked="" type="checkbox"/> Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
<input checked="" type="checkbox"/> Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
<input checked="" type="checkbox"/> Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
<input checked="" type="checkbox"/> Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
<input checked="" type="checkbox"/> Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
<input checked="" type="checkbox"/> Download	20	Type 5	16	0.7500000	12.0000000	5.496500000				
<input checked="" type="checkbox"/> Download	21	Type 5	12	1.0000000	12.0000000	5.498900000				
<input checked="" type="checkbox"/> Download	22	Type 5	20	0.6000000	12.0000000	5.494500000				
<input checked="" type="checkbox"/> Download	23	Type 5	14	0.8571429	12.0000000	5.497700000				
<input checked="" type="checkbox"/> Download	24	Type 5	13	0.9230769	12.0000000	5.498100000				
<input checked="" type="checkbox"/> Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
<input checked="" type="checkbox"/> Download	26	Type 5	17	0.7058824	12.0000000	5.496100000				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company arising out of this document is limited to the supply of the services in question and the same shall not exceed the amount paid by the Client in respect of this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 69 of 115

Radar Type 5 - Trial 13

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
<input checked="" type="checkbox"/> Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	664275.0	75.3	10	2	1994.0	1612.0	—	
		1	907886.0	56.3	10	1	1456.0	—	—	
		2	151316.0	67.7	10	2	1617.0	1185.0	—	
		3	393746.0	55.6	10	1	1337.0	—	—	
		4	635093.0	75.2	10	2	1421.0	1267.0	—	
		5	876993.0	76.3	10	2	1359.0	1305.0	—	
		6	121278.0	85.7	10	3	1547.0	1362.0	1924.0	
		7	362696.0	98.4	10	3	1873.0	1550.0	1249.0	
		8	604342.0	86.4	10	3	1779.0	1439.0	1046.0	
		9	846453.0	93.6	10	3	1059.0	1031.0	1452.0	
		10	91871.0	63.3	10	1	1328.0	—	—	
		11	333050.0	92.4	10	3	1412.0	1673.0	1322.0	
<input checked="" type="checkbox"/> Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
<input checked="" type="checkbox"/> Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
<input checked="" type="checkbox"/> Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
<input checked="" type="checkbox"/> Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
<input checked="" type="checkbox"/> Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
<input checked="" type="checkbox"/> Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
<input checked="" type="checkbox"/> Download	20	Type 5	16	0.7500000	12.0000000	5.496500000				
<input checked="" type="checkbox"/> Download	21	Type 5	12	1.0000000	12.0000000	5.498900000				
<input checked="" type="checkbox"/> Download	22	Type 5	20	0.6000000	12.0000000	5.494500000				
<input checked="" type="checkbox"/> Download	23	Type 5	14	0.8571429	12.0000000	5.497700000				
<input checked="" type="checkbox"/> Download	24	Type 5	13	0.9230769	12.0000000	5.498100000				
<input checked="" type="checkbox"/> Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
<input checked="" type="checkbox"/> Download	26	Type 5	17	0.7058824	12.0000000	5.496100000				
<input checked="" type="checkbox"/> Download	27	Type 5	19	0.6315789	12.0000000	5.494900000				
<input checked="" type="checkbox"/> Download	28	Type 5	12	1.0000000	12.0000000	5.498500000				
<input checked="" type="checkbox"/> Download	29	Type 5	18	0.6666667	12.0000000	5.495700000				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company arising out of this document is limited to the supply of services and the advice given. The Company has advised that the information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国 (江苏) 自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 70 of 115

Radar Type 5 - Trial 14

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	361323.0	93.3	18	3	1983.0	1912.0	1535.0	
		1	515261.0	69.1	18	2	1102.0	1794.0	—	
		2	39025.0	86.9	18	3	1044.0	1152.0	1148.0	
		3	190900.0	84.9	18	3	1894.0	1948.0	1118.0	
		4	343941.0	72.3	18	2	1094.0	1916.0	—	
		5	497624.0	51.7	18	1	1447.0	—	—	
		6	20319.0	58.3	18	1	1429.0	—	—	
		7	172999.0	60.8	18	1	1979.0	—	—	
		8	325872.0	57.1	18	1	1641.0	—	—	
		9	475841.0	88.9	18	3	1886.0	1964.0	1489.0	
		10	1489.0	72.0	18	2	1909.0	1297.0	—	
		11	153647.0	90.9	18	3	1261.0	1566.0	1370.0	
		12	307096.0	59.8	18	1	1552.0	—	—	
		13	458804.0	70.0	18	2	1759.0	1291.0	—	
		14	610798.0	67.2	18	2	1625.0	1881.0	—	
		15	134759.0	91.2	18	3	1382.0	1832.0	1661.0	
		16	288306.0	56.5	18	1	1483.0	—	—	
		17	441296.0	51.2	18	1	1237.0	—	—	
		18	592780.0	74.1	18	2	1471.0	1245.0	—	
Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
Download	20	Type 5	16	0.7500000	12.0000000	5.496500000				
Download	21	Type 5	12	1.0000000	12.0000000	5.498900000				
Download	22	Type 5	20	0.6000000	12.0000000	5.494500000				
Download	23	Type 5	14	0.8571429	12.0000000	5.497700000				
Download	24	Type 5	13	0.9230769	12.0000000	5.498100000				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company arising out of this document shall be limited to the sum of the fees paid by the Client to the Company for this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 71 of 115

Radar Type 5 - Trial 15

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	158286.0	76.9	12	2	1110.0	1140.0	—	
		1	366024.0	50.2	12	1	1316.0	—	—	
		2	573452.0	62.9	12	1	1520.0	—	—	
		3	780619.0	64.7	12	1	1902.0	—	—	
		4	132455.0	83.8	12	3	1410.0	1097.0	1621.0	
		5	340207.0	65.4	12	1	1944.0	—	—	
		6	548208.0	53.2	12	1	1024.0	—	—	
		7	755333.0	51.7	12	1	1603.0	—	—	
		8	107117.0	78.7	12	2	1804.0	1168.0	—	
		9	314500.0	72.4	12	2	1030.0	1343.0	—	
		10	522447.0	53.8	12	1	1327.0	—	—	
		11	728517.0	73.6	12	2	1524.0	1553.0	—	
		12	816111.0	66.7	12	2	1722.0	1122.0	—	
		13	288948.0	82.5	12	2	1404.0	1019.0	—	
Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
Download	20	Type 5	16	0.7500000	12.0000000	5.496500000				
Download	21	Type 5	12	1.0000000	12.0000000	5.498900000				
Download	22	Type 5	20	0.6000000	12.0000000	5.494500000				
Download	23	Type 5	14	0.8571429	12.0000000	5.497700000				
Download	24	Type 5	13	0.9230769	12.0000000	5.498100000				
Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
Download	26	Type 5	17	0.7058824	12.0000000	5.496100000				
Download	27	Type 5	19	0.6315789	12.0000000	5.494900000				
Download	28	Type 5	12	1.0000000	12.0000000	5.498500000				
Download	29	Type 5	18	0.6666667	12.0000000	5.495700000				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company arising out of this document is limited to the supply of the services in accordance with the terms and conditions hereof and the acceptance of this document by the Client. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 72 of 115

Radar Type 5 - Trial 16

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
<input checked="" type="checkbox"/> Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	345766.0	87.6	20	3	1565.0	1055.0	1840.0	
		1	490019.0	85.2	20	3	1735.0	1541.0	1408.0	
		2	39073.0	84.8	20	3	1534.0	1889.0	1463.0	
		3	183923.0	77.9	20	2	1749.0	1460.0	—	
		4	328777.0	76.5	20	2	1518.0	1485.0	—	
		5	474728.0	60.9	20	1	1540.0	—	—	
		6	21394.0	83.0	20	2	1080.0	1010.0	—	
		7	165992.0	80.4	20	2	1824.0	1752.0	—	
		8	310973.0	67.5	20	2	1764.0	1181.0	—	
		9	456884.0	62.1	20	1	1495.0	—	—	
		10	3515.0	86.4	20	3	1773.0	1966.0	1263.0	
		11	147928.0	84.3	20	3	1593.0	1188.0	1788.0	
		12	293225.0	76.9	20	2	1226.0	1537.0	—	
		13	436922.0	95.8	20	3	1192.0	1298.0	1844.0	
		14	584015.0	55.2	20	1	1644.0	—	—	
		15	130832.0	59.0	20	1	1402.0	—	—	
		16	274684.0	94.5	20	3	1296.0	1700.0	1283.0	
		17	418579.0	91.9	20	3	1970.0	1978.0	1165.0	
		18	563464.0	85.2	20	3	1732.0	1551.0	1189.0	
		19	112787.0	69.5	20	2	1038.0	1224.0	—	
<input checked="" type="checkbox"/> Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
<input checked="" type="checkbox"/> Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
<input checked="" type="checkbox"/> Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
<input checked="" type="checkbox"/> Download	20	Type 5	16	0.7500000	12.0000000	5.498500000				
<input checked="" type="checkbox"/> Download	21	Type 5	12	1.0000000	12.0000000	5.498900000				
<input checked="" type="checkbox"/> Download	22	Type 5	20	0.6000000	12.0000000	5.494500000				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document, whether based in contract, tort (including negligence), or otherwise, is limited to the sum of the fees charged by the Company for the provision of the services contained in this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 73 of 115

Radar Type 5 - Trial 17

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
<input checked="" type="checkbox"/> Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	429224.0	86.4	10	3	1259.0	1918.0	1455.0	
		1	670241.0	92.2	10	3	1598.0	1719.0	1895.0	
		2	912880.0	80.4	10	2	1816.0	1899.0	-	
		3	158603.0	54.3	10	1	1335.0	-	-	
		4	400824.0	53.1	10	1	1303.0	-	-	
		5	641915.0	69.4	10	2	1503.0	1546.0	-	
		6	883823.0	69.1	10	2	1279.0	1639.0	-	
		7	128373.0	100.0	10	3	1375.0	1438.0	1595.0	
		8	370379.0	79.6	10	2	1239.0	1705.0	-	
		9	611194.0	88.4	10	3	1374.0	1579.0	1623.0	
		10	855665.0	53.3	10	1	1016.0	-	-	
		11	98897.0	65.3	10	1	1709.0	-	-	
<input checked="" type="checkbox"/> Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
<input checked="" type="checkbox"/> Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
<input checked="" type="checkbox"/> Download	20	Type 5	16	0.7500000	12.0000000	5.496500000				
<input checked="" type="checkbox"/> Download	21	Type 5	12	1.0000000	12.0000000	5.498900000				
<input checked="" type="checkbox"/> Download	22	Type 5	20	0.6000000	12.0000000	5.494500000				
<input checked="" type="checkbox"/> Download	23	Type 5	14	0.8571429	12.0000000	5.497700000				
<input checked="" type="checkbox"/> Download	24	Type 5	13	0.9230769	12.0000000	5.498100000				
<input checked="" type="checkbox"/> Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
<input checked="" type="checkbox"/> Download	26	Type 5	17	0.7058824	12.0000000	5.496100000				
<input checked="" type="checkbox"/> Download	27	Type 5	19	0.6315789	12.0000000	5.494900000				
<input checked="" type="checkbox"/> Download	28	Type 5	12	1.0000000	12.0000000	5.498500000				
<input checked="" type="checkbox"/> Download	29	Type 5	18	0.6666667	12.0000000	5.495700000				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company arising out of this document shall be limited to the sum of the fees and charges paid by the Client to the Company for the preparation of this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 74 of 115

Radar Type 5 - Trial 18

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	292143.0	55.3	12	1	1920.0	—	—	
		1	499633.0	58.3	12	1	1797.0	—	—	
		2	706377.0	72.3	12	2	1610.0	1039.0	—	
		3	58989.0	84.8	12	3	1131.0	1761.0	1721.0	
		4	266161.0	82.5	12	2	1875.0	1431.0	—	
		5	474469.0	63.3	12	1	1095.0	—	—	
		6	680544.0	80.0	12	2	1119.0	1913.0	—	
		7	33519.0	90.3	12	3	1660.0	1853.0	1123.0	
		8	240319.0	91.1	12	3	1539.0	1783.0	1172.0	
		9	447400.0	96.6	12	3	1525.0	1036.0	1385.0	
		10	654516.0	82.7	12	2	1710.0	1990.0	—	
		11	8083.0	50.7	12	1	1234.0	—	—	
		12	215435.0	78.4	12	2	1047.0	1109.0	—	
		13	421325.0	99.5	12	3	1299.0	1965.0	1869.0	
Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
Download	20	Type 5	16	0.7500000	12.0000000	5.496500000				
Download	21	Type 5	12	1.0000000	12.0000000	5.498900000				
Download	22	Type 5	20	0.6000000	12.0000000	5.494500000				
Download	23	Type 5	14	0.8571429	12.0000000	5.497700000				
Download	24	Type 5	13	0.9230769	12.0000000	5.498100000				
Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
Download	26	Type 5	17	0.7058824	12.0000000	5.496100000				
Download	27	Type 5	19	0.6315789	12.0000000	5.494900000				
Download	28	Type 5	12	1.0000000	12.0000000	5.498500000				
Download	29	Type 5	18	0.6666667	12.0000000	5.495700000				

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document shall be limited to the sum of the fees paid by the Client to the Company for this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 75 of 115

Radar Type 5 - Trial 19

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	19	Type 5	12	1.0000000	12.0000000	5.501500000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	733725.0	88.6	10	3	1501.0	1067.0	1927.0
		1	977882.0	57.4	10	1	1723.0	—	—
		2	221197.0	96.6	10	3	1086.0	1658.0	1324.0
		3	462915.0	69.7	10	2	1751.0	1945.0	—
		4	705071.0	77.9	10	2	1642.0	1317.0	—
		5	947923.0	62.0	10	1	1866.0	—	—
		6	191373.0	88.4	10	3	1997.0	1077.0	1366.0
		7	432561.0	97.3	10	3	1790.0	1896.0	1367.0
		8	674004.0	96.2	10	3	1391.0	1787.0	1672.0
		9	915842.0	95.4	10	3	1020.0	1892.0	1414.0
		10	162176.0	54.8	10	1	1084.0	—	—
		11	403553.0	80.4	10	2	1850.0	1436.0	—
Download	20	Type 5	16	0.7500000	12.0000000	5.496500000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	483470.0	74.7	15	2	1619.0	1611.0	—
		1	666072.0	57.1	15	1	1560.0	—	—
		2	98810.0	91.9	15	3	1392.0	1475.0	1276.0
		3	279914.0	83.1	15	2	1809.0	1772.0	—
		4	462536.0	50.7	15	1	1003.0	—	—
		5	642324.0	79.2	15	2	1574.0	1600.0	—
		6	76831.0	58.7	15	1	1186.0	—	—
		7	257785.0	71.0	15	2	1521.0	1567.0	—
		8	438554.0	79.0	15	2	1777.0	1960.0	—
		9	620397.0	68.5	15	2	1284.0	1428.0	—
		10	54310.0	73.5	15	2	1904.0	1352.0	—



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
 Wireless Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability arising from this document is limited to the terms of this document only and, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: CN_Doccheck@sgs.com

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 76 of 115

Radar Type 5 - Trial 20

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	20	Type 5	16	0.7500000	12.0000000	5.496500000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	483470.0	74.7	15	2	1619.0	1611.0	—	
		1	666072.0	57.1	15	1	1560.0	—	—	
		2	98810.0	91.9	15	3	1392.0	1475.0	1276.0	
		3	279914.0	83.1	15	2	1809.0	1772.0	—	
		4	462536.0	50.7	15	1	1003.0	—	—	
		5	642324.0	79.2	15	2	1574.0	1600.0	—	
		6	76631.0	58.7	15	1	1186.0	—	—	
		7	257785.0	71.0	15	2	1521.0	1567.0	—	
		8	438554.0	79.0	15	2	1777.0	1960.0	—	
		9	620397.0	68.5	15	2	1284.0	1428.0	—	
		10	54310.0	73.5	15	2	1904.0	1352.0	—	
		11	235506.0	70.5	15	2	1864.0	1115.0	—	
		12	417036.0	76.6	15	2	1045.0	1300.0	—	
		13	597974.0	81.2	15	2	1160.0	1675.0	—	
		14	32086.0	61.8	15	1	1277.0	—	—	
		15	212751.0	94.9	15	3	1450.0	1206.0	1860.0	
Download	21	Type 5	12	1.0000000	12.0000000	5.498900000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	526149.0	78.5	9	2	1853.0	1698.0	—	
		1	767135.0	89.8	9	3	1174.0	1962.0	1167.0	
		2	12955.0	59.4	9	1	1982.0	—	—	
		3	254612.0	79.6	9	2	1633.0	1890.0	—	
		4	496588.0	76.0	9	2	1112.0	1811.0	—	
		5	739728.0	53.6	9	1	1144.0	—	—	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company arising out of the performance of this document shall be governed by the laws of the People's Republic of China. The information contained hereon reflects the Company's findings at the time of its investigation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 77 of 115

Radar Type 5 - Trial 21

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	21	Type 5	12	1.0000000	12.0000000	5.498900000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	526149.0	78.5	9	2	1653.0	1698.0	—	
		1	767135.0	89.8	9	3	1174.0	1962.0	1167.0	
		2	12955.0	59.4	9	1	1982.0	—	—	
		3	254612.0	79.6	9	2	1633.0	1890.0	—	
		4	496588.0	76.0	9	2	1112.0	1811.0	—	
		5	739728.0	53.6	9	1	1144.0	—	—	
		6	980872.0	80.9	9	2	1220.0	1053.0	—	
		7	225249.0	61.6	9	1	1724.0	—	—	
		8	467279.0	53.4	9	1	1901.0	—	—	
		9	709720.0	59.9	9	1	1379.0	—	—	
		10	951847.0	60.4	9	1	1453.0	—	—	
		11	194839.0	91.4	9	3	1768.0	1726.0	1227.0	
Download	22	Type 5	20	0.6000000	12.0000000	5.494500000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	261888.0	77.0	20	2	1191.0	1363.0	—	
		1	407646.0	58.1	20	1	1248.0	—	—	
		2	552319.0	62.1	20	1	1836.0	—	—	
		3	99107.0	76.9	20	2	1334.0	1236.0	—	
		4	243514.0	80.0	20	2	1914.0	1852.0	—	
		5	389464.0	52.0	20	1	1701.0	—	—	
		6	531093.0	88.6	20	3	1693.0	1995.0	1905.0	
		7	81159.0	72.9	20	2	1922.0	1387.0	—	
		8	225245.0	98.5	20	3	1839.0	1746.0	1389.0	
		9	371906.0	57.9	20	1	1193.0	—	—	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document shall be limited to the sum of the fees and charges paid by the Client to the Company for the preparation of this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 78 of 115

Radar Type 5 - Trial 22

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	22	Type 5	20	0.6000000	12.0000000	5.494500000			
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	261858.0	77.0	20	2	1191.0	1363.0	—	
	1	407646.0	58.1	20	1	1248.0	—	—	
	2	552319.0	62.1	20	1	1836.0	—	—	
	3	99107.0	76.9	20	2	1334.0	1236.0	—	
	4	243514.0	80.0	20	2	1914.0	1852.0	—	
	5	389464.0	52.0	20	1	1701.0	—	—	
	6	531093.0	88.6	20	3	1693.0	1995.0	1905.0	
	7	81159.0	72.9	20	2	1922.0	1387.0	—	
	8	225245.0	98.5	20	3	1839.0	1746.0	1389.0	
	9	371906.0	57.9	20	1	1193.0	—	—	
	10	514197.0	95.9	20	3	1659.0	1870.0	1066.0	
	11	63561.0	53.5	20	1	1162.0	—	—	
	12	207510.0	92.0	20	3	1745.0	1654.0	1458.0	
	13	353638.0	57.3	20	1	1834.0	—	—	
	14	497515.0	70.5	20	2	1684.0	1586.0	—	
	15	45553.0	70.0	20	2	1042.0	1664.0	—	
	16	189821.0	84.0	20	3	1765.0	1630.0	1176.0	
	17	335330.0	76.1	20	2	1557.0	1057.0	—	
	18	476825.0	93.2	20	3	1985.0	1018.0	1340.0	
	19	27594.0	96.8	20	3	1760.0	1614.0	1817.0	
Download	23	Type 5	14	0.8571429	12.0000000	5.497700000			
	Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
	0	247117.0	50.1	12	1	1841.0	—	—	
	1	453362.0	93.5	12	3	1590.0	1081.0	1413.0	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction clause, may be reproduced or transmitted in whole or in part without the prior written permission of the Company. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 79 of 115

Radar Type 5 - Trial 23

Trial List									
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	23	Type 5	14	0.8571429	12.0000000	5.497700000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	247117.0	50.1	12	1	1841.0	—	—
		1	453362.0	93.5	12	3	1590.0	1081.0	1413.0
		2	660875.0	68.8	12	2	1707.0	1577.0	—
		3	14140.0	56.3	12	1	1056.0	—	—
		4	220734.0	86.0	12	3	1953.0	1108.0	1987.0
		5	428367.0	75.2	12	2	1572.0	1536.0	—
		6	636681.0	54.4	12	1	1517.0	—	—
		7	843157.0	71.1	12	2	1329.0	1243.0	—
		8	195585.0	76.2	12	2	1940.0	1770.0	—
		9	403231.0	80.2	12	2	1098.0	1209.0	—
		10	610202.0	79.7	12	2	1588.0	1214.0	—
		11	815229.0	90.9	12	3	1615.0	1862.0	1601.0
		12	170267.0	68.7	12	2	1377.0	1441.0	—
		13	377306.0	67.4	12	2	1872.0	1313.0	—
Download	24	Type 5	13	0.9230769	12.0000000	5.498100000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	628071.0	94.0	11	3	1643.0	1748.0	1941.0
		1	853391.0	70.8	11	2	1177.0	1201.0	—
		2	156223.0	56.3	11	1	1006.0	—	—
		3	378734.0	96.7	11	3	1230.0	1163.0	1332.0
		4	601331.0	90.6	11	3	1217.0	1582.0	1498.0
		5	825462.0	74.5	11	2	1569.0	1281.0	—
		6	128265.0	92.6	11	3	1065.0	1669.0	1222.0
		7	351161.0	89.0	11	3	1493.0	1135.0	1380.0
		8	573425.0	96.5	11	3	1607.0	1822.0	1602.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed online, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to the Terms and Conditions at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues contained therein. Any party to this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com



Report No.: SUCR2401000003TL04

Rev.: 01

Page: 80 of 115

Radar Type 5 - Trial 24

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	24	Type 5	13	0.9230769	12.0000000	5.498100000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	628071.0	94.0	11	3	1643.0	1748.0	1941.0	
		1	853391.0	70.8	11	2	1177.0	1201.0	—	
		2	156223.0	56.3	11	1	1006.0	—	—	
		3	378734.0	96.7	11	3	1230.0	1163.0	1332.0	
		4	601331.0	90.6	11	3	1217.0	1582.0	1498.0	
		5	825462.0	74.5	11	2	1569.0	1281.0	—	
		6	128265.0	92.6	11	3	1065.0	1669.0	1222.0	
		7	351161.0	89.0	11	3	1493.0	1135.0	1380.0	
		8	573425.0	96.5	11	3	1607.0	1822.0	1602.0	
		9	798431.0	70.5	11	2	1141.0	1178.0	—	
		10	100737.0	94.0	11	3	1009.0	1629.0	1956.0	
		11	324661.0	55.8	11	1	1290.0	—	—	
		12	546278.0	87.7	11	3	1435.0	1963.0	1164.0	
Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	1253842.0	68.6	5	2	1306.0	1161.0	—	
		1	119486.0	83.1	5	2	1420.0	1315.0	—	
		2	482958.0	60.9	5	1	1687.0	—	—	
		3	845641.0	77.7	5	2	1776.0	1158.0	—	
		4	1208428.0	77.4	5	2	1793.0	1510.0	—	
		5	74748.0	66.8	5	2	1576.0	1323.0	—	
		6	438300.0	63.7	5	1	1333.0	—	—	
		7	800152.0	91.2	5	3	1409.0	1681.0	1275.0	
Download	26	Type 5	17	0.7058824	12.0000000	5.496100000				
		—	—	Burst	Pulse	Chirp	Number of	—	—	—

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. Any intellectual property rights in and to the document are reserved to the Company. Any advice or information contained herein reflects the Company's findings at the time of its investigation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 81 of 115

Radar Type 5 - Trial 25

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	1253842.0	68.6	5	2	1306.0	1161.0	—	
		1	119486.0	83.1	5	2	1420.0	1315.0	—	
		2	482958.0	60.9	5	1	1687.0	—	—	
		3	845641.0	77.7	5	2	1776.0	1158.0	—	
		4	1208428.0	77.4	5	2	1793.0	1510.0	—	
		5	74748.0	66.8	5	2	1576.0	1323.0	—	
		6	438300.0	63.7	5	1	1333.0	—	—	
		7	800152.0	91.2	5	3	1409.0	1681.0	1275.0	
Download	26	Type 5	17	0.7058824	12.0000000	5.496100000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	545865.0	83.6	16	3	1632.0	1195.0	1000.0	
		1	14067.0	89.4	16	3	1173.0	1627.0	1656.0	
		2	184953.0	55.8	16	1	1532.0	—	—	
		3	353759.0	90.9	16	3	1981.0	1554.0	1998.0	
		4	526388.0	54.7	16	1	1825.0	—	—	
		5	694806.0	97.7	16	3	1734.0	1202.0	1250.0	
		6	163568.0	67.5	16	2	1571.0	1434.0	—	
		7	333410.0	96.7	16	3	1589.0	1469.0	1268.0	
		8	504006.0	68.3	16	2	1750.0	1954.0	—	
		9	675297.0	78.3	16	2	1591.0	1082.0	—	
		10	142890.0	55.0	16	1	1427.0	—	—	
		11	312479.0	84.9	16	3	1129.0	1936.0	1199.0	
		12	482953.0	74.6	16	2	1959.0	1856.0	—	
		13	655022.0	63.3	16	1	1885.0	—	—	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced without the prior written permission of the Company. Any advice or information contained herein reflects the Company's findings at the time of its investigation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 82 of 115

Radar Type 5 - Trial 26

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	26	Type 5	17	0.7058824	12.0000000	5.496100000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	545865.0	83.6	16	3	1632.0	1195.0	1000.0	
		1	14067.0	89.4	16	3	1173.0	1627.0	1656.0	
		2	184953.0	55.8	16	1	1532.0	—	—	
		3	353759.0	90.9	16	3	1981.0	1554.0	1998.0	
		4	526388.0	54.7	16	1	1825.0	—	—	
		5	694806.0	97.7	16	3	1734.0	1202.0	1250.0	
		6	163568.0	67.5	16	2	1571.0	1434.0	—	
		7	333410.0	96.7	16	3	1589.0	1469.0	1268.0	
		8	504006.0	68.3	16	2	1750.0	1954.0	—	
		9	675297.0	78.3	16	2	1591.0	1082.0	—	
		10	142890.0	55.0	16	1	1427.0	—	—	
		11	312479.0	84.9	16	3	1129.0	1936.0	1199.0	
		12	482953.0	74.6	16	2	1959.0	1856.0	—	
		13	655022.0	63.3	16	1	1885.0	—	—	
		14	121457.0	99.8	16	3	1035.0	1515.0	1120.0	
		15	292606.0	63.6	16	1	1647.0	—	—	
		16	461322.0	87.3	16	3	1931.0	1051.0	1831.0	
Download	27	Type 5	19	0.6315789	12.0000000	5.494900000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	565136.0	85.6	19	3	1946.0	1078.0	1015.0	
		1	89970.0	68.6	19	2	1029.0	1780.0	—	
		2	243121.0	54.2	19	1	1111.0	—	—	
		3	396034.0	61.2	19	1	1104.0	—	—	
		4	546225.0	97.1	19	3	1157.0	1969.0	1100.0	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues set forth therein, may be reproduced or transmitted in any form or by any means, without the prior written permission of the Company. Any unauthorized use of this document is prohibited. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 83 of 115

Radar Type 5 - Trial 27

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	27	Type 5	19	0.6315789	12.0000000	5.494900000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	565136.0	85.6	19	3	1946.0	1078.0	1015.0	
		1	89970.0	68.6	19	2	1029.0	1780.0	—	
		2	243121.0	54.2	19	1	1111.0	—	—	
		3	396034.0	61.2	19	1	1104.0	—	—	
		4	546225.0	97.1	19	3	1157.0	1969.0	1100.0	
		5	70998.0	98.3	19	3	1142.0	1699.0	1622.0	
		6	224093.0	62.4	19	1	1655.0	—	—	
		7	376127.0	80.2	19	2	1126.0	1769.0	—	
		8	527806.0	87.5	19	3	1216.0	1448.0	1179.0	
		9	52247.0	85.8	19	3	1847.0	1348.0	1472.0	
		10	204582.0	88.1	19	3	1023.0	1124.0	1631.0	
		11	357941.0	65.3	19	1	1848.0	—	—	
		12	510977.0	52.5	19	1	1470.0	—	—	
		13	33698.0	52.3	19	1	1312.0	—	—	
		14	186023.0	74.1	19	2	1915.0	1200.0	—	
		15	339327.0	54.9	19	1	1479.0	—	—	
		16	491053.0	76.2	19	2	1376.0	1502.0	—	
		17	14858.0	60.4	19	1	1758.0	—	—	
		18	167387.0	81.5	19	2	1491.0	1103.0	—	
Download	28	Type 5	12	1.0000000	12.0000000	5.498500000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	507709.0	50.5	10	1	1857.0	—	—	
		1	750249.0	55.7	10	1	1246.0	—	—	
		2	989003.0	85.8	10	3	1774.0	1002.0	1967.0	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or information contained in this document is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 84 of 115

Radar Type 5 - Trial 28

Trial List										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	28	Type 5	12	1.0000000	12.0000000	5.498500000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	507709.0	50.5	10	1	1857.0	—	—	
		1	750249.0	55.7	10	1	1246.0	—	—	
		2	989003.0	85.8	10	3	1774.0	1002.0	1967.0	
		3	235634.0	76.9	10	2	1125.0	1474.0	—	
		4	477675.0	75.1	10	2	1254.0	1052.0	—	
		5	718312.0	92.3	10	3	1180.0	1486.0	1492.0	
		6	960895.0	78.1	10	2	1301.0	1757.0	—	
		7	205370.0	92.2	10	3	1898.0	1252.0	1713.0	
		8	446940.0	89.0	10	3	1260.0	1706.0	1411.0	
		9	689225.0	70.9	10	2	1578.0	1620.0	—	
		10	932305.0	63.1	10	1	1782.0	—	—	
		11	178231.0	55.3	10	1	1522.0	—	—	
Download	29	Type 5	18	0.6666667	12.0000000	5.495700000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	277485.0	83.4	17	3	1454.0	1205.0	1801.0	
		1	437880.0	97.3	17	3	1319.0	1826.0	1635.0	
		2	598445.0	90.4	17	3	1079.0	1986.0	1674.0	
		3	97088.0	91.8	17	3	1563.0	1151.0	1802.0	
		4	257251.0	98.2	17	3	1876.0	1977.0	1766.0	
		5	419893.0	59.5	17	1	1952.0	—	—	
		6	580724.0	80.0	17	2	1253.0	1137.0	—	
		7	77366.0	86.5	17	3	1054.0	1128.0	1828.0	
		8	238032.0	91.1	17	3	1105.0	1599.0	1442.0	
		9	398605.0	93.5	17	3	1867.0	1373.0	1087.0	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues, may be reproduced or transmitted in any form or by any means without the prior written permission of the Company. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 85 of 115

Radar Type 5 - Trial 29

Trial List								
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)		
	6		960895.0	78.1	10	2	1301.0	1757.0
	7		205370.0	92.2	10	3	1898.0	1252.0
	8		446940.0	89.0	10	3	1260.0	1706.0
	9		689225.0	70.9	10	2	1578.0	1620.0
	10		932305.0	63.1	10	1	1782.0	—
	11		176231.0	55.3	10	1	1522.0	—
<input checked="" type="checkbox"/> Download	29	Type 5	18	0.6666667	12.0000000	5.495700000		
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)
							PRI-3 (us)	
		0	277485.0	83.4	17	3	1454.0	1205.0
		1	437880.0	97.3	17	3	1319.0	1826.0
		2	598445.0	90.4	17	3	1079.0	1635.0
		3	97088.0	91.8	17	3	1563.0	1674.0
		4	257251.0	98.2	17	3	1876.0	1151.0
		5	419893.0	59.5	17	1	1952.0	1801.0
		6	580724.0	80.0	17	2	1253.0	1137.0
		7	77366.0	86.5	17	3	1054.0	1828.0
		8	238032.0	91.1	17	3	1105.0	1442.0
		9	398605.0	93.5	17	3	1867.0	1373.0
		10	562025.0	60.7	17	1	1033.0	1087.0
		11	57684.0	67.2	17	2	1288.0	1405.0
		12	219083.0	61.8	17	1	1585.0	1667.0
		13	379234.0	79.4	17	2	1933.0	1464.0
		14	540896.0	81.4	17	2	1496.0	1326.0
		15	37916.0	65.7	17	2	1733.0	1255.0
		16	196794.0	76.0	17	2	1668.0	—
		17	359754.0	81.0	17	2	—	—

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 All rights are reserved to the Company. No part of this document, including the information and jurisdiction issues set forth therein, may be reproduced or transmitted in any form or by any means, without the prior written permission of the Company. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 86 of 115

Radar Type 6 - Trial 0

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	0	Type 6	1.0	333.3	9	0.3333	300.000000	21	
		Frequency List (MHz)	0	1	2	3	4		
		0	5364	5717	5334	5705	5549		
		5	5312	5260	5635	5503	5570		
		10	5347	5508	5292	5447	5588		
		15	5621	5638	5296	5482	5455		
		20	5636	5593	5434	5306	5411		
		25	5556	5378	5478	5432	5341		
		30	5438	5294	5496	5285	5327		
		35	5293	5502	5277	5403	5330		
		40	5612	5720	5544	5615	5561		
		45	5676	5704	5366	5290	5387		
		50	5278	5723	5383	5368	5263		
		55	5630	5375	5718	5281	5604		
		60	5453	5509	5479	5400	5262		
		65	5354	5467	5545	5466	5611		
		70	5715	5402	5568	5641	5396		
		75	5567	5557	5674	5359	5392		
		80	5313	5537	5258	5475	5272		
		85	5388	5474	5555	5410	5355		
		90	5517	5382	5386	5664	5697		
		95	5721	5268	5489	5706	5525		
Download	1	Type 6	1.0	333.3	9	0.3333	300.000000	16	
		Frequency List (MHz)	0	1	2	3	4		
		0	5619	5578	5270	5294	5354		
		5	5660	5710	5666	5399	5656		
		10	5297	5333	5642	5609	5709		
		15	5668	5527	5647	5547	5284		
		20	5375	5395	5384	5444	5705		
		25	5584	5536	5480	5459	5453		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction clause, may be reproduced or copied without the prior written permission of the Company. Any advice or recommendation given by the Company in this document is given in the course of its business only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 t (86-512) 62992980
www.sgsgroup.com.cn sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 87 of 115

Radar Type 6 - Trial 1

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	1	Type 6	1.0	333.3	9	0.3333	300.000000	16	
		Frequency List (MHz)	0	1	2	3	4		
		0	5619	5578	5270	5294	5354		
		5	5660	5710	5666	5399	5656		
		10	5297	5333	5642	5609	5709		
		15	5668	5527	5647	5547	5284		
		20	5375	5395	5384	5444	5705		
		25	5584	5536	5480	5658	5453		
		30	5403	5576	5588	5641	5465		
		35	5674	5580	5623	5559	5627		
		40	5553	5704	5673	5633	5724		
		45	5373	5348	5331	5513	5637		
		50	5544	5314	5585	5697	5257		
		55	5672	5471	5423	5424	5638		
		60	5644	5345	5569	5655	5413		
		65	5271	5415	5550	5371	5335		
		70	5382	5416	5533	5706	5558		
		75	5535	5692	5256	5436	5716		
		80	5385	5669	5458	5349	5456		
		85	5336	5634	5703	5352	5280		
		90	5506	5313	5690	5326	5631		
		95	5628	5546	5289	5490	5590		
Download	2	Type 6	1.0	333.3	9	0.3333	300.000000	18	
		Frequency List (MHz)	0	1	2	3	4		
		0	5302	5342	5681	5455	5611		
		5	5493	5682	5310	5257	5606		
		10	5587	5561	5374	5362	5630		
		15	5322	5320	5502	5475	5364		
		20	5555	5353	5316	5387	5357		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or information contained in this document is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 t (86-512) 62992980
www.sgsgroup.com.cn sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 88 of 115

Radar Type 6 - Trial 2

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	2	Type 6	1.0	333.3	9	0.3333	300.000000	18	
		Frequency List (MHz)	0	1	2	3	4		
		0	5302	5342	5681	5455	5611		
		5	5493	5682	5310	5257	5606		
		10	5587	5561	5374	5362	5630		
		15	5322	5320	5502	5475	5364		
		20	5555	5353	5316	5387	5357		
		25	5332	5654	5312	5262	5409		
		30	5522	5547	5410	5618	5253		
		35	5311	5683	5556	5470	5258		
		40	5537	5398	5710	5491	5469		
		45	5670	5465	5704	5456	5406		
		50	5384	5400	5513	5720	5365		
		55	5296	5276	5641	5445	5626		
		60	5564	5620	5395	5334	5290		
		65	5401	5578	5359	5569	5586		
		70	5282	5649	5407	5368	5647		
		75	5643	5509	5592	5675	5678		
		80	5581	5275	5381	5512	5600		
		85	5304	5382	5389	5458	5666		
		90	5419	5642	5350	5526	5519		
		95	5709	5692	5418	5653	5354		
Download	3	Type 6	1.0	333.3	9	0.3333	300.000000	22	
Download	4	Type 6	1.0	333.3	9	0.3333	300.000000	21	
Download	5	Type 6	1.0	333.3	9	0.3333	300.000000	19	
Download	6	Type 6	1.0	333.3	9	0.3333	300.000000	17	
Download	7	Type 6	1.0	333.3	9	0.3333	300.000000	17	
Download	8	Type 6	1.0	333.3	9	0.3333	300.000000	27	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed online, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to the Terms and Conditions at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues contained therein. Any party to this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_doccheck@sgs.com



Report No.: SUCR2401000003TL04

Rev.: 01

Page: 89 of 115

Radar Type 6 - Trial 3

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
<input checked="" type="checkbox"/>	Download 3	Type 6	1.0	333.3	9	0.3333	300.000000	22	
		Frequency List (MHz)	0	1	2	3	4		
		0	5557	5581	5617	5616	5356		
		5	5535	5704	5385	5420	5338		
		10	5518	5350	5415	5651	5313		
		15	5447	5605	5520	5653	5563		
		20	5519	5257	5476	5330	5598		
		25	5506	5515	5366	5443	5661		
		30	5533	5367	5358	5502	5606		
		35	5347	5647	5266	5411	5451		
		40	5334	5332	5709	5667	5394		
		45	5684	5539	5484	5437	5665		
		50	5389	5421	5416	5574	5488		
		55	5536	5580	5279	5439	5324		
		60	5499	5710	5708	5404	5305		
		65	5295	5525	5589	5359	5452		
		70	5576	5272	5492	5388	5551		
		75	5547	5323	5724	5256	5721		
		80	5293	5379	5584	5361	5508		
		85	5479	5693	5341	5655	5715		
		90	5629	5494	5401	5637	5423		
		95	5280	5316	5662	5281	5649		
<input checked="" type="checkbox"/>	Download 4	Type 6	1.0	333.3	9	0.3333	300.000000	21	
		Frequency List (MHz)	0	1	2	3	4		
		0	5337	5345	5553	5302	5673		
		5	5577	5629	5460	5583	5642		
		10	5352	5614	5456	5655	5672		
		15	5401	5574	5611	5565	5370		
		20	5571	5588	5295	5468	5303		
		25	5500	5580	5710	5230	5200		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document, whether based in contract, tort (including negligence), or otherwise, is limited to the sum of the fees charged by the Company for the provision of the services contained in this document. The Company shall not be liable for any indirect, special, incidental or consequential loss or damage.
 The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
 Rev.: 01
 Page: 90 of 115

Radar Type 6 - Trial 4

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	4	Type 6	1.0	333.3	9	0.3333	300.000000	21	
		Frequency List (MHz)	0	1	2	3	4		
		0	5337	5345	5553	5302	5673		
		5	5577	5629	5460	5583	5642		
		10	5352	5614	5456	5655	5672		
		15	5401	5574	5611	5565	5370		
		20	5571	5588	5295	5468	5303		
		25	5486	5358	5718	5470	5380		
		30	5703	5422	5324	5573	5654		
		35	5426	5263	5634	5661	5462		
		40	5648	5498	5270	5474	5664		
		45	5701	5622	5425	5490	5552		
		50	5265	5597	5467	5300	5432		
		55	5724	5437	5469	5258	5715		
		60	5453	5277	5637	5705	5348		
		65	5593	5262	5561	5251	5255		
		70	5275	5341	5364	5510	5516		
		75	5346	5712	5504	5549	5356		
		80	5527	5376	5264	5447	5442		
		85	5454	5658	5428	5544	5374		
		90	5343	5663	5478	5689	5384		
		95	5372	5707	5274	5292	5466		
Download	5	Type 6	1.0	333.3	9	0.3333	300.000000	19	
		Frequency List (MHz)	0	1	2	3	4		
		0	5592	5584	5489	5463	5418		
		5	5619	5651	5535	5271	5374		
		10	5283	5500	5594	5375	5693		
		15	5604	5714	5610	5562	5482		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability arising from this document is limited to the sum of the fees paid by the Client to the Company at the time of its instruction only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 91 of 115

Radar Type 6 - Trial 5

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	5	Type 6	1.0	333.3	9	0.3333	300.000000	19	
		Frequency List (MHz)	0	1	2	3	4		
		0	5592	5584	5489	5463	5418		
		5	5619	5651	5535	5271	5374		
		10	5283	5500	5594	5375	5693		
		15	5604	5714	5610	5562	5482		
		20	5279	5711	5557	5276	5277		
		25	5307	5446	5574	5414	5270		
		30	5408	5281	5691	5428	5624		
		35	5625	5354	5430	5339	5376		
		40	5487	5581	5663	5617	5630		
		45	5644	5705	5483	5342	5519		
		50	5298	5518	5563	5598	5437		
		55	5391	5659	5455	5686	5582		
		60	5697	5469	5628	5294	5319		
		65	5597	5631	5521	5436	5423		
		70	5278	5665	5340	5485	5466		
		75	5438	5315	5275	5614	5330		
		80	5520	5590	5596	5264	5289		
		85	5405	5646	5526	5346	5676		
		90	5267	5539	5349	5600	5258		
		95	5671	5533	5345	5587	5523		
Download	6	Type 6	1.0	333.3	9	0.3333	300.000000	17	
		Frequency List (MHz)	0	1	2	3	4		
		0	5372	5348	5425	5624	5260		
		5	5283	5576	5610	5434	5581		
		10	5689	5699	5635	5571	5714		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or information contained herein is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 92 of 115

Radar Type 6 - Trial 6

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	6	Type 6	1.0	333.3	9	0.3333	300.000000	17	
		Frequency List (MHz)	0	1	2	3	4		
		0	5372	5348	5425	5624	5260		
		5	5283	5576	5610	5434	5581		
		10	5689	5289	5635	5570	5714		
		15	5577	5256	5342	5558	5279		
		20	5490	5652	5549	5724	5640		
		25	5634	5552	5300	5448	5409		
		30	5297	5713	5431	5580	5444		
		35	5667	5445	5701	5492	5290		
		40	5326	5286	5621	5382	5280		
		45	5559	5313	5541	5499	5704		
		50	5395	5474	5569	5274	5421		
		55	5698	5625	5345	5374	5657		
		60	5711	5519	5642	5301	5454		
		65	5715	5520	5536	5366	5413		
		70	5414	5378	5417	5316	5428		
		75	5357	5586	5484	5296	5430		
		80	5627	5684	5653	5273	5606		
		85	5465	5363	5491	5352	5355		
		90	5518	5631	5688	5588	5329		
		95	5485	5502	5590	5390	5531		
Download	7	Type 6	1.0	333.3	9	0.3333	300.000000	17	
		Frequency List (MHz)	0	1	2	3	4		
		0	5530	5587	5361	5310	5480		
		5	5325	5598	5685	5500	5410		
		10	5523	5553	5676	5290	5260		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or information contained herein is given in good faith and is not to be construed as a warranty or representation. The information contained herein reflects the Company's knowledge at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 93 of 115

Radar Type 6 - Trial 7

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (μs)	Visible Frequency Number	
Download	7	Type 6	1.0	333.3	9	0.3333	300.000000	17	
		Frequency List (MHz)	0	1	2	3	4		
		0	5530	5587	5361	5310	5480		
		5	5325	5598	5685	5500	5410		
		10	5523	5553	5676	5290	5260		
		15	5568	5383	5445	5603	5471		
		20	5498	5514	5690	5638	5697		
		25	5431	5583	5280	5404	5482		
		30	5451	5661	5670	5646	5354		
		35	5642	5331	5633	5594	5267		
		40	5301	5640	5369	5559	5622		
		45	5277	5391	5507	5396	5502		
		50	5552	5494	5271	5650	5620		
		55	5363	5719	5545	5338	5299		
		60	5564	5628	5268	5684	5608		
		65	5283	5343	5584	5572	5673		
		70	5683	5517	5492	5381	5266		
		75	5292	5387	5326	5706	5627		
		80	5682	5262	5367	5276	5716		
		85	5270	5511	5428	5458	5359		
		90	5351	5600	5285	5394	5571		
		95	5400	5265	5327	5643	5313		
Download	8	Type 6	1.0	333.3	9	0.3333	300.000000	27	
		Frequency List (MHz)	0	1	2	3	4		
		0	5310	5351	5297	5374	5322		
		5	5367	5523	5285	5663	5617		
		10	5454	5342	5717	5485	5281		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or information contained in this document is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 94 of 115

Radar Type 6 - Trial 8

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	8	Type 6	1.0	333.3	9	0.3333	300.000000	27	
		Frequency List (MHz)	0	1	2	3	4		
		0	5310	5351	5297	5374	5322		
		5	5367	5523	5285	5663	5617		
		10	5454	5342	5717	5485	5281		
		15	5656	5510	5548	5648	5409		
		20	5680	5631	5630	5670	5319		
		25	5435	5483	5508	5516	5493		
		30	5647	5627	5386	5506	5462		
		35	5470	5724	5390	5420	5690		
		40	5576	5452	5497	5387	5274		
		45	5320	5487	5479	5560	5605		
		50	5381	5622	5671	5445	5489		
		55	5526	5253	5279	5502	5397		
		60	5629	5440	5678	5704	5544		
		65	5533	5608	5408	5478	5655		
		70	5481	5590	5268	5346	5673		
		75	5254	5295	5258	5459	5372		
		80	5623	5401	5267	5706	5545		
		85	5488	5650	5324	5305	5373		
		90	5559	5464	5660	5344	5698		
		95	5394	5378	5363	5321	5311		
Download	9	Type 6	1.0	333.3	9	0.3333	300.000000	20	
		Frequency List (MHz)	0	1	2	3	4		
		0	5565	5590	5708	5535	5542		
		5	5409	5545	5360	5351	5349		
		10	5288	5606	5283	5583	5302		
		15	5269	5637	5554	5693	5380		
		20	5417	5274	5579	5719	5643		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced without the prior written permission of the Company. Any advice or information contained herein reflects the Company's knowledge at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04
Rev.: 01
Page: 95 of 115

Radar Type 6 - Trial 9

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	9	Type 6	1.0	333.3	9	0.3333	300.000000	20	
		Frequency List (MHz)	0	1	2	3	4		
		0	5565	5590	5708	5535	5542		
		5	5409	5545	5360	5351	5349		
		10	5288	5606	5283	5583	5302		
		15	5269	5637	5554	5693	5380		
		20	5417	5274	5572	5719	5643		
		25	5682	5287	5686	5612	5550		
		30	5632	5536	5584	5504	5280		
		35	5660	5512	5340	5661	5573		
		40	5604	5415	5435	5530	5271		
		45	5627	5467	5562	5618	5658		
		50	5646	5401	5527	5722	5541		
		55	5268	5336	5714	5372	5473		
		60	5526	5539	5574	5369	5650		
		65	5367	5482	5547	5715	5370		
		70	5598	5252	5464	5484	5439		
		75	5622	5305	5642	5374	5341		
		80	5711	5385	5404	5264	5523		
		85	5448	5326	5451	5270	5667		
		90	5356	5621	5303	5724	5470		
		95	5639	5386	5361	5278	5378		
Download	10	Type 6	1.0	333.3	9	0.3333	300.000000	20	
		Frequency List (MHz)	0	1	2	3	4		
		0	5345	5354	5644	5696	5384		
		5	5548	5470	5435	5514	5653		
		10	5694	5492	5324	5303	5323		
		15	5357	5667	5657	5641	5572		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed online, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to the Terms and Conditions at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues contained therein. Any party to this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



Report No.: SUCR2401000003TL04

Rev.: 01

Page: 96 of 115

Radar Type 6 - Trial 10

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	10	Type 6	1.0	333.3	9	0.3333	300.000000	20	
		Frequency List (MHz)	0	1	2	3	4		
		0	5345	5354	5644	5696	5384		
		5	5548	5470	5435	5514	5653		
		10	5694	5492	5324	5303	5323		
		15	5357	5667	5657	5641	5572		
		20	5425	5440	5610	5711	5616		
		25	5473	5414	5338	5584	5674		
		30	5541	5719	5432	5480	5651		
		35	5431	5457	5348	5615	5254		
		40	5715	5373	5295	5365	5556		
		45	5447	5645	5579	5533	5277		
		50	5703	5298	5252	5566	5280		
		55	5330	5636	5562	5403	5444		
		60	5655	5704	5519	5676	5427		
		65	5596	5568	5583	5450	5640		
		70	5304	5421	5547	5288	5598		
		75	5264	5494	5484	5695	5488		
		80	5495	5660	5293	5527	5639		
		85	5718	5351	5643	5511	5462		
		90	5632	5310	5394	5501	5476		
		95	5576	5327	5378	5333	5362		
Download	11	Type 6	1.0	333.3	9	0.3333	300.000000	26	
		Frequency List (MHz)	0	1	2	3	4		
		0	5503	5593	5580	5382	5604		
		5	5590	5492	5510	5385	5625		
		10	5281	5365	5498	5344	5348		
		15	5319	5285	5686	5386	5336		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or recommendation given by the Company is given in good faith and is not a representation. The information contained herein reflects the Company's knowledge at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 97 of 115

Radar Type 6 - Trial 11

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	11	Type 6	1.0	333.3	9	0.3333	300.000000	26	
		Frequency List (MHz)	0	1	2	3	4		
		0	5503	5593	5580	5382	5604		
		5	5590	5492	5510	5385	5625		
		10	5281	5365	5498	5344	5348		
		15	5319	5285	5686	5386	5336		
		20	5509	5551	5325	5589	5361		
		25	5563	5520	5442	5618	5716		
		30	5411	5459	5681	5300	5315		
		35	5522	5350	5501	5529	5568		
		40	5323	5689	5535	5362	5485		
		45	5427	5253	5637	5667	5628		
		50	5404	5349	5341	5389	5602		
		55	5518	5277	5697	5415	5309		
		60	5394	5464	5508	5639	5391		
		65	5380	5282	5532	5582	5493		
		70	5533	5587	5515	5574	5698		
		75	5483	5614	5530	5676	5265		
		80	5605	5441	5360	5636	5438		
		85	5351	5474	5654	5500	5642		
		90	5321	5579	5482	5610	5684		
		95	5388	5443	5547	5581	5527		
Download	12	Type 6	1.0	333.3	9	0.3333	300.000000	21	
		Frequency List (MHz)	0	1	2	3	4		
		0	5283	5357	5516	5543	5446		
		5	5632	5417	5585	5268	5592		
		10	5459	5545	5406	5693	5365		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability of the Company arising out of the performance of this document shall be in accordance with the terms and conditions set out in this document only and, within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 98 of 115

Radar Type 6 - Trial 12

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ns)	Visible Frequency Number	
Download	12	Type 6	1.0	333.3	9	0.3333	300.000000	21	
		Frequency List (MHz)	0	1	2	3	4		
		0	5283	5357	5516	5543	5446		
		5	5632	5417	5585	5268	5592		
		10	5459	5545	5406	5693	5365		
		15	5436	5388	5256	5578	5344		
		20	5675	5492	5317	5562	5627		
		25	5512	5723	5546	5652	5380		
		30	5300	5455	5674	5358	5498		
		35	5454	5710	5621	5654	5443		
		40	5504	5678	5359	5407	5336		
		45	5695	5720	5685	5580	5400		
		50	5430	5687	5706	5544	5467		
		55	5419	5289	5438	5559	5506		
		60	5340	5554	5329	5558	5327		
		65	5385	5662	5519	5590	5364		
		70	5550	5657	5355	5259	5673		
		75	5420	5618	5697	5524	5275		
		80	5633	5254	5424	5534	5274		
		85	5465	5315	5415	5269	5488		
		90	5547	5566	5616	5509	5427		
		95	5445	5560	5636	5347	5432		
Download	13	Type 6	1.0	333.3	9	0.3333	300.000000	25	
		Frequency List (MHz)	0	1	2	3	4		
		0	5538	5596	5452	5704	5666		
		5	5674	5439	5660	5431	5324		
		10	5390	5334	5544	5413	5386		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or information contained in this document is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 99 of 115

Radar Type 6 - Trial 13

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	13	Type 6	1.0	333.3	9	0.3333	300.000000	25	
		Frequency List (MHz)	0	1	2	3	4		
		0	5538	5596	5452	5704	5666		
		5	5674	5439	5660	5431	5324		
		10	5390	5334	5544	5413	5386		
		15	5524	5573	5491	5301	5295		
		20	5352	5269	5530	5406	5535		
		25	5515	5364	5451	5650	5686		
		30	5422	5664	5412	5317	5607		
		35	5318	5496	5326	5417	5429		
		40	5454	5343	5489	5565	5443		
		45	5356	5721	5387	5419	5656		
		50	5298	5475	5283	5281	5519		
		55	5393	5498	5657	5713	5260		
		60	5470	5724	5647	5477	5531		
		65	5278	5594	5597	5663	5259		
		70	5505	5690	5688	5526	5282		
		75	5719	5638	5672	5253	5478		
		80	5338	5630	5450	5632	5266		
		85	5497	5466	5333	5366	5339		
		90	5434	5591	5581	5351	5250		
		95	5411	5442	5264	5545	5527		
Download	14	Type 6	1.0	333.3	9	0.3333	300.000000	20	
		Frequency List (MHz)	0	1	2	3	4		
		0	5318	5360	5388	5390	5508		
		5	5338	5364	5260	5594	5628		
		10	5321	5598	5585	5511	5407		
		15	5612	5700	5497	5724	5487		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or recommendation given by the Company is given in good faith and is based on the information available to the Company at the time of its issue. The information contained hereon reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 100 of 115

Radar Type 6 - Trial 14

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	14	Type 6	1.0	333.3	9	0.3333	300.000000	20	
		Frequency List (MHz)	0	1	2	3	4		
		0	5318	5360	5388	5390	5508		
		5	5338	5364	5260	5594	5628		
		10	5321	5598	5585	5511	5407		
		15	5612	5700	5497	5724	5487		
		20	5263	5435	5471	5398	5306		
		25	5691	5654	5279	5720	5464		
		30	5650	5369	5532	5284	5516		
		35	5635	5417	5310	5582	5368		
		40	5657	5669	5503	5683	5353		
		45	5553	5270	5502	5714	5351		
		50	5362	5634	5457	5608	5711		
		55	5337	5607	5452	5372	5706		
		60	5599	5414	5396	5576	5303		
		65	5574	5616	5702	5533	5534		
		70	5489	5466	5428	5588	5693		
		75	5537	5478	5293	5402	5387		
		80	5716	5449	5266	5259	5377		
		85	5401	5627	5645	5632	5583		
		90	5557	5561	5298	5320	5339		
		95	5597	5518	5708	5262	5543		
Download	15	Type 6	1.0	333.3	9	0.3333	300.000000	20	
		Frequency List (MHz)	0	1	2	3	4		
		0	5573	5599	5324	5551	5253		
		5	5380	5386	5335	5660	5360		
		10	5630	5484	5626	5706	5428		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability arising from this document is limited to the sum paid by the Client to the Company for this document at the time of its issue/reception only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 101 of 115

Radar Type 6 - Trial 15

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	15	Type 6	1.0	333.3	9	0.3333	300.000000	20	
		Frequency List (MHz)	0	1	2	3	4		
		0	5573	5599	5324	5551	5253		
		5	5380	5386	5335	5660	5360		
		10	5630	5484	5626	5706	5428		
		15	5603	5255	5600	5294	5679		
		20	5271	5504	5412	5487	5481		
		25	5669	5640	5382	5480	5279		
		30	5506	5539	5326	5272	5533		
		35	5336	5299	5508	5581	5260		
		40	5282	5496	5277	5441	5448		
		45	5447	5482	5250	5585	5297		
		50	5404	5627	5510	5633	5553		
		55	5319	5534	5659	5320	5406		
		60	5562	5351	5677	5579	5438		
		65	5408	5604	5520	5342	5651		
		70	5569	5366	5284	5647	5500		
		75	5574	5318	5289	5381	5437		
		80	5522	5530	5697	5701	5376		
		85	5515	5444	5561	5624	5365		
		90	5535	5278	5641	5371	5587		
		95	5357	5552	5493	5560	5608		
Download	16	Type 6	1.0	333.3	9	0.3333	300.000000	20	
		Frequency List (MHz)	0	1	2	3	4		
		0	5256	5460	5260	5615	5570		
		5	5422	5311	5410	5348	5567		
		10	5561	5273	5667	5426	5449		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability arising out of this document is limited to the sum paid by the Client to the Company for this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
 t (86-512) 62992980 t (86-512) 62992980
www.sgsgroup.com.cn sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 102 of 115

Radar Type 6 - Trial 16

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	16	Type 6	1.0	333.3	9	0.3333	300.000000	20	
		Frequency List (MHz)	0	1	2	3	4		
		0	5256	5460	5260	5615	5570		
		5	5422	5311	5410	5348	5567		
		10	5561	5273	5667	5426	5449		
		15	5691	5382	5703	5339	5396		
		20	5279	5670	5353	5479	5454		
		25	5557	5492	5488	5584	5313		
		30	5645	5525	5283	5487	5685		
		35	5534	5341	5599	5377	5413		
		40	5671	5335	5360	5379	5591		
		45	5444	5411	5705	5668	5258		
		50	5457	5514	5289	5334	5604		
		55	5408	5357	5603	5263	5655		
		60	5548	5551	5269	5383	5715		
		65	5527	5466	5640	5600	5508		
		70	5576	5651	5450	5669	5560		
		75	5321	5613	5609	5642	5678		
		80	5478	5486	5296	5608	5624		
		85	5524	5438	5364	5580	5470		
		90	5606	5325	5555	5489	5375		
		95	5480	5674	5663	5282	5573		
Download	17	Type 6	1.0	333.3	9	0.3333	300.000000	26	
		Frequency List (MHz)	0	1	2	3	4		
		0	5511	5699	5671	5301	5315		
		5	5464	5333	5485	5396	5492		
		10	5537	5708	5621	5470	5304		
		15	5560	5331	5627	5688	5665		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document shall be limited to the sum of the fees paid by the Client to the Company for this document. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 103 of 115

Radar Type 6 - Trial 17

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ns)	Visible Frequency Number	
Download	17	Type 6	1.0	333.3	9	0.3333	300.000000	26	
		Frequency List (MHz)	0	1	2	3	4		
		0	5511	5699	5671	5301	5315		
		5	5464	5333	5485	5396	5492		
		10	5537	5708	5621	5470	5304		
		15	5509	5331	5287	5588	5665		
		20	5264	5391	5568	5427	5348		
		25	5441	5691	5688	5347	5687		
		30	5414	5715	5605	5459	5354		
		35	5480	5312	5648	5663	5682		
		40	5271	5540	5317	5356	5718		
		45	5685	5276	5316	5413	5640		
		50	5510	5655	5497	5558	5450		
		55	5599	5692	5370	5367	5522		
		60	5434	5328	5547	5353	5412		
		65	5366	5549	5544	5408	5446		
		70	5253	5266	5546	5421	5462		
		75	5355	5481	5719	5659	5633		
		80	5499	5552	5297	5521	5280		
		85	5438	5681	5543	5565	5474		
		90	5279	5608	5375	5619	5712		
		95	5523	5257	5541	5507	5261		
Download	18	Type 6	1.0	333.3	9	0.3333	300.000000	17	
		Frequency List (MHz)	0	1	2	3	4		
		0	5291	5463	5607	5462	5632		
		5	5603	5258	5560	5674	5326		
		10	5274	5341	5491	5392	5636		
		15	5434	5332	5305	5673	5430		
		20	5200	5244	5600	5440	5617		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document is limited to the sum of the fees paid by the Client to the Company. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
 t (86-512) 62992980 t (86-512) 62992980
 www.sgsgroup.com.cn sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 104 of 115

Radar Type 6 - Trial 18

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	18	Type 6	1.0	333.3	9	0.3333	300.000000	17	
		Frequency List (MHz)	0	1	2	3	4		
		0	5291	5463	5607	5462	5632		
		5	5603	5258	5560	5674	5326		
		10	5274	5341	5491	5392	5636		
		15	5434	5332	5305	5673	5430		
		20	5400	5711	5293	5419	5317		
		25	5381	5254	5303	5672	5345		
		30	5611	5649	5619	5403	5541		
		35	5596	5585	5623	5633	5438		
		40	5647	5665	5359	5374	5466		
		45	5666	5516	5589	5706	5586		
		50	5394	5312	5646	5661	5493		
		55	5543	5599	5273	5476	5276		
		60	5455	5664	5498	5580	5618		
		65	5338	5531	5435	5629	5424		
		70	5311	5309	5314	5450	5310		
		75	5290	5640	5410	5609	5333		
		80	5461	5275	5518	5572	5620		
		85	5506	5282	5342	5330	5573		
		90	5718	5557	5517	5601	5708		
		95	5298	5525	5405	5304	5682		
Download	19	Type 6	1.0	333.3	9	0.3333	300.000000	19	
		Frequency List (MHz)	0	1	2	3	4		
		0	5546	5702	5543	5623	5377		
		5	5645	5280	5635	5265	5335		
		10	5257	5590	5315	5439	5512		
		15	5383	5288	5440	5594	5681		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therefrom. Any liability arising from this document is limited to the sum of the fees paid by the Client to the Company at the time of its instruction only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 105 of 115

Radar Type 6 - Trial 19

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ns)	Visible Frequency Number	
Download	19	Type 6	1.0	333.3	9	0.3333	300.000000	19	
		Frequency List (MHz)	0	1	2	3	4		
		0	5546	5702	5543	5623	5377		
		5	5645	5280	5635	5265	5335		
		10	5257	5590	5315	5439	5512		
		15	5383	5288	5440	5594	5681		
		20	5596	5273	5649	5373	5502		
		25	5620	5622	5518	5415	5393		
		30	5289	5629	5560	5385	5372		
		35	5283	5494	5337	5510	5424		
		40	5706	5571	5361	5435	5479		
		45	5442	5519	5456	5392	5290		
		50	5282	5297	5679	5716	5500		
		55	5600	5275	5464	5672	5308		
		60	5577	5401	5390	5447	5450		
		65	5608	5334	5507	5615	5524		
		70	5285	5322	5430	5433	5621		
		75	5662	5719	5589	5528	5515		
		80	5292	5462	5566	5307	5284		
		85	5296	5474	5724	5399	5710		
		90	5250	5353	5509	5303	5597		
		95	5407	5428	5562	5678	5300		
Download	20	Type 6	1.0	333.3	9	0.3333	300.000000	22	
		Frequency List (MHz)	0	1	2	3	4		
		0	5704	5466	5479	5309	5597		
		5	5687	5680	5710	5428	5639		
		10	5566	5379	5356	5634	5533		
		15	5471	5318	5543	5422	5311		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or recommendation given by the Company is for general information only and is not a substitute for specific advice or recommendations given by the Company to its Client. The information contained herein reflects the Company's knowledge at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 t (86-512) 62992980
www.sgsgroup.com.cn sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 106 of 115

Radar Type 6 - Trial 20

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	20	Type 6	1.0	333.3	9	0.3333	300.000000	22	
		Frequency List (MHz)	0	1	2	3	4		
		0	5704	5466	5479	5309	5597		
		5	5687	5680	5710	5428	5639		
		10	5566	5379	5356	5634	5533		
		15	5471	5318	5543	5422	5311		
		20	5592	5665	5641	5443	5390		
		25	5569	5350	5622	5449	5435		
		30	5653	5586	5300	5537	5667		
		35	5325	5585	5608	5269	5521		
		40	5263	5314	5509	5504	5529		
		45	5408	5528	5525	5393	5572		
		50	5343	5646	5333	5386	5502		
		55	5660	5688	5554	5465	5677		
		60	5338	5326	5454	5260	5615		
		65	5403	5347	5591	5396	5555		
		70	5515	5579	5601	5527	5387		
		75	5261	5707	5291	5550	5602		
		80	5439	5257	5370	5692	5498		
		85	5512	5487	5719	5401	5650		
		90	5335	5402	5255	5659	5722		
		95	5364	5493	5676	5510	5700		
Download	21	Type 6	1.0	333.3	9	0.3333	300.000000	26	
		Frequency List (MHz)	0	1	2	3	4		
		0	5484	5705	5415	5470	5439		
		5	5351	5702	5310	5591	5371		
		10	5497	5265	5494	5354	5554		
		45	5550	5616	5610	5600	5600		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document, including the information and jurisdiction clause, may be reproduced or transmitted in whole or in part without the prior written permission of the Company. Any advice or recommendation given by the Company in the course of its activities is given in the context of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 t (86-512) 62992980
www.sgsgroup.com.cn sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 107 of 115

Radar Type 6 - Trial 21

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	21	Type 6	1.0	333.3	9	0.3333	300.000000	26	
		Frequency List (MHz)	0	1	2	3	4		
		0	5484	5705	5415	5470	5439		
		5	5351	5702	5310	5591	5371		
		10	5497	5265	5494	5354	5554		
		15	5559	5445	5646	5370	5503		
		20	5600	5356	5252	5255	5416		
		25	5656	5421	5456	5251	5483		
		30	5477	5542	5543	5418	5311		
		35	5390	5464	5676	5501	5422		
		40	5435	5674	5447	5269	5526		
		45	5337	5508	5608	5451	5625		
		50	5522	5642	5384	5475	5703		
		55	5507	5401	5655	5496	5309		
		60	5455	5619	5680	5326	5414		
		65	5345	5492	5295	5318	5273		
		70	5587	5530	5711	5615	5666		
		75	5638	5670	5622	5583	5691		
		80	5367	5626	5381	5561	5412		
		85	5682	5718	5589	5286	5289		
		90	5553	5314	5329	5261	5465		
		95	5541	5463	5574	5671	5458		
Download	22	Type 6	1.0	333.3	9	0.3333	300.000000	27	
		Frequency List (MHz)	0	1	2	3	4		
		0	5264	5469	5351	5631	5659		
		5	5393	5627	5385	5279	5578		
		10	5428	5529	5535	5549	5575		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or information contained in this document is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 108 of 115

Radar Type 6 - Trial 22

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	22	Type 6	1.0	333.3	9	0.3333	300.000000	27	
		Frequency List (MHz)	0	1	2	3	4		
		0	5264	5469	5351	5631	5659		
		5	5393	5627	5385	5279	5578		
		10	5428	5529	5535	5549	5575		
		15	5647	5572	5274	5415	5695		
		20	5608	5425	5668	5722	5389		
		25	5544	5370	5355	5517	5616		
		30	5528	5500	5633	5463	5685		
		35	5603	5292	5297	5349	5513		
		40	5577	5509	5523	5644	5488		
		45	5691	5412	5678	5495	5398		
		50	5343	5435	5564	5526	5451		
		55	5589	5462	5315	5280	5584		
		60	5309	5625	5336	5615	5294		
		65	5530	5702	5565	5596	5345		
		70	5670	5630	5560	5591	5607		
		75	5693	5468	5477	5407	5545		
		80	5721	5409	5402	5525	5552		
		85	5381	5483	5340	5326	5609		
		90	5494	5364	5499	5423	5465		
		95	5518	5558	5569	5716	5718		
Download	23	Type 6	1.0	333.3	9	0.3333	300.000000	23	
		Frequency List (MHz)	0	1	2	3	4		
		0	5519	5708	5287	5695	5501		
		5	5435	5649	5460	5442	5407		
		10	5262	5318	5576	5269	5596		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document shall be limited to the sum of the fees paid by the Client to the Company for this document. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 109 of 115

Radar Type 6 - Trial 23

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	23	Type 6	1.0	333.3	9	0.3333	300.000000	23	
		Frequency List (MHz)	0	1	2	3	4		
		0	5519	5708	5287	5695	5501		
		5	5435	5649	5460	5442	5407		
		10	5262	5318	5576	5269	5596		
		15	5638	5699	5377	5412	5591		
		20	5706	5336	5362	5432	5697		
		25	5387	5556	5454	5658	5417		
		30	5457	5373	5712	5408	5645		
		35	5480	5568	5350	5360	5352		
		40	5660	5323	5652	5520	5573		
		45	5468	5299	5470	5634	5285		
		50	5274	5486	5275	5349	5298		
		55	5680	5416	5463	5512	5251		
		60	5713	5474	5667	5683	5453		
		65	5282	5438	5718	5566	5534		
		70	5399	5514	5656	5633	5409		
		75	5567	5584	5338	5545	5623		
		80	5490	5663	5612	5309	5406		
		85	5694	5525	5499	5448	5294		
		90	5574	5332	5659	5370	5436		
		95	5477	5415	5542	5467	5319		
Download	24	Type 6	1.0	333.3	9	0.3333	300.000000	19	
		Frequency List (MHz)	0	1	2	3	4		
		0	5299	5472	5698	5381	5721		
		5	5477	5574	5535	5508	5614		
		10	5660	5582	5617	5367	5251		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced without the prior written permission of the Company. Any advice or information contained herein is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 t (86-512) 62992980
www.sgsgroup.com.cn sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 110 of 115

Radar Type 6 - Trial 24

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	24	Type 6	1.0	333.3	9	0.3333	300.000000	19	
		Frequency List (MHz)	0	1	2	3	4		
		0	5299	5472	5698	5381	5721		
		5	5477	5574	5535	5508	5614		
		10	5668	5582	5617	5367	5251		
		15	5351	5383	5505	5604	5527		
		20	5660	5647	5328	5335	5549		
		25	5590	5488	5700	5403	5414		
		30	5588	5389	5703	5309	5571		
		35	5364	5503	5274	5666	5365		
		40	5261	5417	5517	5405	5448		
		45	5382	5528	5687	5695	5537		
		50	5717	5393	5370	5653	5331		
		55	5600	5270	5639	5612	5515		
		60	5376	5667	5269	5252	5677		
		65	5586	5642	5258	5636	5543		
		70	5458	5479	5623	5400	5444		
		75	5301	5372	5428	5341	5575		
		80	5290	5316	5345	5347	5627		
		85	5349	5470	5565	5432	5628		
		90	5676	5447	5672	5552	5468		
		95	5469	5359	5321	5325	5678		
Download	25	Type 6	1.0	333.3	9	0.3333	300.000000	19	
		Frequency List (MHz)	0	1	2	3	4		
		0	5457	5711	5634	5542	5563		
		5	5616	5596	5610	5671	5346		
		10	5599	5371	5658	5562	5638		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document shall be governed by and construed in accordance with the laws of the People's Republic of China. The information contained herein reflects the Company's findings at the time of its inspection only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 111 of 115

Radar Type 6 - Trial 25

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	25	Type 6	1.0	333.3	9	0.3333	300.000000	19	
		Frequency List (MHz)	0	1	2	3	4		
		0	5457	5711	5634	5542	5563		
		5	5616	5596	5610	5671	5346		
		10	5599	5371	5658	5562	5638		
		15	5339	5381	5486	5453	5321		
		20	5535	5351	5588	5417	5308		
		25	5586	5498	5318	5289	5522		
		30	5364	5292	5706	5426	5448		
		35	5662	5257	5656	5663	5505		
		40	5674	5657	5514	5334	5428		
		45	5465	5489	5265	5437	5404		
		50	5396	5373	5564	5581	5324		
		55	5368	5625	5571	5399	5329		
		60	5557	5347	5677	5271	5462		
		65	5541	5576	5383	5280	5250		
		70	5261	5485	5519	5502	5578		
		75	5525	5604	5652	5613	5700		
		80	5435	5400	5609	5331	5635		
		85	5385	5281	5299	5595	5350		
		90	5382	5407	5695	5546	5683		
		95	5607	5263	5655	5550	5459		
Download	26	Type 6	1.0	333.3	9	0.3333	300.000000	16	
		Frequency List (MHz)	0	1	2	3	4		
		0	5712	5475	5570	5703	5308		
		5	5658	5521	5685	5359	5650		
		10	5433	5257	5699	5282	5659		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior written permission of the Company. Any advice or information contained in this document is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 112 of 115

Radar Type 6 - Trial 26

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	26	Type 6	1.0	333.3	9	0.3333	300.000000	16	
		Frequency List (MHz)	0	1	2	3	4		
		0	5712	5475	5570	5703	5308		
		5	5658	5521	5685	5359	5650		
		10	5433	5257	5699	5282	5659		
		15	5427	5508	5589	5498	5610		
		20	5446	5420	5626	5409	5281		
		25	5377	5350	5424	5393	5556		
		30	5406	5656	5328	5315	5721		
		35	5587	5278	5528	5431	5674		
		40	5441	5531	5515	5422	5608		
		45	5263	5408	5548	5547	5318		
		50	5324	5280	5572	5639	5542		
		55	5671	5294	5558	5347	5494		
		60	5502	5654	5600	5692	5663		
		65	5662	5577	5311	5414	5661		
		70	5352	5711	5361	5334	5398		
		75	5461	5289	5698	5668	5585		
		80	5429	5723	5481	5629	5595		
		85	5300	5329	5331	5597	5598		
		90	5624	5368	5645	5679	5485		
		95	5707	5563	5591	5636	5537		
Download	27	Type 6	1.0	333.3	9	0.3333	300.000000	23	
		Frequency List (MHz)	0	1	2	3	4		
		0	5492	5714	5506	5389	5625		
		5	5700	5543	5285	5522	5382		
		10	5364	5521	5265	5477	5680		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability arising out of this document is limited to the sum paid by the Client to the Company for this document. The Company's sole responsibility is to its Client and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Wireless Laboratory

South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 113 of 115

Radar Type 6 - Trial 27

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Download	27	Type 6	1.0	333.3	9	0.3333	300.000000	23	
		Frequency List (MHz)	0	1	2	3	4		
		0	5492	5714	5506	5389	5625		
		5	5700	5543	5285	5522	5382		
		10	5364	5521	5265	5477	5680		
		15	5418	5635	5692	5327	5454		
		20	5586	5567	5498	5254	5299		
		25	5627	5594	5590	5448	5642		
		30	5661	5584	5541	5629	5369		
		35	5324	5584	5588	5280	5614		
		40	5453	5565	5605	5570	5291		
		45	5631	5371	5589	5534	5273		
		50	5690	5494	5355	5482	5707		
		55	5641	5513	5657	5659	5544		
		60	5486	5426	5638	5611	5516		
		65	5618	5684	5464	5697	5658		
		70	5374	5420	5258	5721	5566		
		75	5681	5358	5262	5696	5297		
		80	5621	5709	5439	5672	5304		
		85	5616	5368	5491	5475	5341		
		90	5580	5318	5281	5380	5519		
		95	5537	5362	5645	5524	5325		
Download	28	Type 6	1.0	333.3	9	0.3333	300.000000	22	
		Frequency List (MHz)	0	1	2	3	4		
		0	5272	5478	5539	5550	5370		
		5	5267	5565	5360	5588	5589		
		10	16000	16010	16000	16000	16001		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. All rights are reserved to the Company. No part of this document may be reproduced without the prior written permission of the Company. Any advice or information contained herein is given in good faith and is based on the information available to the Company at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 62992980 or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000
t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 114 of 115

Radar Type 6 - Trial 28

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ns)	Visible Frequency Number	
Download	28	Type 6	1.0	333.3	9	0.3333	300.000000	22	
		Frequency List (MHz)	0	1	2	3	4		
		0	5272	5478	5539	5550	5370		
		5	5267	5565	5360	5588	5589		
		10	5295	5310	5306	5672	5701		
		15	5506	5287	5320	5491	5519		
		20	5462	5655	5508	5490	5702		
		25	5531	5626	5355	5698	5624		
		30	5717	5401	5716	5264	5293		
		35	5557	5692	5262	5502	5594		
		40	5319	5391	5330	5602	5499		
		45	5271	5336	5663	5424	5476		
		50	5410	5449	5266	5342	5317		
		55	5299	5670	5564	5463	5460		
		60	5387	5311	5349	5489	5415		
		65	5252	5681	5687	5560	5552		
		70	5353	5576	5593	5683	5464		
		75	5507	5350	5379	5605	5366		
		80	5382	5547	5361	5371	5518		
		85	5385	5721	5294	5341	5612		
		90	5378	5621	5389	5457	5292		
		95	5534	5497	5412	5374	5597		
Download	29	Type 6	1.0	333.3	9	0.3333	300.000000	24	
		Frequency List (MHz)	0	1	2	3	4		
		0	5430	5717	5475	5711	5687		
		5	5406	5490	5435	5276	5321		

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability arising from this document or the information contained herein reflects the Company's findings at the time of its preparation only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SUCR2401000003TL04

Rev.: 01

Page: 115 of 115

Radar Type 6 - Trial 29

Trial List									
	Trial Id	Radar Type	Pulse Width (μs)	PRI (μs)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (μs)	Visible Frequency Number	
		80	5382	5547	5361	5371	5518		
		85	5385	5721	5294	5341	5612		
		90	5378	5621	5389	5457	5292		
		95	5534	5497	5412	5374	5597		
Download	29	Type 6	1.0	333.3	9	0.3333	300.000000	24	
		Frequency List (MHz)	0	1	2	3	4		
		0	5430	5717	5475	5711	5687		
		5	5406	5490	5435	5276	5321		
		10	5604	5574	5444	5295	5722		
		15	5594	5414	5326	5536	5373		
		20	5346	5546	5579	5675	5419		
		25	5478	5558	5327	5658	5629		
		30	5420	5674	5519	5559	5432		
		35	5648	5488	5512	5513	5433		
		40	5402	5329	5570	5599	5331		
		45	5251	5624	5477	5266	5286		
		50	5625	5317	5431	5518	5621		
		55	5653	5279	5358	5343	5514		
		60	5434	5650	5627	5413	5509		
		65	5491	5660	5371	5545	5665		
		70	5291	5467	5259	5338	5486		
		75	5428	5528	5613	5481	5299		
		80	5549	5309	5612	5695	5681		
		85	5581	5422	5540	5386	5699		
		90	5503	5446	5256	5462	5640		
		95	5427	5377	5487	5398	5307		

---End of Report---

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>.
 Attention is drawn to the limitation of liability, indemnification and jurisdiction issues set out therein. Any liability of the Company arising out of this document shall be limited to the sum paid by the Client for this document. The Company's sole responsibility is to its Client and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-512) 83071443, or email: CN_Doccheck@sgs.com



South No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
 t (86-512) 62992980 sgs.china@sgs.com