


B2&B66_N5(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B2&B66_N5(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




B2&B66_N5(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B2&B66_N5(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




B2&B66_N5(10M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




B2&B66_N5(10M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



B2&B66_N5(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B2&B66_N5(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B2&B66_N5(20M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




B2&B66_N5(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B2&B66_N5(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




B2&B66_N5(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



B2&B66_N5(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



B2&B66_N5(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N66

<Ant. 0>

Transmitter Conducted Output Power And EIRP, (GT - LC)=3.3dBi

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
66	15	5	422500	1900	DFT-s-OFDM PI/2 BPSK	12@6	24.56	27.86	0.6109
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	24.76	28.06	0.6397
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@23	24.78	28.08	0.6427
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	12@6	24.75	28.05	0.6383
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@1	24.77	28.07	0.6412
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@23	24.78	28.08	0.6427
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	12@6	23.83	27.13	0.5164
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@1	23.56	26.86	0.4853
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@23	23.63	26.93	0.4932
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	12@6	22.34	25.64	0.3664
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@1	22.54	25.84	0.3837
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@23	22.54	25.84	0.3837
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	12@6	19.82	23.12	0.2051
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@1	19.8	23.1	0.2042
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@23	19.76	23.06	0.2023
66	15	5	422500	1712.5	CP-OFDM QPSK	13@6	23.4	26.7	0.4677
66	15	5	422500	1712.5	CP-OFDM QPSK	1@1	23.01	26.31	0.4276
66	15	5	422500	1712.5	CP-OFDM QPSK	1@23	22.98	26.28	0.4246
66	15	5	429000	1745	DFT-s-OFDM PI/2 BPSK	12@6	24.52	27.82	0.6053
66	15	5	429000	1745	DFT-s-OFDM PI/2	1@1	24.51	27.81	0.6039

					BPSK					
66	15	5	429000	1745	DFT-s-OFDM PI/2 BPSK	1@23	24.45	27.75	0.5957	
66	15	5	429000	1745	DFT-s-OFDM QPSK	12@6	24.52	27.82	0.6053	
66	15	5	429000	1745	DFT-s-OFDM QPSK	1@1	24.62	27.92	0.6194	
66	15	5	429000	1745	DFT-s-OFDM QPSK	1@23	24.48	27.78	0.5998	
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	12@6	23.7	27	0.5012	
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.33	26.63	0.4603	
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	1@23	23.42	26.72	0.4699	
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	12@6	22.14	25.44	0.3499	
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	1@1	22.31	25.61	0.3639	
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	1@23	22.35	25.65	0.3673	
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	12@6	20.14	23.44	0.2208	
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.27	22.57	0.1807	
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	1@23	19.3	22.6	0.1820	
66	15	5	429000	1745	CP-OFDM QPSK	13@6	22.86	26.16	0.4130	
66	15	5	429000	1745	CP-OFDM QPSK	1@1	22.95	26.25	0.4217	
66	15	5	429000	1745	CP-OFDM QPSK	1@23	22.97	26.27	0.4236	
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	12@6	24.56	27.86	0.6109	
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	24.53	27.83	0.6067	
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@23	24.43	27.73	0.5929	
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	12@6	24.37	27.67	0.5848	
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@1	24.52	27.82	0.6053	
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@23	24.4	27.7	0.5888	
66	15	5	435500	1777.5	DFT-s-OFDM 16 QAM	12@6	23.54	26.84	0.4831	
66	15	5	435500	1777.5	DFT-s-	1@1	23.29	26.59	0.4560	

					OFDM 16 QAM					
66	15	5	435500	1777.5	DFT-s- OFDM 16 QAM	1@23	23.47	26.77	0.4753	
66	15	5	435500	1777.5	DFT-s- OFDM 64 QAM	12@6	22.06	25.36	0.3436	
66	15	5	435500	1777.5	DFT-s- OFDM 64 QAM	1@1	22.12	25.42	0.3483	
66	15	5	435500	1777.5	DFT-s- OFDM 64 QAM	1@23	22.2	25.5	0.3548	
66	15	5	435500	1777.5	DFT-s- OFDM 256 QAM	12@6	19.56	22.86	0.1932	
66	15	5	435500	1777.5	DFT-s- OFDM 256 QAM	1@1	19.52	22.82	0.1914	
66	15	5	435500	1777.5	DFT-s- OFDM 256 QAM	1@23	19.62	22.92	0.1959	
66	15	5	435500	1777.5	CP-OFDM QPSK	13@6	22.98	26.28	0.4246	
66	15	5	435500	1777.5	CP-OFDM QPSK	1@1	22.96	26.26	0.4227	
66	15	5	435500	1777.5	CP-OFDM QPSK	1@23	22.92	26.22	0.4188	
66	15	10	423000	1777.5	DFT-s- OFDM PI/2 BPSK	25@12	24.84	28.14	0.6516	
66	15	10	423000	1715	DFT-s- OFDM PI/2 BPSK	1@1	24.8	28.1	0.6457	
66	15	10	423000	1715	DFT-s- OFDM PI/2 BPSK	1@50	24.68	27.98	0.6281	
66	15	10	423000	1715	DFT-s- OFDM QPSK	25@12	24.78	28.08	0.6427	
66	15	10	423000	1715	DFT-s- OFDM QPSK	1@1	24.76	28.06	0.6397	
66	15	10	423000	1715	DFT-s- OFDM QPSK	1@50	24.56	27.86	0.6109	
66	15	10	423000	1715	DFT-s- OFDM 16 QAM	25@12	24.22	27.52	0.5649	
66	15	10	423000	1715	DFT-s- OFDM 16 QAM	1@1	23.62	26.92	0.4920	
66	15	10	423000	1715	DFT-s- OFDM 16 QAM	1@50	23.96	27.26	0.5321	
66	15	10	423000	1715	DFT-s- OFDM 64 QAM	25@12	22.25	25.55	0.3589	
66	15	10	423000	1715	DFT-s- OFDM 64 QAM	1@1	22.57	25.87	0.3864	
66	15	10	423000	1715	DFT-s- OFDM 64 QAM	1@50	22.4	25.7	0.3715	
66	15	10	423000	1715	DFT-s- OFDM 256 QAM	25@12	20.25	23.55	0.2265	

66	15	10	423000	1715	DFT-s-OFDM 256 QAM	1@1	19.81	23.11	0.2046
66	15	10	423000	1715	DFT-s-OFDM 256 QAM	1@50	18.89	22.19	0.1656
66	15	10	423000	1715	CP-OFDM QPSK	26@13	23.21	26.51	0.4477
66	15	10	423000	1715	CP-OFDM QPSK	1@1	23.28	26.58	0.4550
66	15	10	423000	1715	CP-OFDM QPSK	1@50	23.33	26.63	0.4603
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	25@12	24.57	27.87	0.6124
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.57	27.87	0.6124
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	1@50	24.59	27.89	0.6152
66	15	10	429000	1745	DFT-s-OFDM QPSK	25@12	24.57	27.87	0.6124
66	15	10	429000	1745	DFT-s-OFDM QPSK	1@1	24.56	27.86	0.6109
66	15	10	429000	1745	DFT-s-OFDM QPSK	1@50	24.56	27.86	0.6109
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	25@12	23.6	26.9	0.4898
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.41	26.71	0.4688
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	1@50	23.39	26.69	0.4667
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	25@12	22.25	25.55	0.3589
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	1@1	22.31	25.61	0.3639
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	1@50	22.28	25.58	0.3614
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	25@12	19.86	23.16	0.2070
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.49	22.79	0.1901
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	1@50	19.86	23.16	0.2070
66	15	10	429000	1745	CP-OFDM QPSK	26@13	23.01	26.31	0.4276
66	15	10	429000	1745	CP-OFDM QPSK	1@1	23	26.3	0.4266
66	15	10	429000	1745	CP-OFDM QPSK	1@50	23.1	26.4	0.4365
66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	25@12	24.59	27.89	0.6152
66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	1@1	24.59	27.89	0.6152

66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	1@50	24.45	27.75	0.5957
66	15	10	435000	1775	DFT-s-OFDM QPSK	25@12	24.59	27.89	0.6152
66	15	10	435000	1775	DFT-s-OFDM QPSK	1@1	24.63	27.93	0.6209
66	15	10	435000	1775	DFT-s-OFDM QPSK	1@50	24.47	27.77	0.5984
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	25@12	23.7	27	0.5012
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	1@1	23.77	27.07	0.5093
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	1@50	23.18	26.48	0.4446
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	25@12	21.81	25.11	0.3243
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	1@1	22.21	25.51	0.3556
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	1@50	22.77	26.07	0.4046
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	25@12	20.04	23.34	0.2158
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	1@1	19.66	22.96	0.1977
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	1@50	19.61	22.91	0.1954
66	15	10	435000	1775	CP-OFDM QPSK	26@13	23.04	26.34	0.4305
66	15	10	435000	1775	CP-OFDM QPSK	1@1	22.85	26.15	0.4121
66	15	10	435000	1775	CP-OFDM QPSK	1@50	22.92	26.22	0.4188
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	36@18	24.8	28.1	0.6457
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	24.92	28.22	0.6637
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@77	24.65	27.95	0.6237
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	36@18	24.86	28.16	0.6546
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@1	24.88	28.18	0.6577
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@77	24.67	27.97	0.6266
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	36@18	24.2	27.5	0.5623
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@1	23.36	26.66	0.4634

66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@77	23.23	26.53	0.4498
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	36@18	22.6	25.9	0.3890
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@1	22.63	25.93	0.3917
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@77	22.42	25.72	0.3733
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	36@18	19.84	23.14	0.2061
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@1	19.94	23.24	0.2109
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@77	19.7	23	0.1995
66	15	15	423500	1717.5	CP-OFDM QPSK	39@191	21.91	25.21	0.3319
66	15	15	423500	1717.5	CP-OFDM QPSK	1@1	23.51	26.81	0.4797
66	15	15	423500	1717.5	CP-OFDM QPSK	1@77	23.04	26.34	0.4305
66	15	15	429000	1717.5	DFT-s-OFDM PI/2 BPSK	36@18	24.56	27.86	0.6109
66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.69	27.99	0.6295
66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	1@77	24.56	27.86	0.6109
66	15	15	429000	1745	DFT-s-OFDM QPSK	36@18	24.75	28.05	0.6383
66	15	15	429000	1745	DFT-s-OFDM QPSK	1@1	24.71	28.01	0.6324
66	15	15	429000	1745	DFT-s-OFDM QPSK	1@77	24.57	27.87	0.6124
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	36@18	23.8	27.1	0.5129
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.51	26.81	0.4797
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	1@77	23.33	26.63	0.4603
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	36@18	22.29	25.59	0.3622
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	1@1	22.38	25.68	0.3698
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	1@77	22.28	25.58	0.3614
66	15	15	429000	1745	DFT-s-OFDM 256 QAM	36@18	19.56	22.86	0.1932
66	15	15	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.61	22.91	0.1954

66	15	15	429000	1745	DFT-s-OFDM 256 QAM	1@77	19.79	23.09	0.2037
66	15	15	429000	1745	CP-OFDM QPSK	39@191	21.72	25.02	0.3177
66	15	15	429000	1745	CP-OFDM QPSK	1@1	23.32	26.62	0.4592
66	15	15	429000	1745	CP-OFDM QPSK	1@77	22.91	26.21	0.4178
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	36@18	24.52	27.82	0.6053
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	24.69	27.99	0.6295
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@77	24.32	27.62	0.5781
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	36@18	24.54	27.84	0.6081
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@1	24.68	27.98	0.6281
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@77	24.39	27.69	0.5875
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	36@18	23.67	26.97	0.4977
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@1	23.35	26.65	0.4624
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@77	23.31	26.61	0.4581
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	36@18	22.2	25.5	0.3548
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@1	21.96	25.26	0.3357
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@77	22.17	25.47	0.3524
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	36@18	20.06	23.36	0.2168
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@1	19.67	22.97	0.1982
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@77	19.32	22.62	0.1828
66	15	15	434500	1772.5	CP-OFDM QPSK	39@191	21.65	24.95	0.3126
66	15	15	434500	1772.5	CP-OFDM QPSK	1@1	23.12	26.42	0.4385
66	15	15	434500	1772.5	CP-OFDM QPSK	1@77	22.7	26	0.3981
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	50@25	24.68	27.98	0.6281
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	1@1	24.81	28.11	0.6471
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	1@104	24.54	27.84	0.6081

66	15	20	424000	1720	DFT-s-OFDM QPSK	50@25	24.75	28.05	0.6383
66	15	20	424000	1720	DFT-s-OFDM QPSK	1@1	24.88	28.18	0.6577
66	15	20	424000	1720	DFT-s-OFDM QPSK	1@104	24.53	27.83	0.6067
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	50@25	23.44	26.74	0.4721
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	1@1	23.73	27.03	0.5047
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	1@104	23.86	27.16	0.5200
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	50@25	22.06	25.36	0.3436
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	1@1	22.65	25.95	0.3936
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	1@104	22.03	25.33	0.3412
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	50@25	20.91	24.21	0.2636
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	1@1	19.87	23.17	0.2075
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	1@104	19.52	22.82	0.1914
66	15	20	424000	1720	CP-OFDM QPSK	53@26	23.56	26.86	0.4853
66	15	20	424000	1720	CP-OFDM QPSK	1@1	23.53	26.83	0.4819
66	15	20	424000	1720	CP-OFDM QPSK	1@104	22.94	26.24	0.4207
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	50@25	24.7	28	0.6310
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.59	27.89	0.6152
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	1@104	24.57	27.87	0.6124
66	15	20	429000	1745	DFT-s-OFDM QPSK	50@25	24.74	28.04	0.6368
66	15	20	429000	1745	DFT-s-OFDM QPSK	1@1	24.68	27.98	0.6281
66	15	20	429000	1745	DFT-s-OFDM QPSK	1@104	24.56	27.86	0.6109
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	50@25	23.9	27.2	0.5248
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.56	26.86	0.4853
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	1@104	23.42	26.72	0.4699

66	15	20	429000	1745	DFT-s-OFDM 64 QAM	50@25	22.27	25.57	0.3606
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	1@1	22.62	25.92	0.3908
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	1@104	22.29	25.59	0.3622
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	50@25	20.16	23.46	0.2218
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.64	22.94	0.1968
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	1@104	19.13	22.43	0.1750
66	15	20	429000	1745	CP-OFDM QPSK	53@26	23.12	26.42	0.4385
66	15	20	429000	1745	CP-OFDM QPSK	1@1	23.25	26.55	0.4519
66	15	20	429000	1745	CP-OFDM QPSK	1@104	23.17	26.47	0.4436
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	50@25	24.57	27.87	0.6124
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	1@1	24.53	27.83	0.6067
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	1@104	24.3	27.6	0.5754
66	15	20	434000	1770	DFT-s-OFDM QPSK	50@25	24.95	28.25	0.6683
66	15	20	434000	1770	DFT-s-OFDM QPSK	1@1	24.58	27.88	0.6138
66	15	20	434000	1770	DFT-s-OFDM QPSK	1@104	24.4	27.7	0.5888
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	50@25	23.68	26.98	0.4989
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	1@1	23.86	27.16	0.5200
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	1@104	23.34	26.64	0.4613
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	50@25	22.22	25.52	0.3565
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	1@1	22.64	25.94	0.3926
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	1@104	22.18	25.48	0.3532
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	50@25	20.1	23.4	0.2188
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	1@1	19.95	23.25	0.2113
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	1@104	19.3	22.6	0.1820

66	15	20	434000	1770	CP-OFDM QPSK	53@26	23.11	26.41	0.4375
66	15	20	434000	1770	CP-OFDM QPSK	1@1	23.06	26.36	0.4325
66	15	20	434000	1770	CP-OFDM QPSK	1@104	22.88	26.18	0.4150

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00563	PASS	NV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00242	PASS	LV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00869	PASS	HV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00942	PASS	-30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00855	PASS	-20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00491	PASS	-10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00926	PASS	0°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00289	PASS	10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00367	PASS	20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00874	PASS	30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00497	PASS	40°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.0024	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	100@0	3.71	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@0	3.0	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@105	3.62	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	4.23	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	3.32	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@105	3.53	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	3.38	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	3.04	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@105	3.7	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	3.93	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	3.63	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@105	3.52	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	100@0	3.46	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@0	3.29	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@105	3.57	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	4.54	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	3.7	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@105	3.89	13	PASS

N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Right_Low_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_Low_CH




N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Right_Mid_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Right_High_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_C
H




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB OBW (MHz)
66	15	5	429000	1745.0	DFT-s-OFDM PI/2 BPSK	25@0	4.4641	4.883
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	25@0	4.4662	4.833
66	15	5	429000	1745.0	CP-OFDM QPSK	25@0	4.4791	4.915
66	15	5	429000	1745.0	CP-OFDM 16 QAM	25@0	4.476	4.913
66	15	5	429000	1745.0	CP-OFDM 64 QAM	25@0	4.4796	4.985
66	15	5	429000	1745.0	CP-OFDM 256 QAM	25@0	4.4681	4.946
66	15	10	429000	1745.0	DFT-s-OFDM PI/2 BPSK	50@0	8.8774	9.447
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	50@0	8.8944	9.451
66	15	10	429000	1745.0	CP-OFDM QPSK	52@0	9.268	9.965
66	15	10	429000	1745.0	CP-OFDM 16 QAM	52@0	9.2636	9.887
66	15	10	429000	1745.0	CP-OFDM 64 QAM	52@0	9.2615	9.869
66	15	10	429000	1745.0	CP-OFDM 256 QAM	52@0	9.2756	9.886
66	15	15	429000	1745.0	DFT-s-OFDM PI/2 BPSK	75@0	13.379	14.14
66	15	15	429000	1745.0	DFT-s-OFDM QPSK	75@0	13.372	14.12
66	15	15	429000	1745.0	CP-OFDM QPSK	79@0	14.075	14.86
66	15	15	429000	1745.0	CP-OFDM 16 QAM	79@0	14.106	14.82
66	15	15	429000	1745.0	CP-OFDM 64 QAM	79@0	14.109	14.91
66	15	15	429000	1745.0	CP-OFDM 256 QAM	79@0	14.085	14.91
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	17.834	18.75
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	17.829	18.68
66	15	20	429000	1745.0	CP-OFDM QPSK	106@0	18.885	19.77
66	15	20	429000	1745.0	CP-OFDM 16 QAM	106@0	18.889	19.79
66	15	20	429000	1745.0	CP-OFDM 64 QAM	106@0	18.896	19.78
66	15	20	429000	1745.0	CP-OFDM 256 QAM	106@0	18.969	20.47


N66(5M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




N66(5M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




N66(5M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(5M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



N66(5M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH




N66(10M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH



N66(10M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




N66(10M)_CP- OFDM_QPSK_Outer_Full_Mid_CH



N66(10M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



N66(15M)_DFT-s-OFDM_PI_2- BPSK_Outer_Full_Mid_CH




N66(15M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH




N66(15M)_CP- OFDM_QPSK_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N66(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N66(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N66(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	10	423000	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	10	423000	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	10	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	10	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	10	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	10	435000	1775.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	10	435000	1775.0	DFT-s-OFDM BPSK	1@0	see graph	PASS

66	15	10	435000	1775.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	429000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS


N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N66(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N66(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N66(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N66(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N66(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



Conducted Band Edge


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
66	15	10	423000	1715.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
66	15	10	435000	1775.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
66	15	10	435000	1775.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
66	15	10	435000	1775.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS

66	15	20	434000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS

N66(5M)_DFT-s- OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(5M)_DFT-s- OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PASS




N66(5M)_DFT-s- OFDM_QPSK_Edge_1RB_Left_Low_CH



N66(5M)_DFT-s- OFDM_BPSK_Outer_Full_Low_CH



N66(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N66(5M)_DFT-s- OFDM_BPSK_Edge_1RB_Right_High_CH



N66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH



N66(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




N66(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(10M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PASS




N66(10M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH_CHP_PASS



N66(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N66(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N66(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N66(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH_CHP_PASS



N66(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N66(10M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CH




N66(10M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH




N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH_CHP_PASS




N66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N66(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



N66(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH



N66(20M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH



FR1 N66

LTE Band: 2, LTE BW: 20M, LTE ARFCN: Mid

<Ant. 6>

Transmitter Conducted Output Power And ERP/EIRP, (GT - LC)=0.4dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	12@6	24.43	24.83	0.3041
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	23.93	24.33	0.2710
66	15	5	422500	1712.5	DFT-s-OFDM PI/2 BPSK	1@23	24.1	24.5	0.2818
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	12@6	24.1	24.5	0.2818
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@1	23.96	24.36	0.2729
66	15	5	422500	1712.5	DFT-s-OFDM QPSK	1@23	24.14	24.54	0.2844
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	12@6	23.16	23.56	0.2270
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@1	23.14	23.54	0.2259
66	15	5	422500	1712.5	DFT-s-OFDM 16 QAM	1@23	23.32	23.72	0.2355
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	12@6	21.9	22.3	0.1698
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@1	21.56	21.96	0.1570
66	15	5	422500	1712.5	DFT-s-OFDM 64 QAM	1@23	21.78	22.18	0.1652
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	12@6	20.19	20.59	0.1146
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@1	19.78	20.18	0.1042
66	15	5	422500	1712.5	DFT-s-OFDM 256 QAM	1@23	19.85	20.25	0.1059
66	15	5	422500	1712.5	CP-OFDM QPSK	13@6	22.5	22.9	0.1950
66	15	5	422500	1712.5	CP-OFDM QPSK	1@1	22.45	22.85	0.1928
66	15	5	422500	1712.5	CP-OFDM QPSK	1@23	22.78	23.18	0.2080
66	15	5	429000	1745	DFT-s-OFDM PI/2	12@6	24.65	25.05	0.3199

BPSK									
66	15	5	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.63	25.03	0.3184
66	15	5	429000	1745	DFT-s-OFDM PI/2 BPSK	1@23	24.68	25.08	0.3221
66	15	5	429000	1745	DFT-s-OFDM QPSK	12@6	24.63	25.03	0.3184
66	15	5	429000	1745	DFT-s-OFDM QPSK	1@1	24.49	24.89	0.3083
66	15	5	429000	1745	DFT-s-OFDM QPSK	1@23	24.57	24.97	0.3141
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	12@6	23.7	24.1	0.2570
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.67	24.07	0.2553
66	15	5	429000	1745	DFT-s-OFDM 16 QAM	1@23	23.65	24.05	0.2541
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	12@6	22.22	22.62	0.1828
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	1@1	21.96	22.36	0.1722
66	15	5	429000	1745	DFT-s-OFDM 64 QAM	1@23	22.1	22.5	0.1778
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	12@6	20.1	20.5	0.1122
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.68	20.08	0.1019
66	15	5	429000	1745	DFT-s-OFDM 256 QAM	1@23	19.86	20.26	0.1062
66	15	5	429000	1745	CP-OFDM QPSK	13@6	23.05	23.45	0.2213
66	15	5	429000	1745	CP-OFDM QPSK	1@1	23.05	23.45	0.2213
66	15	5	429000	1745	CP-OFDM QPSK	1@23	23.28	23.68	0.2333
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	12@6	24.62	25.02	0.3177
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	24.56	24.96	0.3133
66	15	5	435500	1777.5	DFT-s-OFDM PI/2 BPSK	1@23	24.52	24.92	0.3105
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	12@6	24.64	25.04	0.3192
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@1	24.41	24.81	0.3027
66	15	5	435500	1777.5	DFT-s-OFDM QPSK	1@23	24.47	24.87	0.3069
66	15	5	435500	1777.5	DFT-s-	12@6	23.55	23.95	0.2483

					OFDM 16 QAM					
66	15	5	435500	1777.5	DFT-s- OFDM 16 QAM	1@1	23.61	24.01	0.2518	
66	15	5	435500	1777.5	DFT-s- OFDM 16 QAM	1@23	23.68	24.08	0.2559	
66	15	5	435500	1777.5	DFT-s- OFDM 64 QAM	12@6	22.28	22.68	0.1854	
66	15	5	435500	1777.5	DFT-s- OFDM 64 QAM	1@1	21.91	22.31	0.1702	
66	15	5	435500	1777.5	DFT-s- OFDM 64 QAM	1@23	22.02	22.42	0.1746	
66	15	5	435500	1777.5	DFT-s- OFDM 256 QAM	12@6	20.12	20.52	0.1127	
66	15	5	435500	1777.5	DFT-s- OFDM 256 QAM	1@1	19.72	20.12	0.1028	
66	15	5	435500	1777.5	DFT-s- OFDM 256 QAM	1@23	19.78	20.18	0.1042	
66	15	5	435500	1777.5	CP-OFDM QPSK	13@6	23.01	23.41	0.2193	
66	15	5	435500	1777.5	CP-OFDM QPSK	1@1	23.14	23.54	0.2259	
66	15	5	435500	1777.5	CP-OFDM QPSK	1@23	23.2	23.6	0.2291	
66	15	10	423000	1715	DFT-s- OFDM PI/2 BPSK	25@12	24.58	24.98	0.3148	
66	15	10	423000	1715	DFT-s- OFDM PI/2 BPSK	1@1	23.85	24.25	0.2661	
66	15	10	423000	1715	DFT-s- OFDM PI/2 BPSK	1@50	24.07	24.47	0.2799	
66	15	10	423000	1715	DFT-s- OFDM QPSK	25@12	24.28	24.68	0.2938	
66	15	10	423000	1715	DFT-s- OFDM QPSK	1@1	23.89	24.29	0.2685	
66	15	10	423000	1715	DFT-s- OFDM QPSK	1@50	24.12	24.52	0.2831	
66	15	10	423000	1715	DFT-s- OFDM 16 QAM	25@12	23.44	23.84	0.2421	
66	15	10	423000	1715	DFT-s- OFDM 16 QAM	1@1	23.14	23.54	0.2259	
66	15	10	423000	1715	DFT-s- OFDM 16 QAM	1@50	23.44	23.84	0.2421	
66	15	10	423000	1715	DFT-s- OFDM 64 QAM	25@12	21.9	22.3	0.1698	
66	15	10	423000	1715	DFT-s- OFDM 64 QAM	1@1	22.09	22.49	0.1774	
66	15	10	423000	1715	DFT-s- OFDM 64 QAM	1@50	22.03	22.43	0.1750	

66	15	10	423000	1715	DFT-s-OFDM 256 QAM	25@12	20.14	20.54	0.1132
66	15	10	423000	1715	DFT-s-OFDM 256 QAM	1@1	19.77	20.17	0.1040
66	15	10	423000	1715	DFT-s-OFDM 256 QAM	1@50	19.83	20.23	0.1054
66	15	10	423000	1715	CP-OFDM QPSK	26@13	22.63	23.03	0.2009
66	15	10	423000	1715	CP-OFDM QPSK	1@1	22.37	22.77	0.1892
66	15	10	423000	1715	CP-OFDM QPSK	1@50	22.71	23.11	0.2046
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	25@12	24.67	25.07	0.3214
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.26	24.66	0.2924
66	15	10	429000	1745	DFT-s-OFDM PI/2 BPSK	1@50	24.52	24.92	0.3105
66	15	10	429000	1745	DFT-s-OFDM QPSK	25@12	24.72	25.12	0.3251
66	15	10	429000	1745	DFT-s-OFDM QPSK	1@1	24.36	24.76	0.2992
66	15	10	429000	1745	DFT-s-OFDM QPSK	1@50	24.5	24.9	0.3090
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	25@12	23.72	24.12	0.2582
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.53	23.93	0.2472
66	15	10	429000	1745	DFT-s-OFDM 16 QAM	1@50	23.7	24.1	0.2570
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	25@12	22.14	22.54	0.1795
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	1@1	22.09	22.49	0.1774
66	15	10	429000	1745	DFT-s-OFDM 64 QAM	1@50	22	22.4	0.1738
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	25@12	20.11	20.51	0.1125
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.73	20.13	0.1030
66	15	10	429000	1745	DFT-s-OFDM 256 QAM	1@50	19.75	20.15	0.1035
66	15	10	429000	1745	CP-OFDM QPSK	26@13	23.14	23.54	0.2259
66	15	10	429000	1745	CP-OFDM QPSK	1@1	22.83	23.23	0.2104
66	15	10	429000	1745	CP-OFDM QPSK	1@50	23.1	23.5	0.2239
66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	25@12	24.63	25.03	0.3184

66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	1@1	24.46	24.86	0.3062
66	15	10	435000	1775	DFT-s-OFDM PI/2 BPSK	1@50	23.95	24.35	0.2723
66	15	10	435000	1775	DFT-s-OFDM QPSK	25@12	24.68	25.08	0.3221
66	15	10	435000	1775	DFT-s-OFDM QPSK	1@1	24.53	24.93	0.3112
66	15	10	435000	1775	DFT-s-OFDM QPSK	1@50	23.98	24.38	0.2742
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	25@12	23.65	24.05	0.2541
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	1@1	23.59	23.99	0.2506
66	15	10	435000	1775	DFT-s-OFDM 16 QAM	1@50	23.2	23.6	0.2291
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	25@12	22.07	22.47	0.1766
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	1@1	22.04	22.44	0.1754
66	15	10	435000	1775	DFT-s-OFDM 64 QAM	1@50	22.13	22.53	0.1791
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	25@12	20.16	20.56	0.1138
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	1@1	19.86	20.26	0.1062
66	15	10	435000	1775	DFT-s-OFDM 256 QAM	1@50	19.85	20.25	0.1059
66	15	10	435000	1775	CP-OFDM QPSK	26@13	23.18	23.58	0.2280
66	15	10	435000	1775	CP-OFDM QPSK	1@1	22.95	23.35	0.2163
66	15	10	435000	1775	CP-OFDM QPSK	1@50	22.37	22.77	0.1892
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	36@18	24.74	25.14	0.3266
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	24.53	24.93	0.3112
66	15	15	423500	1717.5	DFT-s-OFDM PI/2 BPSK	1@77	24.84	25.24	0.3342
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	36@18	24.51	24.91	0.3097
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@1	24.21	24.61	0.2891
66	15	15	423500	1717.5	DFT-s-OFDM QPSK	1@77	24.68	25.08	0.3221
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	36@18	23.6	24	0.2512

66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@1	23.41	23.81	0.2404
66	15	15	423500	1717.5	DFT-s-OFDM 16 QAM	1@77	23.81	24.21	0.2636
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	36@18	22.23	22.63	0.1832
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@1	22.36	22.76	0.1888
66	15	15	423500	1717.5	DFT-s-OFDM 64 QAM	1@77	22.16	22.56	0.1803
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	36@18	20.34	20.74	0.1186
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@1	20.09	20.49	0.1119
66	15	15	423500	1717.5	DFT-s-OFDM 256 QAM	1@77	19.92	20.32	0.1076
66	15	15	423500	1717.5	CP-OFDM QPSK	39@191	21.87	22.27	0.1687
66	15	15	423500	1717.5	CP-OFDM QPSK	1@1	22.68	23.08	0.2032
66	15	15	423500	1717.5	CP-OFDM QPSK	1@77	23.1	23.5	0.2239
66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	36@18	24.85	25.25	0.3350
66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.82	25.22	0.3327
66	15	15	429000	1745	DFT-s-OFDM PI/2 BPSK	1@77	24.73	25.13	0.3258
66	15	15	429000	1745	DFT-s-OFDM QPSK	36@18	24.86	25.26	0.3357
66	15	15	429000	1745	DFT-s-OFDM QPSK	1@1	24.64	25.04	0.3192
66	15	15	429000	1745	DFT-s-OFDM QPSK	1@77	24.72	25.12	0.3251
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	36@18	23.82	24.22	0.2642
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.78	24.18	0.2618
66	15	15	429000	1745	DFT-s-OFDM 16 QAM	1@77	23.85	24.25	0.2661
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	36@18	22.38	22.78	0.1897
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	1@1	22.28	22.68	0.1854
66	15	15	429000	1745	DFT-s-OFDM 64 QAM	1@77	22.15	22.55	0.1799
66	15	15	429000	1745	DFT-s-OFDM 256 QAM	36@18	20.22	20.62	0.1153

66	15	15	429000	1745	DFT-s-OFDM 256 QAM	1@1	20.02	20.42	0.1102
66	15	15	429000	1745	DFT-s-OFDM 256 QAM	1@77	19.83	20.23	0.1054
66	15	15	429000	1745	CP-OFDM QPSK	39@191	21.92	22.32	0.1706
66	15	15	429000	1745	CP-OFDM QPSK	1@1	23.07	23.47	0.2223
66	15	15	429000	1745	CP-OFDM QPSK	1@77	23.06	23.46	0.2218
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	36@18	24.78	25.18	0.3296
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	24.72	25.12	0.3251
66	15	15	434500	1772.5	DFT-s-OFDM PI/2 BPSK	1@77	24.26	24.66	0.2924
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	36@18	24.8	25.2	0.3311
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@1	24.8	25.2	0.3311
66	15	15	434500	1772.5	DFT-s-OFDM QPSK	1@77	23.94	24.34	0.2716
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	36@18	23.78	24.18	0.2618
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@1	23.89	24.29	0.2685
66	15	15	434500	1772.5	DFT-s-OFDM 16 QAM	1@77	23.21	23.61	0.2296
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	36@18	22.38	22.78	0.1897
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@1	22.26	22.66	0.1845
66	15	15	434500	1772.5	DFT-s-OFDM 64 QAM	1@77	22.36	22.76	0.1888
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	36@18	20.29	20.69	0.1172
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@1	19.92	20.32	0.1076
66	15	15	434500	1772.5	DFT-s-OFDM 256 QAM	1@77	19.88	20.28	0.1067
66	15	15	434500	1772.5	CP-OFDM QPSK	39@191	21.83	22.23	0.1671
66	15	15	434500	1772.5	CP-OFDM QPSK	1@1	23.34	23.74	0.2366
66	15	15	434500	1772.5	CP-OFDM QPSK	1@77	22.43	22.83	0.1919
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	50@25	24.87	25.27	0.3365
66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	1@1	24.12	24.52	0.2831

66	15	20	424000	1720	DFT-s-OFDM PI/2 BPSK	1@104	24.64	25.04	0.3192
66	15	20	424000	1720	DFT-s-OFDM QPSK	50@25	24.7	25.1	0.3236
66	15	20	424000	1720	DFT-s-OFDM QPSK	1@1	24.17	24.57	0.2864
66	15	20	424000	1720	DFT-s-OFDM QPSK	1@104	24.7	25.1	0.3236
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	50@25	23.69	24.09	0.2564
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	1@1	23.29	23.69	0.2339
66	15	20	424000	1720	DFT-s-OFDM 16 QAM	1@104	23.8	24.2	0.2630
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	50@25	22.34	22.74	0.1879
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	1@1	22.27	22.67	0.1849
66	15	20	424000	1720	DFT-s-OFDM 64 QAM	1@104	22.22	22.62	0.1828
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	50@25	20.39	20.79	0.1199
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	1@1	19.97	20.37	0.1089
66	15	20	424000	1720	DFT-s-OFDM 256 QAM	1@104	19.95	20.35	0.1084
66	15	20	424000	1720	CP-OFDM QPSK	53@26	22.93	23.33	0.2153
66	15	20	424000	1720	CP-OFDM QPSK	1@1	22.62	23.02	0.2004
66	15	20	424000	1720	CP-OFDM QPSK	1@104	23.26	23.66	0.2323
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	50@25	24.73	25.13	0.3258
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	1@1	24.41	24.81	0.3027
66	15	20	429000	1745	DFT-s-OFDM PI/2 BPSK	1@104	24.73	25.13	0.3258
66	15	20	429000	1745	DFT-s-OFDM QPSK	50@25	24.76	25.16	0.3281
66	15	20	429000	1745	DFT-s-OFDM QPSK	1@1	24.47	24.87	0.3069
66	15	20	429000	1745	DFT-s-OFDM QPSK	1@104	24.72	25.12	0.3251
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	50@25	23.82	24.22	0.2642
66	15	20	429000	1745	DFT-s-OFDM 16 QAM	1@1	23.63	24.03	0.2529

66	15	20	429000	1745	DFT-s-OFDM 16 QAM	1@104	23.72	24.12	0.2582
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	50@25	22.32	22.72	0.1871
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	1@1	22.23	22.63	0.1832
66	15	20	429000	1745	DFT-s-OFDM 64 QAM	1@104	22.18	22.58	0.1811
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	50@25	20.26	20.66	0.1164
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	1@1	19.98	20.38	0.1091
66	15	20	429000	1745	DFT-s-OFDM 256 QAM	1@104	19.85	20.25	0.1059
66	15	20	429000	1745	CP-OFDM QPSK	53@26	23.03	23.43	0.2203
66	15	20	429000	1745	CP-OFDM QPSK	1@1	22.98	23.38	0.2178
66	15	20	429000	1745	CP-OFDM QPSK	1@104	23.47	23.87	0.2438
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	50@25	24.45	24.85	0.3055
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	1@1	24.14	24.54	0.2844
66	15	20	434000	1770	DFT-s-OFDM PI/2 BPSK	1@104	22.85	23.25	0.2113
66	15	20	434000	1770	DFT-s-OFDM QPSK	50@25	24.64	25.04	0.3192
66	15	20	434000	1770	DFT-s-OFDM QPSK	1@1	24.64	25.04	0.3192
66	15	20	434000	1770	DFT-s-OFDM QPSK	1@104	23.51	23.91	0.2460
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	50@25	23.9	24.3	0.2692
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	1@1	23.84	24.24	0.2655
66	15	20	434000	1770	DFT-s-OFDM 16 QAM	1@104	22.82	23.22	0.2099
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	50@25	22.33	22.73	0.1875
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	1@1	22.12	22.52	0.1786
66	15	20	434000	1770	DFT-s-OFDM 64 QAM	1@104	22.18	22.58	0.1811
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	50@25	20.28	20.68	0.1169
66	15	20	434000	1770	DFT-s-OFDM 256 QAM	1@1	19.81	20.21	0.1050

66	15	20	434000	1770	DFT-s- OFDM 256 QAM	1@104	19.84	20.24	0.1057
66	15	20	434000	1770	CP-OFDM QPSK	53@26	23.26	23.66	0.2323
66	15	20	434000	1770	CP-OFDM QPSK	1@1	23.41	23.81	0.2404
66	15	20	434000	1770	CP-OFDM QPSK	1@104	22.27	22.67	0.1849

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00659	PASS	NV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00612	PASS	LV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00731	PASS	HV
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.0051	PASS	-30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00777	PASS	-20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00343	PASS	-10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00424	PASS	0°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00537	PASS	10°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00721	PASS	20°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00343	PASS	30°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00563	PASS	40°C
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	-0.00324	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	100@0	3.82	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM PI/2 BPSK	1@0	3.87	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	100@0	4.52	13	PASS
66	15	20	424000	1720.0	DFT-s-OFDM QPSK	1@0	3.58	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	100@0	3.75	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM PI/2 BPSK	1@0	3.95	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	100@0	4.5	13	PASS
66	15	20	429000	1745.0	DFT-s-OFDM QPSK	1@0	3.66	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	100@0	3.69	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM PI/2 BPSK	1@0	3.98	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	100@0	4.5	13	PASS
66	15	20	434000	1770.0	DFT-s-OFDM QPSK	1@0	3.73	13	PASS

B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH




B2_N66(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH



B2_N66(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B2_N66(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH

