

Report No.: SUCR240200003404

Rev.: 01

Page: 1 of 103

TEST REPORT

Application No.: SUCR2402000034WM

KonnectONE, Inc Applicant:

40 Lake Bellevue Drive, Suite 340, Bellevue, Washington 98005, U.S.A **Address of Applicant:**

KonnectONE, Inc Manufacturer:

Address of Manufacturer: 40 Lake Bellevue Drive, Suite 340, Bellevue, Washington 98005, U.S.A

EUT Description: smartphone

Model No.: m2467 Trade Mark: Moxee

FCC ID: 2APQU-M2467

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart C

Date of Receipt: 2024/02/07


Date of Test: 2024/02/28 to 2024/07/05

Date of Issue: 2024/07/08

Test Result: PASS *

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:



Well Wei Wireless Laboratory Manager



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 2 of 103

1 Version

Revision Record					
Version	Version Chapter Date Modifier Remark				
01		2024/07/08		Original	

Prepared By	(Ives Cheng) / Test Engineer
Checked By	Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industria Park, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 鄉編: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01 Page: 3 of 103

2 Test Summary

Test Item	FCC Rule No.	Test Method	Test Result	Result
Antenna Requirement	15.203/15.247(b)		Clause 4.1	PASS
AC Power Line Conducted Emission	15.207	ANSI C63.10 (2013) Section 6.2	Clause 4.3	PASS
Conducted Peak Output Power	15.247 (b)(1)	ANSI C63.10 (2013) Section 11.9.1.3	Clause 4.4	PASS
20dB Emission Bandwidth & 99% Occupied Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013) Section 6.9.2/6.9.3	Clause 4.5	For Report Purpose
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013) Section 7.8.2	Clause 4.6	PASS
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013) Section 7.8.3	Clause 4.7	PASS
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013) Section 7.8.4	Clause 4.8	PASS
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013) Section 7.8.7.2	Clause 4.9	PASS
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013) Section 7.8.7.1	Clause 4.10	PASS
Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10 (2013) Section 6.4 / 6.5 / 6.6	Clause 4.11	PASS
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10 (2013) Section 6.10.5	Clause 4.12	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Ansa, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01 Page: 4 of 103

Contents

1	Versio	n	2
2	Test S	Summary	3
3	Gener	al Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment	8
	3.6	Description of Support Units	8
4	Test re	esults and Measurement Data	9
	4.1	Antenna Requirement	9
	4.2	Other requirements Frequency Hopping Spread Spectrum System Hop	ping
	Seque	ence	10
	4	.2.1 Test Requirement:	10
	4	.2.2 Conclusion	10
	4.3	AC Power Line Conducted Emissions	12
	4.4	Conducted Output Power	16
	4.5	20dB Emission Bandwidth & 99% Occupied Bandwidth	17
	4.6	Carrier Frequencies Separation	18
	4.7	Hopping Channel Number	19
	4.8	Dwell Time	20
	4.9	Band-edge for RF Conducted Emissions	21
	4.10	Spurious RF Conducted Emissions	22
	4.11	Radiated Spurious Emissions	23
	4.12	Restricted bands around fundamental frequency	26
5	Measu	rement Uncertainty (95% confidence levels, k=2)	28
6	Equipr	ment List	29
7	Photog	graphs - Setup Photos	31



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6月厂房南部 鄉第: 215000 t (86–512) 62992980 t (86–512) 62992980 s



Report No.: SUCR240200003404

Rev.: 01 Page: 5 of 103

3 General Information

3.1 Details of Client

Applicant:	KonnectONE, Inc
Address of Applicant:	40 Lake Bellevue Drive, Suite 340, Bellevue, Washington 98005, U.S.A
Manufacturer:	KonnectONE, Inc
Address of Manufacturer:	40 Lake Bellevue Drive, Suite 340, Bellevue, Washington 98005, U.S.A

3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Ives Cheng, King-p Li

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC –Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 鄉第:215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01 Page: 6 of 103

3.4 General Description of EUT

FUT Description:	amartahana			
EUT Description:	smartphone			
Model No.:	m2467			
Trade Mark:	Moxee			
Hardware Version:	J610_6835D4UFM10_G	30U		
Software Version:	m2467_V01			
Power Supply:	5V			
IMEI:	RF Conducted IMEI1:354085074901243 IMEI2:354085074901250			
	RSE & AC power line	357916025680198		
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 1 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 78.			
Bluetooth version:	Bluetooth V5.2			
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)			
Modulation Type:	GFSK, π/4DQPSK, 8DPSK			
Number of Channel:	79			
Hopping Channel Type:	Adaptive Frequency Hopping systems			
Antenna Type:	☐ External, ☒ Integrate	ed		
	0.88dBi (Ant7)			
Antenna Gain:	Note: The antenna gain are derived from the gain information report provided by the manufacturer.			
RF Cable:	1.0dB			
Remark: As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01 Page: 7 of 103

	Operation Frequency of each channel						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz
17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz
19	2421MHz	39	2441MHz	59	2461MHz		

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH39)	2441MHz
The Highest channel(CH78)	2480MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Mangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜废1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 8 of 103

3.5 Test Environment

Environment Parameter	96~101 kPa Selected Values During Tests		
Relative Humidity	40-60 % RH Ambient		
Value	Temperature(℃) Voltage(V)		
NTNV	22~25	3.87	

Remark:

NV: Normal Voltage

NT: Normal Temperature

3.6 Description of Support Units

The EUT has been tested as an independent unit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01 Page: 9 of 103

4 Test results and Measurement Data

4.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(b)

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna is Integrated Antenna and no consideration of replacement.

The best case gain of the antenna is 0.88dBi (Ant7). *

*Note:

The antenna gain are derived from the gain information report provided by the manufacturer. Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.goam.oth.org/ Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document advised that Information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the Jaw. Unless otherwise stated the results shown in this test report refer only to the sample(s) steet and such sample(s) are retained for 30 days only

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: (

Page: 10 of 103

4.2 Other requirements Frequency Hopping Spread Spectrum System Hopping Sequence

4.2.1 Test Requirement:

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudo randomly ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals. Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.


Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudo random sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.

- > Number of shift register stages: 9
- > Length of pseudo-random sequence: 29 -1 = 511 bits
- > Longest sequence of zeros: 8 (non-inverted signal)

Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



An example of Pseudorandom Frequency Hopping Sequence as follow:

20 62 46 77	7 64	8 73	16.75 1
		1	
	1 1 5	1 1	1
	1 1 1	3 1 2	-5
	arma III.		

Each frequency used equally on the average by each transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runshang Road, Sudhou Industrial Park, Sudhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区温胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 11 of 103

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system. Compliance for section 15.247(h):

According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000 中国 • 苏州 • 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 12 of 103

4.3 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013 Section 6.2				
Test Frequency Range:	150kHz to 30MHz				
Receiver Setup:	RBW = 9kHz, VBW = 30	kHz			
Limit:	Fraguency range (MUz)	Limit (d	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the log	arithm of the frequency.			
Test Procedure:	The mains terminal di room.	sturbance voltage test was co	onducted in a shielded		
	 The mains terminal disturbance voltage test was conducted in a shielded room. The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50Ω/50μH + 5Ω linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded. The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane. The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was betwee the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2. In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10: 2013 on conducted measurement. 		a 50Ω/50μH + 5Ω linear the EUT were I to the ground reference eing measured. A ultiple power cables to a ot exceeded. table 0.8m above the angement, the EUT was rence plane. The rear of ference plane. The horizontal ground m the boundary of the plane for LISNs is distance was between other units of the EUT in the LISN 2.		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 13 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx; and, for electronic bocuments at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document as p.x. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction force of this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, Chine (Jlangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 鄉編: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404


Rev.: 01

Page: 14 of 103

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.



Data	Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	ΑV Reading [dBμV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1777	9.85	29.58	39.43	64.59	25.16	14.49	24.34	54.59	30.25	PASS
2	0.3019	9.91	24.51	34.42	60.19	25.77	11.36	21.27	50.19	28.92	PASS
3	0.5541	9.91	33.14	43.05	56.00	12.95	15.98	25.89	46.00	20.11	PASS
4	0.6664	9.94	37.14	47.08	56.00	8.92	21.32	31.26	46.00	14.74	PASS
5	1.3914	9.84	32.79	42.63	56.00	13.37	19.70	29.54	46.00	16.46	PASS
6	12.6649	10.09	31.54	41.63	60.00	18.37	14.77	24.86	50.00	25.14	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one on exonerate parties to responsibility in the company of the finding and the summary of the su


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 15 of 103



Data	Data List										
NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBµV]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	ΑV Reading [dBμV]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Verdict
1	0.1579	9.78	31.67	41.45	65.57	24.12	12.88	22.66	55.57	32.91	PASS
2	0.3149	9.79	29.21	39.00	59.84	20.84	13.55	23.34	49.84	26.50	PASS
3	0.5814	9.86	32.13	41.99	56.00	14.01	14.57	24.43	46.00	21.57	PASS
4	0.6731	9.84	36.24	46.08	56.00	9.92	15.52	25.36	46.00	20.64	PASS
5	2.0891	9.87	28.45	38.32	56.00	17.68	12.81	22.68	46.00	23.32	PASS
6	12.8721	10.22	36.45	46.67	60.00	13.33	16.50	26.72	50.00	23.28	PASS

Remark:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Value =Reading[dBµV] + Factor(Lisn factor[dB] + cable loss[dB]).
- 3. Margin = Limit[$dB\mu V$] Value[$dB\mu V$]



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 邮编:215000



Report No.: SUCR240200003404

Rev.: 0°

Page: 16 of 103

4.4 Conducted Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)&15.247 (b)(1)				
Test Method:	ANSI C63.10:2013 Section 11.9.1.3				
Test Setup:	Ground Reference Plane * Test with power meter (Detector function: Peak				
Test Instruments:	Refer to section 6 for details				
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.				
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.				
Limit:	0.125 watts				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉第: 215000



Report No.: SUCR240200003404

Rev.:

Page: 17 of 103

4.5 20dB Emission Bandwidth & 99% Occupied Bandwidth

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)				
Test Method:	ANSI C63.10:2013 Section 6.9.2 and 6.9.3				
Test Setup:	PC Spectrum Analyzer O O O O O O O O O				
Instruments Used:	Refer to section 6 for details				
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.				
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.				
Limit:	No restriction limits				
Test Results:	For Report Purpose				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240200003404

Rev.: 01

Page: 18 of 103

4.6 Carrier Frequencies Separation

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)				
Test Method:	ANSI C63.10:2013 Section 7.8.2				
Test Setup:	PC Communication Ooo February F.U.T				
Test Instruments:	Refer to section 6 for details				
Exploratory Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.				
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.				
Limit:	2/3 of the 20dB bandwidth				
	Remark: the transmission power is less than 0.125W.				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉第: 215000



Report No.: SUCR240200003404

Rev.: 01

Page: 19 of 103

4.7 Hopping Channel Number

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)				
Test Method:	ANSI C63.10:2013 Section 7.8.3				
Test Setup:	PC Spectrum Analyzer O O O O O O O O O				
Instruments Used:	Refer to section 6 for details				
Test Mode:	Hopping transmitting with all kind of modulation				
Limit:	At least 15 channels				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.asx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jengsu) Pilot Fee Trade Zone 中国 · 苏州 · 中国 · 江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉編: 215000




Report No.: SUCR240200003404

Rev.: 01

Page: 20 of 103

4.8 Dwell Time





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-759) 8307 1443,

South of No. 6 Plant, No. 1, Runsteing Road, Sudhou Industrial Park, Sudhou Ansa, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sg t (86–512) 62992980 sgs.chin



Report No.: SUCR240200003404

Rev.:

Page: 21 of 103

4.9 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10:2013 Section 7.8.7.2
Test Setup:	SGS Test system Vestor Signal Generator Spectrum Analyzer Communication RF Control Unit Analog Menal Generator DC Power Ground Reference Plane
Instruments Used:	Refer to section 6 for details
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type.
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Test Results:	Pass
The detailed test data see: A	ppendix



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 鄭編: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 22 of 103

4.10 Spurious RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	ANSI C63.10:2013 Section 7.8.7.1				
Test Setup:	SGS Test system Vistor Signal Generator Spectrum Analyzer Communication Tester BF Control Unit Analog Signal Generator DC Power E.U.T Ground Reference Plane				
Instruments Used:	Refer to section 6 for details				
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.				
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Test Results:	Pass				
The detailed test data see: A	ppendix				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.s t (86–512) 62992980 sgs.ch



Report No.: SUCR240200003404


Rev.: 01

Page: 23 of 103

4.11 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10 :2013 Section 6.4 / 6.5 / 6.6						
Test Site:	Measurement Distance: 3	m (Semi-Anechoid	Chamber)				
Test Frequency:	9kHz ~ 25GHz						
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)		
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300		
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30		
	1.705MHz-30MHz	30	-	-	30		
	30MHz-88MHz	100	40.0	Quasi-peak	3		
	88MHz-216MHz	150	43.5	Quasi-peak	3		
	216MHz-960MHz	200	46.0	Quasi-peak	3		
	960MHz-1GHz	500	54.0	Quasi-peak	3		
	Above 1GHz	500	54.0	Average	3		
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency						
	emissions is 20dB above the maximum permitted average emission limit						
	applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.						

Test Setup:





Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed inverteaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240200003404

Rev.: 01

Page: 24 of 103




Figure 3. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
 - (Distance from antenna to EUT is 1m for measurements >18GHz).
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Test the EUT in the lowest channel, the middle channel ,the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
- i. Repeat above procedures until all frequencies measured was complete.
- j. The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line was not reported.
- k. The disturbance above 18GHz was very low, and the harmonics were the highest point could be found when testing, so only the harmonics had been displayed.
- I. At a measurement distance of 1 meter the limit line was increased by 20*LOG(3/1) = 9.54 dB.

Test Configuration:

Measurements below 30MHz

- RBW = 10 kHz
- VBW = 30 kHz
- Detector = Peak & Average & Quasi-peak
- Trace mode = max hold

Measurements Below 1000MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsteing Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州丁业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 25 of 103

	Fage. 25 01 103
	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Quasi-peak
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	• VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	Use duty cycle correction factor method per 15.35(c).
	Duty cycle = On time / 100 milliseconds
	On time = $N_1*L_1 + N_2*L_2+N_{N-1}*L_{N-1} + N_N*L_N$
	Where N_1 is number of type 1 pulese, L_1 is length of type 1 pulses, etc.
	Average Value = Peak Value +20*log(Duty cycle).
Exploratory Test	Non-hopping transmitting mode with all kind of modulation and all kind of
Mode:	data type
Widdo.	Charge + Transmitting mode.
	Through Pre-scan, find the
	DH5 of data type and GFSK modulation is the worst case.
Final Test Mode:	Pretest the EUT at Charge + Transmitting mode
	For below 1GHz part, through pre-scan all channels, but only the worst case is
	recorded in the report.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
The detailed test data	a see: Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspx.and the time of the Imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6月厂房南部 鄉第: 215000



Report No.: SUCR240200003404


Rev.: 01

Page: 26 of 103

4.12Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205						
Test Method:	ANSI C63.10: 2013 Section	6.10.5					
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Cham	ber)				
Limit:	Frequency	Limit (dBuV/m)	Remark				
	30MHz-88MHz	40.0	Quasi-peak				
	88MHz-216MHz	43.5	Quasi-peak				
	216MHz-960MHz	46.0	Quasi-peak				
	960MHz-1GHz	54.0	Quasi-peak				
	Above 1GHz	54.0	Average Value				
	Above IGHZ	74.0	Peak Value				

Test Setup:






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. Place a marker at the end of the restricted band closest to the transmit



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic format documents, subject to Terms and Conditions (Felectronic Documents at http://www.sgx.com/en/Terms-en/Conditions/Terms-en/Cocument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsteng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 27 of 103

	fragues por to allow a small image. Also respectively and a single the state of				
	frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel.				
	h. Test the EUT in the lowest channel , the Highest channel.				
	 The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. 				
	j. Repeat above procedures until all frequencies measured was complete.				
Test Configuration:	Measurements Below 1000MHz				
	• RBW = 120 kHz				
	• VBW = 300 kHz				
	Detector = Quasi-peak				
	Trace mode = max hold				
	Peak Measurements Above 1000 MHz				
	• RBW = 1 MHz				
	• VBW ≥ 3 MHz				
	Detector = Peak				
	Sweep time = auto				
	Trace mode = max hold				
	Average Measurements Above 1000MHz				
	Use duty cycle correction factor method per 15.35(c).				
	Duty cycle = On time / 100 milliseconds				
	On time = $N_1*L_1 + N_2*L_2+N_{N-1}*L_{N-1} + N_N*L_N$				
	Where N_1 is number of type 1 pulese, L_1 is length of type 1 pulses, etc.				
	Average Value = Peak Value +20*log(Duty cycle).				
	Non-hopping transmitting mode with all kind of modulation and all kind of				
Exploratory Test Mode:	data type				
	Charge + Transmitting mode.				
	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case.				
Final Test Mode:	Pretest the EUT at Charge + Transmitting mode,				
	Only the worst case is recorded in the report.				
Instruments Used:	Refer to section 6 for details				
Test Results:	Pass				
The detailed test data see	e: Appendix				
	• •				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.anf, for electronic Documents at https://www.sgs.com/en/Ferms-and-Conditions/ferms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 28 of 103

5 Measurement Uncertainty (95% confidence levels, k=2)

<u> </u>	· · · · · · · · · · · · · · · · · · ·			
Item	Measurement Uncertainty			
Total RF power, conducted	±0.54dB			
RF power density, conducted	±1.03dB			
Spurious emissions, conducted	±0.54dB			
Radio Frequency	±1.0 %			
Duty Cycle	±0.37%			
Occupied Bandwidth	±1.0 %			
Conduction Emission	± 3.0dB (150kHz to 30MHz)			
	± 4.6dB (9KHz~30MHz)			
	± 4.9dB (30MHz~1GHz)			
Radiated Emission	± 4.9dB (1GHz to 6GHz)			
	± 4.7dB (6GHz to 18GHz)			
	± 5.26dB (Above 18GHz)			
	Total RF power, conducted RF power density, conducted Spurious emissions, conducted Radio Frequency Duty Cycle Occupied Bandwidth Conduction Emission			

Remark:

The U_{lab} (lab Uncertainty) is less than $U_{cispr/ETSI}$ (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsteing Road, Sudhou Industrial Park, Sudhou Ansa, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.s t (86–512) 62992980 sgs.ch



Report No.: SUCR240200003404

Rev.: 01

Page: 29 of 103

6 Equipment List

RF Test Equipment							
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)		
Shielding Room	Brilliant-emc	N/A	SUWI-04-08-01	2022/11/09	2025/11/08		
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2024/02/18	2025/02/17		
Measurement Software	Tonscend	TST272 V2.0	SUWI-03-55-03	NCR	NCR		
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-01	2024/02/04	2025/02/03		
Wideband Radio Communication Tester	ROHDE& SCHWARZ	CMW500	SUWI-01-16-05 2024/02/04		2025/02/03		
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	SUWI-01-18-01 2024/02/04			
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2023/11/21	2024/11/20		
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2023/11/21	2024/11/20		
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2024/02/04	2025/02/03		
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-07	2023/11/21	2024/11/20		

CE Test System						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date (yyyy/mm/dd)	Cal Due Date (yyyy/mm/dd)	
Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2022/05/14	2025/05/13	
Test receiver	ROHDE& SCHWARZ	ESR	SUWI-01-10-02	2023/08/30	2024/08/29	
Artificial network	ROHDE& SCHWARZ	ENV216	SUWI-01-19-01	2023/06/30	2024/06/29	
Temperature and humidity meter	deli	8838	SEM002-32	2023/07/28	2024/07/27	
Measurement Software	Tonscend	TS+ V4.0.0.0	SUWI-02-02-06	NCR	NCR	
Radio communication analyzer	ROHDE& SCHWARZ	CMW 500	SUWI-01-16-14	2023/08/30	2024/08/29	
Artificial network	ROHDE& SCHWARZ	ENV216	SUWI-01-19-05	2023/06/30	2024/06/29	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments at subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en/Cocuments. At advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6月厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 30 of 103

RSE Test System							
Test Equipment	Manufacturer	Model No. Inventory No.		Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)		
Fully-Anechoic Chamber 2	Chang Zhou Zhong Shuo	854	SEM001-05	2023/06/19	2026/06/18		
MXA signal analyzer	Keysight	N9020A	SUWI-01-02-11	2024/02/02	2025/02/01		
Spectrum Analyzer*	ROHDE& SCHWARZ	FSV3044	SUWI-01-05-04	2023/05/15	2024/05/14		
Test receiver	ROHDE& SCHWARZ	ESR	SUWI-01-10-02	2023/08/30	2024/08/29		
Receiving antenna (30MHz-3GHz)	Schwarzbeck	VULB 9163	SUWI-01-11-10	2022/07/28	2024/07/27		
Receiving antenna(1GHz~18GHz)	Schwarzbeck	BBHA 9120D	SUWI-01-11-11	2022/07/28	2024/07/27		
Receiving antenna (15GHz~40GHz)	Schwarzbeck	BBHA 9170	SUWI-01-11-12	2022/07/23	2024/07/22		
Directional antenna rack controller	Max-Full	MF-7802BS	SUWI-03-57-01	NCR	NCR		
High-speed antenna rack controller	Max-Full	MF-7802	SUWI-03-58-01	NCR	NCR		
Filter bank	Tonscend	JS0806-F	SUWI-03-02-04	NCR	NCR		
Filter bank	Tonscend	JS0806s	SUWI-03-02-05	NCR	NCR		
Amplifier*	Tonscend	TAP9K3G32	SUWI-01-14-14	2023/05/15	2024/05/14		
Amplifier	Tonscend	TAP01018048	SUWI-01-14-15	2023/08/30	2024/08/29		
Amplifier	Tonscend	TAP18040048	SUWI-01-14-16 2023/08/30		2024/08/29		
Amplifier	Shanghai Steed	YX28980930	SUWI-01-14-17	2023/08/30	2024/08/29		
Temperature and humidity meter	deli	8838	SEM002-32	2023/07/28	2024/07/27		
Radio communication analyzer	ROHDE& SCHWARZ	CMW 500	SUWI-01-16-14	2023/08/30	2024/08/29		
Measurement Software	Tonscend	TS+ V4.0.0.0	SUWI-02-02-06 NCR		NCR		
Loop Antenna*	Loop Antenna* Schwarzbeck		SUWI-01-21-02	2022/05/26	2024/05/25		

Remark: NCR=No Calibration Requirement.

*Note: The RSE were tested in 2024/04/18 to 2024/04/19, so the equipment is not used for testing after 2024/04/19.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer worleral, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx tkention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content on preaarance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the ssults shown in this test report refer only to the sample(s) setzed and such sample(s) are retained for 30 days only.

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 鄉編: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 31 of 103

7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content o appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 32 of 103

Appendix



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content o appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jangsu) Pilof Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉第:215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 33 of 103

Duty Cycle

Test Result

Ant7

					Ant7			
Mode	TX	Frequency	Packet	T_on	Period	Duty Cycle	Duty Cycle	Max. DC
	Type	(MHz)	Type	(ms)	(ms)	(%)	Correction Factor (dB)	Variation (%)
GFSK SISO		2402	DH5	2.896	3.751	77.21	1.12	0.03
	2441	DH5	2.896	3.750	77.23	1.12	0.03	
		2480	DH5	2.880	3.751	76.78	1.15	0.03
Pi/4DQPSK SISC	K SISO	2402	2DH5	2.899	3.751	77.29	1.12	0.03
		2441	2DH5	2.884	3.750	76.91	1.14	0.03
		2480	2DH5	2.885	3.751	76.91	1.14	0.03
8DPSK	SISO	2402	3DH5	2.901	3.751	77.34	1.12	0.03
		2441	3DH5	2.886	3.750	76.96	1.14	0.03
		2480	3DH5	2.899	3.749	77.33	1.12	0.03



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-




Report No.: SUCR240200003404

Rev.: 01

Page: 34 of 103

Test Graph

Ant7





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉線: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 35 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention 7.0 back the substanticity of testing inspection report & certificate, plasse contact us at temphone (66-755) 8307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SUCR240200003404

Rev.: 01





Pi/4DQPSK_2DH5_HCH_2480MHz_Ant7_NTNV






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sps.com/en/Terms-and-Conditions.apx; and, for electronic Documents at http://www.sps.com/en/Terms-and-Conditions/Terms-en/Documents, subject to Terms and Conditions (Terms-en/Document as http://www.sps.com/en/Terms-en/Document.grams-en/Document is advised that information contained hereon reflects the Company's Indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Mangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜废1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SUCR240200003404

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attentions, To check the autheriticity of testing intersection report & certificate, please contact us at telephone (66-755) \$307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 39 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention 7.0 back the substanticity of testing inspection report & certificate, plasse contact us at temphone (66-755) 8307 1443.

South of No. 6 Part, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUCR240200003404

Rev.: 01

40 of 103 Page:

Bandwidth

Test Result

OBW

Mode	TX	Frequency	Packet	ANT	99% Occupied B	Verdict	
	Type	(MHz)	Type	AINT	Result	Limit	verdict
		2402	DH5	7	0.750	1	Pass
GFSK	SISO	2441	DH5	7	0.743	1	Pass
		2480	DH5	7	0.743	1	Pass
	SISO	2402	2DH5	7	1.146	1	Pass
Pi/4DQPSK		2441	2DH5	7	1.139	1	Pass
		2480	2DH5	7	1.144	1	Pass
8DPSK		2402	3DH5	7	1.153	1	Pass
	SISO	2441	3DH5	7	1.150	1	Pass
	,	2480	3DH5	7	1.151	1	Pass

20dB BW

Mode	TX	Frequency	Packet	ANT	20dB Bandwidth (MHz)		Verdict	
Mode	Type	(MHz)	Type	AINT	Result	Limit	verdict	
GFSK	SISO	2402	DH5	7	0.845	1	Pass	
		2441	DH5	7	0.849	1	Pass	
		2480	DH5	7	0.845	1	Pass	
Pi/4DQPSK	SISO	2402	2DH5	7	1.285	1	Pass	
		2441	2DH5	7	1.278	/	Pass	
		2480	2DH5	7	1.285	/	Pass	
8DPSK	SISO	2402	3DH5	7	1.296	/	Pass	
		2441	3DH5	7	1.295	/	Pass	
		2480	3DH5	7	1.293	/	Pass	






Report No.: SUCR240200003404

Rev.: 01

Page: 41 of 103

Test Graph

OBW





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention 7.0 back the substanticity of testing inspection report & certificate, plasse contact us at temphone (66-755) 8307 1443.



Report No.: SUCR240200003404

01 Rev.:

Page: 42 of 103






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attentions, To check the autheriticity of testing intersection report & certificate, please contact us at telephone (66-755) \$307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 s



Report No.: SUCR240200003404

Rev.: 01

44 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlandsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.:

45 of 103 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlandsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

01 Rev.:

Page: 46 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SUCR240200003404

Rev.: 01

Page: 47 of 103

20dB BW





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents as that the company-accomment of the strawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To shack the sauthenticity of testing impaction report & certification gives contact us at telephone: (66-75) \$307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pikol Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉第: 215000 t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SUCR240200003404

01 Rev.:

Page: 48 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SUCR240200003404

Rev.: 01









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlandsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 52 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sq



Report No.: SUCR240200003404

Rev.: 01

Page: 53 of 103

Maximum Conducted Output Power

Test Result

Power

Mode	TX	Frequency	Packet	Packet Maximum Peak Conducted Output Power (dBm)			
	Type	(MHz)	Type	ANT7	Limit	Verdict	
GFSK		2402	DH5	9.21	<=30	Pass	
	SISO	2441	DH5	11.24	<=30	Pass	
		2480	DH5	11.28	<=30	Pass	
Pi/4DQPSK	SISO	2402	2DH5	9.23	<=20.97	Pass	
		2441	2DH5	10.28	<=20.97	Pass	
		2480	2DH5	10.24	<=20.97	Pass	
8DPSK	SISO	2402	3DH5	9.03	<=20.97	Pass	
		2441	3DH5	10.31	<=20.97	Pass	
		2480	3DH5	10.2	<=20.97	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.asx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pikol Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 54 of 103

Carrier Frequency Separation

Test Result

Ant7

Ant7									
Mode	TX	Frequency	Packet	Channel Separation	20dB Bandwidth	Limit	Verdict		
	Type	(MHz)	Type	(MHz)	(MHz)	(MHz)	Verdict		
GFSK	SISO	HOPP	DH5	0.988	0.849	>=0.849	Pass		
Pi/4DQPSK	SISO	HOPP	2DH5	0.986	1.285	>=0.857	Pass		
8DPSK	SISO	HOPP	3DH5	1.001	1.296	>=0.864	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-




Report No.: SUCR240200003404

Rev.: 01

Page: 55 of 103

Test Graph

Ant7





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention 7.0 back the substanticity of testing inspection report & certificate, plasse contact us at temphone (66-755) 8307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240200003404

Rev.: 01

Page: 56 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 57 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-Conditions.for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 58 of 103

Number of Hopping Frequencies

Test Result

HoppNum

Mode	TX	Frequency	Packet	Num of Hoppir	Verdict	
Wode	Туре	(MHz)	Туре	ANT7	Limit	verdict
GFSK	SISO	HOPP	DH5	79	>=15	Pass
Pi/4DQPSK	SISO	HOPP	2DH5	79	>=15	Pass
8DPSK	SISO	HOPP	3DH5	79	>=15	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUCR240200003404

Rev.: 01

Page: 59 of 103

Test Graph

HoppNum





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C


South of No. 6 Part, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SUCR240200003404

01 Rev.:

Page: 60 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlandsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 61 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUCR240200003404

Rev.: 01

Page: 62 of 103

Time of Occupancy (Dwell Time)

Test Result

Ant7

	Ant7										
I Mode I	TX	Frequency	Packet	Duration of	Observation	Num of Pulse in	Dwell	Limit	Verdict		
	Type	(MHz)	Type	Single Pulse (ms)	Period (s)	Observation Period	Time (ms)	(ms)	Veruici		
GFSK SISC			DH1	0.380	31.600	320	121.600	<=400	Pass		
	SISO	HOPP	DH3	1.636	31.600	162	265.032	<=400	Pass		
			DH5	2.884	31.600	113	325.892	<=400	Pass		
		Ю НОРР	2DH1	0.400	31.600	319	127.600	<=400	Pass		
Pi/4DQPSK	SISO		2DH3	1.654	31.600	158	261.332	<=400	Pass		
			2DH5	2.902	31.600	104	301.808	<=400	Pass		
	SISO				3DH1	0.388	31.600	320	124.160	<=400	Pass
8DPSK		HOPP	3DH3	1.638	31.600	155	253.890	<=400	Pass		
			3DH5	2.888	31.600	107	309.016	<=400	Pass		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.




Report No.: SUCR240200003404

Rev.: 01

Page: 63 of 103

Test Graph

Ant7





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic Documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are refunded for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 64 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgency or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilof Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUCR240200003404

Rev.: 01






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions/Terms-en/Conditions/Terms-en/Conditions/Terms-en/Conditions/Terms-en/Conditions/Terms-en/Conditions/Terms-en/Comments/Terms-en/Conditions/Terms-en/Comments/Terms-en/Conditions/Terms-en/Comments/Terms-e


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240200003404

Rev.: 01








South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 即编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Clients' instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attentions, To check the autheriticity of testing intersection report & certificate, please contact us at telephone (66-755) \$307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SUCR240200003404

Rev.: 01






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions/Terms-en/Conditions/Terms-en/Conditions/Terms-en/Conditions/Terms-en/Conditions/Terms-en/Conditions/Terms-en/Comments/Terms-en/Conditions/Terms-en/Comments/Terms-en/Conditions/Terms-en/Comments/Terms-e


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980 s



Report No.: SUCR240200003404

Rev.: 01









South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 即编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention 7.0 back the substanticity of testing inspection report & certificate, plasse contact us at temphone (66-755) 8307 1443.

South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printei overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions [Terms-anDocument.aspx.and Items and Items


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jangsu) Pikol Free Tisde Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的/号厂房南部 鄉第: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 72 of 103





South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 即编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 73 of 103

Unwanted Emissions In Non-restricted Frequency Bands

Test Result

Ref

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)
		2402	DH5	7	8.46
GFSK	SISO	2441	DH5	7	11.13
		2480	DH5	7	11.16
		2402	2DH5	7	9.04
Pi/4DQPSK	SISO	2441	2DH5	7	11.22
		2480	2DH5	7	11.12
		2402	3DH5	7	8.93
8DPSK	SISO	2441	3DH5	7	10.55
		2480	3DH5	7	10.73

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

CSE

Mode	TX Type	Frequency (MHz)	Packet Type	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
		2402	DH5	7	11.16	-8.84	Pass
		2441	DH5	7	11.16	-8.84	Pass
GFSK	SISO	2480	DH5	7	1 11.10 -0.04		Pass
		HOPP	DH5	7	11.16	-8.84	Pass
		ПОРР	פחט	/	11.16	-8.84	Pass
		2402	2DH5	7	11.22	-8.78	Pass
	SISO	2441	2DH5	7	11.22	-8.78	Pass
Pi/4DQPSK		SISO	2480	2DH5	7	11.22	-8.78
		HOPP	2DH5	7	11.22	-8.78	Pass
		ПОРР	2003	,	11.22	-8.78	Pass
		2402	3DH5	7	10.73	-9.27	Pass
		2441	3DH5	7	10.73	-9.27	Pass
8DPSK	SISO	2480	3DH5	7	10.73	-9.27	Pass
		HOPP	3DH5	7	10.73	-9.27	Pass
		порр	3003	1	10.73	-9.27	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed worleral, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx tkention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content on ppearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the ssults shown in this test report refer only to the sample(s) serve dand such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg




Report No.: SUCR240200003404

Rev.: 01

Page: 74 of 103

Test Graph

Ref





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention 7.0 chack the substanticity of testing inspection report & certificate, plasse contact us at temphone (66-755) 8307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉線: 215000 t (86–512) 62992980 t (86–512) 62992980 s



Report No.: SUCR240200003404

Rev.: 01

Page: 75 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.for Terms-and-Conditions.for Electronic Document as <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.ferms-and-Conditions.ferms-and-Conditions/Terms-and-Conditio


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.:

76 of 103 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlandsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

01 Rev.:

Page: 77 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi


South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜废1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01

Page: 79 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.for Terms-and-Conditions.for Electronic Document as <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.ferms-and-Conditions.ferms-and-Conditions/Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sq




Report No.: SUCR240200003404

Rev.: 01

Page: 80 of 103

CSE





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and. for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention 7.0 chack the substanticity of testing inspection report & certificate, plasse contact us at temphone (66-755) 8307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsg t (86–512) 62992980 sgs.china



Report No.: SUCR240200003404

Rev.: 01

Page: 81 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.for Terms-and-Conditions.for Electronic Document as <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions.ferms-and-Conditions.ferms-and-Conditions/Terms-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.:

Page: 82 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and


South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01







2310.0

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attentions, To check the autheriticity of testing intersection report & certificate, please contact us at telephone (66-755) \$307 1443.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 鄉線: 215000

Frequency (MHz)

t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com


2410.0



Report No.: SUCR240200003404

Rev.:

84 of 103 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and


South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at http://www.sgs.com/en/Ferms-and-Conditions/Ferms-en-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extend of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attentions, To check the autheriticity of testing intersection report & certificate, please contact us at telephone (66-755) \$307 1443.


South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 w t (86-512) 62992980 se



Report No.: SUCR240200003404

Rev.:

86 of 103 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and

South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SUCR240200003404

01 Rev.:

Page: 87 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and

South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000


t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.:

88 of 103 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and


South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.:






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and


South of No. 6 Plant, No. 1, Runstieng Road, Suzhou Industrial Park, Suzhou Area, China (Jlanosu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240200003404

Rev.:







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jlandsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000


t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980 sgs.china@sgs.com



Report No.: SUCR240200003404

Rev.: 01

Page: 91 of 103





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SUCR240200003404


Rev.: 01

Page: 92 of 103

Radiated Spurious Emissions

Radiated emission below 1GHz

Worst case Mode: GFSK_Channel 78



Data Lis	Data List										
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Polarity			
1	66.8674	10.86	-26.93	35.35	19.28	40.00	20.72	Horizontal			
2	106.2573	11.85	-26.77	41.11	26.19	43.50	17.31	Horizontal			
3	168.9318	8.89	-26.21	40.24	22.92	43.50	20.58	Horizontal			
4	201.5303	11.34	-26.18	47.87	33.03	43.50	10.47	Horizontal			
5	280.6981	12.93	-25.66	39.7	26.97	46.00	19.03	Horizontal			
6	522.4705	17.45	-24.50	29.03	21.98	46.00	24.02	Horizontal			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sindings at the time of its intervention only and within the limits of transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attentions To show the authorized of testing interaction report & certificate, plasse contact us at telephone (66-755) \$307 1443, **Attentions** The New York of testing interaction report & certificate, plasse contact us at telephone (66-755) \$307 1443, ***



Report No.: SUCR240200003404

Rev.: 01

Page: 93 of 103



Data Lis	Data List										
NO.	Freq. [MHz]	AF[dB/m]	Factor [dB]	QP Reading [dΒμV]	QP Value [dBμV/m]	QP Limit [dΒμV/m]	QP Margin [dB]	Polarity			
1	108.1976	11.78	-26.64	41.52	26.66	43.50	16.84	Vertical			
2	151.8564	7.81	-26.47	43.27	24.61	43.50	18.89	Vertical			
3	166.4093	8.98	-26.25	41.63	24.36	43.50	19.14	Vertical			
4	201.1422	11.35	-26.17	48.48	33.66	43.50	9.84	Vertical			
5	274.877	12.89	-25.39	35.94	23.44	46.00	22.56	Vertical			
6	580.4881	18.30	-24.23	28.77	22.84	46.00	23.16	Vertical			

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Value = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Value($dB\mu V/m$)

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic forms documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-en-Ocoditions/Terms-en-Ocoument.aspx.tetniton is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runstreng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SUCR240200003404

Rev.: 01

Page: 94 of 103

Transmitter emission Above 1GHz GFSK_Channel 0



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4804	58.75	30.78	-42.64	46.89	74.00	27.11	Horizontal			
	4804	-	-	-	22.11	54.00	31.89	-			
2	7206	50.81	36.56	-38.24	49.13	74.00	24.87	Horizontal			
	7206	-	-	-	24.35	54.00	29.65	-			
3	9608	48.66	37.85	-35.02	51.49	74.00	22.51	Horizontal			
	9608	-	-	-	26.71	54.00	27.29	-			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx and, for electronic Documents subject to Terms and Conditions (Ferms-and-Conditions) Ferms-and-Conditions/Ferms-and-Cond

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUCR240200003404

Rev.: 01

Page: 95 of 103

GFSK_Channel 0



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4804	56.72	30.78	-42.64	44.86	74.00	29.14	Vertical			
	4804	-	-	•	20.08	54.00	33.92	-			
2	7206	49.89	36.56	-38.24	48.21	74.00	25.79	Vertical			
	7206	-	-	•	23.43	54.00	30.57	-			
3	9608	48.27	37.85	-35.02	51.10	74.00	22.90	Vertical			
	9608	-	-	-	26.32	54.00	27.68	-			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C




Report No.: SUCR240200003404

Rev.: 01

Page: 96 of 103

GFSK_Channel 39



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4882	59.72	30.79	-42.51	48.00	74.00	26.00	Horizontal			
	4882	-	-	-	23.22	54.00	30.78	-			
2	7323	49.51	36.45	-38.31	47.65	74.00	26.35	Horizontal			
	7323	-	-	-	22.87	54.00	31.13	-			
3	9764	47.61	38.36	-35.29	50.68	74.00	23.32	Horizontal			
	9764	-	-	-	25.90	54.00	28.10	-			






Report No.: SUCR240200003404

Rev.: 01

Page: 97 of 103

GFSK_Channel 39



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4881.5	55.37	30.79	-42.51	43.65	74.00	30.35	Vertical			
	4881.5	-	-	-	18.87	54.00	35.13	-			
2	7323	50.71	36.45	-38.31	48.85	74.00	25.15	Vertical			
	7323	-	-	-	24.07	54.00	29.93	-			
3	9764	49.57	38.36	-35.29	52.64	74.00	21.36	Vertical			
	9764	-	-	-	27.86	54.00	26.14	-			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C




Report No.: SUCR240200003404

Rev.: 01

Page: 98 of 103

GFSK_Channel 78



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4960	60.58	31.04	-42.44	49.18	74.00	24.82	Horizontal			
	4960	-	-	-	24.40	54.00	29.60	-			
2	7440	50.08	36.78	-37.77	49.09	74.00	24.91	Horizontal			
	7440	-	-	-	24.31	54.00	29.69	-			
3	9920	50.35	38.62	-34.75	54.22	74.00	19.78	Horizontal			
	9920	-	-	-	29.44	54.00	24.56	-			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at https://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents subject to Terms and Conditions for Electronic Document as that <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-and-C




Report No.: SUCR240200003404

Rev.: 01

Page: 99 of 103

GFSK_Channel 78



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	4960	58.01	31.04	-42.44	46.61	74.00	27.39	Vertical			
	4960	-	-	-	21.83	54.00	32.17	-			
2	7440	50.34	36.78	-37.77	49.35	74.00	24.65	Vertical			
	7440	-	-	-	24.57	54.00	29.43	-			
3	9920	48.68	38.62	-34.75	52.55	74.00	21.45	Vertical			
	9920	-	-	-	27.77	54.00	26.23	-			

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

2) All channels have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apx.and, conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.attention is drawn to the limitation of liability, indemification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路(号的6号厂房南部 邮编:215000 t (86-512) 62992980 t (86-512) 62992980




Report No.: SUCR240200003404

Rev.: 01

Page: 100 of 103

Restricted bands around fundamental frequency GFSK_Channel 0



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2365.6028	39.09	27.54	-17.35	49.28	74.00	24.72	Horizontal			
	2365.6028	-	-	-	24.50	54.00	29.50	-			
2	2387.2136	38.24	27.45	-17.26	48.43	74.00	25.57	Horizontal			
	2387.2136	-	-	-	23.65	54.00	30.35	-			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgency or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing line pection report & certificate, please contact us at telephone: (66-755) 5307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com




Report No.: SUCR240200003404

Rev.: 01

Page: 101 of 103

GFSK_Channel 0



Data L	Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2355.2476	39.16	27.58	-17.40	49.34	74.00	24.66	Vertical			
	2355.2476	-	-	-	24.56	54.00	29.44	-			
2	2385.7879	38.35	27.46	-17.27	48.54	74.00	25.46	Vertical			
	2385.7879	-	-	-	23.76	54.00	30.24	-			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and., for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and-Ferms-and-Conditions-and-Conditions-and-Ferms-and-Conditions-and




Report No.: SUCR240200003404

Rev.: 01

Page: 102 of 103

GFSK_Channel 78



Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2483.7419	39.78	27.73	-17.15	50.36	74.00	23.64	Horizontal			
	2483.7419	-	-	-	25.58	54.00	28.42	-			
2	2489.6448	38.70	27.76	-17.18	49.28	74.00	24.72	Horizontal			
	2489.6448	-	-	-	24.50	54.00	29.50	-			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi




Report No.: SUCR240200003404

Rev.: 01

Page: 103 of 103

GFSK_Channel 78



Data List											
NO.	Frequency [MHz]	Reading [dBµV]	AF[dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity			
1	2484.4922	38.46	27.74	-17.15	49.05	74.00	24.95	Vertical			
	2484.4922	-	-	-	24.27	54.00	29.73	-			
2	2490.9455	38.33	27.76	-17.19	48.90	74.00	25.10	Vertical			
	2490.9455	-	-	-	24.12	54.00	29.88	-			

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:

Level = Reading($dB\mu V$) + AF(dB/m) + Factor(dB):

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier gain(dB)

Margin = Limit($dB\mu V/m$) – Level($dB\mu V/m$)

---End of Report---



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer worleral, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx tkention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is divised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of illent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a ransaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisification of the content on preaarance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the ssults shown in this test report refer only to the sample(s) setzed and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runstreng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980