




11AC20MIMO_Ant1_5745




11AC20MIMO_Ant2_5745




11AC20MIMO_Ant1_5785




11AC20MIMO_Ant2_5785




11AC20MIMO_Ant1_5825




11AC20MIMO_Ant2_5825




11AC40MIMO_Ant1_5755




11AC40MIMO_Ant2_5755




11AC40MIMO_Ant1_5795




11AC40MIMO_Ant2_5795




11AC80MIMO_Ant1_5775




11AC80MIMO_Ant2_5775




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant2_5745




11AX20MIMO_Ant1_5785




11AX20MIMO_Ant2_5785




11AX20MIMO_Ant1_5825




11AX20MIMO_Ant2_5825




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795



11AX80MIMO_Ant1_5775



11AX80MIMO_Ant2_5775



8.2 MAXIMUM CONDUCTED OUTPUT POWER

8.2.1 Applicable Standard

According to FCC Part 15.407(a)(1) for UNII Band I
According to FCC Part 15.407(a)(2) for UNII Band II-A and UNII Band II-C
According to FCC Part 15.407(a)(3) for UNII Band III
According to 789033 D02 Section II(E)

8.2.2 Conformance Limit

■ For the band 5.15-5.25 GHz,

(a) (1) (i) For an outdoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi. The maximum e.i.r.p. at any elevation angle above 30 degrees as measured from the horizon must not exceed 125 mW (21 dBm).

(a) (1) (ii) For an indoor access point operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(a) (1) (iii) For fixed point-to-point access points operating in the band 5.15-5.25 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. Fixed point-to-point U-NII devices may employ antennas with directional gain up to 23 dBi without any corresponding reduction in the maximum conducted output power or maximum power spectral density. For fixed point-to-point transmitters that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and maximum power spectral density is required for each 1 dB of antenna gain in excess of 23 dBi. Fixed, point-to-point operations exclude the use of point-to-multipoint systems, omnidirectional applications, and multiple collocated transmitters transmitting the same information. The operator of the U-NII device, or if the equipment is professionally installed, the installer, is responsible for ensuring that systems employing high gain directional antennas are used exclusively for fixed, point-to-point operations.

(a) (1) (iv) For mobile and portable client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the 5.25-5.35 GHz and 5.47-5.725 GHz bands

(a) (2) the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or $11 \text{ dBm} + 10 \log B$, where B is the 26 dB emission bandwidth in megahertz. In addition, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

■ For the band 5.725-5.85 GHz

(a) (3) For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W. In addition, the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band. If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

8.2.3 Test Configuration

Test according to clause 6.1 radio frequency test setup 1.

8.2.4 Test Procedure

The maximum average conducted output power can be measured using Method PM-G (Measurement using a gated RF average power meter):

Measurements may be performed using a wideband gated RF power meter provided that the gate parameters are adjusted such that the power is measured only when the EUT is transmitting at its maximum power control level. Since the measurement is made only during the ON time of the transmitter, no duty cycle correction factor is required.

- a. The Transmitter output (antenna port) was connected to the power meter.
- b. Turn on the EUT and power meter and then record the power value.
- c. Repeat above procedures on all channels needed to be tested.

8.2.5 Test Results



Test Mode	Antenna	Frequency [MHz]	Set Power	Result [dBm]	Limit [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	Ant1	5180	NA	17.34	≤23.98	0.00	17.34	---	PASS
	Ant2	5180	NA	16.64	≤23.98	0.00	16.64	---	PASS
	Ant1	5200	NA	17.15	≤23.98	0.00	17.15	---	PASS
	Ant2	5200	NA	16.41	≤23.98	0.00	16.41	---	PASS
	Ant1	5240	NA	17.27	≤23.98	0.00	17.27	---	PASS
	Ant2	5240	NA	16.49	≤23.98	0.00	16.49	---	PASS
	Ant1	5260	TPC_H	16.80	≤23.98	0.00	16.80	≤30.00	PASS
			TPC_L	12.86	≤23.98	0.00	12.86	≤30.00	PASS
	Ant2	5260	TPC_H	16.24	≤23.98	0.00	16.24	≤30.00	PASS
			TPC_L	12.56	≤23.98	0.00	12.56	≤30.00	PASS
	Ant1	5280	TPC_H	16.47	≤23.98	0.00	16.47	≤30.00	PASS
			TPC_L	12.68	≤23.98	0.00	12.68	≤30.00	PASS
	Ant2	5280	TPC_L	12.56	≤23.98	0.00	12.56	≤30.00	PASS
			TPC_H	16.29	≤23.98	0.00	16.29	≤30.00	PASS
	Ant1	5320	TPC_H	16.49	≤23.98	0.00	16.49	≤30.00	PASS
			TPC_L	12.71	≤23.98	0.00	12.71	≤30.00	PASS
	Ant2	5320	TPC_H	16.46	≤23.98	0.00	16.46	≤30.00	PASS
			TPC_L	12.69	≤23.98	0.00	12.69	≤30.00	PASS
	Ant1	5500	TPC_H	18.56	≤23.98	0.00	18.56	≤30.00	PASS
			TPC_L	14.80	≤23.98	0.00	14.80	≤30.00	PASS
	Ant2	5500	TPC_L	13.72	≤23.98	0.00	13.72	≤30.00	PASS
			TPC_H	17.32	≤23.98	0.00	17.32	≤30.00	PASS
	Ant1	5580	TPC_L	14.26	≤23.98	0.00	14.26	≤30.00	PASS
			TPC_H	18.06	≤23.98	0.00	18.06	≤30.00	PASS
	Ant2	5580	TPC_L	13.18	≤23.98	0.00	13.18	≤30.00	PASS
			TPC_H	16.78	≤23.98	0.00	16.78	≤30.00	PASS
	Ant1	5700	TPC_L	13.69	≤23.98	0.00	13.69	≤30.00	PASS
			TPC_H	17.56	≤23.98	0.00	17.56	≤30.00	PASS
	Ant2	5700	TPC_H	16.54	≤23.98	0.00	16.54	≤30.00	PASS

								0	
		TPC_L	12.92	≤23.98	0.00	12.92	≤30.00	0	PASS
	Ant1	5745	NA	16.57	≤30.00	0.00	16.57	---	PASS
	Ant2	5745	NA	15.94	≤30.00	0.00	15.94	---	PASS
	Ant1	5785	NA	16.54	≤30.00	0.00	16.54	---	PASS
	Ant2	5785	NA	15.87	≤30.00	0.00	15.87	---	PASS
	Ant1	5825	NA	16.30	≤30.00	0.00	16.30	---	PASS
	Ant2	5825	NA	15.17	≤30.00	0.00	15.17	---	PASS
11N20MI MO	Ant1	5180	NA	17.37	≤21.66	0.00	17.37	---	PASS
	Ant2	5180	NA	16.46	≤21.66	0.00	16.46	---	PASS
	total	5180	NA	19.95	≤21.66	---	19.95	---	PASS
	Ant1	5200	NA	17.06	≤21.66	0.00	17.06	---	PASS
	Ant2	5200	NA	16.33	≤21.66	0.00	16.33	---	PASS
	total	5200	NA	19.72	≤21.66	---	19.72	---	PASS
	Ant1	5240	NA	17.15	≤21.66	0.00	17.15	---	PASS
	Ant2	5240	NA	16.45	≤21.66	0.00	16.45	---	PASS
	total	5240	NA	19.82	≤21.66	---	19.82	---	PASS
	Ant1	5260	TPC_H	16.56	≤21.66	0.00	16.56	≤27.68	PASS
			TPC_L	12.81	≤21.66	0.00	12.81	≤27.68	PASS
	Ant2	5260	TPC_H	16.17	≤21.66	0.00	16.17	≤27.68	PASS
			TPC_L	12.74	≤21.66	0.00	12.74	≤27.68	PASS
	total	5260	TPC_L	15.79	≤21.66	---	15.79	≤27.68	PASS
			TPC_H	19.38	≤21.66	---	19.38	≤27.68	PASS
	Ant1	5280	TPC_H	16.38	≤21.66	0.00	16.38	≤27.68	PASS
			TPC_L	12.65	≤21.66	0.00	12.65	≤27.68	PASS
	Ant2	5280	TPC_H	16.19	≤21.66	0.00	16.19	≤27.68	PASS
			TPC_L	12.68	≤21.66	0.00	12.68	≤27.68	PASS
	total	5280	TPC_H	19.30	≤21.66	---	19.30	≤27.68	PASS
			TPC_L	15.68	≤21.66	---	15.68	≤27.68	PASS
	Ant1	5320	TPC_L	12.52	≤21.66	0.00	12.52	≤27.68	PASS
			TPC_H	16.36	≤21.66	0.00	16.36	≤27.68	PASS
	Ant2	5320	TPC_L	12.86	≤21.66	0.00	12.86	≤27.68	PASS
			TPC_H	16.55	≤21.66	0.00	16.55	≤27.68	PASS
	total	5320	TPC_L	15.70	≤21.66	---	15.70	≤27.68	PASS
			TPC_H	19.47	≤21.66	---	19.47	≤27.68	PASS
	Ant1	5500	TPC_L	14.70	≤21.66	0.00	14.70	≤27.68	PASS

			TPC_H	18.37	≤21.66	0.00	18.37	≤27.68	PASS
	Ant2	5500	TPC_L	13.96	≤21.66	0.00	13.96	≤27.68	PASS
			TPC_H	17.47	≤21.66	0.00	17.47	≤27.68	PASS
	total	5500	TPC_L	17.36	≤21.66	---	17.36	≤27.68	PASS
			TPC_H	20.95	≤21.66	---	20.95	≤27.68	PASS
	Ant1	5580	TPC_L	14.14	≤21.66	0.00	14.14	≤27.68	PASS
			TPC_H	17.88	≤21.66	0.00	17.88	≤27.68	PASS
	Ant2	5580	TPC_L	13.42	≤21.66	0.00	13.42	≤27.68	PASS
			TPC_H	16.89	≤21.66	0.00	16.89	≤27.68	PASS
	total	5580	TPC_L	16.81	≤21.66	---	16.81	≤27.68	PASS
			TPC_H	20.42	≤21.66	---	20.42	≤27.68	PASS
	Ant1	5700	TPC_H	17.30	≤21.66	0.00	17.30	≤27.68	PASS
			TPC_L	13.56	≤21.66	0.00	13.56	≤27.68	PASS
	Ant2	5700	TPC_L	12.98	≤21.66	0.00	12.98	≤27.68	PASS
			TPC_H	16.65	≤21.66	0.00	16.65	≤27.68	PASS
	total	5700	TPC_L	16.29	≤21.66	---	16.29	≤27.68	PASS
			TPC_H	20.00	≤21.66	---	20.00	≤27.68	PASS
	Ant1	5745	NA	16.57	≤27.68	0.00	16.57	---	PASS
	Ant2	5745	NA	16.00	≤27.68	0.00	16.00	---	PASS
	total	5745	NA	19.30	≤27.68	---	19.30	---	PASS
	Ant1	5785	NA	16.46	≤27.68	0.00	16.46	---	PASS
	Ant2	5785	NA	16.07	≤27.68	0.00	16.07	---	PASS
	total	5785	NA	19.28	≤27.68	---	19.28	---	PASS
	Ant1	5825	NA	16.15	≤27.68	0.00	16.15	---	PASS
	Ant2	5825	NA	15.36	≤27.68	0.00	15.36	---	PASS
	total	5825	NA	18.78	≤27.68	---	18.78	---	PASS
11N40MI MO	Ant1	5190	NA	17.23	≤21.66	0.00	17.23	---	PASS
	Ant2	5190	NA	16.78	≤21.66	0.00	16.78	---	PASS
	total	5190	NA	20.02	≤21.66	---	20.02	---	PASS
	Ant1	5230	NA	17.07	≤21.66	0.00	17.07	---	PASS
	Ant2	5230	NA	16.68	≤21.66	0.00	16.68	---	PASS
	total	5230	NA	19.89	≤21.66	---	19.89	---	PASS
	Ant1	5270	TPC_L	12.73	≤21.66	0.00	12.73	≤27.68	PASS
			TPC_H	16.63	≤21.66	0.00	16.63	≤27.68	PASS
	Ant2	5270	TPC_H	16.60	≤21.66	0.00	16.60	≤27.68	PASS
			TPC_L	12.51	≤21.66	0.00	12.51	≤27.68	PASS

								8	
total	5270	TPC_L	15.63	≤21.66	---	15.63	≤27.68	PASS	
		TPC_H	19.63	≤21.66	---	19.63	≤27.68	PASS	
Ant1	5310	TPC_L	12.70	≤21.66	0.00	12.70	≤27.68	PASS	
		TPC_H	16.46	≤21.66	0.00	16.46	≤27.68	PASS	
Ant2	5310	TPC_H	16.72	≤21.66	0.00	16.72	≤27.68	PASS	
		TPC_L	12.74	≤21.66	0.00	12.74	≤27.68	PASS	
total	5310	TPC_H	19.60	≤21.66	---	19.60	≤27.68	PASS	
		TPC_L	15.73	≤21.66	---	15.73	≤27.68	PASS	
Ant1	5510	TPC_L	13.47	≤21.66	0.00	13.47	≤27.68	PASS	
		TPC_H	17.40	≤21.66	0.00	17.40	≤27.68	PASS	
Ant2	5510	TPC_L	12.56	≤21.66	0.00	12.56	≤27.68	PASS	
		TPC_H	16.51	≤21.66	0.00	16.51	≤27.68	PASS	
total	5510	TPC_L	16.05	≤21.66	---	16.05	≤27.68	PASS	
		TPC_H	19.99	≤21.66	---	19.99	≤27.68	PASS	
Ant1	5550	TPC_H	17.00	≤21.66	0.00	17.00	≤27.68	PASS	
		TPC_L	13.07	≤21.66	0.00	13.07	≤27.68	PASS	
Ant2	5550	TPC_H	16.15	≤21.66	0.00	16.15	≤27.68	PASS	
		TPC_L	12.19	≤21.66	0.00	12.19	≤27.68	PASS	
total	5550	TPC_L	15.66	≤21.66	---	15.66	≤27.68	PASS	
		TPC_H	19.61	≤21.66	---	19.61	≤27.68	PASS	
Ant1	5670	TPC_H	16.32	≤21.66	0.00	16.32	≤27.68	PASS	
		TPC_L	12.54	≤21.66	0.00	12.54	≤27.68	PASS	
Ant2	5670	TPC_H	15.50	≤21.66	0.00	15.50	≤27.68	PASS	
		TPC_L	11.70	≤21.66	0.00	11.70	≤27.68	PASS	
total	5670	TPC_H	18.94	≤21.66	---	18.94	≤27.68	PASS	
		TPC_L	15.15	≤21.66	---	15.15	≤27.68	PASS	
Ant1	5755	NA	15.22	≤27.68	0.00	15.22	---	PASS	
Ant2	5755	NA	14.91	≤27.68	0.00	14.91	---	PASS	
total	5755	NA	18.08	≤27.68	---	18.08	---	PASS	

	Ant1	5795	NA	15.21	≤27.68	0.00	15.21	---	PASS
	Ant2	5795	NA	14.80	≤27.68	0.00	14.80	---	PASS
	total	5795	NA	18.02	≤27.68	---	18.02	---	PASS
11AC20M IMO	Ant1	5180	NA	17.36	≤21.66	0.00	17.36	---	PASS
	Ant2	5180	NA	16.59	≤21.66	0.00	16.59	---	PASS
	total	5180	NA	20.00	≤21.66	---	20.00	---	PASS
	Ant1	5200	NA	17.14	≤21.66	0.00	17.14	---	PASS
	Ant2	5200	NA	16.51	≤21.66	0.00	16.51	---	PASS
	total	5200	NA	19.85	≤21.66	---	19.85	---	PASS
	Ant1	5240	NA	17.16	≤21.66	0.00	17.16	---	PASS
	Ant2	5240	NA	16.56	≤21.66	0.00	16.56	---	PASS
	total	5240	NA	19.88	≤21.66	---	19.88	---	PASS
	Ant1	5260	TPC_L	12.60	≤21.66	0.00	12.60	≤27.68	PASS
			TPC_H	16.76	≤21.66	0.00	16.76	≤27.68	PASS
	Ant2	5260	TPC_H	16.25	≤21.66	0.00	16.25	≤27.68	PASS
			TPC_L	12.55	≤21.66	0.00	12.55	≤27.68	PASS
	total	5260	TPC_H	19.52	≤21.66	---	19.52	≤27.68	PASS
			TPC_L	15.59	≤21.66	---	15.59	≤27.68	PASS
	Ant1	5280	TPC_H	16.47	≤21.66	0.00	16.47	≤27.68	PASS
			TPC_L	12.48	≤21.66	0.00	12.48	≤27.68	PASS
	Ant2	5280	TPC_H	16.33	≤21.66	0.00	16.33	≤27.68	PASS
			TPC_L	12.62	≤21.66	0.00	12.62	≤27.68	PASS
	total	5280	TPC_H	19.41	≤21.66	---	19.41	≤27.68	PASS
			TPC_L	15.56	≤21.66	---	15.56	≤27.68	PASS
	Ant1	5320	TPC_H	16.40	≤21.66	0.00	16.40	≤27.68	PASS
			TPC_L	12.43	≤21.66	0.00	12.43	≤27.68	PASS
	Ant2	5320	TPC_H	16.53	≤21.66	0.00	16.53	≤27.68	PASS
			TPC_L	12.94	≤21.66	0.00	12.94	≤27.68	PASS
	total	5320	TPC_H	19.48	≤21.66	---	19.48	≤27.68	PASS
			TPC_L	15.70	≤21.66	---	15.70	≤27.68	PASS
	Ant1	5500	TPC_H	18.68	≤21.66	0.00	18.68	≤27.68	PASS
			TPC_L	14.51	≤21.66	0.00	14.51	≤27.68	PASS
	Ant2	5500	TPC_L	13.78	≤21.66	0.00	13.78	≤27.68	PASS
TPC_H			17.77	≤21.66	0.00	17.77	≤27.68	PASS	

11AC40M IMO	total	5500	TPC_L	17.17	≤21.66	---	17.17	≤27.68	PASS
			TPC_H	21.26	≤21.66	---	21.26	≤27.68	PASS
	Ant1	5580	TPC_H	18.02	≤21.66	0.00	18.02	≤27.68	PASS
			TPC_L	14.07	≤21.66	0.00	14.07	≤27.68	PASS
	Ant2	5580	TPC_L	13.37	≤21.66	0.00	13.37	≤27.68	PASS
			TPC_H	17.11	≤21.66	0.00	17.11	≤27.68	PASS
	total	5580	TPC_L	16.74	≤21.66	---	16.74	≤27.68	PASS
			TPC_H	20.60	≤21.66	---	20.60	≤27.68	PASS
	Ant1	5700	TPC_L	13.51	≤21.66	0.00	13.51	≤27.68	PASS
			TPC_H	17.48	≤21.66	0.00	17.48	≤27.68	PASS
	Ant2	5700	TPC_L	13.05	≤21.66	0.00	13.05	≤27.68	PASS
			TPC_H	16.76	≤21.66	0.00	16.76	≤27.68	PASS
	total	5700	TPC_L	16.30	≤21.66	---	16.30	≤27.68	PASS
			TPC_H	20.15	≤21.66	---	20.15	≤27.68	PASS
	Ant1	5745	NA	16.62	≤27.68	0.00	16.62	---	PASS
	Ant2	5745	NA	16.00	≤27.68	0.00	16.00	---	PASS
	total	5745	NA	19.33	≤27.68	---	19.33	---	PASS
	Ant1	5785	NA	16.61	≤27.68	0.00	16.61	---	PASS
	Ant2	5785	NA	16.16	≤27.68	0.00	16.16	---	PASS
	total	5785	NA	19.40	≤27.68	---	19.40	---	PASS
	Ant1	5825	NA	16.24	≤27.68	0.00	16.24	---	PASS
	Ant2	5825	NA	15.59	≤27.68	0.00	15.59	---	PASS
	total	5825	NA	18.94	≤27.68	---	18.94	---	PASS
	Ant1	5190	NA	17.19	≤21.66	0.00	17.19	---	PASS
	Ant2	5190	NA	16.66	≤21.66	0.00	16.66	---	PASS
	total	5190	NA	19.94	≤21.66	---	19.94	---	PASS
	Ant1	5230	NA	17.02	≤21.66	0.00	17.02	---	PASS
	Ant2	5230	NA	16.67	≤21.66	0.00	16.67	---	PASS
	total	5230	NA	19.86	≤21.66	---	19.86	---	PASS
	Ant1	5270	TPC_L	12.73	≤21.66	0.00	12.73	≤27.68	PASS
TPC_H			16.69	≤21.66	0.00	16.69	≤27.68	PASS	
Ant2	5270	TPC_H	16.59	≤21.66	0.00	16.59	≤27.68	PASS	
		TPC_L	12.60	≤21.66	0.00	12.60	≤27.68	PASS	
total	5270	TPC_H	19.65	≤21.66	---	19.65	≤27.68	PASS	
		TPC_L	15.68	≤21.66	---	15.68	≤27.68	PASS	
Ant1	5310	TPC_L	12.59	≤21.66	0.00	12.59	≤27.68	PASS	

11AC80M IMO								8	
			TPC_H	16.54	≤21.66	0.00	16.54	≤27.68	PASS
	Ant2	5310	TPC_H	16.76	≤21.66	0.00	16.76	≤27.68	PASS
			TPC_L	12.65	≤21.66	0.00	12.65	≤27.68	PASS
	total	5310	TPC_H	19.66	≤21.66	---	19.66	≤27.68	PASS
			TPC_L	15.63	≤21.66	---	15.63	≤27.68	PASS
	Ant1	5510	TPC_H	17.35	≤21.66	0.00	17.35	≤27.68	PASS
			TPC_L	13.46	≤21.66	0.00	13.46	≤27.68	PASS
	Ant2	5510	TPC_H	16.63	≤21.66	0.00	16.63	≤27.68	PASS
			TPC_L	12.47	≤21.66	0.00	12.47	≤27.68	PASS
	total	5510	TPC_H	20.02	≤21.66	---	20.02	≤27.68	PASS
			TPC_L	16.00	≤21.66	---	16.00	≤27.68	PASS
	Ant1	5550	TPC_H	17.03	≤21.66	0.00	17.03	≤27.68	PASS
			TPC_L	13.07	≤21.66	0.00	13.07	≤27.68	PASS
	Ant2	5550	TPC_H	16.17	≤21.66	0.00	16.17	≤27.68	PASS
			TPC_L	12.33	≤21.66	0.00	12.33	≤27.68	PASS
	total	5550	TPC_H	19.63	≤21.66	---	19.63	≤27.68	PASS
			TPC_L	15.73	≤21.66	---	15.73	≤27.68	PASS
	Ant1	5670	TPC_H	16.32	≤21.66	0.00	16.32	≤27.68	PASS
			TPC_L	12.53	≤21.66	0.00	12.53	≤27.68	PASS
	Ant2	5670	TPC_H	15.59	≤21.66	0.00	15.59	≤27.68	PASS
			TPC_L	11.69	≤21.66	0.00	11.69	≤27.68	PASS
	total	5670	TPC_H	18.98	≤21.66	---	18.98	≤27.68	PASS
			TPC_L	15.14	≤21.66	---	15.14	≤27.68	PASS
	Ant1	5755	NA	15.27	≤27.68	0.00	15.27	---	PASS
	Ant2	5755	NA	14.84	≤27.68	0.00	14.84	---	PASS
	total	5755	NA	18.07	≤27.68	---	18.07	---	PASS
	Ant1	5795	NA	15.22	≤27.68	0.00	15.22	---	PASS
Ant2	5795	NA	14.64	≤27.68	0.00	14.64	---	PASS	
total	5795	NA	17.95	≤27.68	---	17.95	---	PASS	
Ant1	5210	NA	17.03	≤21.66	0.00	17.03	---	PASS	
Ant2	5210	NA	16.61	≤21.66	0.00	16.61	---	PASS	
total	5210	NA	19.84	≤21.66	---	19.84	---	PASS	

	Ant1	5290	TPC_L	12.56	≤ 21.66	0.00	12.56	≤ 27.68	PASS	
			TPC_H	16.36	≤ 21.66	0.00	16.36	≤ 27.68	PASS	
	Ant2	5290	TPC_L	12.87	≤ 21.66	0.00	12.87	≤ 27.68	PASS	
			TPC_H	16.53	≤ 21.66	0.00	16.53	≤ 27.68	PASS	
	total	5290	TPC_H	19.46	≤ 21.66	---	19.46	≤ 27.68	PASS	
			TPC_L	15.73	≤ 21.66	---	15.73	≤ 27.68	PASS	
	Ant1	5530	TPC_L	13.17	≤ 21.66	0.00	13.17	≤ 27.68	PASS	
			TPC_H	16.64	≤ 21.66	0.00	16.64	≤ 27.68	PASS	
	Ant2	5530	TPC_H	16.04	≤ 21.66	0.00	16.04	≤ 27.68	PASS	
			TPC_L	12.29	≤ 21.66	0.00	12.29	≤ 27.68	PASS	
	total	5530	TPC_H	19.36	≤ 21.66	---	19.36	≤ 27.68	PASS	
			TPC_L	15.76	≤ 21.66	---	15.76	≤ 27.68	PASS	
	Ant1	5610	TPC_H	16.52	≤ 21.66	0.00	16.52	≤ 27.68	PASS	
			TPC_L	13.10	≤ 21.66	0.00	13.10	≤ 27.68	PASS	
	Ant2	5610	TPC_H	14.95	≤ 21.66	0.00	14.95	≤ 27.68	PASS	
			TPC_L	11.36	≤ 21.66	0.00	11.36	≤ 27.68	PASS	
	total	5610	TPC_H	18.82	≤ 21.66	---	18.82	≤ 27.68	PASS	
			TPC_L	15.33	≤ 21.66	---	15.33	≤ 27.68	PASS	
	Ant1	5775	NA	15.29	≤ 27.68	0.00	15.29	---	PASS	
	Ant2	5775	NA	14.64	≤ 27.68	0.00	14.64	---	PASS	
	total	5775	NA	17.99	≤ 27.68	---	17.99	---	PASS	
	11AC160 MIMO	Ant1	5250_UNI I-1	TPC_H	11.29	≤ 21.66	0.00	11.29	≤ 27.68	PASS
				TPC_L	7.53	≤ 21.66	0.00	7.53	≤ 27.68	PASS
		Ant2	5250_UNI I-1	TPC_H	11.25	≤ 21.66	0.00	11.25	≤ 27.68	PASS
TPC_L				7.77	≤ 21.66	0.00	7.77	≤ 27.68	PASS	
total		5250_UNI I-1	TPC_H	14.28	≤ 21.66	---	14.28	≤ 27.68	PASS	
			TPC_L	10.66	≤ 21.66	---	10.66	≤ 27.68	PASS	
Ant1		5250_UNI I-2A	TPC_L	6.72	≤ 21.66	0.00	6.72	≤ 27.68	PASS	
			TPC_H	10.40	≤ 21.66	0.00	10.40	≤ 27.68	PASS	
Ant2		5250_UNI	TPC_L	6.95	≤ 21.66	0.00	6.95	≤ 27.68	PASS	

		I-2A						8		
			TPC_H	10.38	≤21.66	0.00	10.38	≤27.68	PASS	
	total	5250_UNI I-2A	TPC_L	9.85	≤21.66	---	9.85	≤27.68	PASS	
			TPC_H	13.40	≤21.66	---	13.40	≤27.68	PASS	
	Ant1	5570	TPC_L	12.03	≤21.66	0.00	12.03	≤27.68	PASS	
			TPC_H	15.39	≤21.66	0.00	15.39	≤27.68	PASS	
	Ant2	5570	TPC_H	14.69	≤21.66	0.00	14.69	≤27.68	PASS	
			TPC_L	11.04	≤21.66	0.00	11.04	≤27.68	PASS	
	total	5570	TPC_L	14.57	≤21.66	---	14.57	≤27.68	PASS	
			TPC_H	18.06	≤21.66	---	18.06	≤27.68	PASS	
	11AX20M IMO	Ant1	5180	NA	17.56	≤21.66	0.00	17.56	---	PASS
		Ant2	5180	NA	16.86	≤21.66	0.00	16.86	---	PASS
		total	5180	NA	20.23	≤21.66	---	20.23	---	PASS
		Ant1	5200	NA	17.40	≤21.66	0.00	17.40	---	PASS
Ant2		5200	NA	16.72	≤21.66	0.00	16.72	---	PASS	
total		5200	NA	20.08	≤21.66	---	20.08	---	PASS	
Ant1		5240	NA	17.40	≤21.66	0.00	17.40	---	PASS	
Ant2		5240	NA	16.69	≤21.66	0.00	16.69	---	PASS	
total		5240	NA	20.07	≤21.66	---	20.07	---	PASS	
Ant1		5260	TPC_H	16.88	≤21.66	0.00	16.88	≤27.68	PASS	
			TPC_L	13.20	≤21.66	0.00	13.20	≤27.68	PASS	
Ant2		5260	TPC_H	16.49	≤21.66	0.00	16.49	≤27.68	PASS	
			TPC_L	13.12	≤21.66	0.00	13.12	≤27.68	PASS	
total		5260	TPC_H	19.70	≤21.66	---	19.70	≤27.68	PASS	
			TPC_L	16.17	≤21.66	---	16.17	≤27.68	PASS	
Ant1		5280	TPC_L	13.01	≤21.66	0.00	13.01	≤27.68	PASS	
			TPC_H	16.65	≤21.66	0.00	16.65	≤27.68	PASS	
Ant2		5280	TPC_H	16.52	≤21.66	0.00	16.52	≤27.68	PASS	
			TPC_L	13.02	≤21.66	0.00	13.02	≤27.68	PASS	
total		5280	TPC_L	16.03	≤21.66	---	16.03	≤27.68	PASS	
	TPC_H		19.60	≤21.66	---	19.60	≤27.68	PASS		
Ant1	5320	TPC_L	12.88	≤21.66	0.00	12.88	≤27.68	PASS		
		TPC_H	16.61	≤21.66	0.00	16.61	≤27.68	PASS		


11AX40M IMO	Ant2	5320	TPC_L	13.24	≤21.66	0.00	13.24	≤27.68	PASS
			TPC_H	16.81	≤21.66	0.00	16.81	≤27.68	PASS
	total	5320	TPC_H	19.72	≤21.66	---	19.72	≤27.68	PASS
			TPC_L	16.07	≤21.66	---	16.07	≤27.68	PASS
	Ant1	5500	TPC_L	15.13	≤21.66	0.00	15.13	≤27.68	PASS
			TPC_H	18.68	≤21.66	0.00	18.68	≤27.68	PASS
	Ant2	5500	TPC_L	14.30	≤21.66	0.00	14.30	≤27.68	PASS
			TPC_H	17.72	≤21.66	0.00	17.72	≤27.68	PASS
	total	5500	TPC_H	21.24	≤21.66	---	21.24	≤27.68	PASS
			TPC_L	17.75	≤21.66	---	17.75	≤27.68	PASS
	Ant1	5580	TPC_H	18.14	≤21.66	0.00	18.14	≤27.68	PASS
			TPC_L	14.52	≤21.66	0.00	14.52	≤27.68	PASS
	Ant2	5580	TPC_H	17.14	≤21.66	0.00	17.14	≤27.68	PASS
			TPC_L	13.80	≤21.66	0.00	13.80	≤27.68	PASS
	total	5580	TPC_H	20.68	≤21.66	---	20.68	≤27.68	PASS
			TPC_L	17.19	≤21.66	---	17.19	≤27.68	PASS
	Ant1	5700	TPC_L	14.05	≤21.66	0.00	14.05	≤27.68	PASS
			TPC_H	17.67	≤21.66	0.00	17.67	≤27.68	PASS
	Ant2	5700	TPC_H	16.94	≤21.66	0.00	16.94	≤27.68	PASS
			TPC_L	13.42	≤21.66	0.00	13.42	≤27.68	PASS
	total	5700	TPC_H	20.33	≤21.66	---	20.33	≤27.68	PASS
			TPC_L	16.76	≤21.66	---	16.76	≤27.68	PASS
	Ant1	5745	NA	16.77	≤27.68	0.00	16.77	---	PASS
	Ant2	5745	NA	16.30	≤27.68	0.00	16.30	---	PASS
	total	5745	NA	19.55	≤27.68	---	19.55	---	PASS
	Ant1	5785	NA	16.77	≤27.68	0.00	16.77	---	PASS
	Ant2	5785	NA	16.38	≤27.68	0.00	16.38	---	PASS
	total	5785	NA	19.59	≤27.68	---	19.59	---	PASS
	Ant1	5825	NA	16.52	≤27.68	0.00	16.52	---	PASS
	Ant2	5825	NA	15.87	≤27.68	0.00	15.87	---	PASS
total	5825	NA	19.22	≤27.68	---	19.22	---	PASS	
Ant1	5190	NA	17.45	≤21.66	0.00	17.45	---	PASS	
Ant2	5190	NA	16.88	≤21.66	0.00	16.88	---	PASS	
total	5190	NA	20.18	≤21.66	---	20.18	---	PASS	

	Ant1	5230	NA	17.42	≤ 21.66	0.00	17.42	---	PASS
	Ant2	5230	NA	16.79	≤ 21.66	0.00	16.79	---	PASS
	total	5230	NA	20.13	≤ 21.66	---	20.13	---	PASS
	Ant1	5270	TPC_L	13.09	≤ 21.66	0.00	13.09	≤ 27.68	PASS
			TPC_H	16.94	≤ 21.66	0.00	16.94	≤ 27.68	PASS
	Ant2	5270	TPC_H	16.83	≤ 21.66	0.00	16.83	≤ 27.68	PASS
			TPC_L	12.94	≤ 21.66	0.00	12.94	≤ 27.68	PASS
	total	5270	TPC_H	19.90	≤ 21.66	---	19.90	≤ 27.68	PASS
			TPC_L	16.03	≤ 21.66	---	16.03	≤ 27.68	PASS
	Ant1	5310	TPC_L	13.03	≤ 21.66	0.00	13.03	≤ 27.68	PASS
			TPC_H	16.93	≤ 21.66	0.00	16.93	≤ 27.68	PASS
	Ant2	5310	TPC_L	13.05	≤ 21.66	0.00	13.05	≤ 27.68	PASS
			TPC_H	16.94	≤ 21.66	0.00	16.94	≤ 27.68	PASS
	total	5310	TPC_H	19.95	≤ 21.66	---	19.95	≤ 27.68	PASS
			TPC_L	16.05	≤ 21.66	---	16.05	≤ 27.68	PASS
	Ant1	5510	TPC_H	17.71	≤ 21.66	0.00	17.71	≤ 27.68	PASS
			TPC_L	13.88	≤ 21.66	0.00	13.88	≤ 27.68	PASS
	Ant2	5510	TPC_H	16.71	≤ 21.66	0.00	16.71	≤ 27.68	PASS
			TPC_L	13.09	≤ 21.66	0.00	13.09	≤ 27.68	PASS
	total	5510	TPC_H	20.25	≤ 21.66	---	20.25	≤ 27.68	PASS
			TPC_L	16.51	≤ 21.66	---	16.51	≤ 27.68	PASS
	Ant1	5550	TPC_H	17.33	≤ 21.66	0.00	17.33	≤ 27.68	PASS
			TPC_L	13.55	≤ 21.66	0.00	13.55	≤ 27.68	PASS
	Ant2	5550	TPC_L	12.47	≤ 21.66	0.00	12.47	≤ 27.68	PASS
			TPC_H	16.44	≤ 21.66	0.00	16.44	≤ 27.68	PASS
	total	5550	TPC_H	19.92	≤ 21.66	---	19.92	≤ 27.68	PASS
			TPC_L	16.05	≤ 21.66	---	16.05	≤ 27.68	PASS
	Ant1	5670	TPC_L	12.98	≤ 21.66	0.00	12.98	≤ 27.68	PASS
			TPC_H	16.68	≤ 21.66	0.00	16.68	≤ 27.68	PASS
	Ant2	5670	TPC_H	15.94	≤ 21.66	0.00	15.94	≤ 27.68	PASS


	total	5670	TPC_L	12.12	≤21.66	0.00	12.12	8 ≤27.6 8	PASS	
			TPC_L	15.58	≤21.66	---	15.58	8 ≤27.6 8	PASS	
			TPC_H	19.34	≤21.66	---	19.34	8 ≤27.6 8	PASS	
	Ant1	5755	NA	15.60	≤27.68	0.00	15.60	---	PASS	
	Ant2	5755	NA	15.26	≤27.68	0.00	15.26	---	PASS	
	total	5755	NA	18.44	≤27.68	---	18.44	---	PASS	
	Ant1	5795	NA	15.52	≤27.68	0.00	15.52	---	PASS	
	Ant2	5795	NA	14.95	≤27.68	0.00	14.95	---	PASS	
	total	5795	NA	18.25	≤27.68	---	18.25	---	PASS	
	Ant1	5210	NA	17.47	≤21.66	0.00	17.47	---	PASS	
	Ant2	5210	NA	16.90	≤21.66	0.00	16.90	---	PASS	
	total	5210	NA	20.20	≤21.66	---	20.20	---	PASS	
	11AX80M IMO	Ant1	5290	TPC_H	16.67	≤21.66	0.00	16.67	8 ≤27.6 8	PASS
				TPC_L	13.14	≤21.66	0.00	13.14	8 ≤27.6 8	PASS
Ant2		5290	TPC_H	16.95	≤21.66	0.00	16.95	8 ≤27.6 8	PASS	
			TPC_L	13.36	≤21.66	0.00	13.36	8 ≤27.6 8	PASS	
total		5290	TPC_H	19.82	≤21.66	---	19.82	8 ≤27.6 8	PASS	
			TPC_L	16.26	≤21.66	---	16.26	8 ≤27.6 8	PASS	
Ant1		5530	TPC_H	17.21	≤21.66	0.00	17.21	8 ≤27.6 8	PASS	
			TPC_L	13.63	≤21.66	0.00	13.63	8 ≤27.6 8	PASS	
Ant2		5530	TPC_H	16.56	≤21.66	0.00	16.56	8 ≤27.6 8	PASS	
			TPC_L	12.95	≤21.66	0.00	12.95	8 ≤27.6 8	PASS	
total		5530	TPC_H	19.91	≤21.66	---	19.91	8 ≤27.6 8	PASS	
			TPC_L	16.31	≤21.66	---	16.31	8 ≤27.6 8	PASS	
Ant1		5610	TPC_H	17.24	≤21.66	0.00	17.24	8 ≤27.6 8	PASS	
			TPC_L	13.58	≤21.66	0.00	13.58	8 ≤27.6 8	PASS	
Ant2		5610	TPC_H	15.30	≤21.66	0.00	15.30	8 ≤27.6 8	PASS	
			TPC_L	11.71	≤21.66	0.00	11.71	8 ≤27.6 8	PASS	
total		5610	TPC_H	19.39	≤21.66	---	19.39	8 ≤27.6 8	PASS	
			TPC_L	15.76	≤21.66	---	15.76	8 ≤27.6 8	PASS	
11AX160		Ant1	5775	NA	15.80	≤27.68	0.00	15.80	---	PASS
		Ant2	5775	NA	15.23	≤27.68	0.00	15.23	---	PASS
		total	5775	NA	18.53	≤27.68	---	18.53	---	PASS
11AX160		Ant1	5250_UNI	TPC_H	11.76	≤21.66	0.00	11.76	≤27.6	PASS

MIMO		I-1						8	
			TPC_L	8.04	≤21.66	0.00	8.04	≤27.6 8	PASS
	Ant2	5250_UNI I-1	TPC_H	11.94	≤21.66	0.00	11.94	≤27.6 8	PASS
			TPC_L	8.28	≤21.66	0.00	8.28	≤27.6 8	PASS
	total	5250_UNI I-1	TPC_H	14.86	≤21.66	---	14.86	≤27.6 8	PASS
			TPC_L	11.17	≤21.66	---	11.17	≤27.6 8	PASS
	Ant1	5250_UNI I-2A	TPC_L	7.09	≤21.66	0.00	7.09	≤27.6 8	PASS
			TPC_H	10.78	≤21.66	0.00	10.78	≤27.6 8	PASS
	Ant2	5250_UNI I-2A	TPC_H	11.03	≤21.66	0.00	11.03	≤27.6 8	PASS
			TPC_L	7.40	≤21.66	0.00	7.40	≤27.6 8	PASS
	total	5250_UNI I-2A	TPC_H	13.92	≤21.66	---	13.92	≤27.6 8	PASS
			TPC_L	10.26	≤21.66	---	10.26	≤27.6 8	PASS
	Ant1	5570	TPC_H	16.12	≤21.66	0.00	16.12	≤27.6 8	PASS
			TPC_L	12.52	≤21.66	0.00	12.52	≤27.6 8	PASS
	Ant2	5570	TPC_L	11.76	≤21.66	0.00	11.76	≤27.6 8	PASS
			TPC_H	15.45	≤21.66	0.00	15.45	≤27.6 8	PASS
	total	5570	TPC_H	18.81	≤21.66	---	18.81	≤27.6 8	PASS
			TPC_L	15.17	≤21.66	---	15.17	≤27.6 8	PASS


11A_Ant1_5180




11A_Ant2_5180




11A_Ant1_5200




11A_Ant2_5200




11A_Ant1_5240



11A_Ant2_5240




11A_Ant1_5260




11A_Ant1_5260




11A_Ant2_5260




11A_Ant2_5260




11A_Ant1_5280




11A_Ant1_5280




11A_Ant2_5280




11A_Ant2_5280




11A_Ant1_5320




11A_Ant1_5320




11A_Ant2_5320




11A_Ant2_5320




11A_Ant1_5500




11A_Ant1_5500




11A_Ant2_5500




11A_Ant2_5500




11A_Ant1_5580




11A_Ant1_5580




11A_Ant2_5580




11A_Ant2_5580




11A_Ant1_5700




11A_Ant1_5700




11A_Ant2_5700




11A_Ant2_5700




11A_Ant1_5745




11A_Ant2_5745




11A_Ant1_5785




11A_Ant2_5785



11A_Ant1_5825




11A_Ant2_5825




11N20MIMO_Ant1_5180



11N20MIMO_Ant2_5180




11N20MIMO_Ant1_5200




11N20MIMO_Ant2_5200




11N20MIMO_Ant1_5240




11N20MIMO_Ant2_5240




11N20MIMO_Ant1_5260




11N20MIMO_Ant1_5260




11N20MIMO_Ant2_5260




11N20MIMO_Ant2_5260



11N20MIMO_Ant1_5280




11N20MIMO_Ant1_5280




11N20MIMO_Ant2_5280



11N20MIMO_Ant2_5280




11N20MIMO_Ant1_5320




11N20MIMO_Ant1_5320




11N20MIMO_Ant2_5320




11N20MIMO_Ant2_5320




11N20MIMO_Ant1_5500




11N20MIMO_Ant1_5500




11N20MIMO_Ant2_5500




11N20MIMO_Ant2_5500




11N20MIMO_Ant1_5580




11N20MIMO_Ant1_5580




11N20MIMO_Ant2_5580



11N20MIMO_Ant2_5580




11N20MIMO_Ant1_5700




11N20MIMO_Ant1_5700




11N20MIMO_Ant2_5700




11N20MIMO_Ant2_5700




11N20MIMO_Ant1_5745



11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




11N20MIMO_Ant2_5785




11N20MIMO_Ant1_5825




11N20MIMO_Ant2_5825




11N40MIMO_Ant1_5190




11N40MIMO_Ant2_5190




11N40MIMO_Ant1_5230




11N40MIMO_Ant2_5230




11N40MIMO_Ant1_5270




11N40MIMO_Ant1_5270




11N40MIMO_Ant2_5270




11N40MIMO_Ant2_5270




11N40MIMO_Ant1_5310




11N40MIMO_Ant1_5310




11N40MIMO_Ant2_5310




11N40MIMO_Ant2_5310




11N40MIMO_Ant1_5510




11N40MIMO_Ant1_5510




11N40MIMO_Ant2_5510




11N40MIMO_Ant2_5510




11N40MIMO_Ant1_5550




11N40MIMO_Ant1_5550




11N40MIMO_Ant2_5550




11N40MIMO_Ant2_5550




11N40MIMO_Ant1_5670




11N40MIMO_Ant1_5670




11N40MIMO_Ant2_5670




11N40MIMO_Ant2_5670




11N40MIMO_Ant1_5755




11N40MIMO_Ant2_5755




11N40MIMO_Ant1_5795




11N40MIMO_Ant2_5795



11AC20MIMO_Ant1_5180




11AC20MIMO_Ant2_5180




11AC20MIMO_Ant1_5200



11AC20MIMO_Ant2_5200




11AC20MIMO_Ant1_5240




11AC20MIMO_Ant2_5240



11AC20MIMO_Ant1_5260



11AC20MIMO_Ant1_5260



11AC20MIMO_Ant2_5260