




11AX20SISO_Ant1_5240_1000~40000




11AX20SISO_Ant1_5260_30~1000




11AX20SISO_Ant1_5260_1000~40000




11AX20SISO_Ant1_5280_30~1000




11AX20SISO_Ant1_5280_1000~40000




11AX20SISO_Ant1_5320_30~1000




11AX20SISO_Ant1_5320_1000~40000




11AX20SISO_Ant1_5500_30~1000




11AX20SISO_Ant1_5500_1000~40000




11AX20SISO_Ant1_5580_30~1000




11AX20SISO_Ant1_5580_1000~40000




11AX20SISO_Ant1_5700_30~1000




11AX20SISO_Ant1_5700_1000~40000




11AX20SISO_Ant1_5745_30~1000




11AX20SISO_Ant1_5745_1000~40000




11AX20SISO_Ant1_5785_30~1000




11AX20SISO_Ant1_5785_1000~40000




11AX20SISO_Ant1_5825_30~1000




11AX20SISO_Ant1_5825_1000~40000




11AX40SISO_Ant1_5190_30~1000




11AX40SISO_Ant1_5190_1000~40000




11AX40SISO_Ant1_5230_30~1000




11AX40SISO_Ant1_5230_1000~40000




11AX40SISO_Ant1_5270_30~1000




11AX40SISO_Ant1_5270_1000~40000




11AX40SISO_Ant1_5310_30~1000




11AX40SISO_Ant1_5310_1000~40000




11AX40SISO_Ant1_5510_30~1000




11AX40SISO_Ant1_5510_1000~40000




11AX40SISO_Ant1_5550_30~1000




11AX40SISO_Ant1_5550_1000~40000




11AX40SISO_Ant1_5670_30~1000




11AX40SISO_Ant1_5670_1000~40000




11AX40SISO_Ant1_5755_30~1000




11AX40SISO_Ant1_5755_1000~40000



11AX40SISO_Ant1_5795_30~1000



11AX40SISO_Ant1_5795_1000~40000



9. Frequency Stability

9.1. Test Result

TestMode	Antenna	Channel	Voltage					Limit (ppm)	Verdict
			Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)			
11A	Ant1	5180	NV	NT	-11000.00	-2.123552	20	PASS	
			LV	NT	-11000.00	-2.123552	20	PASS	
			HV	NT	-12000.00	-2.316602	20	PASS	
		5200	NV	NT	-15000.00	-2.884615	20	PASS	
			LV	NT	-15000.00	-2.884615	20	PASS	
			HV	NT	-15000.00	-2.884615	20	PASS	
		5240	NV	NT	-16000.00	-3.053435	20	PASS	
			LV	NT	-16000.00	-3.053435	20	PASS	
			HV	NT	-16000.00	-3.053435	20	PASS	
		5260	NV	NT	-18000.00	-3.422053	20	PASS	
			LV	NT	-18000.00	-3.422053	20	PASS	
			HV	NT	-18000.00	-3.422053	20	PASS	
		5280	NV	NT	-20000.00	-3.787879	20	PASS	
			LV	NT	-20000.00	-3.787879	20	PASS	
			HV	NT	-20000.00	-3.787879	20	PASS	
		5320	NV	NT	-21000.00	-3.947368	20	PASS	
			LV	NT	-21000.00	-3.947368	20	PASS	
			HV	NT	-21000.00	-3.947368	20	PASS	
		5500	NV	NT	-22000.00	-4.000000	20	PASS	
			LV	NT	-22000.00	-4.000000	20	PASS	
			HV	NT	-22000.00	-4.000000	20	PASS	
		5580	NV	NT	-23000.00	-4.121864	20	PASS	
			LV	NT	-23000.00	-4.121864	20	PASS	
			HV	NT	-23000.00	-4.121864	20	PASS	
		5700	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	-20000.00	-3.508772	20	PASS	
		5745	NV	NT	-19000.00	-3.307224	20	PASS	
			LV	NT	-19000.00	-3.307224	20	PASS	
			HV	NT	-20000.00	-3.481288	20	PASS	
		5785	NV	NT	-22000.00	-3.802939	20	PASS	
			LV	NT	-22000.00	-3.802939	20	PASS	
			HV	NT	-22000.00	-3.802939	20	PASS	
		5825	NV	NT	-23000.00	-3.948498	20	PASS	
			LV	NT	-24000.00	-4.120172	20	PASS	
			HV	NT	-23000.00	-3.948498	20	PASS	
11N20SISO	Ant1	5180	NV	NT	60000.00	11.583012	20	PASS	
			LV	NT	80000.00	15.444015	20	PASS	
			HV	NT	60000.00	11.583012	20	PASS	

		5200	NV	NT	140000.00	16.923077	20	PASS
			LV	NT	160000.00	10.769231	20	PASS
			HV	NT	160000.00	10.769231	20	PASS
		5240	NV	NT	160000.00	10.534351	20	PASS
			LV	NT	160000.00	10.534351	20	PASS
			HV	NT	160000.00	10.534351	20	PASS
		5260	NV	NT	140000.00	16.615970	20	PASS
			LV	NT	140000.00	16.615970	20	PASS
			HV	NT	140000.00	16.615970	20	PASS
		5320	NV	NT	140000.00	16.315789	20	PASS
			LV	NT	140000.00	16.315789	20	PASS
			HV	NT	140000.00	16.315789	20	PASS
		5745	NV	NT	60000.00	10.443864	20	PASS
			LV	NT	80000.00	13.925152	20	PASS
			HV	NT	80000.00	13.925152	20	PASS
		5785	NV	NT	100000.00	17.286085	20	PASS
			LV	NT	100000.00	17.286085	20	PASS
			HV	NT	100000.00	17.286085	20	PASS
		5825	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11N40SISO	Ant1	5190	NV	NT	-22000.00	-4.238921	20	PASS
			LV	NT	-22000.00	-4.238921	20	PASS
			HV	NT	-22000.00	-4.238921	20	PASS
		5230	NV	NT	-23000.00	-4.397706	20	PASS
			LV	NT	-23000.00	-4.397706	20	PASS
			HV	NT	-23000.00	-4.397706	20	PASS
		5270	NV	NT	-23000.00	-4.364326	20	PASS
			LV	NT	-23000.00	-4.364326	20	PASS
			HV	NT	-23000.00	-4.364326	20	PASS
		5310	NV	NT	-23000.00	-4.331450	20	PASS
			LV	NT	-24000.00	-4.519774	20	PASS
			HV	NT	-24000.00	-4.519774	20	PASS
		5510	NV	NT	-24000.00	-4.355717	20	PASS
			LV	NT	-24000.00	-4.355717	20	PASS
			HV	NT	-24000.00	-4.355717	20	PASS
		5550	NV	NT	-24000.00	-4.324324	20	PASS
			LV	NT	-25000.00	-4.504505	20	PASS
			HV	NT	-25000.00	-4.504505	20	PASS
		5670	NV	NT	-25000.00	-4.409171	20	PASS
			LV	NT	-25000.00	-4.409171	20	PASS
			HV	NT	-25000.00	-4.409171	20	PASS
5755	NV	NT	-24000.00	-4.170287	20	PASS		
	LV	NT	-24000.00	-4.170287	20	PASS		
	HV	NT	-24000.00	-4.170287	20	PASS		

		5795	NV	NT	-25000.00	-4.314064	20	PASS
			LV	NT	-25000.00	-4.314064	20	PASS
			HV	NT	-25000.00	-4.314064	20	PASS
11AC20SIS O	Ant1	5745	NV	NT	120000.00	10.887728	20	PASS
			LV	NT	120000.00	10.887728	20	PASS
			HV	NT	120000.00	10.887728	20	PASS
		5785	NV	NT	140000.00	14.200519	20	PASS
			LV	NT	140000.00	14.200519	20	PASS
			HV	NT	120000.00	10.743302	20	PASS
5825	NV	NT	140000.00	14.034335	20	PASS		
11AC40SIS O	Ant1	5230	NV	NT	80000.00	15.296367	20	PASS
			LV	NT	80000.00	15.296367	20	PASS
			HV	NT	120000.00	12.944551	20	PASS
		5755	NV	NT	120000.00	10.851434	20	PASS
		5795	NV	NT	160000.00	17.610009	20	PASS
11AX20SIS O	Ant1	5180	NV	NT	20000.00	3.861004	20	PASS
			LV	NT	20000.00	3.861004	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
		5200	NV	NT	60000.00	11.538462	20	PASS
			LV	NT	60000.00	11.538462	20	PASS
			HV	NT	60000.00	11.538462	20	PASS
		5240	NV	NT	60000.00	11.450382	20	PASS
			LV	NT	80000.00	15.267176	20	PASS
			HV	NT	80000.00	15.267176	20	PASS
		5260	NV	NT	-20000.00	-3.802281	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.802281	20	PASS
		5280	NV	NT	60000.00	11.363636	20	PASS
			LV	NT	60000.00	11.363636	20	PASS
			HV	NT	60000.00	11.363636	20	PASS
		5320	NV	NT	100000.00	18.796992	20	PASS
			LV	NT	100000.00	18.796992	20	PASS
			HV	NT	100000.00	18.796992	20	PASS
		5500	NV	NT	60000.00	10.909091	20	PASS
			LV	NT	60000.00	10.909091	20	PASS
			HV	NT	60000.00	10.909091	20	PASS
		5580	NV	NT	20000.00	3.584229	20	PASS
			LV	NT	20000.00	3.584229	20	PASS
			HV	NT	20000.00	3.584229	20	PASS
5700	NV	NT	20000.00	3.508772	20	PASS		
	LV	NT	20000.00	3.508772	20	PASS		
	HV	NT	20000.00	3.508772	20	PASS		
5745	NV	NT	100000.00	17.406440	20	PASS		
	LV	NT	100000.00	17.406440	20	PASS		
	HV	NT	100000.00	17.406440	20	PASS		

11AX40SIS O	Ant1	5785	NV	NT	100000.00	17.286085	20	PASS
			LV	NT	100000.00	17.286085	20	PASS
			HV	NT	100000.00	17.286085	20	PASS
		5825	NV	NT	100000.00	17.167382	20	PASS
			LV	NT	100000.00	17.167382	20	PASS
			HV	NT	100000.00	17.167382	20	PASS
		5190	NV	NT	80000.00	15.414258	20	PASS
			LV	NT	80000.00	15.414258	20	PASS
			HV	NT	80000.00	15.414258	20	PASS
		5230	NV	NT	80000.00	15.296367	20	PASS
			LV	NT	80000.00	15.296367	20	PASS
			HV	NT	120000.00	12.944551	20	PASS
		5270	NV	NT	120000.00	12.770398	20	PASS
			LV	NT	120000.00	12.770398	20	PASS
			HV	NT	160000.00	10.360531	20	PASS
		5310	NV	NT	0.00	0.000000	20	PASS
			LV	NT	40000.00	7.532957	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5510	NV	NT	40000.00	7.259528	20	PASS
			LV	NT	40000.00	7.259528	20	PASS
			HV	NT	80000.00	14.519056	20	PASS
		5550	NV	NT	40000.00	7.207207	20	PASS
			LV	NT	80000.00	14.414414	20	PASS
			HV	NT	40000.00	7.207207	20	PASS
5670	NV	NT	0.00	0.000000	20	PASS		
	LV	NT	0.00	0.000000	20	PASS		
	HV	NT	0.00	0.000000	20	PASS		
5755	NV	NT	80000.00	13.900956	20	PASS		
	LV	NT	80000.00	13.900956	20	PASS		
	HV	NT	80000.00	13.900956	20	PASS		
5795	NV	NT	80000.00	13.805004	20	PASS		
	LV	NT	80000.00	13.805004	20	PASS		
	HV	NT	80000.00	13.805004	20	PASS		

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	-12000.00	-2.316602	20	PASS
			NV	-20	-12000.00	-2.316602	20	PASS
			NV	-10	-12000.00	-2.316602	20	PASS
			NV	0	-13000.00	-2.509653	20	PASS
			NV	10	-13000.00	-2.509653	20	PASS
			NV	20	-13000.00	-2.509653	20	PASS
			NV	30	-14000.00	-2.702703	20	PASS
			NV	40	-14000.00	-2.702703	20	PASS

		NV	50	-14000.00	-2.702703	20	PASS
	5200	NV	-30	-15000.00	-2.884615	20	PASS
		NV	-20	-15000.00	-2.884615	20	PASS
		NV	-10	-15000.00	-2.884615	20	PASS
		NV	0	-15000.00	-2.884615	20	PASS
		NV	10	-16000.00	-3.076923	20	PASS
		NV	20	-16000.00	-3.076923	20	PASS
		NV	30	-16000.00	-3.076923	20	PASS
		NV	40	-16000.00	-3.076923	20	PASS
		NV	50	-16000.00	-3.076923	20	PASS
	5240	NV	-30	-17000.00	-3.244275	20	PASS
		NV	-20	-17000.00	-3.244275	20	PASS
		NV	-10	-17000.00	-3.244275	20	PASS
		NV	0	-17000.00	-3.244275	20	PASS
		NV	10	-17000.00	-3.244275	20	PASS
		NV	20	-17000.00	-3.244275	20	PASS
		NV	30	-18000.00	-3.435115	20	PASS
		NV	40	-18000.00	-3.435115	20	PASS
	NV	50	-18000.00	-3.435115	20	PASS	
	5260	NV	-30	-18000.00	-3.422053	20	PASS
		NV	-20	-18000.00	-3.422053	20	PASS
		NV	-10	-19000.00	-3.612167	20	PASS
		NV	0	-19000.00	-3.612167	20	PASS
		NV	10	-19000.00	-3.612167	20	PASS
		NV	20	-19000.00	-3.612167	20	PASS
		NV	30	-19000.00	-3.612167	20	PASS
		NV	40	-19000.00	-3.612167	20	PASS
	NV	50	-19000.00	-3.612167	20	PASS	
	5280	NV	-30	-20000.00	-3.787879	20	PASS
		NV	-20	-20000.00	-3.787879	20	PASS
		NV	-10	-20000.00	-3.787879	20	PASS
		NV	0	-20000.00	-3.787879	20	PASS
		NV	10	-20000.00	-3.787879	20	PASS
		NV	20	-20000.00	-3.787879	20	PASS
		NV	30	-20000.00	-3.787879	20	PASS
		NV	40	-20000.00	-3.787879	20	PASS
	NV	50	-20000.00	-3.787879	20	PASS	
	5320	NV	-30	-21000.00	-3.947368	20	PASS
		NV	-20	-21000.00	-3.947368	20	PASS
		NV	-10	-21000.00	-3.947368	20	PASS
		NV	0	-21000.00	-3.947368	20	PASS
		NV	10	-21000.00	-3.947368	20	PASS
		NV	20	-21000.00	-3.947368	20	PASS
		NV	30	-21000.00	-3.947368	20	PASS
		NV	40	-21000.00	-3.947368	20	PASS

		NV	50	-21000.00	-3.947368	20	PASS
	5500	NV	-30	-22000.00	-4.000000	20	PASS
		NV	-20	-23000.00	-4.181818	20	PASS
		NV	-10	-23000.00	-4.181818	20	PASS
		NV	0	-23000.00	-4.181818	20	PASS
		NV	10	-23000.00	-4.181818	20	PASS
		NV	20	-23000.00	-4.181818	20	PASS
		NV	30	-23000.00	-4.181818	20	PASS
		NV	40	-23000.00	-4.181818	20	PASS
		NV	50	-23000.00	-4.181818	20	PASS
		5580	NV	-30	-23000.00	-4.121864	20
	NV		-20	-23000.00	-4.121864	20	PASS
	NV		-10	-23000.00	-4.121864	20	PASS
	NV		0	-24000.00	-4.301075	20	PASS
	NV		10	-24000.00	-4.301075	20	PASS
	NV		20	-24000.00	-4.301075	20	PASS
	NV		30	-24000.00	-4.301075	20	PASS
	NV		40	-24000.00	-4.301075	20	PASS
	5700	NV	50	-24000.00	-4.301075	20	PASS
		NV	-30	-20000.00	-3.508772	20	PASS
		NV	-20	-20000.00	-3.508772	20	PASS
		NV	-10	-40000.00	-7.017544	20	PASS
		NV	0	0.00	0.000000	20	PASS
		NV	10	-20000.00	-3.508772	20	PASS
		NV	20	-20000.00	-3.508772	20	PASS
		NV	30	0.00	0.000000	20	PASS
		NV	40	-40000.00	-7.017544	20	PASS
	5745	NV	50	0.00	0.000000	20	PASS
		NV	-30	-20000.00	-3.481288	20	PASS
		NV	-20	-20000.00	-3.481288	20	PASS
		NV	-10	-21000.00	-3.655352	20	PASS
		NV	0	-21000.00	-3.655352	20	PASS
		NV	10	-21000.00	-3.655352	20	PASS
		NV	20	-21000.00	-3.655352	20	PASS
		NV	30	-22000.00	-3.829417	20	PASS
		NV	40	-22000.00	-3.829417	20	PASS
		NV	50	-22000.00	-3.829417	20	PASS
	5785	NV	-30	-22000.00	-3.802939	20	PASS
		NV	-20	-22000.00	-3.802939	20	PASS
		NV	-10	-22000.00	-3.802939	20	PASS
		NV	0	-22000.00	-3.802939	20	PASS
		NV	10	-22000.00	-3.802939	20	PASS
		NV	20	-23000.00	-3.975799	20	PASS
		NV	30	-23000.00	-3.975799	20	PASS
		NV	40	-23000.00	-3.975799	20	PASS

		5825	NV	50	-23000.00	-3.975799	20	PASS
			NV	-30	-24000.00	-4.120172	20	PASS
			NV	-20	-24000.00	-4.120172	20	PASS
			NV	-10	-24000.00	-4.120172	20	PASS
			NV	0	-24000.00	-4.120172	20	PASS
			NV	10	-24000.00	-4.120172	20	PASS
			NV	20	-24000.00	-4.120172	20	PASS
			NV	30	-24000.00	-4.120172	20	PASS
			NV	40	-24000.00	-4.120172	20	PASS
			NV	50	-24000.00	-4.120172	20	PASS
11N20SISO	Ant1	5180	NV	-30	60000.00	11.583012	20	PASS
			NV	-20	80000.00	15.444015	20	PASS
			NV	-10	80000.00	15.444015	20	PASS
			NV	0	100000.00	19.305019	20	PASS
			NV	10	80000.00	15.444015	20	PASS
			NV	20	80000.00	15.444015	20	PASS
			NV	30	100000.00	19.305019	20	PASS
			NV	40	100000.00	19.305019	20	PASS
			NV	50	100000.00	19.305019	20	PASS
		5200	NV	-30	120000.00	13.076923	20	PASS
			NV	-20	160000.00	10.769231	20	PASS
			NV	-10	160000.00	10.769231	20	PASS
			NV	0	160000.00	10.769231	20	PASS
			NV	10	160000.00	10.769231	20	PASS
		5240	NV	-30	160000.00	10.534351	20	PASS
			NV	-20	140000.00	16.717557	20	PASS
			NV	-10	180000.00	14.351145	20	PASS
			NV	0	160000.00	10.534351	20	PASS
			NV	10	160000.00	10.534351	20	PASS
			NV	20	160000.00	10.534351	20	PASS
			NV	30	160000.00	10.534351	20	PASS
			NV	40	160000.00	10.534351	20	PASS
		5320	NV	50	180000.00	14.351145	20	PASS
			NV	-30	140000.00	16.315789	20	PASS
			NV	-20	140000.00	16.315789	20	PASS
			NV	-10	160000.00	10.075188	20	PASS
			NV	0	140000.00	16.315789	20	PASS
			NV	10	140000.00	16.315789	20	PASS
			NV	20	140000.00	16.315789	20	PASS
			NV	30	160000.00	10.075188	20	PASS
NV	40		160000.00	10.075188	20	PASS		
5745	NV	50	160000.00	10.075188	20	PASS		
	NV	-30	100000.00	17.406440	20	PASS		
	NV	-20	80000.00	13.925152	20	PASS		
			NV	-10	100000.00	17.406440	20	PASS

		5785	NV	0	80000.00	13.925152	20	PASS		
			NV	10	100000.00	17.406440	20	PASS		
			NV	20	80000.00	13.925152	20	PASS		
			NV	30	100000.00	17.406440	20	PASS		
			NV	40	80000.00	13.925152	20	PASS		
			NV	50	80000.00	13.925152	20	PASS		
			NV	-30	100000.00	17.286085	20	PASS		
			NV	-20	100000.00	17.286085	20	PASS		
			NV	-10	100000.00	17.286085	20	PASS		
			NV	0	120000.00	10.743302	20	PASS		
			5825	NV	-30	0.00	0.000000	20	PASS	
				NV	-20	0.00	0.000000	20	PASS	
				NV	-10	0.00	0.000000	20	PASS	
				NV	0	0.00	0.000000	20	PASS	
		NV		10	0.00	0.000000	20	PASS		
		NV		20	0.00	0.000000	20	PASS		
		NV		30	0.00	0.000000	20	PASS		
		NV		40	20000.00	3.433476	20	PASS		
		NV		50	0.00	0.000000	20	PASS		
		11N40SISO		Ant1	5190	NV	-30	-22000.00	-4.238921	20
			NV			-20	-22000.00	-4.238921	20	PASS
			NV			-10	-22000.00	-4.238921	20	PASS
			NV			0	-22000.00	-4.238921	20	PASS
			NV			10	-22000.00	-4.238921	20	PASS
			NV			20	-22000.00	-4.238921	20	PASS
			NV			30	-22000.00	-4.238921	20	PASS
			NV			40	-22000.00	-4.238921	20	PASS
			NV			50	-22000.00	-4.238921	20	PASS
5230	NV		-30			-23000.00	-4.397706	20	PASS	
	NV		-20		-23000.00	-4.397706	20	PASS		
	NV		-10		-23000.00	-4.397706	20	PASS		
	NV		0		-23000.00	-4.397706	20	PASS		
	NV		10		-23000.00	-4.397706	20	PASS		
	NV		20		-23000.00	-4.397706	20	PASS		
	NV		30		-23000.00	-4.397706	20	PASS		
	NV		40		-23000.00	-4.397706	20	PASS		
	NV		50		-23000.00	-4.397706	20	PASS		
	5270		NV		-30	-23000.00	-4.364326	20	PASS	
NV			-20		-23000.00	-4.364326	20	PASS		
NV			-10		-23000.00	-4.364326	20	PASS		
NV			0		-23000.00	-4.364326	20	PASS		
NV			10		-23000.00	-4.364326	20	PASS		
NV			20		-23000.00	-4.364326	20	PASS		
NV			30		-23000.00	-4.364326	20	PASS		
NV			40		-23000.00	-4.364326	20	PASS		

		NV	50	-23000.00	-4.364326	20	PASS
	5310	NV	-30	-24000.00	-4.519774	20	PASS
		NV	-20	-24000.00	-4.519774	20	PASS
		NV	-10	-24000.00	-4.519774	20	PASS
		NV	0	-23000.00	-4.331450	20	PASS
		NV	10	-24000.00	-4.519774	20	PASS
		NV	20	-24000.00	-4.519774	20	PASS
		NV	30	-23000.00	-4.331450	20	PASS
		NV	40	-24000.00	-4.519774	20	PASS
		NV	50	-23000.00	-4.331450	20	PASS
		5510	NV	-30	-24000.00	-4.355717	20
	NV		-20	-24000.00	-4.355717	20	PASS
	NV		-10	-24000.00	-4.355717	20	PASS
	NV		0	-24000.00	-4.355717	20	PASS
	NV		10	-24000.00	-4.355717	20	PASS
	NV		20	-24000.00	-4.355717	20	PASS
	NV		30	-24000.00	-4.355717	20	PASS
	NV		40	-24000.00	-4.355717	20	PASS
	5550	NV	50	-24000.00	-4.355717	20	PASS
		NV	-30	-25000.00	-4.504505	20	PASS
		NV	-20	-25000.00	-4.504505	20	PASS
		NV	-10	-24000.00	-4.324324	20	PASS
		NV	0	-25000.00	-4.504505	20	PASS
		NV	10	-25000.00	-4.504505	20	PASS
		NV	20	-25000.00	-4.504505	20	PASS
		NV	30	-25000.00	-4.504505	20	PASS
		NV	40	-25000.00	-4.504505	20	PASS
	5670	NV	50	-25000.00	-4.504505	20	PASS
		NV	-30	-25000.00	-4.409171	20	PASS
		NV	-20	-25000.00	-4.409171	20	PASS
		NV	-10	-25000.00	-4.409171	20	PASS
		NV	0	-25000.00	-4.409171	20	PASS
		NV	10	-25000.00	-4.409171	20	PASS
		NV	20	-25000.00	-4.409171	20	PASS
		NV	30	-25000.00	-4.409171	20	PASS
		NV	40	-25000.00	-4.409171	20	PASS
	5755	NV	50	-25000.00	-4.409171	20	PASS
		NV	-30	-24000.00	-4.170287	20	PASS
		NV	-20	-24000.00	-4.170287	20	PASS
		NV	-10	-24000.00	-4.170287	20	PASS
		NV	0	-24000.00	-4.170287	20	PASS
		NV	10	-24000.00	-4.170287	20	PASS
		NV	20	-25000.00	-4.344049	20	PASS
		NV	30	-24000.00	-4.170287	20	PASS
	NV	40	-25000.00	-4.344049	20	PASS	

		5795	NV	50	-25000.00	-4.344049	20	PASS
			NV	-30	-25000.00	-4.314064	20	PASS
			NV	-20	-25000.00	-4.314064	20	PASS
			NV	-10	-25000.00	-4.314064	20	PASS
			NV	0	-25000.00	-4.314064	20	PASS
			NV	10	-25000.00	-4.314064	20	PASS
			NV	20	-25000.00	-4.314064	20	PASS
			NV	30	-25000.00	-4.314064	20	PASS
			NV	40	-25000.00	-4.314064	20	PASS
			NV	50	-25000.00	-4.314064	20	PASS
11AC20SIS O	Ant1	5745	NV	-30	140000.00	14.369017	20	PASS
			NV	-20	120000.00	10.887728	20	PASS
			NV	-10	120000.00	10.887728	20	PASS
			NV	0	140000.00	14.369017	20	PASS
			NV	10	140000.00	14.369017	20	PASS
			NV	20	120000.00	10.887728	20	PASS
			NV	30	120000.00	10.887728	20	PASS
			NV	40	120000.00	10.887728	20	PASS
			NV	50	120000.00	10.887728	20	PASS
		5785	NV	-30	120000.00	10.743302	20	PASS
11AC40SIS O	Ant1	5230	NV	-30	80000.00	15.296367	20	PASS
			NV	-20	120000.00	12.944551	20	PASS
			NV	-10	120000.00	12.944551	20	PASS
11AX20SIS O	Ant1	5180	NV	-30	20000.00	3.861004	20	PASS
			NV	-20	60000.00	11.583012	20	PASS
			NV	-10	40000.00	7.722008	20	PASS
			NV	0	40000.00	7.722008	20	PASS
			NV	10	40000.00	7.722008	20	PASS
			NV	20	60000.00	11.583012	20	PASS
			NV	30	60000.00	11.583012	20	PASS
			NV	40	60000.00	11.583012	20	PASS
			NV	50	60000.00	11.583012	20	PASS
		5200	NV	-30	60000.00	11.538462	20	PASS
			NV	-20	60000.00	11.538462	20	PASS
			NV	-10	60000.00	11.538462	20	PASS
			NV	0	60000.00	11.538462	20	PASS
			NV	10	60000.00	11.538462	20	PASS
			NV	20	60000.00	11.538462	20	PASS
			NV	30	60000.00	11.538462	20	PASS
			NV	40	60000.00	11.538462	20	PASS
			NV	50	60000.00	11.538462	20	PASS
		5240	NV	-30	60000.00	11.450382	20	PASS
			NV	-20	80000.00	15.267176	20	PASS
			NV	-10	80000.00	15.267176	20	PASS
			NV	0	80000.00	15.267176	20	PASS

			NV	10	80000.00	15.267176	20	PASS
			NV	20	100000.00	19.083969	20	PASS
			NV	30	80000.00	15.267176	20	PASS
			NV	40	80000.00	15.267176	20	PASS
			NV	50	100000.00	19.083969	20	PASS
		5260	NV	-30	20000.00	3.802281	20	PASS
			NV	-20	20000.00	3.802281	20	PASS
			NV	-10	20000.00	3.802281	20	PASS
			NV	0	20000.00	3.802281	20	PASS
			NV	10	20000.00	3.802281	20	PASS
			NV	20	20000.00	3.802281	20	PASS
			NV	30	20000.00	3.802281	20	PASS
			NV	40	40000.00	7.604563	20	PASS
			NV	50	40000.00	7.604563	20	PASS
		5280	NV	-30	60000.00	11.363636	20	PASS
			NV	-20	80000.00	15.151515	20	PASS
			NV	-10	80000.00	15.151515	20	PASS
			NV	0	80000.00	15.151515	20	PASS
			NV	10	80000.00	15.151515	20	PASS
			NV	20	100000.00	18.939394	20	PASS
			NV	30	100000.00	18.939394	20	PASS
			NV	40	100000.00	18.939394	20	PASS
			NV	50	100000.00	18.939394	20	PASS
		5320	NV	-30	100000.00	18.796992	20	PASS
			NV	-20	100000.00	18.796992	20	PASS
			NV	-10	100000.00	18.796992	20	PASS
			NV	0	100000.00	18.796992	20	PASS
			NV	10	100000.00	18.796992	20	PASS
			NV	20	100000.00	18.796992	20	PASS
			NV	30	100000.00	18.796992	20	PASS
			NV	40	100000.00	18.796992	20	PASS
			NV	50	120000.00	12.556391	20	PASS
		5500	NV	-30	60000.00	10.909091	20	PASS
			NV	-20	60000.00	10.909091	20	PASS
			NV	-10	60000.00	10.909091	20	PASS
			NV	0	60000.00	10.909091	20	PASS
			NV	10	60000.00	10.909091	20	PASS
			NV	20	60000.00	10.909091	20	PASS
			NV	30	60000.00	10.909091	20	PASS
			NV	40	60000.00	10.909091	20	PASS
			NV	50	60000.00	10.909091	20	PASS
		5580	NV	-30	20000.00	3.584229	20	PASS
			NV	-20	20000.00	3.584229	20	PASS
			NV	-10	40000.00	7.168459	20	PASS
			NV	0	20000.00	3.584229	20	PASS

			NV	10	20000.00	3.584229	20	PASS
			NV	20	20000.00	3.584229	20	PASS
			NV	30	20000.00	3.584229	20	PASS
			NV	40	20000.00	3.584229	20	PASS
			NV	50	20000.00	3.584229	20	PASS
		5700	NV	-30	20000.00	3.508772	20	PASS
			NV	-20	20000.00	3.508772	20	PASS
			NV	-10	20000.00	3.508772	20	PASS
			NV	0	20000.00	3.508772	20	PASS
			NV	10	20000.00	3.508772	20	PASS
			NV	20	20000.00	3.508772	20	PASS
			NV	30	20000.00	3.508772	20	PASS
			NV	40	20000.00	3.508772	20	PASS
			NV	50	20000.00	3.508772	20	PASS
			5745	NV	-30	100000.00	17.406440	20
		NV		-20	100000.00	17.406440	20	PASS
		NV		-10	100000.00	17.406440	20	PASS
		NV		0	100000.00	17.406440	20	PASS
		NV		10	100000.00	17.406440	20	PASS
		NV		20	100000.00	17.406440	20	PASS
		NV		30	100000.00	17.406440	20	PASS
		NV		40	100000.00	17.406440	20	PASS
		5785	NV	-30	100000.00	17.286085	20	PASS
			NV	-20	100000.00	17.286085	20	PASS
			NV	-10	100000.00	17.286085	20	PASS
			NV	0	100000.00	17.286085	20	PASS
			NV	10	100000.00	17.286085	20	PASS
			NV	20	100000.00	17.286085	20	PASS
			NV	30	100000.00	17.286085	20	PASS
			NV	40	100000.00	17.286085	20	PASS
			NV	50	100000.00	17.286085	20	PASS
		5825	NV	-30	100000.00	17.167382	20	PASS
			NV	-20	100000.00	17.167382	20	PASS
			NV	-10	100000.00	17.167382	20	PASS
			NV	0	100000.00	17.167382	20	PASS
			NV	10	100000.00	17.167382	20	PASS
			NV	20	100000.00	17.167382	20	PASS
			NV	30	100000.00	17.167382	20	PASS
			NV	40	100000.00	17.167382	20	PASS
			NV	50	100000.00	17.167382	20	PASS
11AX40SIS O	Ant1	5190	NV	-30	80000.00	15.414258	20	PASS
			NV	-20	80000.00	15.414258	20	PASS
			NV	-10	80000.00	15.414258	20	PASS
			NV	0	80000.00	15.414258	20	PASS

			NV	10	80000.00	15.414258	20	PASS
			NV	20	80000.00	15.414258	20	PASS
			NV	30	80000.00	15.414258	20	PASS
			NV	40	80000.00	15.414258	20	PASS
			NV	50	80000.00	15.414258	20	PASS
		5230	NV	-30	80000.00	15.296367	20	PASS
			NV	-20	80000.00	15.296367	20	PASS
			NV	-10	120000.00	12.944551	20	PASS
			NV	0	80000.00	15.296367	20	PASS
			NV	10	160000.00	10.592734	20	PASS
			NV	20	160000.00	10.592734	20	PASS
			NV	30	160000.00	10.592734	20	PASS
			NV	40	160000.00	10.592734	20	PASS
		5270	NV	50	160000.00	10.592734	20	PASS
			NV	-30	160000.00	10.360531	20	PASS
			NV	-20	120000.00	12.770398	20	PASS
			NV	-10	120000.00	12.770398	20	PASS
			NV	0	160000.00	10.360531	20	PASS
			NV	10	160000.00	10.360531	20	PASS
			NV	20	160000.00	10.360531	20	PASS
			NV	30	160000.00	10.360531	20	PASS
		5310	NV	40	160000.00	10.360531	20	PASS
			NV	50	160000.00	10.360531	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	40000.00	7.532957	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
		5510	NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	7.532957	20	PASS
			NV	-30	80000.00	14.519056	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	80000.00	14.519056	20	PASS
			NV	10	80000.00	14.519056	20	PASS
			NV	20	80000.00	14.519056	20	PASS
		5550	NV	30	80000.00	14.519056	20	PASS
			NV	40	80000.00	14.519056	20	PASS
			NV	50	40000.00	7.259528	20	PASS
			NV	-30	80000.00	14.414414	20	PASS
			NV	-20	80000.00	14.414414	20	PASS
			NV	-10	80000.00	14.414414	20	PASS
			NV	0	80000.00	14.414414	20	PASS

			NV	10	80000.00	14.414414	20	PASS
			NV	20	80000.00	14.414414	20	PASS
			NV	30	80000.00	14.414414	20	PASS
			NV	40	80000.00	14.414414	20	PASS
			NV	50	80000.00	14.414414	20	PASS
		5670	NV	-30	40000.00	7.054674	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	40000.00	7.054674	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	40000.00	7.054674	20	PASS
			NV	30	40000.00	7.054674	20	PASS
			NV	40	0.00	0.000000	20	PASS
		5755	NV	50	0.00	0.000000	20	PASS
			NV	-30	80000.00	13.900956	20	PASS
			NV	-20	80000.00	13.900956	20	PASS
			NV	-10	80000.00	13.900956	20	PASS
			NV	0	80000.00	13.900956	20	PASS
			NV	10	80000.00	13.900956	20	PASS
			NV	20	80000.00	13.900956	20	PASS
			NV	30	80000.00	13.900956	20	PASS
		5795	NV	40	80000.00	13.900956	20	PASS
			NV	50	80000.00	13.900956	20	PASS
			NV	-30	80000.00	13.805004	20	PASS
			NV	-20	80000.00	13.805004	20	PASS
			NV	-10	80000.00	13.805004	20	PASS
			NV	0	80000.00	13.805004	20	PASS
			NV	10	80000.00	13.805004	20	PASS
NV	20		80000.00	13.805004	20	PASS		
	NV	30	80000.00	13.805004	20	PASS		
	NV	40	80000.00	13.805004	20	PASS		
	NV	50	80000.00	13.805004	20	PASS		




10. Duty Cycle

10.1. Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T [kHz]	Limit	Verdict
11A	Ant1	5180	1.39	2.42	57.44	0.719424	---	---
		5200	1.39	2.41	57.68	0.719424	---	---
		5240	1.40	2.43	57.61	0.714286	---	---
		5260	1.39	2.41	57.68	0.719424	---	---
		5280	1.39	2.42	57.44	0.719424	---	---
		5320	1.39	2.42	57.44	0.719424	---	---
		5500	1.39	2.41	57.68	0.719424	---	---
		5580	1.40	2.42	57.85	0.714286	---	---
		5700	1.40	2.43	57.61	0.714286	---	---
		5745	1.40	2.42	57.85	0.714286	---	---
		5785	1.40	2.42	57.85	0.714286	---	---
		5825	1.40	2.42	57.85	0.714286	---	---
11N20SISO	Ant1	5180	5.08	6.11	83.14	0.19685	---	---
		5200	5.09	6.11	83.31	0.196464	---	---
		5240	5.08	6.11	83.14	0.19685	---	---
		5260	5.09	6.11	83.31	0.196464	---	---
		5280	5.10	6.12	83.33	0.196078	---	---
		5320	5.09	6.11	83.31	0.196464	---	---
		5500	5.09	6.11	83.31	0.196464	---	---
		5580	5.09	6.11	83.31	0.196464	---	---
		5700	5.09	6.11	83.31	0.196464	---	---
		5745	5.09	6.12	83.17	0.196464	---	---
		5785	5.10	6.13	83.20	0.196078	---	---
		5825	1.40	2.42	57.85	0.714286	---	---
11N40SISO	Ant1	5190	4.90	5.92	82.77	0.204082	---	---
		5230	4.90	5.92	82.77	0.204082	---	---
		5270	4.90	5.93	82.63	0.204082	---	---
		5310	4.90	5.93	82.63	0.204082	---	---
		5510	4.89	5.92	82.60	0.204499	---	---
		5550	4.90	5.92	82.77	0.204082	---	---
		5670	4.91	5.93	82.80	0.203666	---	---
		5755	4.90	5.92	82.77	0.204082	---	---
		5795	4.90	5.93	82.63	0.204082	---	---
11AC20SISO	Ant1	5180	5.10	6.12	83.33	0.196078	---	---
		5200	5.11	6.12	83.50	0.195695	---	---
		5240	5.10	6.11	83.47	0.196078	---	---
		5260	5.10	6.13	83.20	0.196078	---	---
		5280	5.10	6.12	83.33	0.196078	---	---
		5320	5.10	6.12	83.33	0.196078	---	---

		5500	5.10	6.13	83.20	0.196078	---	---
		5580	5.09	6.11	83.31	0.196464	---	---
		5700	5.10	6.13	83.20	0.196078	---	---
		5745	5.10	6.12	83.33	0.196078	---	---
		5785	5.10	6.12	83.33	0.196078	---	---
		5825	5.10	6.12	83.33	0.196078	---	---
11AC40SISO	Ant1	5190	4.91	5.92	82.94	0.203666	---	---
		5230	4.90	5.92	82.77	0.204082	---	---
		5270	4.90	5.93	82.63	0.204082	---	---
		5310	4.91	5.93	82.80	0.203666	---	---
		5510	4.91	5.93	82.80	0.203666	---	---
		5550	4.90	5.92	82.77	0.204082	---	---
		5670	4.91	5.93	82.80	0.203666	---	---
		5755	4.91	5.93	82.80	0.203666	---	---
		5795	4.90	5.93	82.63	0.204082	---	---
11AX20SISO	Ant1	5180	3.88	4.91	79.02	0.257732	---	---
		5200	3.88	4.90	79.18	0.257732	---	---
		5240	3.88	4.91	79.02	0.257732	---	---
		5260	3.88	4.90	79.18	0.257732	---	---
		5280	3.88	4.90	79.18	0.257732	---	---
		5320	3.88	4.91	79.02	0.257732	---	---
		5500	3.87	4.90	78.98	0.258398	---	---
		5580	3.87	4.90	78.98	0.258398	---	---
		5700	3.87	4.90	78.98	0.258398	---	---
		5745	3.87	4.90	78.98	0.258398	---	---
		5785	3.88	4.89	79.35	0.257732	---	---
		5825	3.88	4.89	79.35	0.257732	---	---
11AX40SISO	Ant1	5190	3.88	4.89	79.35	0.257732	---	---
		5230	3.88	4.90	79.18	0.257732	---	---
		5270	3.87	4.89	79.14	0.258398	---	---
		5310	3.87	4.89	79.14	0.258398	---	---
		5510	3.88	4.90	79.18	0.257732	---	---
		5550	3.86	4.89	78.94	0.259067	---	---
		5670	3.88	4.90	79.18	0.257732	---	---
		5755	3.87	4.88	79.30	0.258398	---	---
		5795	3.88	4.90	79.18	0.257732	---	---


10.2. Test Graphs




11A_Ant1_5260




11A_Ant1_5280




11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5580




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180






11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5500




11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785



11N20SISO_Ant1_5825




11N40SISO_Ant1_5190




Date: 6.NOV.2023 14:58:13

11N40SISO_Ant1_5230




Date: 6.NOV.2023 15:02:36

11N40SISO_Ant1_5270




Date: 6.NOV.2023 15:23:42


11N40SISO_Ant1_5310




11N40SISO_Ant1_5510



11N40SISO_Ant1_5550




11N40SISO_Ant1_5670




Date: 6.NOV.2023 15:43:27

11N40SISO_Ant1_5755




Date: 8.NOV.2023 17:45:23

11N40SISO_Ant1_5795




Date: 8.NOV.2023 17:50:17


11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260






11AC20SISO_Ant1_5580



11AC20SISO_Ant1_5700



11AC20SISO_Ant1_5745