






		5580	3.13	≤11.00	PASS
		5700	1.68	≤11.00	PASS
		5745	3.47	≤30.00	PASS
		5785	2.92	≤30.00	PASS
		5825	2.44	≤30.00	PASS
11AC40SISO	Ant1	5190	-0.08	≤11.00	PASS
		5230	2.50	≤11.00	PASS
		5270	2.96	≤11.00	PASS
		5310	0.20	≤11.00	PASS
		5510	-0.06	≤11.00	PASS
		5550	2.87	≤11.00	PASS
		5670	-0.91	≤11.00	PASS
		5755	0.15	≤30.00	PASS
		5795	-0.41	≤30.00	PASS
11AX20SISO	Ant1	5180	2.56	≤11.00	PASS
		5200	5.39	≤11.00	PASS
		5240	4.80	≤11.00	PASS
		5260	5.48	≤11.00	PASS
		5280	5.29	≤11.00	PASS
		5320	2.44	≤11.00	PASS
		5500	2.12	≤11.00	PASS
		5580	2.78	≤11.00	PASS
		5700	5.70	≤11.00	PASS
		5745	2.77	≤30.00	PASS
		5785	2.18	≤30.00	PASS
		5825	1.72	≤30.00	PASS
		11AX40SISO	Ant1	5190	-0.03
5230	2.31			≤11.00	PASS
5270	2.77			≤11.00	PASS
5310	-0.01			≤11.00	PASS
5510	-0.31			≤11.00	PASS
5550	2.66			≤11.00	PASS
5670	-0.97			≤11.00	PASS
5755	-0.03			≤30.00	PASS
5795	-0.69			≤30.00	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

5.2. Test Graphs







11A_Ant1_5280



11A_Ant1_5320




11A_Ant1_5500




11A_Ant1_5580




11A_Ant1_5700




11A_Ant1_5745




11A_Ant1_5785




11A_Ant1_5825




11N20SISO_Ant1_5180




11N20SISO_Ant1_5200




11N20SISO_Ant1_5240




11N20SISO_Ant1_5260




11N20SISO_Ant1_5280




11N20SISO_Ant1_5320



11N20SISO_Ant1_5500




11N20SISO_Ant1_5580



11N20SISO_Ant1_5700




11N20SISO_Ant1_5745




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825




11N40SISO_Ant1_5190



11N40SISO_Ant1_5230



11N40SISO_Ant1_5270




11N40SISO_Ant1_5310



11N40SISO_Ant1_5510



11N40SISO_Ant1_5550



11N40SISO_Ant1_5670




11N40SISO_Ant1_5755



11N40SISO_Ant1_5795




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260



11AC20SISO_Ant1_5280




11AC20SISO_Ant1_5320



11AC20SISO_Ant1_5500




11AC20SISO_Ant1_5580




11AC20SISO_Ant1_5700




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270



11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5510



11AC40SISO_Ant1_5550




11AC40SISO_Ant1_5670



11AC40SISO_Ant1_5755




11AC40SISO_Ant1_5795




11AX20SISO_Ant1_5180




11AX20SISO_Ant1_5200



11AX20SISO_Ant1_5240




11AX20SISO_Ant1_5260




11AX20SISO_Ant1_5280




11AX20SISO_Ant1_5320



11AX20SISO_Ant1_5500



11AX20SISO_Ant1_5580




11AX20SISO_Ant1_5700




11AX20SISO_Ant1_5745




11AX20SISO_Ant1_5785




11AX20SISO_Ant1_5825



11AX40SISO_Ant1_5190




11AX40SISO_Ant1_5230




11AX40SISO_Ant1_5270



11AX40SISO_Ant1_5310




11AX40SISO_Ant1_5510




11AX40SISO_Ant1_5550




11AX40SISO_Ant1_5670



11AX40SISO_Ant1_5755



11AX40SISO_Ant1_5795



6. Band edge measurements





6.1. Test Result


TestMode	Antenna	ChName	Channel	Result[dBm]	Limit[dBm]	Verdict
11A	Ant1	Low	5180	-31.36	≤-27	PASS
		High	5320	-32.84	≤-27	PASS
		Low	5500	-31.19	≤-27	PASS
		High	5700	-31.86	≤-27	PASS
11N20SISO	Ant1	Low	5180	-29.82	≤-27	PASS
		High	5320	-30.96	≤-27	PASS
		Low	5500	-30.17	≤-27	PASS
		High	5700	-29.14	≤-27	PASS
11N40SISO	Ant1	Low	5190	-29.29	≤-27	PASS
		High	5310	-30.49	≤-27	PASS
		Low	5510	-31.6	≤-27	PASS
		High	5670	-33.92	≤-27	PASS
11AC20SISO	Ant1	Low	5180	-31.76	≤-27	PASS
		High	5320	-34.11	≤-27	PASS
		Low	5500	-30.53	≤-27	PASS
		High	5700	-32.03	≤-27	PASS
11AC40SISO	Ant1	Low	5190	-28.36	≤-27	PASS
		High	5310	-30.54	≤-27	PASS
		Low	5510	-29.82	≤-27	PASS
		High	5670	-33.04	≤-27	PASS
11AX20SISO	Ant1	Low	5180	-27.85	≤-27	PASS
		High	5320	-30.68	≤-27	PASS
		Low	5500	-27.91	≤-27	PASS
		High	5700	-31.87	≤-27	PASS
11AX40SISO	Ant1	Low	5190	-30.52	≤-27	PASS
		High	5310	-28.34	≤-27	PASS
		Low	5510	-28.04	≤-27	PASS
		High	5670	-32.48	≤-27	PASS

TestMode	Antenna	ChName	Channel	FreqRange [MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	Low	5745	5650~5700	-24.12	≤9.01	PASS
				5700~5720	-14.76	≤15.13	PASS
				5720~5725	-14.16	≤27.00	PASS
				5760~5650	-32.55	≤-27	PASS
		High	5825	5850~5855	-11.82	≤15.80	PASS
				5855~5875	-15.12	≤10.27	PASS
				5875~5925	-21.85	≤-20.68	PASS
11N20SISO	Ant1	Low	5745	5650~5700	-21.15	≤10.00	PASS
				5700~5720	-10.5	≤14.62	PASS
				5720~5725	-10.92	≤27.00	PASS
				5760~5650	-31.79	≤-27	PASS
		High	5825	5850~5855	-8.21	≤16.69	PASS
				5855~5875	-11.32	≤10.49	PASS
				5875~5925	-22.54	≤-18.94	PASS
11N40SISO	Ant1	Low	5755	5650~5700	-20.56	≤9.98	PASS
				5700~5720	-13.6	≤13.34	PASS
				5720~5725	-15.62	≤22.14	PASS
				5780~5650	-33.41	≤-27	PASS
		High	5795	5850~5855	-20.79	≤26.75	PASS
				5855~5875	-20.67	≤10.04	PASS
				5875~5925	-29.57	≤-26.48	PASS
11AC20SISO	Ant1	Low	5745	5650~5700	-26.6	≤8.89	PASS
				5700~5720	-17.57	≤15.55	PASS
				5720~5725	-12.74	≤27.00	PASS
				5760~5650	-34.45	≤-27	PASS
		High	5825	5850~5855	-13.56	≤15.80	PASS
				5855~5875	-16.03	≤10.76	PASS
				5875~5925	-23.82	≤-21.26	PASS
11AC40SISO	Ant1	Low	5755	5650~5700	-23.16	≤9.69	PASS
				5700~5720	-15.83	≤13.06	PASS
				5720~5725	-13.6	≤23.48	PASS
				5780~5650	-31.89	≤-27	PASS
		High	5795	5850~5855	-16.47	≤16.39	PASS
				5855~5875	-18.82	≤10.17	PASS
				5875~5925	-26.2	≤-24.89	PASS
11AX20SISO	Ant1	Low	5745	5650~5700	-25.14	≤8.77	PASS
				5700~5720	-15.11	≤15.60	PASS


		High	5825	5720~5725	-12.83	≤27.00	PASS
				5760~5650	-33.7	≤-27	PASS
				5850~5855	-13.19	≤21.15	PASS
				5855~5875	-15.98	≤10.05	PASS
				5875~5925	-22.37	≤-19.23	PASS
				5925~5935	-32.44	≤-27	PASS
11AX40SISO	Ant1	Low	5755	5650~5700	-21.85	≤8.10	PASS
				5700~5720	-11.51	≤14.65	PASS
				5720~5725	-9.15	≤25.71	PASS
				5780~5650	-32.78	≤-27	PASS
		High	5795	5850~5855	-17.47	≤15.85	PASS
				5855~5875	-18.55	≤11.24	PASS
				5875~5925	-24.24	≤-22.59	PASS
				5925~5935	-34.62	≤-27	PASS

6.2. Test Graphs







11N20SISO_Ant1_Low_5180



11N20SISO_Ant1_High_5320




11N20SISO_Ant1_Low_5500




Date: 8.MAY.2024 21:04:12

11N20SISO_Ant1_High_5700




Date: 8.MAY.2024 21:19:26

11N40SISO_Ant1_Low_5190




Date: 8.MAY.2024 21:57:06


11N40SISO_Ant1_High_5310






11N40SISO_Ant1_Low_5510




11N40SISO_Ant1_High_5670




11AC20SISO_Ant1_Low_5180









11AC40SISO_Ant1_Low_5190




11AC40SISO_Ant1_High_5310




11AC40SISO_Ant1_Low_5510









11AX20SISO_Ant1_Low_5500




11AX20SISO_Ant1_High_5700




11AX40SISO_Ant1_Low_5190






11A_Ant1_Low_5745





11A_Ant1_High_5825




11N20SISO_Ant1_Low_5745




11N20SISO_Ant1_High_5825




11AC20SISO_Ant1_Low_5745




11AC20SISO_Ant1_High_5825



11AC40SISO_Ant1_Low_5755




11AC40SISO_Ant1_High_5795



Date: 14.MAY.2024 21:59:39

11AX20SISO_Ant1_Low_5745




Date: 14.MAY.2024 23:02:51

11AX20SISO_Ant1_High_5825




Date: 14.MAY.2024 23:13:17

11AX40SISO_Ant1_Low_5755



11AX40SISO_Ant1_High_5795



7. Emissions in Restricted Bands

7.1. Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	EIRP [dBm]	Limit [dBm]	Verdict		
11A	Ant1	Low	5180	AV	4500.000	-52.70	≤-41.20	PASS		
				AV	5149.275	-45.03	≤-41.20	PASS		
				AV	5150.000	-45.64	≤-41.20	PASS		
				Peak	4500.000	-35.22	≤-21.20	PASS		
				Peak	5149.275	-22.84	≤-21.20	PASS		
				Peak	5150.000	-21.82	≤-21.20	PASS		
		High	5320	AV	5350.000	-43.52	≤-41.20	PASS		
				AV	5350.551	-43.43	≤-41.20	PASS		
				AV	5460.000	-49.04	≤-41.20	PASS		
				Peak	5350.000	-27.93	≤-21.20	PASS		
				Peak	5359.362	-26.69	≤-21.20	PASS		
				Peak	5460.000	-34.53	≤-21.20	PASS		
		Low	5500	AV	5350.000	-47.66	≤-41.20	PASS		
				AV	5457.043	-42.79	≤-41.20	PASS		
				AV	5460.000	-42.74	≤-41.20	PASS		
				Peak	5350.000	-37.24	≤-21.20	PASS		
				Peak	5459.783	-29.73	≤-21.20	PASS		
				Peak	5460.000	-29.47	≤-21.20	PASS		
			5745	Peak	5650.000	-32.64	≤-27.00	PASS		
				Peak	5700.000	-25.2	≤10.00	PASS		
				Peak	5720.000	-14.2	≤15.60	PASS		
				Peak	5725.000	-9.73	≤27.00	PASS		
				High	5825	Peak	5850.000	-12.56	≤27.00	PASS
						Peak	5855.000	-15.22	≤15.60	PASS
Peak	5875.000	-23.82	≤10.00			PASS				
Peak	5925.000	-33.29	≤-27.00			PASS				
11N20SISO	Ant1	Low	5180	AV	4500.000	-52.18	≤-41.20	PASS		
				AV	5149.275	-43.84	≤-41.20	PASS		
				AV	5150.000	-44.16	≤-41.20	PASS		
				Peak	4500.000	-40.38	≤-21.20	PASS		
				Peak	5148.261	-26.04	≤-21.20	PASS		
				Peak	5150.000	-27.13	≤-21.20	PASS		
		High	5320	AV	5350.000	-43.81	≤-41.20	PASS		
				AV	5355.420	-43.34	≤-41.20	PASS		
				AV	5460.000	-48.77	≤-41.20	PASS		
				Peak	5350.000	-29.66	≤-21.20	PASS		
				Peak	5353.797	-26.76	≤-21.20	PASS		
				Peak	5460.000	-39.67	≤-21.20	PASS		
		Low	5500	AV	5350.000	-47.42	≤-41.20	PASS		
				AV	5459.174	-42.29	≤-41.20	PASS		
				AV	5460.000	-43.03	≤-41.20	PASS		
				Peak	5350.000	-34.65	≤-21.20	PASS		
				Peak	5458.870	-30.23	≤-21.20	PASS		
				Peak	5460.000	-32.71	≤-21.20	PASS		
			5745	Peak	5650.000	-30.98	≤-27.00	PASS		
				Peak	5700.000	-23.34	≤10.00	PASS		
				Peak	5720.000	-13.57	≤15.60	PASS		
				Peak	5725.000	-9.43	≤27.00	PASS		
				High	5825	Peak	5850.000	-9.8	≤27.00	PASS
						Peak	5855.000	-13.45	≤15.60	PASS
Peak	5875.000	-18.72	≤10.00			PASS				
Peak	5875.000	-18.72	≤10.00			PASS				

11N40SISO	Ant1	Low	5190	Peak	5925.000	-32.86	≤-27.00	PASS	
				AV	4500.000	-52.38	≤-41.20	PASS	
				AV	5145.217	-44.19	≤-41.20	PASS	
				AV	5150.000	-43.86	≤-41.20	PASS	
				Peak	4500.000	-42.91	≤-21.20	PASS	
				Peak	5149.275	-23.58	≤-21.20	PASS	
		High	5310	Peak	5150.000	-23.23	≤-21.20	PASS	
				AV	5350.000	-42.64	≤-41.20	PASS	
				AV	5351.246	-42.59	≤-41.20	PASS	
				AV	5460.000	-49.48	≤-41.20	PASS	
				Peak	5350.000	-25.27	≤-21.20	PASS	
				Peak	5355.652	-21.94	≤-21.20	PASS	
		Low	5510	Peak	5460.000	-33.75	≤-21.20	PASS	
				AV	5350.000	-48.91	≤-41.20	PASS	
				AV	5459.420	-43.08	≤-41.20	PASS	
				AV	5460.000	-43.16	≤-41.20	PASS	
				Peak	5350.000	-39.5	≤-21.20	PASS	
				Peak	5458.783	-26.9	≤-21.20	PASS	
				Peak	5460.000	-27.31	≤-21.20	PASS	
				5755	Peak	5650.000	-35.76	≤-27.00	PASS
Peak	5700.000				-21.29	≤10.00	PASS		
Peak	5720.000				-11.36	≤15.60	PASS		
Peak	5725.000	-12.74	≤27.00		PASS				
High	5795	Peak	5850.000	-16.85	≤27.00	PASS			
		Peak	5855.000	-19.78	≤15.60	PASS			
		Peak	5875.000	-25.73	≤10.00	PASS			
		Peak	5925.000	-38.69	≤-27.00	PASS			
11AC20SISO	Ant1	Low	5180	AV	4500.000	-54.75	≤-41.20	PASS	
				AV	5146.232	-46.05	≤-41.20	PASS	
				AV	5150.000	-46.67	≤-41.20	PASS	
				Peak	4500.000	-45.74	≤-21.20	PASS	
				Peak	5147.246	-24.12	≤-21.20	PASS	
				Peak	5150.000	-28.19	≤-21.20	PASS	
		High	5320	AV	5350.000	-45.46	≤-41.20	PASS	
				AV	5354.493	-44.56	≤-41.20	PASS	
				AV	5460.000	-50.72	≤-41.20	PASS	
				Peak	5350.000	-24.2	≤-21.20	PASS	
				Peak	5350.087	-24.32	≤-21.20	PASS	
				Peak	5460.000	-41.07	≤-21.20	PASS	
		Low	5500	AV	5350.000	-49.83	≤-41.20	PASS	
				AV	5459.783	-43.15	≤-41.20	PASS	
				AV	5460.000	-43.18	≤-41.20	PASS	
				Peak	5350.000	-40.69	≤-21.20	PASS	
				Peak	5459.783	-29.43	≤-21.20	PASS	
				Peak	5460.000	-29.58	≤-21.20	PASS	
				5745	Peak	5650.000	-37.86	≤-27.00	PASS
					Peak	5700.000	-27.5	≤10.00	PASS
Peak	5720.000	-17.53	≤15.60		PASS				
High	5825	Peak	5725.000	-9.64	≤27.00	PASS			
		Peak	5850.000	-10.58	≤27.00	PASS			
		Peak	5855.000	-15.05	≤15.60	PASS			
		Peak	5875.000	-23.49	≤10.00	PASS			
11AC40SISO	Ant1	Low	5190	Peak	5925.000	-37.6	≤-27.00	PASS	
				AV	4500.000	-54.7	≤-41.20	PASS	
				AV	5149.275	-46.74	≤-41.20	PASS	
				AV	5150.000	-46.58	≤-41.20	PASS	
				Peak	4500.000	-44.43	≤-21.20	PASS	
Peak	5141.159	-27.73	≤-21.20	PASS					




		High	5310	Peak	5150.000	-28.53	≤-21.20	PASS
				AV	5350.000	-42.56	≤-41.20	PASS
				AV	5350.087	-42.56	≤-41.20	PASS
				AV	5460.000	-50.16	≤-41.20	PASS
				Peak	5350.000	-26.52	≤-21.20	PASS
				Peak	5350.087	-26.57	≤-21.20	PASS
		Low	5510	Peak	5460.000	-40.8	≤-21.20	PASS
				AV	5350.000	-48.81	≤-41.20	PASS
				AV	5456.551	-44.48	≤-41.20	PASS
				AV	5460.000	-44.4	≤-41.20	PASS
				Peak	5350.000	-39.98	≤-21.20	PASS
				Peak	5459.739	-33.94	≤-21.20	PASS
		High	5755	Peak	5460.000	-34.25	≤-21.20	PASS
				Peak	5650.000	-34.39	≤-27.00	PASS
				Peak	5700.000	-22.12	≤10.00	PASS
				Peak	5720.000	-14.62	≤15.60	PASS
				Peak	5725.000	-11.82	≤27.00	PASS
				Peak	5850.000	-17.75	≤27.00	PASS
High	5795	Peak	5855.000	-17.75	≤15.60	PASS		
		Peak	5875.000	-26.04	≤10.00	PASS		
		Peak	5925.000	-38.9	≤-27.00	PASS		
		AV	4500.000	-54.85	≤-41.20	PASS		
		AV	5148.261	-46.3	≤-41.20	PASS		
		AV	5150.000	-46.73	≤-41.20	PASS		
11AX20SISO	Ant1	Low	5180	Peak	4500.000	-43.83	≤-21.20	PASS
				Peak	5148.261	-26.36	≤-21.20	PASS
				Peak	5150.000	-27.19	≤-21.20	PASS
				AV	5350.000	-44.89	≤-41.20	PASS
				AV	5350.087	-44.87	≤-41.20	PASS
				AV	5460.000	-51.4	≤-41.20	PASS
		High	5320	Peak	5350.000	-23.98	≤-21.20	PASS
				Peak	5350.087	-24.41	≤-21.20	PASS
				Peak	5460.000	-40.64	≤-21.20	PASS
				AV	5350.000	-49.53	≤-41.20	PASS
				AV	5456.739	-44.77	≤-41.20	PASS
				AV	5460.000	-45.26	≤-41.20	PASS
		Low	5500	Peak	5350.000	-38.62	≤-21.20	PASS
				Peak	5455.826	-31.57	≤-21.20	PASS
				Peak	5460.000	-34.14	≤-21.20	PASS
				Peak	5650.000	-36.74	≤-27.00	PASS
				Peak	5700.000	-24.34	≤10.00	PASS
				Peak	5720.000	-14.81	≤15.60	PASS
High	5745	Peak	5725.000	-11.97	≤27.00	PASS		
		Peak	5850.000	-12.44	≤27.00	PASS		
		Peak	5855.000	-15.37	≤15.60	PASS		
		Peak	5875.000	-22.6	≤10.00	PASS		
		Peak	5925.000	-36.58	≤-27.00	PASS		
		AV	4500.000	-54.82	≤-41.20	PASS		
11AX40SISO	Ant1	Low	5190	AV	5147.246	-45.5	≤-41.20	PASS
				AV	5150.000	-45.78	≤-41.20	PASS
				Peak	4500.000	-45.03	≤-21.20	PASS
				Peak	5145.217	-28.06	≤-21.20	PASS
				Peak	5150.000	-31.59	≤-21.20	PASS
				AV	5350.000	-41.45	≤-41.20	PASS
		High	5310	AV	5350.087	-41.79	≤-41.20	PASS
				AV	5460.000	-50.99	≤-41.20	PASS
				Peak	5350.000	-28.03	≤-21.20	PASS
				Peak	5350.087	-27.95	≤-21.20	PASS

	Low	5510	Peak	5460.000	-42.19	≤ -21.20	PASS
			AV	5350.000	-49.27	≤ -41.20	PASS
			AV	5459.739	-44.84	≤ -41.20	PASS
			AV	5460.000	-44.59	≤ -41.20	PASS
		Peak	5350.000	-39.62	≤ -21.20	PASS	
		Peak	5454.319	-31.89	≤ -21.20	PASS	
		Peak	5460.000	-32.14	≤ -21.20	PASS	
		Peak	5650.000	-32.94	≤ -27.00	PASS	
	High	5755	Peak	5700.000	-18.86	≤ 10.00	PASS
			Peak	5720.000	-10.96	≤ 15.60	PASS
			Peak	5725.000	-11.84	≤ 27.00	PASS
			Peak	5725.000	-11.84	≤ 27.00	PASS
		5795	Peak	5850.000	-16.05	≤ 27.00	PASS
			Peak	5855.000	-18.29	≤ 15.60	PASS
			Peak	5875.000	-25.77	≤ 10.00	PASS
			Peak	5925.000	-36.85	≤ -27.00	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.
3. The Duty Cycle Factor is compensated in the graph.


7.2. Test Graphs




11A_Ant1_High_5320_Peak




11A_Ant1_Low_5500_AV



11A_Ant1_Low_5500_Peak




11A_Ant1_Low_5745_Peak




Date: 7.MAY.2024 21:54:21

11A_Ant1_High_5825_Peak




Date: 8.MAY.2024 20:19:50

11N20SISO_Ant1_Low_5180_AV




Date: 8.MAY.2024 20:25:32


11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5320_AV



11N20SISO_Ant1_High_5320_Peak




11N20SISO_Ant1_Low_5500_AV




Date: 8.MAY.2024 21:07:25

11N20SISO_Ant1_Low_5500_Peak



Date: 8.MAY.2024 21:04:59

11N20SISO_Ant1_Low_5745_Peak




Date: 8.MAY.2024 21:32:05


11N20SISO_Ant1_High_5825_Peak




11N40SISO_Ant1_Low_5190_AV




11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5310_AV




11N40SISO_Ant1_High_5310_Peak




11N40SISO_Ant1_Low_5510_AV




11N40SISO_Ant1_Low_5510_Peak









11AC20SISO_Ant1_Low_5180_Peak




11AC20SISO_Ant1_High_5320_AV




11AC20SISO_Ant1_High_5320_Peak






Date: 14.MAY.2024 20:51:18

11AC20SISO_Ant1_High_5825_Peak






Date: 14.MAY.2024 21:06:18


11AC40SISO_Ant1_Low_5190_AV



Date: 14.MAY.2024 21:12:33


11AC40SISO_Ant1_Low_5190_Peak






Date: 14.MAY.2024 21:37:59

11AC40SISO_Ant1_Low_5510_Peak



Date: 14.MAY.2024 21:37:36

11AC40SISO_Ant1_Low_5755_Peak



Date: 14.MAY.2024 21:54:13

11AC40SISO_Ant1_High_5795_Peak