


Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.300	38.200	0.5	Complies
159	5795	36.900	38.000	0.5	Complies

### CH151




Date: 20.APR.2024 00:39:13

### CH159 6 dB Bandwidth




Date: 20.APR.2024 00:41:44

### 99 % Occupied Bandwidth



Date: 20.APR.2024 00:38:28




Date: 20.APR.2024 00:41:04

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	74.390	77.600	0.5	Complies

### CH155 6 dB Bandwidth



Date: 20.APR.2024 00:51:58

### 99 % Occupied Bandwidth



Date: 20.APR.2024 00:51:00

## **APPENDIX F - MAXIMUM OUTPUT POWER**

### Non Beamforming

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.91	0.17	19.08	25.68	0.3698	Complies
40	5200	18.97	0.17	19.14	25.68	0.3698	Complies
48	5240	18.70	0.17	18.87	25.68	0.3698	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.77	0.17	18.94	25.68	0.3698	Complies
40	5200	18.83	0.17	19.00	25.68	0.3698	Complies
48	5240	18.61	0.17	18.78	25.68	0.3698	Complies

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.43	0.17	19.60	25.68	0.3698	Complies
40	5200	19.51	0.17	19.68	25.68	0.3698	Complies
48	5240	19.33	0.17	19.50	25.68	0.3698	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.99	25.68	0.3698	Complies
40	5200	24.05	25.68	0.3698	Complies
48	5240	23.83	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.85	0.18	19.03	25.68	0.3698	Complies
40	5200	18.84	0.18	19.02	25.68	0.3698	Complies
48	5240	19.10	0.18	19.28	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.75	0.18	18.93	25.68	0.3698	Complies
40	5200	18.86	0.18	19.04	25.68	0.3698	Complies
48	5240	19.13	0.18	19.31	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.47	0.18	19.65	25.68	0.3698	Complies
40	5200	19.43	0.18	19.61	25.68	0.3698	Complies
48	5240	19.88	0.18	20.06	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.98	25.68	0.3698	Complies
40	5200	24.00	25.68	0.3698	Complies
48	5240	24.33	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.64	0.38	19.02	25.68	0.3698	Complies
46	5230	20.40	0.38	20.78	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.51	0.38	18.89	25.68	0.3698	Complies
46	5230	20.20	0.38	20.58	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.07	0.38	19.45	25.68	0.3698	Complies
46	5230	20.88	0.38	21.26	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.90	25.68	0.3698	Complies
46	5230	25.65	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.93	0.74	19.67	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.76	0.74	19.50	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.37	0.74	20.11	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.53	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.87	0.25	19.12	25.68	0.3698	Complies
40	5200	18.98	0.25	19.23	25.68	0.3698	Complies
48	5240	19.29	0.25	19.54	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.82	0.25	19.07	25.68	0.3698	Complies
40	5200	18.91	0.25	19.16	25.68	0.3698	Complies
48	5240	19.27	0.25	19.52	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	19.39	0.25	19.64	25.68	0.3698	Complies
40	5200	19.44	0.25	19.69	25.68	0.3698	Complies
48	5240	19.81	0.25	20.06	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	24.05	25.68	0.3698	Complies
40	5200	24.13	25.68	0.3698	Complies
48	5240	24.48	25.68	0.3698	Complies



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.98	0.77	20.75	25.68	0.3698	Complies
46	5230	19.61	0.77	20.38	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.85	0.77	20.62	25.68	0.3698	Complies
46	5230	19.68	0.77	20.45	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.50	0.77	21.27	25.68	0.3698	Complies
46	5230	20.19	0.77	20.96	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.66	25.68	0.3698	Complies
46	5230	25.37	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.16	1.22	20.38	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.93	1.22	20.15	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.65	1.22	20.87	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	25.25	25.68	0.3698	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.94	0.17	13.11	19.66	0.0925	Complies
60	5300	12.95	0.17	13.12	19.66	0.0925	Complies
64	5320	12.95	0.17	13.12	19.66	0.0925	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.95	0.17	13.12	19.68	0.0925	Complies
60	5300	12.96	0.17	13.13	19.68	0.0925	Complies
64	5320	13.05	0.17	13.22	19.68	0.0925	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.69	0.17	13.86	19.66	0.0925	Complies
60	5300	13.73	0.17	13.90	19.66	0.0925	Complies
64	5320	13.74	0.17	13.91	19.66	0.0925	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.15	19.66	0.0925	Complies
60	5300	18.17	19.66	0.0925	Complies
64	5320	18.20	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.28	0.18	13.46	19.66	0.0925	Complies
60	5300	13.38	0.18	13.56	19.66	0.0925	Complies
64	5320	13.37	0.18	13.55	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.36	0.18	13.54	19.66	0.0925	Complies
60	5300	13.42	0.18	13.60	19.66	0.0925	Complies
64	5320	13.45	0.18	13.63	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.93	0.18	14.11	19.66	0.0925	Complies
60	5300	14.03	0.18	14.21	19.66	0.0925	Complies
64	5320	14.12	0.18	14.30	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.48	19.66	0.0925	Complies
60	5300	18.57	19.66	0.0925	Complies
64	5320	18.61	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.81	0.38	14.19	19.66	0.0925	Complies
62	5310	14.07	0.38	14.45	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.67	0.38	14.05	19.66	0.0925	Complies
62	5310	14.01	0.38	14.39	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.43	0.38	14.81	19.66	0.0925	Complies
62	5310	14.74	0.38	15.12	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.13	19.66	0.0925	Complies
62	5310	19.44	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.82	0.74	14.56	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.01	0.74	14.75	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	14.54	0.74	15.28	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.64	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.56	0.25	13.81	19.66	0.0925	Complies
60	5300	13.60	0.25	13.85	19.66	0.0925	Complies
64	5320	13.14	0.25	13.39	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.57	0.25	13.82	19.66	0.0925	Complies
60	5300	13.58	0.25	13.83	19.66	0.0925	Complies
64	5320	13.15	0.25	13.40	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	14.14	0.25	14.39	19.66	0.0925	Complies
60	5300	14.20	0.25	14.45	19.66	0.0925	Complies
64	5320	13.81	0.25	14.06	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.78	19.66	0.0925	Complies
60	5300	18.82	19.66	0.0925	Complies
64	5320	18.40	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.78	0.77	14.55	19.66	0.0925	Complies
62	5310	13.46	0.77	14.23	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.95	0.77	14.72	19.66	0.0925	Complies
62	5310	13.56	0.77	14.33	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.44	0.77	15.21	19.66	0.0925	Complies
62	5310	14.24	0.77	15.01	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.61	19.66	0.0925	Complies
62	5310	19.31	19.66	0.0925	Complies



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.13	1.22	14.35	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.07	1.22	14.29	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.79	1.22	15.01	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	19.33	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.27	1.22	14.49	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.04	1.22	14.26	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.82	1.22	15.04	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.38	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.96	1.58	14.54	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.78	1.58	14.36	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.50	1.58	15.08	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	19.45	19.66	0.0925	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.92	0.17	13.09	19.66	0.0925	Complies
116	5580	13.42	0.17	13.59	19.66	0.0925	Complies
140	5700	12.94	0.17	13.11	19.66	0.0925	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.72	0.17	12.89	19.66	0.0925	Complies
116	5580	13.46	0.17	13.63	19.66	0.0925	Complies
140	5700	12.34	0.17	12.51	19.66	0.0925	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.22	0.17	13.39	19.66	0.0925	Complies
116	5580	13.06	0.17	13.23	19.66	0.0925	Complies
140	5700	12.75	0.17	12.92	19.66	0.0925	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.90	19.66	0.0925	Complies
116	5580	18.26	19.66	0.0925	Complies
140	5700	17.63	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.05	0.18	13.23	19.66	0.0925	Complies
116	5580	13.38	0.18	13.56	19.66	0.0925	Complies
140	5700	13.43	0.18	13.61	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.80	0.18	12.98	19.66	0.0925	Complies
116	5580	13.46	0.18	13.64	19.66	0.0925	Complies
140	5700	12.41	0.18	12.59	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.25	0.18	13.43	19.66	0.0925	Complies
116	5580	13.50	0.18	13.68	19.66	0.0925	Complies
140	5700	12.74	0.18	12.92	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.99	19.66	0.0925	Complies
116	5580	18.39	19.66	0.0925	Complies
140	5700	17.83	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.37	0.38	14.75	19.66	0.0925	Complies
110	5550	14.34	0.38	14.72	19.66	0.0925	Complies
134	5670	14.83	0.38	15.21	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.81	0.38	14.19	19.66	0.0925	Complies
110	5550	13.95	0.38	14.33	19.66	0.0925	Complies
134	5670	14.07	0.38	14.45	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.43	0.38	14.81	19.66	0.0925	Complies
110	5550	14.92	0.38	15.30	19.66	0.0925	Complies
134	5670	14.37	0.38	14.75	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.36	19.66	0.0925	Complies
110	5550	19.57	19.66	0.0925	Complies
134	5670	19.58	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.49	0.74	14.23	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.18	0.74	13.92	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.77	0.74	14.51	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.99	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.17	0.25	13.42	19.66	0.0925	Complies
116	5580	13.78	0.25	14.03	19.66	0.0925	Complies
140	5700	13.31	0.25	13.56	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.99	0.25	13.24	19.66	0.0925	Complies
116	5580	13.66	0.25	13.91	19.66	0.0925	Complies
140	5700	12.55	0.25	12.80	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.50	0.25	13.75	19.66	0.0925	Complies
116	5580	13.30	0.25	13.55	19.66	0.0925	Complies
140	5700	13.09	0.25	13.34	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	18.24	19.66	0.0925	Complies
116	5580	18.60	19.66	0.0925	Complies
140	5700	18.01	19.66	0.0925	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.90	0.77	14.67	19.66	0.0925	Complies
110	5550	13.63	0.77	14.40	19.66	0.0925	Complies
134	5670	14.06	0.77	14.83	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.63	0.77	14.40	19.66	0.0925	Complies
110	5550	13.32	0.77	14.09	19.66	0.0925	Complies
134	5670	13.43	0.77	14.20	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.15	0.77	14.92	19.66	0.0925	Complies
110	5550	14.28	0.77	15.05	19.66	0.0925	Complies
134	5670	13.66	0.77	14.43	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	19.44	19.66	0.0925	Complies
110	5550	19.30	19.66	0.0925	Complies
134	5670	19.26	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.33	1.22	14.55	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.03	1.22	14.25	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.61	1.22	14.83	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	19.32	19.66	0.0925	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	21.04	0.17	21.21	25.68	0.3698	Complies
157	5785	20.67	0.17	20.84	25.68	0.3698	Complies
165	5825	20.47	0.17	20.64	25.68	0.3698	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.95	0.17	20.12	25.68	0.3698	Complies
157	5785	19.68	0.17	19.85	25.68	0.3698	Complies
165	5825	20.37	0.17	20.54	25.68	0.3698	Complies

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.28	0.17	20.45	25.68	0.3698	Complies
157	5785	20.27	0.17	20.44	25.68	0.3698	Complies
165	5825	20.17	0.17	20.34	25.68	0.3698	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.39	25.68	0.3698	Complies
157	5785	25.17	25.68	0.3698	Complies
165	5825	25.28	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.60	0.18	20.78	25.68	0.3698	Complies
157	5785	20.62	0.18	20.80	25.68	0.3698	Complies
165	5825	20.38	0.18	20.56	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.55	0.18	19.73	25.68	0.3698	Complies
157	5785	19.76	0.18	19.94	25.68	0.3698	Complies
165	5825	20.33	0.18	20.51	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.89	0.18	20.07	25.68	0.3698	Complies
157	5785	20.03	0.18	20.21	25.68	0.3698	Complies
165	5825	20.49	0.18	20.67	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.98	25.68	0.3698	Complies
157	5785	25.10	25.68	0.3698	Complies
165	5825	25.35	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.66	0.38	21.04	25.68	0.3698	Complies
159	5795	20.72	0.38	21.10	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.13	0.38	20.51	25.68	0.3698	Complies
159	5795	20.45	0.38	20.83	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.36	0.38	20.74	25.68	0.3698	Complies
159	5795	20.33	0.38	20.71	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.54	25.68	0.3698	Complies
159	5795	25.65	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	20.25	0.74	20.99	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.54	0.74	20.28	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.88	0.74	20.62	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.41	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.79	0.25	21.04	25.68	0.3698	Complies
157	5785	20.97	0.25	21.22	25.68	0.3698	Complies
165	5825	20.58	0.25	20.83	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.07	0.25	20.32	25.68	0.3698	Complies
157	5785	19.85	0.25	20.10	25.68	0.3698	Complies
165	5825	20.45	0.25	20.70	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.75	0.25	21.00	25.68	0.3698	Complies
157	5785	20.36	0.25	20.61	25.68	0.3698	Complies
165	5825	20.25	0.25	20.50	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.57	25.68	0.3698	Complies
157	5785	25.43	25.68	0.3698	Complies
165	5825	25.45	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.59	0.77	19.36	25.68	0.3698	Complies
159	5795	19.03	0.77	19.80	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.35	0.77	19.12	25.68	0.3698	Complies
159	5795	18.38	0.77	19.15	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.07	0.77	19.84	25.68	0.3698	Complies
159	5795	18.66	0.77	19.43	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	24.22	25.68	0.3698	Complies
159	5795	24.24	25.68	0.3698	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.89	1.22	21.11	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.40	1.22	20.62	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.71	1.22	20.93	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.66	25.68	0.3698	Complies

Note: Output power = Measure result + Cable loss

### Beamforming

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.25	0.18	18.43	25.68	0.3698	Complies
40	5200	18.30	0.18	18.48	25.68	0.3698	Complies
48	5240	18.62	0.18	18.80	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.34	0.18	18.52	25.68	0.3698	Complies
40	5200	18.73	0.18	18.91	25.68	0.3698	Complies
48	5240	18.56	0.18	18.74	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.76	0.18	18.94	25.68	0.3698	Complies
40	5200	18.65	0.18	18.83	25.68	0.3698	Complies
48	5240	19.13	0.18	19.31	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.40	25.68	0.3698	Complies
40	5200	23.51	25.68	0.3698	Complies
48	5240	23.73	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.22	0.38	18.60	25.68	0.3698	Complies
46	5230	20.36	0.38	20.74	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.34	0.38	18.72	25.68	0.3698	Complies
46	5230	19.87	0.38	20.25	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	18.81	0.38	19.19	25.68	0.3698	Complies
46	5230	20.05	0.38	20.43	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	23.61	25.68	0.3698	Complies
46	5230	25.25	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.55	0.74	19.29	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.38	0.74	19.12	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	19.10	0.74	19.84	25.68	0.3698	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.19	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.24	0.25	18.49	25.68	0.3698	Complies
40	5200	18.42	0.25	18.67	25.68	0.3698	Complies
48	5240	18.67	0.25	18.92	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.12	0.25	18.37	25.68	0.3698	Complies
40	5200	18.23	0.25	18.48	25.68	0.3698	Complies
48	5240	18.61	0.25	18.86	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	18.84	0.25	19.09	25.68	0.3698	Complies
40	5200	18.81	0.25	19.06	25.68	0.3698	Complies
48	5240	19.15	0.25	19.40	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	23.43	25.68	0.3698	Complies
40	5200	23.51	25.68	0.3698	Complies
48	5240	23.83	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.67	0.77	20.44	25.68	0.3698	Complies
46	5230	19.37	0.77	20.14	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	19.52	0.77	20.29	25.68	0.3698	Complies
46	5230	19.09	0.77	19.86	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	20.14	0.77	20.91	25.68	0.3698	Complies
46	5230	19.75	0.77	20.52	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	25.32	25.68	0.3698	Complies
46	5230	24.95	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.38	1.22	19.60	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.31	1.22	19.53	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	18.92	1.22	20.14	25.68	0.3698	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	24.54	25.68	0.3698	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.52	0.18	13.70	19.66	0.0925	Complies
60	5300	13.55	0.18	13.73	19.66	0.0925	Complies
64	5320	12.99	0.18	13.17	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.89	0.18	13.07	19.66	0.0925	Complies
60	5300	13.02	0.18	13.20	19.66	0.0925	Complies
64	5320	12.97	0.18	13.15	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.55	0.18	13.73	19.66	0.0925	Complies
60	5300	13.57	0.18	13.75	19.66	0.0925	Complies
64	5320	13.70	0.18	13.88	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.28	19.66	0.0925	Complies
60	5300	18.34	19.66	0.0925	Complies
64	5320	18.18	19.66	0.0925	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.53	0.38	13.91	19.66	0.0925	Complies
62	5310	13.50	0.38	13.88	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.32	0.38	13.70	19.66	0.0925	Complies
62	5310	13.83	0.38	14.21	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.81	0.38	14.19	19.66	0.0925	Complies
62	5310	14.02	0.38	14.40	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	18.71	19.66	0.0925	Complies
62	5310	18.94	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.25	0.74	13.99	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.01	0.74	13.75	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.85	0.74	14.59	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.89	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.84	0.25	13.09	19.66	0.0925	Complies
60	5300	12.85	0.25	13.10	19.66	0.0925	Complies
64	5320	12.45	0.25	12.70	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	12.93	0.25	13.18	19.66	0.0925	Complies
60	5300	13.02	0.25	13.27	19.66	0.0925	Complies
64	5320	12.41	0.25	12.66	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	13.53	0.25	13.78	19.66	0.0925	Complies
60	5300	13.54	0.25	13.79	19.66	0.0925	Complies
64	5320	13.15	0.25	13.40	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	18.13	19.66	0.0925	Complies
60	5300	18.16	19.66	0.0925	Complies
64	5320	17.70	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.48	0.77	14.25	19.66	0.0925	Complies
62	5310	13.20	0.77	13.97	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.37	0.77	14.14	19.66	0.0925	Complies
62	5310	13.16	0.77	13.93	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	14.08	0.77	14.85	19.66	0.0925	Complies
62	5310	13.81	0.77	14.58	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	19.19	19.66	0.0925	Complies
62	5310	18.94	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.56	1.22	13.78	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	12.54	1.22	13.76	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	13.16	1.22	14.38	19.66	0.0925	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	18.75	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.74	1.22	13.96	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.58	1.22	13.80	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	13.20	1.22	14.42	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.84	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.46	1.58	14.04	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.37	1.58	13.95	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	12.86	1.58	14.44	19.66	0.0925	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	18.92	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.57	0.18	12.75	19.66	0.0925	Complies
116	5580	13.12	0.18	13.30	19.66	0.0925	Complies
140	5700	12.54	0.18	12.72	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.35	0.18	12.53	19.66	0.0925	Complies
116	5580	13.15	0.18	13.33	19.66	0.0925	Complies
140	5700	12.33	0.18	12.51	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.05	0.18	13.23	19.66	0.0925	Complies
116	5580	13.04	0.18	13.22	19.66	0.0925	Complies
140	5700	12.26	0.18	12.44	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.61	19.66	0.0925	Complies
116	5580	18.05	19.66	0.0925	Complies
140	5700	17.33	19.66	0.0925	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.65	0.38	14.03	19.66	0.0925	Complies
110	5550	13.78	0.38	14.16	19.66	0.0925	Complies
134	5670	14.20	0.38	14.58	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.52	0.38	13.90	19.66	0.0925	Complies
110	5550	13.40	0.38	13.78	19.66	0.0925	Complies
134	5670	13.90	0.38	14.28	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.90	0.38	14.28	19.66	0.0925	Complies
110	5550	14.02	0.38	14.40	19.66	0.0925	Complies
134	5670	14.46	0.38	14.84	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.84	19.66	0.0925	Complies
110	5550	18.89	19.66	0.0925	Complies
134	5670	19.34	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.98	0.74	13.72	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.89	0.74	13.63	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	13.45	0.74	14.19	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.62	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.56	0.25	12.81	19.66	0.0925	Complies
116	5580	12.90	0.25	13.15	19.66	0.0925	Complies
140	5700	12.61	0.25	12.86	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.28	0.25	12.53	19.66	0.0925	Complies
116	5580	13.21	0.25	13.46	19.66	0.0925	Complies
140	5700	12.36	0.25	12.61	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.84	0.25	13.09	19.66	0.0925	Complies
116	5580	13.46	0.25	13.71	19.66	0.0925	Complies
140	5700	12.82	0.25	13.07	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	17.58	19.66	0.0925	Complies
116	5580	18.21	19.66	0.0925	Complies
140	5700	17.62	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.35	0.77	14.12	19.66	0.0925	Complies
110	5550	13.01	0.77	13.78	19.66	0.0925	Complies
134	5670	13.47	0.77	14.24	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	12.93	0.77	13.70	19.66	0.0925	Complies
110	5550	12.61	0.77	13.38	19.66	0.0925	Complies
134	5670	12.67	0.77	13.44	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	13.49	0.77	14.26	19.66	0.0925	Complies
110	5550	13.52	0.77	14.29	19.66	0.0925	Complies
134	5670	12.99	0.77	13.76	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	18.80	19.66	0.0925	Complies
110	5550	18.60	19.66	0.0925	Complies
134	5670	18.60	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.67	1.22	13.89	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.31	1.22	13.53	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	12.94	1.22	14.16	19.66	0.0925	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	18.64	19.66	0.0925	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.32	0.18	19.50	25.68	0.3698	Complies
157	5785	19.82	0.18	20.00	25.68	0.3698	Complies
165	5825	19.90	0.18	20.08	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.02	0.18	19.20	25.68	0.3698	Complies
157	5785	19.67	0.18	19.85	25.68	0.3698	Complies
165	5825	19.74	0.18	19.92	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.21	0.18	20.39	25.68	0.3698	Complies
157	5785	19.54	0.18	19.72	25.68	0.3698	Complies
165	5825	19.88	0.18	20.06	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	24.49	25.68	0.3698	Complies
157	5785	24.63	25.68	0.3698	Complies
165	5825	24.79	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	20.30	0.38	20.68	25.68	0.3698	Complies
159	5795	20.29	0.38	20.67	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.63	0.38	20.01	25.68	0.3698	Complies
159	5795	19.73	0.38	20.11	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	19.88	0.38	20.26	25.68	0.3698	Complies
159	5795	20.60	0.38	20.98	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	25.09	25.68	0.3698	Complies
159	5795	25.37	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.72	0.74	20.46	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.52	0.74	20.26	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.68	0.74	20.42	25.68	0.3698	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.15	25.68	0.3698	Complies



Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.32	0.25	20.57	25.68	0.3698	Complies
157	5785	20.36	0.25	20.61	25.68	0.3698	Complies
165	5825	20.05	0.25	20.30	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	19.67	0.25	19.92	25.68	0.3698	Complies
157	5785	19.42	0.25	19.67	25.68	0.3698	Complies
165	5825	19.95	0.25	20.20	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	20.21	0.25	20.46	25.68	0.3698	Complies
157	5785	19.66	0.25	19.91	25.68	0.3698	Complies
165	5825	19.70	0.25	19.95	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	25.09	25.68	0.3698	Complies
157	5785	24.85	25.68	0.3698	Complies
165	5825	24.92	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.43	0.77	19.20	25.68	0.3698	Complies
159	5795	18.59	0.77	19.36	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	17.77	0.77	18.54	25.68	0.3698	Complies
159	5795	17.88	0.77	18.65	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	18.05	0.77	18.82	25.68	0.3698	Complies
159	5795	18.04	0.77	18.81	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	23.63	25.68	0.3698	Complies
159	5795	23.72	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.47	1.22	20.69	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	18.83	1.22	20.05	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	19.21	1.22	20.43	25.68	0.3698	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	25.17	25.68	0.3698	Complies

Note: Output power = Measure result + Cable loss


## **APPENDIX G - POWER SPECTRAL DENSITY**

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.78	0.17	6.95	12.68	Complies
40	5200	6.72	0.17	6.89	12.68	Complies
48	5240	6.43	0.17	6.60	12.68	Complies



Date: 19.APR.2024 05:01:45




Date: 19.APR.2024 05:09:22




Date: 19.APR.2024 05:12:26

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.13	0.17	6.30	12.68	Complies
40	5200	6.74	0.17	6.91	12.68	Complies
48	5240	6.56	0.17	6.73	12.68	Complies



Date: 19.APR.2024 05:01:13




Date: 19.APR.2024 05:08:49




Date: 19.APR.2024 05:11:38

Test Mode	UNII-1_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.40	0.17	7.57	12.68	Complies
40	5200	7.37	0.17	7.54	12.68	Complies
48	5240	7.18	0.17	7.35	12.68	Complies



Date: 19.APR.2024 05:00:29



Date: 19.APR.2024 05:08:16




Date: 19.APR.2024 05:10:11

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.74	12.68	Complies
40	5200	11.90	12.68	Complies
48	5240	11.68	12.68	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.64	0.18	6.82	12.68	Complies
40	5200	6.67	0.18	6.85	12.68	Complies
48	5240	6.65	0.18	6.83	12.68	Complies



Date: 19.APR.2024 05:41:26




Date: 19.APR.2024 05:43:21




Date: 19.APR.2024 05:45:22

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.48	0.18	6.66	12.68	Complies
40	5200	6.61	0.18	6.79	12.68	Complies
48	5240	6.73	0.18	6.91	12.68	Complies



Date: 19.APR.2024 05:40:55




Date: 19.APR.2024 05:42:52



Date: 19.APR.2024 05:44:53

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.25	0.18	7.43	12.68	Complies
40	5200	7.30	0.18	7.48	12.68	Complies
48	5240	7.44	0.18	7.62	12.68	Complies





Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.75	12.68	Complies
40	5200	11.82	12.68	Complies
48	5240	11.90	12.68	Complies





Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.79	0.38	7.17	12.68	Complies
46	5230	6.95	0.38	7.33	12.68	Complies





Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.55	0.38	6.93	12.68	Complies
46	5230	6.68	0.38	7.06	12.68	Complies



Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.00	0.38	7.38	12.68	Complies
46	5230	7.44	0.38	7.82	12.68	Complies




Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.93	12.68	Complies
46	5230	12.18	12.68	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.00	0.74	3.74	12.68	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	2.77	0.74	3.51	12.68	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.44	0.74	4.18	12.68	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	8.59	12.68	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.23	0.25	6.48	12.68	Complies
40	5200	6.34	0.25	6.59	12.68	Complies
48	5240	6.50	0.25	6.75	12.68	Complies



Date: 19.APR.2024 11:02:17




Date: 19.APR.2024 11:03:44




Date: 19.APR.2024 11:05:08

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.23	0.25	6.48	12.68	Complies
40	5200	6.34	0.25	6.59	12.68	Complies
48	5240	6.47	0.25	6.72	12.68	Complies



Date: 19.APR.2024 11:01:54




Date: 19.APR.2024 11:03:20




Date: 19.APR.2024 11:04:47

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.82	0.25	7.07	12.68	Complies
40	5200	6.95	0.25	7.20	12.68	Complies
48	5240	7.27	0.25	7.52	12.68	Complies



Date: 19.APR.2024 11:01:26



Date: 19.APR.2024 11:02:55




Date: 19.APR.2024 11:04:23

Test Mode	UNII-1_TX AX(HE20) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	11.45	12.68	Complies
40	5200	11.57	12.68	Complies
48	5240	11.78	12.68	Complies

Test Mode UNII-1\_TX AX(HE40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.12	0.77	6.89	12.68	Complies
46	5230	5.92	0.77	6.69	12.68	Complies




Date: 19.APR.2024 11:29:30




Date: 19.APR.2024 11:31:19

Test Mode UNII-1\_TX AX(HE40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.13	0.77	6.90	12.68	Complies
46	5230	5.83	0.77	6.60	12.68	Complies




Date: 19.APR.2024 11:28:58




Date: 19.APR.2024 11:30:47

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.76	0.77	7.53	12.68	Complies
46	5230	6.44	0.77	7.21	12.68	Complies



Date: 19.APR.2024 11:28:30



Date: 19.APR.2024 11:30:19


Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	11.89	12.68	Complies
46	5230	11.61	12.68	Complies




Test Mode UNII-1\_TX AX(HE80) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.36	1.22	4.58	12.68	Complies




Test Mode UNII-1\_TX AX(HE80) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.45	1.22	4.67	12.68	Complies



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	3.92	1.22	5.14	12.68	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	9.57	12.68	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.06	0.17	1.23	6.68	Complies
60	5300	0.83	0.17	1.00	6.68	Complies
64	5320	0.90	0.17	1.07	6.68	Complies



Date: 19.APR.2024 05:19:16




Date: 19.APR.2024 05:21:15




Date: 19.APR.2024 05:23:13

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.45	0.17	0.62	6.68	Complies
60	5300	0.50	0.17	0.67	6.68	Complies
64	5320	0.64	0.17	0.81	6.68	Complies



Date: 19.APR.2024 05:18:49




Date: 19.APR.2024 05:20:46




Date: 19.APR.2024 05:22:41

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.61	0.17	1.78	6.68	Complies
60	5300	1.57	0.17	1.74	6.68	Complies
64	5320	1.55	0.17	1.72	6.68	Complies



Date: 19.APR.2024 05:18:21



Date: 19.APR.2024 05:20:08




Date: 19.APR.2024 05:21:56

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.01	6.68	Complies
60	5300	5.93	6.68	Complies
64	5320	5.99	6.68	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.00	0.18	1.18	6.68	Complies
60	5300	0.91	0.18	1.09	6.68	Complies
64	5320	0.70	0.18	0.88	6.68	Complies



Date: 19.APR.2024 09:41:26




Date: 19.APR.2024 09:44:27




Date: 19.APR.2024 09:48:31

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.17	0.18	1.35	6.68	Complies
60	5300	1.02	0.18	1.20	6.68	Complies
64	5320	0.91	0.18	1.09	6.68	Complies



Date: 19.APR.2024 09:41:01




Date: 19.APR.2024 09:44:02




Date: 19.APR.2024 09:47:39

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.59	0.18	1.77	6.68	Complies
60	5300	1.45	0.18	1.63	6.68	Complies
64	5320	1.34	0.18	1.52	6.68	Complies



Date: 19.APR.2024 09:40:22



Date: 19.APR.2024 09:42:54





Date: 19.APR.2024 09:47:14

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.21	6.68	Complies
60	5300	6.08	6.68	Complies
64	5320	5.94	6.68	Complies



Test Mode UNII-2A\_TX AC(VHT40) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.01	0.38	1.39	6.68	Complies
62	5310	0.76	0.38	1.14	6.68	Complies





Test Mode UNII-2A\_TX AC(VHT40) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.90	0.38	1.28	6.68	Complies
62	5310	0.72	0.38	1.10	6.68	Complies



Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.51	0.38	1.89	6.68	Complies
62	5310	1.40	0.38	1.78	6.68	Complies




Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.30	6.68	Complies
62	5310	6.12	6.68	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.66	0.74	1.40	6.68	Complies




Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.33	0.74	1.07	6.68	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	1.09	0.74	1.83	6.68	Complies




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.21	6.68	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.73	0.25	0.98	6.68	Complies
60	5300	0.69	0.25	0.94	6.68	Complies
64	5320	0.28	0.25	0.53	6.68	Complies



Date: 19.APR.2024 11:07:17




Date: 19.APR.2024 11:09:24




Date: 19.APR.2024 11:10:59

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.03	0.25	1.28	6.68	Complies
60	5300	0.89	0.25	1.14	6.68	Complies
64	5320	0.48	0.25	0.73	6.68	Complies



Date: 19.APR.2024 11:06:52




Date: 19.APR.2024 11:09:02




Date: 19.APR.2024 11:10:36

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.47	0.25	1.72	6.68	Complies
60	5300	1.29	0.25	1.54	6.68	Complies
64	5320	0.98	0.25	1.23	6.68	Complies



Date: 19.APR.2024 11:06:27



Date: 19.APR.2024 11:08:38



Date: 19.APR.2024 11:10:08


Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.10	6.68	Complies
60	5300	5.98	6.68	Complies
64	5320	5.61	6.68	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.47	0.77	1.24	6.68	Complies
62	5310	0.23	0.77	1.00	6.68	Complies

**CH54**



Date: 19.APR.2024 11:35:24

**CH62**




Date: 19.APR.2024 11:37:18

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	0.63	0.77	1.40	6.68	Complies
62	5310	0.36	0.77	1.13	6.68	Complies

**CH54**



Date: 19.APR.2024 11:34:50


**CH62**




Date: 19.APR.2024 11:36:39

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.10	0.77	1.87	6.68	Complies
62	5310	0.83	0.77	1.60	6.68	Complies



Date: 19.APR.2024 11:34:22




Date: 19.APR.2024 11:36:07

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.28	6.68	Complies
62	5310	6.02	6.68	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.28	1.22	0.94	6.68	Complies




Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	-0.11	1.22	1.11	6.68	Complies



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.46	1.22	1.68	6.68	Complies




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.03	6.68	Complies



Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.17	1.22	0.05	6.68	Complies



Date: 19.APR.2024 10:58:11

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.22	1.22	0.00	6.68	Complies



Date: 19.APR.2024 10:57:21

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-0.80	1.22	0.42	6.68	Complies




Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	4.93	6.68	Complies


Test Mode UNII-1+UNII-2A\_TX AX(HE160) Mode\_Ant. 1

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.50	1.58	0.08	6.68	Complies




Test Mode UNII-1+UNII-2A\_TX AX(HE160) Mode\_Ant. 2

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.43	1.58	0.15	6.68	Complies



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.07	1.58	0.51	6.68	Complies




Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	5.03	6.68	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.19	0.17	1.36	6.68	Complies
116	5580	1.25	0.17	1.42	6.68	Complies
140	5700	1.56	0.17	1.73	6.68	Complies



Date: 19.APR.2024 05:26:35




Date: 19.APR.2024 05:27:36




Date: 19.APR.2024 05:30:35

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.95	0.17	1.12	6.68	Complies
116	5580	1.60	0.17	1.77	6.68	Complies
140	5700	0.98	0.17	1.15	6.68	Complies



Date: 19.APR.2024 05:25:58




Date: 19.APR.2024 05:28:15




Date: 19.APR.2024 05:30:06

Test Mode	UNII-2C_TX A Mode_Ant.
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.36	0.17	1.53	6.68	Complies
116	5580	1.22	0.17	1.39	6.68	Complies
140	5700	0.93	0.17	1.10	6.68	Complies



Date: 19.APR.2024 05:24:34



Date: 19.APR.2024 05:28:45




Date: 19.APR.2024 05:29:39

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.11	6.68	Complies
116	5580	6.30	6.68	Complies
140	5700	6.11	6.68	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.00	0.18	1.18	6.68	Complies
116	5580	1.09	0.18	1.27	6.68	Complies
140	5700	1.40	0.18	1.58	6.68	Complies



Date: 19.APR.2024 09:50:15




Date: 19.APR.2024 09:52:35




Date: 19.APR.2024 09:56:24

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.94	0.18	1.12	6.68	Complies
116	5580	1.32	0.18	1.50	6.68	Complies
140	5700	0.45	0.18	0.63	6.68	Complies



Date: 19.APR.2024 09:49:50




Date: 19.APR.2024 09:52:12




Date: 19.APR.2024 09:56:55

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.21	0.18	1.39	6.68	Complies
116	5580	0.94	0.18	1.12	6.68	Complies
140	5700	0.76	0.18	0.94	6.68	Complies



Date: 19.APR.2024 09:49:25



Date: 19.APR.2024 09:52:58



Date: 19.APR.2024 09:57:19


Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.00	6.68	Complies
116	5580	6.07	6.68	Complies
140	5700	5.84	6.68	Complies




Test Mode UNII-2C\_TX AC(VHT40) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.92	0.38	1.30	6.68	Complies
110	5550	1.08	0.38	1.46	6.68	Complies
134	5670	1.04	0.38	1.42	6.68	Complies



Date: 19.APR.2024 10:26:22




Date: 19.APR.2024 10:28:17




Date: 19.APR.2024 10:32:16

Test Mode UNII-2C\_TX AC(VHT40) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.80	0.38	1.18	6.68	Complies
110	5550	0.67	0.38	1.05	6.68	Complies
134	5670	0.40	0.38	0.78	6.68	Complies



Date: 19.APR.2024 10:25:51




Date: 19.APR.2024 10:27:43




Date: 19.APR.2024 10:32:46

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.14	0.38	1.52	6.68	Complies
110	5550	1.00	0.38	1.38	6.68	Complies
134	5670	0.58	0.38	0.96	6.68	Complies



Date: 19.APR.2024 10:24:28



Date: 19.APR.2024 10:27:12




Date: 19.APR.2024 10:33:15

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.10	6.68	Complies
110	5550	6.07	6.68	Complies
134	5670	5.83	6.68	Complies

Test Mode UNII-2C\_TX AC(VHT80) Mode\_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.79	0.74	1.53	6.68	Complies



Date: 19\_APR.2024 10:45:04

Test Mode UNII-2C\_TX AC(VHT80) Mode\_Ant. 2


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.56	0.74	1.30	6.68	Complies



Date: 19\_APR.2024 10:45:44

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	1.13	0.74	1.87	6.68	Complies




Date: 19.APR.2024 10:46:51

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.34	6.68	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.95	0.25	1.20	6.68	Complies
116	5580	1.34	0.25	1.59	6.68	Complies
140	5700	1.37	0.25	1.62	6.68	Complies



Date: 19.APR.2024 11:13:11




Date: 19.APR.2024 11:15:18




Date: 19.APR.2024 11:18:10

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.88	0.25	1.13	6.68	Complies
116	5580	1.25	0.25	1.50	6.68	Complies
140	5700	0.54	0.25	0.79	6.68	Complies



Date: 19.APR.2024 11:12:47




Date: 19.APR.2024 11:14:54




Date: 19.APR.2024 11:18:35

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.09	0.25	1.34	6.68	Complies
116	5580	0.63	0.25	0.88	6.68	Complies
140	5700	0.84	0.25	1.09	6.68	Complies



Date: 19.APR.2024 11:12:14



Date: 19.APR.2024 11:15:49




Date: 19.APR.2024 11:19:02

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.99	6.68	Complies
116	5580	6.10	6.68	Complies
140	5700	5.95	6.68	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.64	0.77	1.41	6.68	Complies
110	5550	1.00	0.77	1.77	6.68	Complies
134	5670	1.13	0.77	1.90	6.68	Complies



Date: 19.APR.2024 11:39:49




Date: 19.APR.2024 11:41:28




Date: 19.APR.2024 11:44:06

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.49	0.77	1.26	6.68	Complies
110	5550	0.44	0.77	1.21	6.68	Complies
134	5670	0.25	0.77	1.02	6.68	Complies



Date: 19.APR.2024 11:39:13



Date: 19.APR.2024 11:40:59



Date: 19.APR.2024 11:44:38