

# Letter of Declaration

**Company:** JMTek Industries(Shenzhen) Co., Ltd

**Address:** 14G, Innovation Tech Building, Quanzhi Science and Technology innovation Park, ShaJing Street, Bao'an District, ShenZhen 518104, China

**Product Name:** Wireless Power Charger

**Model Number:** WPC100, WPC200, WPC300, WPC400

**FCC Identifier:** 2APU5WPC100

Compliant with KDB680106 D01 RF Exposure Wireless Charging Apps v03 section 5,b:

- (1) Power transfer frequency is less than 1 MHz.  
-The device operate in the frequency range 125KHz
- (2) Output power from each primary coil is less than or equal to 15 watts.  
-The maximum output power of the primary coil is 5W
- (3) The transfer system includes only single primary and secondary coils. This includes charging systems that may have multiple primary coils and clients that are able to detect and allow coupling only between individual pairs of coils.  
-The transfer system including a charging system with only single primary coils is to detect and allow only
- (4) Client device is placed directly in contact with the transmitter.
- (5) Mobile exposure conditions only (portable exposure conditions are not covered by this exclusion).  
-The EUT is a Mobile Power Pack with wireless Charger
- (6) The aggregate H-field strengths at 15 cm surrounding the device and 20 cm above the top surface from all simultaneous transmitting coils are demonstrated to be less than 50% of the MPE limit.  
-The EUT E-Field Strength levels at 15cm & The EUT H-Field Strength levels at 15cm are less than 50% of the MPE limit

**Name: Cici Jiang**

**Date: Jan. 23, 2019**

**Title: GM**

**Signature of applicant:** *cici jiang*