



产品承认书

PRODUCT SPECIFICATION FOR APPROVAL

客户名称: CUSTOMER	JMTek
产品名称: PRODUCT NAME	A11coil
物料编码: PART No.	WPC680
产品规格: PRODUCT SPEC	sensitivity: 6.5uH±5% Wire rod: 0.08*24*2*10Ts Magnetic sheet: 43.5*5.3*0.8Double groove Outgoing line10mm、1.5mmEVA Back glue
日期: DATE	2023/03/15
版本型号: VERSION	REV 1.0

Attached is the product specification, if you have any questions, please timely feedback to us, thank you!

Company name: Shenzhen Chenxing Electronic Technology Co., LTD

Factory Address: 5th Floor, Building 1, Xinkecheng Science and Technology Industrial Park, 51 Dabao Road, Xin'an Street, Bao'an District, Shenzhen City




产品规格 SPECIFICATION

1、Product size

	Disc diameter A	43.5±0.5mm
	Outside diameter of coil B	40±1.5mm
	Inside diameter of coil C	20.5±0.5mm
	Product thickness D	<3.5mm
	Outlet length E	10mm±2mm
	Solder length F	3±2mm
	Magnetic plate opening diameter G	5.3mm
	Thickness of magnetic plate	0.8±0.05mm
	Disk shape	Circular double L slot
	Adhesive thickness	1.5mm EVA Double-sided adhesive
	Shatterproof black film	NO



2、SCH



3、Winding parameter

端子 TERMINAL		线径 WIRE	圈数 Turns	绕线方向 Winding Direction
S	F	漆包线 0.08*24 双股并绕	10Ts	CCW

4、Electrical characteristics:

温度 TEMPERATURE:25±10℃, 湿度 RELATIVE HUMIDITY:65±20%

项目 ITEM	端子 TERMINAL	标准 SPECIFICATION	测试条件 TEST FREQUENCY	测试仪器 TEST EQUIPMENTS
IND.	S-F	L: 6.5uH±5%	100KHz/1.0V	LCZ METER 1062B

5、P roduct picture

