











EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	 A photograph showing the internal components of an EUT (Electronic Under Test) housed in a black plastic casing. The top half of the casing is open, revealing a green printed circuit board (PCB) with various electronic components, including a blue cylindrical component and several wires. The bottom half of the casing is orange and contains two circular components, possibly sensors or microphones, and a white rectangular component. A black ruler is placed vertically on the left side of the assembly for scale, with markings in millimeters and centimeters.
<p>Solder Board-Component View 1</p>	 A close-up photograph of the green PCB components. The board is populated with various electronic components, including a large black rectangular component at the top, several integrated circuits, and surface-mount components. A black ruler is placed vertically on the left side of the board for scale, with markings in millimeters and centimeters. The text "ASTRIS-1-20-RV24" and "FORM KERNITE" is visible on the board.

<p style="text-align: center;">Solder Board-Component View 2</p>	 <p>A photograph of a green printed circuit board (PCB) component, labeled 'Solder Board-Component View 2'. The board is rectangular and features several white plastic connectors and various electronic components. It is placed on a black surface with a white ruler for scale. The ruler shows measurements in millimeters, with markings every 10 mm and sub-markings every 1 mm. The board is oriented vertically, with the ruler's 0 mm mark at the bottom left. The background is a blue textured surface.</p>
<p style="text-align: center;">Solder Board-Component View 3</p>	 <p>A photograph of a green printed circuit board (PCB) component, labeled 'Solder Board-Component View 3'. The board is rectangular and features a USB port, a micro-USB port, and two circular components. It is placed on a black surface with a white ruler for scale. The ruler shows measurements in millimeters, with markings every 10 mm and sub-markings every 1 mm. The board is oriented vertically, with the ruler's 0 mm mark at the bottom left. The background is a blue textured surface.</p>

<p style="text-align: center;">Solder Board-Component View 4</p>	 <p>A photograph of a green printed circuit board (PCB) component, labeled 'Solder Board-Component View 4'. The component is rectangular and features several silver solder joints and traces. It is positioned on a blue textured surface. A black ruler with white markings is visible on the left and bottom edges, showing measurements in millimeters. The ruler on the left is oriented vertically, and the ruler on the bottom is oriented horizontally.</p>
<p style="text-align: center;">Solder Board-Component View 5</p>	 <p>A photograph of a green PCB component, labeled 'Solder Board-Component View 5'. The component is rectangular and features two circular components labeled 'K1' and 'K2', and two smaller components labeled 'C1' and 'C2'. The text 'AST315-KEY-REV2.1', 'KB3151S', 'ROHS', and '247630' is printed on the board. It is positioned on a blue textured surface. A black ruler with white markings is visible on the left and bottom edges, showing measurements in millimeters. The ruler on the left is oriented vertically, and the ruler on the bottom is oriented horizontally.</p>

<p>Solder Board-Component View 6</p>	 A photograph of a small green PCB component with a yellow connector, placed on a black ruler for scale. The ruler shows markings in millimeters. The component is positioned against a blue background.
<p>Solder Board-Component View 7</p>	 A photograph of a green PCB component with two black switches and a yellow connector, placed on a black ruler for scale. The ruler shows markings in millimeters. The component is positioned against a blue background. Text on the component includes: AST315-KEY-REV2.1, KB3151S, ROHS, K2, K1, C1, C2, and 247630.

<p style="text-align: center;">Solder Board-Component View 8</p>	 A photograph of a small green printed circuit board (PCB) component. The component is rectangular and features a yellow connector on its top edge and a circular hole on its surface. It is placed on a black ruler with white markings for scale. The ruler shows measurements in millimeters, with the component positioned between the 10 mm and 50 mm marks. The background is a blue textured surface.
<p style="text-align: center;">Solder Board-Component View 9</p>	 A photograph of a blue cylindrical lithium-ion battery. The battery has a white label with the following text: "Li-Ion 21700 3.7V 8000mAh" and "2020 10 30". It is connected to a white cable. The battery is placed on a black ruler with white markings for scale. The ruler shows measurements in millimeters, with the battery positioned between the 10 mm and 100 mm marks. The background is a blue textured surface.

Antenna View

