



TEST REPORT




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795

TEST REPORT




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785

TEST REPORT




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5755

TEST REPORT



11AC40SISO_Ant1_5795



11AC80SISO_Ant1_5775

TEST REPORT

Appendix B: Maximum conducted output power

Test Result

TestMode	Antenna	Channel	Result	Limit	Verdict
11A	Ant1	5180	4.37	<=23.98	PASS
		5200	4.37	<=23.98	PASS
		5240	4.59	<=23.98	PASS
		5260	4.70	<=23.98	PASS
		5280	4.76	<=23.92	PASS
		5320	4.81	<=23.98	PASS
		5745	2.45	<=30	PASS
		5785	2.53	<=30	PASS
		5825	2.56	<=30	PASS
11N20SISO	Ant1	5180	4.16	<=23.98	PASS
		5200	4.13	<=23.98	PASS
		5240	4.30	<=23.98	PASS
		5260	4.39	<=23.98	PASS
		5280	4.33	<=23.98	PASS
		5320	4.56	<=23.98	PASS
		5745	2.05	<=30	PASS
		5785	2.16	<=30	PASS
		5825	2.38	<=30	PASS
11N40SISO	Ant1	5190	4.00	<=23.98	PASS
		5230	4.24	<=23.98	PASS
		5270	4.43	<=23.98	PASS
		5310	4.52	<=23.98	PASS
		5755	2.20	<=30	PASS
		5795	2.40	<=30	PASS
11AC20SISO	Ant1	5180	3.89	<=23.98	PASS
		5200	3.91	<=23.98	PASS
		5240	4.10	<=23.98	PASS
		5260	4.24	<=23.98	PASS
		5280	4.39	<=23.98	PASS
		5320	4.00	<=23.98	PASS
		5745	1.62	<=30	PASS
		5785	1.64	<=30	PASS
		5825	1.78	<=30	PASS
11AC40SISO	Ant1	5190	3.34	<=23.98	PASS
		5230	3.58	<=23.98	PASS
		5270	3.78	<=23.98	PASS


TEST REPORT

		5310	3.86	<=23.98	PASS
		5755	1.53	<=30	PASS
		5795	1.69	<=30	PASS
11AC80SISO	Ant1	5210	3.56	<=23.98	PASS
		5290	3.95	<=23.98	PASS
		5775	1.71	<=30	PASS


Note: The Duty Cycle Factor is compensated in the graph.

TEST REPORT


Test Graphs



TEST REPORT



11A_Ant1_5240



11A_Ant1_5260

TEST REPORT




11A_Ant1_5280




11A_Ant1_5320

TEST REPORT




11A_Ant1_5745




11A_Ant1_5785

TEST REPORT




11A_Ant1_5825




11N20SISO_Ant1_5180

TEST REPORT



11N20SISO_Ant1_5200




11N20SISO_Ant1_5240

TEST REPORT



11N20SISO_Ant1_5260




11N20SISO_Ant1_5280

TEST REPORT




11N20SISO_Ant1_5320




11N20SISO_Ant1_5745

TEST REPORT




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825

TEST REPORT




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230

TEST REPORT




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310

TEST REPORT




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795

TEST REPORT




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200

TEST REPORT




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260

TEST REPORT




11AC20SISO_Ant1_5280




11AC20SISO_Ant1_5320

TEST REPORT




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785

TEST REPORT




11AC20SISO_Ant1_5825




11AC40SISO_Ant1_5190

TEST REPORT




11AC40SISO_Ant1_5230



11AC40SISO_Ant1_5270

TEST REPORT




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5755

TEST REPORT




11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210

TEST REPORT



11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5775

TEST REPORT

Appendix C: Maximum power spectral density

Test Result

TestMode	Antenna	Channel	Result	Limit	Verdict
11A	Ant1	5180	-1.28	<=11	PASS
		5200	-0.77	<=11	PASS
		5240	-0.78	<=11	PASS
		5260	-0.57	<=11	PASS
		5280	-0.28	<=11	PASS
		5320	-0.41	<=11	PASS
		5745	-3.99	<=30	PASS
		5785	-3.99	<=30	PASS
		5825	-3.81	<=30	PASS
11N20SISO	Ant1	5180	-1.38	<=11	PASS
		5200	-1.35	<=11	PASS
		5240	-0.47	<=11	PASS
		5260	-1.12	<=11	PASS
		5280	-0.62	<=11	PASS
		5320	-0.45	<=11	PASS
		5745	-5	<=30	PASS
		5785	-4.44	<=30	PASS
		5825	-3.99	<=30	PASS
11N40SISO	Ant1	5190	-3.49	<=11	PASS
		5230	-3.91	<=11	PASS
		5270	-2.87	<=11	PASS
		5310	-3.58	<=11	PASS
		5755	-7.69	<=30	PASS
		5795	-7.15	<=30	PASS
11AC20SISO	Ant1	5180	-1.81	<=11	PASS
		5200	-1.73	<=11	PASS
		5240	-1.03	<=11	PASS
		5260	-1.08	<=11	PASS
		5280	-0.69	<=11	PASS
		5320	-1.33	<=11	PASS
		5745	-5.24	<=30	PASS
		5785	-4.95	<=30	PASS
		5825	-4.9	<=30	PASS
11AC40SISO	Ant1	5190	-4.52	<=11	PASS
		5230	-5.02	<=11	PASS
		5270	-3.06	<=11	PASS


TEST REPORT

		5310	-3.24	<=11	PASS
		5755	-7.72	<=30	PASS
		5795	-7.83	<=30	PASS
11AC80SISO	Ant1	5210	-7.65	<=11	PASS
		5290	-6.08	<=11	PASS
		5775	-10.61	<=30	PASS


Note: The Duty Cycle Factor is compensated in the graph.

TEST REPORT


Test Graphs



TEST REPORT




11A_Ant1_5240




11A_Ant1_5260

TEST REPORT




11A_Ant1_5280




11A_Ant1_5320

TEST REPORT




11A_Ant1_5745




11A_Ant1_5785

TEST REPORT




11A_Ant1_5825




11N20SISO_Ant1_5180

TEST REPORT




11N20SISO_Ant1_5200



11N20SISO_Ant1_5240

TEST REPORT




11N20SISO_Ant1_5260




11N20SISO_Ant1_5280

TEST REPORT




11N20SISO_Ant1_5320



11N20SISO_Ant1_5745

TEST REPORT




11N20SISO_Ant1_5785




11N20SISO_Ant1_5825

TEST REPORT




11N40SISO_Ant1_5190




11N40SISO_Ant1_5230

TEST REPORT




11N40SISO_Ant1_5270




11N40SISO_Ant1_5310

TEST REPORT




11N40SISO_Ant1_5755




11N40SISO_Ant1_5795

TEST REPORT




11AC20SISO_Ant1_5180




11AC20SISO_Ant1_5200

TEST REPORT




11AC20SISO_Ant1_5240




11AC20SISO_Ant1_5260

TEST REPORT



11AC20SISO_Ant1_5280




11AC20SISO_Ant1_5320

TEST REPORT




11AC20SISO_Ant1_5745




11AC20SISO_Ant1_5785

TEST REPORT




11AC20SISO_Ant1_5825



11AC40SISO_Ant1_5190

TEST REPORT




11AC40SISO_Ant1_5230




11AC40SISO_Ant1_5270

TEST REPORT




11AC40SISO_Ant1_5310




11AC40SISO_Ant1_5755

TEST REPORT



11AC40SISO_Ant1_5795




11AC80SISO_Ant1_5210

TEST REPORT



11AC80SISO_Ant1_5290



11AC80SISO_Ant1_5775

TEST REPORT

Appendix D: Frequency Stability

Test Result

Voltage								
TestMod e	Antenn a	Channe l	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	-7000	-1.351351	20	PASS
			LV	NT	-7000	-1.351351	20	PASS
			HV	NT	-7000	-1.351351	20	PASS
		5200	NV	NT	-6000	-1.153846	20	PASS
			LV	NT	-6000	-1.153846	20	PASS
			HV	NT	-7000	-1.346154	20	PASS
		5240	NV	NT	-6000	-1.145038	20	PASS
			LV	NT	-7000	-1.335878	20	PASS
			HV	NT	-7000	-1.335878	20	PASS
		5260	NV	NT	-6000	-1.140684	20	PASS
			LV	NT	-6000	-1.140684	20	PASS
			HV	NT	-7000	-1.330798	20	PASS
		5280	NV	NT	-6000	-1.136364	20	PASS
			LV	NT	-7000	-1.325758	20	PASS
			HV	NT	-7000	-1.325758	20	PASS
		5320	NV	NT	-6000	-1.12782	20	PASS
			LV	NT	-7000	-1.315789	20	PASS
			HV	NT	-7000	-1.315789	20	PASS
		5745	NV	NT	-6000	-1.044386	20	PASS
			LV	NT	-7000	-1.218451	20	PASS
			HV	NT	-7000	-1.218451	20	PASS
		5785	NV	NT	-7000	-1.210026	20	PASS
			LV	NT	-8000	-1.382887	20	PASS
			HV	NT	-8000	-1.382887	20	PASS
		5825	NV	NT	-7000	-1.201717	20	PASS
			LV	NT	-8000	-1.373391	20	PASS
			HV	NT	-8000	-1.373391	20	PASS
11N20SI SO	Ant1	5180	NV	NT	-6000	-1.158301	20	PASS
			LV	NT	-7000	-1.351351	20	PASS
			HV	NT	-7000	-1.351351	20	PASS
		5200	NV	NT	-5000	-0.961538	20	PASS
			LV	NT	-6000	-1.153846	20	PASS
			HV	NT	-6000	-1.153846	20	PASS
		5240	NV	NT	-5000	-0.954198	20	PASS
			LV	NT	-6000	-1.145038	20	PASS

TEST REPORT

		5260	HV	NT	-6000	-1.145038	20	PASS
			NV	NT	-4000	-0.760456	20	PASS
			LV	NT	-5000	-0.95057	20	PASS
			HV	NT	-6000	-1.140684	20	PASS
		5280	NV	NT	-4000	-0.757576	20	PASS
			LV	NT	-5000	-0.94697	20	PASS
			HV	NT	-5000	-0.94697	20	PASS
		5320	NV	NT	-4000	-0.75188	20	PASS
			LV	NT	-5000	-0.93985	20	PASS
			HV	NT	-6000	-1.12782	20	PASS
		5745	NV	NT	-5000	-0.870322	20	PASS
			LV	NT	-6000	-1.044386	20	PASS
			HV	NT	-7000	-1.218451	20	PASS
		5785	NV	NT	-6000	-1.037165	20	PASS
			LV	NT	-7000	-1.210026	20	PASS
			HV	NT	-7000	-1.210026	20	PASS
		5825	NV	NT	-6000	-1.030043	20	PASS
			LV	NT	-6000	-1.030043	20	PASS
			HV	NT	-7000	-1.201717	20	PASS
11N40SI SO	Ant1	5190	NV	NT	-5000	-0.963391	20	PASS
			LV	NT	-6000	-1.156069	20	PASS
			HV	NT	-6000	-1.156069	20	PASS
		5230	NV	NT	-5000	-0.956023	20	PASS
			LV	NT	-5000	-0.956023	20	PASS
			HV	NT	-6000	-1.147228	20	PASS
		5270	NV	NT	-4000	-0.759013	20	PASS
			LV	NT	-5000	-0.948767	20	PASS
			HV	NT	-5000	-0.948767	20	PASS
		5310	NV	NT	-4000	-0.753296	20	PASS
			LV	NT	-5000	-0.94162	20	PASS
			HV	NT	-6000	-1.129944	20	PASS
		5755	NV	NT	-5000	-0.86881	20	PASS
			LV	NT	-6000	-1.042572	20	PASS
			HV	NT	-6000	-1.042572	20	PASS
		5795	NV	NT	-5000	-0.862813	20	PASS
			LV	NT	-6000	-1.035375	20	PASS
			HV	NT	-7000	-1.207938	20	PASS
11AC20S ISO	Ant1	5180	NV	NT	-5000	-0.965251	20	PASS
			LV	NT	-5000	-0.965251	20	PASS
			HV	NT	-6000	-1.158301	20	PASS
		5200	NV	NT	-4000	-0.769231	20	PASS

TEST REPORT

			LV	NT	-5000	-0.961538	20	PASS
			HV	NT	-5000	-0.961538	20	PASS
		5240	NV	NT	-4000	-0.763359	20	PASS
			LV	NT	-5000	-0.954198	20	PASS
			HV	NT	-5000	-0.954198	20	PASS
		5260	NV	NT	-3000	-0.570342	20	PASS
			LV	NT	-4000	-0.760456	20	PASS
			HV	NT	-5000	-0.95057	20	PASS
		5280	NV	NT	-4000	-0.757576	20	PASS
			LV	NT	-5000	-0.94697	20	PASS
			HV	NT	-5000	-0.94697	20	PASS
		5320	NV	NT	-4000	-0.75188	20	PASS
			LV	NT	-5000	-0.93985	20	PASS
			HV	NT	-5000	-0.93985	20	PASS
		5745	NV	NT	-4000	-0.696258	20	PASS
			LV	NT	-5000	-0.870322	20	PASS
			HV	NT	-5000	-0.870322	20	PASS
		5785	NV	NT	-5000	-0.864304	20	PASS
			LV	NT	-6000	-1.037165	20	PASS
			HV	NT	-6000	-1.037165	20	PASS
		5825	NV	NT	-5000	-0.858369	20	PASS
			LV	NT	-5000	-0.858369	20	PASS
			HV	NT	-6000	-1.030043	20	PASS
11AC40S ISO	Ant1	5190	NV	NT	-5000	-0.963391	20	PASS
			LV	NT	-5000	-0.963391	20	PASS
			HV	NT	-5000	-0.963391	20	PASS
		5230	NV	NT	-4000	-0.764818	20	PASS
			LV	NT	-4000	-0.764818	20	PASS
			HV	NT	-5000	-0.956023	20	PASS
		5270	NV	NT	-3000	-0.56926	20	PASS
			LV	NT	-4000	-0.759013	20	PASS
			HV	NT	-5000	-0.948767	20	PASS
		5310	NV	NT	-3000	-0.564972	20	PASS
			LV	NT	-4000	-0.753296	20	PASS
			HV	NT	-5000	-0.94162	20	PASS
		5755	NV	NT	-3000	-0.521286	20	PASS
			LV	NT	-4000	-0.695048	20	PASS
			HV	NT	-5000	-0.86881	20	PASS
		5795	NV	NT	-4000	-0.69025	20	PASS
			LV	NT	-5000	-0.862813	20	PASS
			HV	NT	-5000	-0.862813	20	PASS

TEST REPORT

11AC80S ISO	Ant1	5210	NV	NT	-4000	-0.767754	20	PASS
			LV	NT	-5000	-0.959693	20	PASS
			HV	NT	-5000	-0.959693	20	PASS
		5290	NV	NT	-15000	-2.835539	20	PASS
			LV	NT	-16000	-3.024575	20	PASS
			HV	NT	-17000	-3.213611	20	PASS
		5775	NV	NT	-19000	-3.290043	20	PASS
			LV	NT	-21000	-3.636364	20	PASS
			HV	NT	-22000	-3.809524	20	PASS

Temperature								
TestMod e	Antenn a	Channe l	Voltage [Vdc]	Temper ature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	0	-6000	-1.158301	20	PASS
			NV	10	-6000	-1.158301	20	PASS
			NV	20	-6000	-1.158301	20	PASS
			NV	30	-6000	-1.158301	20	PASS
			NV	40	-6000	-1.158301	20	PASS
			NV	45	-5000	-0.965251	20	PASS
		5200	NV	0	-7000	-1.346154	20	PASS
			NV	10	-7000	-1.346154	20	PASS
			NV	20	-6000	-1.153846	20	PASS
			NV	30	-6000	-1.153846	20	PASS
			NV	40	-6000	-1.153846	20	PASS
			NV	45	-6000	-1.153846	20	PASS
		5240	NV	0	-7000	-1.335878	20	PASS
			NV	10	-7000	-1.335878	20	PASS
			NV	20	-7000	-1.335878	20	PASS
			NV	30	-6000	-1.145038	20	PASS
			NV	40	-6000	-1.145038	20	PASS
			NV	45	-6000	-1.145038	20	PASS
		5260	NV	0	-7000	-1.330798	20	PASS
			NV	10	-7000	-1.330798	20	PASS
			NV	20	-6000	-1.140684	20	PASS
			NV	30	-6000	-1.140684	20	PASS
			NV	40	-6000	-1.140684	20	PASS
			NV	45	-5000	-0.95057	20	PASS
		5280	NV	0	-7000	-1.325758	20	PASS
			NV	10	-8000	-1.515152	20	PASS
			NV	20	-7000	-1.325758	20	PASS
			NV	30	-6000	-1.136364	20	PASS

TEST REPORT

			NV	40	-6000	-1.136364	20	PASS
			NV	45	-6000	-1.136364	20	PASS
		5320	NV	0	-8000	-1.503759	20	PASS
			NV	10	-7000	-1.315789	20	PASS
			NV	20	-7000	-1.315789	20	PASS
			NV	30	-6000	-1.12782	20	PASS
			NV	40	-6000	-1.12782	20	PASS
			NV	45	-6000	-1.12782	20	PASS
			NV	0	-8000	-1.392515	20	PASS
			NV	10	-8000	-1.392515	20	PASS
		5745	NV	20	-7000	-1.218451	20	PASS
			NV	30	-7000	-1.218451	20	PASS
			NV	40	-7000	-1.218451	20	PASS
			NV	45	-7000	-1.218451	20	PASS
			NV	0	-9000	-1.555748	20	PASS
			NV	10	-8000	-1.382887	20	PASS
		5785	NV	20	-8000	-1.382887	20	PASS
			NV	30	-7000	-1.210026	20	PASS
			NV	40	-7000	-1.210026	20	PASS
			NV	45	-7000	-1.210026	20	PASS
		5825	NV	0	-8000	-1.373391	20	PASS
			NV	10	-8000	-1.373391	20	PASS
			NV	20	-8000	-1.373391	20	PASS
			NV	30	-7000	-1.201717	20	PASS
			NV	40	-7000	-1.201717	20	PASS
			NV	45	-7000	-1.201717	20	PASS
11N20SI SO	Ant1	5180	NV	0	-7000	-1.351351	20	PASS
			NV	10	-7000	-1.351351	20	PASS
			NV	20	-7000	-1.351351	20	PASS
			NV	30	-6000	-1.158301	20	PASS
			NV	40	-5000	-0.965251	20	PASS
			NV	45	-5000	-0.965251	20	PASS
		5200	NV	0	-7000	-1.346154	20	PASS
			NV	10	-7000	-1.346154	20	PASS
			NV	20	-6000	-1.153846	20	PASS
			NV	30	-5000	-0.961538	20	PASS
			NV	40	-5000	-0.961538	20	PASS
			NV	45	-5000	-0.961538	20	PASS
		5240	NV	0	-6000	-1.145038	20	PASS
			NV	10	-7000	-1.335878	20	PASS
			NV	20	-6000	-1.145038	20	PASS

TEST REPORT

			NV	30	-5000	-0.954198	20	PASS
			NV	40	-5000	-0.954198	20	PASS
			NV	45	-5000	-0.954198	20	PASS
		5260	NV	0	-6000	-1.140684	20	PASS
			NV	10	-6000	-1.140684	20	PASS
			NV	20	-5000	-0.95057	20	PASS
			NV	30	-5000	-0.95057	20	PASS
			NV	40	-5000	-0.95057	20	PASS
			NV	45	-4000	-0.760456	20	PASS
		5280	NV	0	-6000	-1.136364	20	PASS
			NV	10	-5000	-0.94697	20	PASS
			NV	20	-5000	-0.94697	20	PASS
			NV	30	-5000	-0.94697	20	PASS
			NV	40	-5000	-0.94697	20	PASS
			NV	45	-4000	-0.757576	20	PASS
		5320	NV	0	-6000	-1.12782	20	PASS
			NV	10	-6000	-1.12782	20	PASS
			NV	20	-6000	-1.12782	20	PASS
			NV	30	-5000	-0.93985	20	PASS
			NV	40	-5000	-0.93985	20	PASS
			NV	45	-5000	-0.93985	20	PASS
		5745	NV	0	-7000	-1.218451	20	PASS
			NV	10	-7000	-1.218451	20	PASS
			NV	20	-6000	-1.044386	20	PASS
			NV	30	-6000	-1.044386	20	PASS
			NV	40	-6000	-1.044386	20	PASS
			NV	45	-6000	-1.044386	20	PASS
		5785	NV	0	-7000	-1.210026	20	PASS
			NV	10	-7000	-1.210026	20	PASS
			NV	20	-7000	-1.210026	20	PASS
			NV	30	-6000	-1.037165	20	PASS
			NV	40	-6000	-1.037165	20	PASS
			NV	45	-6000	-1.037165	20	PASS
		5825	NV	0	-7000	-1.201717	20	PASS
			NV	10	-8000	-1.373391	20	PASS
			NV	20	-7000	-1.201717	20	PASS
			NV	30	-6000	-1.030043	20	PASS
			NV	40	-6000	-1.030043	20	PASS
			NV	45	-6000	-1.030043	20	PASS
11N40SI SO	Ant1	5190	NV	0	-6000	-1.156069	20	PASS
			NV	10	-6000	-1.156069	20	PASS

TEST REPORT

			NV	20	-6000	-1.156069	20	PASS
			NV	30	-5000	-0.963391	20	PASS
			NV	40	-5000	-0.963391	20	PASS
			NV	45	-5000	-0.963391	20	PASS
		5230	NV	0	-6000	-1.147228	20	PASS
			NV	10	-6000	-1.147228	20	PASS
			NV	20	-5000	-0.956023	20	PASS
			NV	30	-5000	-0.956023	20	PASS
			NV	40	-5000	-0.956023	20	PASS
			NV	45	-4000	-0.764818	20	PASS
		5270	NV	0	-6000	-1.13852	20	PASS
			NV	10	-6000	-1.13852	20	PASS
			NV	20	-6000	-1.13852	20	PASS
			NV	30	-5000	-0.948767	20	PASS
			NV	40	-5000	-0.948767	20	PASS
			NV	45	-4000	-0.759013	20	PASS
		5310	NV	0	-6000	-1.129944	20	PASS
			NV	10	-6000	-1.129944	20	PASS
			NV	20	-5000	-0.94162	20	PASS
			NV	30	-5000	-0.94162	20	PASS
			NV	40	-5000	-0.94162	20	PASS
			NV	45	-4000	-0.753296	20	PASS
		5755	NV	0	-7000	-1.216334	20	PASS
			NV	10	-7000	-1.216334	20	PASS
			NV	20	-6000	-1.042572	20	PASS
			NV	30	-6000	-1.042572	20	PASS
			NV	40	-6000	-1.042572	20	PASS
			NV	45	-5000	-0.86881	20	PASS
		5795	NV	0	-7000	-1.207938	20	PASS
			NV	10	-7000	-1.207938	20	PASS
			NV	20	-6000	-1.035375	20	PASS
			NV	30	-6000	-1.035375	20	PASS
			NV	40	-6000	-1.035375	20	PASS
			NV	45	-6000	-1.035375	20	PASS
11AC20S ISO	Ant1	5180	NV	0	-6000	-1.158301	20	PASS
			NV	10	-6000	-1.158301	20	PASS
			NV	20	-5000	-0.965251	20	PASS
			NV	30	-5000	-0.965251	20	PASS
			NV	40	-4000	-0.772201	20	PASS
			NV	45	-4000	-0.772201	20	PASS
		5200	NV	0	-6000	-1.153846	20	PASS

TEST REPORT

			NV	10	-5000	-0.961538	20	PASS
			NV	20	-5000	-0.961538	20	PASS
			NV	30	-5000	-0.961538	20	PASS
			NV	40	-4000	-0.769231	20	PASS
			NV	45	-4000	-0.769231	20	PASS
		5240	NV	0	-5000	-0.954198	20	PASS
			NV	10	-5000	-0.954198	20	PASS
			NV	20	-5000	-0.954198	20	PASS
			NV	30	-4000	-0.763359	20	PASS
			NV	40	-4000	-0.763359	20	PASS
			NV	45	-4000	-0.763359	20	PASS
		5260	NV	0	-5000	-0.95057	20	PASS
			NV	10	-5000	-0.95057	20	PASS
			NV	20	-5000	-0.95057	20	PASS
			NV	30	-6000	-1.140684	20	PASS
			NV	40	-5000	-0.95057	20	PASS
			NV	45	-4000	-0.760456	20	PASS
		5280	NV	0	-5000	-0.94697	20	PASS
			NV	10	-5000	-0.94697	20	PASS
			NV	20	-5000	-0.94697	20	PASS
			NV	30	-4000	-0.757576	20	PASS
			NV	40	-4000	-0.757576	20	PASS
			NV	45	-4000	-0.757576	20	PASS
		5320	NV	0	-5000	-0.93985	20	PASS
			NV	10	-5000	-0.93985	20	PASS
			NV	20	-4000	-0.75188	20	PASS
			NV	30	-4000	-0.75188	20	PASS
			NV	40	-4000	-0.75188	20	PASS
			NV	45	-4000	-0.75188	20	PASS
		5745	NV	0	-6000	-1.044386	20	PASS
			NV	10	-6000	-1.044386	20	PASS
			NV	20	-5000	-0.870322	20	PASS
			NV	30	-5000	-0.870322	20	PASS
			NV	40	-4000	-0.696258	20	PASS
			NV	45	-4000	-0.696258	20	PASS
		5785	NV	0	-6000	-1.037165	20	PASS
			NV	10	-6000	-1.037165	20	PASS
			NV	20	-6000	-1.037165	20	PASS
			NV	30	-5000	-0.864304	20	PASS
			NV	40	-5000	-0.864304	20	PASS
			NV	45	-5000	-0.864304	20	PASS

TEST REPORT

		5825	NV	0	-6000	-1.030043	20	PASS
			NV	10	-6000	-1.030043	20	PASS
			NV	20	-6000	-1.030043	20	PASS
			NV	30	-5000	-0.858369	20	PASS
			NV	40	-5000	-0.858369	20	PASS
			NV	45	-5000	-0.858369	20	PASS
11AC40S ISO	Ant1	5190	NV	0	-5000	-0.963391	20	PASS
			NV	10	-6000	-1.156069	20	PASS
			NV	20	-5000	-0.963391	20	PASS
			NV	30	-5000	-0.963391	20	PASS
			NV	40	-4000	-0.770713	20	PASS
			NV	45	-4000	-0.770713	20	PASS
		5230	NV	0	-5000	-0.956023	20	PASS
			NV	10	-5000	-0.956023	20	PASS
			NV	20	-5000	-0.956023	20	PASS
			NV	30	-4000	-0.764818	20	PASS
			NV	40	-4000	-0.764818	20	PASS
			NV	45	-3000	-0.573614	20	PASS
		5270	NV	0	-5000	-0.948767	20	PASS
			NV	10	-5000	-0.948767	20	PASS
			NV	20	-4000	-0.759013	20	PASS
			NV	30	-4000	-0.759013	20	PASS
			NV	40	-4000	-0.759013	20	PASS
			NV	45	-3000	-0.56926	20	PASS
		5310	NV	0	-5000	-0.94162	20	PASS
			NV	10	-5000	-0.94162	20	PASS
			NV	20	-4000	-0.753296	20	PASS
			NV	30	-4000	-0.753296	20	PASS
			NV	40	-3000	-0.564972	20	PASS
			NV	45	-3000	-0.564972	20	PASS
		5755	NV	0	-5000	-0.86881	20	PASS
			NV	10	-5000	-0.86881	20	PASS
			NV	20	-5000	-0.86881	20	PASS
			NV	30	-4000	-0.695048	20	PASS
			NV	40	-4000	-0.695048	20	PASS
			NV	45	-4000	-0.695048	20	PASS
		5795	NV	0	-6000	-1.035375	20	PASS
			NV	10	-6000	-1.035375	20	PASS
			NV	20	-5000	-0.862813	20	PASS
			NV	30	-5000	-0.862813	20	PASS
			NV	40	-5000	-0.862813	20	PASS

TEST REPORT

			NV	45	-4000	-0.69025	20	PASS
11AC80S ISO	Ant1	5210	NV	0	-5000	-0.959693	20	PASS
			NV	10	-5000	-0.959693	20	PASS
			NV	20	-5000	-0.959693	20	PASS
			NV	30	-4000	-0.767754	20	PASS
			NV	40	-4000	-0.767754	20	PASS
			NV	45	-3000	-0.575816	20	PASS
		5290	NV	0	-17000	-3.213611	20	PASS
			NV	10	-18000	-3.402647	20	PASS
			NV	20	-17000	-3.213611	20	PASS
			NV	30	-17000	-3.213611	20	PASS
			NV	40	-17000	-3.213611	20	PASS
			NV	45	-17000	-3.213611	20	PASS
		5775	NV	0	-22000	-3.809524	20	PASS
			NV	10	-23000	-3.982684	20	PASS
			NV	20	-22000	-3.809524	20	PASS
			NV	30	-22000	-3.809524	20	PASS
			NV	40	-22000	-3.809524	20	PASS
			NV	45	-22000	-3.809524	20	PASS