

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE160) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass
	802.11ax(HE160) (RU26)	Middle	Pass
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass

	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Low	Pass
		High	Pass
	802.11ax(HE160) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE160) (RU26)	Middle	Pass
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass

	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass


Note ¹: All antenna were tested, but only the worst case has been reported in this report.

Note ²: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots

SISO-Main Antenna


U-NII-1 11a Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5089.875	57.16	2.43	74.0	16.84	Peak	344.00	200	Vertical	Pass
1**	5089.875	46.22	2.43	54.0	7.78	AV	344.00	200	Vertical	Pass
2	5149.675	56.31	2.07	74.0	17.69	Peak	262.00	100	Vertical	Pass
2**	5149.675	45.99	2.07	54.0	8.01	AV	262.00	100	Vertical	Pass

U-NII-1 11a High Channel


Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.36	1.93	74.0	18.64	Peak	15.00	200	Vertical	Pass
1**	5350.000	45.66	1.93	54.0	8.34	AV	15.00	200	Vertical	Pass
2	5372.990	57.85	2.27	74.0	16.15	Peak	199.00	150	Vertical	Pass
2**	5372.990	46.22	2.27	54.0	7.78	AV	199.00	150	Vertical	Pass

U-NII-1 11n20 Low Channel


Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5059.650	57.34	1.84	74.0	16.66	Peak	196.00	150	Vertical	Pass
1**	5059.650	45.38	1.84	54.0	8.62	AV	196.00	150	Vertical	Pass
2	5149.675	55.36	2.07	74.0	18.64	Peak	28.00	100	Vertical	Pass
2**	5149.675	45.65	2.07	54.0	8.35	AV	28.00	100	Vertical	Pass

U-NII-1 11n20 High Channel


Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.79	1.93	74.0	17.21	Peak	280.00	100	Vertical	Pass
1**	5350.000	45.96	1.93	54.0	8.04	AV	280.00	100	Vertical	Pass
2	5359.185	57.58	2.22	74.0	16.42	Peak	272.00	100	Vertical	Pass
2**	5359.185	46.08	2.22	54.0	7.92	AV	272.00	100	Vertical	Pass


U-NII-1 11n40 Low Channel

Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5149.675	57.86	2.07	74.0	16.14	Peak	357.00	100	Vertical	Pass
1**	5149.675	47.09	2.07	54.0	6.91	AV	357.00	100	Vertical	Pass
2	5149.675	57.86	2.07	74.0	16.14	Peak	357.00	200	Vertical	Pass
2**	5149.675	47.09	2.07	54.0	6.91	AV	357.00	200	Vertical	Pass


U-NII-1 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.31	1.93	74.0	18.69	Peak	305.00	100	Vertical	Pass
1**	5350.000	45.81	1.93	54.0	8.19	AV	305.00	100	Vertical	Pass
2	5434.205	57.81	2.05	74.0	16.19	Peak	101.00	150	Vertical	Pass
2**	5434.205	45.88	2.05	54.0	8.12	AV	101.00	150	Vertical	Pass


U-NII-1 11ac20 Low Channel

Bandedge - ATT_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4908.850	57.64	1.80	74.0	16.36	Peak	224.00	150	Vertical	Pass
1**	4908.850	45.71	1.80	54.0	8.29	AV	224.00	150	Vertical	Pass
2	5149.675	55.96	2.07	74.0	18.04	Peak	121.00	150	Vertical	Pass
2**	5149.675	45.96	2.07	54.0	8.04	AV	121.00	150	Vertical	Pass

U-NII-1 11ac20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.21	1.93	74.0	16.79	Peak	270.00	200	Vertical	Pass
1**	5350.000	45.81	1.93	54.0	8.19	AV	270.00	200	Vertical	Pass
2	5421.115	58.01	2.43	74.0	15.99	Peak	151.00	200	Vertical	Pass
2**	5421.115	46.31	2.43	54.0	7.69	AV	151.00	200	Vertical	Pass


U-NII-1 11ac40 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5102.550	57.31	2.38	74.0	16.69	Peak	0.00	200	Vertical	Pass
1**	5102.550	46.01	2.38	54.0	7.99	AV	0.00	200	Vertical	Pass
2	5149.675	56.78	2.07	74.0	17.22	Peak	263.00	100	Vertical	Pass
2**	5149.675	47.38	2.07	54.0	6.62	AV	263.00	100	Vertical	Pass

U-NII-1 11ac40 High Channel


Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.45	1.93	74.0	18.55	Peak	17.00	100	Vertical	Pass
1**	5350.000	45.62	1.93	54.0	8.38	AV	17.00	100	Vertical	Pass
2	5422.325	57.86	2.44	74.0	16.14	Peak	67.00	100	Vertical	Pass
2**	5422.325	46.29	2.44	54.0	7.71	AV	67.00	100	Vertical	Pass

U-NII-1 11ac80 Middle Channel


Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5146.425	58.79	2.28	74.0	15.21	Peak	234.00	100	Vertical	Pass
1**	5146.425	49.07	2.28	54.0	4.93	AV	234.00	100	Vertical	Pass
2	5149.675	56.71	2.07	74.0	17.29	Peak	242.00	200	Vertical	Pass
2**	5149.675	48.38	2.07	54.0	5.62	AV	242.00	200	Vertical	Pass

U-NII-1 11ac80 Middle Channel


Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.45	1.93	74.0	18.55	Peak	318.00	200	Vertical	Pass
1**	5350.055	45.89	1.93	54.0	8.11	AV	318.00	200	Vertical	Pass
2	5386.960	57.94	2.37	74.0	16.06	Peak	62.00	100	Vertical	Pass
2**	5386.960	46.22	2.37	54.0	7.78	AV	62.00	100	Vertical	Pass


U-NII-1 11ac160 Middle Channel

Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5119.450	60.10	2.20	74.0	13.90	Peak	234.00	200	Vertical	Pass
1**	5119.450	48.03	2.20	54.0	5.97	AV	234.00	200	Vertical	Pass
2	5149.675	56.72	2.07	74.0	17.28	Peak	242.00	100	Vertical	Pass
2**	5149.675	48.17	2.07	54.0	5.83	AV	242.00	100	Vertical	Pass


U-NII-1 11ac160 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.69	1.93	74.0	15.31	Peak	57.00	150	Vertical	Pass
1**	5350.055	49.41	1.93	54.0	4.59	AV	57.00	150	Vertical	Pass
2	5371.230	61.68	2.23	74.0	12.32	Peak	65.00	100	Vertical	Pass
2**	5371.230	49.78	2.23	54.0	4.22	AV	65.00	100	Vertical	Pass

U-NII-1 11ax20 (SU) Low Channel


Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5082.075	57.34	2.32	74.0	16.66	Peak	183.00	200	Vertical	Pass
1**	5082.075	45.94	2.32	54.0	8.06	AV	183.00	200	Vertical	Pass
2	5149.675	56.03	2.07	74.0	17.97	Peak	144.00	200	Vertical	Pass
2**	5149.675	45.90	2.07	54.0	8.10	AV	144.00	200	Vertical	Pass


U-NII-1 11ax20 (SU) High Channel

Bandedge - ATT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.47	1.93	74.0	18.53	Peak	355.00	200	Vertical	Pass
1**	5350.000	45.85	1.93	54.0	8.15	AV	355.00	200	Vertical	Pass
2	5423.700	58.16	2.42	74.0	15.84	Peak	69.00	200	Vertical	Pass
2**	5423.700	46.31	2.42	54.0	7.69	AV	69.00	200	Vertical	Pass

U-NII-1 11ax40 (SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.075	57.38	2.27	74.0	16.62	Peak	139.00	150	Vertical	Pass
1**	5147.075	46.74	2.27	54.0	7.26	AV	139.00	150	Vertical	Pass
2	5149.675	56.63	2.07	74.0	17.37	Peak	148.00	100	Vertical	Pass
2**	5149.675	47.03	2.07	54.0	6.97	AV	148.00	100	Vertical	Pass


U-NII-1 11ax40 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.67	1.93	74.0	18.33	Peak	0.00	150	Vertical	Pass
1**	5350.000	46.00	1.93	54.0	8.00	AV	0.00	150	Vertical	Pass
2	5427.660	58.78	2.51	74.0	15.22	Peak	137.00	200	Vertical	Pass
2**	5427.660	46.29	2.51	54.0	7.71	AV	137.00	200	Vertical	Pass


U-NII-1 11ax80 (SU) Middle Channel

Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.125	58.21	2.26	74.0	15.79	Peak	163.00	200	Vertical	Pass
1**	5145.125	47.96	2.26	54.0	6.04	AV	163.00	200	Vertical	Pass
2	5149.675	56.24	2.07	74.0	17.76	Peak	146.00	150	Vertical	Pass
2**	5149.675	47.54	2.07	54.0	6.46	AV	146.00	150	Vertical	Pass


U-NII-1 11ax80 (SU) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.06	1.93	74.0	18.94	Peak	347.00	150	Vertical	Pass
1**	5350.055	45.84	1.93	54.0	8.16	AV	347.00	150	Vertical	Pass
2	5389.325	57.81	1.87	74.0	16.19	Peak	57.00	200	Vertical	Pass
2**	5389.325	45.91	1.87	54.0	8.09	AV	57.00	200	Vertical	Pass

U-NII-1 11ax160 (SU) Middle Channel


Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.350	60.16	2.42	74.0	13.84	Peak	144.00	100	Vertical	Pass
1**	5136.350	48.38	2.42	54.0	5.62	AV	144.00	100	Vertical	Pass
2	5149.675	57.31	2.07	74.0	16.69	Peak	171.00	100	Vertical	Pass
2**	5149.675	48.54	2.07	54.0	5.46	AV	171.00	100	Vertical	Pass

U-NII-1 11ax160 (SU) Middle Channel


Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	60.25	1.93	74.0	13.75	Peak	172.00	150	Vertical	Pass
1**	5350.055	49.98	1.93	54.0	4.02	AV	172.00	150	Vertical	Pass
2	5352.915	61.06	2.16	74.0	12.94	Peak	149.00	100	Vertical	Pass
2**	5352.915	49.97	2.16	54.0	4.03	AV	149.00	100	Vertical	Pass

U-NII-1 11ax20 (RU26) Low Channel


Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5016.425	57.28	1.79	74.0	16.72	Peak	49.00	150	Vertical	Pass
1**	5016.425	45.45	1.79	54.0	8.55	AV	49.00	150	Vertical	Pass
2	5149.675	55.50	2.07	74.0	18.50	Peak	136.00	100	Vertical	Pass
2**	5149.675	45.79	2.07	54.0	8.21	AV	136.00	100	Vertical	Pass


U-NII-1 11ax20 (RU26) High Channel

Bandedge - ATT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.12	1.93	74.0	18.88	Peak	265.00	200	Vertical	Pass
1**	5350.055	45.44	1.93	54.0	8.56	AV	265.00	200	Vertical	Pass
2	5427.990	57.55	2.47	74.0	16.45	Peak	319.00	200	Vertical	Pass
2**	5427.990	46.33	2.47	54.0	7.67	AV	319.00	200	Vertical	Pass

U-NII-1 11ax40 (RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4847.750	57.57	2.09	74.0	16.43	Peak	203.00	100	Vertical	Pass
1**	4847.750	45.49	2.09	54.0	8.51	AV	203.00	100	Vertical	Pass
2	5149.675	55.50	2.07	74.0	18.50	Peak	128.00	200	Vertical	Pass
2**	5149.675	45.64	2.07	54.0	8.36	AV	128.00	200	Vertical	Pass


U-NII-1 11ax40 (RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.45	1.93	74.0	18.55	Peak	239.00	150	Vertical	Pass
1**	5350.000	45.70	1.93	54.0	8.30	AV	239.00	150	Vertical	Pass
2	5455.600	57.58	2.35	74.0	16.42	Peak	237.00	200	Vertical	Pass
2**	5455.600	45.91	2.35	54.0	8.09	AV	237.00	200	Vertical	Pass

U-NII-1 11ax80 (RU26) Middle Channel


Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5099.300	57.15	2.34	74.0	16.85	Peak	0.00	150	Vertical	Pass
1**	5099.300	45.80	2.34	54.0	8.20	AV	0.00	150	Vertical	Pass
2	5149.675	55.99	2.07	74.0	18.01	Peak	24.00	200	Vertical	Pass
2**	5149.675	45.48	2.07	54.0	8.52	AV	24.00	200	Vertical	Pass


U-NII-1 11ax80 (RU26) Middle Channel

Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.59	1.93	74.0	18.41	Peak	28.00	100	Vertical	Pass
1**	5350.055	45.87	1.93	54.0	8.13	AV	28.00	100	Vertical	Pass
2	5371.835	57.89	2.25	74.0	16.11	Peak	212.00	200	Vertical	Pass
2**	5371.835	45.82	2.25	54.0	8.18	AV	212.00	200	Vertical	Pass


U-NII-1 11ax160 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.550	57.31	2.20	74.0	16.69	Peak	13.00	100	Vertical	Pass
1**	5076.550	45.81	2.20	54.0	8.19	AV	13.00	100	Vertical	Pass
2	5149.675	54.79	2.07	74.0	19.21	Peak	148.00	200	Vertical	Pass
2**	5149.675	45.56	2.07	54.0	8.44	AV	148.00	200	Vertical	Pass

U-NII-1 11ax160 (RU26) Middle Channel


Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.22	1.93	74.0	17.78	Peak	270.00	200	Vertical	Pass
1**	5350.055	45.97	1.93	54.0	8.03	AV	270.00	200	Vertical	Pass
2	5358.745	57.49	2.22	74.0	16.51	Peak	282.00	100	Vertical	Pass
2**	5358.745	45.96	2.22	54.0	8.04	AV	282.00	100	Vertical	Pass


U-NII-2A 11a Low Channel

Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5132.125	57.83	2.25	74.0	16.17	Peak	355.00	200	Vertical	Pass
1**	5132.125	45.74	2.25	54.0	8.26	AV	355.00	200	Vertical	Pass
2	5149.675	54.74	2.07	74.0	19.26	Peak	155.00	150	Vertical	Pass
2**	5149.675	46.30	2.07	54.0	7.70	AV	155.00	150	Vertical	Pass


U-NII-2A 11a High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.65	1.93	74.0	18.35	Peak	149.00	100	Vertical	Pass
1**	5350.055	45.73	1.93	54.0	8.27	AV	149.00	100	Vertical	Pass
2	5442.730	58.29	2.23	74.0	15.71	Peak	233.00	100	Vertical	Pass
2**	5442.730	45.94	2.23	54.0	8.06	AV	233.00	100	Vertical	Pass


U-NII-2A 11n20 Low Channel

Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5143.175	57.26	2.40	74.0	16.74	Peak	204.00	200	Vertical	Pass
1**	5143.175	46.01	2.40	54.0	7.99	AV	204.00	200	Vertical	Pass
2	5149.675	55.49	2.07	74.0	18.51	Peak	11.00	200	Vertical	Pass
2**	5149.675	45.76	2.07	54.0	8.24	AV	11.00	200	Vertical	Pass


U-NII-2A 11n20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.26	1.93	74.0	17.74	Peak	360.00	200	Vertical	Pass
1**	5350.055	45.98	1.93	54.0	8.02	AV	360.00	200	Vertical	Pass
2	5431.400	58.02	2.28	74.0	15.98	Peak	302.00	150	Vertical	Pass
2**	5431.400	45.98	2.28	54.0	8.02	AV	302.00	150	Vertical	Pass


U-NII-2A 11n40 Low Channel

Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5069.400	58.11	1.92	74.0	15.89	Peak	179.00	100	Vertical	Pass
1**	5069.400	45.56	1.92	54.0	8.44	AV	179.00	100	Vertical	Pass
2	5149.675	56.31	2.07	74.0	17.69	Peak	28.00	200	Vertical	Pass
2**	5149.675	45.91	2.07	54.0	8.09	AV	28.00	200	Vertical	Pass


U-NII-2A 11n40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	59.24	1.93	74.0	14.76	Peak	217.00	200	Vertical	Pass
1**	5350.055	48.69	1.93	54.0	5.31	AV	217.00	200	Vertical	Pass
2	5350.605	60.47	1.90	74.0	13.53	Peak	97.00	150	Vertical	Pass
2**	5350.605	48.76	1.90	54.0	5.24	AV	97.00	150	Vertical	Pass


U-NII-2A 11ac20 Low Channel

Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5012.525	58.18	2.14	74.0	15.82	Peak	263.00	200	Vertical	Pass
1**	5012.525	45.80	2.14	54.0	8.20	AV	263.00	200	Vertical	Pass
2	5149.675	55.27	2.07	74.0	18.73	Peak	39.00	150	Vertical	Pass
2**	5149.675	45.73	2.07	54.0	8.27	AV	39.00	150	Vertical	Pass


U-NII-2A 11ac20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.37	1.93	74.0	18.63	Peak	50.00	200	Vertical	Pass
1**	5350.000	45.91	1.93	54.0	8.09	AV	50.00	200	Vertical	Pass
2	5418.420	58.26	2.40	74.0	15.74	Peak	178.00	200	Vertical	Pass
2**	5418.420	46.32	2.40	54.0	7.68	AV	178.00	200	Vertical	Pass


U-NII-2A 11ac40 Low Channel

Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4872.450	57.37	1.63	74.0	16.63	Peak	283.00	200	Vertical	Pass
1**	4872.450	45.57	1.63	54.0	8.43	AV	283.00	200	Vertical	Pass
2	5149.675	55.37	2.07	74.0	18.63	Peak	220.00	150	Vertical	Pass
2**	5149.675	45.83	2.07	54.0	8.17	AV	220.00	150	Vertical	Pass


U-NII-2A 11ac40 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.03	1.93	74.0	13.97	Peak	214.00	100	Vertical	Pass
1**	5350.000	49.06	1.93	54.0	4.94	AV	214.00	100	Vertical	Pass
2	5351.870	61.45	2.02	74.0	12.55	Peak	220.00	200	Vertical	Pass
2**	5351.870	48.29	2.02	54.0	5.71	AV	220.00	200	Vertical	Pass


U-NII-2A 11ac80 Middle Channel

Bandedge - ATT_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5039.175	58.01	2.02	74.0	15.99	Peak	321.00	150	Vertical	Pass
1**	5039.175	45.65	2.02	54.0	8.35	AV	321.00	150	Vertical	Pass
2	5149.675	56.59	2.07	74.0	17.41	Peak	199.00	100	Vertical	Pass
2**	5149.675	45.67	2.07	54.0	8.33	AV	199.00	100	Vertical	Pass

U-NII-2A 11ac80 Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.41	1.93	74.0	13.59	Peak	217.00	200	Vertical	Pass
1**	5350.000	50.29	1.93	54.0	3.71	AV	217.00	200	Vertical	Pass
2	5350.165	62.18	1.92	74.0	11.82	Peak	217.00	150	Vertical	Pass
2**	5350.165	49.70	1.92	54.0	4.30	AV	217.00	150	Vertical	Pass


U-NII-2A 11ax20 (SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5105.800	57.62	2.25	74.0	16.38	Peak	217.00	100	Vertical	Pass
1**	5105.800	45.91	2.25	54.0	8.09	AV	217.00	100	Vertical	Pass
2	5149.675	55.15	2.07	74.0	18.85	Peak	54.00	200	Vertical	Pass
2**	5149.675	45.75	2.07	54.0	8.25	AV	54.00	200	Vertical	Pass


U-NII-2A 11ax20 (SU) High Channel

Bandedge - ATT_FCC_5G_Band1&2_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.65	1.93	74.0	18.35	Peak	0.00	200	Vertical	Pass
1**	5350.055	46.14	1.93	54.0	7.86	AV	0.00	200	Vertical	Pass
2	5459.505	58.09	2.43	74.0	15.91	Peak	360.00	150	Vertical	Pass
2**	5459.505	46.18	2.43	54.0	7.82	AV	360.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4983.275	57.54	2.08	74.0	16.46	Peak	120.00	200	Vertical	Pass
1**	4983.275	45.70	2.08	54.0	8.30	AV	120.00	200	Vertical	Pass
2	5149.675	55.38	2.07	74.0	18.62	Peak	128.00	200	Vertical	Pass
2**	5149.675	45.59	2.07	54.0	8.41	AV	128.00	200	Vertical	Pass


U-NII-2A 11ax40 (SU) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.66	1.93	74.0	14.34	Peak	90.00	100	Vertical	Pass
1**	5350.000	49.89	1.93	54.0	4.11	AV	90.00	100	Vertical	Pass
2	5351.980	60.78	2.03	74.0	13.22	Peak	147.00	150	Vertical	Pass
2**	5351.980	49.30	2.03	54.0	4.70	AV	147.00	150	Vertical	Pass
3	5350.385	59.80	1.91	74.0	14.20	Peak	93.00	150	Vertical	Pass
3**	5350.385	50.61	1.91	54.0	3.39	AV	93.00	150	Vertical	Pass

U-NII-2A 11ax80 (SU) Middle Channel


Bandedge - ATT_FCC_5G_Band1&2_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5145.450	57.32	2.27	74.0	16.68	Peak	19.00	100	Vertical	Pass
1**	5145.450	45.96	2.27	54.0	8.04	AV	19.00	100	Vertical	Pass
2	5149.675	55.66	2.07	74.0	18.34	Peak	144.00	200	Vertical	Pass
2**	5149.675	45.85	2.07	54.0	8.15	AV	144.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) Middle Channel


Bandedge - ATT_FCC_5G_Band1&2_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.75	1.93	74.0	14.25	Peak	216.00	200	Vertical	Pass
1**	5350.000	49.83	1.93	54.0	4.17	AV	216.00	200	Vertical	Pass
2	5350.330	61.87	1.91	74.0	12.13	Peak	218.00	100	Vertical	Pass
2**	5350.330	50.53	1.91	54.0	3.47	AV	218.00	100	Vertical	Pass
3	5351.485	59.20	1.97	74.0	14.80	Peak	8.00	150	Vertical	Pass
3**	5351.485	50.77	1.97	54.0	3.23	AV	8.00	150	Vertical	Pass


U-NII-2A 11ax20 (RU26) Low Channel

Bandedge - ATT_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5095.400	57.71	2.12	74.0	16.29	Peak	193.00	200	Vertical	Pass
1**	5095.400	45.68	2.12	54.0	8.32	AV	193.00	200	Vertical	Pass
2	5149.675	56.34	2.07	74.0	17.66	Peak	85.00	200	Vertical	Pass
2**	5149.675	46.31	2.07	54.0	7.69	AV	85.00	200	Vertical	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.38	1.93	74.0	17.62	Peak	265.00	100	Vertical	Pass
1**	5350.055	45.70	1.93	54.0	8.30	AV	265.00	100	Vertical	Pass
2	5400.820	58.09	1.97	74.0	15.91	Peak	250.00	200	Vertical	Pass
2**	5400.820	45.97	1.97	54.0	8.03	AV	250.00	200	Vertical	Pass

U-NII-2A 11ax40 (RU26) Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.61	1.93	74.0	18.39	Peak	280.00	150	Vertical	Pass
1**	5350.055	45.54	1.93	54.0	8.46	AV	280.00	150	Vertical	Pass
2	5425.075	58.38	2.34	74.0	15.62	Peak	323.00	100	Vertical	Pass
2**	5425.075	46.16	2.34	54.0	7.84	AV	323.00	100	Vertical	Pass


U-NII-2A 11ax40 (RU26) High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	54.97	1.93	74.0	19.03	Peak	203.00	150	Vertical	Pass
1**	5350.055	45.96	1.93	54.0	8.04	AV	203.00	150	Vertical	Pass
2	5394.440	58.23	2.07	74.0	15.77	Peak	34.00	100	Vertical	Pass
2**	5394.440	45.99	2.07	54.0	8.01	AV	34.00	100	Vertical	Pass


U-NII-2A 11ax80 (RU26) Middle Channel

Bandedge - ATT_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.250	57.81	2.36	74.0	16.19	Peak	80.00	200	Vertical	Pass
1**	5101.250	45.96	2.36	54.0	8.04	AV	80.00	200	Vertical	Pass
2	5149.675	55.58	2.07	74.0	18.42	Peak	323.00	100	Vertical	Pass
2**	5149.675	45.62	2.07	54.0	8.38	AV	323.00	100	Vertical	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.12	1.93	74.0	18.88	Peak	265.00	200	Vertical	Pass
1**	5350.055	45.44	1.93	54.0	8.56	AV	265.00	200	Vertical	Pass
2	5427.990	57.55	2.47	74.0	16.45	Peak	319.00	200	Vertical	Pass
2**	5427.990	46.33	2.47	54.0	7.67	AV	319.00	200	Vertical	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5418.350	58.17	2.39	74.0	15.83	Peak	305.00	200	Vertical	Pass
1**	5418.350	46.28	2.39	54.0	7.72	AV	305.00	200	Vertical	Pass
2	5460.000	56.55	2.50	74.0	17.45	Peak	305.00	200	Vertical	Pass
2**	5460.000	46.46	2.50	54.0	7.54	AV	305.00	200	Vertical	Pass
3	5463.650	57.83	2.81	68.2	10.37	Peak	20.00	200	Vertical	Pass
3**	5463.650	46.48	2.81	--	--	AV	20.00	200	Vertical	N/A
4	5469.950	56.78	2.87	68.2	11.42	Peak	159.00	100	Vertical	Pass
4**	5469.950	46.59	2.87	--	--	AV	159.00	100	Vertical	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.27	2.55	68.2	9.93	Peak	181.00	100	Vertical	Pass
2	5725.400	59.31	2.54	68.2	8.89	Peak	181.00	200	Vertical	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5423.900	57.64	2.41	74.0	16.36	Peak	242.00	100	Vertical	Pass
1**	5423.900	46.26	2.41	54.0	7.74	AV	242.00	100	Vertical	Pass
2	5460.000	56.19	2.50	74.0	17.81	Peak	308.00	100	Vertical	Pass
2**	5460.000	46.25	2.50	54.0	7.75	AV	308.00	100	Vertical	Pass
3	5469.550	58.33	2.91	68.2	9.87	Peak	128.00	100	Vertical	Pass
3**	5469.550	46.86	2.91	--	--	AV	128.00	100	Vertical	N/A
4	5469.950	56.26	2.87	68.2	11.94	Peak	83.00	100	Vertical	Pass
4**	5469.950	46.42	2.87	--	--	AV	83.00	100	Vertical	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.31	2.55	68.2	9.89	Peak	179.00	100	Vertical	Pass
2	5725.200	61.26	2.55	68.2	6.94	Peak	187.00	100	Vertical	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5419.300	58.14	2.46	74.0	15.86	Peak	147.00	200	Vertical	Pass
1**	5419.300	46.51	2.46	54.0	7.49	AV	147.00	200	Vertical	Pass
2	5460.000	55.24	2.50	74.0	18.76	Peak	330.00	100	Vertical	Pass
2**	5460.000	46.10	2.50	54.0	7.90	AV	330.00	100	Vertical	Pass
3	5468.700	58.58	3.03	68.2	9.62	Peak	215.00	150	Vertical	Pass
3**	5468.700	47.51	3.03	--	--	AV	215.00	150	Vertical	N/A
4	5469.950	57.26	2.87	68.2	10.94	Peak	353.00	200	Vertical	Pass
4**	5469.950	47.66	2.87	--	--	AV	353.00	200	Vertical	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.62	2.55	68.2	11.58	Peak	310.00	100	Vertical	Pass
2	5770.400	58.49	2.48	68.2	9.71	Peak	42.00	200	Vertical	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5378.450	57.42	2.09	74.0	16.58	Peak	28.00	200	Vertical	Pass
1**	5378.450	45.85	2.09	54.0	8.15	AV	28.00	200	Vertical	Pass
2	5460.000	56.10	2.50	74.0	17.90	Peak	61.00	100	Vertical	Pass
2**	5460.000	46.02	2.50	54.0	7.98	AV	61.00	100	Vertical	Pass
3	5461.200	57.76	2.66	68.2	10.44	Peak	205.00	100	Vertical	Pass
3**	5461.200	46.54	2.66	--	--	AV	205.00	100	Vertical	N/A
4	5469.950	55.82	2.87	68.2	12.38	Peak	61.00	150	Vertical	Pass
4**	5469.950	46.48	2.87	--	--	AV	61.00	150	Vertical	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	60.99	2.55	68.2	7.21	Peak	156.00	100	Vertical	Pass
2	5725.250	60.68	2.55	68.2	7.52	Peak	154.00	100	Vertical	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5422.600	58.14	2.45	74.0	15.86	Peak	333.00	100	Vertical	Pass
1**	5422.600	46.14	2.45	54.0	7.86	AV	333.00	100	Vertical	Pass
2	5460.000	55.97	2.50	74.0	18.03	Peak	72.00	150	Vertical	Pass
2**	5460.000	45.98	2.50	54.0	8.02	AV	72.00	150	Vertical	Pass
3	5469.100	59.32	2.97	68.2	8.88	Peak	212.00	150	Vertical	Pass
3**	5469.100	48.10	2.97	--	--	AV	212.00	150	Vertical	N/A
4	5469.950	56.97	2.87	68.2	11.23	Peak	171.00	200	Vertical	Pass
4**	5469.950	47.53	2.87	--	--	AV	171.00	200	Vertical	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.52	2.55	68.2	10.68	Peak	70.00	200	Vertical	Pass
2	5798.450	58.36	2.35	68.2	9.84	Peak	330.00	150	Vertical	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5446.400	59.55	2.40	74.0	14.45	Peak	200.00	100	Vertical	Pass
1**	5446.400	47.46	2.40	54.0	6.54	AV	200.00	100	Vertical	Pass
2	5460.000	58.19	2.50	74.0	15.81	Peak	350.00	150	Vertical	Pass
2**	5460.000	48.13	2.50	54.0	5.87	AV	350.00	150	Vertical	Pass
3	5464.750	61.09	2.73	68.2	7.11	Peak	206.00	150	Vertical	Pass
3**	5464.750	49.75	2.73	--	--	AV	206.00	150	Vertical	N/A
4	5469.950	58.06	2.87	68.2	10.14	Peak	208.00	200	Vertical	Pass
4**	5469.950	49.08	2.87	--	--	AV	208.00	200	Vertical	N/A

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	55.86	2.55	68.2	12.34	Peak	192.00	200	Vertical	Pass
2	5798.300	58.32	2.35	68.2	9.88	Peak	197.00	150	Vertical	Pass

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.800	59.55	2.47	74.0	14.45	Peak	148.00	200	Vertical	Pass
1**	5459.800	47.56	2.47	54.0	6.44	AV	148.00	200	Vertical	Pass
2	5460.000	57.56	2.50	74.0	16.44	Peak	200.00	100	Vertical	Pass
2**	5460.000	47.92	2.50	54.0	6.08	AV	200.00	100	Vertical	Pass
3	5468.500	59.47	3.06	68.2	8.73	Peak	200.00	200	Vertical	Pass
3**	5468.500	48.56	3.06	--	--	AV	200.00	200	Vertical	N/A
4	5469.950	57.06	2.87	68.2	11.14	Peak	171.00	100	Vertical	Pass
4**	5469.950	48.35	2.87	--	--	AV	171.00	100	Vertical	N/A

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	60.46	2.55	68.2	7.74	Peak	162.00	100	Vertical	Pass
2	5727.700	64.13	2.56	68.2	4.07	Peak	151.00	200	Vertical	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5436.500	57.91	2.13	74.0	16.09	Peak	37.00	100	Vertical	Pass
1**	5436.500	45.75	2.13	54.0	8.25	AV	37.00	100	Vertical	Pass
2	5460.000	56.14	2.50	74.0	17.86	Peak	0.00	200	Vertical	Pass
2**	5460.000	46.09	2.50	54.0	7.91	AV	0.00	200	Vertical	Pass
3	5469.350	58.09	2.94	68.2	10.11	Peak	325.00	200	Vertical	Pass
3**	5469.350	46.68	2.94	--	--	AV	325.00	200	Vertical	N/A
4	5469.950	55.85	2.87	68.2	12.35	Peak	195.00	150	Vertical	Pass
4**	5469.950	46.63	2.87	--	--	AV	195.00	150	Vertical	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.99	2.55	68.2	12.21	Peak	158.00	150	Vertical	Pass
2	5759.050	58.34	2.74	68.2	9.86	Peak	0.00	200	Vertical	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5440.000	57.92	2.32	74.0	16.08	Peak	130.00	100	Vertical	Pass
1**	5440.000	46.36	2.32	54.0	7.64	AV	130.00	100	Vertical	Pass
2	5460.000	56.47	2.50	74.0	17.53	Peak	6.00	200	Vertical	Pass
2**	5460.000	46.30	2.50	54.0	7.70	AV	6.00	200	Vertical	Pass
3	5468.400	59.50	3.07	68.2	8.70	Peak	182.00	200	Vertical	Pass
3**	5468.400	48.08	3.07	--	--	AV	182.00	200	Vertical	N/A
4	5469.950	57.39	2.87	68.2	10.81	Peak	215.00	150	Vertical	Pass
4**	5469.950	48.72	2.87	--	--	AV	215.00	150	Vertical	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.99	2.55	68.2	11.21	Peak	98.00	150	Vertical	Pass
2	5804.150	58.54	2.67	68.2	9.66	Peak	9.00	100	Vertical	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5457.750	60.40	2.48	74.0	13.60	Peak	204.00	200	Vertical	Pass
1**	5457.750	49.00	2.48	54.0	5.00	AV	204.00	200	Vertical	Pass
2	5460.000	57.55	2.50	74.0	16.45	Peak	158.00	100	Vertical	Pass
2**	5460.000	48.96	2.50	54.0	5.04	AV	158.00	100	Vertical	Pass
3	5467.950	61.19	3.13	68.2	7.01	Peak	213.00	100	Vertical	Pass
3**	5467.950	50.14	3.13	--	--	AV	213.00	100	Vertical	N/A
4	5469.950	60.01	2.87	68.2	8.19	Peak	213.00	200	Vertical	Pass
4**	5469.950	49.81	2.87	--	--	AV	213.00	200	Vertical	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.24	2.55	68.2	10.96	Peak	0.00	200	Vertical	Pass
2	5775.500	58.04	2.41	68.2	10.16	Peak	97.00	200	Vertical	Pass

U-NII-2C 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5459.400	59.75	2.42	74.0	14.25	Peak	199.00	100	Vertical	Pass
1**	5459.400	48.01	2.42	54.0	5.99	AV	199.00	100	Vertical	Pass
2	5460.000	57.84	2.50	74.0	16.16	Peak	136.00	150	Vertical	Pass
2**	5460.000	48.67	2.50	54.0	5.33	AV	136.00	150	Vertical	Pass
3	5467.300	60.67	3.06	68.2	7.53	Peak	155.00	200	Vertical	Pass
3**	5467.300	49.79	3.06	--	--	AV	155.00	200	Vertical	N/A
4	5469.950	58.61	2.87	68.2	9.59	Peak	136.00	150	Vertical	Pass
4**	5469.950	49.70	2.87	--	--	AV	136.00	150	Vertical	N/A

U-NII-2C 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.55	2.55	68.2	5.65	Peak	155.00	100	Vertical	Pass
2	5740.450	63.86	2.15	68.2	4.34	Peak	190.00	150	Vertical	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.000	57.63	2.47	74.0	16.37	Peak	129.00	200	Vertical	Pass
1**	5428.000	46.37	2.47	54.0	7.63	AV	129.00	200	Vertical	Pass
2	5460.000	55.49	2.50	74.0	18.51	Peak	345.00	200	Vertical	Pass
2**	5460.000	46.06	2.50	54.0	7.94	AV	345.00	200	Vertical	Pass
3	5468.700	57.98	3.03	68.2	10.22	Peak	135.00	100	Vertical	Pass
3**	5468.700	46.59	3.03	--	--	AV	135.00	100	Vertical	N/A
4	5469.950	56.31	2.87	68.2	11.89	Peak	96.00	150	Vertical	Pass
4**	5469.950	46.65	2.87	--	--	AV	96.00	150	Vertical	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.57	2.55	68.2	10.63	Peak	61.00	100	Vertical	Pass
2	5758.300	58.41	2.70	68.2	9.79	Peak	230.00	100	Vertical	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5372.000	57.76	2.25	74.0	16.24	Peak	34.00	100	Vertical	Pass
1**	5372.000	45.98	2.25	54.0	8.02	AV	34.00	100	Vertical	Pass
2	5460.000	56.06	2.50	74.0	17.94	Peak	300.00	150	Vertical	Pass
2**	5460.000	46.00	2.50	54.0	8.00	AV	300.00	150	Vertical	Pass
3	5464.600	57.57	2.74	68.2	10.63	Peak	147.00	100	Vertical	Pass
3**	5464.600	46.36	2.74	--	--	AV	147.00	100	Vertical	N/A
4	5469.950	56.33	2.87	68.2	11.87	Peak	32.00	150	Vertical	Pass
4**	5469.950	46.42	2.87	--	--	AV	32.00	150	Vertical	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.25	2.55	68.2	11.95	Peak	0.00	200	Vertical	Pass
2	5821.950	58.21	2.45	68.2	9.99	Peak	193.00	100	Vertical	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5383.800	57.69	2.18	74.0	16.31	Peak	49.00	100	Vertical	Pass
1**	5383.800	46.07	2.18	54.0	7.93	AV	49.00	100	Vertical	Pass
2	5460.000	55.53	2.50	74.0	18.47	Peak	201.00	100	Vertical	Pass
2**	5460.000	46.15	2.50	54.0	7.85	AV	201.00	100	Vertical	Pass
3	5465.150	57.59	2.70	68.2	10.61	Peak	65.00	150	Vertical	Pass
3**	5465.150	46.18	2.70	--	--	AV	65.00	150	Vertical	N/A
4	5469.950	56.25	2.87	68.2	11.95	Peak	175.00	200	Vertical	Pass
4**	5469.950	46.37	2.87	--	--	AV	175.00	200	Vertical	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.71	2.55	68.2	10.49	Peak	117.00	150	Vertical	Pass
2	5727.900	58.04	2.57	68.2	10.16	Peak	304.00	200	Vertical	Pass

U-NII-2C 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5419.450	58.01	2.45	74.0	15.99	Peak	178.00	150	Vertical	Pass
1**	5419.450	46.52	2.45	54.0	7.48	AV	178.00	150	Vertical	Pass
2	5460.000	55.87	2.50	74.0	18.13	Peak	288.00	100	Vertical	Pass
2**	5460.000	46.27	2.50	54.0	7.73	AV	288.00	100	Vertical	Pass
3	5466.450	57.72	2.86	68.2	10.48	Peak	360.00	100	Vertical	Pass
3**	5466.450	46.53	2.86	--	--	AV	360.00	100	Vertical	N/A
4	5469.950	55.90	2.87	68.2	12.30	Peak	356.00	100	Vertical	Pass
4**	5469.950	46.43	2.87	--	--	AV	356.00	100	Vertical	N/A

U-NII-2C 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.15	2.55	68.2	12.05	Peak	0.00	150	Vertical	Pass
2	5804.950	58.50	2.78	68.2	9.70	Peak	93.00	200	Vertical	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.850	57.98	2.30	68.2	10.22	Peak	283.00	200	Vertical	Pass
2	5650.000	55.46	2.54	68.2	12.74	Peak	131.00	200	Vertical	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.40	2.32	68.2	11.80	Peak	284.00	100	Vertical	Pass
2	5928.700	58.62	2.68	68.2	9.58	Peak	193.00	150	Vertical	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.500	58.22	2.69	68.2	9.98	Peak	8.00	200	Vertical	Pass
2	5650.000	55.81	2.54	68.2	12.39	Peak	74.00	150	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.55	2.32	68.2	12.65	Peak	45.00	150	Vertical	Pass
2	5938.400	58.74	2.34	68.2	9.46	Peak	244.00	200	Vertical	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.700	57.56	2.53	68.2	10.64	Peak	136.00	150	Vertical	Pass
2	5650.000	55.58	2.54	68.2	12.62	Peak	111.00	150	Vertical	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.39	2.32	68.2	11.81	Peak	360.00	200	Vertical	Pass
2	5930.200	58.67	2.59	68.2	9.53	Peak	41.00	200	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.250	58.20	2.12	68.2	10.00	Peak	263.00	200	Vertical	Pass
2	5650.000	56.14	2.54	68.2	12.06	Peak	166.00	150	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.21	2.32	68.2	11.99	Peak	247.00	150	Vertical	Pass
2	5949.350	58.38	2.58	68.2	9.82	Peak	224.00	100	Vertical	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.300	57.75	2.35	68.2	10.45	Peak	32.00	150	Vertical	Pass
2	5650.000	55.79	2.54	68.2	12.41	Peak	255.00	100	Vertical	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.12	2.32	68.2	12.08	Peak	353.00	100	Vertical	Pass
2	5936.250	58.96	2.42	68.2	9.24	Peak	118.00	200	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.900	57.32	2.51	68.2	10.88	Peak	137.00	100	Vertical	Pass
2	5650.000	55.85	2.54	68.2	12.35	Peak	172.00	100	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.65	2.32	68.2	12.55	Peak	157.00	100	Vertical	Pass
2	5932.300	57.96	2.37	68.2	10.24	Peak	0.00	200	Vertical	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5646.000	58.04	2.69	68.2	10.16	Peak	78.00	200	Vertical	Pass
2	5650.000	55.62	2.54	68.2	12.58	Peak	334.00	100	Vertical	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.26	2.32	68.2	11.94	Peak	104.00	200	Vertical	Pass
2	5941.450	58.21	2.86	68.2	9.99	Peak	85.00	200	Vertical	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.950	58.33	2.38	68.2	9.87	Peak	354.00	200	Vertical	Pass
2	5650.000	56.16	2.54	68.2	12.04	Peak	103.00	150	Vertical	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	57.58	2.32	68.2	10.62	Peak	274.00	150	Vertical	Pass
2	5947.950	58.26	2.72	68.2	9.94	Peak	347.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.550	58.03	2.33	68.2	10.17	Peak	139.00	200	Vertical	Pass
2	5650.000	57.03	2.54	68.2	11.17	Peak	179.00	200	Vertical	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.35	2.32	68.2	12.85	Peak	44.00	200	Vertical	Pass
2	5936.150	58.67	2.43	68.2	9.53	Peak	360.00	200	Vertical	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.600	58.44	2.51	68.2	9.76	Peak	277.00	150	Vertical	Pass
2	5650.000	56.26	2.54	68.2	11.94	Peak	108.00	200	Vertical	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.56	2.32	68.2	11.64	Peak	133.00	100	Vertical	Pass
2	5949.400	58.78	2.57	68.2	9.42	Peak	108.00	150	Vertical	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5628.650	57.59	2.12	68.2	10.61	Peak	97.00	150	Vertical	Pass
2	5650.000	56.13	2.54	68.2	12.07	Peak	226.00	200	Vertical	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.83	2.32	68.2	11.37	Peak	249.00	100	Vertical	Pass
2	5940.200	58.15	2.54	68.2	10.05	Peak	0.00	200	Vertical	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.250	57.73	2.35	68.2	10.47	Peak	144.00	200	Vertical	Pass
2	5650.000	56.14	2.54	68.2	12.06	Peak	261.00	200	Vertical	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.67	2.32	68.2	12.53	Peak	341.00	100	Vertical	Pass
2	5949.850	57.76	2.52	68.2	10.44	Peak	341.00	200	Vertical	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2480185-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2480185-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2480185-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--