

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1627.526	36.80	74.0	37.20	Peak	215.00	300	Horizontal	Pass
1**	1627.526	29.87	54.0	24.13	AV	215.00	300	Horizontal	Pass
2	2330.373	47.11	74.0	26.89	Peak	311.00	100	Horizontal	Pass
2**	2330.373	37.60	54.0	16.40	AV	311.00	100	Horizontal	Pass
3	4149.699	46.81	74.0	27.19	Peak	79.00	200	Horizontal	Pass
3**	4149.699	38.23	54.0	15.77	AV	79.00	200	Horizontal	Pass
4	7605.737	55.26	74.0	18.74	Peak	27.00	300	Horizontal	Pass
4**	7605.737	43.01	54.0	10.99	AV	27.00	300	Horizontal	Pass
5	12466.205	54.79	74.0	19.21	Peak	283.00	200	Horizontal	Pass
5**	12466.205	44.08	54.0	9.92	AV	283.00	200	Horizontal	Pass
6	15870.817	55.50	74.0	18.50	Peak	334.00	200	Horizontal	Pass
6**	15870.817	42.68	54.0	11.32	AV	334.00	200	Horizontal	Pass

11ac40, U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.189	41.57	74.0	32.43	Peak	247.00	100	Vertical	Pass
1**	1608.189	26.09	54.0	27.91	AV	247.00	100	Vertical	Pass
2	2310.509	45.68	74.0	28.32	Peak	29.00	400	Vertical	Pass
2**	2310.509	33.75	54.0	20.25	AV	29.00	400	Vertical	Pass
3	4312.604	46.96	74.0	27.04	Peak	32.00	200	Vertical	Pass
3**	4312.604	39.10	54.0	14.90	AV	32.00	200	Vertical	Pass
4	7707.734	53.76	74.0	20.24	Peak	312.00	300	Vertical	Pass
4**	7707.734	41.39	54.0	12.61	AV	312.00	300	Vertical	Pass
5	12474.435	54.60	74.0	19.40	Peak	223.00	400	Vertical	Pass
5**	12474.435	43.88	54.0	10.12	AV	223.00	400	Vertical	Pass
6	15934.702	53.52	74.0	20.48	Peak	22.00	300	Vertical	Pass
6**	15934.702	46.06	54.0	7.94	AV	22.00	300	Vertical	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1622.390	35.79	74.0	38.21	Peak	255.00	100	Horizontal	Pass
1**	1622.390	29.37	54.0	24.63	AV	255.00	100	Horizontal	Pass
2	2326.925	41.58	74.0	32.42	Peak	65.00	100	Horizontal	Pass
2**	2326.925	39.08	54.0	14.92	AV	65.00	100	Horizontal	Pass
3	4149.630	46.93	74.0	27.07	Peak	113.00	200	Horizontal	Pass
3**	4149.630	38.36	54.0	15.64	AV	113.00	200	Horizontal	Pass
4	7606.279	53.37	74.0	20.63	Peak	96.00	200	Horizontal	Pass
4**	7606.279	43.00	54.0	11.00	AV	96.00	200	Horizontal	Pass
5	12465.400	55.48	74.0	18.52	Peak	53.00	100	Horizontal	Pass
5**	12465.400	40.65	54.0	13.35	AV	53.00	100	Horizontal	Pass
6	15868.087	54.95	74.0	19.05	Peak	263.00	300	Horizontal	Pass
6**	15868.087	43.24	54.0	10.76	AV	263.00	300	Horizontal	Pass

11ac80, U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1612.106	40.55	74.0	33.45	Peak	353.00	400	Vertical	Pass
1**	1612.106	31.66	54.0	22.34	AV	353.00	400	Vertical	Pass
2	2312.496	45.29	74.0	28.71	Peak	232.00	100	Vertical	Pass
2**	2312.496	33.46	54.0	20.54	AV	232.00	100	Vertical	Pass
3	4314.616	46.91	74.0	27.09	Peak	3.00	200	Vertical	Pass
3**	4314.616	37.56	54.0	16.44	AV	3.00	200	Vertical	Pass
4	7708.164	52.16	74.0	21.84	Peak	84.00	100	Vertical	Pass
4**	7708.164	41.77	54.0	12.23	AV	84.00	100	Vertical	Pass
5	12471.492	53.76	74.0	20.24	Peak	316.00	400	Vertical	Pass
5**	12471.492	44.85	54.0	9.15	AV	316.00	400	Vertical	Pass
6	15932.655	53.06	74.0	20.94	Peak	302.00	400	Vertical	Pass
6**	15932.655	43.39	54.0	10.61	AV	302.00	400	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1627.215	38.12	74.0	35.88	Peak	153.00	200	Horizontal	Pass
1**	1627.215	27.82	54.0	26.18	AV	153.00	200	Horizontal	Pass
2	2325.510	43.06	74.0	30.94	Peak	146.00	400	Horizontal	Pass
2**	2325.510	36.87	54.0	17.13	AV	146.00	400	Horizontal	Pass
3	4146.053	47.69	74.0	26.31	Peak	100.00	200	Horizontal	Pass
3**	4146.053	38.71	54.0	15.29	AV	100.00	200	Horizontal	Pass
4	7612.774	53.68	74.0	20.32	Peak	144.00	200	Horizontal	Pass
4**	7612.774	44.24	54.0	9.76	AV	144.00	200	Horizontal	Pass
5	12463.728	56.20	74.0	17.80	Peak	102.00	200	Horizontal	Pass
5**	12463.728	45.90	54.0	8.10	AV	102.00	200	Horizontal	Pass
6	15870.068	55.45	74.0	18.55	Peak	131.00	200	Horizontal	Pass
6**	15870.068	42.10	54.0	11.90	AV	131.00	200	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.953	40.52	74.0	33.48	Peak	155.00	200	Vertical	Pass
1**	1610.953	25.84	54.0	28.16	AV	155.00	200	Vertical	Pass
2	2312.446	45.71	74.0	28.29	Peak	140.00	400	Vertical	Pass
2**	2312.446	34.81	54.0	19.19	AV	140.00	400	Vertical	Pass
3	4311.891	46.59	74.0	27.41	Peak	75.00	200	Vertical	Pass
3**	4311.891	40.65	54.0	13.35	AV	75.00	200	Vertical	Pass
4	7710.471	55.15	74.0	18.85	Peak	55.00	400	Vertical	Pass
4**	7710.471	45.89	54.0	8.11	AV	55.00	400	Vertical	Pass
5	12472.471	51.82	74.0	22.18	Peak	339.00	200	Vertical	Pass
5**	12472.471	43.77	54.0	10.23	AV	339.00	200	Vertical	Pass
6	15929.418	53.04	74.0	20.96	Peak	193.00	100	Vertical	Pass
6**	15929.418	41.32	54.0	12.68	AV	193.00	100	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1624.965	39.73	74.0	34.27	Peak	322.00	400	Horizontal	Pass
1**	1624.965	30.73	54.0	23.27	AV	322.00	400	Horizontal	Pass
2	2324.639	43.97	74.0	30.03	Peak	331.00	300	Horizontal	Pass
2**	2324.639	36.49	54.0	17.51	AV	331.00	300	Horizontal	Pass
3	4149.126	47.98	74.0	26.02	Peak	176.00	200	Horizontal	Pass
3**	4149.126	39.46	54.0	14.54	AV	176.00	200	Horizontal	Pass
4	7606.683	52.50	74.0	21.50	Peak	41.00	400	Horizontal	Pass
4**	7606.683	43.99	54.0	10.01	AV	41.00	400	Horizontal	Pass
5	12466.055	55.89	74.0	18.11	Peak	121.00	300	Horizontal	Pass
5**	12466.055	44.78	54.0	9.22	AV	121.00	300	Horizontal	Pass
6	15863.813	55.77	74.0	18.23	Peak	13.00	200	Horizontal	Pass
6**	15863.813	44.76	54.0	9.24	AV	13.00	200	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.179	37.91	74.0	36.09	Peak	258.00	300	Vertical	Pass
1**	1606.179	26.63	54.0	27.37	AV	258.00	300	Vertical	Pass
2	2307.874	41.76	74.0	32.24	Peak	102.00	300	Vertical	Pass
2**	2307.874	37.34	54.0	16.66	AV	102.00	300	Vertical	Pass
3	4311.980	46.65	74.0	27.35	Peak	250.00	200	Vertical	Pass
3**	4311.980	40.76	54.0	13.24	AV	250.00	200	Vertical	Pass
4	7709.306	55.03	74.0	18.97	Peak	66.00	400	Vertical	Pass
4**	7709.306	40.23	54.0	13.77	AV	66.00	400	Vertical	Pass
5	12470.586	52.20	74.0	21.80	Peak	251.00	200	Vertical	Pass
5**	12470.586	43.17	54.0	10.83	AV	251.00	200	Vertical	Pass
6	15933.804	56.10	74.0	17.90	Peak	310.00	300	Vertical	Pass
6**	15933.804	46.55	54.0	7.45	AV	310.00	300	Vertical	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1625.752	40.51	74.0	33.49	Peak	273.00	100	Horizontal	Pass
1**	1625.752	28.80	54.0	25.20	AV	273.00	100	Horizontal	Pass
2	2325.253	46.50	74.0	27.50	Peak	271.00	400	Horizontal	Pass
2**	2325.253	38.93	54.0	15.07	AV	271.00	400	Horizontal	Pass
3	4146.959	46.45	74.0	27.55	Peak	16.00	200	Horizontal	Pass
3**	4146.959	37.75	54.0	16.25	AV	16.00	200	Horizontal	Pass
4	7606.732	50.80	74.0	23.20	Peak	96.00	100	Horizontal	Pass
4**	7606.732	45.98	54.0	8.02	AV	96.00	100	Horizontal	Pass
5	12467.282	51.54	74.0	22.46	Peak	61.00	300	Horizontal	Pass
5**	12467.282	43.15	54.0	10.85	AV	61.00	300	Horizontal	Pass
6	15865.969	52.71	74.0	21.29	Peak	29.00	300	Horizontal	Pass
6**	15865.969	44.60	54.0	9.40	AV	29.00	300	Horizontal	Pass

11ax20 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1608.360	40.82	74.0	33.18	Peak	246.00	400	Vertical	Pass
1**	1608.360	29.21	54.0	24.79	AV	246.00	400	Vertical	Pass
2	2312.257	41.88	74.0	32.12	Peak	347.00	100	Vertical	Pass
2**	2312.257	37.93	54.0	16.07	AV	347.00	100	Vertical	Pass
3	4314.197	49.07	74.0	24.93	Peak	331.00	200	Vertical	Pass
3**	4314.197	36.82	54.0	17.18	AV	331.00	200	Vertical	Pass
4	7709.814	54.92	74.0	19.08	Peak	205.00	300	Vertical	Pass
4**	7709.814	40.25	54.0	13.75	AV	205.00	300	Vertical	Pass
5	12469.013	51.66	74.0	22.34	Peak	160.00	400	Vertical	Pass
5**	12469.013	41.55	54.0	12.45	AV	160.00	400	Vertical	Pass
6	15931.953	51.91	74.0	22.09	Peak	255.00	400	Vertical	Pass
6**	15931.953	46.33	54.0	7.67	AV	255.00	400	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.677	37.40	74.0	36.60	Peak	220.00	300	Horizontal	Pass
1**	1623.677	27.75	54.0	26.25	AV	220.00	300	Horizontal	Pass
2	2330.553	44.39	74.0	29.61	Peak	269.00	300	Horizontal	Pass
2**	2330.553	37.11	54.0	16.89	AV	269.00	300	Horizontal	Pass
3	4146.411	45.90	74.0	28.10	Peak	174.00	200	Horizontal	Pass
3**	4146.411	37.65	54.0	16.35	AV	174.00	200	Horizontal	Pass
4	7606.405	53.90	74.0	20.10	Peak	304.00	300	Horizontal	Pass
4**	7606.405	44.37	54.0	9.63	AV	304.00	300	Horizontal	Pass
5	12464.134	54.00	74.0	20.00	Peak	100.00	400	Horizontal	Pass
5**	12464.134	46.10	54.0	7.90	AV	100.00	400	Horizontal	Pass
6	15868.688	56.28	74.0	17.72	Peak	286.00	300	Horizontal	Pass
6**	15868.688	44.46	54.0	9.54	AV	286.00	300	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, Low Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1611.131	39.13	74.0	34.87	Peak	12.00	300	Vertical	Pass
1**	1611.131	29.74	54.0	24.26	AV	12.00	300	Vertical	Pass
2	2314.568	43.84	74.0	30.16	Peak	138.00	100	Vertical	Pass
2**	2314.568	35.31	54.0	18.69	AV	138.00	100	Vertical	Pass
3	4314.660	44.88	74.0	29.12	Peak	169.00	200	Vertical	Pass
3**	4314.660	37.89	54.0	16.11	AV	169.00	200	Vertical	Pass
4	7709.627	52.96	74.0	21.04	Peak	156.00	100	Vertical	Pass
4**	7709.627	42.51	54.0	11.49	AV	156.00	100	Vertical	Pass
5	12469.944	56.45	74.0	17.55	Peak	33.00	200	Vertical	Pass
5**	12469.944	41.67	54.0	12.33	AV	33.00	200	Vertical	Pass
6	15932.015	55.24	74.0	18.76	Peak	201.00	100	Vertical	Pass
6**	15932.015	45.58	54.0	8.42	AV	201.00	100	Vertical	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1623.514	40.80	74.0	33.20	Peak	287.00	100	Horizontal	Pass
1**	1623.514	30.36	54.0	23.64	AV	287.00	100	Horizontal	Pass
2	2328.009	47.10	74.0	26.90	Peak	213.00	300	Horizontal	Pass
2**	2328.009	37.38	54.0	16.62	AV	213.00	300	Horizontal	Pass
3	4149.656	44.95	74.0	29.05	Peak	97.00	200	Horizontal	Pass
3**	4149.656	35.97	54.0	18.03	AV	97.00	200	Horizontal	Pass
4	7610.859	52.84	74.0	21.16	Peak	92.00	200	Horizontal	Pass
4**	7610.859	44.18	54.0	9.82	AV	92.00	200	Horizontal	Pass
5	12468.846	54.36	74.0	19.64	Peak	19.00	100	Horizontal	Pass
5**	12468.846	42.95	54.0	11.05	AV	19.00	100	Horizontal	Pass
6	15870.033	56.63	74.0	17.37	Peak	101.00	300	Horizontal	Pass
6**	15870.033	41.59	54.0	12.41	AV	101.00	300	Horizontal	Pass

11ax40 (SU), U-NII-3, 1 GHz to 18 GHz, High Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1610.484	38.40	74.0	35.60	Peak	51.00	200	Vertical	Pass
1**	1610.484	29.04	54.0	24.96	AV	51.00	200	Vertical	Pass
2	2313.974	45.94	74.0	28.06	Peak	192.00	300	Vertical	Pass
2**	2313.974	37.37	54.0	16.63	AV	192.00	300	Vertical	Pass
3	4316.606	49.67	74.0	24.33	Peak	145.00	200	Vertical	Pass
3**	4316.606	36.33	54.0	17.67	AV	145.00	200	Vertical	Pass
4	7709.888	51.69	74.0	22.31	Peak	93.00	300	Vertical	Pass
4**	7709.888	44.78	54.0	9.22	AV	93.00	300	Vertical	Pass
5	12467.442	53.11	74.0	20.89	Peak	274.00	300	Vertical	Pass
5**	12467.442	41.72	54.0	12.28	AV	274.00	300	Vertical	Pass
6	15934.588	54.86	74.0	19.14	Peak	23.00	100	Vertical	Pass
6**	15934.588	45.76	54.0	8.24	AV	23.00	100	Vertical	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT H

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1626.917	39.98	74.0	34.02	Peak	109.00	400	Horizontal	Pass
1**	1626.917	28.07	54.0	25.93	AV	109.00	400	Horizontal	Pass
2	2326.605	46.36	74.0	27.64	Peak	343.00	300	Horizontal	Pass
2**	2326.605	37.28	54.0	16.72	AV	343.00	300	Horizontal	Pass
3	4151.307	49.30	74.0	24.70	Peak	213.00	200	Horizontal	Pass
3**	4151.307	39.63	54.0	14.37	AV	213.00	200	Horizontal	Pass
4	7610.044	56.15	74.0	17.85	Peak	65.00	200	Horizontal	Pass
4**	7610.044	41.81	54.0	12.19	AV	65.00	200	Horizontal	Pass
5	12465.277	56.99	74.0	17.01	Peak	222.00	200	Horizontal	Pass
5**	12465.277	40.61	54.0	13.39	AV	222.00	200	Horizontal	Pass
6	15863.597	52.15	74.0	21.85	Peak	86.00	300	Horizontal	Pass
6**	15863.597	46.57	54.0	7.43	AV	86.00	300	Horizontal	Pass

11ax80 (SU), U-NII-3, 1 GHz to 18 GHz, Middle Channel, ANT V

No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1606.833	36.19	74.0	37.81	Peak	31.00	100	Vertical	Pass
1**	1606.833	27.17	54.0	26.83	AV	31.00	100	Vertical	Pass
2	2314.007	44.60	74.0	29.40	Peak	340.00	300	Vertical	Pass
2**	2314.007	38.99	54.0	15.01	AV	340.00	300	Vertical	Pass
3	4310.947	48.71	74.0	25.29	Peak	249.00	200	Vertical	Pass
3**	4310.947	38.04	54.0	15.96	AV	249.00	200	Vertical	Pass
4	7711.490	55.37	74.0	18.63	Peak	99.00	100	Vertical	Pass
4**	7711.490	45.63	54.0	8.37	AV	99.00	100	Vertical	Pass
5	12470.570	54.33	74.0	19.67	Peak	238.00	300	Vertical	Pass
5**	12470.570	44.47	54.0	9.53	AV	238.00	300	Vertical	Pass
6	15934.986	53.85	74.0	20.15	Peak	216.00	200	Vertical	Pass
6**	15934.986	41.45	54.0	12.55	AV	216.00	200	Vertical	Pass

A.6.2 Band Edge (Restricted-band)

Test Band	Mode	Channel	Verdict
U-NII-1	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE160) (SU)	Middle	Pass
802.11ax(HE20) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80) (RU26)	Middle	Pass	
802.11ax(HE160) (RU26)	Middle	Pass	
U-NII-2A	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
High		Pass	
802.11ax(HE40) (SU)	Low	Pass	
	High	Pass	

	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
802.11ax(HE80) (RU26)	Middle	Pass	
U-NII-2C	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
		High	Pass
	802.11ac(VHT40)	Low	Pass
		High	Pass
	802.11ac(VHT80)	Low	Pass
		High	Pass
	802.11ac(VHT160)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Low	Pass
		High	Pass
	802.11ax(HE160) (SU)	Middle	Pass
802.11ax(HE20) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE40) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE80) (RU26)	Low	Pass	
	High	Pass	
802.11ax(HE160) (RU26)	Middle	Pass	
U-NII-3	802.11a	Low	Pass
		High	Pass
	802.11n(HT20)	Low	Pass
		High	Pass
	802.11n(HT40)	Low	Pass
		High	Pass
	802.11ac(VHT20)	Low	Pass
High		Pass	
802.11ac(VHT40)	Low	Pass	
	High	Pass	

	802.11ac(VHT80)	Middle	Pass
	802.11ax(HE20) (SU)	Low	Pass
		High	Pass
	802.11ax(HE40) (SU)	Low	Pass
		High	Pass
	802.11ax(HE80) (SU)	Middle	Pass
	802.11ax(HE20) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE40) (RU26)	Low	Pass
		High	Pass
	802.11ax(HE80) (RU26)	Middle	Pass


Note 1: All antenna were pre tested, but only the worst case has been reported in this report.

Note 2: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data and Plots


SISO-Main Antenna

U-NII-1 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5078.175	57.06	2.24	74.0	16.94	Peak	273.00	200	Vertical	Pass
1**	5078.175	45.49	2.24	54.0	8.51	AV	273.00	200	Vertical	Pass
2	5149.675	55.26	2.07	74.0	18.74	Peak	255.00	200	Vertical	Pass
2**	5149.675	45.25	2.07	54.0	8.75	AV	255.00	200	Vertical	Pass

U-NII-1 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.53	1.93	74.0	18.47	Peak	102.00	150	Vertical	Pass
1**	5350.055	45.27	1.93	54.0	8.73	AV	102.00	150	Vertical	Pass
2	5421.665	57.56	2.43	74.0	16.44	Peak	290.00	100	Vertical	Pass
2**	5421.665	46.01	2.43	54.0	7.99	AV	290.00	100	Vertical	Pass

U-NII-1 11n20 Low Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5129.525	56.76	1.97	74.0	17.24	Peak	97.00	100	Vertical	Pass
1**	5129.525	45.22	1.97	54.0	8.78	AV	97.00	100	Vertical	Pass
2	5149.675	54.84	2.07	74.0	19.16	Peak	16.00	100	Vertical	Pass
2**	5149.675	46.07	2.07	54.0	7.93	AV	16.00	100	Vertical	Pass


U-NII-1 11n20 High Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	54.86	1.93	74.0	19.14	Peak	204.00	150	Vertical	Pass
1**	5350.055	45.80	1.93	54.0	8.20	AV	204.00	150	Vertical	Pass
2	5403.845	57.85	2.17	74.0	16.15	Peak	196.00	150	Vertical	Pass
2**	5403.845	45.80	2.17	54.0	8.20	AV	196.00	150	Vertical	Pass


U-NII-1 11n40 Low Channel

Bandedge - ATT_FCC_5G_Band1&2_Left




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5101.250	57.49	2.36	74.0	16.51	Peak	360.00	100	Vertical	Pass
1**	5101.250	45.63	2.36	54.0	8.37	AV	360.00	100	Vertical	Pass
2	5149.675	54.67	2.07	74.0	19.33	Peak	268.00	150	Vertical	Pass
2**	5149.675	45.74	2.07	54.0	8.26	AV	268.00	150	Vertical	Pass

U-NII-1 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.13	1.93	74.0	17.87	Peak	104.00	150	Vertical	Pass
1**	5350.055	45.73	1.93	54.0	8.27	AV	104.00	150	Vertical	Pass
2	5382.340	57.32	2.19	74.0	16.68	Peak	331.00	100	Vertical	Pass
2**	5382.340	45.73	2.19	54.0	8.27	AV	331.00	100	Vertical	Pass

U-NII-1 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5112.300	56.74	2.10	74.0	17.26	Peak	140.00	200	Vertical	Pass
1**	5112.300	46.01	2.10	54.0	7.99	AV	140.00	200	Vertical	Pass
2	5149.675	56.28	2.07	74.0	17.72	Peak	143.00	200	Vertical	Pass
2**	5149.675	46.70	2.07	54.0	7.30	AV	143.00	200	Vertical	Pass

U-NII-1 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	54.68	1.93	74.0	19.32	Peak	159.00	100	Vertical	Pass
1**	5350.055	45.64	1.93	54.0	8.36	AV	159.00	100	Vertical	Pass
2	5368.260	57.71	2.22	74.0	16.29	Peak	137.00	200	Vertical	Pass
2**	5421.115	46.31	2.43	54.0	7.69	AV	151.00	200	Vertical	Pass

U-NII-1 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.050	56.86	2.43	74.0	17.14	Peak	6.00	200	Vertical	Pass
1**	5135.050	45.78	2.43	54.0	8.22	AV	6.00	200	Vertical	Pass
2	5149.675	55.61	2.07	74.0	18.39	Peak	176.00	150	Vertical	Pass
2**	5149.675	45.75	2.07	54.0	8.25	AV	176.00	150	Vertical	Pass

U-NII-1 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.82	1.93	74.0	18.18	Peak	147.00	200	Vertical	Pass
1**	5350.000	45.66	1.93	54.0	8.34	AV	147.00	200	Vertical	Pass
2	5401.535	57.43	1.94	74.0	16.57	Peak	169.00	100	Vertical	Pass
2**	5401.535	45.62	1.94	54.0	8.38	AV	169.00	100	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5088.900	57.19	2.40	74.0	16.81	Peak	341.00	100	Vertical	Pass
1**	5088.900	45.80	2.40	54.0	8.20	AV	341.00	100	Vertical	Pass
2	5149.675	54.94	2.07	74.0	19.06	Peak	279.00	200	Vertical	Pass
2**	5149.675	45.67	2.07	54.0	8.33	AV	279.00	200	Vertical	Pass

U-NII-1 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.51	1.93	74.0	18.49	Peak	165.00	100	Vertical	Pass
1**	5350.000	45.42	1.93	54.0	8.58	AV	165.00	100	Vertical	Pass
2	5383.055	57.50	2.17	74.0	16.50	Peak	108.00	150	Vertical	Pass
2**	5383.055	45.54	2.17	54.0	8.46	AV	108.00	150	Vertical	Pass

U-NII-1 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5147.400	57.35	2.23	74.0	16.65	Peak	210.00	150	Vertical	Pass
1**	5147.400	46.33	2.23	54.0	7.67	AV	210.00	150	Vertical	Pass
2	5149.675	55.57	2.07	74.0	18.43	Peak	360.00	200	Vertical	Pass
2**	5149.675	46.53	2.07	54.0	7.47	AV	360.00	200	Vertical	Pass
3	5139.275	55.19	2.37	74.0	18.81	Peak	0.00	150	Vertical	Pass
3**	5139.275	48.26	2.37	54.0	5.74	AV	0.00	150	Vertical	Pass

U-NII-1 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.75	1.93	74.0	18.25	Peak	153.00	200	Vertical	Pass
1**	5350.000	46.85	1.93	54.0	7.15	AV	153.00	200	Vertical	Pass
2	5403.020	60.48	2.07	74.0	13.52	Peak	147.00	150	Vertical	Pass
2**	5403.020	47.90	2.07	54.0	6.10	AV	147.00	150	Vertical	Pass
3	5398.235	57.43	1.93	74.0	16.57	Peak	130.00	150	Vertical	Pass
3**	5398.235	49.86	1.93	54.0	4.14	AV	130.00	150	Vertical	Pass

U-NII-1 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5135.700	57.08	2.43	74.0	16.92	Peak	163.00	150	Vertical	Pass
1**	5135.700	45.65	2.43	54.0	8.35	AV	163.00	150	Vertical	Pass
2	5149.675	54.78	2.07	74.0	19.22	Peak	137.00	200	Vertical	Pass
2**	5149.675	46.16	2.07	54.0	7.84	AV	137.00	200	Vertical	Pass

U-NII-1 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.00	1.93	74.0	19.00	Peak	64.00	150	Vertical	Pass
1**	5350.000	45.78	1.93	54.0	8.22	AV	64.00	150	Vertical	Pass
2	5457.250	58.06	2.51	74.0	15.94	Peak	200.00	100	Vertical	Pass
2**	5457.250	46.03	2.51	54.0	7.97	AV	200.00	100	Vertical	Pass

U-NII-1 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5091.825	57.01	2.42	74.0	16.99	Peak	335.00	100	Vertical	Pass
1**	5091.825	45.95	2.42	54.0	8.05	AV	335.00	100	Vertical	Pass
2	5149.675	56.41	2.07	74.0	17.59	Peak	257.00	200	Vertical	Pass
2**	5149.675	46.15	2.07	54.0	7.85	AV	257.00	200	Vertical	Pass

U-NII-1 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.98	1.93	74.0	19.02	Peak	234.00	150	Vertical	Pass
1**	5350.000	45.29	1.93	54.0	8.71	AV	234.00	150	Vertical	Pass
2	5425.955	57.83	2.40	74.0	16.17	Peak	96.00	200	Vertical	Pass
2**	5425.955	46.00	2.40	54.0	8.00	AV	96.00	200	Vertical	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5048.275	57.06	2.10	74.0	16.94	Peak	293.00	150	Vertical	Pass
1**	5048.275	45.38	2.10	54.0	8.62	AV	293.00	150	Vertical	Pass
2	5149.675	55.12	2.07	74.0	18.88	Peak	196.00	100	Vertical	Pass
2**	5149.675	45.62	2.07	54.0	8.38	AV	196.00	100	Vertical	Pass

U-NII-1 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.59	1.93	74.0	17.41	Peak	0.00	150	Vertical	Pass
1**	5350.000	45.65	1.93	54.0	8.35	AV	0.00	150	Vertical	Pass
2	5425.955	57.60	2.40	74.0	16.40	Peak	113.00	200	Vertical	Pass
2**	5425.955	46.11	2.40	54.0	7.89	AV	113.00	200	Vertical	Pass

U-NII-1 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5133.750	60.17	2.40	74.0	13.83	Peak	135.00	100	Vertical	Pass
1**	5133.750	49.70	2.40	54.0	4.30	AV	135.00	100	Vertical	Pass
2	5149.675	58.25	2.07	74.0	15.75	Peak	132.00	150	Vertical	Pass
2**	5149.675	49.68	2.07	54.0	4.32	AV	132.00	150	Vertical	Pass
3	5142.850	58.51	2.43	74.0	15.49	Peak	132.00	150	Vertical	Pass
3**	5142.850	50.82	2.43	54.0	3.18	AV	132.00	150	Vertical	Pass

U-NII-1 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.14	1.93	74.0	15.86	Peak	154.00	150	Vertical	Pass
1**	5350.000	48.10	1.93	54.0	5.90	AV	154.00	150	Vertical	Pass
2	5420.620	62.76	2.43	74.0	11.24	Peak	159.00	150	Vertical	Pass
2**	5420.620	49.80	2.43	54.0	4.20	AV	159.00	150	Vertical	Pass
3	5402.470	58.44	2.00	74.0	15.56	Peak	159.00	150	Vertical	Pass
3**	5402.470	50.95	2.00	54.0	3.05	AV	159.00	150	Vertical	Pass

U-NII-1 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.300	57.24	74.0	16.76	Peak	4.00	100	Horizontal	Pass
1**	5125.300	45.29	54.0	8.71	AV	4.00	100	Horizontal	Pass
2	5150.000	54.10	74.0	19.90	Peak	74.00	150	Horizontal	Pass
2**	5150.000	44.62	54.0	9.38	AV	74.00	150	Horizontal	Pass

U-NII-1 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.72	74.0	19.28	Peak	88.00	150	Horizontal	Pass
1**	5350.000	45.77	54.0	8.23	AV	88.00	150	Horizontal	Pass
2	5364.080	56.58	74.0	17.42	Peak	175.00	200	Horizontal	Pass
2**	5364.080	44.89	54.0	9.11	AV	175.00	200	Horizontal	Pass

U-NII-1 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5024.225	56.33	74.0	17.67	Peak	360.00	150	Horizontal	Pass
1**	5024.225	44.13	54.0	9.87	AV	360.00	150	Horizontal	Pass
2	5150.000	54.00	74.0	20.00	Peak	156.00	100	Horizontal	Pass
2**	5150.000	44.57	54.0	9.43	AV	156.00	100	Horizontal	Pass

U-NII-1 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.71	74.0	17.29	Peak	268.00	100	Horizontal	Pass
1**	5350.055	45.54	54.0	8.46	AV	268.00	100	Horizontal	Pass
2	5369.745	56.50	74.0	17.50	Peak	360.00	100	Horizontal	Pass
2**	5369.745	45.13	54.0	8.87	AV	360.00	100	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5034.625	56.48	74.0	17.52	Peak	55.00	200	Horizontal	Pass
1**	5034.625	44.24	54.0	9.76	AV	55.00	200	Horizontal	Pass
2	5150.000	53.78	74.0	20.22	Peak	230.00	200	Horizontal	Pass
2**	5150.000	45.11	54.0	8.89	AV	230.00	200	Horizontal	Pass

U-NII-1 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.13	74.0	18.87	Peak	76.00	100	Horizontal	Pass
1**	5350.055	45.45	54.0	8.55	AV	76.00	100	Horizontal	Pass
2	5389.655	57.17	74.0	16.83	Peak	295.00	100	Horizontal	Pass
2**	5389.655	45.19	54.0	8.81	AV	295.00	100	Horizontal	Pass

U-NII-1 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5139.275	56.55	74.0	17.45	Peak	276.00	150	Horizontal	Pass
1**	5139.275	44.70	54.0	9.30	AV	276.00	150	Horizontal	Pass
2	5150.000	54.35	74.0	19.65	Peak	191.00	200	Horizontal	Pass
2**	5150.000	45.16	54.0	8.84	AV	191.00	200	Horizontal	Pass

U-NII-1 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.85	74.0	18.15	Peak	239.00	100	Horizontal	Pass
1**	5350.055	45.48	54.0	8.52	AV	239.00	100	Horizontal	Pass
2	5351.210	57.06	74.0	16.94	Peak	168.00	150	Horizontal	Pass
2**	5351.210	45.66	54.0	8.34	AV	168.00	150	Horizontal	Pass

U-NII-2A 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4998.875	57.24	2.11	74.0	16.76	Peak	202.00	100	Vertical	Pass
1**	4998.875	45.25	2.11	54.0	8.75	AV	202.00	100	Vertical	Pass
2	5149.675	54.65	2.07	74.0	19.35	Peak	356.00	100	Vertical	Pass
2**	5149.675	45.53	2.07	54.0	8.47	AV	356.00	100	Vertical	Pass

U-NII-2A 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.98	1.93	74.0	18.02	Peak	195.00	150	Vertical	Pass
1**	5350.000	45.73	1.93	54.0	8.27	AV	195.00	150	Vertical	Pass
2	5459.175	58.25	2.40	74.0	15.75	Peak	76.00	200	Vertical	Pass
2**	5459.175	46.13	2.40	54.0	7.87	AV	76.00	200	Vertical	Pass

U-NII-2A 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4986.850	57.14	1.95	74.0	16.86	Peak	333.00	100	Vertical	Pass
1**	4986.850	45.19	1.95	54.0	8.81	AV	333.00	100	Vertical	Pass
2	5149.675	55.59	2.07	74.0	18.41	Peak	118.00	200	Vertical	Pass
2**	5149.675	45.46	2.07	54.0	8.54	AV	118.00	200	Vertical	Pass

U-NII-2A 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.98	1.93	74.0	18.02	Peak	46.00	200	Vertical	Pass
1**	5350.055	45.69	1.93	54.0	8.31	AV	46.00	200	Vertical	Pass
2	5361.715	57.51	2.35	74.0	16.49	Peak	157.00	200	Vertical	Pass
2**	5361.715	45.56	2.35	54.0	8.44	AV	157.00	200	Vertical	Pass

U-NII-2A 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5076.225	57.47	2.23	74.0	16.53	Peak	234.00	150	Vertical	Pass
1**	5076.225	45.47	2.23	54.0	8.53	AV	234.00	150	Vertical	Pass
2	5149.675	55.52	2.07	74.0	18.48	Peak	32.00	150	Vertical	Pass
2**	5149.675	45.66	2.07	54.0	8.34	AV	32.00	150	Vertical	Pass

U-NII-2A 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.50	1.93	74.0	16.50	Peak	153.00	100	Vertical	Pass
1**	5350.055	47.98	1.93	54.0	6.02	AV	153.00	100	Vertical	Pass
2	5350.165	58.93	1.92	74.0	15.07	Peak	158.00	150	Vertical	Pass
2**	5350.165	48.56	1.92	54.0	5.44	AV	158.00	150	Vertical	Pass

U-NII-2A 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	4994.325	56.89	1.86	74.0	17.11	Peak	18.00	150	Vertical	Pass
1**	4994.325	45.12	1.86	54.0	8.88	AV	18.00	150	Vertical	Pass
2	5149.675	55.61	2.07	74.0	18.39	Peak	352.00	100	Vertical	Pass
2**	5149.675	45.49	2.07	54.0	8.51	AV	352.00	100	Vertical	Pass

U-NII-2A 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.49	1.93	74.0	17.51	Peak	99.00	100	Vertical	Pass
1**	5350.055	46.33	1.93	54.0	7.67	AV	99.00	100	Vertical	Pass
2	5419.410	57.58	2.45	74.0	16.42	Peak	360.00	200	Vertical	Pass
2**	5419.410	46.07	2.45	54.0	7.93	AV	360.00	200	Vertical	Pass

U-NII-2A 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5103.200	57.86	2.45	74.0	16.14	Peak	96.00	150	Vertical	Pass
1**	5103.200	45.70	2.45	54.0	8.30	AV	96.00	150	Vertical	Pass
2	5149.675	54.25	2.07	74.0	19.75	Peak	247.00	100	Vertical	Pass
2**	5149.675	45.27	2.07	54.0	8.73	AV	247.00	100	Vertical	Pass

U-NII-2A 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	58.49	1.93	74.0	15.51	Peak	157.00	200	Vertical	Pass
1**	5350.055	48.53	1.93	54.0	5.47	AV	157.00	200	Vertical	Pass
2	5350.715	60.56	1.89	74.0	13.44	Peak	160.00	200	Vertical	Pass
2**	5350.715	48.36	1.89	54.0	5.64	AV	160.00	200	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5040.475	57.37	2.12	74.0	16.63	Peak	116.00	150	Vertical	Pass
1**	5040.475	45.48	2.12	54.0	8.52	AV	116.00	150	Vertical	Pass
2	5149.675	55.52	2.07	74.0	18.48	Peak	180.00	100	Vertical	Pass
2**	5149.675	45.64	2.07	54.0	8.36	AV	180.00	100	Vertical	Pass

U-NII-2A 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	58.15	1.93	74.0	15.85	Peak	157.00	100	Vertical	Pass
1**	5350.000	48.94	1.93	54.0	5.06	AV	157.00	100	Vertical	Pass
2	5358.965	59.39	2.22	74.0	14.61	Peak	154.00	200	Vertical	Pass
2**	5358.965	48.10	2.22	54.0	5.90	AV	154.00	200	Vertical	Pass

U-NII-2A 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5136.350	57.30	2.42	74.0	16.70	Peak	28.00	100	Vertical	Pass
1**	5136.350	45.60	2.42	54.0	8.40	AV	28.00	100	Vertical	Pass
2	5149.675	54.74	2.07	74.0	19.26	Peak	289.00	150	Vertical	Pass
2**	5149.675	45.34	2.07	54.0	8.66	AV	289.00	150	Vertical	Pass

U-NII-2A 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	55.85	1.93	74.0	18.15	Peak	17.00	150	Vertical	Pass
1**	5350.055	45.34	1.93	54.0	8.66	AV	17.00	150	Vertical	Pass
2	5376.565	57.37	2.18	74.0	16.63	Peak	79.00	150	Vertical	Pass
2**	5376.565	45.61	2.18	54.0	8.39	AV	79.00	150	Vertical	Pass

U-NII-2A 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5050.225	56.59	2.18	74.0	17.41	Peak	168.00	200	Vertical	Pass
1**	5050.225	45.54	2.18	54.0	8.46	AV	168.00	200	Vertical	Pass
2	5149.675	55.17	2.07	74.0	18.83	Peak	180.00	200	Vertical	Pass
2**	5149.675	45.39	2.07	54.0	8.61	AV	180.00	200	Vertical	Pass

U-NII-2A 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	56.88	1.93	74.0	17.12	Peak	154.00	100	Vertical	Pass
1**	5350.055	48.29	1.93	54.0	5.71	AV	154.00	100	Vertical	Pass
2	5350.220	58.97	1.92	74.0	15.03	Peak	157.00	100	Vertical	Pass
2**	5350.220	47.63	1.92	54.0	6.37	AV	157.00	100	Vertical	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5035.275	57.39	2.09	74.0	16.61	Peak	163.00	150	Vertical	Pass
1**	5035.275	45.28	2.09	54.0	8.72	AV	163.00	150	Vertical	Pass
2	5149.675	55.44	2.07	74.0	18.56	Peak	182.00	200	Vertical	Pass
2**	5149.675	45.68	2.07	54.0	8.32	AV	182.00	200	Vertical	Pass

U-NII-2A 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.055	57.30	1.93	74.0	16.70	Peak	157.00	200	Vertical	Pass
1**	5350.055	47.67	1.93	54.0	6.33	AV	157.00	200	Vertical	Pass
2	5354.620	59.05	2.07	74.0	14.95	Peak	153.00	150	Vertical	Pass
2**	5354.620	48.30	2.07	54.0	5.70	AV	153.00	150	Vertical	Pass

U-NII-2A 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5003.425	56.54	74.0	17.46	Peak	12.00	100	Horizontal	Pass
1**	5003.425	44.36	54.0	9.64	AV	12.00	100	Horizontal	Pass
2	5150.000	55.29	74.0	18.71	Peak	0.00	150	Horizontal	Pass
2**	5150.000	44.65	54.0	9.35	AV	0.00	150	Horizontal	Pass

U-NII-2A 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.71	74.0	17.29	Peak	143.00	200	Horizontal	Pass
1**	5350.000	45.96	54.0	8.04	AV	143.00	200	Horizontal	Pass
2	5373.980	57.02	74.0	16.98	Peak	162.00	100	Horizontal	Pass
2**	5373.980	45.03	54.0	8.97	AV	162.00	100	Horizontal	Pass

U-NII-2A 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5103.525	56.13	74.0	17.87	Peak	94.00	150	Horizontal	Pass
1**	5103.525	44.03	54.0	9.97	AV	94.00	150	Horizontal	Pass
2	5150.000	53.50	74.0	20.50	Peak	74.00	150	Horizontal	Pass
2**	5150.000	44.72	54.0	9.28	AV	74.00	150	Horizontal	Pass

U-NII-2A 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	55.10	74.0	18.90	Peak	105.00	200	Horizontal	Pass
1**	5350.000	45.55	54.0	8.45	AV	105.00	200	Horizontal	Pass
2	5356.105	57.35	74.0	16.65	Peak	215.00	100	Horizontal	Pass
2**	5356.105	45.24	54.0	8.76	AV	215.00	100	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5125.625	56.42	74.0	17.58	Peak	134.00	200	Horizontal	Pass
1**	5125.625	44.96	54.0	9.04	AV	134.00	200	Horizontal	Pass
2	5150.000	53.94	74.0	20.06	Peak	20.00	200	Horizontal	Pass
2**	5150.000	44.59	54.0	9.41	AV	20.00	200	Horizontal	Pass

U-NII-2A 11ax80 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.10	74.0	17.90	Peak	360.00	200	Horizontal	Pass
1**	5350.000	45.73	54.0	8.27	AV	360.00	200	Horizontal	Pass
2	5381.075	57.18	74.0	16.82	Peak	281.00	150	Horizontal	Pass
2**	5381.075	45.22	54.0	8.78	AV	281.00	150	Horizontal	Pass

U-NII-2C 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5413.400	57.83	1.96	74.0	16.17	Peak	167.00	100	Vertical	Pass
1**	5413.400	45.57	1.96	54.0	8.43	AV	167.00	100	Vertical	Pass
2	5460.000	56.61	2.50	74.0	17.39	Peak	126.00	150	Vertical	Pass
2**	5460.000	46.72	2.50	54.0	7.28	AV	126.00	150	Vertical	Pass
3	5468.900	57.60	3.00	68.2	10.60	Peak	158.00	200	Vertical	Pass
3**	5468.900	47.20	3.00	--	--	AV	158.00	200	Vertical	N/A
4	5469.950	55.77	2.87	68.2	12.43	Peak	47.00	100	Vertical	Pass
4**	5469.950	46.97	2.87	--	--	AV	47.00	100	Vertical	N/A

U-NII-2C 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	55.99	2.55	68.2	12.21	Peak	62.00	100	Vertical	Pass
2	5774.900	57.77	2.28	68.2	10.43	Peak	218.00	150	Vertical	Pass

U-NII-2C 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5456.450	58.06	2.45	74.0	15.94	Peak	159.00	200	Vertical	Pass
1**	5456.450	46.12	2.45	54.0	7.88	AV	159.00	200	Vertical	Pass
2	5460.000	56.61	2.50	74.0	17.39	Peak	165.00	200	Vertical	Pass
2**	5460.000	46.09	2.50	54.0	7.91	AV	165.00	200	Vertical	Pass
3	5462.300	59.01	2.74	68.2	9.19	Peak	153.00	150	Vertical	Pass
3**	5462.300	46.77	2.74	--	--	AV	153.00	150	Vertical	N/A
4	5469.950	56.20	2.87	68.2	12.00	Peak	200.00	100	Vertical	Pass
4**	5469.950	47.60	2.87	--	--	AV	200.00	100	Vertical	N/A

U-NII-2C 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.58	2.55	68.2	11.62	Peak	182.00	200	Vertical	Pass
2	5744.000	58.61	2.22	68.2	9.59	Peak	125.00	100	Vertical	Pass

U-NII-2C 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5426.600	57.46	2.47	74.0	16.54	Peak	182.00	150	Vertical	Pass
1**	5426.600	45.98	2.47	54.0	8.02	AV	182.00	150	Vertical	Pass
2	5460.000	56.09	2.50	74.0	17.91	Peak	51.00	100	Vertical	Pass
2**	5460.000	46.58	2.50	54.0	7.42	AV	51.00	100	Vertical	Pass
3	5467.700	58.17	3.16	68.2	10.03	Peak	264.00	200	Vertical	Pass
3**	5467.700	47.46	3.16	--	--	AV	264.00	200	Vertical	N/A
4	5469.950	56.77	2.87	68.2	11.43	Peak	58.00	150	Vertical	Pass
4**	5469.950	47.19	2.87	--	--	AV	58.00	150	Vertical	N/A

U-NII-2C 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	56.03	2.55	68.2	12.17	Peak	52.00	150	Vertical	Pass
2	5815.850	57.93	2.67	68.2	10.27	Peak	235.00	200	Vertical	Pass

U-NII-2C 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5428.550	57.55	2.41	74.0	16.45	Peak	0.00	200	Vertical	Pass
1**	5428.550	45.84	2.41	54.0	8.16	AV	0.00	200	Vertical	Pass
2	5460.000	56.15	2.50	74.0	17.85	Peak	164.00	150	Vertical	Pass
2**	5460.000	46.01	2.50	54.0	7.99	AV	164.00	150	Vertical	Pass
3	5467.650	58.35	3.14	68.2	9.85	Peak	161.00	150	Vertical	Pass
3**	5467.650	47.28	3.14	--	--	AV	161.00	150	Vertical	N/A
4	5469.950	56.09	2.87	68.2	12.11	Peak	268.00	150	Vertical	Pass
4**	5469.950	47.09	2.87	--	--	AV	268.00	150	Vertical	N/A

U-NII-2C 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.50	2.55	68.2	11.70	Peak	191.00	200	Vertical	Pass
2	5725.550	57.99	2.54	68.2	10.21	Peak	179.00	200	Vertical	Pass

U-NII-2C 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5438.850	59.09	2.30	74.0	14.91	Peak	157.00	200	Vertical	Pass
1**	5438.850	47.00	2.30	54.0	7.00	AV	157.00	200	Vertical	Pass
2	5460.000	59.00	2.50	74.0	15.00	Peak	173.00	100	Vertical	Pass
2**	5460.000	48.21	2.50	54.0	5.79	AV	173.00	100	Vertical	Pass
3	5469.650	61.71	2.90	68.2	6.49	Peak	178.00	150	Vertical	Pass
3**	5469.650	51.03	2.90	--	--	AV	178.00	150	Vertical	N/A
4	5469.950	60.28	2.87	68.2	7.92	Peak	181.00	150	Vertical	Pass
4**	5469.950	50.63	2.87	--	--	AV	181.00	150	Vertical	N/A

U-NII-2C 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.27	2.55	68.2	11.93	Peak	70.00	200	Vertical	Pass
2	5817.600	57.99	2.57	68.2	10.21	Peak	343.00	100	Vertical	Pass

U-NII-2C 11ac80 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5442.750	61.80	2.23	74.0	12.20	Peak	161.00	150	Vertical	Pass
1**	5442.750	48.65	2.23	54.0	5.35	AV	161.00	150	Vertical	Pass
2	5460.000	58.47	2.50	74.0	15.53	Peak	161.00	200	Vertical	Pass
2**	5460.000	49.84	2.50	54.0	4.16	AV	161.00	200	Vertical	Pass
3	5466.500	62.12	2.87	68.2	6.08	Peak	178.00	200	Vertical	Pass
3**	5466.500	50.54	2.87	--	--	AV	178.00	200	Vertical	N/A
4	5469.950	60.35	2.87	68.2	7.85	Peak	153.00	150	Vertical	Pass
4**	5469.950	51.34	2.87	--	--	AV	153.00	150	Vertical	N/A
5	5457.850	59.43	2.48	74.0	14.57	Peak	156.00	150	Vertical	Pass
5**	5457.850	50.71	2.48	54.0	3.29	AV	156.00	150	Vertical	Pass

U-NII-2C 11ac80 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.94	2.55	68.2	11.26	Peak	105.00	100	Vertical	Pass
2	5729.700	58.39	2.51	68.2	9.81	Peak	156.00	100	Vertical	Pass

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5444.100	60.47	2.11	74.0	13.53	Peak	157.00	200	Vertical	Pass
1**	5444.100	47.96	2.11	54.0	6.04	AV	157.00	200	Vertical	Pass
2	5460.000	57.52	2.50	74.0	16.48	Peak	206.00	100	Vertical	Pass
2**	5460.000	48.90	2.50	54.0	5.10	AV	206.00	100	Vertical	Pass
3	5468.100	61.12	3.11	68.2	7.08	Peak	154.00	100	Vertical	Pass
3**	5468.100	50.56	3.11	--	--	AV	154.00	100	Vertical	N/A
4	5469.950	58.89	2.87	68.2	9.31	Peak	157.00	100	Vertical	Pass
4**	5469.950	50.51	2.87	--	--	AV	157.00	100	Vertical	N/A

U-NII-2C 11ac160 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.74	2.55	68.2	6.46	Peak	187.00	100	Vertical	Pass
2	5726.400	64.68	2.52	68.2	3.52	Peak	180.00	150	Vertical	Pass

U-NII-2C 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5419.100	57.42	2.46	74.0	16.58	Peak	290.00	200	Vertical	Pass
1**	5419.100	46.10	2.46	54.0	7.90	AV	290.00	200	Vertical	Pass
2	5460.000	57.02	2.50	74.0	16.98	Peak	200.00	150	Vertical	Pass
2**	5460.000	46.36	2.50	54.0	7.64	AV	200.00	150	Vertical	Pass
3	5465.600	57.76	2.66	68.2	10.44	Peak	154.00	200	Vertical	Pass
3**	5465.600	46.37	2.66	--	--	AV	154.00	200	Vertical	N/A
4	5469.950	56.73	2.87	68.2	11.47	Peak	214.00	200	Vertical	Pass
4**	5469.950	46.81	2.87	--	--	AV	214.00	200	Vertical	N/A

U-NII-2C 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	57.94	2.55	68.2	10.26	Peak	190.00	200	Vertical	Pass
2	5725.250	62.32	2.55	68.2	5.88	Peak	183.00	100	Vertical	Pass

U-NII-2C 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5399.550	58.86	2.00	74.0	15.14	Peak	141.00	150	Vertical	Pass
1**	5399.550	45.72	2.00	54.0	8.28	AV	141.00	150	Vertical	Pass
2	5460.000	58.04	2.50	74.0	15.96	Peak	174.00	150	Vertical	Pass
2**	5460.000	48.44	2.50	54.0	5.56	AV	174.00	150	Vertical	Pass
3	5466.800	61.68	2.94	68.2	6.52	Peak	179.00	200	Vertical	Pass
3**	5466.800	49.95	2.94	--	--	AV	179.00	200	Vertical	N/A
4	5469.950	61.34	2.87	68.2	6.86	Peak	179.00	100	Vertical	Pass
4**	5469.950	50.58	2.87	--	--	AV	179.00	100	Vertical	N/A

U-NII-2C 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	55.53	2.55	68.2	12.67	Peak	294.00	200	Vertical	Pass
2	5727.450	58.14	2.54	68.2	10.06	Peak	159.00	200	Vertical	Pass

U-NII-2C 11ax80 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5451.550	61.66	2.16	74.0	12.34	Peak	165.00	150	Vertical	Pass
1**	5451.550	49.30	2.16	54.0	4.70	AV	165.00	150	Vertical	Pass
2	5460.000	59.78	2.50	74.0	14.22	Peak	159.00	200	Vertical	Pass
2**	5460.000	49.61	2.50	54.0	4.39	AV	159.00	200	Vertical	Pass
3	5468.550	61.64	3.05	68.2	6.56	Peak	150.00	200	Vertical	Pass
3**	5468.550	51.08	3.05	--	--	AV	150.00	200	Vertical	N/A
4	5469.950	60.03	2.87	68.2	8.17	Peak	175.00	100	Vertical	Pass
4**	5469.950	50.68	2.87	--	--	AV	175.00	100	Vertical	N/A

U-NII-2C 11ax80 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	57.23	2.55	68.2	10.97	Peak	164.00	100	Vertical	Pass
2	5726.900	58.58	2.51	68.2	9.62	Peak	158.00	200	Vertical	Pass

U-NII-2C 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5417.150	61.82	2.21	74.0	12.18	Peak	156.00	150	Vertical	Pass
1**	5417.150	48.37	2.21	54.0	5.63	AV	156.00	150	Vertical	Pass
2	5460.000	57.77	2.50	74.0	16.23	Peak	150.00	100	Vertical	Pass
2**	5460.000	49.61	2.50	54.0	4.39	AV	150.00	100	Vertical	Pass
3	5468.300	61.68	3.08	68.2	6.52	Peak	156.00	150	Vertical	Pass
3**	5468.300	51.02	3.08	--	--	AV	156.00	150	Vertical	N/A
4	5469.950	58.96	2.87	68.2	9.24	Peak	199.00	200	Vertical	Pass
4**	5469.950	51.36	2.87	--	--	AV	199.00	200	Vertical	N/A
5	5457.300	56.99	2.51	74.0	17.01	Peak	158.00	150	Vertical	Pass
5**	5457.300	50.23	2.51	54.0	3.77	AV	158.00	150	Vertical	Pass

U-NII-2C 11ax160 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.050	60.45	2.55	68.2	7.75	Peak	191.00	100	Vertical	Pass
2	5730.400	62.84	2.35	68.2	5.36	Peak	185.00	150	Vertical	Pass

U-NII-2C 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5366.320	56.53	74.0	17.47	Peak	96.00	200	Horizontal	Pass
1**	5366.320	44.96	54.0	9.04	AV	96.00	200	Horizontal	Pass
2	5459.980	53.18	74.0	20.82	Peak	96.00	150	Horizontal	Pass
2**	5459.980	43.65	54.0	10.35	AV	96.00	150	Horizontal	Pass
3	5466.340	54.93	68.2	13.27	Peak	328.00	100	Horizontal	Pass
3**	5466.340	43.55	--	--	AV	328.00	100	Horizontal	N/A
4	5469.940	53.31	68.2	14.89	Peak	178.00	150	Horizontal	Pass
4**	5469.940	43.79	--	--	AV	178.00	150	Horizontal	N/A

U-NII-2C 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	54.64	68.2	13.56	Peak	98.00	200	Horizontal	Pass
2	5778.438	57.69	68.2	10.51	Peak	257.00	100	Horizontal	Pass

U-NII-2C 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5377.720	56.84	74.0	17.16	Peak	163.00	100	Horizontal	Pass
1**	5377.720	45.26	54.0	8.74	AV	163.00	100	Horizontal	Pass
2	5459.980	54.45	74.0	19.55	Peak	41.00	100	Horizontal	Pass
2**	5459.980	43.76	54.0	10.24	AV	41.00	100	Horizontal	Pass
3	5468.680	54.59	68.2	13.61	Peak	315.00	150	Horizontal	Pass
3**	5468.680	43.63	--	--	AV	315.00	150	Horizontal	N/A
4	5469.940	53.23	68.2	14.97	Peak	56.00	150	Horizontal	Pass
4**	5469.940	43.73	--	--	AV	56.00	150	Horizontal	N/A

U-NII-2C 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	54.76	68.2	13.44	Peak	75.00	150	Horizontal	Pass
2	5821.875	57.71	68.2	10.49	Peak	0.00	150	Horizontal	Pass

U-NII-2C 11ax80 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5371.840	57.00	74.0	17.00	Peak	0.00	200	Horizontal	Pass
1**	5371.840	45.03	54.0	8.97	AV	0.00	200	Horizontal	Pass
2	5459.980	52.94	74.0	21.06	Peak	157.00	100	Horizontal	Pass
2**	5459.980	43.46	54.0	10.54	AV	157.00	100	Horizontal	Pass
3	5469.460	55.71	68.2	12.49	Peak	266.00	100	Horizontal	Pass
3**	5469.460	43.82	--	--	AV	266.00	100	Horizontal	N/A
4	5469.940	52.88	68.2	15.32	Peak	88.00	200	Horizontal	Pass
4**	5469.940	43.84	--	--	AV	88.00	200	Horizontal	N/A

U-NII-2C 11ax80 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	55.09	68.2	13.11	Peak	265.00	100	Horizontal	Pass
2	5849.812	57.91	68.2	10.29	Peak	112.00	100	Horizontal	Pass

U-NII-2C 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.840	56.53	74.0	17.47	Peak	0.00	200	Horizontal	Pass
1**	5350.840	45.59	54.0	8.41	AV	0.00	200	Horizontal	Pass
2	5459.980	52.81	74.0	21.19	Peak	88.00	100	Horizontal	Pass
2**	5459.980	43.76	54.0	10.24	AV	88.00	100	Horizontal	Pass
3	5467.180	54.67	68.2	13.53	Peak	232.00	150	Horizontal	Pass
3**	5467.180	43.64	--	--	AV	232.00	150	Horizontal	N/A
4	5469.940	53.34	68.2	14.86	Peak	183.00	100	Horizontal	Pass
4**	5469.940	43.68	--	--	AV	183.00	100	Horizontal	N/A

U-NII-2C 11ax160 (RU26) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.063	55.28	68.2	12.92	Peak	130.00	100	Horizontal	Pass
2	5841.875	57.77	68.2	10.43	Peak	360.00	100	Horizontal	Pass

U-NII-3 11a Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.850	57.23	2.50	68.2	10.97	Peak	163.00	200	Vertical	Pass
2	5650.000	55.61	2.54	68.2	12.59	Peak	51.00	150	Vertical	Pass

U-NII-3 11a High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.16	2.32	68.2	13.04	Peak	249.00	150	Vertical	Pass
2	5941.600	57.73	2.90	68.2	10.47	Peak	270.00	100	Vertical	Pass

U-NII-3 11n20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.700	57.48	2.30	68.2	10.72	Peak	26.00	150	Vertical	Pass
2	5650.000	56.69	2.54	68.2	11.51	Peak	69.00	100	Vertical	Pass

U-NII-3 11n20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.97	2.32	68.2	12.23	Peak	360.00	100	Vertical	Pass
2	5930.900	58.33	2.53	68.2	9.87	Peak	182.00	150	Vertical	Pass

U-NII-3 11n40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5649.250	57.66	2.52	68.2	10.54	Peak	4.00	150	Vertical	Pass
2	5650.000	55.11	2.54	68.2	13.09	Peak	360.00	150	Vertical	Pass

U-NII-3 11n40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.48	2.32	68.2	12.72	Peak	150.00	150	Vertical	Pass
2	5928.750	57.63	2.69	68.2	10.57	Peak	158.00	100	Vertical	Pass

U-NII-3 11ac20 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5643.700	57.39	2.37	68.2	10.81	Peak	126.00	100	Vertical	Pass
2	5650.000	56.04	2.54	68.2	12.16	Peak	166.00	100	Vertical	Pass

U-NII-3 11ac20 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.22	2.32	68.2	11.98	Peak	174.00	200	Vertical	Pass
2	5948.400	57.72	2.67	68.2	10.48	Peak	145.00	100	Vertical	Pass

U-NII-3 11ac40 Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.000	57.79	2.55	68.2	10.41	Peak	75.00	150	Vertical	Pass
2	5650.000	55.12	2.54	68.2	13.08	Peak	141.00	200	Vertical	Pass

U-NII-3 11ac40 High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.23	2.32	68.2	12.97	Peak	213.00	100	Vertical	Pass
2	5930.400	57.83	2.58	68.2	10.37	Peak	276.00	100	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5648.450	57.36	2.51	68.2	10.84	Peak	206.00	200	Vertical	Pass
2	5650.000	55.54	2.54	68.2	12.66	Peak	151.00	150	Vertical	Pass

U-NII-3 11ac80 Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.74	2.32	68.2	12.46	Peak	296.00	100	Vertical	Pass
2	5940.700	57.49	2.67	68.2	10.71	Peak	360.00	100	Vertical	Pass

U-NII-3 11ax20 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5641.450	58.02	2.31	68.2	10.18	Peak	360.00	150	Vertical	Pass
2	5650.000	56.13	2.54	68.2	12.07	Peak	129.00	100	Vertical	Pass

U-NII-3 11ax20 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	56.12	2.32	68.2	12.08	Peak	130.00	200	Vertical	Pass
2	5940.400	58.74	2.59	68.2	9.46	Peak	206.00	200	Vertical	Pass

U-NII-3 11ax40 (SU) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5640.900	57.01	2.32	68.2	11.19	Peak	0.00	150	Vertical	Pass
2	5650.000	55.33	2.54	68.2	12.87	Peak	299.00	100	Vertical	Pass

U-NII-3 11ax40 (SU) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.75	2.32	68.2	12.45	Peak	300.00	200	Vertical	Pass
2	5941.500	57.66	2.88	68.2	10.54	Peak	0.00	150	Vertical	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5644.700	57.45	2.48	68.2	10.75	Peak	206.00	150	Vertical	Pass
2	5650.000	56.04	2.54	68.2	12.16	Peak	243.00	200	Vertical	Pass

U-NII-3 11ax80 (SU) Middle Channel




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.950	55.94	2.32	68.2	12.26	Peak	360.00	150	Vertical	Pass
2	5941.650	57.80	2.89	68.2	10.40	Peak	118.00	100	Vertical	Pass

U-NII-3 11ax20 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5634.937	56.66	68.2	11.54	Peak	346.00	200	Horizontal	Pass
2	5650.000	55.46	68.2	12.74	Peak	0.00	100	Horizontal	Pass

U-NII-3 11ax20 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.18	68.3	13.12	Peak	100.00	100	Horizontal	Pass
2	5945.850	57.33	68.2	10.87	Peak	132.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) Low Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5636.125	56.67	68.2	11.53	Peak	45.00	200	Horizontal	Pass
2	5650.000	55.68	68.2	12.52	Peak	40.00	100	Horizontal	Pass

U-NII-3 11ax40 (RU26) High Channel




No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	54.84	68.3	13.46	Peak	303.00	200	Horizontal	Pass
2	5932.650	57.85	68.2	10.35	Peak	75.00	200	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5637.562	56.45	68.2	11.75	Peak	296.00	100	Horizontal	Pass
2	5650.000	55.66	68.2	12.54	Peak	69.00	100	Horizontal	Pass

U-NII-3 11ax80 (RU26) Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5924.925	55.09	68.3	13.21	Peak	70.00	100	Horizontal	Pass
2	5977.275	57.27	68.2	10.93	Peak	329.00	200	Horizontal	Pass

ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SZ2490301-AR.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SZ2490301-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SZ2490301-AI.PDF”.

Statement

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--END OF REPORT--