

Report No.: KSCR221000200802

Page: 1 of 10

1 Cover Page

RF Exposure Evaluation Report

Application No.:	KSCR2210002008AT
FCC ID:	2APV2-CSSD3
Applicant:	Hangzhou Ezviz Software Co., Ltd.
Address of Applicant:	Room 302,Unit B,Building 2,399 Danfeng Road,Binjiang District,Hangzhou,Zhejiang
Manufacturer:	Hangzhou Ezviz Software Co., Ltd.
Address of Manufacturer:	Room 302,Unit B,Building 2,399 Danfeng Road,Binjiang District,Hangzhou,Zhejiang
Equipment Under Test (EUT):	
EUT Name:	Smart Screen
Model No.:	CS-SD3 (21.5 inch,storage), CS-SD3
Standard(s) :	FCC Rules 47 CFR §2.1091 KDB 447498 D04 interim General RF Exposure Guidance v01
Date of Receipt:	2022-10-25
Date of Test:	2022-10-28 to 2022-10-29
Date of Issue:	2022-10-31
Test Result:	Pass*

* In the configuration tested, the EUT complied with the standards specified above.

Ena fri

Eric Lin Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or rappearance of this document to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linespection report & certificate, piease contact us at telephone: (86-512)5730818 www.sgsgroup.com.cn

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com



Report No.: KSCR221000200802

Page: 2 of 10

Revision Record								
Version	Description	Date	Remark					
00	Original	2022-10-31	/					
		·						

Authorized for issue by:		
	Paun. Lin	
	Pawn.Liu/Project Engineer	
	Eric fri	
	Eric Lin /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability. Indemnification and juriadiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document cannot be reproduced except in full, without prior written approal of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is anther or her fulles at the time of the subterview stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 (186-512)5735688
 (186-512)57370818
 www.sgsgroup.com.cn

 中国 · 江苏 · 昆山市 留学生创业 圆 伟业 路10号
 邮编 215300
 (186-512)57355888
 (186-512)57370818
 sgs.china@sgs.com

Test Report Form Version: Rev01

Member of the SGS Group (SGS SA)



Report No.: KSCR221000200802 Page: 3 of 10

2 Contents

		· · · · · · · · · · · · · · · · · · ·	Page
1	COV	/ER PAGE	1
2	CON	NTENTS	3
3	GEN	IERAL INFORMATION	4
	3.1	GENERAL DESCRIPTION OF E.U.T.	4
	3.2	DETAILS OF E.U.T.	4
	3.3	Test Location	5
	3.4	Test Facility	5
4	FCC	RADIOFREQUENCY RADIATION EXPOSURE LIMITS	6
	4.1	BLANKET 1 MW BLANKET EXEMPTION	6
	4.2	MPE-BASED EXEMPTION	6
	4.3	SAR-BASED EXEMPTION	7
5	MEA	ASUREMENT AND CALCULATION	9
	5.1	MAXIMUM TRANSMIT POWER	9
	5.2	RF Exposure Calculation	10



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document connot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relained for 30 days only. Attention: To check the authenticity of testing inspection report activiticate, please contact us at telephone: (86-575)8307 1443, or email: CN_Doccheck@sgs.com

No.10, Weye Road, Innovation Park, Kunshan, Jiangsu, China 215300
((86-512)5735088

(186-512)57370818
www.sgsgroup.com.cn.

m 国 + 江苏 + 昆山市 留学生创业团员生业路10~5
msg 215300



Report No.: KSCR221000200802

Page: 4 of 10

3 General Information

3.1 General Description of E.U.T.

Power supply: DC 12V ,3.33A,40W MAX

3.2 Details of E.U.T.

2.4G

2.46	
Operation Frequency:	802.11b/g/n(HT20): 2412MHz to 2462MHz
Medulation Type:	802.11b: DSSS (CCK, DQPSK, DBPSK);802.11g/n: OFDM (64QAM,
Modulation Type:	16QAM, QPSK, BPSK)
Number of Channels:	802.11b/g/n(HT20):11
Channel Spacing:	5MHz
	802.11b: 1/2/5.5/11Mbps,
Data Rate:	802.11g: 6/9/12/18/24/36/48/54Mbps
Dala Rale.	802.11n(HT20): MCS0/MCS1/ MCS2/ MCS3/ MCS4/ MCS5/ MCS6/
	MCS7
Antonno Typo:	Antenna 1:FPC Antenna
Antenna Type:	Antenna 2:FPC Antenna
	Antenna 1:4.25dBi(Provided by the manufacturer)
Antenna Gain:	Antenna 2:3.74dBi(Provided by the manufacturer)
	Directional Gain:7.01dBi



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability. Indemnification and juriadiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document. This document cannot be reproduced except in full, without prior written approal of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is anther on the instruction of the content or perioduced of the instruction of the authenticity of testing linspection report & certificate, please contact us at telephone. (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

Test Report Form Version: Rev01

Member of the SGS Group (SGS SA)



Report No.: KSCR221000200802 Page: 5 of 10

3.3 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China. Tel: +86 512 5735 5888 Fax: +86 512 5737 0818

No tests were sub-contracted.

Note:

1.SGS is not responsible for wrong test results due to incorrect information (e.g. max. clock frequency, highest internal frequency, antenna gain, cable loss, etc) is provided by the applicant. (if applicable).2.SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (if applicable).

3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

• FCC (Designation Number: CN1172)

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory.

Designation Number: CN1172.

• ISED (CAB identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory. Company Number: 2324E

• VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600, C-11707, T-11499, G-10216 respectively.



Unless otherwise agreed in writing, this document is issued by the Company overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-advised that information contained hereon reflects the Company's findings at th Client's instructions, if any. The Company's sole responsibility is to its Client transaction from exercising all their rights and obligations under the transactio except in full, without prior written approval of the Company. Any unauthorized appearance of this document is unlawful and offenders may be prosecuted to the results shown in this test report refer only to the sample(s) tested and such sample Attention: To check the authenticity of testing inspection report & certificate	Conditions.aspx m/en/Terms-and- sues defined the e time of its inte and this document n documents. Ti d alteration, forg fullest extent of (s) are retained f	and, for electroni Conditions/Terms arein. Any holder rvention only and ent does not exc his document ca ery or falsification the law. Unless or 30 days only.	c format documents, s-e-Document.aspx. of this document is d within the limits of onerate parties to a noto be reproduced on of the content or otherwise stated the	
or email: <u>CN.Doccheck@sgs.com</u>				
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300	t(86-512)57355888	f(86-512)57370818	www.sgsgroup.com.cn	
中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300	t(86-512)57355888	f(86-512)57370818	sgs.china@sgs.com	



 Report No.:
 KSCR221000200802

 Page:
 6 of 10

4 FCC Radiofrequency radiation exposure limits

Test exemptions apply for devices used in general population/uncontrolled exposure environments, according to the SAR-based, or MPE-based exemption thresholds.

4.1 Blanket 1 mW Blanket Exemption

The 1 mW Blanket Exemption of §1.1307(b)(3)(i)(A) applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power of no more than 1 mW, regardless of separation distance.

The 1-mW blanket exemption applies at separation distances less than 0.5 cm, including where there is no separation. This exemption shall not be used in conjunction with other exemption criteria other than those for multiple RF sources in paragraph §1.1307(b)(3)(ii)(A).

The 1-mW exemption is independent of service type and covers the full range of 100 kHz to 100 GHz, but it shall not be used in conjunction with other exemption criteria or in devices with higher-power transmitters operating in the same time-averaging period. Exposure from such higher-power transmitters would invalidate the underlying assumption that exposure from the lower-power transmitter is the only contributor to SAR in the relevant volume of tissue.

4.2 MPE-based Exemption

General frequency and separation-distance dependent MPE-based effective radiated power (ERP) thresholds are in Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] to support an exemption from further evaluation from 300 kHz through 100 GHz.

RF So	RF Source Frequency			Minimum Distance					
<i>f</i> ⊾ MHz		<i>f</i> ⊦ MHz	λ _L / 2π	λ_ / 2π λ_ λ_ / 2π		W			
0.3	—	1.34	159 m	_	35.6 m	1,920 R ²			
1.34	—	30	35.6 m	35.6 m – 1.		3,450 R²/f ²			
30	—	300	1.6 m	_	159 mm	3.83 R ²			
300	—	1,500	159 mm	_	31.8 mm	0.0128 R ² f			
1,500	1,500 – 100,000 31.8 mm – 0.5 mm 19.2R ²								
Subscripts L and H are low and high; λ is wavelength.									
From §1.1307(b)(3)(i)(C), modified by a	dding Minimum D	istance	e columns.				

Table B.1—Thresholds For Single RF Sources Subject to Routine Environmental Evaluation

The table applies to any RF source (i.e. single fixed, mobile, and portable transmitters) and specifies power and distance criteria for each of the five frequency ranges used for the MPE limits. These criteria apply at separation distances from any part of the radiating structure of at least $\lambda/2\pi$. The thresholds are







Report No.: KSCR221000200802 Page: 7 of 10

based on the general population MPE limits with a single perfect reflection, outside of the reactive nearfield, and in the main beam of the radiator.

For mobile devices that are not exempt per Table B.1 [Table 1 of \$1.1307(b)(1)(i)(C)] at distances from 20 cm to 40 cm and in 0.3 GHz to 6 GHz, evaluation of compliance with the exposure limits in \$1.1310 is necessary if the ERP of the device is greater than *ERP*_{20cm} in Formula (B.1) [repeated from \$2.1091(c)(1); also in \$1.1307(b)(1)(i)(B)].

$$P_{\rm th} (\rm mW) = ERP_{20 \,\rm cm} (\rm mW) = \begin{cases} 2040f & 0.3 \,\rm GHz \le f < 1.5 \,\rm GHz \\ 3060 & 1.5 \,\rm GHz \le f \le 6 \,\rm GHz \end{cases}$$
(B.1)

If the ERP is not easily obtained, then the available maximum time-averaged power may be used (i.e., without consideration of ERP only if the physical dimensions of the radiating structure(s) do not exceed the electrical length of $\lambda/4$ or if the antenna gain is less than that of a half-wave dipole.

SAR-based exemptions are constant at separation distances between 20 cm and 40 cm to avoid discontinuities in the threshold when transitioning between SAR-based and MPE-based exemption criteria at 40 cm, considering the importance of reflections.

Limit calculation							
Frequency range	Frequency(MHz)	R(λ/2π)(m)	Threshold ERP(W)				
300~1500MHz	915	0.0522	0.032				
1500~100000MHz	2462	0.0194	0.007				

4.3 SAR-based Exemption

SAR-based thresholds are derived based on frequency, power, and separation distance of the RF source. The formula defines the thresholds in general for either available maximum time-averaged power or maximum time-averaged ERP, whichever is greater.

If the ERP of a device is not easily determined, such as for a portable device with a small form factor, the applicant may use the available maximum time-averaged power exclusively if the device antenna or radiating structure does not exceed an electrical length of $\lambda/4$.

As for devices with antennas of length greater than $\lambda/4$ where the gain is not well defined, but always less than that of a half-wave dipole (length $\lambda/2$), the available maximum time-averaged power generated by the device may be used in place of the maximum time-averaged ERP, where that value is not known.

The separation distance is the smallest distance from any part of the antenna or radiating structure for all persons, during operation at the applicable ERP. In the case of mobile or portable devices, the separation distance is from the outer housing of the device where it is closest to the antenna.



Unless otherwise agreed in writing, this document is issued by the Company so overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-dubtect subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-dubtect Attention is drawn to the limitation of liability, indemnification and jurisdiction is advised that information contained hereon reflects the Company's findings at the Client's instructions, if any. The Company's sole responsibility is to its Client transaction from exercising all their rights and obligations under the transaction except in full, without prior written approval of the Company. Any unauthorized appearance of this document is unlawful and offenders may be prosecuted to the results shown in this test report refer only to the sample(s) tested and such sample(Attention: To check the authenticity of testing /inspection report & certificate, or email: CN.Doccheck@ags.com	Conditions.aspx n/en/Terms-and- sues defined the e time of its inte and this documen n documents. Ti alteration, forg fullest extent of	and, for electroni Conditions/Terms rein. Any holder ryvention only and ent does not exc his document ca ery or falsificatio the law. Unless	c format documents, s-e-Document.aspx. of this document is d within the limits of onerate parties to a nnot be reproduced on of the content or otherwise stated the
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300	t(86-512)57355888	f(86-512)57370818	www.sgsgroup.com.cn
中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300	t(86-512)57355888	f(86-512)57370818	sgs.china@sgs.com

Test Report Form Version: Rev01



 Report No.:
 KSCR221000200802

 Page:
 8 of 10

The SAR-based exemption formula of \$1.1307(b)(3)(i)(B), repeated here as Formula (B.2), applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power or effective radiated power (ERP), whichever is greater, of less than or equal to the threshold P_{th} (mW). This method shall only be used at separation distances from 0.5 cm to 40 cm and at frequencies from 0.3 GHz to 6 GHz (inclusive). P_{th} is given by Formula (B.2).

$$P_{\rm th} \,({\rm mW}) = \begin{cases} ERP_{20\,\rm cm} (d/20\,\rm cm)^x & d \le 20\,\rm cm \\ \\ ERP_{20\,\rm cm} & 20\,\rm cm < d \le 40\,\rm cm \end{cases}$$
(B.2)

where

$$x = -\log_{10}\left(\frac{60}{ERP_{20}\operatorname{cm}\sqrt{f}}\right)$$

and f is in GHz, d is the separation distance (cm), and ERP_{20cm} is per Formula (B.1).

Example values shown in Table B.2 are for illustration only.

Table B.2—Example Power Thresholds (mW)										
Frequency Dis					Distan	ce(mm)				
(MHz)	5	10	15	20	25	30	35	40	45	50
300	39	65	88	110	129	148	166	184	201	217
450	22	44	67	89	112	135	158	180	203	226
835	9	25	44	66	90	116	145	175	207	240
1900	3	12	26	44	66	92	122	157	195	236
2450	3	10	22	38	59	83	111	143	179	219
3600	2	8	18	32	49	71	96	125	158	195
5800	1	6	14	25	40	58	80	106	136	169

For 2.4G WiFi

Limit calculation								
Frequency range(GHz) Frequency(GHz) X Distance(cm) Pth (mW)								
1.5~6	2.462	1.903	20	3060.000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's ole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at lelephone: (86-755) 8307 1443, or email: CALOoccheck@sgs.com (86-512)57355888 (86-512)57375088 www.sgsgroup.com.cn (86-512)57355888 (86-512)57370818 www.sgsgroup.com.cn (86-512)57355888 (86-512)57375688 sys.china@sgs.com



Report No.: KSCR221000200802

9 of 10 Page:

5 Measurement and Calculation

5.1 Maximum transmit power

The Power Data is based on the RF Test Report KSCR221000200801

2 4G WiFi

2.46 WITT	Test	Antenna 1	Antenna 2	MIMO	Antenna 1	Antenna 2	MIMO
Test Mode	Frequency	Power	Power	Power	Power	Power	Power
	(MHz)	(dBm)	(dBm)	(dBm)	(mW)	(mW)	(mW)
	2412	13.74	13.46	/	23.66	22.18	/
11B	2437	13.49	13.52	/	22.34	22.49	/
	2462	13.58	13.22	/	22.80	20.99	/
	2412	11.85	12.10	/	15.31	16.22	/
11G	2437	11.70	11.97	/	14.79	15.74	/
	2462	11.98	12.05	/	15.78	16.03	/
	2412	11.27	11.23	14.26	13.40	13.27	26.67
11N20MIMO	2437	9.78	10.20	13.01	9.51	10.47	20.00
	2462	10.03	10.13	13.09	10.07	10.30	20.37



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-enD-coument.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are relained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Norther Descharts and the descent of the domented certificate, please contact us at telephone: (86-755) 8307 1443, Norther Descharts and the domented certificate, please contact us at telephone: (86-755) 8307 1443, Norther Descharts and the domented certificate, please contact us at telephone: (86-755) 8307 1443, Norther Descharts and the domented certificate, please contact us at telephone: (86-755) 8307 1443, Norther Descharts and the domented certifi No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

中国・江苏・昆山市留学生创业园伟业路10号 邮编 215300

Test Report Form Version: Rev01



Report No.: KSCR221000200802

Page: 10 of 10

5.2 RF Exposure Calculation

2.4G WiFi

The Max Conducted Peak Output Power is 23.66 mW for antenna1,. 22.49 mW for antenna2,. 26.67 mW for MiMO.

The best case gain of the antenna is 4.25dBi for antenna1 and 3.74dBi for antenna2. Directional gain:7.01dBi.

4.25dBi logarithmic terms convert to numeric result is nearly 2.66.

3.74dBi logarithmic terms convert to numeric result is nearly 2.37.

7.01dBi logarithmic terms convert to numeric result is nearly 5.02.

According to the formula. calculate the EIRP test result:

Antenna1: EIRP= P x G = 23.66 mW x 2.66= 62.94mW

Antenna2: EIRP= P x G = 22.49 mW x 2.37 = 53.30mW

In MIMO mode: EIRP= P x G = 26.67 mW x 5.02= 133.88mW

Remark: we used the maximum power between the conducted power and ERP/EIRP to perform RF exposure exemption evaluation.

	Evaluation method	Exempt Limit(mW)	Verdict
	Blanket 1 mW Blanket Exemption	1mW	N/A
	MPE-based Exemption(ERP)	7mW(ERP) (2.4GHz Band)	N/A
\boxtimes	SAR-based Exemption(<i>P</i> th)	3060mW(ERP) (1.5GHz~6GHz)	Yes

So, the device is to qualify for SAR test exemption, the exemption report is in lieu of the SAR report

--End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com/en/Terms-and-Conditions.aspx</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document tagy. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document tagy. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is drawn to the inimitation of liability indemnification and jurisdiction issues defined therein. Any holder of this document is transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or papearance of this document is unavelue by borsecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-512/5735888 1(86-512/5735888 1(86-512/5737888 9000, com.cn Praint 215300 1(86-512/5735888 1(86-512/5737888 9000, com.cn Praint 215300 1(86-512/5735888 1(86-512/5737888 9000, com.cn Praint 21530 1(86-512/5735888 1(86-512/5737888 9000, com.cn Praint 21530 1(86-512/5737888