

Fig.95 99% Occupied bandwidth (802.11ac-HT20, 5200MHz)




Fig.96 99% Occupied bandwidth (802.11ac-HT20, 5240MHz)








Fig.97 99% Occupied bandwidth (802.11n-HT40, 5190MHz)




Fig.98 99% Occupied bandwidth (802.11n-HT40, 5230MHz)








Fig.99 99% Occupied bandwidth (802.11ac-HT40, 5190MHz)




Fig.100 99% Occupied bandwidth (802.11ac-HT40, 5230MHz)







Fig.101 99% Occupied bandwidth (802.11ac-HT80, 5210MHz)

B.9. Power control

A Transmission Power Control mechanism is not required for systems with an e.i.r.p. of less than 27dBm (500 mW).





ANNEX C: Accreditation Certificate

United States Department of Commerce National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2017

NVLAP LAB CODE: 600118-0

Telecommunication Technology Labs, CAICT

Beijing China

is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:

Electromagnetic Compatibility & Telecommunications

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).

2020-09-29 through 2021-09-30

Effective Dates



For the National Voluntary Laboratory Accreditation Program

*** END OF REPORT BODY ***