
Statement

We, __Wingtech ——declared that our device with

FCC ID: 2APXW-TMRV07P5G, is a multi-band mobile phone which supports

2G :850/ 900/ 1800/ 1900

3G : B1 /B2 /B4 /B5 /B8

LTE

FDD : B1/B2/B3/B4/B5/B7/B8/B12/B13/B17/B20/B25/B26/B28/B66/B71

LTE

TDD : B38/B39/B40/B41

NR: n1/n3/n7/n28/n38/n78/n71/n66/n25/n41/n77

ENDC: DC_66A_n25A; DC_2A-66A_n25A; DC_2A_n66A; DC_2A_n41A;
DC_2C_n41A; DC_2A-66A_n41A; DC_66A_n41A; DC_2A-2A-66A_n41A;
DC_2A-2A_n41A; DC_2C-66A_n41A; DC_2A_n71A; DC_66A_n71A;
DC_66C_n71A; DC_2A-66A_n71A; DC_66A-66A_n71A; DC_2A-66C_n71A;
DC_2A-2A-66A_n71A; DC_2A-2A_n71A; DC_2C-66A_n71A; DC_2C_n71A;
DC_2A-66A-66A_n71A; DC_2A-(n)71AA; DC_66C-(n)71AA; DC_66A-(n)71AA;
DC_2A-(n)66AA; DC_8A_n77A; DC_66A_n7A; DC_28A_n77A; DC_66A-
66A_n7A; DC_8A_n3A; DC_1A_n41A; DC_3A_n41A; DC_20A_n78A; DC_1A-
3A_n41A; DC_7C_n78A; DC_7A-66A_n78A; DC_8A_n78A; DC_7C-

66A_n78A; DC_7A-66A-66A_n78A; DC_5A-7A_n78A; DC_5A-66A_n78A;
DC_5A-66A-66A_n78A; DC_66A_n78A; DC_5A-7C_n78A; DC_66A-
66A_n78A; DC_2A-12A_n66A; DC_12A_n66A; DC_2A-66A_n66A;
DC_12A_n25A; DC_12A-66A_n25A; DC_2A-71A_n71A; DC_66A-71A_n71A;
DC_8A_n1A; DC_3A-8A_n1A; DC_3A_n1A; DC_7A_n1A; DC_20A_n1A;
DC_3A-20A_n1A; DC_3A-7A_n1A; DC_7A-20A_n1A; DC_3C_n1A; DC_3C-
7A_n1A; DC_3C-20A_n1A; DC_3C-8A_n1A; DC_7C-20A_n1A; DC_3A-
7C_n1A; DC_1A_n3A; DC_7A_n3A; DC_1A-20A_n3A; DC_1A-7A_n3A;
DC_7A-20A_n3A; DC_1A-7C_n3A; DC_7C_n3A; DC_7C-20A_n3A;
DC_1A_n7A; DC_3A_n7A; DC_1A-3A_n7A; DC_3A-20A_n7A; DC_3C_n7A;
DC_1A-3C_n7A; DC_3C-20A_n7A; DC_1A_n28A; DC_3A_n28A;
DC_7A_n28A; DC_20A_n28A; DC_3C_n28A; DC_1A-3A_n28A; DC_1A-
7A_n28A; DC_1A-20A_n28A; DC_3A-7A_n28A; DC_3A-20A_n28A; DC_1A-
3C_n28A; DC_3C-7A_n28A; DC_3C-20A_n28A; DC_20A_n3A; DC_8A_n7A;
DC_20A_n7A; DC_3A-28A_n1A; DC_7A-8A_n1A; DC_1A_n38A;
DC_3A_n38A; DC_1A-3A_n38A; DC_1A-20A_n38A; DC_3A-20A_n38A;
DC_3C_n38A; DC_1A_n78A; DC_3A_n78A; DC_7A_n78A; DC_3C_n78A;
DC_1A-3A_n78A; DC_1A-7A_n78A; DC_1A-8A_n78A; DC_1A-20A_n78A;
DC_3A-7A_n78A; DC_3A-8A_n78A; DC_3A-20A_n78A; DC_7A-20A_n78A;
DC_1A-3C_n78A; DC_3C-20A_n78A; DC_3C-8A_n78A; DC_28A_n1A;

However, N77 and N78 are partially available in US market and Canada market, and will be limited by software.

Our UE regards LTE and NR carriers are within the allowed partial band

frequency range with N77 and N78 as below:

For N77, only frequency 3450-3550MHz+3700-3980MHz can be used in

US with MCC 310,311,312,313,314,315,316,330.

For N78, only frequency 3450-3550MHz can be used in

US with MCC 310,311,312,313,314,315,316,330.

For B40, will be disabled in US with MCC 10,311,312,313,314,315,316,330.

A handwritten signature in black ink that reads "Rui Sha". The signature is written in a cursive, slightly slanted style.

Contact Person: Rui Sha

E-mail: sharui @wingtech.com