

10184-CAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	5.12	79.12	24.31	3.01	150.0	± 9.6 %
		Y	4.87	77.60	23.08		150.0	
		Z	4.95	77.72	23.15		150.0	
10185-CAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	7.49	85.54	26.25	3.01	150.0	± 9.6 %
		Y	6.89	83.13	24.72		150.0	
		Z	7.07	83.24	24.79		150.0	
10186-AAE	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	6.71	82.69	24.37	3.01	150.0	± 9.6 %
		Y	6.20	80.47	22.91		150.0	
		Z	6.30	80.35	22.88		150.0	
10187-CAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	5.92	82.45	25.81	3.01	150.0	± 9.6 %
		Y	5.34	79.62	24.01		150.0	
		Z	5.47	79.88	24.13		150.0	
10188-CAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	7.67	86.07	26.52	3.01	150.0	± 9.6 %
		Y	7.05	83.61	24.98		150.0	
		Z	7.23	83.72	25.05		150.0	
10189-AAF	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	6.82	83.03	24.58	3.01	150.0	± 9.6 %
		Y	6.29	80.79	23.11		150.0	
		Z	6.39	80.67	23.08		150.0	
10193-CAC	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	X	5.20	68.87	17.59	0.00	150.0	± 9.6 %
		Y	5.22	68.92	17.53		150.0	
		Z	5.10	68.87	17.46		150.0	
10194-CAC	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	5.45	69.30	17.72	0.00	150.0	± 9.6 %
		Y	5.46	69.36	17.66		150.0	
		Z	5.33	69.30	17.61		150.0	
10195-CAC	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	5.48	69.27	17.70	0.00	150.0	± 9.6 %
		Y	5.49	69.32	17.64		150.0	
		Z	5.37	69.29	17.61		150.0	
10196-CAC	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X	5.24	69.03	17.65	0.00	150.0	± 9.6 %
		Y	5.26	69.09	17.59		150.0	
		Z	5.13	69.02	17.52		150.0	
10197-CAC	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	X	5.46	69.30	17.71	0.00	150.0	± 9.6 %
		Y	5.47	69.36	17.65		150.0	
		Z	5.35	69.31	17.62		150.0	
10198-CAC	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	X	5.49	69.29	17.72	0.00	150.0	± 9.6 %
		Y	5.50	69.35	17.66		150.0	
		Z	5.38	69.32	17.63		150.0	
10219-CAC	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	5.19	69.05	17.61	0.00	150.0	± 9.6 %
		Y	5.21	69.10	17.55		150.0	
		Z	5.08	69.03	17.47		150.0	
10220-CAC	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	X	5.47	69.35	17.74	0.00	150.0	± 9.6 %
		Y	5.49	69.40	17.68		150.0	
		Z	5.36	69.35	17.64		150.0	
10221-CAC	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	X	5.50	69.27	17.74	0.00	150.0	± 9.6 %
		Y	5.52	69.32	17.68		150.0	
		Z	5.39	69.27	17.63		150.0	
10222-CAC	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	X	5.44	67.86	16.83	0.00	150.0	± 9.6 %
		Y	5.43	67.85	16.74		150.0	
		Z	5.32	67.71	16.69		150.0	

10223-CAC	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	X	5.88	68.37	17.13	0.00	150.0	± 9.6 %
		Y	5.86	68.33	17.02		150.0	
		Z	5.77	68.37	17.08		150.0	
10224-CAC	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	X	5.47	67.87	16.75	0.00	150.0	± 9.6 %
		Y	5.47	67.90	16.67		150.0	
		Z	5.35	67.76	16.64		150.0	
10225-CAB	UMTS-FDD (HSPA+)	X	3.29	68.11	16.61	0.00	150.0	± 9.6 %
		Y	3.31	68.16	16.58		150.0	
		Z	3.21	68.12	16.40		150.0	
10226-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	32.79	108.96	32.84	6.02	65.0	± 9.6 %
		Y	29.05	105.82	31.38		65.0	
		Z	22.83	100.09	29.69		65.0	
10227-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	25.98	103.12	30.62	6.02	65.0	± 9.6 %
		Y	23.35	100.43	29.29		65.0	
		Z	20.16	96.71	28.20		65.0	
10228-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	59.36	127.70	40.01	6.02	65.0	± 9.6 %
		Y	50.81	123.26	38.20		65.0	
		Z	32.24	112.09	34.93		65.0	
10229-CAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	31.89	108.31	32.58	6.02	65.0	± 9.6 %
		Y	28.26	105.18	31.12		65.0	
		Z	22.39	99.63	29.50		65.0	
10230-CAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	25.47	102.69	30.44	6.02	65.0	± 9.6 %
		Y	22.86	99.98	29.09		65.0	
		Z	19.85	96.39	28.05		65.0	
10231-CAC	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	57.29	126.83	39.71	6.02	65.0	± 9.6 %
		Y	48.97	122.38	37.90		65.0	
		Z	31.37	111.45	34.69		65.0	
10232-CAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	31.95	108.35	32.59	6.02	65.0	± 9.6 %
		Y	28.29	105.21	31.13		65.0	
		Z	22.40	99.65	29.50		65.0	
10233-CAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	25.54	102.76	30.46	6.02	65.0	± 9.6 %
		Y	22.91	100.04	29.11		65.0	
		Z	19.87	96.42	28.06		65.0	
10234-CAF	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	55.04	125.76	39.33	6.02	65.0	± 9.6 %
		Y	46.98	121.31	37.52		65.0	
		Z	30.52	110.73	34.39		65.0	
10235-CAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	32.27	108.56	32.66	6.02	65.0	± 9.6 %
		Y	28.54	105.39	31.19		65.0	
		Z	22.51	99.76	29.53		65.0	
10236-CAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	25.74	102.87	30.49	6.02	65.0	± 9.6 %
		Y	23.09	100.15	29.14		65.0	
		Z	19.97	96.49	28.08		65.0	
10237-CAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	59.13	127.53	39.89	6.02	65.0	± 9.6 %
		Y	50.35	122.97	38.06		65.0	
		Z	31.88	111.80	34.79		65.0	
10238-CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	32.05	108.43	32.62	6.02	65.0	± 9.6 %
		Y	28.36	105.27	31.15		65.0	
		Z	22.43	99.69	29.51		65.0	

10239-CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	25.65	102.85	30.49	6.02	65.0	± 9.6 %
		Y	22.99	100.12	29.14		65.0	
		Z	19.91	96.47	28.08		65.0	
10240-CAF	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	58.30	127.24	39.82	6.02	65.0	± 9.6 %
		Y	49.71	122.72	37.99		65.0	
		Z	31.63	111.65	34.74		65.0	
10241-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	18.42	97.74	32.84	6.98	65.0	± 9.6 %
		Y	17.72	96.66	32.10		65.0	
		Z	17.36	94.53	30.85		65.0	
10242-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	13.95	90.62	29.98	6.98	65.0	± 9.6 %
		Y	14.61	91.78	30.14		65.0	
		Z	13.84	88.88	28.50		65.0	
10243-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	13.91	93.70	32.40	6.98	65.0	± 9.6 %
		Y	12.79	91.56	31.22		65.0	
		Z	11.78	87.60	29.00		65.0	
10244-CAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	12.22	86.54	24.44	3.98	65.0	± 9.6 %
		Y	11.66	85.51	23.65		65.0	
		Z	10.92	82.92	22.29		65.0	
10245-CAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	12.10	86.10	24.24	3.98	65.0	± 9.6 %
		Y	11.56	85.11	23.46		65.0	
		Z	10.90	82.68	22.16		65.0	
10246-CAC	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	9.98	84.64	22.73	3.98	65.0	± 9.6 %
		Y	10.53	86.04	23.27		65.0	
		Z	9.03	82.08	21.50		65.0	
10247-CAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	9.65	82.50	22.77	3.98	65.0	± 9.6 %
		Y	9.83	83.23	23.07		65.0	
		Z	9.04	80.41	21.57		65.0	
10248-CAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	9.77	82.29	22.72	3.98	65.0	± 9.6 %
		Y	9.93	82.95	22.99		65.0	
		Z	9.20	80.34	21.56		65.0	
10249-CAF	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	10.46	85.52	23.58	3.98	65.0	± 9.6 %
		Y	11.02	86.90	24.12		65.0	
		Z	9.65	83.36	22.61		65.0	
10250-CAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	10.43	84.15	24.58	3.98	65.0	± 9.6 %
		Y	10.60	84.84	24.85		65.0	
		Z	9.91	82.34	23.61		65.0	
10251-CAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	10.15	82.62	23.83	3.98	65.0	± 9.6 %
		Y	10.25	83.14	24.03		65.0	
		Z	9.78	81.14	22.96		65.0	
10252-CAF	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	10.43	84.82	23.94	3.98	65.0	± 9.6 %
		Y	10.80	85.91	24.36		65.0	
		Z	9.98	83.44	23.34		65.0	
10253-CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	10.15	82.12	23.97	3.98	65.0	± 9.6 %
		Y	10.21	82.55	24.12		65.0	
		Z	9.82	80.72	23.16		65.0	
10254-CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	10.44	82.59	24.45	3.98	65.0	± 9.6 %
		Y	10.51	83.03	24.61		65.0	
		Z	10.12	81.23	23.64		65.0	

10255-CAF	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	10.04	82.87	23.52	3.98	65.0	± 9.6 %
		Y	10.23	83.58	23.80		65.0	
		Z	9.77	81.79	23.04		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	11.62	85.32	23.27	3.98	65.0	± 9.6 %
		Y	10.97	84.13	22.40		65.0	
		Z	10.15	81.29	20.91		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	11.66	85.00	23.08	3.98	65.0	± 9.6 %
		Y	11.03	83.85	22.23		65.0	
		Z	10.21	81.08	20.76		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	9.56	83.66	21.86	3.98	65.0	± 9.6 %
		Y	10.08	85.03	22.40		65.0	
		Z	8.41	80.54	20.33		65.0	
10259-CAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	9.94	83.00	23.38	3.98	65.0	± 9.6 %
		Y	10.11	83.70	23.66		65.0	
		Z	9.42	81.15	22.31		65.0	
10260-CAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	10.04	82.92	23.40	3.98	65.0	± 9.6 %
		Y	10.19	83.58	23.66		65.0	
		Z	9.50	81.06	22.31		65.0	
10261-CAC	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	10.41	85.30	23.83	3.98	65.0	± 9.6 %
		Y	10.87	86.53	24.31		65.0	
		Z	9.72	83.34	22.93		65.0	
10262-CAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	10.44	84.14	24.57	3.98	65.0	± 9.6 %
		Y	10.62	84.84	24.84		65.0	
		Z	9.92	82.33	23.60		65.0	
10263-CAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	10.18	82.68	23.86	3.98	65.0	± 9.6 %
		Y	10.27	83.19	24.05		65.0	
		Z	9.79	81.17	22.97		65.0	
10264-CAF	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	10.42	84.79	23.91	3.98	65.0	± 9.6 %
		Y	10.79	85.87	24.33		65.0	
		Z	9.97	83.40	23.31		65.0	
10265-CAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	10.37	82.49	24.00	3.98	65.0	± 9.6 %
		Y	10.45	82.96	24.17		65.0	
		Z	10.00	81.13	23.28		65.0	
10266-CAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	10.60	82.88	24.50	3.98	65.0	± 9.6 %
		Y	10.68	83.36	24.67		65.0	
		Z	10.26	81.55	23.76		65.0	
10267-CAF	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	9.96	82.29	22.99	3.98	65.0	± 9.6 %
		Y	10.15	83.01	23.26		65.0	
		Z	9.79	81.50	22.68		65.0	
10268-CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	10.62	81.61	24.08	3.98	65.0	± 9.6 %
		Y	10.66	81.96	24.19		65.0	
		Z	10.41	80.60	23.52		65.0	
10269-CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	10.56	81.38	24.13	3.98	65.0	± 9.6 %
		Y	10.58	81.70	24.22		65.0	
		Z	10.36	80.35	23.52		65.0	
10270-CAF	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	9.90	80.75	22.67	3.98	65.0	± 9.6 %
		Y	9.98	81.23	22.84		65.0	
		Z	9.81	80.12	22.40		65.0	

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.90	67.74	16.05	0.00	150.0	± 9.6 %
		Y	2.93	67.82	16.05		150.0	
		Z	2.88	67.91	15.95		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.90	69.54	16.01	0.00	150.0	± 9.6 %
		Y	1.92	69.57	16.06		150.0	
		Z	1.86	69.51	15.97		150.0	
10277-CAA	PHS (QPSK)	X	7.21	74.23	15.72	9.03	50.0	± 9.6 %
		Y	6.90	74.03	15.33		50.0	
		Z	8.00	75.14	16.78		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	11.25	84.68	22.46	9.03	50.0	± 9.6 %
		Y	12.28	86.98	23.21		50.0	
		Z	10.31	81.81	21.64		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	11.53	85.01	22.60	9.03	50.0	± 9.6 %
		Y	12.61	87.32	23.35		50.0	
		Z	10.51	82.08	21.76		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	1.76	69.39	14.62	0.00	150.0	± 9.6 %
		Y	1.80	69.61	14.85		150.0	
		Z	1.68	69.47	14.23		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	1.11	67.96	13.54	0.00	150.0	± 9.6 %
		Y	1.15	68.18	13.85		150.0	
		Z	1.04	67.65	13.06		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	1.17	69.38	14.54	0.00	150.0	± 9.6 %
		Y	1.20	69.63	14.88		150.0	
		Z	1.11	69.22	14.16		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	1.30	70.91	15.69	0.00	150.0	± 9.6 %
		Y	1.34	71.11	15.99		150.0	
		Z	1.25	70.98	15.43		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	1106.95	177.54	49.09	9.03	50.0	± 9.6 %
		Y	1189.13	179.47	49.48		50.0	
		Z	100.00	128.52	37.93		50.0	
10297-AAD	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	3.20	71.00	16.88	0.00	150.0	± 9.6 %
		Y	3.22	71.08	16.90		150.0	
		Z	3.11	71.05	16.96		150.0	
10298-AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	2.05	69.73	15.41	0.00	150.0	± 9.6 %
		Y	2.08	69.83	15.53		150.0	
		Z	1.92	69.47	14.90		150.0	
10299-AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	4.10	75.71	19.01	0.00	150.0	± 9.6 %
		Y	3.69	73.46	17.43		150.0	
		Z	3.88	74.39	17.42		150.0	
10300-AAD	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	3.77	73.40	17.35	0.00	150.0	± 9.6 %
		Y	3.44	71.56	15.95		150.0	
		Z	3.46	71.78	15.58		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	5.90	68.69	19.44	4.17	80.0	± 9.6 %
		Y	5.73	68.06	19.03		80.0	
		Z	6.16	69.89	19.70		80.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	6.69	70.52	20.89	4.96	80.0	± 9.6 %
		Y	6.56	70.10	20.62		80.0	
		Z	7.06	72.08	21.34		80.0	

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	6.51	70.54	20.94	4.96	80.0	± 9.6 %
		Y	6.36	70.06	20.64		80.0	
		Z	6.94	72.33	21.47		80.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	6.14	69.75	20.00	4.17	80.0	± 9.6 %
		Y	6.03	69.37	19.76		80.0	
		Z	6.46	71.21	20.41		80.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	7.41	78.10	25.43	6.02	50.0	± 9.6 %
		Y	6.77	76.00	24.47		50.0	
		Z	7.82	77.81	24.17		50.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	7.10	75.05	24.22	6.02	50.0	± 9.6 %
		Y	6.68	73.57	23.45		50.0	
		Z	7.46	75.35	23.47		50.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	7.12	75.54	24.22	6.02	50.0	± 9.6 %
		Y	6.67	74.00	23.45		50.0	
		Z	7.49	75.75	23.42		50.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	7.12	75.85	24.37	6.02	50.0	± 9.6 %
		Y	6.65	74.24	23.57		50.0	
		Z	7.50	76.00	23.53		50.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	7.21	75.28	24.33	6.02	50.0	± 9.6 %
		Y	6.79	73.82	23.57		50.0	
		Z	7.58	75.67	23.64		50.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	7.05	75.11	24.14	6.02	50.0	± 9.6 %
		Y	6.63	73.61	23.36		50.0	
		Z	7.42	75.39	23.38		50.0	
10311-AAD	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	3.50	69.95	16.40	0.00	150.0	± 9.6 %
		Y	3.53	70.06	16.43		150.0	
		Z	3.43	69.98	16.47		150.0	
10313-AAA	iDEN 1:3	X	8.74	81.15	19.34	6.99	70.0	± 9.6 %
		Y	9.45	82.91	19.96		70.0	
		Z	8.77	80.72	19.70		70.0	
10314-AAA	iDEN 1:6	X	12.55	89.46	24.65	10.00	30.0	± 9.6 %
		Y	15.92	94.58	26.40		30.0	
		Z	10.65	85.55	23.75		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.30	66.98	16.56	0.17	150.0	± 9.6 %
		Y	1.31	66.85	16.47		150.0	
		Z	1.33	66.99	16.49		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	5.34	69.22	17.89	0.17	150.0	± 9.6 %
		Y	5.35	69.24	17.81		150.0	
		Z	5.28	69.32	17.81		150.0	
10317-AAC	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	5.34	69.22	17.89	0.17	150.0	± 9.6 %
		Y	5.35	69.24	17.81		150.0	
		Z	5.28	69.32	17.81		150.0	
10400-AAD	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	5.04	67.45	16.57	0.00	150.0	± 9.6 %
		Y	5.05	67.50	16.51		150.0	
		Z	4.92	67.44	16.48		150.0	
10401-AAD	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.67	67.60	16.74	0.00	150.0	± 9.6 %
		Y	5.67	67.61	16.66		150.0	
		Z	5.68	67.93	16.85		150.0	

10402-AAD	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	6.01	68.19	16.85	0.00	150.0	± 9.6 %
		Y	6.01	68.23	16.78		150.0	
		Z	5.89	68.09	16.74		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	1.76	69.39	14.62	0.00	115.0	± 9.6 %
		Y	1.80	69.61	14.85		115.0	
		Z	1.68	69.47	14.23		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	1.76	69.39	14.62	0.00	115.0	± 9.6 %
		Y	1.80	69.61	14.85		115.0	
		Z	1.68	69.47	14.23		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	11.31	95.76	26.58	0.00	100.0	± 9.6 %
		Y	7.13	86.37	22.60		100.0	
		Z	8.40	87.80	22.97		100.0	
10410-AAF	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9, Subframe Conf=4)	X	96.75	125.81	33.76	3.23	80.0	± 9.6 %
		Y	35.42	107.53	28.24		80.0	
		Z	33.25	106.55	28.29		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.10	64.88	15.39	0.00	150.0	± 9.6 %
		Y	1.13	64.90	15.36		150.0	
		Z	1.11	64.85	15.33		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	5.20	68.87	17.61	0.00	150.0	± 9.6 %
		Y	5.21	68.93	17.55		150.0	
		Z	5.11	68.92	17.51		150.0	
10417-AAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	5.20	68.87	17.61	0.00	150.0	± 9.6 %
		Y	5.21	68.93	17.55		150.0	
		Z	5.11	68.92	17.51		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	5.16	68.90	17.53	0.00	150.0	± 9.6 %
		Y	5.18	68.96	17.48		150.0	
		Z	5.08	68.97	17.46		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	5.20	68.91	17.58	0.00	150.0	± 9.6 %
		Y	5.22	68.97	17.52		150.0	
		Z	5.11	68.97	17.50		150.0	
10422-AAB	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	5.35	69.00	17.65	0.00	150.0	± 9.6 %
		Y	5.37	69.06	17.59		150.0	
		Z	5.26	69.05	17.56		150.0	
10423-AAB	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	5.63	69.53	17.86	0.00	150.0	± 9.6 %
		Y	5.64	69.58	17.80		150.0	
		Z	5.50	69.53	17.76		150.0	
10424-AAB	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	5.51	69.41	17.79	0.00	150.0	± 9.6 %
		Y	5.53	69.46	17.73		150.0	
		Z	5.39	69.41	17.68		150.0	
10425-AAB	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.83	68.45	17.16	0.00	150.0	± 9.6 %
		Y	5.79	68.33	17.01		150.0	
		Z	5.68	68.27	16.99		150.0	
10426-AAB	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.83	68.44	17.15	0.00	150.0	± 9.6 %
		Y	5.79	68.33	17.00		150.0	
		Z	5.71	68.36	17.04		150.0	